RECEIVED
RECORDS SIAMAGEMENT

2012 JAN 18 PH 2: 32

SMIEGRATI



CONSUMER PRODUCTS (CAMAS) LLC
401 NE Adams Street, Camas, WA 98607

ns Street, Camas, WA 98607 Telephone: (360) 834-3021

January 18, 2012

Stephanie --

This is a follow up submittal in response to our telephone conversations on January 3 and 4, 2012, which discussed the Notice of Probable Violation issued to Georgia Pacific's Camas Mill (the Mill) on September 20, 2011, by the Washington Utilities and Transportation Commission (UTC). The Notice concerned a 1.7 mile natural gas pipeline that serves the Mill. This is a narrow diameter, low pressure pipeline that serves a single customer.

The Mill responded to the Notice with a written submittal and exhibits on October 21, 2011. In that response, we noted that none of the 33 alleged potential violations raised any issue about the physical safety of the pipeline; virtually all of the allegations addressed paperwork, procedures and training issues.

In our October 21, 2011, response to the Notice, we expressed our belief that the majority of all Items in the Notice should be resolved by our response (including additional documentation); only three general areas (which included 9 of the original 33 Items) required further action by the Mill. As stated in our October submittal, it was our intention to complete those actions by the end of January 2012.

In our recent phone conversations, you requested some additional information on 12 of the Items set forth in the initial Notice (9 of those relate to Items we believe should already be resolved, while 3 concern Items we agreed to take further action on by the end of January 2012). You asked if we could submit this additional information now, before the end of January, in a cooperative attempt to narrow or close this matter. We are complying with your request by this response.

Please note that we continue to work on those remaining Items that we previously indicated require further action (involving revisions to our Operations & Maintenance Manual, including Operator Qualification and Drug & Alcohol Program elements). We intend to provide notice to you by January 31, 2012, on the status of those activities. Of course, we will then resume our process of



'continual evaluation' and revision of all required Manuals and procedures, as required by law.

If you have any questions about this submittal, please do not hesitate to contact me. Our goal is to fully address all issues raised in UTC's September 20, 2011, Notice, and it is our intent to cooperate with UTC to achieve that result.

Sincerely,

Steve Ringquist

Pursuant to WAC 480-07-160, attachment 6 is designated as confidential to protect individual privacy.

GP Camas Mill

UTC Docket PG-11017 (9.20.11)

Additional Information on Select Items as Requested

Item No./Authority/Allegation or Concern (update provided below)

2. WAC 480-93-017

Concern over discrepancies between construction design and implementation procedures

- Believed resolved by October 21, 2011 submittal and Exhibits
- Attachment 1 further establishes the pedigree of the pipe and the fittings used for this State road project
- Despite some inconsistencies between Manual and construction specs, dual rated 'X42/X52' pipe was used, with Y52 fittings
- Facility will be more careful in future projects on ensuring consistency in paperwork

3.1 **WAC 480-93-018**

Concern over construction project OQ records for contractors

- Believed resolved by October 21, 2011 submittal and Exhibits
- The contractor Alaska Continental utilizes the Veriforce database to manage and implement OQ training, which includes Written Testing
- Attachment 2 is a copy of the Veriforce written training guidelines

3.3 **WAC 480-93-018**

Concern over discrepancies between construction design and implementation procedures

- Believed resolved by October 21, 2011 submittal and Exhibits
- Attachment 1 further establishes the pedigree of the pipe and the fittings used for this State road project
- Despite some inconsistencies between Manual and construction specs, dual rated 'X42/X52' pipe was used, with Y52 fittings
- Facility will be more careful in future projects on ensuring consistency in paperwork

5 **WAC 480-93-110**

Concern about Corrosion control inspection and record keeping

- Believed resolved by October 21, 2011 submittal and Exhibits
- All four struts were removed and inspected before our October 21 submittal, with measurements documented
- Attachment 3 is the new Manual procedure for individually listing loss measurements

7.2 <u>WAC 480-93-180</u>

Concern about AMPP procedures

• Attachment 4 is a Letter from Wolfgang Associates clarifying the notification procedure if an employee of CPE is ineligible.

7.3 **WAC 480-93-180**

Concern about AMPP procedures

- Attachment 4 is a Letter from Wolfgang Associates clarifying the statistical record retention utilized for the AMPP, if necessary to implement
- The project at issue was only two weeks in duration and had no incidents, nor suspicion of abuse. Therefore no alcohol testing was implemented. This is consistent with both OMP and regulations regarding testing.

14 49 CFR §192.105

Concern about Variables in Design Pressure Formula

- Believed resolved by October 21, 2011 submittal and Exhibits
- Attachment 1 further establishes the pedigree of the pipe and the fittings used for this State road project
- The Yield Strength variable used in the calculations correctly matched the actual yield strength of the pipe (pipe max 52000, S=52000)

15 49 CFR §192.225

Welding Procedures

- Believed resolved by October 21, 2011 submittal and Exhibits
- Attachment 5 is the GP version of predecessor company weld procedure. This has been update in the OMP
- GP has added weld procedure GP CAMAS-01 to the OMP manual.

25 49 CFR §192.807

Concern over Recordkeeping

- Believed resolved by October 21, 2011 submittal and Exhibits
- Contractor Alaska Continental uses the Veriforce database to manage and implement the OQ training program.
- Attachment 2 is the Veriforce written OQ training procedure.

28.b 49 CFR §199.105

Concern about Drug Testing

- Operator J.S. was an apprentice who participated in training but was not intended to be Qualified
- JS was removed from the Qualified Operator pool on July 22, 2011.
- GP will revise its OMP to guard against unintentional Qualified Operator designations

29 49 CFR §119.113

Supervisor Training records

- Attachment 6 is the Completed Drug and Alcohol Training for Supervisors record.
- GP will revise its OMP to cover Drug and Alcohol Trainings for Supervisors and record keeping of such training

30 49 CFR §119.115

Concern over notification procedure for Contractor Employees

- Attachment 4 is the letter from Wolfgang Associates clarifying notification of ineligible contractor employees.
- GP will revise its OMP to cover notification of ineligibility of all contractor employees

GP respectfully submits that all of the Items noted above have now been fully addressed and should be considered closed out. As a supplement to our October 21, 2011, submittal, this response should clarify Items identified in UTC's September 20, 2011, Notice. As stated in our October submittal, we plan to provide notice to UTC by the end of January, 2012, on our status of completion of remaining activities

1

ŝ	26	> <			1		10		- 0	-26	
	13	チチ	A A	5	2""	rv	トノへ	· han	ŧ 9	- 13	
ā	2	3 3	17	٤.	3 8	4 5	3 Swall		3.8	- 1	
	,	1 V T	-mio	-			0 700	×	e «,		

<u>Documentation tracing the path between GP Camas purchase order and the materials delivered and used for the SR-14 Union St relocation project.</u>

GP Camas issued a contract number (note this is the same as a Purchase Order) to Ferguson Enterprises, Inc for the pipe and fittings:

- GP Camas Contract Number: 00848579
- Reference Camas Contract (attached)

Fergusson Enterprises generated purchase orders to their suppliers for the materials:

- Ferguson PO#: F3002-5609 for the pipe
- Ferguson PO#: F3002-5611 for the fittings
- Reference Ferguson Enterprises Sales Order (attached)

Purchase Order F3002-5609 to Yarrs Corp. is filled with Material Test Report heat lot numbers:

- 200388
- 200388 A
- Reference email linking Ferguson PO# to Yarrs tally sheet and MTR reports (all attached)

Purchase Order F3002-5611 to Industrial Valco is filled with Material Test Report Heat Codes

- A08XMT1
- A08XMR2
- Reference Industrial Valco packing slip and MTR reports (all attached)

Contract



GEORGIA-PACIFIC

00848579 Contract:

Release :

Executed: 02/12/2010

Printed: 01/10/2012

Page :

Mail Invoice To:

Contract Invoicing GP Consumer Products Camas LLC 401 NE Adams Street **CAMAS WA 98607**

Vendor:

STEVE HARTZ 8773859235 FERGUSON ENTERPRISES INC C/O FERGUSON INDUSTRIAL PLASTI 740 S 28TH ST WASHOUGAL WA 98671-2512

Please Direct Inquiries to:

MIKE E. THOENNES

Title: PURCHASING MGR

Phone: 360-834-8469 Fax : 360-834-8198 Work Location:

PURCHASING DEPARTMENT

GP CONSUMER PRODUCTS CAMAS LLC

CAMAS OPERATIONS 401 N.E. ADAMS

CAMAS WA 98607

Title: 10" NATURAL GAS LINE PIPE

** DUPLICATE COPY ** DRAFT COPY **

Ext:

Total Value :

\$31,268.32 USD

Pricing Method: ESTIMATE

Project

Contract Type : EQUIPMENT/MATERIAL PURCH

Start Date: 02/08/2010

End Date : 04/02/2010

Authorized Signature Vendor Authorized Signature Printed Name/Title Printed Name/Title Phone Date Signed Date Signed Phone

Terms and Conditions - Text at End

Fac Standard

Rev S/P Text Title

7141 T&C

000 S Y FORM 7141 TERMS AND CONDITIONS

Scope of Work

Provide 400 feet of pipe per the specification listed below: PIPE, STEEL, API 5-L PSL2, 10" DIA, .307" WALL THK, MATERIAL GRADE X-42,

Contract



GEORGIA-PACIFIC

00848579 Contract:

Release : Executed:

02/12/2010 Printed: 01/10/2012

Page

JOINT LENGTH 40FT NOMINAL.

PIPE COATING, FUSION BONDED EPOXY, MANUFACTURER 3-M, PRODUCT 6233, 14MIL COATING THICKNESS, 4" CUTBACK AT JOINTS

PIPES SHALL BE SHIPPED WITH ROPE RINGS FOR SEPARATION AND DUNNAGE TO PREVENT DAMAGE TO PIPE COATING. PLASTIC END COVERS WILL BE REQUIRED.

Item 2

Provide four (4) each pipe elbows per specification listed below: CARBON STEEL BUTTWELD FITTING, 3-R 45DEG ELL, 10" DIAMETER, .307" WALL THK, GRADE Y-42. COATING PER PIPE SPEC.

Item 3

Provide two (2) each pipe end caps per the specification listed below: CARBON STEEL BUTTWELD FITTING, WELD END CAP, 10" DIAMETER, .307" WALL THK, GRADE Y-42. NO COATING

- Items 1, 2 and 3 will require heat sheets from the steel manufacturer.
- Georgia-Pacific Corporation reserves the right to perform QA/QC inspections at the pipe manufacturing and coating facilities prior to acceptance.
- Pipe mill must be an approved API facility.
- Fitting manufacturer must be in compliance with ASTM A234, ANSI B16.9 & ANSI B16.28.
- All materials shall be obtained from a domestic manufacturer.
- These materials will be used in a high pressure pipeline that is regulated by the Pipeline and Hazardous Materials Safety Administration. These pipeline components will not transport corrosive gas.

Delivery to Georgia-Pacific Corporation, Camas Mill shall be coordinated through George Kelsey, (360)834-8347. Delivery notice shall be a minimum of two business days in advance.

Contract Amendments

Amendment: 001

04/03/2010 Execution Date :

Title : ACTUAL COST

Amended Start :

Amended End Date:

\$17,809.56 Amendment Value:

Pricing Method :

Amendment Scope

Cost estimate based on quote to Roy Rogers from State Pipe in Vancouver but quote did not include coating. Ferguson used because they are the preferred supplier for pipe.

Contract



GEORGIA-PACIFIC

00848579 Contract:

Release :

02/12/2010

Executed: Printed:

01/10/2012

Page

3

Amendment: 002

Execution Date :

04/08/2010

Title : ADDITIONAL CHARGES

Amended Start :

\$458.76

Amendment Value: Pricing Method :

Amended End Date:

Additional costs:

LPDE pipe end caps - \$160

Freight - \$119.78

Adjustment for actual painting cost - \$178.98

Terms and Conditions - Text

Amendment Scope

7141 T&C

000 FORM 7141 TERMS AND CONDITIONS

Form 7141 T&C

The terms and conditions of Georgia-Pacific's Form 7141 shall supercede those herein

and apply as the terms and conditions for this purchase order.

N. H THEI

9 9,00 30 HHR 2010 05:12:2 OT FISH RUN NO. DEPART CHECKED BY SALESMAN H1.7H2 > Z SOURCE = SOE IB FRT = Y . . . da ba F3802-5510 η *CONTINUED* bryan Overby VENDOR F3ตัช2-56ชั3 F3902-5610 1.v lb F3002-5511 F3902-561 19.9.10 33.8 lb ACCEPT B/O SHOWROOM N = 1H0 9D VENDOR PO. NO. OML CONTACT LENGTHS | BUNDLES | ROUTE DESC PACKED BY TAG PO. NO ROUTE NO. WRITER 0.79 P843573 JAHS LINE THE RESIDENCE THE THE PROPERTY OF THE STREET OF THE PROPERTY O DELINERED BY TUTAL DUE CHATES 114 1 SHIP DATE ١X لدا 1 £. INSTRUCTIONS ro TERMS: لدا SHEED WIT 5.4.E · 不不不 不 多 . _1 Ş 14 MIL FUSION SOMO EFOXY 6233 4"EUT T 14 HIL FUSION BOND EFOXY 6233 4"CUT ſΩ ILO JOY AFIDL POLZ XOZ ERW PIPE :∠ 1.) EFEGUSON ENTERPRISES, INC. & WOLSELEY COMPANY THE FOOT PAY WITH WATERIAL TEST REPORTS 10 CS STD 84 Y-52 38 45 ELL O ب 83/11/10 MIKE THUENNES 10 GHS FIFELINE MATERIAL FIFE IS AFT MATERIAL FITTINGS ASTN A234 ORDERED BY 10 CS STD 6W 1-52 401 МЕ НОЙМЗ ЭТ СНИМВ, МИ ЭВБЮ7-3021 GEDRGIA FACIFIC LLC CAMAS MILL \$3070/AL OPICER DATE MAR 3 1 2010 OATE: PRINCE SERVICE RESERVE 3F-UDFHFISLXSZDRL1 5F-3M523314WILCOHT SF-3M623314WILCOHT 5374399 vi I - CL SHO NO. 5-533¢ FHX: 369-425-8457 REQUIRED DATE: SHP WHS. SELL WHS. 0875238410 3002 03/31/10 3002 CUSTOMERALPHA CONTRACT NO. CUST FH: 484-632-4888 LUNGUIEM, WH BREBZ-LVZ RETHENS ALLEMEN WICHOUT PROVENING (\$) EL FH30, TX 79998-1953 20 INTERNATIONAL MAY 7H: 368-425-5338 FEI LUNGVIEW #3802 BEURBIH FHOIFIC LLC reverso sofit operator properto GEORGIAFA 200 260 ᅿ FO 60X 381953 400 400 CHRIS WILL 153925 USTOMER NO. PDER NO. 12177

From: Rishi Mittal [mailto:rishi@yarrs.com]
Sent: Wednesday, March 17, 2010 2:34 PM

To: Overby, Bryan L [Ferguson] - 3002 PORTLAND

Subject: P.O. #3002-5609

Hey Bryan, attached are the tally & MTR's for your order. Let me know if you need anything else and thank you for the order!

-Regards
Rishi Mittal
YARRS CORP
769 La Canada St
San Diego CA 92037
ph 800.293.9277
local 858.551.5426
fx 858.551.5436/858.220.7444





FASSID Attn: Rish TALLY SHEET

							* * *
			7		Tra	nsportat	ion Specialist:
	CUCKING		FONT. 9813 ALMON FONTANA, (909) 82	ID AVENUE CA 92335		2632 PHOEN	PHOENIX 5. 15TH AVENUE IIX, AZ 85007-4401 02) 258-5928
	DATE 3-1540			•	JOE	ORDER NO	
P	PAGE OF				30,5		
SOLI	DBY // OR O C		<u> </u>	7 4		LOAD NO.	
SOL	TOWARAL	CONP FE	X RE	R 1/2	UCHI	750 V	bly Rinth
DESC	CRIPTION	- YARRI	a	rp_	Pot 4	12-03	110
BEGL	NINING INVENTORY	· · · · · · · · · · · · · · · · · · ·		TRIBLE ART	P(
İ			• <u></u>	PIECE COU	NT 10		
	LLOADERLE 4/2	-72144		FOOTAGE	405-		
BILL	OF LADING NO.	57-47226-	05				
1	40.7	HT N-2007	ee_	,			<u> </u>
2	40.7	HT 4-200 78	, , , , , , , , , , , , , , , , , , , ,			***************************************	, , , , , , , , , , , , , , , , , , , ,
3	40.7	UT N-700 72					
4	40.2	HT N-20030	e				
5	40.7	HF 4-200 18	ય				
6	40.7	47 4-200381	2				
7	40.7	HT N 200 388	2.				
8	40.2	47 N-2003 98	,				<u> </u>
9	403	UST # 2003 88	S-A				
10	39.6	HT # 20038	8-1				
11							
12	10	<i>0</i> ~		a			
13	10	10-3/4	30	7. 79	1.27 D	PISKY	racz
14						ارمط	
15			<u> </u>			UKU	
16							
17			 _	~			
18							
19	· · · · · · · · · · · · · · · · · · ·						
20	4.4.00.00.00.00						
ARRY	405 E						
HIS SH		À		TRUCK NO.	COOD ORDE		
OTAL.				ay: 17	Mus S	1 Las	
ALLYA	PPROVEOUS			LOAD CHECK	EDR		
		4			1	-	_ /

TEST REPORT	1650F	Customen chosts	SZ SPEC, +32 DEGP, EA	(CARTEST BATETH EXTREME INDEX CHEMICES NA ABER WANTESTED IN ACCORDANCE WITH THE CHEMICES NA ABER WANTESTED BY ACCORDING IN CHEMICAL THE PROPERTY OF THE PART THAT WAS THE PROPERTY OF THE CHEMICAL THE PROPERTY OF THE PARTY OF THE PROPERTY OF THE PROPERTY OF THE PARTY		Levre Medi	MANUFACTURED IN U.S.A.	CD + V + TL + .15 HAX		Weff 1.0 Seconds	and and Flattening Test of 100 100 Cause in pipe -< 10.	CONTORUCTO NACE URO IS FUR BARDWESS CHEF	# 8/23/08 14:48:44	Indication: Seed Mission 1916
TUBULAR PRODUCTS CERTIFIED TEST REPORT	WELD HT TREAT MIN 16		FTLB, FULL		400 E	.0000 .11 .026	V	CO - NOTE - CO	TRANSCEDENTAL TEST	BESSETT - LA SIERRAPPEARACE	114 120 115 100 160		TO SERVICE OF THE SER	PACOL.
TUBULAR PROF	HOLE/N-10 NOTCH.		API 51, 3-04 GR.X52/GR.X42-PSL2/ASTM-A-53-04A-GR.B-CVNT 15/20 HT LOT		5 E 6 >	.043 .006 .031 .602.0037 .043 .009 .033 .002,0030 .042 .009 .026 .002,0039			टा ग्रम	S SHEAR AFTERCASE L	- 0			
CALKAGUANTER MCURTEES 1400 Bardemuter An	CH, AMALOG; 1/16 IN.		52/GR. X42~PSL2/ASTM	0 x 34.27# ;	\$ 7 6	.002 .210 .03 .01 .03 .01 .002 .228 .01 .03 .03 .00 .004 .218 .01 .03 .09 .00		Z = .25	IRLL LOWENT THROUGHEN	El T ENERGY F7 - LB				
CALFOUR	NDT: UT/N-10 NOTC	Bolog JOBBER STOCK		10-3/40D x .3070	1	DEG. 11.1.1 99. 28 10.00 E		(1) FOR C <= ,12; C3(3CB), 3AK	TEMEREGINEMOTIK	THE PARTY OF THE P	B T 64.2 71.0		and the	7 in &

I CRETOF FINE THE MATTLES REPORTED HAS BEEN, IMMARKELED HA CONCINCEN THE CATABLES PROTECTIVES, AND THAT THE THE STATE OF CONCINCEN THE CONCINCENT OF THE CON A MO. NÚMBER 06-3702-01 Bydro Test, 7800 PSI for MANUFACTURED IN U.S.A. 84438-GP API 5L 3-04 GR. X52/GR. X42-PSL2/ASTM-A-53-04A-GR. B-CVNT 15/20 FILB, FULL SZ SPRC, +32 DEGP, HT LOT CONTOUNS TO NACE AND 178 FOR HARDACES ONLY 185 167 221 148 100 100 100 100 Cause to give =< 20. TUBULAR PRODUCTS CERTIFIED TEST REPORT 9. Chemist - Laboratory Services * CD + V + TL = .15 HOW CLSTOMER ORDER seme, HPPAS DATE BALL BOWNER. 10 TREAT MIN 1650H N. INEXIR APPEARANCE B TRANSPECTE DIPPLET TEST HARDEL ANNUAGE 220. 21. **3** G . 12 .024 SHENGY FT - UB H 8≘ WELD . 623 . 002. 0027 . 0000 . 022 . 003. 0030 . 0000 . 022 . 003. 0037 . 0000 ਬ . MET: UT/N-10 NOTCH; AMALOG; 1/16 IN. HOLB/N-10 NOTCH. ಶ ŝ 4 -0-F TOR TORN THE S SHEAR APPENDANCE 6 000 3-.016 110 ₹ LOWERTHOUSE LEPICET TEST 288 £ .3070 x 34.27# | 1| - PRIME DE: PER: SHEE 2 8 8 ø BGR07 FT - 18 9 8 8 2 ERW HIGH TEST LINE PIPE 2 4 5 3 CALFORNIA STEEL MOUSTRES LACTO BATHARACIDA AM. Formas, Calbaria 2239 # # # 專 ---. 25 0 0 0 0 0 J05 FOX C <= .121 CB(PCP), NAX 000. Þ 3 JOHBER STOCK 7 3 .05 1.08 75.5 4 TEMBLESIFERSTH MILL 10-3/40D A STATE OF THE STA 55.5 D, CL Ħ - 2 - 0 240368 A MENTION RODUCT ۲ -40 U # F Ā

	× × × × × × × × × × × × × × × × × × ×						00	し張し 		and the second second	<u>、</u>	
	3.12/10 3.29 TRANSFER ORDER ***** TB	New Jersey Famil		1000 CE 110.		WEIGHT	. 00					
/ !	** XX DE		CA 90221	H284282	TEAUS	CODE	Y1KB10;B Y1CB10;B					
.	_	ouston		INVOICE DATE	NET 30 DA	별	ଷ୍ଟ)		· · · · · · · · · · · · · · · · · · ·	
	Right Product. Right Price." industrialvalco.com	Derver He INDUSTRIAL VALCO	I E ANA STREET SHO DOMINGUEZ	Resole Tax Labor	1% 15 DAYS		264					. Are Tenns Net
	Right Pro	San Francisco s INDO	7 3135 E	o to (B)			REF RS21964	No.	3		27	TR Charges Are T
		Bakersfield Sar	23670	CADER DATE 03/12/10 1	. 0	DESCRIPTION	TRANSFER FOR CUSTOMER STD (3-K) 45 WPH-Y52 STD CAF WPH-Y52	17 m			7907	Freight, Labor And MTR Charges Are Terms Net
·. - ·	00	٠.	VA 23	30°			TRANSFER FOR CUS STD (3-K) 45 WPI STD CAF WPH-YSZ	4000		3. 1		And Andrew
	IP*	Los Angeles	(9265	Furchase Order F30025611	2	" o	0 0 . E 0 0 .				,	
	PACKING SLIP PRINT SEGUENCE Page# 1	FERGUSON	F.O. BOX	Edyte F30	- <u>a</u> >	Gr. Shipped	ক N ক N		in a second	-	,	

CERTIFIED MATERIAL TEST REPORT Hackney Ladish Inc.

P.O. Box 803466 - 5495 Beltline Rd. #290 - Dallas, TX 75254 Phone: (800) 527-4500 Fax: (214) 269-5601

Heat Code Description / Specifications 10 STD 3R 45 Y52 A08XMT1

TM47 57 37098

MS8 8P-75- 04 WPHY 52

Q & T 1650 1150

NACE MR0175

Chemical Analysis Test C _ _8 P ___Cu A08XMT1 M .170 1.030 .016 .005 .260 .140 .060 .060 .030 .0200

Chemical Analysis (cont.) N V B Ti Cb Sn W Pb Co
.0071 < .010 <.0005 <.0100 <.010 A08XMT1 .374

Physical Properties Heat Code Tensile KSI Type Thickness Yield KSI & Elong. (4D) & RA Hardness HB A08XMT1 81.5 L 60.5 33.0 77.0

Charpy Results Heat Code Size x 10mm Type Temp. (F) Foot Pounds Later, Expansion A08XMT1 7.5 \mathbf{T} 20 214,206,192 69,64,67 100,100,100

Test: M=Mill Product

Type: L=Longitudinal T=Transverse

We certify that the material herein described has been manufactured in accordance with the above standards and specifications and satisfies all the requirements of the editions specified. We certify all materials provided comply with ISO 10204 paragraph. 3.1 which replaces type 3.1.B of the 1991 edition of EN 10204. Our ISO9001:2000 certificate number is CERT11763-2007-AQ-HOU-RVA/ANAB. We certify these fittings capable of passing hydrostatic test compatible with their rating. The above figures are correct as contained in the records of the Company. This information has been electronically transmitted to our customer.

CERTIFIED MATERIAL TEST REPORT Hackney Ladish Inc.

P.O. Box 803466 - 5495 Beltline Rd. #290 - Dallas, TX 75254 Phone: (800) 527-4500 Fax: (214) 269-5601

 Chemical Analysis

 Heat Code
 Test
 C
 Mn
 P
 S
 Si
 Cu
 Ni
 Cr
 Mo
 Al

 A08XMR2
 M
 .170
 1.030
 .016
 .005
 .260
 .140
 .060
 .060
 .030
 .0200

 Chemical Analysis (cont.)

 Heat Code
 N
 V
 B
 Ti
 Cb
 Sn
 W
 Pb
 Co
 CE

 A08XMR2
 .0071 < .010 < .0005 < .0100 < .010</td>
 .010
 .374

Physical Properties

Heat Code Tensile KSI Type Thickness Yield KSI % Elong. (4D) % RA Hardness HB
A08XMR2 81.5 L 60.5 33.0 77.0 170

Heat Code Size x 10mm Type Temp. (F) Foot Pounds Later. Expansion % Shear A08xMR2 7.5 T 20 214,205,192 69,64,67 100,100,100

Test: M=Mill Product

Type: L=Longitudinal T=Transverse

We certify that the material herein described has been manufactured in accordance with the above standards and specifications and satisfies all the requirements of the editions specified. We certify all materials provided comply with ISO 10204 paragraph. 3.1 which replaces type 3.1.B of the 1991 edition of EN 10204. Our ISO9001:2000 certificate number is CERT11763-2007-AQ-HOU-RVA/ANAB. We certify these fittings capable of passing hydrostatic test compatible with their rating. The above figures are correct as contained in the records of the Company. This information has been electronically transmitted to our customer.

Mar. 16. 2010 1:50PM - IV RANCHO

CERTIFIED MATERIAL TEST REPORT Hackney Ladish Inc.

P.O. Box 803466 - 5495 Beltline Rd. #290 - Dallas, TX 75254 Phone: (800) 527-4500 Fax: (214) 269-5601

 Chemical Analysis

 eat Code
 Test
 C
 Mn
 P
 S
 Si
 Cu
 Ni
 Cr
 Mo
 Al

 06LTC6
 M
 .040
 1.110
 .012
 .008
 .180
 .330
 .110
 .070
 .040
 .0200

 Chemical Analysis (cont.)

 eat Code
 N
 V
 B
 Ti
 Cb
 Sn
 W
 Pb
 Co
 CE

 06LTC6
 .050 < .0005 < .0100 < .010</td>
 .010
 .286

Physical Properties

eat Code Tensile KSI Type Thickness Yield KSI & Elong. (4D) & RA Hardness HB
06LTC6 69.5 T 57.0 37.0 146

Charpy Results
eat Code Size x 10mm Type Temp. (F) Foot Pounds Later. Expansion % Shear
06LTC6 7.5 T 20 216,220,218 *,*,*

est: M=Mill Product
ype: T=Transverse

e certify that the material herein described has been manufactured in coordance with the above standards and specifications and satisfies all the equirements of the editions specified. We certify all materials provided omply with ISO 10204 paragraph. 3.1 which replaces type 3.1.B of the 1991 dition of EN 10204. Our ISO9001:2000 certificate number is ERT11763-2007-AQ-HOU-RVA/ANAB. We certify these fittings capable of passing ydrostatic test compatible with their rating. The above figures are correct s contained in the records of the Company. This information has been lectronically transmitted to our customer.



GENERAL CONTRACTORS PIPELINE CONSTRUCTION

22845 NW Bennett St., Ste 150 Hillsboro, OR 97124 Phone (503) 647-0224 Fax (503) 647-0226

January 16, 2012

Roy Rogers Principal Engineer Cathodic Protection Engineering. Inc

To whom it may concern

Alaska Continental Pipeline / Rockford Corporation ensures that all employees are Operator Qualified as per the OQ Rule was that was designed by the US Department of Transportation. Alaska Continental Pipeline / Rockford Corporation uses Veriforce as our OQ Program provider. Internally we have designated trained evaluators (Mark Skodje, Josh Stinson) through the Veriforce system. Evaluators will train each employee on a one on one basis as per federal requirement, conducting a written test with employee or using a web based training with employee for each required task. Each employee will then conduct with the evaluator performance verification training. This is a hands- on exhibit by the employee to the evaluator proving that the employee understands the task and knows how to perform it. The evaluator will then input the data into the Veriforce system by fax or email. Veriforce will the audit and store information for clients to review.

The OQ Rule requires each pipeline operator to develop a qualification program to address each of the following requirements:

- Identify covered tasks
- Ensure that individuals performing covered tasks are qualified
- Allow for non-qualified individuals to perform covered tasks under the direction/observation of a qualified individual
- Evaluate any individual whose performance of a covered task contributed to an incident or accident
- Evaluate an individual if there is reason to believe he/she is no longer qualified

- Communicate changes that affect covered tasks to individuals performing those tasks
- Identify re-evaluation intervals
- Maintain records to demonstrate compliance

The qualification program must assure qualification of employees who perform covered tasks as well as the qualification of any other personnel performing covered tasks - including those working on behalf of a contractor or subcontractor.

Training program:

Evaluators – Evaluators are required to successfully complete the Veriforce Evaluator Training program annually.

Qualified Personnel – There are certain circumstances where training must be successfully completed by an individual before an evaluation may take place. In our process, evaluators are responsible for determining whether such circumstances exist and, if the situation demands it, verifying that appropriate training requirements have been met prior to conducting the evaluation.

We have developed effective training resources for many different covered tasks. Typically, these resources have been designed to support structured on-the-job training (OJT).

Personnel Evaluation

Veriforce oversee the process of personnel evaluation using operator-defined covered tasks and the underlying evaluation criteria. Each candidate must be evaluated individually on their knowledge, skills and abilities relative to the evaluation criteria defined for each covered task.

Veriforce procedures require that candidates are evaluated by authorized evaluators who will determine whether a candidate is qualified. To ensure an effective evaluation, all Veriforce evaluators are technically competent and subject matter experts (SME) in the specific task area. We also help our clients locate authorized evaluators to evaluate and qualify their personnel.

Quality Assurance

Veriforce rigorously reviews all records submitted by evaluators, contractors, operators, and others to assure accuracy and consistency. Incomplete or inaccurate records are refused and returned to the originator.

Veriforce personnel enter data within *VeriSource* from these records. For data to be entered within *VeriSource*, Veriforce will require a full audit trail and any necessary records to support that data. Assuring the quality of those records and the data entered into *VeriSource* gives our client's confidence in the integrity and availability of our records and reporting processes.

For each "Record of Evaluation" submitted, Veriforce ensures that the evaluator of record has been authorized for the applicable covered task.

Monitoring/Auditing

Evaluators – Veriforce routinely monitors evaluator performance to ensure that evaluations are conducted in accordance with your OQ program and our procedures. Evaluators are randomly selected for audit, but may also be audited on a "for cause" basis when there is evidence to suggest procedural violations.

Qualified Personnel – Random and "for cause" audits are conducted of previously qualified individuals to ensure they have not contributed to an incident/accident while performing a covered task(s) and to ensure there is no other reason to suspect the individual may no longer be qualified. All personnel audits are conducted relative to all applicable operator clients to promote economies of scale.

Records – As the last step in concluding an evaluator or qualified personnel audit, all internal records are audited for completeness and accuracy, and to assure that electronic records within *VeriSource* are consistent with submitted records.

OQ Training

Veriforce maintains a web-based Evaluator Training Program. To maintain status as an authorized evaluator, an individual must successfully complete the evaluator training program each year.

Veriforce has developed training materials to support the "Common Covered Task List", which has been adopted by dozens of operators throughout the country. A training guide has been developed for each of these covered tasks. They are designed to support "structured" on-the-job training and are made available to all contractors and operators with access to *VeriSource*. They are provided to help meet training requirements associated with the OQ Rule.

Regulatory Training

In many cases, training is provided to meet state and/or Federal regulatory requirements. Veriforce has helped operator clients design and deploy safety training programs designed for contractor personnel. Veriforce has also designed and deployed environmental-related training programs for contractor personnel. Additionally, they have developed training to help field personnel prepare for regulatory inspections.

Thank you,

Clifford Gleave Corporate Safety Manager Rockford Corporation/Alaska Continental Pipeline 503-647-0224

O&M Manual Revision in Response to Finding 5


3.3.6.4 All metallic pipeline surfaces exposed to the atmosphere must be inspected once every three years to identify areas of active corrosion (ref D.O.T. 192.481). Atmospheric exposure includes above ground pipe, ground penetration at the soil / air interface and pipe supports. Disbonded coating is an indication that the material is in the early stages of the corrosion process.

Area of active corrosion is defined as an area where loss of pipe wall has occurred. Areas of active corrosion may have the following appearance:

Visible accumulation of rust colored scale that	appears	as
rust clumps.		

- ☐ Visible blisters under the coating that appears as outward bumps.
- ☐ Pitting corrosion which appears as inward dimples.

If active corrosion is identified, the area is to be cleaned to bare metal and depth of the wall loss is to be measured and documented. Generalized measurements are not allowed. The measurements must be taken as distinct individual points and referenced or mapped to the specific location on the pipe where the measurement was taken. A remaining strength calculation ASME B31G or RSTRENG must be performed immediately to determine the safe operating pressure of the pipeline. The exposed area shall be cleaned and primed as soon as practical. The final coating application shall be applied within 6 months or as soon as dry weather conditions and 50 deg F temperatures are experienced as these are the minimum conditions for moisture cured urethane application.



Tel. (503) 297-4113 • FAX (503) 297-4748

Email: stopdrugs@aol.com • Cell phone: (503) 970-5455

January 9, 2012

Ronald Kramer Georgia Pacific By email to Ronald.Kramer@gapac.com

RE: Cathodic Protection Engineering

Compliance with DOT/PHMSA Drug/Alcohol Random Testing Regulations

Dear Mr. Kramer,

This letter will certify that Wolfgang Associates, Inc. manages the Pipeline & Hazardous Materials Safety Administration (PHMSA), US Dept. of Transportation (DOT) random testing program for **Cathodic Protection Engineering**, 3853 FAIRHAVEN DR, WEST LINN, OR 97068-3760.

With regard to random selections and client guidance, Wolfgang Associates is familiar with and follows the requirements of 49 CFR Part 40, "Procedures for Transportation Workplace Drug and Alcohol Testing Programs" and 49 CFR Part 199, "Drug and Alcohol Testing."

Cathodic Protection Engineering employees who fall under PHMSA requirements are currently subject to quarterly random selections through Wolfgang Associates' PHMSA Consortium, using a commercially available computer program specifically designed for use by DOT program managers. The annualized random selection rate for the PHMSA Consortium pool is 25% for drug testing for calendar year 2012.

As we discussed by phone, and at the request of Roy Rogers as Designated Employer Representative for Cathodic Protection Engineering, we will report to you if any DOT-covered employee of Cathodic Protection Engineering is no longer eligible to perform safety-sensitive functions as defined by PHMSA/DOT. In that event, we will both call you at telephone (360) 834-8101 and email you at Ronald Kramer@gapac.com. Please let us know if this contact information changes.

Please do not hesitate to call me at (503) 297-4113 with any questions or if you need additional documentation.

Very truly yours,

Jana W. Wolfgang, C-SAPA

Jana W. Wolfgarg

President

Georgia Pacific 401 NE Adams

Camas, WA 98607

Welding Procedure Specification (WPS)

Supporting PQR(s): JR-SM-P1G-R Welding Process(cs) / Type(s): (1) SMAW / Manual (2) SMAW / Manual Joint Design (QW-402)	/2012 Page 1 of 2
Joint Design (QW-402)	The second secon
Lastra and the second s	
Weld Type: Groove and fillet welds	
Groove Angle	
 	
$\langle T \langle T \rangle$	
Root Face	
Root Opening	
SINGLE VEE GROOVE	
Backing: Without backing only Backing Material:	
Fillet Welds: All fillet sizes on all base metal thicknesses and all diameters.	
Retainers: None	
Root Opening: 1/16" to 3/32", Root Face: 1/16" to 3/32"	
Groove Angle: 60 deg min	
WELD JOINT DESCRIPTIONS SHOWN ARE NOT INCLUSIVE OF ALL THOSE FOUND O	
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T	ON A JOB. WELD JOINT DESIGN FAKE PRECEDENCE OVER WELD
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS.	N A JOB. WELD JOINT DESIGN TAKE PRECEDENCE OVER WELD
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403)	TAKE PRECEDENCE OVER WELD
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS.	TAKE PRECEDENCE OVER WELD
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1	TAKE PRECEDENCE OVER WELD 0.6140 in.
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Postweld Heat Treatme	O.6140 in.
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT	TAKE PRECEDENCE OVER WELD 0.6140 in. ent (QW-407) I will be performed
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT	FAKE PRECEDENCE OVER WELD 0.6140 in. ent (QW-407) F will be performed
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Preheat Maintenance: None PWHT Temperature: PWHT Temperature: PWHT Holding Time:	FAKE PRECEDENCE OVER WELD 0.0.6140 in. ent (QW-407) F will be performed None None
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL TO JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. I Thickness Range: 0.0625 in. to 10 P-No. I Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Preheat Maintenance: None PWHT Temperature:	FAKE PRECEDENCE OVER WELD 0.0.6140 in. ent (QW-407) F will be performed None None
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL TO JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Preheat Maintenance: None PWHT Temperature: PWHT Temperature: PWHT Holding Time: Initial and Interpass Cleaning: With wire brush clean 1 inch (25 mm) on both sides of weld joint	TAKE PRECEDENCE OVER WELD 0.0.6140 in. ent (QW-407) T will be performed None None
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Preheat Maintenance: None PWHT Temperature: PWHT Holding Time: Initial and Interpass Cleaning: With wire brush clean 1 inch (25 mm) on both sides of weld joint Method of Back Gouging: When required, grind until all defects are removed. Notes:	TAKE PRECEDENCE OVER WELD 0.0.6140 in. ent (QW-407) T will be performed None None
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Preheat Maintenance: None PWHT Temperature: PWHT Holding Time: PWHT Holding Time: Initial and Interpass Cleaning: With wire brush clean 1 inch (25 mm) on both sides of weld joint Method of Back Gouging: When required, grind until all defects are removed. Notes: - WPS amended for name change only - Rev. 2, 1/13/2012.	FAKE PRECEDENCE OVER WELD 1.0.6140 in. 2.0.6140 in. 2.0
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Type: No PWHT Temperature: PWHT Temperature: PWHT Holding Time: PWHT Holding Time: Initial and Interpass Cleaning: With wire brush clean 1 inch (25 mm) on both sides of weld joint Method of Back Gouging: When required, grind until all defects are removed. Notes: - WPS amended for name change only - Rev. 2, 1/13/2012 WPS JR-SM-P1G amended per Section IX, QW-201.1 to reflect different ownership than existe	FAKE PRECEDENCE OVER WELD 1. 0.6140 in. 2. o.6140 in. 3. o.6140 in. 4. o.6140 in. 5. o.6140 in. 6. o.6140 in. 7. o.6140 in. 8. o.6140 in. 9. o.6140 in. 1. o.6140
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Preheat Maintenance: None PWHT Temperature: PWHT Holding Time: Initial and Interpass Cleaning: With wire brush clean 1 inch (25 mm) on both sides of weld joint Method of Back Gouging: When required, grind until all defects are removed. Notes: WPS amended for name change only - Rev. 2, 1/13/2012. WPS JR-SM-P1G amended per Section IX, QW-201.1 to reflect different ownership than existe qualification. - This procedure, JR-SM-P1G, was originally written under the company name of James River Co	TAKE PRECEDENCE OVER WELD 1.0.6140 in. 2.0.6140 in. 2.0
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Type: No PWHT Temperature: PWHT Temperature: PWHT Holding Time: Initial and Interpass Cleaning: With wire brush clean 1 inch (25 mm) on both sides of weld joint Method of Back Gouging: When required, grind until all defects are removed. Notes: - WPS amended for name change only - Rev. 2, 1/13/2012 WPS JR-SM-P1G amended per Section IX, QW-201.1 to reflect different ownership than existe qualification This procedure, JR-SM-P1G, was originally written under the company name of James River Coamended to reflect the current company name of Georgia Pacific at the top of the WPS.	TAKE PRECEDENCE OVER WELD 1.0.6140 in. 1. ont (QW-407) 1. will be performed None None 1. of during the original procedure
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Preheat Maintenance: None PWHT Temperature: PWHT Holding Time: Initial and Interpass Cleaning: With wire brush clean 1 inch (25 mm) on both sides of weld joint Method of Back Gouging: When required, grind until all defects are removed. Notes: - WPS amended for name change only - Rev. 2, 1/13/2012 WPS JR-SM-P1G amended per Section IX, QW-201.1 to reflect different ownership than existe qualification This procedure, JR-SM-P1G, was originally written under the company name of James River Co	TAKE PRECEDENCE OVER WELD 1.0.6140 in. 1. ont (QW-407) 1. will be performed None None 1. of during the original procedure
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. 1 Thickness Range: 0.0625 in. to to P-No. 1 Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Type: No PWHT Temperature: PWHT Temperature: PWHT Holding Time: Initial and Interpass Cleaning: With wire brush clean 1 inch (25 mm) on both sides of weld joint Method of Back Gouging: When required, grind until all defects are removed. Notes: - WPS amended for name change only - Rev. 2, 1/13/2012 WPS JR-SM-P1G amended per Section 1X, QW-201.1 to reflect different ownership than existe qualification This procedure, JR-SM-P1G, was originally written under the company name of James River Coamended to reflect the current company name of Georgia Pacific at the top of the WPS.	TAKE PRECEDENCE OVER WELD 0.0.6140 in. Int (QW-407) T will be performed None None d during the original procedure orporation. This procedure has been
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52 P-No. I Thickness Range: 0.0625 in. to to P-No. I Preheat (QW-406) Minimum Preheat Temperature: 50 °F PWHT Type: No PWHT Pwhere Temperature: None PWHT Temperature: PWHT Holding Time: Initial and Interpass Cleaning: With wire brush clean 1 inch (25 mm) on both sides of weld joint Method of Back Gouging: When required, grind until all defects are removed. Notes: WPS amended for name change only - Rev. 2, 1/13/2012. WPS JR-SM-PIG amended per Section IX, QW-201.1 to reflect different ownership than existe qualification. - This procedure, JR-SM-PIG, was originally written under the company name of James River Commended to reflect the current company name of Georgia Pacific at the top of the WPS. - The original WPS and PQR are both on file. We certify that the statements in this record are correct and that the test welds were prepared, requirements of Section IX of the ASME Code.	TAKE PRECEDENCE OVER WELD 10.6140 in. 11. 12. 13. 14. 15. 16. 16. 16. 17. 17. 18. 18. 18. 18. 18. 18
REFERENCE IN AN ENGINEERING SPECIFICATION OR A DESIGN DRAWING SHALL T JOINTS SHOWN IN THIS WPS. Base Metals (QW-403) API 5L Grade X52	TAKE PRECEDENCE OVER WELD 10.6140 in. 11. 12. 13. 14. 15. 16. 16. 16. 17. 17. 18. 18. 18. 18. 18. 18

Georgia Pacific

Welding Procedure Specification (WPS)

WPS No.: JR-SM-P1G	Rev. No.: 2		Page 2 of 2
First Process: Filler Metal (QW-404)	SMAW	Туре:	Manual
, - ,	0.1880 in. maximum	No Pass Greater Than 1/2" Allowe	d
AWS Classification:	E6010	SFA Specification: 5.1	F-No.: 3
	position: 1		
Position (QW-405)		Technique (QW-410)	
Position of Joint:	Flat, Vertical, & Overhead	Stringer or Weave Bead:	Stringer bead
Weld Progression:	Vertical up	Peening:	None
Notes:	Position: 5G	Multiple / Single Pass (per side):	Multipass
Electrical Characteristi	ics (QW-409)		
Current Type and Polarit	ty: DCEP (reverse)		
Max. Heat Input (J/in):	None		
	First Proce	ess Welding Parameters	
Layer(s)	Filler Metal	Current	Travel Speed

Layer(s)	Filler Meta	al	Curre	ent		Travel Speed Range
and/or	AWS	Size	Type and	Amperage	Voltage	
Pass(cs)	Classification	(in.)	Polarity	Range	Range	(in/min)
Any	E6010	3/32	DCEP (reverse)	60-90	n/r	Var.
Any	E6010	1/8	DCEP (reverse)	80-120	n/r	Var.
Any	E6010	5/32	DCEP (reverse)	110-165	n/r	Var.
Any	E6010	3/16	DCEP (reverse)	150-200	n/r	Var.
Any	E6010	1/4	DCEP (reverse)	225-300	n/r	Var.

Second Process:	SMAW	Type:	Manual
Filler Metal (QW-404)			
Weld Deposit Limits:	0.4260 in, maximum	No Pass Greater Than ½" All	lowed
AWS Classification:	E7018	SFA Specification: 5.	I F-No.: 4
Λ-No. or Chemical Compo	sition: 1		
Position (QW-405)		Technique (QW-410)	
Position of Joint:	Flat, Vertical, & Overhead	Stringer or Weave Bead:	Stringer bead
Weld Progression:	Vertical up	Peening:	None
Notes:	Position: 5G	Multiple / Single Pass (per si	ide): Multipass
Electrical Characteristics	(QW-409)		
Current Type and Polarity:	DCEP (reverse)		
Max. Heat Input (J/in):	None		

Second Process Welding Parameters

Layer(s)	Filler Meta	al	Curre	nt		Travel Speed	
and/or	ΛWS	Size	Type and	Amperage	Voltage	Range	
Pass(cs)	Classification	(in.)	Polarity	Range	Range	(in/min)	
Any	E7018	3/32	DCEP (reverse)	70-110	n/r	Var.	
Any	E7018	1/8	DCEP (reverse)	90-160	n/r	Var.	
Any	E7018	5/32	DCEP (reverse)	130-220	n/r	Var.	
Any	E7018	3/16	DCEP (reverse)	200-300	n/r	Var,	
Алу	E7018	7/32	DCEP (reverse)	250-350	n/r	Var.	

TRAINING LOG

EMPLOYER NAME GEOGRIA	-Pacific Cam	as Mill				
LOCATION Street 401 NE Adams	-Pacific Cam. St	City Camas		State WA	Zip Code 98607	
Instructor		Date of Training Subject Anti Drug & Alcohol &				
The employees listed have satis	sfactorily participated and b	peen tested per Regula	tion/Company tr	aining require	ements.	
EMPLOYEE NAME	EMPLOYEE NO.	DEPARTMENT	EMPLC	EMPLOYEE SIGNATURE		
					a de la companya de	
150 150 170 170 180						
		10 mg/s 10 mg				
			Г			
						
,						
· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·			
				 		

^{*}J. J. KELLER & ASSOCIATES, INC.

DOT Pipeline Anti-Drug and Alcohol Training for Supervisors

Georgia-Pacific supervisors who have assignments to the natural gas pipeline received training 60 minutes of training for recognition of alcohol abuse and 60 minutes of training for recognition of drug abuse per CRF 199. See attached outline for further description of course content.

Reasonable Suspicion Training



Sherri Silva, RN

Occupational Health Nurse

Camas Mill

1 Reasonable Suspicion Training

2 Objectives

- · Facts about drugs and alcohol
- Drugs of abuse
- Alcohol basics
- Signs and symptoms of use /abuse
- Making decisions about Reasonable Suspicion
- General guidelines and procedures

3 Winder this policy...

- All identified Employees are subject to testing
- An Employee with a positive test will be removed from the worksite
- An Employee with a positive test will be provided with access to a SAP
- Positive tests will result in disciplinary action, up to and including termination of employment

4 🖼 "A supervisor should"

- Know and understand the policy and regulation
- Regularly document performance issues
- Be able to answer questions about it
- Be responsible for enforcing the policy
- Convey an attitude of confidentiality
- Be supportive of the policy
- Identify possible use/abuse and take ACTION

5 Testing situations

- Pre-employment
- Post accident
- Reasonable suspicion
- Work opportunity
- Random (20% for drugs and 10% for alcohol)

6 Understanding the testing Process

- Collection process
- Initial specimen testing
- Confirmation process
- MRO, Medical Review Officer
- Split specimen

7 Refusal to submit to testing

- A refusal to be tested has consequences
- A refusal to test is considered a positive test
- Grounds for disciplinary action, up to and including termination of employment
- Not cooperating with the process could be considered refusal to be tested

8 Employee's rights and protection

- An Employee who does not consent will not be tested
- No one can be forced to test
- An Employee can request a copy of the results
- An Employee has a right to speak with the Medical Review Officer about prescribed medications



It is estimated that substance abuse costs employers billions of dollars each year due to

- Increased injuries
 - Fatalities
 - Absenteeism
 - Theft
 - •
 - •
 - .
- Excessive use of health care benefits
 - Decreased productivity

10

General Statistics

- 74% of adults who use drugs are employed.
- 32% of employees have witnessed the sale of drugs in the workplace.
- Absenteeism is 66% higher with drug users.
- Nearing 1 in 4 employed Americans (age 18-34) have used drugs in the last year.
- 47% of work related injuries are drug related
- Employee turn-over is significantly higher in drug users
- In one study 20% of young workers admitted they
- · use marijuana on the job.
- 90% of all thefts and crime are drug and alcohol related.

11 Warning signs of substance abuse

- Excessive absenteeism/tardiness
 - Numerous accidents without explanation.
 - Pattern of accidents during a particular shift and time.
 - Unsatisfactory work performance.
 - Decreased productivity after lunch.
 - Non-work related visits from other employees/strangers
 - •
- Trips to car/parking lot.
 - Drowsiness, slurred speech.

- Lack of concentration, agitation.
- Drastic weight change (20 lbs + or -)
- Blood shot eyes, runny nose
- Dilated pupils, Needle marks
- Frequent need to borrow money.
- Avoidance of supervisor.
- Frequent trips to the restroom/drinking fountain

12 Absenteeism

- Frequent or unauthorized absence.
- Excessive sick days.
- Frequent absence of short durations.
- Frequent Monday/Friday
- Frequent use of vacation days to cover.
- Frequently away from work station.
- High rate of vague ailments, colds, flu, headache.



High Accident Rate

- Accidents on the job....
- Accidents off the job. home, car.....
- Failure to follow safety precautions....

14 Substance use is a progression...

- Tolerance-
- Psychological dependence
- Physical dependence
- •
- Addiction
- Withdrawal

15 Substances of Abuse

- Socially acceptable substances
- Illicit drugs
- Prescription medications
- "Over the counter" medications

20 Alcohol

16 Facts... Alcohol and marijuana are commonly used in the workplace • Prescription pain medications reaching alarming proportions • Marijuana users have 85% more injuries • US businesses lose more than 60 billion dollars annually to substance abuse • Use of substances directly increases health care costs and Worker's compensation claims 17 **Drugs of Abuse** Alcohol • Marijuana Cocaine Opiates Amphetamines Phencyclidine (PCP) 18 <a> Threshold levels Initial and Confirmation . II • Alcohol Marijuana Cocaine Opiates Amphetamines PCP *nanograms per deciliter ② • 0.08 and 0.08 • 50 and 15 • 300 and 150 • 2,000 and 2,000 • 1,000 and 500 • 25 and 25 19 Definition of "alcohol use"

• "The consumption of any beverage, mixture or preparation containing alcohol"

- It takes 1 hour for an average person (150 lbs.) to process one serving of alcohol.
- A serving of Alcohol = 1 beer; 6oz wine; 1oz hard liquor.
- Impairment can occur with as little as two drinks.
- An intoxicated person is 6 times more likely to have an accident.

21 Other Alcohol Information

More then:

60% of all Burns 40% of all falls 69% of all boating accidents 76% of all private aircraft accidents

..... ARE ALCOHOL RELATED!

22 Effects of Alcohol

- 0.02-0.03-slight euphoria, loss of shyness
- 0.04-0.06-relaxed, lowered inhibitions, minor impairment in judgement or reasoning
- 0.07-0.09-affected balance, speech, hearing and reaction time
- 0.10-.125-significant impairment
- 0.13-0.20-gross impairment, lack of control
- >0.30-loss of consciousness, alcohol poisoning, coma, death

23 Myths about"sobering up"

- •
- Caffeine
- Take a cold shower
- Get up get some Physical activity
- •

24 Health Effects

- Chronic consumption of alcohol may result in the following health hazards
- Dependency
 - Liver disease
 - Increased cancer risk
 - Kidney disease
 - Pancreatitis
 - Fetal demise
 - Ulcers
 - Birth defects
 - < immune system

•

25 Signs of alcohol use

- Inappropriate behavior.
 - Dulled mental process.
 - Lack of coordination.
 - Odor of alcohol.
 - Sleepiness or stuporous condition.
 - Slower reaction rate, slurred speech.
- Odor of alcohol
 - Flushed skin
 - Eyes glazed or bloodshot
 - · Impaired motor skills
 - Moody
 - Irritated

26 Social Issues

- 2/3 of all homicides are committed by people who drink prior to the crime
- 2-3 % of the population are legally drunk at any one time; this rate doubles on weekends and at night; this rate is 10 times greater on holiday weekends and big events (i.e. Super Bowl Sunday, New Years Eve......)
- The rate of separation and divorce in families with alcohol dependency problems is 7 times the average
- 40% of all family court cases are alcohol related.
- Alcoholics are 15 times more likely to commit suicide then the general public.

27 Marijuana

- Distinct aroma
- Comes in plastic bags
- Green/brown; resembles dried parsley
- Rolled like an unfiltered cigarette
- Can be smoked through a joint, pipe or bong
- May be used for Medicinal purposes (with RX)
- Cost is 100 to 300 dollars per ounce

28 Health Effects

- Irritating to the lungs, chronic smoking causes emphysema-like conditions.
- One joint equals 1 ½ packs of cigarettes in cancer causing substances.
- Can be contaminated with fungus Aspergillis which can cause respiratory infections and lung disease.
- Lowers body's immune system.
- Chronic smoking causes changes in brain cells and brain waves.
- Birth defects.

29 Signs and symptoms of MJ

- Red Eyes
- Slowed speech
- Distinct odor on cloths
- Lackadaisical, "I don't care" attitude
- Chronic fatique
- Lack of motivation

- Irritating cough
- Chronic sore throat
- The "Munchies"

30 Cocaine Description

- Comes from a coca bush
 - Cocaine Hydrochloride-

"snorting coke"

- Effect is felt within minutes and lasts for 40-50 minutes per "Line"
- •
- •
- •
- Cocaine base- "Rock crack or free base" is a small crystalline rock about the size of a small pebble.
 - Common paraphernalia includes: Crack pipe and a lighter, alcohol lamp or a small butane torch for heating.

31 Signs and Symptoms of Cocaine

- Financial problems
 - Frequent extended absences from work.
 - Increased activity and fatigue
 - Isolation and withdrawal from other
 - Anxiety, defensiveness, agitation, wide mood swings.
- Lapses in attention
 - Paranoia/hallucinations
 - Unpredictable behavior
 - Forgetfulness
 - Runny nose
 - Difficulty concentrating
 - Feeling of bugs crawling on the skin (Formication)
 - Hyper excitability/talkative

32 🖼 Opiates

- Natural and unnatural derivatives: Opium, Morphine, Codeine and Heroin
- Synthetic: Demerol, Oxymorphone, Oxycodone, Hydrocodone
- May be taken in pill form, Smoked, Injected, depending upon the type used.

33 Health Effects

- High risk for hepatitis and HIV/AIDS
- Narcotics increase pain tolerance making a person susceptible to increased injury without knowing it.
- Double the effect when a depressant is used (i.e. alcohol)

34 Signs and Symptoms of Opiates

- Mood changes
- Impaired mental function
- Constricted pupils
- Depression
- Impaired coordination
- Physical fatigue and drowsiness
- Nausea, Vomiting

35 Amphetamines

- Stimulants; speeds up the mind and body
- Increased dose = increased reaction
- Used for weight reduction and mood elevation
- Most substances are made in other countries and imported illegally.
- Sold in capsules or white, flat, double-scored pills "mini bennies"; usually taken by mouth.

36 Methamphetamines

Meth, Crank, Crystal

- Effects are the same as amphetamines
- Comes in white power or lumps
- Supplied in tubes (Meth)
- Crank, Crystal, stored in foil packets; generally refrigerated.
- May be taken orally, injected or snorted.

•

37 Health Effects

- High doses may cause toxic psychosis and schizophrenia
- Toxic levels may cause heart attacks and strokes due to increased blood pressure and irregular heartbeats.
- Chronic use may cause heart and brain damage due to severe constriction of blood vessels.
- Can produce risk-taking behaviors.
- Withdrawals may result in severe depression.
- Strong physiologic dependency and increased tolerance.

38 Signs and Symptoms of Amps/Meth

- Hyper excitability, Restlessness
- Dilated pupils
- Increased heart rate and BP
- · Heart palpitations, rapid respirations.
- Panic
- Inability to concentrate.
- Picking at skin, lots of Red infected wound.

39 PCP

- Was originally developed as a large animal tranquilizer
- Acts as a depressant, hallucinogen or stimulant
- Abused primarily for its variety in mood altering effects.

- Moods can change rapidly from sedation to excitation
- Large doses can produce coma like conditions.
- Sudden noises or physical contact may cause "Freak out" causing a person to exhibit abnormal strength, Violent behavior and inability to speak or comprehend ("Superman effect")

40 Signs and Symptoms of PCP

- • Blank stare
 - Freak outs
 - Impaired coordination
 - Severe confusion and agitation
 - Extreme mood shifts
 - Suicidal tendencies

② ◆ Muscle rigidity

- Nystagmus (jerking eye movements)
- Dilated pupils
- Profuse sweating
- Rapid heart rate
- Dizziness

41 Health Effects of PCP

- Potential for accidents and overdose emergencies
- Potentiated by depressants (i.e. Alcohol)
- Often misdiagnosed and mistreated with deadly results.
- Can cause irreversible memory loss, personality changes, Thought disorders.

42 Documentation

- Date & Time of incident's
- Observed behavior
- Complaints from co-workers or others
- Accident/Incident (Describe in detail)
- If reasonable cause exists: implement the process.

43 The Process

- Identification
- Confirmation (2nd person)
- Contact HR
- Documentation
- Confront the employee in a confidential way.
- Intervention
- Drug & Alcohol testing
- Have person taken home till results are back.

44 Results of the Drug test

- Negative Results:
- Compensation

- Return to work
- Reassess (just because doesn't mean they are not taking drugs.
- Positive Results:
 - Suspension
 - SAP referral
 - Discipline up to and including termination of employment.

45 Things to do and not do

- I ALWAYS
 - Keep good documentation
 - Know your employees and job performance
 - Take action when appropriate
 - Know you policy
 - Know your resources
 - <u>NEVER</u>
 - Diagnose
 - Violate confidentiality
 - Accuse or pressure for a confession
 - Treat the individual differently
 - Leave employee unsupervised
 - Act alone
 - •

[2]

46 Employee reactions

- Defensive
- Belligerent
- Silent
- Cries
- Talks non-stop
- Uncooperative
- 47 Your reaction
 - Stay Calm
 - Don't yell back
 - Listen
 - Stick to the facts
 - Document everything that happened.
 - Test without delay.