



RECEIVED
RECORDS MANAGEMENT

03 JUL 14 AM 10:15

STATE OF WASH.
UTIL. AND TRANSP.
COMMISSION

OLYMPIC PIPE LINE COMPANY

July 11th, 2003

630-434-6518

Ms. Carole J. Washburn
Office of the Secretary
Washington Utilities and Transportation Commission
1300 S. Evergreen Park Drive SW
Olympia, Washington 98504-7250

**Re: Olympic Pipe Line Company W.U.T.C. Quarterly Report per
Docket No. TO-011472, 20th Supplemental Order**

Dear Ms. Washburn:

As specified in the subject Order, attached is the information covering Olympic Pipe Line Company's status and level of pressure restrictions imposed by regulators; actual average operating pressure achieved by operating by month; total throughput, including the three months prior to the month of the report, with actual data; and, the status of Bayview.

Should you have any questions regarding this material, please contact the undersigned at the above telephone number, or by e-mail at jonem3@bp.com.

Sincerely,

A handwritten signature in cursive script that reads "Mitch Jones".

Mitch Jones
Director-Pipeline Tariff & Regulatory Affairs
for BP Pipelines (North America) Inc.,
Operator of Olympic Pipe Line

Attachments

Attachment 1-Restating of the Reporting Requirements

(Page 94 of WUTC Docket No. TO-011472, 20th Supplemental Order, 9/27/02)

XIII. Reporting Requirements

“It is essential that Olympic keep the Commission informed of important economic events. Until relieved of the obligation by Commission order or by letter from the Commission’s Executive Secretary, Olympic must report on January 15, 2003, and no later than the fifteenth day of each successive Calendar quarter upon the following matters:

1. Status and level of any pressure restrictions imposed by regulators, and the actual average maximum operating pressure achieved by operating by month.
2. Total throughput, including the three months prior to the month of the report, with actual data.
3. Status of Bayview: Whether it is being used as a batching facility and, if so, the additional throughput gained through its use, by month.

In addition, the company must report to the Executive secretary of the Commission, under this docket number, no later than the close of the second business day following the event, any of the following that occur and the date on which they occur.

1. Removal, imposition, reduction, or increase of pressure restrictions by regulatory authority or independent company action.
2. First operations at full pressure for any portions of the system now subject to an 80% pressure restriction.
3. The beginning of unrestricted systemwide operations at full pressure.
4. Placement of Bayview into operation for its intended purposes.
5. Change in equity ratio.”

Attachment 2—Response to Reporting Requirements

Pursuant to the WUTC Docket No. TO-011472, 20th Supplemental Order, 9/27/02, Olympic Pipeline Company hereby submits the requested information to the WUTC.

1. "...status and level of any pressure restrictions imposed by regulators, and the actual average maximum operating pressure achieved by operating by month."

As the pressure varies along the pipeline with the maximum at the pump stations, Olympic is now reporting the average discharge pressure of the pump stations. Note, the pressure readings are only collected at specific points in time and the average is based on these readings.

a). Status and level of pressure restrictions: --No change from 80% restriction imposed by Federal regulators.

b). Actual Average Operating Pressure: (psig)

October, 2002	675	November, 2002	660
December, 2002	649	January, 2003	655
February, 2003	646	March, 2003	602
April, 2003	659	May, 2003	673
June, 2003	592		

2. "...Total throughput, including the three months prior to the month of the report, with actual data."

Month	Deliveries
Jan., 2003	8,957,958
Feb., 2003	7,546,672
Mar., 2003	8,181,063
April, 2003	9,109,026
May, 2003	9,536,392
June, 2003	8,208,883

3. "Status of Bayview: Whether it is being used as a batching facility and, if so, the additional throughput gained through its use, by month."

Used as Batching Facility?

April, 2003	Yes _____	No <u>X</u> _____
May, 2003	Yes _____	No <u>X</u> _____
June, 2003	Yes _____	No <u>X</u> _____

If yes, additional throughput gained by Month:

April, 2003	<u>0</u> _____ bbls
May, 2003	<u>0</u> _____ bbls
June, 2003	<u>0</u> _____ bbls