



## ***Qwest Corporation (Qwest or CTL-Q) Performance Results***

### **Washington October 2016 - October 2017**

***Statistical parameters used to calculate whether PAP standards have been met or missed, and any applicable PAP payments, are sometimes required to be different than those used to calculate performance in this report. See the Reading Reports link on CenturyLink's Wholesale Website for details.***

November 18, 2017

CenturyLink QC Performance Results – Current 271 PID

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,527	1,529	99.87%							
October 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,095,099	1,095,099	100.00%							
October 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	4,840	4,840	100.00%							
October 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,429	2,434	99.79%	4.53%	50,350	50,830	99.06%	9.67%	-3.682048	-3.238526
October 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	4,840	4,840	100.00%							
October 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,626,449	3,599,644	1.01							
October 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5786.33	29,495	0.20							
October 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,060	30,060	100.00%							
October 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,060	30,060	100.00%							
October 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,060	30,060	100.00%							
October 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,900	42,900	100.00%							
October 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	41,820	41,820	100.00%							
October 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,880	26,880	100.00%							
October 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
October 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	8	50.00%	50.00%	7	8	87.50%	33.07%	1.075723	-0.346007
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	8	25.00%							
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	8	13	61.54%							
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	25	41	60.98%	48.78%	5	6	83.33%	37.27%	0.580117	-0.647314
October 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	6	66.67%	47.14%	8	13	61.54%	48.65%	-0.213574	-1.129844
October 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	4	75.00%	43.30%	8	13	61.54%	48.65%	-0.483933	-1.29421
October 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	1	2	50.00%	50.00%	317	619	51.21%	49.99%	-0.637744	-1.387721
October 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	Residence	Parity	N/A	3.19	1.319	0.00	114575.56	2,791	41,03	39.07%	-0.964385	-1.586305	
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	30.19	8	3.47	1.28	17.40	5	3.32	2.02	0.032592	-0.980186
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	27.56	1	27.56	0.00	16.17	1	16.17	0.00		
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	42.44	8	5.21	1.53	11.00	3	3.40	2.01	0.199336	-0.878812
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	56.55	13	4.23	3.53	11.00	3	3.40	2.01	0.250776	-0.847549
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	174.53	41	4.16	3.34	11.20	3	3.47	2.51	-0.168741	-1.102588
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	621.14	44	14.07	9.57	133674.15	3,412	39.11	38.23	-4.302324	-3.615627
October 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	22.28	6	3.45	3.36	48.18	10	4.50	2.22	-0.886958	-1.539232
October 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	11.55	4	2.59	1.11	48.18	10	4.50	2.22	-1.319983	-1.802493
October 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	136.40	12	11.23	9.01	31906.28	762	41.52	36.59	-2.832792	-2.722215
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	14	1,112	1.26%	11.15%	21	2,114	0.99%	0.92%	0.722997	-0.560449
October 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	69,280	0.00%	0.38%	1	55,134	0.00%	0.43%	-0.15237	-1.092634
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	52	1.92%	13.73%	3,702	293,991	1.26%	11.15%	0.045456	-0.973581
October 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	221	0.00%	0.00%	23	2,416	0.95%	9.71%	-1.395025	-1.848115
October 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	8	1,700	0.47%	6.84%	3	936	0.32%	5.65%	0.652339	-0.603406
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	13	13,074	0.10%	3.15%	3	936	0.32%	5.65%	-1.159695	-1.702777
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	45	4,094	1.10%	10.43%	19	2,155	0.88%	9.35%	0.874217	-0.468514
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	18	0.00%	0.00%	23	2,405	0.96%	9.73%	-0.415346	-1.252512
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	56	21,240	0.26%	5.13%	4,446	441,601	1.01%	9.98%	-10.596764	-7.442375
October 2017	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	2,482	2,888	85.94%	34.76%	-0.404377	-1.245844
October 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGRS excl	LIS Trunk	Parity	N/A	13	33,696	0.04%	0.19%						
October 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGRS excl	LIS Trunk	Parity	N/A	1	13,063	0.01%	0.07%						
October 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	13	33,696	0.04%							
October 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	1	13,063	0.01%							
October 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	6	1	6.00							
October 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	18	6	3.00	0.00						
October 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	13	1	13.00	0.00	49,337	299	165.01	222.36	-0.682455	-1.414903
October 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	6	0.00%	0.00%						
October 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	1	1	100.00%	0.00%	145	299	48.49%	49.98%	3.719016	1.261001
October 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	702	703	99.86%	3.77%	-0.037716	-1.02293
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	6	6	100.00%	0.00%	1	1	100.00%	0.00%		
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	74	78	94.87%							
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	24	25	96.00%	19.60%	2	3	66.67%	47.14%	-1.018402	-1.619145
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	39	39	100.00%							
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	4	25.00%							
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%	0.00%		
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	10	10	100.00%							
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%						
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	3	3	100.00%							
October 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
October 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	154	51	3.02							
October 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	6.00	124	26	4.77							
October 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	194	39	4.97							
October 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	27	3	9.00							
October 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	30	10	3.00							
October 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	6.00	10	2	5.00							
October 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	15	3	5.00							
October 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	2,936	2,937	99.97%							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6631.70	19,505	0.34							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15987.50	12,790	1.25							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22619.20	19,505	1.16							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A										

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11144.05	3,715	3.00							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7782.60	7,630	1.02							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6512.80	5,815	1.12							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14295.40	7,630	1.87							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2382.72	1,088	2.19							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	662.36	1,142	0.58							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	3045.08	1,088	2.80							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3751.17	6,581	0.57							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7772.00	13,400	0.58							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11523.17	6,581	1.75							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	253.00	1,100	0.23							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	864.80	1,880	0.46							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1187.01	981	1.21							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2304.81	1,880	1.23							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2498.49	3,621	0.69							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	51544.20	2,710	19.02							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54042.69	3,621	14.92							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8440.25	4,823	1.75							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8141.40	4,523	1.80							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67107.81	6,897	9.73							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26670.00	6,350	4.20							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	48371.80	3,485	13.88							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3999.60	792	5.05							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	17552.50	5,015	3.50							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3612.00	3,010	1.20							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5504.86	1,591	3.46							
October 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,216	2,812	78.81%							
October 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	52	75	69.33%							
October 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	474	77.85%							
October 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,216	2,223	99.69%							
October 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	52	52	100.00%							
October 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	370	99.73%							
October 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	4,15	3	1.25							
October 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	565.30	351	1.37							
October 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	50	50	100.00%							
October 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	385	385	100.00%							
October 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,034	2,034	100.00%							
October 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	14	14	100.00%							
October 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	163	164	99.39%							
October 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	531	531	100.00%							
October 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	18	18	100.00%							
October 2017	Pre-Ordering	PO-9B	Unbundled Loops	Parity	7	12	58.33%		49.30%	1	64	1.56%	12.40%	-14.551534	-9.846705	
September 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,618	1,623	99.69%							
September 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,053,953	1,053,953	100.00%							
September 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	5,790	5,790	100.00%							
September 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,136	2,142	99.72%	5.29%	51,391	51,958	98.91%	10.39%	-3.541261	-3.152934
September 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	5,790	5,790	100.00%							
September 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	5,203,914	4,733,144	1.10							
September 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4367.93	26,443	0.17							
September 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,340	29,340	100.00%							
September 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,340	29,340	100.00%							
September 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,340	29,340	100.00%							
September 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,700	41,700	100.00%							
September 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	40,485	40,485	100.00%							
September 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,580	26,580	100.00%							
September 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
September 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
September 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	8	87.50%	33.07%	8	14	57.14%	49.49%	-1.384095	-1.84147
September 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	4	5	80.00%							
September 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	15	24	62.50%							
September 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	8	28	28.57%	45.18%	8	13	61.54%	48.65%	1.663137	0.011116
September 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	6	50.00%	50.00%	7	12	58.33%	49.30%	-0.159464	-1.096947
September 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
September 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	7	13	53.85%	49.85%	-1.218899	-1.741038
September 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	11	15	73.33%	44.22%	371	601	61.73%	48.60%	-0.913234	-1.555207
September 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	22.03	7	3.09	1.45	56:17	13	4:20	2:37	-0.961914	-1.584802
September 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	12.56	5	2.35	1.32	11:21	3	3:47	0:37	-2.645608	-2.608415
September 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	142:16	24	5:56	8:46	11:21	3	3:47	0:37	-1.439511	-0.124827
September 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	150:59	28	5:24	2:34	50:21	12	4:12	2:33	-1.126391	-0.315203
September 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	546:04	51	10:42	6:35	98094:15	2,890	33:57	35:15	-4.666881	-3.837262
September 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	42:37	6	7:06	7:40	67:45	7	9:41	10:25	-0.44427	-1.270097
September 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	0.52	1	0.52	0.00						
September 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5:38	2	2:49	1:05	76:53	8	9:37	9:39	-0.890511	-1.541392
September 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	32:27	2	16:13	7:54	29156:47	756	38:34	43:35	-0.724023	-1.440175
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	8	25.00%	43.30%	3	15	20.00%	40.00%	-0.217854	-1.132446
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	5	20.00%	40.00%	0	3	0.00%	0.00%	-0.318639	-1.193719
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3	24	12.50%	33.07%	0	3	0.00%	0.00%	-0.50143	-1.304848
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	0	28	0.00%	0.00%	3	14	21.43%	41.03%	-1.595448	-1.969964
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	51	7.84%	26.88%	378	3,171	11.92%	32.40%	-0.891493	-1.541989
September 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	6	0.00%	0.00%	3	13	23.08%	42.13%	-1.109765	-1.674689
September 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
September 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	2	50.00%	50.00%	3	13	23.08%	42.13%	0.059717	-0.963695

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
September 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	2	50.00%	50.00%	114	804	14.18%	34.88%	0.627535	-0.618486
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	14	1,169	1.20%	10.88%	26	2,154	1.21%	10.92%	-0.023826	-1.014485
September 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	69,520	0.00%	0.38%	0	55,812	0.00%			
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	52	0.00%		3,250	297,561	1.09%	10.39%	-0.757709	-1.460654
September 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	220	0.00%		27	2,457	1.10%	10.43%	-1.497815	-1.910628
September 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5	1,764	0.28%	5.32%	3	959	0.31%	5.58%	-0.131131	-1.079722
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	24	13,260	0.18%	4.25%	3	959	0.31%	5.58%	-0.705978	-1.423204
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	30	4,176	0.72%	8.45%	26	2,192	1.19%	10.83%	-1.638056	-1.995867
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	18	0.00%		27	2,447	1.10%	10.45%	-0.446497	-1.271451
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	53	21,614	0.25%	4.95%	3,975	445,984	0.89%	9.40%	-9.869832	-7.000432
September 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A	13	33,888	0.04%	0.24%						-2.866013
September 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A	2	13,015	0.01%	0.07%						-2.964595
September 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	13	33,888	0.04%							
September 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	4	13,087	0.03%							
September 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	3	3	100.00%	0.00%	709	715	99.16%	9.12%	-0.159002	-1.096667
September 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	5	5	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	91	91	100.00%							
September 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	13	20	65.00%	47.70%						
September 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	29	30	96.67%							
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	19	19	100.00%							
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%	2	2	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	5	5	100.00%							
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	6	7	85.71%							
September 2017	Ordering and Provisioning	OP-4C	No dispatches	Residence	Parity	N/A	1	1	1.00	0.00	301	271	1.11	0.57	-0.192807	-1.117219
September 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	225	77	2.92							
September 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	146	20	7.30							
September 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	138	30	4.60							
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	15	3	5.00							
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	8	1	8.00	0.00						
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	15	5	3.00							
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	5	1	5.00							
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	33	7	4.71							
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%	8	8	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	3	3	100.00%	0.00%	1,809	2,012	89.91%	30.12%	-0.579783	-1.352483
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	111	112	99.11%	9.41%	3	3	100.00%	0.00%	-1.941696	-2.180467
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	24	24	100.00%	0.00%	1	1	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	35	37	94.59%	22.61%	1,515	1,643	92.21%	26.80%	-0.535328	-1.325456
September 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,472	3,478	99.83%							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6,435.00	19,500	0.33							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15,360.00	12,800	1.20							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	21,795.00	19,500	1.12							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3,963.33	4,893	0.81							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4,484.27	4,893	0.92							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	6,960.00	1,740	0.40							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1,254.24	1,206	1.04							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1,950.24	1,740	1.12							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3,118.08	3,712	0.84							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7,980.00	3,800	2.10							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11,098.08	3,712	2.99							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7,699.23	7,623	1.01							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6,555.13	5,801	1.13							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14,254.36	7,623	1.87							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2,374.02	1,089	2.18							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	649.80	1,140	0.57							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	3,023.82	1,089	2.78							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3,684.80	6,580	0.56							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7,859.39	13,321	0.59							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11,544.19	6,580	1.75							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	252.31	1,097	0.23							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	860.20	1,870	0.46							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1,176.00	980	1.20							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2,288.51	1,870	1.22							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2,461.60	3,620	0.68							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	5,155.12	2,712	19.01							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	5,401.72	3,620	14.92							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8,243.91	4,821	1.71							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8,047.38	4,521	1.78							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	6,0719.40	6,895	9.72							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26,446.14	6,342	4.17							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	4,7981.96	3,482	13.78							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3,997.40	790	5.06							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	17,581.59	5,009	3.51							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3,615.60	3,013	1.20							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5,501.40	1,590	3.46							
September 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,175	2,777	78.32%							
September 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	26	42	61.90%							
September 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	356	420	84.76%							
September 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,175	2,185	99.54%							
September 201																

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
September 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	765.18	301	2.33							
September 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	25	25	100.00%							
September 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	351	354	99.15%							
September 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,973	1,975	99.90%							
September 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	9	9	100.00%							
September 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	129	129	100.00%							
September 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	521	522	99.81%							
September 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
September 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	5	5	100.00%							
September 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	16	16	62.50%	48.41%	3	72	4.17%	19.98%	-10.56207	-7.421282
August 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,740	1,742	99.89%							
August 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,108,807	1,108,807	100.00%							
August 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	5,696	5,696	100.00%							
August 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,785	2,793	99.71%	5.34%	86,255	86,726	99.46%	7.35%	-1.816588	-2.104407
August 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	5,696	5,696	100.00%							
August 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,803,802	4,428,264	1.08							
August 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5383.47	31,907	0.17							
August 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
August 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
August 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
August 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
August 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	42,180	42,180	100.00%							
August 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
August 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
August 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	9	88.89%	31.43%	14	15	93.33%	24.94%	-0.304339	-1.185025
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	4	5	80.00%							
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	17	26	65.38%							
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	29	39	74.36%	43.67%	10	11	90.91%	28.75%	0.731997	-0.554978
August 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	2	50.00%	50.00%	12	14	85.71%	34.99%	0.38532	-0.765742
August 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
August 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5	9	55.56%	49.69%	12	15	80.00%	40.00%	0.814728	-0.50468
August 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	4	7	57.14%	49.49%	307	573	53.58%	49.87%	-0.187992	-1.114291
August 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	1,524	3,489	43.68%	49.60%	-1.605386	-1.976005
August 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	23.04	1	23.04	0.00	94342.50	2,421	38.58	32.58	-0.482372	-1.293261
August 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	22.24	1	22.24	0.00	24392.25	741	32.55	30.37	-0.343334	-1.208732
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	29.36	9	3.17	1.48	25.27	12	2.07	1.14	1.607248	-0.022863
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	89.00	1	89.00	0.00						
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	12.59	5	2.36	1.47	7.02	1	7.02	0.00		
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	112.45	26	4.20	2.38	7.02	1	7.02	0.00		
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	139.22	39	3.34	3.06	19.02	10	1.54	1.19	1.750686	0.064342
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	462.52	60	7.43	8.07	102826.32	2,670	38.31	33.35	-7.023905	-5.270231
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7.21	2	3.40	2.00	50.36	9	5.37	10.34	-0.235879	-1.143404
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	78.09	1	78.09	0.00	792.49	1	792.49	0.00		
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3.45	1	3.45	0.00						
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	37.13	9	4.08	2.23	55.02	10	5.30	9.58	-0.298867	-1.181698
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	36.21	4	9.05	9.59	26376.01	789	33.26	33.39	-1.442882	-1.87721
August 2017	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/ MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	265	2,419	10.95%	31.23%	-0.350679	-1.213198
August 2017	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	3	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	105	746	14.08%	34.78%	-0.404459	-1.245894
August 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	9	0.00%	0.00%	4	19	21.05%	40.77%	-1.276155	-1.775847
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	5	0.00%	0.00%	0	1	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2	26	7.69%	26.65%	0	1	0.00%	0.00%	-1.446104	-1.879169
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	4	39	10.26%	30.34%	4	19	21.05%	40.77%	-0.946553	-1.575463
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	2	60	3.33%	17.95%	335	3,228	10.38%	30.50%	-1.772843	-2.077812
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	1	15	6.67%	24.94%	-0.355036	-1.215846
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	9	0.00%	0.00%	1	15	6.67%	24.94%	-0.633866	-1.385363
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	4	0.00%	0.00%	127	929	13.67%	34.35%	-0.794167	-1.482819
August 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	11	1,178	0.93%	9.62%	29	2,185	1.33%	11.44%	-0.951146	-1.578256
August 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	2	69,568	0.00%	0.54%	1	56,365	0.00%	0.42%	-0.461138	-0.719648
August 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	2	51	3.92%	19.41%	3,424	301,392	1.14%	10.60%	1.203244	-0.26848
August 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	2	221	0.90%	9.47%	34	2,489	1.37%	11.61%	-0.555869	-1.344024
August 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5	1,803	0.28%	5.26%	1	975	0.10%	3.20%	1.373346	-0.165065
August 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	27	13,357	0.20%	4.49%	1	975	0.10%	3.20%	0.937752	-0.428887
August 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	48	4,243	1.13%	10.58%	26	2,226	1.17%	10.74%	-0.130659	-1.079435
August 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	18	0.00%	0.00%	34	2,480	1.37%	11.63%	-0.498399	-1.303005
August 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	64	21,805	0.29%	5.41%	1,157	450,840	0.92%	9.56%	-9.483998	-6.755862
August 2017	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	1	1	1							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
August 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	1	100.00%	0.00%						
August 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	0	1	0.00%	0.00%		
August 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
August 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	13	13	100.00%	0.00%	7	7	100.00%	0.00%		
August 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	53	53	100.00%							
August 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	19	24	79.17%	40.61%	2	3	66.67%	47.14%	-0.433013	-1.263253
August 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	45	48	93.75%							
August 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	1	1	100.00%	0.00%		
August 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	0	2	0.00%							
August 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	5	5	100.00%	0.00%						
August 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	7	7	100.00%							
August 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00							
August 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	85	31	2.74							
August 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	97	17	5.71							
August 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	259	49	5.29							
August 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	20	2	10.00							
August 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	10	2	5.00							
August 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	35	7	5.00							
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	21	21	100.00%	0.00%	11	11	100.00%	0.00%		
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	4	5	80.00%	40.00%	-0.456435	-1.277493
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	56	56	100.00%	0.00%	6	7	85.71%	34.99%	-1.01835	-1.619113
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	28	29	96.55%	18.25%	3	4	75.00%	43.30%	-0.933517	-1.567317
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	56	56	100.00%	0.00%	1,773	1,895	93.56%	25.4%	-1.934619	-2.176165
August 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	5,931	5,944	99.78%							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6681.68	19,652	0.34							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	16737.50	12,875	1.30							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	23419.18	19,652	1.19							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	4329.60	4,920	0.88							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4853.48	4,920	0.99							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	725.70	1,770	0.41							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1329.80	1,220	1.09							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2055.50	1,770	1.16							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3024.00	3,600	0.84							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7991.55	3,717	2.15							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11015.55	3,600	3.06							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7900.00	7,900	1.00							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6840.00	5,700	1.20							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14740.00	7,900	1.87							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2343.50	1,090	2.15							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	660.00	1,200	0.55							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	3003.50	1,090	2.76							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3380.00	6,500	0.52							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7920.00	13,200	0.60							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11300.00	6,500	1.74							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	274.50	1,098	0.25							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	855.00	1,900	0.45							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1261.00	970	1.30							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2390.50	1,900	1.26							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2590.00	3,700	0.70							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	51415.95	2,699	19.05							
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54005.95	3,700	14.60							
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8160.00	4,800	1.70							
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8214.31	4,589	1.79							
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67824.35	6,985	9.71							
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	27392.00	6,400	4.28							
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47913.06	3,477	13.78							
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3956.40	785	5.04							
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	17500.00	5,000	3.50							
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3900.00	3,000	1.30							
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5781.66	1,671	3.46							
August 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,195	2,767	79.33%							
August 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	20	50	40.00%							
August 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	317	393	80.66%							
August 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,195	2,207	99.46%							
August 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	20	20	100.00%							
August 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	317	321	98.75%							
August 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	101-39	4	25.25							
August 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	575-56	298	1.56							
August 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	20	20	100.00%							
August 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	321	321	100.00%							
August 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,999	1,999	100.00%							
August 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	12	12	100.00%							
August 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	121	122	99.18%							
August 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	516	516	100.00%							
August 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	36	36	100.00%							
August 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	3	22	13.64%	34.32%	3	77	3.90%	19.35%	-2.082207	-2.265892
July 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,949	1,952	99.85%							
July 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,134,487	1,134,487	100.00%							
July 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	6,712	6,712	100.00%							
July 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,848	2,860	99.58%	6.46%	54,614	55,185	98.97%	10.12%	-3.169733	-2.927061
July 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	6,712	6,712	100.00%							
July 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,045,810	3,766,648	1.07							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
July 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4837.32	29,943	0.16							
July 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,880	29,880	100.00%							
July 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,880	29,880	100.00%							
July 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,880	29,880	100.00%							
July 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,840	42,840	100.00%							
July 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	41,565	41,565	100.00%							
July 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,580	26,580	100.00%							
July 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
July 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
July 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	10	10	100.00%	0.00%		
July 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	5	20.00%							
July 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	12	20	60.00%							
July 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	20	35	57.14%	49.49%	13	15	86.67%	33.99%	1.73655	0.055447
July 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	6	66.67%	47.14%	4	10	40.00%	48.99%	-1.054093	-1.640843
July 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
July 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
July 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	4	8	50.00%	50.00%	4	10	40.00%	48.99%	-0.430331	-1.261623
July 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	1	9	11.11%	31.43%	202	489	41.31%	49.24%	1.530916	-0.069269
July 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	4	25.00%	43.30%	1,168	3,486	33.51%	47.20%	-0.226786	-1.137876
July 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	17.26	1	17.26	0.00	126966:29	2,637	48.09	38.56	-0.788876	-1.479602
July 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	185.37	3	61.52	11.37	27789:35	651	42.41	64.33	1.049387	-0.362018
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2.57	2	1.28	0.30	16:31	6	2.45	1.23	-1.126884	-1.685097
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	42.03	5	8.25	7.36	2:10	1	2.10	0.00		
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	105.00	20	5.15	9.52	2:10	1	2.10	0.00		
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	124.15	35	3.33	2.15	32:25	11	2.57	1.20	1.226528	-0.254324
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	422.27	49	8.37	6.15	129743:19	2,772	46.48	38.56	-6.804803	-5.137027
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	35.08	6	5.51	5.41	44:47	8	5.36	3.57	0.347787	-0.78856
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	955.53	1	955.53	0.00						
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1.36	1	1.36	0.00						
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	28.56	8	3.37	1.31	44:47	8	5.36	3.57	-1.002525	-1.609492
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	29.34	3	9.51	0.03	29003:48	685	42.20	63.41	-0.881673	-1.536019
July 2017	Maintenance and Repair	MR-7A	Repair Repeat Rpt Rate-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%	0.00%		
July 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	1	3	33.33%	47.14%	0	2	0.00%	0.00%	-0.253347	-1.154024
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	0	15	0.00%	0.00%		
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	5	0.00%	0.00%	0	1	0.00%	0.00%		
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	20	5.00%	21.79%	0	1	0.00%	0.00%	-1.668391	-2.01431
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	3	35	8.57%	27.99%	0	15	0.00%	0.00%	0.429091	-0.739131
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	7	49	14.29%	34.95%	402	3,184	12.63%	33.21%	0.182253	-0.889198
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	6	16.67%	37.27%	2	10	20.00%	40.00%	-0.161374	-1.098109
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	8	0.00%	0.00%	2	10	20.00%	40.00%	-1.054093	-1.640843
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	3	0.00%	0.00%	96	782	12.28%	32.82%	-0.6467	-1.393166
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	1,202	0.67%	8.13%	20	2,214	0.90%	9.46%	-0.701473	-1.426465
July 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	69,496	0.00%	0.38%	0	56,245	0.00%			
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	52	0.00%	0.00%	3,312	304,716	1.09%	10.37%	-0.755849	-1.455524
July 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	4	220	1.82%	13.36%	25	2,522	0.99%	9.91%	0.844334	-0.486682
July 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5	1,839	0.27%	5.21%	1	973	0.10%	3.20%	1.331354	-0.896594
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	21	13,549	0.15%	3.93%	1	973	0.10%	3.20%	0.491018	-0.701482
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	43	4,290	1.00%	9.96%	25	2,252	1.11%	10.48%	-0.395355	-1.240359
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	20	0.00%	0.00%	25	2,513	0.99%	9.92%	-0.446517	-1.271463
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	52	22,038	0.24%	4.85%	3,966	454,947	0.87%	9.30%	-9.915983	-7.028489
July 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	5	33,720	0.02%	0.13%						
July 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,087	0.00%	0.03%						
July 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	33,720	0.02%							
July 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,087	0.00%							
July 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	11	1	11.00%							
July 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	6	2	3.00%	0.00	350	1	350.00%	0.00		
July 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1	1	1.00%	0.00	41,447	317	130.75	199.87	-0.648144	-1.394044
July 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	1	1	100.00%	0.00%		
July 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	1	0.00%	0.00%	140	317	44.16%	49.66%	-0.88796	-1.539841
July 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	765	771	99.22%	8.79%	-0.088504	-1.053807
July 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	0	1	0.00%							
July 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	116	123	94.31%							
July 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	20	25	80.00%	40.00%						
July 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	31	36	86.11%							
July 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
July 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
July 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	8	12	66.67%							
July 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
July 2017	Ordering and Provisioning	OP-4C	No dispatches	Residence	Parity	N/A	1	1	1.00%	0.00	361	292	1.24	0.58	-0.405063	-1.246261
July 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	12	1	12.00%							
July 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	364	86	4.23							
July 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	114	25	4.56							
July 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	189	39	4.85							
July 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00%							
July 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	37	8	4.63							
July 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	5	1	5.00%							
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%	0.00%		
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	1,966	2,174	90.43%	29.41%	-0.325192	-1.197703
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	137	143	95.80%	20.05%	2	2	100.00%	0.00%	-1.396235	-1.848851
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	24	25	96.00%	19.60%	1	1	100.00%	0.00%	-1.768825	-2.075369

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	38	40	95.00%	21.79%	1,656	1,775	93.30%	25.01%	-0.426199	-1.259111
July 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,422	3,427	99.85%							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6375.27	19,319	0.33							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15832.56		1.23							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22207.83	19,319	1.15							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3289.26	4,217	0.78							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3776.11	4,217	0.90							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	721.60	1,760	0.41							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1310.04	1,213	1.08							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2031.64	1,760	1.15							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3219.57	3,879	0.83							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7982.95	3,713	2.15							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11202.52	3,879	2.89							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8154.64	7,841	1.04							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6608.16	5,648	1.17							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14762.80	7,841	1.88							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2272.47	1,077	2.11							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	690.78	1,191	0.58							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2963.25	1,077	2.75							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3343.08	6,429	0.52							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7778.56	13,184	0.59							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11121.64	6,429	1.73							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	228.90	1,090	0.21							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	791.20	1,978	0.40							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1248.00	960	1.30							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2268.10	1,978	1.15							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2236.00	3,440	0.65							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	50227.52	2,638	19.04							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	52463.52	3,440	15.25							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8737.47	4,623	1.89							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8418.18	4,866	1.73							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67725.40	6,982	9.70							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26144.10	6,315	4.14							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47393.89	3,467	13.67							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3925.64	782	5.02							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15014.61	4,797	3.13							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3716.12	3,046	1.22							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5715.92	1,652	3.46							
July 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,121	2,635	80.49%							
July 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	33	70	47.14%							
July 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	361	442	81.67%							
July 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,121	2,132	99.48%							
July 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	33	33	100.00%							
July 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	361	367	98.37%							
July 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	3.29	1	3.29							
July 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	460.55	307	1.30							
July 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	32	32	100.00%							
July 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	350	359	97.49%							
July 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,931	1,965	98.27%							
July 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	16	16	100.00%							
July 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	116	120	96.67%							
July 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	449	449	100.00%							
July 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
July 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	13	13	100.00%							
July 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	5	22	22.73%	41.91%	4	80	5.00%	21.79%	-3.378714	-3.054112
June 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,356	1,357	99.93%							
June 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,154,302	1,157,225	99.75%							
June 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	8,848	8,848	100.00%							
June 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,702	2,706	99.85%	3.84%	63,779	64,566	98.78%	10.97%	-4.974524	-4.024296
June 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	8,848	8,848	100.00%							
June 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	2	2	100.00%							
June 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,753,640	3,491,456	1.08							
June 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5321.72	30,635	0.17							
June 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,520	29,520	100.00%							
June 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,520	29,520	100.00%							
June 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,520	29,520	100.00%							
June 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,760	41,760	100.00%							
June 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,740	40,740	100.00%							
June 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,880	26,880	100.00%							
June 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
June 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	9	88.89%	31.43%	5	9	55.56%	49.69%	-1.423025	-1.865138
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%	0	1	0.00%	0.00%		
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	5	40.00%							
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	12	18	66.67%							
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	21	38	55.26%	49.72%	4	8	50.00%	50.00%	-0.270604	-1.164516
June 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	3	66.67%	47.14%	6	10	60.00%	48.99%	-0.206725	-1.12568
June 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
June 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	3	9	33.33%	47.14%	393	684	57.46%	49.44%	1.111736	-0.324113
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	25.07	9	2.47	1.52	46:13	9	5.08	3.32	-1.410416	-1.857472
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	283.30	2	141.45	102.37	195:23	1	195:23	0.00		
June 2017	Maintenance and Repair	MR-6D</														



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	66.01	18	3.40	3.02						
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	380.45	38	10.01	33.35	40.04	7	5.43	3.50	-0.404289	-1.24579
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	469.04	64	7.20	7.24	114810.14	3,205	35.49	36.16	-6.222712	-4.78314
June 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	14.21	3	4.47	4.10	31.35	9	3.31	2.14	0.809896	-0.507618
June 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2.32	1	2.32	0.00						
June 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	29.46	3	9.55	7.56	27243.33	837	32.33	30.59	-1.262309	-1.767429
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	9	0.00%	0.00%	1	10	10.00%	30.00%	-0.725476	-1.441058
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%	0	1	0.00%	0.00%		
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	5	20.00%	40.00%						
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	18	5.56%	22.91%						
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	4	38	10.53%	30.69%	1	10	10.00%	30.00%	-0.595437	-1.362
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	6	65	9.23%	28.95%	417	3,525	11.83%	32.30%	-0.642908	-1.39086
June 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	2	10	20.00%	40.00%	-0.202967	-1.123395
June 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
June 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	3	0.00%	0.00%	126	905	13.92%	34.62%	-0.695438	-1.422796
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	12	708	1.69%	12.91%	19	1,811	1.05%	10.19%	-1.429924	-0.130668
June 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	2	70,192	0.00%	0.53%	1	55,873	0.00%	0.42%	0.441749	-0.731436
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	53	0.00%	0.00%	3,603	308,191	1.17%	10.75%	-0.791729	-1.481337
June 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	220	0.00%	0.00%	20	2,538	0.79%	8.84%	-1.268081	-1.770939
June 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5	1,885	0.27%	5.14%	0	981	0.00%	0.00%		
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	19	13,720	0.14%	3.72%	0	981	0.00%	0.00%		
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	38	4,379	0.87%	9.27%	18	2,202	0.82%	9.00%	0.213999	-0.869898
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	20	0.00%	0.00%	20	2,529	0.79%	8.86%	-0.397712	-1.241792
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	67	22,268	0.30%	5.48%	4,430	459,851	0.96%	9.77%	-9.884404	-7.009291
June 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	33,504	0.00%	0.08%						-2.9934
June 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,087	0.00%	0.02%						-2.992848
June 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	33,744	0.01%							
June 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,087	0.00%							
June 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	134	9	14.89	0.33						
June 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	4	2	2.00	0.00	330	2	165.00	233.35	-0.698536	-1.42468
June 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	2,350	12	195.83	63.45	39,934	278	143.65	200.85	0.889006	-0.455623
June 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	9	9	100.00%	0.00%						
June 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	1	2	50.00%	50.00%	-1	-1.607957
June 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	12	0.00%	0.00%	132	278	47.48%	49.94%	-3.224962	-2.960637
June 2017	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	5	5	100.00%							
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%						
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	126	153	82.35%							
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	26	27	96.30%	18.89%						
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	27	28	96.43%							
June 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
June 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%						
June 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	18	18	100.00%							
June 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	5	5	100.00%							
June 2017	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00							
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	20	4	5.00							
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	5	1	5.00	0.00	10	1	10.00	0.00		
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	277	88	3.15							
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	135	22	6.14							
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	131	28	4.68							
June 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	24	5	4.80							
June 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	58	16	3.63							
June 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	25	5	5.00							
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	6	6	100.00%	0.00%	1	1	100.00%	0.00%		
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	2	3	66.67%	47.14%	-0.612372	-1.372296
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	168	172	97.67%	15.07%	6	6	100.00%	0.00%	-1.13016	-1.687088
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	31	33	93.94%	23.86%	2	3	66.67%	47.14%	-0.959403	-1.583276
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	30	33	90.91%	28.75%	1,820	1,938	93.86%	24.00%	0.426702	-0.740584
June 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	7,799	7,806	99.91%							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6582.18	19,946	0.33							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	1456.62	12,022	1.21							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	21128.80	19,946	1.06							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3752.58	4,811	0.78							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4228.64	4,811	0.88							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	712.58	1,738	0.41							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1269.88	1,198	1.06							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1982.46	1,738	1.14							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	2904.72	3,458	0.84							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7952.24	3,716	2.14							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	10856.96	3,458	3.14							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7985.52	7,394	1.08							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6773.50	5,890	1.15							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14759.02	7,394	2.00							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2315.31	1,087	2.13							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	646.92	1,198	0.54							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2962.23	1,087	2.73							
June 2017	Pre-Ordering	PO-														

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2310.23	1,995	1.16							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2653.20	3,685	0.72							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	53181.40	2,780	19.13							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55834.60	3,685	15.15							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8374.95	4,527	1.85							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7921.67	4,579	1.73							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68773.50	6,975	9.86							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26409.24	6,318	4.18							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46883.44	3,478	13.48							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3914.21	769	5.09							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15057.00	4,780	3.15							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3787.20	3,156	1.20							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5577.52	1,612	3.46							
June 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,137	2,625	81.41%							
June 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	20	49	40.82%							
June 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	426	501	85.03%							
June 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,137	2,146	99.58%							
June 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	20	20	100.00%							
June 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	426	430	99.07%							
June 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	99.28	6	16.35							
June 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	302.01	287	1.03							
June 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	19	19	100.00%							
June 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	413	413	100.00%							
June 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,943	1,943	100.00%							
June 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	17	17	100.00%							
June 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	154	160	96.25%							
June 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	457	457	100.00%							
June 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	2	2	100.00%							
June 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	4	4	100.00%							
June 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	13	43	30.23%	45.93%	1	69	1.45%	11.95%	-12.39609	-8.536288
May 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,714	1,718	99.77%							
May 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,160,944	1,165,345	99.62%							
May 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,383	2,383	100.00%							
May 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	3,014	3,014	100.00%	0.00%	50,010	50,546	98.94%	10.24%	-5.521394	-4.356769
May 2017	Billing	BI-4B	Reciprocal Compensation (MOU);	Reciprocal Compensation	Diagnostic	N/A	2,383	2,383	100.00%							
May 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	1	1	100.00%							
May 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,428,448	4,099,559	1.08							
May 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5286.08	30,166	0.18							
May 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
May 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
May 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
May 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
May 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	42,180	42,180	100.00%							
May 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
May 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
May 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	7	57.14%	49.49%	5	11	45.45%	49.79%	-0.485504	-1.295166
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	2	100.00%							
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	3	10	30.00%							
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	19	32	59.38%	49.11%	9	15	60.00%	48.99%	-0.284255	-1.172815
May 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	2	0.00%	0.00%	14	19	73.68%	44.03%	-1.281552	-0.220872
May 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%						
May 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5	7	71.43%	45.18%	13	18	72.22%	44.79%	-0.421941	-1.256522
May 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	5	11	45.45%	49.79%	410	692	59.25%	49.14%	-0.62257	-0.621504
May 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	2,358	4,409	53.48%	49.88%	-0.932528	-1.568937
May 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	142.25	1	142.25	0.00	26262.54	683	38.27	40.49	2.365618	0.438194
May 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	21.04	1	21.04	0.00	31342.07	820	38.13	42.18	-0.405328	-1.246422
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	34.43	7	4.58	3.05	75.47	11	6.53	5.36	-0.712428	-1.433126
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	1.09	1	1.09	0.00						
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5.42	2	2.51	0.28	4:12	1	4:12	0.00		
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	57.27	10	5.45	3.03	4:12	1	4:12	0.00		
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	135.37	32	4.14	2.12	83.38	14	5.58	5.16	-1.027192	-1.624489
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	352.09	58	6.04	7.06	121214:15	3,498	34.39	83.01	-2.604097	-2.58099
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	10.44	2	5.22	1.22	73.34	16	4.36	5.02	0.565108	-0.656438
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	203.32	2	101.46	137.11						
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	28.38	7	4.05	4.19	73.34	16	4.36	5.02	-0.222394	-1.135206
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	70.28	10	7.03	5.42	32532:03	869	37.26	41.59	-2.275743	-2.383554
May 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	80	704	11.36%	31.74%	-0.357803	-1.217529
May 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	2	5	40.00%	48.99%	-0.745356	-1.453144
May 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	7	14.29%	34.99%	3	16	18.75%	39.03%	-0.252397	-1.153447
May 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
May 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	2	0.00%	0.00%	0	1	0.00%	0.00%		
May 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	10	0.00%	0.00%	0	1	0.00%	0.00%		
May 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	5	32	15.63%	36.31%	3	16	18.75%	39.03%	-0.261488	-1.158974
May 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	48	6.90	25.34%	50.2	3,854	10	13.03%	33.66%	-1.376446	-1.83682
May 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	6	19	31.58%	46.48%	-0.913874	-1.555696

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	53	1.89%	13.61%	3,933	311,518	1.26%	11.17%	0.024854	-0.98489
May 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	1	223	0.45%	6.68%	35	2,596	1.35%	11.53%	-1.118067	-1.679737
May 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	1,952	0.10%	3.20%	1	996	0.10%	3.17%	0.016683	-0.989857
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	10	13,896	0.07%	2.68%	1	996	0.10%	3.17%	-0.273749	-1.166427
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	39	4,459	0.87%	9.31%	33	2,261	1.46%	11.99%	-1.889073	-2.148475
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	20	0.00%	N/A	35	2,588	1.35%	11.55%	-0.521617	-1.317121
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	68	22,538	0.30%	5.48%	4,778	464,296	1.03%	10.09%	-10.566765	-7.424137
May 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	604	703	85.92%	34.78%	1.071175	-0.348772
May 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGSR excl	LIS Trunk	Parity	N/A	3	34,296	0.01%	0.16%						-2.975122
May 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGSR excl	LIS Trunk	Parity	N/A	1	13,087	0.00%	0.05%						-2.987566
May 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGSR excl	LIS Trunk	Diagnostic	N/A	3	34,296	0.01%							
May 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGSR excl	LIS Trunk	Diagnostic	N/A	1	13,087	0.00%							
May 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	6	6	1.00	0.00						
May 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	2,086	12	173.83	63.45	38,495	291	132.29	190.42	0.792619	-0.518122
May 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	6	6	100.00%	0.00%						
May 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	12	0.00%	0.00%	140	291	48.11%	49.96%	-3.268823	-2.987303
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%	1	1	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	64	74	86.49%							
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	26	27	96.30%	18.89%	2	2	100.00%	0.00%	-1.48354	-1.901928
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	24	25	96.00%							
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	2	50.00%							
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	10	10	100.00%	0.00%	1	1	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	9	9	100.00%							
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
May 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	266	78	3.41							
May 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	87	19	4.58							
May 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	189	41	4.61							
May 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	12	4	3.00							
May 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	20	5	4.00							
May 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	14	14	100.00%	0.00%	2	2	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	117	117	100.00%	0.00%						
May 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	28	28	100.00%	0.00%	7	7	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	44	46	95.65%	20.39%	1,829	1,950	93.79%	24.12%	-0.5161	-1.313766
May 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	7,331	7,338	99.90%							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6919.85	19,771	0.35							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15725.16	12,996	1.21							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22645.01	19,771	1.15							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3135.76	4,126	0.76							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3596.20	4,126	0.87							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	755.94	1,758	0.43							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1254.75	1,195	1.05							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2010.69	1,758	1.14							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3239.04	3,856	0.84							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7994.79	3,789	2.11							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11233.83	3,856	2.91							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8333.16	7,788	1.07							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14819.16	7,788	1.90							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2196.03	1,031	2.13							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	667.52	1,192	0.56							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2863.55	1,031	2.78							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3654.56	6,526	0.56							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7429.38	13,034	0.57							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11083.94	6,526	1.70							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	272.75	1,091	0.25							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	794.58	1,938	0.41							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1245.87	981	1.27							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2313.20	1,938	1.19							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2548.08	3,539	0.72							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52664.64	2,766	19.04							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55212.72	3,539	15.60							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8393.45	4,537	1.85							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.67	4,479	1.73							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68673.36	6,979	9.84							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26253.76	6,311	4.16							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46869.96	3,477	13.48							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3949.84	776	5.09							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15375.15	4,881	3.15							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3816.34	3,154	1.21							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
May 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,078	2,591	80.20%							
May 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	59	59.32%							
May 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	471	78.34%							
May 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,078	2,085	99.66%							
May 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	36	97.22%							
May 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	369	100.00%							
May 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	4.51	1	4.51							
May 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	276.54	266	1.02							
May 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	35									



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	137	145	94.48%	22.83%	6	6	100.00%	0.00%	-0.574733	-1.349413
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	15	16	93.75%	24.21%	1	2	50.00%	50.00%	-1.166667	-1.709283
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	30	33	90.91%	28.75%	1,695	1,814	93.44%	24.76%	0.322033	-0.804218
April 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	4,952	4,964	99.76%							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6935.60	19,816								
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15437.18	12,758	1.21							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22372.78	19,816	1.13							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3261.96	4,182	0.78							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3800.82	4,182	0.91							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	762.82	1,774	0.43							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1213.38	1,134	1.07							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1976.20	1,774	1.11							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3337.66	3,881	0.86							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7926.68	3,739	2.12							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11264.34	3,881	2.90							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8015.72	7,562	1.06							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6372.60	5,590	1.14							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14388.32	7,562	1.90							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2171.19	1,029	2.11							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	644.76	1,194	0.54							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2815.95	1,029	2.74							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3576.72	6,387	0.56							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7980.80	13,760	0.58							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11557.52	6,387	1.81							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	245.04	1,021	0.24							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	803.19	1,959	0.41							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1160.46	921	1.26							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2208.69	1,959	1.13							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2507.01	3,531	0.71							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52012.08	2,726	19.08							
April 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54519.09	3,531	15.44							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8412.78	4,523	1.86							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7846.64	4,562	1.72							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68643.84	6,976	9.84							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26307.84	6,324	4.16							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46802.56	3,472	13.48							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3944.75	775	5.09							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15057.00	4,780	3.15							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3787.20	3,156	1.20							
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5676.92	1,636	3.47							
April 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,199	2,774	79.27%							
April 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	33	97	34.02%							
April 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	435	537	81.01%							
April 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,199	2,208	99.59%							
April 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	33	33	100.00%							
April 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	435	437	99.54%							
April 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	24.06	3	8.02							
April 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	169.06	222	0.46							
April 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	573	573	100.00%							
April 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	435	435	100.00%							
April 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,985	1,985	100.00%							
April 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	137	137	100.00%							
April 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	145	148	97.97%							
April 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	446	446	100.00%							
April 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
April 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	11	11	100.00%							
April 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	10	31	32.26%	46.75%	3	80	3.75%	19.00%	-7.092773	-5.3121
April 2017	Pre-Ordering	PO-9C	LIS Trunks	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
March 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,773	1,774	99.94%							
March 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNES and Resale Aggregate	Diagnostic	N/A	1,649.104	1,649,104	100.00%							
March 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,421	2,421	100.00%							
March 2017	Billing	BI-4A	UNES and Resale Aggregate	UNES and Resale Aggregate	Parity	N/A	2,760	2,763	99.89%	3.29%	50,152	50,697	98.92%	10.31%	-4.797118	-3.91644
March 2017	Billing	BI-4B	Reciprocal Compensation (MOU);	Reciprocal Compensation	Diagnostic	N/A	2,421	2,421	100.00%							
March 2017	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All	Diagnostic	N/A	1	1	100.00%							
March 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	1	1	100.00%							
March 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,321,230	4,010,738	1.08							
March 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5922.79	32,793	0.18							
March 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
March 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
March 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
March 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
March 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	42,180	42,180	100.00%							
March 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
March 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
March 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	9	10	90.00%	30.00%	14	22	63.64%	48.10%	-1.436995	-1.873631
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	6	50.00%							
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	13	24	54.17%							
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	23	37	62.16%	48.50%	16	25	64.00%	48.00%	-0.125282	-1.076166
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	6	8	75.00%	43.30%	5	15	33.33%	47.14%	-2.018932	-2.227424
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Cap												

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
March 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	14	25	56.00%	49.64%	488	809	60.32%	48.92%	0.23973	-0.85471
March 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	12.24	1	12.24	0.00	36422.09	859	42.24	47.54	-0.62594	-1.380545
March 2017	Maintenance and Repair	MR-6C	Mean Time to Restore no dispatch	Residence	Parity	N/A	1.51	2	0.55	0.32	3940.28	246	16.01	24.19	-0.874383	-1.531587
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	32.31	10	3.15	3.06	75.09	16	4.42	4.03	-0.884445	-1.537704
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	28.54	6	4.49	3.04						
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	127.40	24	5.19	3.56						
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	153.46	37	4.09	3.14	84.52	18	4.43	4.00	-0.487258	-1.296232
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	764.05	66	11.35	17.10	160922.45	4,230	38.03	41.18	-5.166629	-4.141087
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	29.59	8	3.45	2.58	84.25	13	6.30	3.55	-1.557928	-1.947153
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2.21	1	2.21	0.00						
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1.21	1	1.21	0.00	84.25	13	6.30	3.55	-1.263762	-1.768313
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	15.55	3	5.18	2.15	41977.26	1,045	40.10	45.33	-1.323626	-1.804707
March 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	102	901	11.32%	31.68%	1.204539	-0.267692
March 2017	Maintenance and Repair	MR-7C	Repair Repeat Report Rate-no dispatch	Residence	Parity	N/A	1	2	50.00%	50.00%	36	284	12.68%	33.27%	0.698604	-0.575279
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	10	10.00%	30.00%	3	25	12.00%	32.50%	-0.164488	-1.100002
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	6	0.00%	0.00%						
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	24	4.17%	19.98%						
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	6	37	16.22%	36.86%	3	25	12.00%	32.50%	0.076441	-0.953527
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	66	6.06%	23.86%	612	4,713	12.99%	33.61%	-1.662009	-2.01043
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	8	50.00%	50.00%	4	15	26.67%	44.22%	-0.664814	-0.595822
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	4	15	26.67%	44.22%	0.488776	-0.702845
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	3	0.00%	0.00%	121	1,126	10.75%	30.97%	-0.600195	-1.364893
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	18	1,327	1.36%	11.57%	37	2,358	1.57%	12.43%	-0.498686	-1.30318
March 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	69,904	0.00%	0.00%	0	56,137	0.00%	0.00%		
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	3	58	5.17%	22.15%	4,813	317,622	1.52%	12.22%	1.571005	-0.044897
March 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	222	0.00%	0.00%	40	2,682	1.49%	12.12%	-1.761859	-2.071134
March 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	6	2,062	0.29%	5.39%	0	917	0.00%	0.00%		
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	25	14,237	0.18%	4.19%	0	917	0.00%	0.00%		
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	38	4,567	0.83%	9.08%	40	2,399	1.67%	12.80%	-2.587143	-2.572871
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	21	0.00%	0.00%	40	2,675	1.50%	12.14%	-0.562408	-1.34192
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	69	23,031	0.30%	5.47%	5,839	473,114	1.23%	11.04%	-12.544571	-8.626558
March 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	781	901	86.68%	33.98%	-0.391764	-1.238175
March 2017	Maintenance and Repair	MR-9C	Repair Appointments Met-No Dispatch	Residence	Parity	N/A	2	2	100.00%	0.00%	270	284	95.07%	21.65%	-0.320903	-1.195095
March 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	33,792	0.00%	0.01%						
March 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	5	13,087	0.04%	0.38%						
March 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	17	33,888	0.05%							
March 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	13,087	0.04%							
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	10	2	5.00							
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	71	3	23.67	12.70						
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,742	12	145.17	34.64	34,441	315	109.34	175.96	0.748763	-0.544784
March 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3	3	100.00%	0.00%						
March 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	12	0.00%	0.00%	146	315	46.35%	49.87%	-3.160131	-2.921223
March 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	8	9	88.89%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	4	4	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	2	2	100.00%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	123	142	86.62%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	33	51	64.71%	47.79%						
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	59	73	80.82%							
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%						
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	0	9	0.00%	0.00%	4	4	100.00%	0.00%	2.989188	0.817297
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	2	2	100.00%							
March 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00							
March 2017	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	71	8	8.88							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	308	92	3.35							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	381	43	8.86							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	338	48	7.04							
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	1	3.00	0.00						
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	63	9	7.00							
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	9	2	4.50							
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	4	4	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	5	5	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	143	151	94.70%	22.40%	2	2	100.00%	0.00%	-1.269299	-1.771679
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	60	60	100.00%	0.00%	4	4	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	73	76	96.05%	19.47%	1,888	2,014	93.74%	24.22%	-0.815887	-1.496024
March 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,221	3,241	99.38%							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6937.00	18,820	0.35							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15473.48	12,788	1.21							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic											

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11405.64	3,819	2.99							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8027.76	7,719	1.04							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6542.40	5,640	1.16							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14570.16	7,719	1.89							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2299.50	1,095	2.10							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	635.60	1,135	0.56							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2935.10	1,095	2.68							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3602.34	6,671	0.54							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7477.26	13,118	0.57							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11079.60	6,671	1.66							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	268.00	1,072	0.25							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	853.55	1,985	0.43							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1244.16	972	1.28							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2365.71	1,985	1.19							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2346.00	3,450	0.68							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52038.72	2,736	19.02							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54384.72	3,450	15.76							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8373.10	4,526	1.85							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.67	4,479	1.73							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67292.68	6,916	9.73							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26232.15	6,321	4.15							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47050.96	3,368	13.97							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3882.75	775	5.01							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	14996.64	4,776	3.14							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3795.60	3,163	1.20							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5626.95	1,631	3.45							
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,824	3,588	78.71%							
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	43	112	38.39%							
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	443	546	81.14%							
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,824	2,837	99.54%							
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	43	44	97.73%							
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	443	445	99.55%							
March 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	57.35	3	19.12							
March 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	407.07	319	1.17							
March 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	560	560	100.00%							
March 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	416	416	100.00%							
March 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,513	2,513	100.00%							
March 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	162	162	100.00%							
March 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	168	177	94.92%							
March 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	574	575	99.83%							
March 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	12	15	80.00%							
March 2017	Pre-Ordering	PO-9B	Unbundled Loops	Parity	N/A	N/A	21	89	23.60%	42.46%	1	87	1.15%	10.66%	-13.967183	-9.491445
February 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,492	1,493	99.93%							
February 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,657,898	1,658,447	99.97%							
February 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	4,755	4,755	100.00%							
February 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Diagnostic	N/A	2,944	2,945	99.97%	1.84%	52,719	53,180	99.13%	9.27%	-4.746262	-3.885523
February 2017	Billing	BI-4B	Reciprocal Compensation (MOU);	Reciprocal Compensation	Diagnostic	N/A	4,755	4,755	100.00%							
February 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	2	2	100.00%							
February 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,967,622	2,759,277	1.08							
February 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4833.46	27,365	0.18							
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	27,360	27,360	100.00%							
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	27,360	27,360	100.00%							
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	27,360	27,360	100.00%							
February 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	38,880	38,880	100.00%							
February 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	37,860	37,860	100.00%							
February 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	24,720	24,720	100.00%							
February 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
February 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5	10	50.00%	50.00%	5	12	41.67%	49.30%	-0.394771	-1.240004
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	6	10	60.00%							
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	4	13	30.77%							
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	30	53	56.60%	49.56%	6	13	46.15%	49.85%	-0.677282	-1.411758
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	7	42.86%	49.49%	14	26	53.85%	49.85%	0.092133	-0.943987
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5	7	71.43%	45.18%	14	26	53.85%	49.85%	-0.828278	-1.503557
February 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	4	13	30.77%	46.15%	384	798	48.12%	49.96%	-0.960964	-0.415775
February 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Parity	N/A	142.17	2	71.08	34.25	182510.49	3,497	52.11	146.11	1.112321	-0.323757
February 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	24.44	1	24.44	0.00	34886.49	750	46.31	45.09	-0.548244	-1.293122
February 2017	Maintenance and Repair	MR-6C	Mean Time to Restore no dispatch	Residence	Parity	N/A	1.15	1	1.15	0.00	3370.50	232	14.32	23.00	-0.575951	-1.350153
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	49.01	10	4.54	3.50	62.38	10	6.16	3.42	-0.824277	-1.501125
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	78.00	10	7.48	15.45	0.14	1	0.14	0.00		
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	69.24	13	5.20	2.56	0.14	1	0.14	0.00		
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	261.36	53	4.56	4.13	64.53	11	5.54	3.42	-0.783685	-1.476446
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	1012.28	89	11.23	13.27	205864.42	4,253	48.24	133.45	-2.584827	-2.571463
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	43.57	7	6.17	6.59	119.10	20	5.58	4.14	0.230118	-0.860098
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	10.11	1	10.11	0.00						
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	44.43	7	6.23	10.59	119.10	20	5.58	4.14	0.302855	-0.815877
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	23.20	4	5.50	2.59	45881.08	1,014	45.15	45.21	-1.734524	-2.054516
February 2017	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/i MSA	Residence	Parity	N/A	1	2	50.00%	50.00%	533	3,711	14.36%	35.07%	0.62195	-0.621881
February 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	90	784	11.48%	31.88%	-0.359886	-1.218795
February 2017	Maintenance and Repair	MR-7C	Repair Repeat Report Rate-no dispatch	Residence	Parity	N/A	1	1	100.00%	0.00%	24	271	8.86%	28.41%	1.329074	-0.19198
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	10	20.00%	40.00%	5	14	35.71%	47.92%	-0.792091	-1.481557

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	10	0.00%	0.00%	0	1	0.00%	0.00%		
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	13	0.00%	0.00%	0	1	0.00%	0.00%		
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	9	53	16.98%	37.55%	5	14	35.71%	47.92%	-1.30106	-1.790988
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	13	89	14.61%	35.32%	643	4,679	13.74%	34.43%	0.115329	-0.929885
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	7	0.00%	0.00%	5	26	19.23%	39.41%	-1.145919	-1.69667
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	7	0.00%	0.00%	5	26	19.23%	39.41%	-1.145919	-1.69667
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	4	25.00%	43.30%	130	1,084	11.99%	32.49%	0.248538	-0.848899
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	17	1,329	1.28%	11.24%	38	2,403	1.58%	12.48%	-0.708612	-1.430806
February 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	69,712	0.00%	0.38%	0	56,185	0.00%	0.71%		
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	4	60	6.67%	24.94%	4,766	320,805	1.49%	12.10%	2.247713	0.366512
February 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	218	0.00%	0.00%	40	2,738	1.46%	12.00%	-1.730222	-2.0519
February 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	10	2,113	0.47%	6.86%	1	931	0.11%	3.28%	2.83931	0.726178
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	13	14,375	0.09%	3.01%	1	931	0.11%	3.28%	-0.153252	-1.093171
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	60	4,600	1.30%	11.35%	39	2,441	1.60%	12.54%	-0.934313	-1.568022
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%	0.00%	40	2,731	1.46%	12.01%	-0.569564	-1.34627
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	93	23,371	0.40%	6.30%	5,763	477,563	1.21%	10.92%	-1.057182	-2.722289
February 2017	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	0	2	0.00%	0.00%	2,828	3,711	76.21%	42.58%	1.582545	-0.037881
February 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	665	784	84.82%	35.88%	-0.422752	-1.257015
February 2017	Maintenance and Repair	MR-9C	Repair Appointments Met-No Dispatch	Residence	Parity	N/A	1	1	100.00%	0.00%	255	271	94.10%	23.57%	-0.250029	-1.152007
February 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGRS excl	LIS Trunk	Parity	N/A	15	32,664	0.04%	0.34%						
February 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGRS excl	LIS Trunk	Parity	N/A	1	12,967	0.00%	0.00%						
February 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	43	33,840	0.13%							
February 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	3	13,063	0.02%							
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	48	1	48.00%							
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	594	13	45.69	35.56	296	2	148.00	135.76	-1.26886	-1.771412
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	120	9	13.33	7.28						
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,706	21	81.24	55.19	31,722	304	104.35	174.60	-0.586626	-1.356643
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	4	13	30.77%	46.15%						
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	9	9	100.00%	0.00%	2	2	100.00%	0.00%		
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	5	21	23.81%	42.59%	138	304	45.39%	49.79%	-1.921503	-2.168191
February 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	823	829	99.28%	8.48%	-0.085332	-1.051878
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	148	159	93.08%							
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	25	30	83.33%	37.27%	4	4	100.00%	0.00%	-0.030435	-1.018503
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	32	36	88.89%							
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	7	8	87.50%							
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	14	14	100.00%							
February 2017	Ordering and Provisioning	OP-4C	No dispatches	Residence	Parity	N/A	1	1	1.00	0.00	802	298	2.69	19.47	-0.086729	-1.052727
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	582	177	3.29							
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	179	34	5.26							
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	270	51	5.29							
February 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	27	8	3.38							
February 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	71	15	4.73							
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	2,011	2,182	92.16%	26.88%	-0.291536	-1.177241
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	226	227	99.56%	6.62%	1	1	100.00%	0.00%	-2.620817	-2.593344
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	39	40	97.50%	15.61%	4	4	100.00%	0.00%	-1.335178	-1.81173
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	66	66	100.00%	0.00%	1,637	1,754	93.33%	24.95%	-2.132159	-2.296261
February 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	7,512	7,517	99.93%							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6314.55	19,135	0.33							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15756.30	12,810	1.23							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22070.85	19,135	1.15							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3210.00	4,280	0.75							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3713.36	4,280	0.87							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	738.74	1,718	0.43							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1262.52	1,169	1.08							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2001.26	1,718	1.16							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3414.93	3,837	0.89							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8081.22	3,794	2.13							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11496.15	3,837	3.00							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8540.74	7,982	1.07							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	15026.74	7,982	1.88							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2319.76	1,084	2.14							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	678.30	1,190	0.57							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2998.06	1,084	2.77							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3399.30	6,295	0.54							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7588.00	13,550	0.56							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	10987.30	6,295	1.75							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	259.92	1,083	0.24							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	828.66	1,973	0.42							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1264.90	973	1.30							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2353.48	1,973	1.19							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2519.28	3,499	0.72							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	53639.15	2,801	19.15							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	56158.43	3,499	16.05							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8389.75	4,535	1.85							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.67	4,479	1.73							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68191.76	6,916	9.86							



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score	
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26127.54	6,311	4.14								
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46713.96	3,468	13.47								
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15								
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	14994.00	4,760	3.15								
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3992.58	3,246	1.23								
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46								
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,489	3,095	80.42%								
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	28	70	40.00%								
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	430	527	81.59%								
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,489	2,492	99.88%								
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	28	28	100.00%								
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	430	432	99.54%								
February 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	24.17	1	24.17								
February 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	221.22	153	1.27								
February 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	195	195	100.00%								
February 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	359	359	100.00%								
February 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,202	2,202	100.00%								
February 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	125	125	100.00%								
February 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	196	199	98.49%								
February 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	488	488	100.00%								
February 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	3	3	100.00%								
February 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	3	3	100.00%								
February 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	5	42	11.90%	32.38%	4	75	5.33%	22.47%	-1.517484	-1.922565	
January 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,726	1,729	99.83%								
January 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,648,903	1,648,903	100.00%								
January 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	22,187	22,187	100.00%								
January 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,440	2,441	99.96%	2.02%	52,029	52,870	98.41%	12.51%	-5.983105	-4.63747	
January 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	22,112	22,112	100.00%								
January 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	1	1	100.00%								
January 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,689,617	2,512,227	1.07								
January 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5077.86	32,161	0.16								
January 2017	Electronic Gateway Availability	GA-1	Electronic Gateway Availability	Gateway Availability - LSR	Diagnostic	N/A	30,060	30,060	100.00%								
January 2017	Electronic Gateway Availability	GA-1	Electronic Gateway Availability	Gateway Availability - LSR	Diagnostic	N/A	30,060	30,060	100.00%								
January 2017	Electronic Gateway Availability	GA-1	Electronic Gateway Availability	Gateway Availability - LSR	Diagnostic	N/A	30,060	30,060	100.00%								
January 2017	Electronic Gateway Availability	GA-3	Electronic Gateway Availability	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,900	42,900	100.00%							
January 2017	Electronic Gateway Availability	GA-3	Electronic Gateway Availability	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,820	41,820	100.00%							
January 2017	Electronic Gateway Availability	GA-4	Electronic Gateway Availability	System Availability - ASR	EASE	Diagnostic	N/A	22,320	22,320	100.00%							
January 2017	Electronic Gateway Availability	GA-4	Electronic Gateway Availability	System Availability - ASR	EXACT	Diagnostic	N/A	21,960	21,960	100.00%							
January 2017	Electronic Gateway Availability	GA-7	Electronic Gateway Availability	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5	40.00%	48.99%		10	15	66.67%	47.14%	0.535415	-0.674491	
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	7	42.86%								
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	8	62.50%									
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	14	34	41.18%	49.22%		11	16	68.75%	46.35%	1.520626	-0.075525
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	33.33%	47.14%		11	17	64.71%	47.79%	0.401952	-0.75563	
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	3	3	100.00%								
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	4	25.00%	43.30%		11	17	64.71%	47.79%	0.879837	-0.465097
January 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	2	9	22.22%	41.57%		396	694	57.06%	49.50%	1.758184	0.0689
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	23.35	5	4.43	2.46	55.29	14	3.58	2.50	0.473299	-0.712255	
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	28.01	7	4.00	2.12	7.47	1	7.47	0.00			
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	29.06	8	3.38	3.12	7.47	1	7.47	0.00			
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	208.30	34	6.08	4.34	57.56	15	3.52	2.45	1.750686	0.064342	
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	587.33	61	9.38	9.15	168276.56	3,619	46.30	199.08	-1.433905	-1.871753	
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	25.35	3	8.32	7.58	69.20	15	4.37	5.14	0.742144	-0.548808	
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	8.23	3	2.48	1.04							
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	19.47	4	4.57	2.44	69.20	15	4.37	5.14	0.302855	-0.815877	
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	38.22	2	19.11	5.46	34763.23	931	37.20	47.13	-0.54318	-1.33023	
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	5	20.00%	40.00%		0	17	0.00%	0.00%	0.747859	-0.545334
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	7	14.29%	34.99%		0	1	0.00%	0.00%	-1.150349	-1.699363	
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	8	0.00%		0	1	0.00%	0.00%			
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	5	34	14.71%	35.42%		0	17	0.00%	0.00%	1.18275	-0.280939
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	61	6.56%	24.75%	539	4,044	13.33%	33.99%	-1.54433	-1.938886	
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	0.00%	0.00%		8	17	47.06%	49.91%	-1.505545	-1.915307	
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	3	33.33%	47.14%							
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%		8	17	47.06%	49.91%	-1.696557	-2.031434
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	2	0.00%	0.00%	122	1,002	12.18%	32.70%	-0.526042	-1.319811	
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	1,372	0.58%	7.61%	32	2,417	1.32%	11.43%	-1.917563	-2.165795	
January 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	70,552	0.00%		0	55,921	0.00%				
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	59	0.00%		4,182	323,898	1.29%	11.29%	-0.878408	-1.534034	
January 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	216	0.00%		34	2,751	1.24%	11.05%	-1.583099	-1.962456	
January 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	7	2,161	0.32%	5.68%	1	950	0.11%	3.24%	1.732211	0.05311	
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	11	14,624	0.08%	2.74%	1	951	0.11%	3.24%	-0.275986	-1.167788	
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	38	4,697	0.81%	8.96%	33	2,455	1.34%	11.52%	-1.866037	-2.13447	
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%		34	2,744	1.24%	11.06%	-0.523278	-1.31813	
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	63	23,630	0.27%	5.16%	5,046	482,053	1.05%	10.18%	-11.504931	-7.994501	
January 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	34,032	0.00%	0.02%							
January 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,063	0.00%	0.01%							
January 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	4	34,128	0.01%								
January 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,063	0.00%								
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	39	2	19.50								
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	426	11	38.73	26.76							
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	0	1	0.00	0.00		256	2	128.00	-0.7698	-1.468005	
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,335	40	33.38	49.37		43,405	362	119.90	-2.680719	-2.629761	

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	5	11	45.45%	49.79%						
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	23	40	57.50%	49.43%	153	362	42.27%	49.40%	1.943134	0.181341
January 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	3	3	100.00%							
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	152	161	94.41%							
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	48	49	97.96%	14.14%	1	1	100.00%	0.00%	-2.053749	-2.248591
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	89	93	95.70%							
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%						
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	14	14	100.00%							
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%						
January 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	9	3	3.00							
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	7	1	7.00	0.00						
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	300	101	2.97							
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	193	34	5.68							
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	455	90	5.06							
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	0	1	0.00							
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	10	1	10.00	0.00						
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	24	8	3.00							
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	7	2	3.50							
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	7	7	100.00%	0.00%	2	2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	3	3	100.00%	0.00%	2	2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	175	178	98.31%	12.87%	1	1	100.00%	0.00%	-2.125804	-2.292397
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	49	51	96.08%	19.41%	2	2	100.00%	0.00%	-1.441328	-1.876265
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	94	96	97.92%	14.28%	1,812	1,968	92.07%	27.02%	-2.069425	-2.258121
January 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,535	3,559	99.33%							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6846.35	19,561	0.35							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15751.78	13,018	1.21							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22598.13	19,561	1.16							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3146.25	4,195	0.75							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3727.65	4,195	0.89							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	720.30	1,715	0.42							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1241.15	1,205	1.03							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1961.45	1,715	1.14							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3223.08	3,837	0.84							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8107.65	3,771	2.15							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11330.73	3,837	2.95							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8216.53	7,679	1.07							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14702.53	7,679	1.91							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2265.90	1,079	2.10							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	655.05	1,191	0.55							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2920.95	1,079	2.71							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3686.58	6,827	0.54							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7878.00	13,130	0.60							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11564.58	6,827	1.69							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	264.75	1,059	0.25							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	817.54	1,994	0.41							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1237.11	959	1.29							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2319.40	1,994	1.16							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2293.41	3,423	0.67							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	51346.01	2,701	19.01							
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	53639.42	3,423	15.67							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8412.78	4,523	1.86							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7614.30	4,479	1.70							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67178.52	6,876	9.77							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26253.76	6,311	4.16							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47120.81	3,373	13.97							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3863.25	765	5.05							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15057.00	4,780	3.15							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3895.20	3,246	1.20							
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,555	3,173	80.52%							
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	39	76	51.32%							
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	466	555	83.96%							
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,555	2,561	99.77%							
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	39	39	100.00%							
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	466	470	99.15%							
January 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	1.38	1	1.38							
January 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	165.50	169	0.59							
January 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	183	183	100.00%							
January 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	458	458	100.00%							
January 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,289	2,290	99.96%							
January 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	108	108	100.00%							
January 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	175	179	97.77%							
January 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	502	502	100.00%							
January 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	18	18	100.00%							
January 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	22	60	36.67%	48.19%	2	90	2.22%	14.74%	-14.020278	-9.523724
December 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,671	1,673	99.88%							
December 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNES and Resale Aggregate	Diagnostic	N/A	1,244,310	1,244,440	99.99%							
December 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	21,945	21,945	100.00%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
December 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,286	2,287	99.96%	2.09%	60,711	61,511	98.70%	11.33%	-5.20913	-4.166926
December 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	21,945	21,945	100.00%							
December 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,466,468	3,229,169	1.07							
December 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4394.53	29,217	0.15							
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,420	30,420	100.00%							
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,420	30,420	100.00%							
December 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,420	30,420	100.00%							
December 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,140	43,140	100.00%							
December 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,925	41,925	100.00%							
December 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	22,500	22,500	100.00%							
December 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	11	63.64%	48.10%	10	19	52.63%	49.93%	-0.581737	-1.353671
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	8	25.00%							
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	6	9	66.67%							
December 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	18	49	36.73%	48.21%	10	21	47.62%	49.94%	0.589479	-0.641622
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	9	44.44%	49.69%	10	15	66.67%	47.14%	0.642636	-0.609305
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	6	6	100.00%	0.00%	10	15	66.67%	47.14%	-1.46385	-1.88958
December 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	3	5	60.00%	48.99%	356	616	57.79%	49.39%	-0.099554	-1.060524
December 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	2,250	4,491	50.10%	50.00%	-0.997887	-1.606762
December 2016	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	20.53	1	20.53	0.00%	28981.34	756	38.20	64.24	-0.270834	-1.164655
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	58.21	11	5.18	4.34	79.00	16	4.56	4.02	0.133245	-0.919993
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	5.46	1	5.46	0.00						
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	56.16	8	7.02	3.24	12.46	1	12.46	0.00		
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	29.29	9	3.17	1.51	12.46	1	12.46	0.00		
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	299.26	49	6.07	5.45	96.38	18	5.22	4.02	0.579873	-0.647462
December 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	847.31	63	13.27	14.11	146070.21	3,670	39.48	84.50	-2.444271	-2.486011
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	37.02	9	4.07	2.20	51.35	13	3.58	3.20	-0.032592	-1.019814
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	6.15	1	6.15	0.00	5.50	1	5.50	0.00		
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	17.08	6	2.51	0.41	51.35	13	3.58	3.20	-0.675382	-1.410603
December 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	26.24	8	3.18	0.44	29686.35	788	37.40	63.27	-1.524559	-1.926866
December 2016	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	11	9.09%	28.75%	5	22	22.73%	41.91%	-0.881176	-1.535717
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	8	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	9	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	8	49	16.33%	36.96%	5	22	22.73%	41.91%	-0.595146	-1.361823
December 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	7	63	11.11%	31.43%	508	4,043	12.56%	33.15%	-0.345461	-1.210255
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	9	33.33%	47.14%	1	15	6.67%	24.94%	1.124338	-0.316451
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	6	33.33%	47.14%	1	15	6.67%	24.94%	0.899435	-0.453182
December 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	8	0.00%	0.00%	98	839	11.68%	32.12%	-1.023737	-1.622388
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	20	1,407	1.42%	11.84%	34	2,439	1.39%	11.72%	0.069937	-0.957481
December 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	2	70,788	0.00%	0.53%	1	56,233	0.00%	0.42%	0.439535	-0.732782
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	60	0.00%	0.00%	4,121	326,985	1.26%	11.16%	-0.875039	-1.531986
December 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	1	211	0.47%	6.87%	37	2,778	1.33%	11.46%	-1.048065	-1.637178
December 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	8	2,239	0.36%	5.97%	1	968	0.10%	3.21%	0.205442	0.24962
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	9	14,797	0.06%	2.47%	1	969	0.10%	3.21%	-0.39801	-1.241973
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	55	4,750	1.16%	10.70%	36	2,480	1.45%	11.96%	-0.991252	-1.602639
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%	0.00%	37	2,771	1.34%	11.48%	-0.543495	-1.304222
December 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	71	23,967	0.30%	5.43%	4,882	486,100	1.00%	9.97%	-10.732255	-7.52479
December 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	8	33,960	0.02%	0.25%						-2.927491
December 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	13,087	0.01%	0.09%						-2.974417
December 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	12	34,032	0.03%							
December 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	1	13,087	0.01%							
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	157	3	52.33							
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	246	6	41.00	0.00						
December 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	974	12	81.17	34.64	61,008	413	147.72	207.15	-1.0971	-1.66699
December 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	6	0.00%	0.00%						
December 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	2	12	16.67%	37.27%	192	413	46.49%	49.88%	-2.041821	-2.241339
December 2016	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	0	1	0.00%							
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	4	4	100.00%							
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Benchmark	N/A	2	2	100.00%	0.00%						
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	1	1	100.00%							
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	121	123	98.37%							
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	39	40	97.50%	15.61%	1	4	25.00%	43.30%	-3.192795	-2.941081
December 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	35	40	87.50%							
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	4	5	80.00%							
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Benchmark	N/A	2	2	100.00%	0.00%	1	2	50.00%	50.00%	-1	-1.607957
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	4	4	100.00%	0.00%						
December 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
December 2016	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	5	1	5.00							
December 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00	</						

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%	0.00%		
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	135	135	100.00%	0.00%	4	4	100.00%	0.00%		
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	47	47	100.00%	0.00%	2	4	50.00%	50.00%	-1.919967	-2.167257
December 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	39	42	92.86%	25.75%	1,904	2,022	94.16%	23.44%	0.122746	-0.925376
December 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,574	3,580	99.83%							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6544.66	19,249	0.34							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15825.84	12,972	1.22							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22370.50	19,249	1.16							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3308.54	4,471	0.74							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3797.28	4,471	0.85							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	701.22	1,798	0.39							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1356.48	1,256	1.08							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2057.70	1,798	1.14							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3295.45	3,877	0.85							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8364.16	3,734	2.24							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11659.61	3,877	3.01							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8078.70	7,694	1.05							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14564.70	7,694	1.89							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2371.81	1,093	2.17							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	697.16	1,202	0.58							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	3068.97	1,093	2.81							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3315.00	6,500	0.51							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7924.84	12,782	0.62							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11239.84	6,500	1.73							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	246.33	1,071	0.23							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	773.96	1,759	0.44							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1097.46	871	1.26							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2117.75	1,759	1.20							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2467.25	3,475	0.71							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	48167.14	2,558	18.83							
December 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	50634.39	3,475	14.57							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8412.78	4,523	1.86							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7300.77	4,479	1.63							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	66721.92	6,726	9.92							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26569.31	6,311	4.21							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	4640.56	3,368	13.67							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15372.00	4,880	3.15							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3680.60	3,346	1.10							
December 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5266.12	1,522	3.46							
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,248	2,827	79.52%							
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	32	72	44.44%							
December 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	428	527	81.21%							
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,248	2,260	99.47%							
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	32	32	100.00%							
December 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	428	428	100.00%							
December 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	324.28	164	1.59							
December 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	32	32	100.00%							
December 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	429	429	100.00%							
December 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,066	2,066	100.00%							
December 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	13	13	100.00%							
December 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	182	184	98.91%							
December 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	469	469	100.00%							
December 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	20	20	100.00%							
December 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	6	24	25.00%	43.30%	12	92	13.04%	33.68%	-1.548915	-1.941674
November 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,584	1,584	100.00%							
November 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,204,113	1,276,510	94.33%							
November 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	22,437	22,437	100.00%							
November 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	3,365	3,367	99.94%	2.44%	57,013	57,752	98.72%	11.24%	-6.123633	-4.722904
November 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	22,437	22,437	100.00%							
November 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,224,472	2,968,433	1.09							
November 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	8678.44	30,355	0.29							
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,520	29,520	100.00%							
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,520	29,520	100.00%							
November 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,520	29,520	100.00%							
November 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,760	41,760	100.00%							
November 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,740	40,740	100.00%							
November 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,960	21,960	100.00%							
November 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	10	30.00%	45.83%	8	16	50.00%	50.00%	0.590424	-0.641048
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	7	15	46.67%							
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	8	16	50.00%							
November 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	16	26	61.54%	48.65%	10	18	55.56%	49.69%	-0.392678	-1.238731
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	6	50.00%	50.00%	7	12	58.33%	49.30%	-0.159464	-1.096947
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A	1	2	50.00%	50.00%						
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	2	50.00%							
November 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	3	100.00%	0.00%	7	12	58.33%	49.30%	-1.309307	-1.796002
November 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	1	3	33.33%	47.14%	413	805	51.30%	49.98%	0.046599	-0.97167
November 2016	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	Residence	Par											

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	0.58	1	0.58	0.00	2.43	1	2.43	0.00		
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	68.23	15	4.34	2.56	13.48	2	6.54	6.23	-0.486883	-1.296004
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	88.32	16	5.32	5.55	13.48	2	6.54	6.23	-0.285278	-1.173437
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	141.00	26	5.25	4.23	93.27	15	6.14	6.19	-0.394391	-1.237772
November 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	907.49	78	11.38	10.43	212183.55	4,738	44.47	69.12	-1.196181	-3.551097
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	24.21	6	4.03	2.02	51.21	10	5.08	4.13	-0.494711	-1.300763
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	4.27	2	2.13	2.32						
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	7.08	2	3.34	1.04						
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	8.58	3	2.59	0.39	51.21	10	5.08	4.13	-0.773562	-1.470292
November 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	44.16	8	5.32	4.59	56737.46	1,004	56.31	168.58	-0.849942	-1.516728
November 2016	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/1 MSA	Residence	Parity	N/A	0	2	0.00%	0.00%	525	4,109	12.78%	33.38%	-0.541134	-1.328986
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	10	10.00%	30.00%	6	19	31.58%	46.48%	-1.188268	-1.72416
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	15	0.00%	0.00%	0	2	0.00%	0.00%		
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	16	6.25%	24.21%	0	2	0.00%	0.00%	-1.22064	-1.742097
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	5	26	19.23%	39.41%	6	19	31.58%	46.48%	-0.394391	-1.237772
November 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	9	78	11.54%	31.95%	657	5,168	12.71%	33.31%	-0.309036	-1.18788
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	6	16.67%	37.27%	2	12	16.67%	37.27%	0	-1
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%						
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	2	0.00%	0.00%						
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%	2	12	16.67%	37.27%	-0.69282	-1.421205
November 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	8	0.00%	0.00%	125	1,072	11.66%	32.09%	-1.023789	-1.62242
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	16	1,452	1.10%	10.44%	28	2,479	1.13%	10.57%	-0.078916	-1.047977
November 2016	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	3	71,316	0.00%	0.65%	1	56,090	0.00%	0.42%	1.017411	-0.381622
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	2	60	3.33%	17.95%	2,558	329,875	1.59%	12.52%	0.680407	-0.586342
November 2016	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	211	0.00%	0.00%	31	2,821	1.10%	10.43%	-1.47692	-1.897903
November 2016	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	15	2,269	0.66%	8.10%	2	980	0.20%	4.51%	2.649206	0.10603
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	18	14,887	0.12%	3.48%	2	981	0.20%	4.51%	-0.557985	-1.339231
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	29	4,788	0.61%	7.76%	30	2,518	1.19%	10.85%	-2.19301	-2.332555
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%	0.00%	31	2,813	1.10%	10.44%	-0.493199	-1.299844
November 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	86	24,249	0.35%	5.94%	6,240	490,338	1.27%	11.21%	-12.448446	-8.568118
November 2016	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/1 MSA	Residence	Parity	N/A	2	2	100.00%	0.00%	3,202	4,109	77.93%	41.47%	-0.752493	-1.457483
November 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/1 TGSR excl	LIS Trunk	Parity	N/A	5	34,200	0.01%	0.10%						
November 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/1 TGSR excl	LIS Trunk	Parity	N/A	0	13,111	0.00%	0.04%						
November 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	34,224	0.01%							
November 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,111	0.00%							
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	130	1	130.00%							
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	140	8	17.50	6.48						
November 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	760	10	76.00	0.00	76,071	461	165.01	230.89	-1.206094	-1.733253
November 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2	8	25.00%	43.30%						
November 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	10	0.00%	0.00%	199	461	43.17%	49.53%	-2.726555	-2.657634
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	6	6	100.00%							
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	157	171	91.81%							
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	29	39	74.36%	43.67%						
November 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	18	20	90.00%							
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%						
November 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	28	28	100.00%							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	12	6	2.00							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	476	127	3.75							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	202	31	6.52							
November 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	59	15	3.93							
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	22	2	11.00							
November 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	70	14	5.00							
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	3	3	100.00%	0.00%		
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	6	66.67%	47.14%	5	7	71.43%	45.18%	-0.405222	-1.246357
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	168	172	97.67%	15.07%	5	7	71.43%	45.18%	-1.506764	-1.916048
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	42	43	97.67%	15.07%						
November 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	48	48	100.00%	0.00%	1,975	2,124	92.98%	25.54%	-1.881818	-2.144064
November 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%	26	26	100.00%							
November 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	10,072	10,074	99.98%							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6417.18	19,446	0.33							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15693.60	13,078	1.20							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22110.78	19,446	1.14							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3072.24	4,267	0.72							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3564.94	4,267	0.84							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	704.38	1,718	0.41							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1314.60	1,252	1.05							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2018.98	1,718	1.18							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3083.67	3,807	0.81							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7957.00	3,650	2.18							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3804.08	6,793	0.56							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7014.70	12,754	0.55							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	10818.78	6,793	1.59							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	268.75	1,075	0.25							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	731.05	1,860	0.39							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1263.39	980	1.29							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2263.19	1,860	1.22							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2306.04	3,494	0.66							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	53203.83	2,787	19.09							
November 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55509.87	3,494	15.89							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8993.70	4,523	1.90							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7830.09	4,579	1.71							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67806.72	6,976	9.72							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26168.94	6,321	4.14							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47050.96	3,368	13.97							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	4011.35	785	5.11							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15917.40	4,780	3.33							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3775.20	3,146	1.20							
November 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,224	2,786	79.83%							
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	53	92	57.61%							
November 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	382	505	75.64%							
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,224	2,235	99.51%							
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	53	53	100.00%							
November 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	382	382	100.00%							
November 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	238.11	182	1.19							
November 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	53	53	100.00%							
November 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	352	352	100.00%							
November 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,998	1,998	100.00%							
November 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	15	15	100.00%							
November 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	208	210	99.05%							
November 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	507	508	99.80%							
November 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	25	25	100.00%							
November 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	23	46	50.00%	50.00%	4	76	5.26%	22.33%	-10.724782	-7.520204
October 2016	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,589	1,590	99.94%							
October 2016	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,303,574	1,303,574	100.00%							
October 2016	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	21,980	21,980	100.00%							
October 2016	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	3,152	3,157	99.84%	3.98%	61,352	62,168	98.69%	11.38%	-5.558625	-4.379404
October 2016	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	21,980	21,980	100.00%							
October 2016	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,218,985	3,054,395	1.05							
October 2016	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5070.86	31,421	0.16							
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,880	29,880	100.00%							
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,880	29,880	100.00%							
October 2016	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,880	29,880	100.00%							
October 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,840	42,840	100.00%							
October 2016	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,565	41,565	100.00%							
October 2016	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,600	21,600	100.00%							
October 2016	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Timely Outage Resolution after Software Releases	N/A	0	0								
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	11	20	55.00%	49.75%	9	17	52.94%	49.91%	-0.125038	-1.076017
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	7	28.57%							
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	18	22	81.82%							
October 2016	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	35	51.43%	49.98%		9	18	50.00%	50.00%	-0.098506	-1.059888
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	12	66.67%	47.14%	21	28	75.00%	43.30%	0.177325	-0.892194
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	0	1	0.00%							
October 2016	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	6	10	60.00%	48.99%	23	30	76.67%	42.30%	0.63075	-0.616531
October 2016	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	5	18	27.78%	44.79%	366	774	47.29%	49.93%	-1.411578	-1.141822
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	116.37	20	5.50	7.58	80.25	12	6.42	4.36	-0.518774	-1.315392
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	39.46	7	5.41	2.38						
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	79.11	22	3.36	4.21						
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	158.14	35	4.31	2.55	91.06	14	6.30	4.32	-1.387048	-1.843265
October 2016	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	574.04	64	8.58	7.14	177153.16	4,309	41.07	41.43	-6.117521	-4.719189
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	45.04	12	3.45	3.07	112.38	24	4.42	5.03	-0.525437	-1.319443
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	0.25	1	0.25	0.00						
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	5.51	1	5.51	0.00						
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	33.53	10	3.23	1.53	117.56	26	4.32	4.52	-0.632972	-1.384819
October 2016	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	32.39	4	8.10	4.11	56129.54	1,100	51.02	40.55	-2.091659	-2.271639
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	20	10.00%	30.00%	1	19	5.26%	22.33%	-0.049527	-1.030111
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	3	7	42.86%	49.49%						
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2	23	8.70%	28.18%						
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	2	35	5.71%	23.21%	1	19	5.26%	22.33%	-0.581778	-1.353696
October 2016	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	6	64	9.38%	29.15%	691	4,738	14.58%	35.29%	-1.172249	-1.712677
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	12	8.33%	27.64%	8	30	26.67%	44.22%	-1.21376	-1.737914
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	10	20.00%	40.00%	8	30	26.67%	44.22%	-0.412861	-1.251002
October 2016	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	4	25.00%	43.30%	162	1,160	13.97%	34.66%	0.116725	-0.929036	
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	32	1,476	2.17%	14.56%	45					

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	23	15,118	0.15%	3.90%	0	991	0.00%			
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	45	4,880	0.92%	9.56%	48	2,536	1.89%	13.63%	-2.909708	-2.768977
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	23	0.00%		49	2,837	1.73%	13.03%	-0.633231	-1.384977
October 2016	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	68	24,594	0.28%	5.25%	5,884	494,466	1.19%	10.84%	-12.894503	-8.839301
October 2016	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	2	34,704	0.01%	0.05%						-2.984149
October 2016	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,111	0.00%	0.01%						-2.996485
October 2016	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	6	34,872	0.02%							
October 2016	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,111	0.00%							
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	128	2	64.00%							
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	45	15	3.00%	2.27	20	1	20.00%	0.00		
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	11	5	2.20	0.84	163	1	163.00%	0.00		
October 2016	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	560	10	56.00%	0.00	74,566	449	166.07	229.28	-1.501517	-1.912858
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	6	15	40.00%	48.99%	1	1	100.00%	0.00%		
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	2	5	40.00%	48.99%	1	1	100.00%	0.00%		
October 2016	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	10	0.00%	0.00%	197	449	43.88%	49.62%	-2.765347	-2.681212
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	3	4	75.00%							
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%						
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	203	210	96.67%							
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	24	26	92.31%	26.65%	3	4	75.00%	43.30%	-0.744208	-1.452447
October 2016	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	67	68	98.53%							
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	7	7	100.00%							
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%						
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	2	3	66.67%							
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	2	5	40.00%	48.99%						
October 2016	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	7	7	100.00%							
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	44	2	22.00	0.00						
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	428	158	2.71							
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	109	22	4.95							
October 2016	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	312	62	5.03							
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	2	1	2.00							
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	22	1	22.00	0.00						
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	7	2	3.50							
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	40	5	8.00							
October 2016	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	35	7	5.00							
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	10	10	100.00%	0.00%						
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	232	240	96.67%	17.95%	1	1	100.00%	0.00%	-1.835781	-2.116076
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	31	31	100.00%	0.00%	4	4	100.00%	0.00%		
October 2016	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	78	78	100.00%	0.00%	2,195	2,331	94.17%	23.44%	-2.162481	-2.314695
October 2016	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%	2	2	100.00%							
October 2016	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,996	3,999	99.92%							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6,537.96	19,812	0.33							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15,899.28	12,822	1.24							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22,437.24	19,812	1.13							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3,104.69	4,253	0.73							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3,614.84	4,253	0.85							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	701.92	1,712	0.41							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1,387.80	1,285	1.08							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2,089.72	1,712	1.22							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3,022.92	3,732	0.81							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8212.32	3,802	2.16							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11,235.24	3,732	3.01							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8516.17	7,813	1.09							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6,486.00	5,640	1.15							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	15,002.17	7,813	1.92							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2,258.88	1,086	2.08							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	6,181.51	1,167	0.53							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2,877.39	1,086	2.65							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3,769.36	6,731	0.56							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	6,994.08	12,952	0.54							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	10,763.44	6,731	1.60							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	250.47	1,089	0.23							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	730.36	1,922	0.38							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1,285.70	989	1.30							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2,266.53	1,922	1.18							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2,251.84	3,632	0.62							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	5,3180.40	2,730	19.48							
October 2016	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55,432.24	3,632	15.26							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8412.78	4,523	1.86							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7,801.30	4,589	1.70							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	6,6903.48	6,876	9.73							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26,127.54	6,311	4.14							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	4,8447.96	3,468	13.97							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	4,037.60	784	5.15							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	16,703.10	4,986	3.35							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3,895.20	3,246	1.20							
October 2016	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5,612.12	1,622	3.46							
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,395	2,881	83.13%							
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	40	105	38.10%							
October 2016	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	600	726	82.64%							
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,395	2,403	99.67%							
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	40	40	100.00%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2016	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	600	602	99.67%							
October 2016	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	5.30	3	1.50							
October 2016	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	250.49	151	1.40							
October 2016	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	39	39	100.00%							
October 2016	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	577	577	100.00%							
October 2016	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,215	2,215	100.00%							
October 2016	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	17	17	100.00%							
October 2016	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	227	229	99.13%							
October 2016	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	440	440	100.00%							
October 2016	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	4	4	100.00%							
October 2016	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	49	49	100.00%							
October 2016	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	19	48	39.58%	48.90%	5	98	5.10%	22.00%	-8.894886	-6.407706