

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of James Landreth <jmslandreth@gmail.com>
Sent: Monday, August 12, 2013 10:37 AM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 12, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I cannot believe that I'm writing an anti-coal letter in the year 2013.
The rest of the world is moving beyond coal--why aren't you?

Sincerely,

James Landreth
PO Box 2611
Sequim, WA 98382-4347
(360) 808-7680

2013 AUG 12 PM 12:01

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of G G
<geneophotos@hotmail.com>
Sent: Sunday, August 11, 2013 1:47 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 2:02
UTC DL RECORDS CENTER

GG

3

Orting, WA 98360

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Cecilia Horne <cecilia@ourabsoluterights.org>
Sent: Sunday, August 11, 2013 1:47 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:02

Cecilia Horne
PO Box 2165
Gig Harbor, WA 98335-4165
(253) 851-4571

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Carol Knoke <caknoke@me.com>
Sent: Sunday, August 11, 2013 1:47 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:02

Carol Knoke
63 Boyd Ln
Cusick, WA 99119-9699
(509) 445-1688

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Stephanie And Herb Belanger <sfbelanger@frontier.com>
Sent: Sunday, August 11, 2013 1:47 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:02

Stephanie And Herb Belanger
2504 Crescent St
Ferndale, WA 98248-9684
(360) 312-8592

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of M August Croy <croyma@gmail.com>
Sent: Sunday, August 11, 2013 1:47 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:00
UTC DL RECORDS CENTER

M August Croy
PO Box 500
Rochester, WA 98579-0500
(360) 273-8896

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Chasity Hungerford <lisen_of_the_wood@hotmail.com>
Sent: Sunday, August 11, 2013 1:47 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:42

Chasity Hungerford
9525 NE 140th St
Kirkland, WA 98034-5130

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Jennifer Patterson <bluedevil1328@yahoo.com>
Sent: Sunday, August 11, 2013 1:47 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:02

Jennifer Patterson
14915 NE 31st St
Vancouver, WA 98682-8353

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Debra Lozon
<debra.lozon@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:02
UTC DL RECORDS CENTER

Debra Lozon
3037 NW Market St
Seattle, WA 98107-4291

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Pamela Browning <pbrowning@hypergrove.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:02
UTC DL RECORDS CENTER

Pamela Browning
938 Jefferson St
Port Townsend, WA 98368-5821

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Laurie Mcclanahan <laurieangel78@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:12

Laurie Mcclanahan
12445 Moe Lar Ln SE
Tenino, WA 98589-9656

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Bill Westre <wwestre@comcast.net>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:02

Bill Westre
15704 SE 44th St
Bellevue, WA 98006-4514
(425) 641-6460

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Robert Marsh <robsm2@hotmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Robert Marsh
33626 NE 52nd Way
Carnation, WA 98014-8754
(425) 638-2570

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Rachael Allert <ryuuchan1010@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:42

Rachael Allert
5652 Lancaster Rd
Saint John, WA 99171-8755

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of James Wiley <jigwiley@yahoo.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:02
UTC DL RECORDS CENTER

James Wiley
137 NW 74th St
Seattle, WA 98117-4820
(206) 985-2380

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Robert Oxborrow <roxborrow@hotmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12: 02

Robert Oxborrow
28217 193rd Ave SE
Kent, WA 98042-8585

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Nina Henrichs-Tarassenkova <ninahenta@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Nina Henrichs-Tarasenkova
3613 NE 110th St
Vancouver, WA 98686-3990

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Angelica Hill
<angelica.123.x@eagles.ewu.edu>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:02
UTC DL RECORDS CENTER
11/11/13

Angelica Hill
18526 S Cheney-Spangle Rd, #31
Cheney, WA 99004

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Dorothy Walker <dorothyw@centurylink.net>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Dorothy Walker
3608 Forest Beach Dr NW
Gig Harbor, WA 98335-5850
(253) 265-6059

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Byron Byers <ted@tedbyers.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:03
UTC DL RECORDS CENTER

Byron Byers
6109 S C St
Tacoma, WA 98408-6309
(253) 124-8217

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Mary Masters
<mmasters@stanfordalumni.org>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

As a Washington state resident and professional marine naturalist working in the San Juan Islands, I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

2013 AUG 12 PM 12:00

Sincerely,

Mary Masters
PO Box 338
123 Falling Tree Rd.
Orcas, WA 98280-0338
(360) 376-5529

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Morgan Bell
<mb2photo@comcast.net>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:05
UTC DL RECORDS CENTER

Morgan Bell
1425 Broadway # 127
Seattle, WA 98122-3854

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Ian Macduff <ianmacduff@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 03

Ian Macduff
403 23rd Ave E
Seattle, WA 98112-4741

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Andrea Loewen <andrealoewen@comcast.net>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:03
UTC DL RECORDS CENTER
1000 WEST 4TH AVENUE
SEATTLE, WA 98101
PHONE: 206.462.2000
WWW.UTC.WA.GOV

Andrea Loewen
22029 98th Pl W
Edmonds, WA 98020-4500

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Richard Barnhart <dickb@mac.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:00
UTC DL RECORDS CENTER
1000 WEST 4TH AVENUE
SEATTLE, WA 98101
TEL: 206.462.2000
WWW.UTC.WA.GOV

Richard Barnhart
2604 Aztec Dr NW
Olympia, WA 98502-3809
(360) 866-4768

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of David Randall <dsrandall@comcast.net>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:23
UTC DL RECORDS CENTER

David Randall
805 W 29th Ave
Spokane, WA 99203-1714
(509) 459-1168

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Ronda Evans <ronda.evans2@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:03

Ronda Evans
4004 S Bermuda Rd
Kennewick, WA 99338-9362
(520) 232-4920

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Diana Alfonso <alfolywa@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:43
UTC DL RECORDS CENTER

Diana Alfonso
1606 Easthill Pl NW
Olympia, WA 98502-8523
(360) 570-2231

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Mike Smith
<mike55smith@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:00
UTC DL RECORDS CENTER

Mike Smith
1531 1st Ave
Seattle, WA 98101-1561
(206) 623-1179

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Bobby Morrison
<purchasenet321@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

PSE, a 'regulated' monopoly behaves as though 'it' has no concern for the health of the people it serves. Coal dust pollutes our Seattle and Bainbridge air. Increases risks to asthmatics, especially to young children.

I understand that members of UTC have a tough job; I appreciate each and every one of you for helping us. Please, now, hold PSE accountable for both it's actions and our unaddressed concerns. If nothing else, PSE takes no account of the true financial cost of continuing to rely on coal.

You don't want your children/grandchildren exposed to coal dust from aging Colstrip, neither do I.

Best Regards,

B.L. Morrison
Bainbridge Island, WA 98110
508 Madrona Way NE

Sincerely,

Bobby Morrison
508 Madrona Way NE
Bainbridge Island, WA 98110-1822
no mailings, no mailings, please

OFFICE OF
PUBLIC UTILITIES
AND TRANSPORTATION
COMMISSION

2013 AUG 12 PM 12:03

RECEIVED
OFFICE OF
PUBLIC UTILITIES
AND TRANSPORTATION
COMMISSION

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Neve Boyd Jr <forestnsb@hotmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Neve Boyd Jr
7013 Seaview Ter SW Apt A
Seattle, WA 98136-1777

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Bruce Gray <cailmsail@msn.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Bruce Gray
320 E Dock St
Westport, WA 98595-9703

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Carol Molmen <philipcarol1@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:00
UTC DL RECORDS CENTER

Carol Molmen
12680 Arab Ln SE
Olalla, WA 98359-9460

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Eva Cosgrove
<evacosgrove@hotmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:01
UTC DL RECORDS CENTER

Eva Cosgrove
210 N 58th St
Seattle, WA 98103-5810
(206) 784-1392

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Barbara Dettlaff <bdettlaff@aol.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:01
UTC DL RECORDS CENTER
11/11/13

Barbara Dettlaff
1008 Swanson Dr
Centralia, WA 98531-8828

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Jennifer Anderson <nowdream@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:04
UTC DL RECORDS CENTER

Jennifer Anderson
638 Van Wyck Rd
Bellingham, WA 98226-8790
(360) 650-1053

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Hazel Douglas <hazelandfred@gmail.com>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:04

Hazel Douglas
815 S 216th St
Des Moines, WA 98198-6332
(253) 752-7111

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Gerry Milliken <dolphin@communitynet.org>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:04

Gerry Milliken
3508 E 48th Ct
Spokane, WA 99223-7117
(509) 251-9999

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Patrick Gray <sawbye2@comcast.net>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:04

Patrick Gray
1418 S Maple St
Spokane, WA 99203-1060
(509) 280-0300

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Patti Jordan <pattiljordan@gmail.com>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Patti Jordon
5593 Sandpiper Ln
Blaine, WA 98230-5715

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of George, Fuller <george-fuller@att.net>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:04

George, Fuller
4624 SW 333rd Ct
Federal Way, WA 98023-3220
(253) 874-0690

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Heather Slater <hslater351@aol.com>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:00

Heather Slater
9314 178th St E
Puyallup, WA 98375-2055

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Phil Greenwald <philgreenwald@gmail.com>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:04
UTC DL RECORDS CENTER

Phil Greenwald
PO Box 16604
Seattle, WA 98116-0604

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Lorree Gardener-Milne <lorreeg@gmail.com>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Put your investments into more wind and solar!

2013 AUG 12 PM 12:11

Sincerely,

Lorree Gardener-Milne
9810 Dempsey Ln SW
Olympia, WA 98512-2147
(360) 534-0357

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Karen Campbell <sewnmom9a@comcast.net>
Sent: Sunday, August 11, 2013 1:18 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:14

Karen Campbell
17705 133rd Pl SE
Renton, WA 98058-7886

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Charlotte Waller <chardotw@msn.com>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:14
UTC DL RECORDS CENTER

Charlotte Waller
525 Bayside Rd
Bellingham, WA 98225-7805

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Randal Schoesler <rjschoesler@gmail.com>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:14
UTC DL RECORDS CENTER

Randal Schoesler
206 W Boston St
Seattle, WA 98119-2641
(425) 791-2521

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Michael Degolier <cowboymike219@yahoo.com>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:12
UTC DL RECORDS CENTER

Michael Degolier
1308 Birchwood Ave Apt 203
Bellingham, WA 98225-1366
(360) 715-1481

Higgins, Joni (UTC)

From: Sierra Club <information@sierraclub.org> on behalf of Jennifer Svenson <jensvenson29@gmail.com>
Sent: Sunday, August 11, 2013 1:17 PM
To: UTC DL Records Center
Subject: RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur within the next two decades. As President Obama noted in a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO₂ non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Jennifer Svenson
10515 SW Cowan Rd
Vashon, WA 98070-3055
(206) 567-5201