

**BEFORE THE
WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION**

WASHINGTON UTILITIES AND
TRANSPORTATION COMMISSION,
Complainant,

DOCKET UG-170929

v.

CASCADE NATURAL GAS
CORPORATION,
Respondent.

CASCADE NATURAL GAS CORPORATION

EXHIBIT BR-13

BRIAN ROBERTSON

Cascade Response to WUTC-26

March 23, 2018

Cascade Natural Gas Corporation
Washington Utilities and Transportation Commission
WUTC v. Cascade Natural Gas Corporation (2017 General Rate Case)
Docket UG-170929

Request No. 26

Date prepared: 11/14/2017

Preparer: Candice Maes

Contact: Michael Parvinen

Telephone: 509-734-4593

UTC STAFF DATA REQUEST NO. 26:

**RE: Weather Normalization – Usage Data for Other Schedules
(Follow-up on DR No. 10)**

Please provide monthly data on (1) usage and (2) number of customers for the following schedules for each of the four service areas (Bellingham, Bremerton-Hoquiam-Longview, Walla Walla and Yakima) from January 2007 through December 2016:

- Schedule 502 Dry-Out Residential
- Schedule 505 Industrial
- Schedule 511 Large Volume Commercial
- Schedule 511 Large Volume Industrial
- Schedule 512 Compressed Natural Gas
- Schedule 570 Interruptible
- Schedule 577 Limited Interruptible
- Schedule 663 Transportation
- Special Contracts

When applicable, please provide the original “billed” and “unbilled” billing data as well as the calculation to derive the monthly usage.

Response: Please refer to disk, WUTC- 26 Weather Normalization.xlsx and WUTC – 26 Customer Count 2007-2016.xlsx. Please note that therm usage data prior to 7/31/2010 is not available.