

CENTURYLINK
1600 7th Avenue, Room 1506
Seattle, Washington 98191
(206) 345-6224
Facsimile (206) 343-4040

Philip E. Grate
State Regulatory Affairs Director

May 24, 2018

Mr. Mark Johnson
Secretary and Executive Director
Washington Utilities and
Transportation Commission
1300 S. Evergreen Park Dr. S.W.
P.O. Box 47250
Olympia, Washington 98504-7250

Re: Safety Valve Waiver Request

Dear Mr. Johnson:

By this letter Qwest Corporation d/b/a CenturyLink (“CenturyLink”) is requesting a waiver of the utilization requirements outlined in FCC’s Numbering Resource Optimization Orders, FCC 00-429 and FCC 01-362 released in CC Docket No 99-200, which would allow PA/NeuStar, the Number Pooling Administrator, to open and assign a new NXX that meets the needs of a specific CenturyLink customer.

Specifically, the customer has requested 5000 numbers specifically from 360-X40. The customer was advised that there are no codes left in the 360 NPA ending in X40, so this request is made from the 564 NPA in an effort to meet the customer’s specific dialing restrictions. The original customer request has been provided with this letter as Confidential Attachment A pursuant to WAC 480-07-160. The letter contains proprietary customer information.

Because the 360 NPA was completed in August of 2017, there are 778 unassigned NXXs in the 564 and 16 NXX’s for 360. None of the NXX’s in 360 meet the customer’s unique dialing pattern, so the customer will accept a New NXX from the New 564 NPA.

In our effort to satisfy the customer’s request, CenturyLink submitted a request to PA/NeuStar on May 21, 2018 for additional numbering resources. That application and the subsequent denial have been provided as Confidential Attachment B pursuant to WAC 480-07-160. The application contains proprietary customer information. In order for the request to be approved, CenturyLink will require a waiver of the current usage threshold for new numbering requests.

Received
Records Management
05/24/18 16:03
State Of WASH.
UTIL. AND TRANSP.
COMMISSION
Via web portal

Mr. Mark Johnson
May 24, 2017
Page 2

The FCC allows for a waiver of the rules when there is demonstrated need such as a specific customer request for a large block of numbers. The waiver process is specifically addressed in the FCC Third Report and Order (“Order”) as the “safety valve” process (See FCC 01-362, ¶¶ 57-66), which went into effect on March 14, 2002. The order delegates the authority to hear claims for waivers to the state commissioners and recommends that state commissions act expeditiously. The Order proposes that state commissions review a waiver within 10 business days. (See ¶¶ 61, 66).

CenturyLink respectfully requests that the Commission approve the request for a waiver of months to exhaust and Rate Center Utilization requirements, and direct PA/NeuStar to open a new NXX in the 564 NPA Silverdale Rate Center to accommodate our customer’s request.

All directives can be emailed, faxed or mailed directly to:

Kevin Gatchell
PA Code Administrator
NeuStar, Inc.
1800 Sutter Street
Concord, CA 94520
Phone 925-363-8742
Fax: 925-363-7692
Email: Kevin, Gatchell@neustar.biz

Thank you for your attention to this matter. Should you have any questions or concerns about this request please contact Rita Schmitz at (608) 796-5600 or rita.schmitz@centurylink.com. We would appreciate being copied on any correspondence with PA/NeuStar.

Sincerely,

Philip E. Grate

Enclosures