

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Pamela Hathaway <foxglove379@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Pamela Hathaway  
7430 Moon Valley Rd SE  
North Bend, WA 98045-9461

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Christina Coiro <snotolt@aol.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Christina Coiro  
3809 Ridgemont Ct  
Bellingham, WA 98229-2932

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Doug Brown  
<bblackcat@comcast.net>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Doug Brown  
2531 Cherry St  
Bellingham, WA 98225-2003  
(360) 714-1475

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Patty Gallagher <pattygal@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Patty Gallagher  
1223 8th St  
Bremerton, WA 98337-1254



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Martha Koester <fomalhaut2003@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

If Seattle City Light can get off of coal, why can't PSE?

1. No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."
2. No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.
3. No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.
4. No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.
5. PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Martha Koester  
10015 2nd Ave S  
Seattle, WA 98168-1376  
(206) 762-6417

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Diann Sheldon <diannshe@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Thank you for your time and attention.

Sincerely,

Diann Sheldon  
311 Champion St  
Steilacoom, WA 98388-1107  
(253) 777-8226

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Amelia Pryor <ameliapryor@comcast.net>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Amelia Pryor  
2512 Monroe St  
Bellingham, WA 98225-2041  
(360) 647-7593

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Charlotte Sutherland <charlottea@me.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Charlotte Sutherland  
14835 SE 18th Pl  
Bellevue, WA 98007-6801  
(425) 641-0876



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Michael Jackson <mcjack2@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Michael Jackson  
1004 Grant Ave  
Port Angeles, WA 98362-2727  
(206) 387-9634

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Marcia Gowing  
<marcia\_gowing@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Marcia Gowing  
7014 Palatine Ave N  
Seattle, WA 98103-5013

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Dan Webb  
<dan@danwebb.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residuals rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Dan Webb  
15915 NE 26th St  
Bellevue, WA 98008-2201  
(206) 818-2558

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Brad Buchanan <brad@buchanan-consulting.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Brad Buchanan  
236 Rosalie Rd  
Lopez Island, WA 98261-8769



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Mary Lee Chamberlain <mchamberlain07@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Mary Lee Chamberlain  
PO Box 522  
La Conner, WA 98257-0522  
(360) 466-3935

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Jennifer Woodbridge <jwoodbri@uoregon.edu>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Jennifer Woodbridge  
910 54th St  
Port Townsend, WA 98368-1500  
(360) 385-9757

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Lance & Ginny Packer <lgpacker@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Lance & Ginny Packer  
1371 SE 8th Ave  
Oak Harbor, WA 98277-4053  
(360) 339-2377

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Willene McRae <willene.jaqua@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Willene McRae  
202 NW 60th St  
Seattle, WA 98107-2035  
(360) 821-1732



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Teresa Rylko <teryko@fairpoint.net>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Teresa Rylko  
PO Box 1236  
Rainier, WA 98576-1236  
(360) 458-7043

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Bruce Bennett <maritimus49@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Bruce Bennett  
808b Polk St  
Port Townsend, WA 98368-6535

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Rose Wilde  
<mysterybayrose@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to please critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Rose Wilde  
1220 Old Eaglemount Rd  
Port Townsend, WA 98368-9775

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Thomas Palmer  
<rustyshackleferd2010@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Thomas Palmer  
220 Lisa Ln  
Gold Bar, WA 98251-9232  
(360) 217-8485



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Rollin Odell <rolodell@earthlink.net>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Rollin Odell  
13210 NE James Way  
Kingston, WA 98346-9197  
(360) 297-9531

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Lily Pitka <lily.pitka@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Lily Pitka  
2576 152nd Ave NE  
Redmond, WA 98052-0702

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Mark Hoshi  
<hoshihoshisan@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Mark Hoshi  
123 Old McDonald Lane  
Seattle, WA 98116-0722  
(206) 567-4874

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Joanne Day  
<joanne\_worth@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Joanne Day  
9712 28th Ave SW  
Seattle, WA 98126-4147  
(206) 595-3739



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Lucille Miller <rdy2roll@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Lucille Miller  
4629 S 144th St  
Tukwila, WA 98168-4133

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Raelyn Michaelson <measlecat@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Raelyn Michaelson  
14244 29th Ave S  
Seatac, WA 98168-3856  
(206) 829-9367

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Diann Sheldon <diannshe@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Thank you for your time and attention.

Sincerely,

Diann Sheldon  
311 Champion St  
Steilacoom, WA 98388-1107  
(253) 777-8226

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Pat Horne-Brine <hornebrine@comcast.net>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Pat Horne-Brine  
7633 S 134th St  
Seattle, WA 98178-5112  
(425) 277-6599



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Shelley Talbot <estalbot@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Shelley Talbot  
330 9th Ave SW  
Ephrata, WA 98823-2052

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Roger Delmar <roger.delmar@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Roger Delmar  
293 Boardwalk Ave  
Port Townsend, WA 98368-9553  
(360) 379-1482

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Mike Stahl  
<yofoureyes@msn.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Mike Stahl  
9037 16th Ave SW  
Apt 8  
Seattle, WA 98106-2387

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Scott Guter <scottguter@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Scott Guter  
6754 26th Ave NW  
Seattle, WA 98117-5828



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Kristin Barber <kristinbarber2@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Kristin Barber  
2306 Henry St  
Bellingham, WA 98225-2209  
(360) 734-0362

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Vicki Johnson <vickie98531@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

Voters are watching to see who supports our desire to end the use of coal. Voters are more numerous than lobbyists and we pay your salary!

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Vicki Johnson  
1101 Woodland Ave Apt 2  
Centralia, WA 98531-1003  
(360) 669-0381

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Robert Green  
<roberthg@comcast.net>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Robert Green  
8437 Katy Ln NE  
Bainbridge Island, WA 98110-1238  
(206) 842-8621

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Share Jolliffe <sherjoll@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Share Jolliffe  
4740 34th Ave NE  
Seattle, WA 98105-4007  
(206) 528-1508



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Kirk & Kate Liesemer <kirkliesemer@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Kirk & Kate Liesemer  
319 Martin St  
Steilacoom, WA 98388-1109  
(253) 495-0460

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Jerry Nokes <gfn1939@msn.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residuals rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Jerry Nokes  
5025 N Irrigon St  
Newman Lake, WA 99025-9504

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Liz Fappiano <fappiano@spiritone.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Liz Fappiano  
18312 NE Cole Witter Rd  
Battle Ground, WA 98604-7558  
(360) 687-4852

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Louann Chapman <loumura@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Louann Chapman  
2216 A St  
Bellingham, WA 98225-3604  
(360) 306-1625



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Robin Lindsey <moondawgs@mac.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Robin Lindsey  
1925 42nd Ave SW  
Seattle, WA 98116-2004

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Russell Wiitala <puckstan@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Russell Wiitala  
1382 Belmont Rd  
Raymond, WA 98577-9106  
(360) 942-2021

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Laura Alskog <lauraalskog@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residuals rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Laura Alskog  
PO Box 7555  
Tacoma, WA 98417-0555

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Cynthia Hohlbein <chohlbein@msn.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residuals rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Cynthia Hohlbein  
2025 E Howe St  
Seattle, WA 98112-2930  
(206) 325-4160



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Gary Wright <glw6160@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Gary Wright  
1043 Waverly St  
Walla Walla, WA 99362-2378  
(509) 200-9097

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Gregory Carpenter <g.v.carpenter60@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Gregory Carpenter  
1992 Elger Bay Rd  
Pmb 529  
Camano Island, WA 98282-8344

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Lisa Wright <lisakate6469@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Lisa Wright  
3614 Wetmore Ave Apt 5  
Everett, WA 98201-4745  
(425) 877-6324

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Matt Wallace <matt\_w@earthlink.net>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Matt Wallace  
50 Highland Grn Unit 2  
Port Ludlow, WA 98365-8798  
(360) 437-2071



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Ronald Hendricks <ronhendricks@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Ronald Hendricks  
123 E Main St  
Walla Walla, WA 99362-1923

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Melodie Martin <martincat@earthlink.net>  
**Sent:** Sunday, August 11, 2013 7:17 AM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Melodie Martin  
2339 11th Ave E  
Seattle, WA 98102-4013  
(206) 322-3341