



## ***Qwest Corporation (Qwest or CTL-Q) Performance Results***

### **Washington January 2017 - January 2018**

***Statistical parameters used to calculate whether PAP standards have been met or missed, and any applicable PAP payments, are sometimes required to be different than those used to calculate performance in this report. See the Reading Reports link on CenturyLink's Wholesale Website for details.***

February 13, 2018

CenturyLink QC Performance Results – Current 271 PID

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2018	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,643	1,645	99.88%							
January 2018	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,067,267	1,067,267	100.00%							
January 2018	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	4,913	4,913	100.00%							
January 2018	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,438	2,443	99.80%	4.52%	46,886	47,265	99.20%	8.92%	-3.227256	-2.962032
January 2018	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	4,913	4,913	100.00%							
January 2018	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,365,176	3,322,461	1.01							
January 2018	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	3799.34	26,393	0.14							
January 2018	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
January 2018	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
January 2018	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
January 2018	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
January 2018	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	42,180	42,180	100.00%							
January 2018	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
January 2018	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
January 2018	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
January 2018	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5	10	50.00%	50.00%	10	18	55.56%	49.69%	-0.109585	-1.066623
January 2018	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	7	12	58.33%							
January 2018	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	34	50	68.00%	46.65%	10	18	55.56%	49.69%	-0.911108	-1.553914
January 2018	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	10	70.00%	45.83%	8	13	61.54%	48.65%	-0.413495	-1.251387
January 2018	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	0	1	0.00%							
January 2018	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	4	75.00%	43.30%	9	14	64.29%	47.92%	-0.394405	-1.239781
January 2018	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	2	5	40.00%	48.99%	484	837	57.83%	49.38%	-0.365926	-0.777533
January 2018	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	20.29	1	20.29	0.00	58004.29	929	62.26	98.24	-0.426121	-1.250633
January 2018	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	49.36	10	4.58	3.50	72.26	16	4.32	3.54	-0.426121	-1.250633
January 2018	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	41.09	12	3.26							
January 2018	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	214.17	50	4.17	3.40	72.54	16	4.33	3.53	-0.242874	-1.147657
January 2018	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	904.07	65	14.28	11.16	224266.31	4,474	50.08	78.06	-3.654106	-3.221538
January 2018	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	35.29	10	3.33	1.23	57.01	11	5.11	2.57	-1.265274	-1.769232
January 2018	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	12.20	1	12.20	0.00						
January 2018	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	17.24	4	4.21	3.49	57.01	11	5.11	2.57	-0.48259	-1.293394
January 2018	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	32.57	5	6.35	7.20	64004.04	1,110	57.42	92.54	-1.223731	-1.746189
January 2018	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	20	1,077	1.86%	13.50%	31	2,019	1.54%	12.30%	-0.693161	-0.578588
January 2018	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	68,152	0.00%		0	54,562	0.00%			
January 2018	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	50	2.00%	14.00%	5,001	282,596	1.77%	13.18%	-0.228869	-1.139142
January 2018	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	231	0.00%		34	2,318	1.47%	12.02%	-1.768354	-2.075083
January 2018	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1,565	0.06%	2.53%	0	969	0.00%			
January 2018	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	12	12,525	0.10%	3.09%	0	969	0.00%			
January 2018	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	54	3,968	1.36%	11.59%	32	2,072	1.54%	12.33%	-0.549076	-1.338184
January 2018	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	16	0.00%		34	2,312	1.47%	12.04%	-0.486996	-1.296072
January 2018	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	70	20,567	0.34%	5.82%	6,055	427,092	1.42%	11.82%	-12.765686	-8.760986
January 2018	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	806	962	83.78%	36.86%	-0.439713	-1.267326
January 2018	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGRS excl	LIS Trunk	Parity	N/A	6	33,168	0.02%	0.13%						
January 2018	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGRS excl	LIS Trunk	Parity	N/A	3	13,063	0.02%	0.19%						
January 2018	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	7	33,216	0.02%							
January 2018	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/ TGRS excl	LIS Trunk	Diagnostic	N/A	3	13,063	0.02%							
January 2018	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Enhanced Extended Loops - DS1 Capable	Diagnostic	N/A	1	2	0.50							
January 2018	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	36	1	36.00							
January 2018	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	200	4	50.00	0.00						
January 2018	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	48	3	16.00	0.00		73	1	73.00	0.00	
January 2018	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	0	2	0.00	0.00	49,443	257	192.39	247.83	-1.093599	-1.664861
January 2018	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	4	4	100.00%	0.00%						
January 2018	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	3	3	100.00%	0.00%	1	1	100.00%	0.00%		
January 2018	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	2	2	100.00%	0.00%	123	257	47.86%	49.95%	3.719016	1.261001
January 2018	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Residence	Parity	N/A	1	1	100.00%	0.00%	731	793	92.18%	26.85%	-0.291047	-1.176944
January 2018	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	4	4	100.00%							
January 2018	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	66	69	95.65%							
January 2018	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	13	13	100.00%	0.00%	3	3	100.00%	0.00%		
January 2018	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	83	83	100.00%							
January 2018	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	19	23	82.61%							
January 2018	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%	0.00%		
January 2018	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	2	2	100.00%							
January 2018	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
January 2018	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Residence	Parity	N/A	2	1	2.00	0.00	2,353	631	3.73	6.50	-0.265964	-1.161695
January 2018	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	10	2	5.00							
January 2018	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	165	53	3.11							
January 2018	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	56	12	4.67							
January 2018	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	110	27	4.07							
January 2018	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	19	4	4.75							
January 2018	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	6	2	3.00							
January 2018	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	5	1	5.00							
January 2018	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	5,682	5,688	99.89%							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6825.00	19,500	0.35							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	16396.80	12,810	1.28							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	23221.80	19,500	1.19							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	4073.64	4,908	0.83							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4700.09	4,908	0.96							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST												

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7764.88	7,688	1.01							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6576.60	5,820	1.13							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14341.48	7,688	1.87							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2371.77	1,083	2.19							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	615.86	1,162	0.53							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2987.63	1,083	2.76							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3952.80	6,588	0.60							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	8055.60	13,426	0.60							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	12008.40	6,588	1.82							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	262.20	1,140	0.23							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	817.00	1,900	0.43							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1227.50	982	1.25							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2306.70	1,900	1.21							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2303.28	3,656	0.63							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	5345.25	2,805	19.05							
January 2018	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55738.53	3,656	15.25							
January 2018	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8545.56	4,828	1.77							
January 2018	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8260.98	4,539	1.82							
January 2018	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67087.44	6,902	9.72							
January 2018	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25444.00	6,361	4.00							
January 2018	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	48308.19	3,493	13.83							
January 2018	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	4110.60	806	5.10							
January 2018	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	17119.00	5,035	3.40							
January 2018	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3636.00	3,030	1.20							
January 2018	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5522.16	1,596	3.46							
January 2018	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,329	2,888	80.64%							
January 2018	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	21	50	42.00%							
January 2018	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	345	422	81.75%							
January 2018	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,329	2,342	99.44%							
January 2018	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	21	21	100.00%							
January 2018	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	345	345	100.00%							
January 2018	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	1090.15	328	3.19							
January 2018	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	21	21	100.00%							
January 2018	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	339	339	100.00%							
January 2018	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,094	2,094	100.00%							
January 2018	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	23	23	100.00%							
January 2018	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	171	172	99.42%							
January 2018	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	486	486	100.00%							
January 2018	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
January 2018	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	9	9	100.00%							
January 2018	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	3	13	23.08%	42.13%	5	66	7.58%	26.46%	-1.930583	-2.173711
December 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,637	1,639	99.88%							
December 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,058,416	1,058,525	99.99%							
December 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	7,721	7,721	100.00%							
December 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,025	2,032	99.66%	5.86%	45,516	45,847	99.28%	8.47%	-1.966762	-2.195706
December 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	7,721	7,721	100.00%							
December 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,688,404	2,661,445	1.01							
December 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	2972.75	20,891	0.14							
December 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,880	29,880	100.00%							
December 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,880	29,880	100.00%							
December 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,880	29,880	100.00%							
December 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EFTA	Diagnostic	N/A	42,840	42,840	100.00%							
December 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,565	41,565	100.00%							
December 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,580	26,580	100.00%							
December 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
December 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
December 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	20	35.00%	47.70%	8	9	88.89%	31.43%	2.345717	0.426095
December 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	1	100.00%							
December 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	3	8	37.50%							
December 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	10	20	50.00%	50.00%	9	10	90.00%	30.00%	1.787903	0.086968
December 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	14	20	70.00%	45.83%	-0.882735	-1.536665
December 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
December 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	6	8	75.00%	43.30%	14	20	70.00%	45.83%	-0.26082	-1.158567
December 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	1	5	20.00%	40.00%	308	597	51.59%	49.97%	0.953018	-0.420606
December 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	3	3	100.00%	0.00%	1,840	4,224	43.56%	49.58%	-1.970837	-2.198184
December 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	63.39	3	21.13	2.01	47422:10	854	55.32	58.20	-1.016933	-1.618251
December 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	111.49	20	5.35	3.43	19:39	5	3.56	3.24	0.930717	-0.434164
December 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	3.41	1	3.41	0.00	3:14	1	3.14	0.00		
December 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	73.58	8	9.15	13.14	3:14	1	3.14	0.00		
December 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	108.15	20	5.25	6.01	20:57	6	3.30	3.13	0.490189	-0.701986
December 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	569.00	45	12.39	8.34	161428:14	3,304	48.52	86.46	-2.780763	-2.690584
December 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5.24	2	2.49	0.45	106:51	17	6.17	10.21	-0.463045	-1.281511
December 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	17.49	1	17.49	0.00	150:27	1	150.27	0.00		
December 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	22.54	8	2.52	1.10	106:51	17	6.17	10.21	-0.770754	-1.468585
December 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	14.01	1	14.01	0.00	48084:29	885	54.20	57.52	-0.696238	-1.423283
December 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	3	0.00%	0.00%	1	3	33.33%	47.14%	-0.866025	-1.526506
December 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	19	21.05%	40.77%	4	10	40.00%	48.99%	-0.989968	-1.601858
December 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
December 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	8	0.00%	0.00%	0	1	0.00%	0.00%		
December 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	4	20	20.00%	40.00%	4	10	40.00%	48.99%	-1.054093	-1.640843
December 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	45	8.89%	28.46%	531	3,605	14.73%	35.44%	-1.098702	-1.667963
December 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	4	20	20.00%	40.00%	-0.6742	-1.409884

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
December 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
December 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	8	12.50%	33.07%	4	20	20.00%	40.00%	-0.448211	-1.272493
December 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	1	0.00%	0.00%	143	941	15.20%	35.90%	-0.423093	-1.257222
December 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	22	1,080	2.04%	14.13%	29	2,074	1.40%	11.74%	1.449756	-0.118611
December 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	68,584	0.00%	0.38%	1	54,490	0.00%	0.43%	-0.153406	-1.093265
December 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	49	0.00%		3,805	286,384	1.33%	11.45%	-0.81221	-1.493789
December 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	3	226	1.33%	11.44%	30	2,379	1.26%	11.16%	-0.140372	-1.08534
December 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1,617	0.06%	2.49%	1	979	0.10%	3.19%	-0.311555	-1.189412
December 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	8	12,762	0.06%	2.50%	1	979	0.10%	3.19%	-0.372478	-1.22645
December 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	28	4,006	0.70%	8.33%	30	2,120	1.42%	11.81%	-2.257446	-2.372491
December 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	16	0.00%		30	2,366	1.27%	11.19%	-0.451773	-1.274659
December 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	46	20,964	0.22%	4.68%	4,546	431,829	1.05%	10.21%	-11.544838	-8.018763
December 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	33,096	0.00%	0.02%						-2.99279
December 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,063	0.00%	0.02%						-2.993717
December 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	13	33,432	0.04%							
December 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,063	0.00%							
December 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	46	3	15.33							
December 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	112	4	28.00	0.00						
December 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	4	4	100.00%	0.00%						
December 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	3	3	100.00%							
December 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	3	3	100.00%	0.00%		
December 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	0	2	0.00%							
December 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	48	50	96.00%							
December 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	21	24	87.50%	33.07%						
December 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	144	147	97.96%							
December 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	6	8	75.00%							
December 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	1	1	100.00%	0.00%		
December 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	8	8	100.00%							
December 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	7	2	3.50							
December 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	8	1	8.00	0.00						
December 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	44	2	22.00							
December 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	142	42	3.38							
December 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	40	8	5.00							
December 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	195	49	3.98							
December 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	6	1	6.00							
December 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	24	8	3.00							
December 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%	5	5	100.00%	0.00%		
December 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	2	100.00%	0.00%	4	4	100.00%	0.00%		
December 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	58	58	100.00%	0.00%	4	4	100.00%	0.00%		
December 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	24	24	100.00%	0.00%						
December 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	151	151	100.00%	0.00%	1,108	1,173	94.46%	22.88%	-2.801433	-2.703151
December 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	4,103	4,107	99.90%							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6822.90	19,494	0.35							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	16262.35	12,805	1.27							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	23085.25	19,494	1.18							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	4022.10	4,905	0.82							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4611.22	4,905	0.94							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	678.30	1,785	0.38							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1329.48	1,231	1.08							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2007.78	1,785	1.12							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3235.53	3,719	0.87							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7239.00	3,810	1.90							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	10474.53	3,719	2.82							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7843.80	7,690	1.02							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6640.50	5,825	1.14							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14484.30	7,690	1.88							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2354.40	1,080	2.18							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	626.94	1,161	0.54							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2981.34	1,080	2.76							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3885.15	6,585	0.59							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7920.75	13,425	0.59							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11805.90	6,585	1.79							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	282.50	1,130	0.25							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	873.54	1,899	0.46							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1226.36	989	1.24							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2382.40	1,899	1.25							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2482.00	3,650	0.68							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	5331.04	2,801	19.04							
December 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	5813.04	3,650	15.29							
December 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8588.50	4,825	1.78							
December 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8251.88	4,534	1.82							
December 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67146.73	6,901	9.73							
December 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26733.00	6,365	4.20							
December 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	48301.60	3,490	13.84							
December 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	4000.00	800	5.00							
December 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	17608.50	5,031	3.50							
December 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3926.00	3,020	1.30							
December 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5518.70	1,595	3.46							
December 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,790	2,177	82.22%							
December 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	27	37	72.97%							
December 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	282	359	78.55%							
December 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,790	1,797	99.61%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
December 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	27	27	100.00%							
December 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	282	283	99.65%							
December 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	589.00	246	2.24							
December 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	27	27	100.00%							
December 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	278	278	100.00%							
December 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,639	1,639	100.00%							
December 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	8	8	100.00%							
December 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	135	136	99.26%							
December 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	336	337	99.70%							
December 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	3	3	100.00%							
December 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	5	15	33.33%	47.14%	1	69	1.45%	11.95%	-9.364805	-6.693397
November 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,594	1,594	100.00%							
November 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	962,736	962,736	100.00%							
November 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	3,082	3,082	100.00%							
November 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,594	2,596	99.92%	2.77%	50,666	51,037	99.27%	8.49%	-3.80236	-3.311671
November 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	3,082	3,082	100.00%							
November 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,000,507	2,972,123	1.01							
November 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4129.38	24,408	0.17							
November 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,520	29,520	100.00%							
November 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,520	29,520	100.00%							
November 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,520	29,520	100.00%							
November 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,760	41,760	100.00%							
November 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,740	40,740	100.00%							
November 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,880	26,880	100.00%							
November 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
November 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	All	Diagnostic	N/A	0	0								
November 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	10	17	58.82%	49.22%	10	11	90.91%	28.75%	1.427968	-0.131857
November 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
November 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	4	75.00%							
November 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	10	24	41.67%							
November 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	21	46	45.65%	49.81%	12	13	92.31%	26.65%	2.817371	0.71284
November 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	71.43%	45.18%	12	16	75.00%	43.30%	-0.299654	-1.182177	
November 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
November 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	2	50.00%	50.00%	12	16	75.00%	43.30%	0.024577	-0.985058
November 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	3	12	25.00%	43.30%	303	697	43.47%	49.57%	0.985589	-0.400805
November 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	73.28	17	4.19	3.29	22.50	9	2.32	1.38	1.264641	-0.231153
November 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	56.14	1	56.14	0.00						
November 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	14.00	4	3.30	2.00	64.48	3	21.36	32.00	-0.740585	-1.450244
November 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	183.42	24	7.39	11.06	64.48	3	21.36	32.00	-0.717168	-1.43267
November 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	237.26	46	5.10	2.42	28.40	11	2.36	1.29	2.747781	0.670532
November 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	485.48	39	12.27	9.51	171737.14	3,469	49.30	50.31	-4.554863	-3.76916
November 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	37.56	7	5.25	5.28	41.25	12	3.27	2.04	0.852386	-0.481786
November 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	14.06	1	14.06	0.00						
November 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	7.05	2	3.32	4.03	41.25	12	3.27	2.04	-0.00752	-1.004572
November 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	90.19	8	11.17	8.52	40233.13	850	47.20	43.23	-2.339334	-2.422214
November 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	17	23.53%	42.42%	0	14	0.00%	0.00%	1.435028	-0.127565
November 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
November 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	4	0.00%	0.00%	0	5	0.00%	0.00%	0.132254	-0.919595
November 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	4	24	16.67%	37.27%	0	5	0.00%	0.00%	0.132254	-0.919595
November 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	6	46	13.04%	33.68%	0	14	0.00%	0.00%	0.888643	-0.459743
November 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	1	39	2.56%	15.81%	515	3,770	13.66%	34.34%	-2.007432	-2.220432
November 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	14.29%	34.99%	3	16	18.75%	39.03%	-0.252397	-1.153447	
November 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
November 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	2	50.00%	50.00%	3	16	18.75%	39.03%	0.239836	-0.85419
November 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	8	12.50%	33.07%	107	903	11.85%	32.32%	-0.350752	-1.213242
November 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	24	1,089	2.20%	14.68%	27	2,099	1.29%	11.27%	2.180303	0.32553
November 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	2	69,352	0.00%	0.54%	0	54,946	0.00%			
November 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	50	0.00%	0.00%	3,809	289,981	1.31%	11.39%	-0.815717	-1.495921
November 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	228	0.00%	0.00%	30	2,404	1.25%	11.10%	-1.622228	-1.986245
November 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	1,654	0.24%	4.91%	5	936	0.53%	7.29%	-0.980562	-1.596139
November 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	24	12,935	0.19%	4.30%	5	936	0.53%	7.29%	-1.41308	-1.85091
November 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	48	4,056	1.18%	10.81%	29	2,142	1.35%	11.56%	-0.552182	-1.335703
November 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	16	0.00%	0.00%	30	2,392	1.25%	11.13%	-0.449296	-1.271315
November 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	47	21,014	0.22%	4.72%	4,673	436,347	1.07%	10.29%	-11.655261	-8.085895
November 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	18	33,504	0.05%	0.27%						-2.843102
November 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	2	12,943	0.02%	0.13%						-2.947431
November 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	20	33,600	0.06%							
November 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	13,063	0.03%							
November 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	30	2	15.00	0.00						
November 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	4	9.00	0.00							
November 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	0	1	0.00	0.00	32	1	32.00	0.00		
November 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	33	1	33.00	0.00	51,995	312	166.65	222.68	-0.599223	-1.364302
November 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	2	100.00%	0.00%						
November 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	4	4	100.00%	0.00%						
November 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	0	1	0.00%	0.00%	1	1	100.00%	0.00%		
November 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	1	1	100.00%	0.00%	146	312	46.79%	49.90%	3.719016	1.261001
November 2017	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	2	2	100.00%							
November 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	3	3	100.00%	0.00%		
November 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	64	65	98.46%							
November 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	18	20	90.00%	30.00%	1	1	100.00%	0.00%	-1.309172	-1.79592
November 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	98	103	95.15%							
November 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	4	50.00%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
November 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	3	3	100.00%	0.00%		
November 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	1	1	100.00%							
November 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	0	6	0.00%							
November 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	0	1	0.00%	0.00%		
November 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	2	2	100.00%							
November 2017	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	4	2	2.00							
November 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	198	66	3.00							
November 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	75	15	5.00							
November 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	195	56	3.48							
November 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	26	4	6.50							
November 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	4	1	4.00	0.00						
November 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	42	6	7.00							
November 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	2	2	1.00							
November 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	7	7	100.00%	0.00%	7	7	100.00%	0.00%		
November 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	4	4	100.00%	0.00%		
November 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
November 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	77	77	100.00%	0.00%	1	1	100.00%	0.00%		
November 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	21	22	95.45%	20.83%	4	4	100.00%	0.00%	-1.020076	-1.620162
November 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	101	107	94.39%	23.01%	816	872	93.58%	24.51%	-0.324377	-1.197207
November 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	100	100	100.00%							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6626.60	19,490	0.34							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	16112.88	12,788	1.26							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22739.48	19,490	1.17							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3969.00	4,900	0.81							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4521.00	4,900	0.92							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	694.20	1,780	0.39							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1306.98	1,233	1.06							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2001.18	1,780	1.12							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3196.62	3,717	0.86							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7612.00	3,806	2.00							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	10808.62	3,717	2.91							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7868.17	7,639	1.03							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6576.60	5,820	1.13							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14444.77	7,639	1.89							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2345.77	1,081	2.17							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	644.00	1,150	0.56							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2989.77	1,081	2.77							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3817.56	6,582	0.58							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7784.18	13,421	0.58							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11601.74	6,582	1.76							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	270.72	1,128	0.24							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	890.65	1,895	0.47							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1201.70	985	1.22							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2363.07	1,895	1.25							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2428.75	3,625	0.67							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	51723.54	2,718	19.03							
November 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54152.29	3,625	14.94							
November 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8483.20	4,820	1.76							
November 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8195.68	4,528	1.81							
November 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67068.00	6,900	9.72							
November 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26084.20	6,362	4.10							
November 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	48252.87	3,489	13.83							
November 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	4074.90	799	5.10							
November 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	17068.00	5,020	3.40							
November 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3922.10	3,017	1.30							
November 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5515.24	1,594	3.46							
November 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,974	2,489	79.31%							
November 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	52	67.31%							
November 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	395	584	67.64%							
November 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,974	1,983	99.55%							
November 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	35	100.00%							
November 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	395	396	99.75%							
November 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	43.17	1	43.17							
November 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	455.12	253	1.48							
November 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	35	35	100.00%							
November 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	379	379	100.00%							
November 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,791	1,791	100.00%							
November 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	10	10	100.00%							
November 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	218	227	96.04%							
November 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	442	442	100.00%							
November 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	12	12	100.00%							
November 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	5	18	27.78%	44.79%	1	50	2.00%	14.00%	-6.698603	-5.072461
October 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,527	1,529	99.87%							
October 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,095,099	1,095,099	100.00%							
October 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	4,840	4,840	100.00%							
October 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,429	2,434	99.79%	4.53%	50,350	50,830	99.06%	9.67%	-3.682048	-3.238526
October 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	4,840	4,840	100.00%							
October 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,626,449	3,599,644	1.01							
October 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5786.33	29,495	0.20							
October 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,060	30,060	100.00%							
October 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,060	30,060	100.00%							
October 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,060	30,060	100.00%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,900	42,900	100.00%							
October 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,820	41,820	100.00%							
October 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,880	26,880	100.00%							
October 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
October 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	8	50.00%	50.00%	7	8	87.50%	33.07%	1.075723	-0.346007
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	8	25.00%							
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	8	13	61.54%							
October 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	25	41	60.98%	48.78%	5	6	83.33%	37.27%	0.580117	-0.647314
October 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	6	66.67%	47.14%	8	13	61.54%	48.65%	-0.213574	-1.129844
October 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	4	75.00%	43.30%	8	13	61.54%	48.65%	-0.483933	-1.29421
October 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	1	2	50.00%	50.00%	317	619	51.21%	49.99%	-0.637744	-1.387721
October 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	Residence	Parity	N/A	3.19	1	3.19	0.00	114575.56	2.791	41.03	39.07	-0.964385	-1.586305
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	30.19	8	3.47	1.28	17.40	5	3.32	2.02	0.032592	-0.980186
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	27.56	1	27.56	0.00	16.17	1	16.17	0.00		
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	42.44	8	5.21	1.53	11.00	3	3.40	2.01	0.199336	-0.878812
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	56.55	13	4.23	3.53	11.00	3	3.40	2.01	0.25076	-0.847549
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	174.53	41	4.16	3.34	11.20	3	3.47	2.51	0.188741	-1.102588
October 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	621.14	44	14.07	9.57	133674.15	3,412	39.11	38.23	-4.302324	-3.615627
October 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	22.28	6	3.45	3.36	48.18	10	4.50	2.22	-0.886958	-1.539233
October 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	11.55	4	2.59	1.11	48.18	10	4.50	2.22	-1.319983	-1.802493
October 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	136.40	12	11.23	9.01	319628	762	41.52	36.59	-2.832792	-2.722215
October 2017	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/ MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	424	2,888	14.68%	35.39%	-0.414751	-1.252151
October 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	8	0.00%	0.00%	1	10	10.00%	30.00%	-0.702728	-1.427229
October 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%	0.00%		
October 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	8	0.00%	0.00%	1	3	33.33%	47.14%	-1.04466	-1.63499
October 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	13	7.69%	26.65%	1	3	33.33%	47.14%	-0.849208	-1.516282
October 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	10	41	24.39%	42.94%	1	10	10.00%	30.00%	0.519416	-0.864218
October 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	2	44	4.55%	20.83%	507	3,638	13.94%	34.63%	-1.787864	-2.086944
October 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	6	0.00%	0.00%	0	13	0.00%	0.00%		
October 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	4	25.00%	43.30%	0	13	0.00%	0.00%	0.721522	-0.561346
October 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	12	8.33%	27.64%	107	808	13.24%	33.90%	-0.49804	-1.302787
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	14	1,112	1.26%	11.15%	21	2,114	0.99%	9.92%	0.722997	-0.560449
October 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	69,280	0.00%	0.38%	1	55,134	0.00%	0.43%	-0.15237	-1.092634
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	52	1.92%	13.73%	1	293,991	1.26%	11.15%	0.045456	-0.975881
October 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	221	0.00%	0.00%	23	2,416	0.95%	9.71%	-1.395025	-1.848115
October 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	8	1,700	0.47%	6.84%	3	936	0.32%	5.65%	0.652339	-0.603406
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	13	13,074	0.10%	3.15%	3	936	0.32%	5.65%	-1.157695	-1.702777
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	45	4,094	1.10%	10.43%	19	2,155	0.88%	9.35%	0.874217	-0.468514
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	18	0.00%	0.00%	23	2,405	0.96%	9.73%	-0.415346	-1.252512
October 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	56	21,240	0.26%	5.13%	4,446	441,601	1.01%	9.98%	-10.596764	-7.442375
October 2017	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	2,482	2,888	85.94%	34.76%	-0.404377	-1.245844
October 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGSР excl	LIS Trunk	Diagnostic	N/A	13	33,696	0.04%	0.19%						-2.880171
October 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGSР excl	LIS Trunk	Diagnostic	N/A	1	13,063	0.01%	0.07%						-2.973654
October 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGSР excl	LIS Trunk	Diagnostic	N/A	13	33,696	0.04%							
October 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGSР excl	LIS Trunk	Diagnostic	N/A	1	13,063	0.01%							
October 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	6	1	6.00							
October 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	18	6	3.00	0.00						
October 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	13	1	13.00	0.00	49,337	299	165.01	222.36	-0.682455	-1.414903
October 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	6	0.00%	0.00%						
October 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	1	1	100.00%	0.00%	145	299	48.49%	49.98%	3.719016	1.261001
October 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	702	703	99.86%	3.77%	-0.037716	-1.02293
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	6	6	100.00%	0.00%	1	1	100.00%	0.00%		
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	74	78	94.87%							
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	24	25	96.00%	19.60%	2	3	66.67%	47.14%	-1.018402	-1.619145
October 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	39	39	100.00%							
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	4	25.00%							
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%	0.00%		
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	10	10	100.00%							
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%						
October 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	3	3	100.00%							
October 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
October 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	154	51	3.02							
October 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	6.00	124	26	4.77							
October 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	194	39	4.97							
October 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	27	3	9.00							
October 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	30	10	3.00							
October 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	6.00	10	2	5.00							
October 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	15	3	5.00							
October 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	7	7	100.00%	0.00%	3	3	100.00%	0.00%		
October 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	1,645	1,820	90.38%	29.48%	-0.326074	-1.198239
October 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	90	90	100.00%	0.00%	6	6	100.00%	0.00%		
October 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	28	29	96.55%	18.25%	3	3	100.00%	0.00%	-1.318011	-1.801294
October 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	41	42	97.62%	15.25%	1,368	1,475	92.75%	25.94%	-1.200623	-1.729927
October 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	2,936	2,937	99.97%							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6631.70	19,505	0.34							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15987.50	12,790	1.25							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22619.20	19,505	1.16							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3917.60	4,897	0.80							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4439.10	4,897	0.91							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	698.00	1,745	0.40							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1291.50	1,230	1.05							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1989.50	1,745	1.14							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3157.75	3,715	0.85							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7986.30	3,803	2.10							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11144.05	3,715	3.00							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7782.60	7,630	1.02							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6512.80	5,815	1.12							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14295.40	7,630	1.87							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2382.72	1,088	2.19							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	662.36	1,142	0.58							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	3045.08	1,088	2.80							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3751.17	6,581	0.57							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7772.00	13,400	0.58							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11523.17	6,581	1.75							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	253.00	1,100	0.23							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	864.80	1,880	0.46							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1187.01	981	1.21							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2304.81	1,880	1.23							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2498.49	3,621	0.69							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	51544.20	2,710	19.02							
October 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54042.69	3,621	14.92							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8440.25	4,823	1.75							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8141.40	4,523	1.80							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67107.81	6,897	9.73							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26670.00	6,350	4.20							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	48371.80	3,485	13.88							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3999.60	792	5.05							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	17552.50	5,015	3.50							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3612.00	3,010	1.20							
October 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5504.86	1,591	3.46							
October 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,216	2,812	78.81%							
October 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	52	75	69.33%							
October 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	474	77.85%							
October 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,216	2,223	99.69%							
October 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	52	52	100.00%							
October 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	370	99.73%							
October 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	4.15	3	1.25							
October 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	565.30	351	1.37							
October 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	50	50	100.00%							
October 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	385	385	100.00%							
October 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,034	2,034	100.00%							
October 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	14	14	100.00%							
October 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	163	164	99.39%							
October 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	531	531	100.00%							
October 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	18	18	100.00%							
October 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	7	12	58.33%	49.30%	1	64	1.56%	12.40%	-14.551534	-9.846705
September 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,618	1,623	99.69%							
September 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,053,953	1,053,953	100.00%							
September 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	5,790	5,790	100.00%							
September 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,136	2,142	99.72%	5.29%	51,391	51,958	98.91%	10.39%	-3.541261	-3.152934
September 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	5,790	5,790	100.00%							
September 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	5,203,914	4,733,144	1.10							
September 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4367.93	26,443	0.17							
September 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,340	29,340	100.00%							
September 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,340	29,340	100.00%							
September 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,340	29,340	100.00%							
September 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,700	41,700	100.00%							
September 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,485	40,485	100.00%							
September 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,580	26,580	100.00%							
September 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
September 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
September 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	8	87.50%	33.07%	8	14	57.14%	49.49%	-1.384095	-1.84147
September 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	4	5	80.00%							
September 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	15	24	62.50%							
September 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	8	28	28.57%	45.18%	8	13	61.54%	48.65%	1.663137	0.011116
September 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	6	50.00%	50.00%	7	12	58.33%	49.30%	-0.159464	-1.096947
September 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
September 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	7	13	53.85%	49.85%	-1.218899	-1.741038
September 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	11	15	73.33%	44.22%	371	601	61.73%	48.60%	-0.913234	-1.555207
September 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	22.03	7	3.09	1.45	56:17	13	4.20	2.37	-0.961914	-1.584802
September 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	12.56	5	2.35	1.32	11:21	3	3.47	0.37	-2.645608	-2.608415
September 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	142:16	24	5.56	8.46	11:21	3	3.47	0.37	1.439531	-0.124827
September 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	150:59	28	5.24	2.34	50:21	12	4:12	2:33	1.126391	-0.315203
September 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	546:04	51	10.42	6.35	98094:15	2,890	33:57	35:15	-4.666881	-3.837262
September 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	42:37	6	7.06	7.40	67:45	7	9:41	10:25	-0.44427	-1.270097
September 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	0:52	1	0.52	0.00						
September 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5:38	2	2.49	1.05	76:53	8	9:37	9:39	-0.890511	-1.541392
September 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	32:27	2	16.13	7.54	29156:47	756	38:34	43:35	-0.724023	-1.440175
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	8	25.00%	43.30%	3	15	20.00%	40.00%	-0.217854	-1.132446
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	5	20.00%	40.00%	0	3	0.00%	0.00%	-0.318639	-1.193719
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3	24	12.50%	33.07%	0	3	0.00%	0.00%	-0.50143	-1.304848



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	0	28	0.00%	0.00%	3	14	21.43%	41.03%	-1.595448	-1.969964
September 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	51	7.84%	26.88%	378	3,171	11.92%	32.40%	-0.891493	-1.541989
September 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	6	0.00%	0.00%	3	13	23.08%	42.13%	-1.109765	-1.674689
September 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
September 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	2	50.00%	50.00%	3	13	23.08%	42.13%	0.059717	-0.963695
September 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	2	50.00%	50.00%	114	804	14.18%	34.88%	0.627535	-0.618486
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	14	1,169	1.20%	10.88%	26	2,154	1.21%	10.92%	-0.023826	-1.014485
September 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	69,520	0.00%	0.38%	0	55,812	0.00%			
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	52	0.00%	0.00%	3,250	297,561	1.09%	10.39%	-0.757709	-1.460654
September 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	220	0.00%	0.00%	27	2,457	1.10%	10.43%	-1.497851	-1.910628
September 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5	1,764	0.28%	5.32%	3	959	0.31%	5.58%	-0.13113	-1.079722
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	24	13,260	0.18%	4.25%	3	959	0.31%	5.58%	-0.705978	-1.429204
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	30	4,176	0.72%	8.45%	26	2,192	1.19%	10.83%	-1.638056	-1.958671
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	18	0.00%	0.00%	27	2,447	1.10%	10.45%	-0.446497	-1.271451
September 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	53	21,614	0.25%	4.95%	3,975	445,984	0.89%	9.40%	-8.869832	-7.000432
September 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc wi TGSR excl	LIS Trunk	Parity	N/A	13	33,888	0.04%	0.24%					-2.886013	-2.964595
September 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A	2	13,015	0.01%	0.07%						
September 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	13	33,888	0.04%							
September 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	4	13,087	0.03%							
September 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	3	3	100.00%	0.00%	709	715	99.16%	9.12%	-0.159002	-1.096667
September 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	5	5	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	91	91	100.00%							
September 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	13	20	65.00%	47.70%						
September 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	29	30	96.67%							
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	19	19	100.00%							
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%	2	2	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	5	5	100.00%							
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	6	7	85.71%							
September 2017	Ordering and Provisioning	OP-4C	No dispatches	Residence	Parity	N/A	1	1	1.00	0.00	301	271	1.11	0.57	-0.192807	-1.117219
September 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	225	77	2.92							
September 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	200	20	7.30							
September 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	138	30	4.60							
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	15	3	5.00							
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	8	1	8.00	0.00						
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	15	5	3.00							
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	5	1	5.00							
September 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	33	7	4.71							
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%	8	8	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	3	3	100.00%	0.00%	1,809	2,012	89.91%	30.12%	-0.579783	-1.352483
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	111	112	99.11%	9.41%	3	3	100.00%	0.00%	-1.941696	-2.180467
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	24	24	100.00%	0.00%	1	1	100.00%	0.00%		
September 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	35	37	94.59%	22.61%	1,515	1,643	92.21%	26.80%	-0.535328	-1.325456
September 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,472	3,478	99.83%							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6435.00	19,500	0.33							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15360.00	12,800	1.20							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	21795.00	19,500	1.12							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3963.33	4,893	0.81							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4484.27	4,893	0.92							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	696.00	1,740	0.40							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1254.24	1,206	1.04							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1950.24	1,740	1.12							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3118.08	3,712	0.84							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7980.00	3,800	2.10							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11098.08	3,712	2.99							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7699.23	7,623	1.01							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6555.13	5,801	1.13							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14254.36	7,623	1.87							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2374.02	1,089	2.18							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	649.80	1,140	0.57							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	3023.82	1,089	2.78							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3684.80	6,580	0.56							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7859.39	13,321	0.59							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11544.19	6,580	1.75							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	252.31	1,097	0.23							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	860.20	1,870	0.46							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1176.00	980	1.20							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2288.51	1,870	1.22							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2461.60	3,620	0.68							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	51555.12	2,712	19.01							
September 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54016.72	3,620	14.92							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8243.91	4,821	1.71							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8047.38	4,521	1.78							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67019.40	6,895	9.72							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26446.14	6,342	4.17							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47981.96	3,482	13.78							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3997.40	790	5.06							
September 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	17581.59	5,009	3.51							
September 20																

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
September 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	356	420	84.76%							
September 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	All Flow-through Eligible LSRs	Diagnostic	N/A	2,175	2,185	99.54%							
September 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	26	26	100.00%							
September 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	356	358	99.44%							
September 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	101:18	4	25.20							
September 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	765:18	301	2.33							
September 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	25	25	100.00%							
September 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	351	354	99.15%							
September 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,973	1,975	99.90%							
September 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	9	9	100.00%							
September 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	129	129	100.00%							
September 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	521	522	99.81%							
September 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
September 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	5	5	100.00%							
September 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	10	16	62.50%	48.41%	3	72	4.17%	19.98%	-10.56207	-7.421282
August 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,740	1,742	99.89%							
August 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,108,807	1,108,807	100.00%							
August 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	5,696	5,696	100.00%							
August 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,785	2,793	99.71%	5.34%	86,255	86,726	99.46%	7.35%	-1.816588	-2.104407
August 2017	Billing	BI-4B	Reciprocal Compensation (MOU)	Reciprocal Compensation	Diagnostic	N/A	5,696	5,696	100.00%							
August 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,803,802	4,428,264	1.08							
August 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5383:47	31,907	0.17							
August 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
August 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
August 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
August 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EFTA	Diagnostic	N/A	43,200	43,200	100.00%							
August 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	42,180	42,180	100.00%							
August 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
August 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
August 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	All	Parity	N/A	0	0								
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	9	88.89%	31.43%	14	15	93.33%	24.94%	-0.304339	-1.185025
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	4	5	80.00%							
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	17	26	65.38%							
August 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	29	39	74.36%	43.67%	10	11	90.91%	28.75%	0.731997	-0.554978
August 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	2	50.00%	50.00%	12	14	85.71%	34.99%	0.38532	-0.765742
August 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
August 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5	9	55.56%	49.69%	12	15	80.00%	40.00%	0.814728	-0.50468
August 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	4	7	57.14%	49.49%	307	573	53.58%	49.87%	-0.187992	-1.114291
August 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	1,524	3,489	43.68%	49.60%	-1.605386	-1.976005
August 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	23.04	1	23.04	0.00%	94342:50	2,421	38.58	32.58	-0.482372	-1.293261
August 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	22.24	1	22.24	0.00%	24392:25	741	32.55	30.37	-0.343334	-1.208732
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	29:36	9	3.17	1.48	25:27	12	2.07	1.14	1.607248	-0.022863
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	89:00	1	89.00	0.00						
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	12:59	5	2.36	1.47	7:02	1	7.02	0.00		
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	112:45	26	4.20	2.38	7:02	1	7.02	0.00		
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	139:22	39	3.34	3.06	19:02	10	1.54	1.19	1.750686	0.064342
August 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	462:52	60	7.43	8.07	102826:32	2,670	38.31	33.35	-0.723905	-5.270231
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7:21	2	3.40	2.00	50:36	9	5.37	10.34	-0.235879	-1.143404
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	78:09	1	78.09	0.00	792:49	1	792.49	0.00		
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3:45	1	3.45	0.00						
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	37:13	9	4.08	2.23	55:02	10	5.30	9.58	-0.298867	-1.181698
August 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	36:21	4	9.05	9.59	26376:01	789	33.26	33.39	-1.442882	-1.87721
August 2017	Maintenance and Repair	MR-7A	Repair Repeat Rpt Rate-Disp w/ MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	265	2,419	10.95%	31.23%	-0.350679	-1.213198
August 2017	Maintenance and Repair	MR-7A	Repair Repeat Rpt Rate-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	3	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	105	746	14.08%	34.78%	-0.404459	-1.245894
August 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	9	0.00%	0.00%	4	19	21.05%	40.77%	-1.276155	-1.77847
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	5	0.00%	0.00%	0	1	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2	26	7.69%	26.65%	0	1	0.00%	0.00%	-1.446104	-1.879169
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	4	39	10.26%	30.34%	4	19	21.05%	40.77%	-0.946553	-1.575463
August 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	2	60	3.33%	17.95%	335	3,228	10.38%	30.50%	-1.772843	-2.077812
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	1	15	6.67%	24.94%	-0.355036	-1.215846
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	9	0.00%	0.00%	1	15	6.67%	24.94%	-0.633866	-1.385363
August 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	4	0.00%	0.00%	127	929	13.67%	34.35%	-0.794167	-1.482819
August 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	11	1,178	0.93%	9.62%	29	2,185	1.33%	11.44%	-0.951146	-1.578256
August 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	2	69,568	0.00%	0.54%	1	56,365	0.00%	0.42%	0.461138	-0.719648
August 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	2	51	3.92%	19.41%	3,424	301,392	1.14%	10.60%	1.203244	-0.26848
August 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	2	221	0.90%	9.47%	34	2,489	1.37%	11.61%	-0.565869	-1.344024
August 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5	1,803	0.28%	5.26%	1	975	0.10%	3.20%	-0.583999	-0.165065
August 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	27	13,357	0.20%	4.49%</						

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score	
August 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	9	33,888	0.03%								
August 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	6	13,087	0.05%								
August 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	34	1	34.00								
August 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2	1	2.00	0.00							
August 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	3	1	3.00	0.00	760		1	760.00	0.00		
August 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	1	100.00%	0.00%							
August 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	0		1	0.00%	0.00%		
August 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%								
August 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	13	13	100.00%	0.00%	7		7	100.00%	0.00%		
August 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	53	53	100.00%								
August 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	19	24	79.17%	40.61%	2		3	66.67%	47.14%	-0.433013	-1.263253
August 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	45	48	93.75%								
August 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	1		1	100.00%	0.00%		
August 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	0	2	0.00%								
August 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	5	5	100.00%	0.00%							
August 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	7	7	100.00%								
August 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00								
August 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	85	31	2.74								
August 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	97	17	5.71								
August 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	259	49	5.29								
August 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	20	2	10.00								
August 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	10	2	5.00								
August 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	35	7	5.00								
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	21	21	100.00%	0.00%	11		11	100.00%	0.00%		
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	4		5	80.00%	40.00%	-0.456435	-1.277493
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	56	56	100.00%	0.00%	6		7	85.71%	34.99%	-1.01835	-1.619113
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	28	29	96.55%	18.25%	3		4	75.00%	43.30%	-0.933154	-1.567317
August 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Benchmark	90.00%	56	56	100.00%	0.00%	1,773		1,895	93.56%	24.54%	-1.934619	-2.176165
August 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	5,931	5,944	99.78%								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6881.8	19,652	0.34								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	16737.50	12,875	1.30								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	23419.18	19,652	1.19								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	4329.60	4,920	0.88								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4853.48	4,920	0.99								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	725.70	1,770	0.41								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1329.80	1,220	1.09								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2055.50	1,770	1.16								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3024.00	3,600	0.84								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7991.55	3,717	2.15								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11015.55	3,600	3.06								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7900.00	7,900	1.00								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6840.00	5,700	1.20								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14740.00	7,900	1.87								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2343.50	1,090	2.15								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	660.00	1,200	0.55								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	3003.50	1,090	2.76								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3380.00	6,500	0.52								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7920.00	13,200	0.60								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11300.00	6,500	1.74								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	274.50	1,098	0.25								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	855.00	1,900	0.45								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1261.00	970	1.30								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2390.50	1,900	1.26								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2590.00	3,700	0.70								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	51415.95	2,699	19.05								
August 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54005.95	3,700	14.60								
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8160.00	4,800	1.70								
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8214.31	4,589	1.79								
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67824.35	6,985	9.71								
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	27392.00	6,400	4.28								
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47913.06	3,477	13.78								
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3956.40	785	5.04								
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	17500.00	5,000	3.50								
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3900.00	3,000	1.30								
August 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5781.66	1,671	3.46								
August 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,195	2,767	79.33%								
August 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	20	50	40.00%								
August 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	317	393	80.66%								
August 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,195	2,207	99.46%								
August 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	20	20	100.00%								
August 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	317	321	98.75%								
August 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	101-39	4	25.25								
August 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	575-56	298	1.56								
August 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	20	20	100.00%								
August 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	321	321	100.00%								
August 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,999	1,999	100.00%								
August 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	12	12	100.00%								
August 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	121	122	99.18%								
August 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	516	516	100.00%								
August 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	36	36	100.00%								
August 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	3	22	13.64%	34.32%	3		77	3.90%	19.35%	-2.082207	

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
July 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,134,487	1,134,487	100.00%							
July 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Diagnostic	N/A	6,712	6,712	6,712	100.00%							
July 2017	Billing	BI-4A	UNEs and Resale Aggregate	Parity	N/A	2,848	2,860	99.58%	6.46%	54,614	55,185	98.97%	10.12%	-3.169733	-2.927061	
July 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Diagnostic	N/A	6,712	6,712	100.00%								
July 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,045,810	3,766,648	1.07							
July 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4837.32	29,943	0.16							
July 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,880	29,880	100.00%							
July 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,880	29,880	100.00%							
July 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,880	29,880	100.00%							
July 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,840	42,840	100.00%							
July 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	41,565	41,565	100.00%							
July 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,580	26,580	100.00%							
July 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
July 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
July 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	10	10	100.00%	0.00%		
July 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	5	20.00%							
July 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	12	20	60.00%							
July 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	20	35	57.14%	49.49%	13	15	86.67%	33.99%	1.736055	0.055447
July 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	6	66.67%	47.14%	4	10	40.00%	48.99%	-1.054093	-1.640843
July 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
July 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
July 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	4	8	50.00%	50.00%	4	10	40.00%	48.99%	-0.430331	-1.261623
July 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	1	9	11.11%	31.43%	202	489	41.31%	49.24%	1.530916	-0.069269
July 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	4	25.00%	43.30%	1,168	3,486	33.51%	47.20%	-0.226786	-1.137876
July 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/i MSA	SUB-LOOP UNBUNDLING	Parity	N/A	17.26	1	17.26%	0.00	12666.29	2,637	48.09	38.56	-0.788876	-1.479602
July 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	185.37	3	61.52%	11.37	27789.35	651	42.41	64.33	-1.049387	-0.362018
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2.57	2	1.28%	0.30	16.31	6	2.45	1.23	-1.126884	-1.685097
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	42.03	5	8.25%	7.36	2.10	1	2.10	0.00		
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	105.00	20	5.15%	9.52	2.10	1	2.10	0.00		
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	124.15	35	3.33%	2.15	32.25	11	2.57	1.20	1.226528	-0.254324
July 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	422.27	49	8.37%	6.15	129743.19	2,772	46.48	38.56	-6.804803	-5.137027
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	35.08	6	5.51%	5.41	44.47	8	5.36	3.57	0.347787	-0.78856
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	955.53	1	955.53%	0.00						
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1.36	1	1.36%	0.00						
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	28.56	8	3.37%	1.31	44.47	8	5.36	3.57	-1.002525	-1.609492
July 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	29.34	3	9.51%	0.03	29003.48	685	42.20	63.41	-0.881673	-1.536019
July 2017	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/i MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%	0.00%		
July 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	1	3	33.33%	47.14%	0	2	0.00%	0.00%	-0.253347	-1.154024
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	0	15	0.00%	0.00%		
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	5	0.00%	0.00%	0	1	0.00%	0.00%		
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	20	5.00%	21.79%	0	1	0.00%	0.00%	-1.668391	-2.01431
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	3	35	8.57%	27.99%	0	15	0.00%	0.00%	0.429091	-0.739131
July 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	7	49	14.29%	34.99%	402	3,184	12.63%	33.21%	0.182253	-0.889198
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	6	16.67%	37.27%	2	10	20.00%	40.00%	-0.161374	-1.098109
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	8	0.00%	0.00%	2	10	20.00%	40.00%	-1.054093	-1.640843
July 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	3	0.00%	0.00%	96	782	12.28%	32.82%	-0.6467	-1.393166
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	1,202	0.67%	8.13%	20	2,214	0.90%	9.46%	-0.701473	-1.426465
July 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	69,496	0.00%	0.38%	0	56,245	0.00%			
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	52	0.00%		3,312	304,716	1.09%	10.37%	-0.755849	-1.455624
July 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	4	220	1.82%	13.36%	25	2,522	0.99%	9.91%	0.844334	-0.486682
July 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5	1,839	0.27%	5.21%	1	973	0.10%	3.20%	1.331354	-0.190694
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	21	13,549	0.15%	3.93%	1	973	0.10%	3.20%	0.491018	-0.701482
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	43	4,290	1.00%	9.96%	25	2,252	1.11%	10.48%	-0.395355	-1.240359
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	20	0.00%	0.00%	25	2,513	0.99%	9.92%	-0.446517	-1.271463
July 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	52	22,038	0.24%	4.85%	3,966	454,947	0.87%	9.30%	-9.915983	-7.028489
July 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGSR excl	LIS Trunk	Parity	N/A	5	33,720	0.02%	0.13%	1	350	0.00%	0.00		
July 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,087	0.00%	0.03%						
July 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	33,720	0.02%							
July 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/ TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,087	0.00%							
July 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	11	1	11.00%							
July 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	6	2	3.00%	0.00	350	1	350.00%	0.00		
July 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1	1.00	1.00%	0.00	41,447	317	130.75	199.87	-0.648144	-1.394044
July 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	1	1	100.00%	0.00%		
July 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	1	0.00%	0.00%	140	317	44.16%	49.66%	-0.88796	-1.539841
July 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	765	771	99.22%	8.79%	-0.088504	-1.053807
July 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	0	1	0.00%							
July 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	116	123	94.31%							
July 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	90.00%	20	25	80.00%	40.00%						
July 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	31	36	86.11%							
July 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
July 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
July 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	8	12	66.67%							
July 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
July 2017	Ordering and Provisioning	OP-4C	No dispatches	Residence	Parity	N/A	1	1	1.00%	0.00	361	292	1.24	0.58	-0.405063	-1.246261
July 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	12	1	12.00%							
July 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	364	86	4.23%							
July 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	114	25	4.56%							
July 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	189	39	4.85%							
July 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00%							
July 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	37	8	4.63%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
July 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	5	1	5.00							
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%	0.00%		
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	1,966	2,174	90.43%	29.41%	-0.325192	-1.197703
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	137	143	95.80%	20.05%	2	2	100.00%	0.00%	-1.396235	-1.848851
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	24	25	96.00%	19.60%	1	1	100.00%	0.00%	-1.768825	-2.075369
July 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	38	40	95.00%	21.79%	1,656	1,775	93.30%	25.01%	-0.426199	-1.259111
July 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,422	3,427	99.85%							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6375.27	19,319	0.33							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15832.56	12,872	1.23							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22207.83	19,319	1.15							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3289.26	4,217	0.78							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3776.11	4,217	0.90							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	721.60	1,760	0.41							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1310.04	1,213	1.08							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2031.64	1,760	1.15							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3219.57	3,879	0.83							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7982.95	3,713	2.15							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11202.52	3,879	2.89							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8154.64	7,841	1.04							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6608.16	5,648	1.17							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14762.80	7,841	1.88							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2272.47	1,077	2.11							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	690.78	1,191	0.58							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2963.25	1,077	2.75							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3343.08	6,429	0.52							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7778.56	13,184	0.59							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11121.64	6,429	1.73							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	228.90	1,090	0.21							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	791.20	1,978	0.40							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1248.00	960	1.30							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2268.10	1,978	1.15							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2236.00	3,440	0.65							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	50227.52	2,638	19.04							
July 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	52463.52	3,440	15.25							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8737.47	4,623	1.89							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	8418.18	4,866	1.73							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67225.40	6,982	9.70							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26144.10	6,315	4.14							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47393.89	3,467	13.67							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3925.64	782	5.02							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15014.61	4,797	3.13							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3716.12	3,046	1.22							
July 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5715.92	1,652	3.46							
July 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,121	2,635	80.49%							
July 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	33	70	47.14%							
July 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	361	442	81.67%							
July 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,121	2,132	99.48%							
July 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	33	33	100.00%							
July 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	361	367	98.37%							
July 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	3-29	1	3-29							
July 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	460-55	307	1-30							
July 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	32	32	100.00%							
July 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	350	359	97.49%							
July 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,931	1,965	98.27%							
July 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	16	16	100.00%							
July 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	116	120	96.67%							
July 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	449	449	100.00%							
July 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
July 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	13	13	100.00%							
July 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	5	22	22.73%	41.91%	4	80	5.00%	21.79%	-3.378714	-3.054112
June 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,356	1,357	99.93%							
June 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,154,302	1,157,225	99.75%							
June 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	8,848	8,848	100.00%							
June 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,702	2,706	99.85%	3.84%	63,779	64,566	98.78%	10.97%	-4.974524	-4.024296
June 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	8,848	8,848	100.00%							
June 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	2	2	100.00%							
June 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,753,640	3,491,456	1.08							
June 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5321.72	30,635	0.17							
June 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,520	29,520	100.00%							
June 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,520	29,520	100.00%							
June 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,520	29,520	100.00%							
June 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,760	41,760	100.00%							
June 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,740	40,740	100.00%							
June 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,880	26,880	100.00%							
June 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
June 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	9	88.89%	31.43%	5	9	55.56%	49.69%	-1.423025	-1.865138
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%	0	1	0.00%	0.00%		
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	5	40.00%							
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	12	18	66.67%							
June 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	21	38	55.26%	49.72%	4	8	50.00%	50.00%	-0.270604	-1.164516
June 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops -												

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
June 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
June 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	3	9	33.33%	47.14%	393	684	57.46%	49.44%	1.111736	-0.324113
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	25.07	9	2.47	1.52	46:13	9	5.08	3.32	-1.410416	-1.857472
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	283.30	2	141.45	102.37	195:23	1	195:23	0.00		
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	56.34	5	11.19	11.40						
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	66.01	18	3.40	3.02						
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	380.45	38	10.01	33.35	40:04	7	5.43	3.50	-0.404289	-1.24579
June 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	469.04	64	7.20	7.24	114810:14	3,205	35.49	36.16	-6.222712	-4.78314
June 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	14.21	3	4.47	4.10	31:35	9	3.31	2.14	0.809896	-0.507618
June 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2.32	1	2.32	0.00						
June 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	29.46	3	9.55	7.56	27243:33	837	32.33	30.59	-1.262309	-1.767429
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	9	0.00%	0.00%	1	10	10.00%	30.00%	-0.725476	-1.441058
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%	0	1	0.00%	0.00%		
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	5	20.00%	40.00%						
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	18	5.56%	22.91%						
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	4	38	10.53%	30.69%	1	10	10.00%	30.00%	-0.595437	-1.362
June 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	6	65	9.23%	28.95%	417	3,525	11.83%	32.30%	-0.642908	-1.39086
June 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	2	10	20.00%	40.00%	-0.202967	-1.123395
June 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
June 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	3	0.00%	0.00%	126	905	13.92%	34.62%	-0.695438	-1.422796
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	12	708	1.69%	12.91%	19	1,811	1.05%	10.19%	1.429924	-0.130668
June 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	2	70,192	0.00%	0.53%	1	55,873	0.00%	0.42%	0.441749	-0.731436
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	53	0.00%	0.00%	3,603	308,191	1.17%	10.75%	-0.791729	-1.481337
June 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	220	0.00%	0.00%	20	2,538	0.79%	8.84%	-1.268081	-1.770939
June 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5	1,885	0.27%	5.14%	0	981	0.00%	0.00%		
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	19	13,720	0.14%	3.72%	0	981	0.00%	0.00%		
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	38	4,379	0.87%	9.27%	18	2,202	0.82%	9.00%	0.213999	-0.869898
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	20	0.00%	0.00%	20	2,529	0.79%	8.86%	-0.397712	-1.241792
June 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	67	22,268	0.30%	5.48%	4,430	459,851	0.96%	9.77%	-9.884404	-7.009291
June 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	33,504	0.00%	0.08%						
June 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,087	0.00%	0.02%						
June 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	33,744	0.01%	0.01%						
June 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,087	0.00%	0.00%						
June 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	134	9	14.89	0.33						
June 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	4	2	2.00	0.00	330	2	165.00	233.35	-0.698536	-1.42468
June 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	2,350	12	195.83	63.45	39,934	278	143.65	200.85	0.889006	-0.459523
June 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	9	9	100.00%	0.00%						
June 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	1	2	50.00%	50.00%	-1	-1.607957
June 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	12	0.00%	0.00%	132	278	47.48%	49.94%	-3.224962	-2.960637
June 2017	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	5	5	100.00%							
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%						
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	126	153	82.35%							
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	26	27	96.30%	18.89%						
June 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	27	28	96.43%							
June 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
June 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%						
June 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	18	18	100.00%							
June 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	5	5	100.00%							
June 2017	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00							
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	20	4	5.00							
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	5	1	5.00	0.00	10	1	10.00	0.00		
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	277	88	3.15							
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	135	22	6.14							
June 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	131	28	4.68							
June 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	24	5	4.80							
June 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	58	16	3.63							
June 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	25	5	5.00							
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	6	6	100.00%	0.00%	1	1	100.00%	0.00%		
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	2	3	66.67%	47.14%	-0.612372	-1.372296
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	168	172	97.67%	15.07%	6	6	100.00%	0.00%	-1.13016	-1.687088
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	31	33	93.94%	23.86%	2	3	66.67%	47.14%	-0.959403	-1.58276
June 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	30	33	90.91%	28.75%	1,820	1,938	93.86%	24.00%	0.426702	-0.740584
June 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	7,799	7,806	99.91%							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6582.18	19,946	0.33							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	14546.62	12,022	1.21							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	21128.80	19,946	1.06							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3752.58	4,811	0.78							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4228.64	4,811	0.88							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	712.58	1,738	0.41							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1269.88	1,198	1.06							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1982.46	1,738	1.14							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	2904.72	3,458	0.84							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7952.24	3,716	2.14							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	10856.96	3,458	3.14							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7985.5									

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviation	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviation	Modified Z Score	Parity Score
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7858.42	13,549	0.58							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11548.82	6,590	1.75							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	252.08	1,096	0.23							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	817.95	1,995	0.41							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1240.20	954	1.30							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2310.23	1,995	1.16							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2653.20	3,685	0.72							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	53181.40	2,780	19.13							
June 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55834.60	3,685	15.15							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8374.95	4,527	1.85							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7921.67	4,579	1.73							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68773.50	6,975	9.86							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26409.24	6,318	4.18							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46883.44	3,478	13.48							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3914.21	769	5.09							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15057.00	4,780	3.15							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3787.20	3,156	1.20							
June 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5577.52	1,612	3.46							
June 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,137	2,625	81.41%							
June 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	20	49	40.82%							
June 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	426	501	85.03%							
June 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,137	2,146	99.58%							
June 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	20	20	100.00%							
June 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	426	430	99.07%							
June 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	99.28	6	16.35							
June 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	302.01	287	1.03							
June 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	19	19	100.00%							
June 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	413	413	100.00%							
June 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,943	1,943	100.00%							
June 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	17	17	100.00%							
June 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	154	160	96.25%							
June 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	457	457	100.00%							
June 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	2	2	100.00%							
June 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	4	4	100.00%							
June 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	13	43	30.23%	45.93%	1	69	1.45%	11.95%	-12.39609	-8.536288
May 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,714	1,718	99.77%							
May 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,160,944	1,165,345	99.62%							
May 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,383	2,383	100.00%							
May 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	3,014	3,014	100.00%	0.00%	50,010	50,546	98.94%	10.24%	-5.521394	-4.356769
May 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,383	2,383	100.00%							
May 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	1	1	100.00%							
May 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	4,428,448	4,099,559	1.08							
May 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5286.08	30,166	0.18							
May 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
May 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
May 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
May 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
May 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	42,180	42,180	100.00%							
May 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
May 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
May 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	7	57.14%	49.49%	5	11	45.45%	49.79%	-0.485504	-1.295166
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	2	100.00%							
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	3	10	30.00%							
May 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	19	32	59.38%	49.11%	9	15	60.00%	48.99%	-0.284255	-1.172815
May 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	14	19	73.68%	44.03%	1.281552	-0.220872
May 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%						
May 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5	7	71.43%	45.18%	13	18	72.22%	44.79%	-0.421941	-1.256522
May 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	5	11	45.45%	49.79%	410	692	59.25%	49.14%	0.62257	-0.621504
May 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	2,358	4,409	53.48%	49.88%	-0.932528	-1.566937
May 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	142.25	1	142.25	0.00	26262.54	683	38.27	40.49	2.365618	0.438194
May 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	21.04	1	21.04	0.00	31342.07	820	38.13	42.18	-0.405328	-1.246422
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	34.43	7	4.58	3.05	75.47	11	6.53	5.36	-0.712428	-1.433126
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	1.09	1	1.09	0.00						
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	5.42	2	2.51	0.28	4.12	1	4.12	0.00		
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	57.27	10	5.45	3.03	4.12	1	4.12	0.00		
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	135.37	32	4.14	2.12	83.38	14	5.58	5.16	-1.027192	-1.624489
May 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	352.09	58	6.04	7.06	121214.15	3,498	34.39	83.01	-2.600497	-2.58099
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	10.44	2	5.22	1.22	73.34	16	4.36	5.02	0.565108	-0.656438
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	203.32	2	101.46	137.11						
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	28.38	7	4.05	4.19	73.34	16	4.36	5.02	-0.222394	-1.135206
May 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	70.28	10	7.03	5.42	32532.03	869	37.26	41.59	-2.275743	-2.383554
May 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	80	704	11.36%	31.74%	-0.357803	-1.217529
May 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	2	5	40.00%	48.99%	-0.745356	-1.453144
May 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	7	14.29%	34.99%	3	16	18.75%	39.03%	-0.252397	-1.153447
May 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
May 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	2	0.00%	0.00%	0	1	0.00%	0.00%		

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
May 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%						
May 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	7	42.86%	49.49%	6	19	31.58%	46.48%	0.094262	-0.942693
May 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	10	10.00%	30.00%	109	931	11.71%	32.15%	-0.167081	-1.101578
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	9	726	1.24%	11.06%	30	1,853	1.62%	12.62%	-0.68646	-1.417338
May 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	3	70,960	0.00%	0.65%	0	56,209	0.00%			
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	53	1.89%	13.61%	3,933	311,518	1.26%	11.17%	0.024854	-0.98489
May 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	1	223	0.45%	6.68%	35	2,996	1.35%	11.53%	-1.118067	-1.679737
May 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	1,952	0.10%	3.28%	1	996	0.10%	3.17%	0.016683	-0.989857
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	10	13,896	0.07%	2.68%	1	996	0.10%	3.17%	-0.273749	-1.166427
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	39	4,459	0.87%	9.31%	33	2,261	1.46%	11.99%	-1.889073	-2.148475
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	20	0.00%		35	2,588	1.35%	11.55%	-0.521617	-1.317121
May 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	68	22,538	0.30%	5.48%	4,778	464,296	1.03%	10.09%	-10.566765	-7.424137
May 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	604	703	85.92%	34.78%	1.071175	-0.348772
May 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGRS excl	LIS Trunk	Parity	N/A	3	34,296	0.01%	0.16%					-2.975122	
May 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGRS excl	LIS Trunk	Parity	N/A	1	13,087	0.00%	0.05%					-2.987566	
May 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGRS excl	LIS Trunk	Diagnostic	N/A	3	34,296	0.01%							
May 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/ TGRS excl	LIS Trunk	Diagnostic	N/A	1	13,087	0.00%							
May 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	6	6	1.00	0.00						
May 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	2,086	12	173.83	63.45	38,495	291	132.29	190.42	0.792619	-0.518122
May 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	6	6	100.00%	0.00%						
May 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	12	0.00%	0.00%	140	291	48.11%	49.96%	-3.268823	-2.987303
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%	1	1	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	64	74	86.49%							
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	26	27	96.30%	18.89%	2	2	100.00%	0.00%	-1.48354	-1.901928
May 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	24	25	96.00%							
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	2	50.00%							
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	10	10	100.00%	0.00%	1	1	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	9	9	100.00%							
May 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
May 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	266	78	3.41							
May 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	87	19	4.58							
May 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	189	41	4.61							
May 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	12	4	3.00							
May 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	20	5	4.00							
May 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	14	14	100.00%	0.00%	2	2	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	117	117	100.00%	0.00%						
May 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	28	28	100.00%	0.00%	7	7	100.00%	0.00%		
May 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	44	46	95.65%	20.39%	1,829	1,950	93.79%	24.12%	-0.5161	-1.313766
May 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	7,331	7,338	99.90%							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6919.85	19,771	0.35							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15725.16	12,996	1.21							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22645.01	19,771	1.15							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3135.76	4,126	0.76							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3596.20	4,126	0.87							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	755.94	1,758	0.43							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1254.75	1,195	1.05							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2010.69	1,758	1.14							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3239.04	3,856	0.84							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7994.79	3,789	2.11							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11233.83	3,856	2.91							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8333.16	7,788	1.07							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14819.16	7,788	1.90							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2196.03	1,031	2.13							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	667.52	1,192	0.56							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2863.55	1,031	2.78							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3654.56	6,526	0.56							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7429.38	13,034	0.57							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11083.94	6,526	1.70							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	272.75	1,091	0.25							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	794.58	1,938	0.41							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1245.87	981	1.27							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2313.20	1,938	1.19							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2548.08	3,539	0.72							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52664.64	2,766	19.04							
May 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	55212.72	3,539	15.60							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8393.45	4,537	1.85							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.67	4,479	1.73							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68673.36	6,979	9.84							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26253.76	6,311	4.16							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46869.96	3,477	13.48							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3949.84	776	5.09							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15375.15	4,881	3.19							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3816.34	3,154	1.21							
May 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
May 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,078	2,591	80.20%							
May 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	59	59.32%							
May 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	471	78.34%							
May 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,078	2,085	99.66%							
May 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	36	97.22%							
May 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	369	369	100.00%							



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
May 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	4.51	1	4.51							
May 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	276.54	266	1.02							
May 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	35	35	100.00%							
May 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	398	398	100.00%							
May 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,871	1,871	100.00%							
May 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	8	8	100.00%							
May 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	153	154	99.35%							
May 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	453	453	100.00%							
May 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
May 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	13	13	100.00%							
May 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	3	15	20.00%	40.00%	5	69	7.25%	25.93%	-1.726785	-2.049811
April 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,481	1,485	99.73%							
April 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,646,953	1,647,293	99.98%							
April 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,559	2,559	100.00%							
April 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	3,027	3,029	99.93%	2.57%	52,901	53,379	99.10%	9.42%	-4.713916	-3.865857
April 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,559	2,559	100.00%							
April 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	3,035,607	2,803,161	1.08							
April 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5182.71	26,034	0.20							
April 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	27,360	27,360	100.00%							
April 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	28,800	28,800	100.00%							
April 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	27,036	27,360	98.82%							
April 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,400	41,400	100.00%							
April 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,125	40,125	100.00%							
April 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	25,500	25,500	100.00%							
April 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	-1,440	-1,440	100.00%							
April 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	1	1	100.00%							
April 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	9	77.78%	41.57%	5	13	38.46%	48.65%	-1.863661	-2.130025
April 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	4	75.00%							
April 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	21	34	61.76%							
April 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	16	24	66.67%	47.14%	5	15	33.33%	47.14%	-2.148345	-2.306101
April 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	9	10	90.00%	30.00%	1.696022	0.027825
April 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%	0.00%		
April 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	4	50.00%	50.00%	9	10	90.00%	30.00%	0.931397	-0.433751
April 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	20	21	95.24%	21.30%	4	716	62.57%	48.39%	-3.049054	-2.853693
April 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	2,338	4,309	54.26%	49.82%	-1.298181	-1.789238
April 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	26.23	2	13.11	10.36	34254.09	729	46.59	139.07	-0.343102	-1.205691
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	22.51	9	2.32	1.06	59.54	11	5.27	1.53	-3.448804	-3.096724
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	3.12	4.29							
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	175.20	34	5.09	4.20						
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	133.05	24	5.33	8.43	69.26	13	5.20	1.45	-0.281926	-1.171399
April 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	387.19	60	6.27	7.19	114458.15	3,510	32.37	53.13	-3.774848	-3.294945
April 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	10.26	2	5.13	1.32	24.56	7	3.34	3.49	0.658838	-0.599455
April 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	2.38	1	2.38	0.00	4.30	2	2.15	1.22	-0.709523	-1.431359
April 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	12.50	4	3.13	1.51	24.56	7	3.34	3.49	-0.147714	-1.089804
April 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	18.13	6	3.02	1.33	34869.13	759	45.56	136.32	-0.766721	-1.466133
April 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	0	1	0.00%	0.00%	-0.430727	-0.738136
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	9	11.11%	31.43%	4	15	26.67%	44.22%	-0.83428	-1.507206
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	4	0.00%	0.00%						
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	34	2.94%	16.90%						
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	1	24	4.17%	19.98%	4	15	26.67%	44.22%	-1.545847	-1.939808
April 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	8	60	13.33%	33.99%	464	3,845	12.07%	32.58%	0.147764	-0.910166
April 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	3	10	30.00%	45.83%	-0.845154	-1.513817
April 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%	0.00%		
April 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%	3	10	30.00%	45.83%	-1.106567	-1.672745
April 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	6	0.00%	0.00%	102	826	12.35%	32.90%	-0.916083	-1.569399
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	11	1,315	0.84%	9.11%	23	2,311	1.00%	9.93%	-0.462955	-1.281457
April 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	70,432	0.00%	0.38%	4	56,425	0.01%	0.84%	-1.191819	-1.724574
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	55	0.00%	0.00%	3,821	314,401	1.22%	10.96%	-0.822517	-1.500055
April 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	2	222	0.90%	9.45%	25	2,636	0.95%	9.69%	-0.070135	-1.042639
April 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	2,003	0.20%	4.46%	0	912	0.00%	0.00%		
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	34	14,115	0.24%	4.90%	0	912	0.00%	0.00%		
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	28	4,514	0.62%	7.85%	25	2,361	1.06%	10.24%	-1.687065	-2.025662
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	20	0.00%	0.00%	25	2,628	0.95%	9.71%	-0.436618	-1.265445
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	66	22,749	0.29%	5.38%	4,671	468,461	1.00%	9.94%	-10.480798	-7.371873
April 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	4	33,576	0.01%	0.14%						
April 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	12,967	0.01%	0.05%						
April 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	11	33,960	0.03%							
April 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	4	13,087	0.03%							
April 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,892	22	86.00	86.93	36,629	302	121.29	184.78	-0.864812	-1.525769
April 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	22	0.00%	0.00%	155	302	51.32%	49.98%	-6.649963	-3.826977
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	4	4	100.00%	0.00%		
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	83	96	86.46%							
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	12	12	100.00%	0.00%	1	1	100.00%	0.00%		
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	13	16	81.25%							
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	3	3	100.00%							
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%						
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	10	10	100.00%							
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	1	1	100.00%	0.00%	0	-1
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	2	2	100.00%							
April 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	397	105	3.78							
April 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	12	12	4.58							
April 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	132	26	5.08							



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	13	24	54.17%							
March 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	23	37	62.16%	48.50%	16	25	64.00%	48.00%	-0.125282	-1.076166
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	6	8	75.00%	43.30%	5	15	33.33%	47.14%	-2.018932	-2.227424
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
March 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	5	15	33.33%	47.14%	-1.369306	-1.832479
March 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	14	25	56.00%	49.64%	488	809	60.32%	48.92%	0.239373	-0.854471
March 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	12.24	1	12.24	0.00	36422.09	859	42.24	47.54	-0.62594	-1.380545
March 2017	Maintenance and Repair	MR-6C	Mean Time to Restore no dispatch	Residence	Parity	N/A	1.51	2	0.55	0.32	3940.28	246	16.01	24.19	-0.874383	-1.531587
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	32.31	10	3.15	3.06	75.09	16	4.42	4.03	-0.884445	-1.537704
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	28.54	6	4.49	3.04						
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	127.40	24	5.19	3.56						
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	153.46	37	4.09	3.14	84.52	18	4.43	4.00	-0.487258	-1.296232
March 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	764.05	66	11.35	17.10	160922.45	4,230	38.03	41.18	-5.166629	-4.141087
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	29.59	8	3.45	2.58	84.25	13	6.30	3.55	-1.557928	-1.947153
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2.21	1	2.21	0.00						
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1.21	1	1.21	0.00	84.25	13	6.30	3.55	-1.263762	-1.768313
March 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	15.55	3	5.18	2.15	41977.26	1,045	40.10	45.33	-1.323626	-1.804707
March 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	102	901	11.32%	31.68%	1.204539	-0.267692
March 2017	Maintenance and Repair	MR-7C	Repair Repeat Report Rate-no dispatch	Residence	Parity	N/A	1	2	50.00%	50.00%	36	284	12.68%	33.27%	0.698604	-0.575279
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	10	10.00%	30.00%	3	25	12.00%	32.50%	-0.164488	-1.100002
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	6	0.00%	0.00%						
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	24	4.17%	19.98%						
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	6	37	16.22%	36.86%	3	25	12.00%	32.50%	0.076441	-0.953257
March 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	66	6.06%	23.86%	612	4,713	12.99%	33.61%	-0.166209	-2.01043
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	8	50.00%	50.00%	4	15	26.67%	44.22%	0.664814	-0.595822
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	4	15	26.67%	44.22%	0.488776	-0.702845
March 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	3	0.00%	0.00%	121	1,126	10.75%	30.97%	-0.600195	-1.364893
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	18	1,327	1.36%	11.57%	37	2,358	1.57%	12.43%	-0.498686	-1.30318
March 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	69,904	0.00%	0.00%	0	56,137	0.00%	0.00%		
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	3	58	5.17%	22.15%	4,813	317,622	1.52%	12.22%	1.571005	-0.044897
March 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	222	0.00%	0.00%	40	2,682	1.49%	12.12%	-1.761859	-2.071134
March 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	6	2,062	0.29%	5.39%	0	917	0.00%	0.00%		
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	25	14,237	0.18%	4.19%	0	917	0.00%	0.00%		
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	38	4,567	0.83%	9.08%	40	2,399	1.67%	12.80%	-2.587143	-2.572871
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	21	0.00%	0.00%	40	2,675	1.50%	12.14%	-0.562408	-1.34192
March 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	69	23,031	0.30%	5.47%	5,839	473,114	1.23%	11.04%	-12.544571	-8.626558
March 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	781	901	86.68%	33.98%	-0.391764	-1.238175
March 2017	Maintenance and Repair	MR-9C	Repair Appointments Met-No Dispatch	Residence	Parity	N/A	2	2	100.00%	0.00%	270	284	95.07%	21.65%	-0.320903	-1.195095
March 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A	0	33,792	0.00%	0.01%					-2.956675	
March 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc wi TGSR excl	LIS Trunk	Parity	N/A	5	13,087	0.04%	0.38%					-2.875883	
March 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	17	33,888	0.05%							
March 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	13,087	0.04%							
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	10	2	5.00							
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	71	3	23.67	12.70						
March 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,742	12	145.17	34.64	34,441	315	109.34	175.96	0.748763	-0.544784
March 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3	3	100.00%	0.00%						
March 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	12	0.00%	0.00%	146	315	46.35%	49.87%	-3.160131	-2.921223
March 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	8	9	88.89%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	4	4	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	2	2	100.00%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	123	142	86.62%							
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	33	51	64.71%	47.79%						
March 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	59	73	80.82%							
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%						
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	1	1	100.00%							
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	0	9	0.00%	0.00%	4	4	100.00%	0.00%	2.989188	0.817297
March 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	2	2	100.00%							
March 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00							
March 2017	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	3	1	3.00							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	71	8	8.88							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	308	92	3.35							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	43	381	8.86							
March 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	338	48	7.04							
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	1	3.00	0.00						
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	63	9	7.00							
March 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	9	2	4.50							
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	4	4	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	5	5	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	143	151	94.70%	22.40%	2	2	100.00%	0.00%	-1.269299	-1.771679
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	60	60	100.00%	0.00%	4	4	100.00%	0.00%		
March 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	73	76	96.05%	19.47%	1,888	2,014	93.74%	24.22%	-0.815887	-1.496024
March 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,221	3,241	99.38%							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6937.00	19,820	0.35							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15473.48	12,788	1.21							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22410.48	19,820	1.13							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3193.52	4,202	0.76							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3721.18	4,202	0.89							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	737.02	1,714	0.43							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1235.96	1,166	1.06							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1972.98	1,714	1.15							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3284.34	3,819	0.86							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8121.30	3,795	2.14							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11405.64	3,819	2.99							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8027.76	7,719	1.04							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6542.40	5,640	1.16							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14570.16	7,719	1.89							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2299.50	1,095	2.10							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	635.60	1,135	0.56							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2935.10	1,095	2.68							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3602.34	6,671	0.54							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7477.26	13,118	0.57							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11079.60	6,671	1.66							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	268.00	1,072	0.25							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	853.55	1,985	0.43							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1244.16	972	1.28							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2365.71	1,985	1.19							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2346.00	3,450	0.68							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	52038.72	2,736	19.02							
March 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	54384.72	3,450	15.76							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8373.10	4,526	1.85							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.67	4,479	1.73							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67292.68	6,916	9.73							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26232.15	6,321	4.15							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47050.96	3,368	13.97							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3882.75	775	5.01							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	14996.64	4,776	3.14							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3795.60	3,163	1.20							
March 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5626.95	1,631	3.45							
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,824	3,588	78.71%							
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	43	112	38.39%							
March 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	443	546	81.14%							
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,824	2,837	99.54%							
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	43	44	97.73%							
March 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	443	445	99.55%							
March 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	57-35	3	19.12							
March 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	407-07	319	1:17							
March 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	560	560	100.00%							
March 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	416	416	100.00%							
March 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,513	2,513	100.00%							
March 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	162	162	100.00%							
March 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	168	177	94.92%							
March 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	574	575	99.83%							
March 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	12	15	80.00%							
March 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	21	89	23.60%	42.46%	1	87	1.15%	10.66%	-13.967183	-9.491445
February 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,492	1,493	99.93%							
February 2017	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	1,657,898	1,658,447	99.97%							
February 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	4,755	4,755	100.00%							
February 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,944	2,945	99.97%	1.84%	52,719	53,180	99.13%	9.27%	-4.746262	-3.885523
February 2017	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	4,755	4,755	100.00%							
February 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	2	2	100.00%							
February 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,967,622	2,759,277	1.08							
February 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	4833.46	27,365	0.18							
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	27,360	27,360	100.00%							
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	27,360	27,360	100.00%							
February 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	27,360	27,360	100.00%							
February 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	38,880	38,880	100.00%							
February 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	37,860	37,860	100.00%							
February 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	24,720	24,720	100.00%							
February 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	0	0								
February 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5	10	50.00%	50.00%	5	12	41.67%	49.30%	-0.394771	-1.240004
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	6	10	60.00%							
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	4	13	30.77%							
February 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	30	53	56.60%	49.56%	6	13	46.15%	49.85%	-0.677282	-1.411758
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	42.86%	49.49%		14	26	53.85%	49.85%	0.092133	-0.943987
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%							
February 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	5	7	71.43%	45.18%	14	26	53.85%	49.85%	-0.828278	-1.503557
February 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	4	13	30.77%	46.15%	384	798	48.12%	49.96%	0.960964	-0.415775
February 2017	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	Residence	Parity	N/A	142.17	2	71.08	34.25	182510-49	3,497	52.11	146.11	1.112321	-0.232757
February 2017	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	Residence	Parity	N/A	24.44	1	24.44	0.00	34886-49	750	46.31	45.09	-0.482144	-1.293122
February 2017	Maintenance and Repair	MR-6C	Mean Time to Restore no dispatch	Residence	Parity	N/A	1.15	1	1:15	0.00	3370-50	232	14.32	23.00	-0.575951	-1.250153
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	49.01	10	4.54	3.50	62-38	10	6.16	3.42	-0.824277	-1.501125
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	78.00	10	7.48	15.45	0:14	1	0.14	0.00		
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	69.24	13	5.20	2.56	0:14	1	0.14	0.00		
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	261.36	53	4.56	4.13	64-53	11	5.54	3.42	-0.783685	-1.476446
February 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	1012.28	89	11.23	13.27	205864-42	4,253	48.24	133.45	-2.584827	-2.571463
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	43.57									

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
February 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	23.20	4	5.50	2.59	45881.08	1,014	45.15	45.21	-1.734524	-2.054516
February 2017	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/ MSA	Residence	Parity	N/A	1	2	50.00%	50.00%	533	3,711	14.36%	35.07%	0.62195	-0.621881
February 2017	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	90	784	11.48%	31.88%	-0.359886	-1.218795
February 2017	Maintenance and Repair	MR-7C	Repair Repeat Report Rate-no dispatch	Residence	Parity	N/A	1	1	100.00%	0.00%	24	271	8.86%	28.41%	1.329074	-0.19198
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	10	20.00%	40.00%	5	14	35.71%	47.92%	0.00%	-0.792091
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	10	0.00%	0.00%	0	1	0.00%	0.00%	0.00%	-1.481557
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	13	0.00%	0.00%	0	1	0.00%	0.00%	0.00%	-1.790988
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	9	53	16.98%	37.55%	5	14	35.71%	47.92%	-1.30106	-0.929885
February 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	13	89	14.61%	35.32%	643	4,679	13.74%	34.43%	0.115329	-1.346227
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	7	0.00%	0.00%	5	26	19.23%	39.41%	-1.145919	-1.69667
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%	0.00%	-1.69667
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	7	0.00%	0.00%	5	26	19.23%	39.41%	-1.145919	-1.69667
February 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	4	25.00%	43.30%	130	1,084	11.99%	32.49%	0.248538	-0.848899
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	17	1,329	1.28%	11.24%	38	2,403	1.58%	12.48%	-0.708612	-1.430606
February 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	69,712	0.00%	0.38%	0	56,185	0.00%	0.00%	0.00%	0.366512
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	4	60	6.67%	24.94%	4,766	320,805	1.49%	12.10%	2.247713	0.366512
February 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	218	0.00%	0.00%	40	2,738	1.46%	12.00%	-1.730222	-2.0519
February 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	10	2,113	0.47%	6.86%	1	931	0.11%	3.28%	2.83931	0.726178
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	13	14,375	0.09%	3.01%	1	931	0.11%	3.28%	-0.153252	-1.093171
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	60	4,600	1.30%	11.35%	39	2,441	1.60%	12.54%	-0.934313	-1.568022
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%	0.00%	40	2,731	1.46%	12.01%	-0.569564	-1.346227
February 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	93	23,371	0.40%	6.30%	5,763	477,563	1.21%	10.92%	-11.057182	-7.722289
February 2017	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	0	2	0.00%	0.00%	2,828	3,711	76.21%	42.58%	1.582545	-0.037881
February 2017	Maintenance and Repair	MR-9B	Repair Appointments Met-Disp out MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	665	784	84.82%	35.88%	-0.422752	-1.257015
February 2017	Maintenance and Repair	MR-9C	Repair Appointments Met-No Dispatch	Residence	Parity	N/A	1	1	100.00%	0.00%	255	271	94.10%	23.57%	-0.250029	-1.152007
February 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGRS excl	LIS Trunk	Parity	N/A	15	32,664	0.04%	0.04%	1	3	33.33%	100.00%	-2.866025	-2.866025
February 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGRS excl	LIS Trunk	Parity	N/A	1	12,967	0.00%	0.04%	1	1	100.00%	100.00%	-2.985008	-2.985008
February 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	43	33,840	0.13%	0.13%	3	3	100.00%	100.00%	0.00%	-2.985008
February 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGRS excl	LIS Trunk	Diagnostic	N/A	3	13,063	0.02%	0.02%	1	1	100.00%	100.00%	0.00%	-2.985008
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	48	1	48.00%	48.00%	1	1	100.00%	100.00%	0.00%	-2.985008
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	594	13	45.69	35.56	296	2	148.00	135.76	-1.26886	-1.771412
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	120	9	13.33	7.28	31,722	304	104.35	174.60	-0.586626	-1.356643
February 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,706	21	81.24	55.19	4	4	100.00%	100.00%	0.00%	-1.018503
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	4	13	30.77%	46.15%	2	2	100.00%	100.00%	-1.921503	-2.168191
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	9	9	100.00%	0.00%	138	304	45.39%	49.79%	-0.085332	-1.051878
February 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	5	21	23.81%	42.59%	823	829	99.28%	8.48%	-0.085332	-1.051878
February 2017	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	100.00%	0.00%	-1.051878
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%	100.00%	1	1	100.00%	100.00%	0.00%	-0.030435
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	148	159	93.08%	37.27%	4	4	100.00%	100.00%	0.00%	-0.030435
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	25	30	83.33%	88.89%	1	1	100.00%	100.00%	0.00%	-0.030435
February 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	32	36	88.89%	0.00%	7	8	87.50%	87.50%	0.00%	-0.030435
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	14	14	100.00%	100.00%	0.00%	-0.086729
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	7	8	87.50%	0.00	802	298	2.69	19.47	-0.086729	-1.052727
February 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	14	14	100.00%	0.00	1	1	100.00%	100.00%	0.00%	-0.086729
February 2017	Ordering and Provisioning	OP-4C	No dispatches	Residence	Parity	N/A	1	1	1.00	0.00	1	1	100.00%	100.00%	0.00%	-0.086729
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00	3.29	582	177	3.29	5.26	1.15	-1.177241
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	582	177	3.29	5.26	179	34	5.26	5.29	2.688%	-0.291536
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	179	34	5.26	5.29	270	51	5.29	5.29	0.00%	-2.620817
February 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	270	51	5.29	5.29	27	8	3.38	4.73	0.00%	-2.593344
February 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	27	8	3.38	4.73	71	15	4.73	4.73	0.00%	-1.335178
February 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	71	15	4.73	4.73	66	66	100.00%	100.00%	0.00%	-1.81173
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	1,637	1,754	93.33%	24.95%	-2.132159	-2.296261
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	2,011	2,182	92.16%	26.88%	-0.291536	-1.177241
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	226	227	99.56%	6.62%	1	1	100.00%	0.00%	-2.620817	-2.593344
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	39	40	97.50%	15.61%	4	4	100.00%	0.00%	-1.335178	-1.81173
February 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	66	66	100.00%	0.00%	1,637	1,754	93.33%	24.95%	-2.132159	-2.296261
February 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	7,512	7,517	99.93%	99.93%	1	1	100.00%	100.00%	0.00%	-2.296261
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6314.55	19,135	0.33	0.33	19,135	12,810	1.23	1.25	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15756.30	12,810	1.23	1.23	12,810	19,135	1.25	1.25	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22070.85	19,135	1.15	1.15	19,135	12,810	1.23	1.25	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3210.00	4,280	0.75	0.75	4,280	3,713.36	4.280	0.87	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3713.36	4,280	0.87	0.87	4,280	3,713.36	4.280	0.87	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	738.74	1,718	0.43	0.43	1,718	1,169	1.08	1.08	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1262.52	1,169	1.08	1.08	1,169	1,718	1.16	1.16	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	2001.26	1,718	1.16	1.16	1,718	1,169	1.08	1.08	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3414.93	3,837	0.89	0.89	3,837	3,081.22	3.794	2.13	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8081.22	3,794	2.13	2.13	3,794	3,837	3.00	3.00	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11496.15	3,837	3.00	3.00	3,837	3,081.22	3.794	2.13	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8540.74	7,982	1.07	1.07	7,982	6,486.00	5.640	1.15	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15	1.15	5,640	7,982	1.88	1.88	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	15026.74	7,982	1.88	1.88	7,982	6,486.00	5.640	1.15	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2319.76	1,084	2.14	2.14	1,084	678.30	1.90	0.57	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	678.30	1,190	0.57	0.57	1,190	2,998.06	1.084	2.77	0.00%	-2.93344
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2998.06	1,084	2.77	2.77	2,998.06	1,190	0.57			

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	53639.15	2,801	19.15							
February 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	56158.43	3,499	16.05							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8389.75	4,535	1.85							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.67	4,479	1.73							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	68191.76	6,916	9.86							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26127.54	6,311	4.14							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	46713.96	3,468	13.47							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	14994.00	4,760	3.15							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3992.58	3,246	1.23							
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assign XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46							
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,489	3,095	80.42%							
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	28	70	40.00%							
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	430	527	81.59%							
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,489	2,492	99.88%							
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	28	28	100.00%							
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	430	432	99.54%							
February 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	24:17	1	24:17							
February 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	221:22	153	1:27							
February 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	195	195	100.00%							
February 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	359	359	100.00%							
February 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,202	2,202	100.00%							
February 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	125	125	100.00%							
February 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	196	199	98.49%							
February 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	488	488	100.00%							
February 2017	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	3	3	100.00%							
February 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	3	3	100.00%							
February 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	5	42	11.90%	32.38%		4	75	5.33%	22.47%	-1.517484	-1.922565
January 2017	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,726	1,729	99.83%							
January 2017	Billing	BI-3A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Diagnostic	N/A	1,648,903	1,648,903	100.00%							
January 2017	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	22,187	22,187	100.00%							
January 2017	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,440	2,441	99.96%	2.02%	52,029	52,870	98.41%	12.51%	-5.983105	-4.63747
January 2017	Billing	BI-4B	Reciprocal Compensation (MOU);	Reciprocal Compensation	Diagnostic	N/A	22,112	22,112	100.00%							
January 2017	Collocation	CP-2C	Collocations with Intervals Longer than 120 Days	All	Diagnostic	N/A	1	1	100.00%							
January 2017	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,689,617	2,512,227	1.07							
January 2017	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	5077.86	32,161	0.16							
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,060	30,060	100.00%							
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,060	30,060	100.00%							
January 2017	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,060	30,060	100.00%							
January 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,900	42,900	100.00%							
January 2017	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,820	41,820	100.00%							
January 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	22,320	22,320	100.00%							
January 2017	Electronic Gateway Availability	GA-4	System Availability - ASR	EXACT	Diagnostic	N/A	21,960	21,960	100.00%							
January 2017	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	5	40.00%	48.99%	10	15	66.67%	47.14%	0.535415	-0.674491
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	7	42.86%							
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	5	8	62.50%							
January 2017	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	14	34	41.18%	49.22%	11	16	68.75%	46.35%	1.520626	-0.075525
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	11	17	64.71%	47.79%	0.401952	-0.75563
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	3	3	100.00%							
January 2017	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	4	25.00%	43.30%	11	17	64.71%	47.79%	0.789837	-0.465097
January 2017	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	2	9	22.22%	41.57%	396	694	57.06%	49.50%	1.758184	0.0689
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	23:35	5	4:43	2:46	55:29	14	3:58	2:50	0.473299	-0.712255
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	28:01	7	4:00	2:12	7:47	1	7:47	0:00		
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	29:06	8	3:38	3:12	7:47	1	7:47	0:00		
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	208:30	34	6:08	4:34	57:56	15	3:52	2:45	1.750686	0.064342
January 2017	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	587:33	61	9:38	9:15	168276:56	3,619	46:30	199:08	-1.433905	-1.871753
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	25:35	3	8:32	7:58	69:20	15	4:37	5:14	0.742144	-0.548808
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	8:23	3	2:48	1:04						
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	19:47	4	4:57	2:44	69:20	15	4:37	5:14	0.302855	-0.815877
January 2017	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	38:22	2	19:11	5:46	34763:23	931	37:20	47:13	-0.54318	-1.33023
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	5	20.00%	40.00%	0	17	0.00%	0.00%	0.747859	-0.545334
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	7	14.29%	34.99%	0	1	0.00%	0.00%	-1.150349	-1.699363
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	8	0.00%	0.00%	0	1	0.00%	0.00%		
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	5	34	14.71%	34.25%	0	17	0.00%	0.00%	1.18275	-0.280939
January 2017	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	61	6.56%	25.47%	539	4,044	13.33%	33.99%	-1.54433	-1.938886
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%	8	17	47.06%	49.91%	-1.505545	-1.915307
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1	3	33.33%	47.14%						
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%	8	17	47.06%	49.91%	-1.696557	-2.031434
January 2017	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	2	0.00%	0.00%	122	1,002	12.18%	32.70%	-0.526042	-1.319811
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	1,372	0.58%	7.61%	32	2,417	1.32%	11.43%	-1.917563	-2.165795
January 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	70,552	0.00%	0.00%	0	55,921	0.00%			
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	59	0.00%		4,182	323,898	1.29%	11.29%	-0.878408	-1.534034
January 2017	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	216	0.00%		34	2,751	1.24%	11.05%	-1.583099	-1.962456
January 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	7	2,161	0.32%	5.68%	1	950	0.11%	3.24%	1.732211	0.05311
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	11	14,624	0.08%	2.74%	1	951	0.11%	3.24%	-0.275986	-1.677788
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	38	4,697	0.81%	8.96%	33	2,455	1.34%	11.52%	-1.866037	-2.13447
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	22	0.00%	0.00%	34	2,744	1.24%	11.06%	-0.523278	-1.31813
January 2017	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	63	23,630	0.27%	5.16%	5,046	482,053	1.05%	10.18%	-11.504931	-7.994501
January 2017	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGSR excl	LIS Trunk	Parity	N/A	1	34,032	0.00%	0.02%					-2.988449	
January 2017	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGSR excl	LIS Trunk	Parity	N/A	0	13,063	0.00%	0.01%					-2.996472	
January 2017	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGSR excl	LIS Trunk	Diagnostic	N/A	4	34,128	0.01%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score	
January 2017	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	13,063	0.00%								
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Sub-Loop Unbundling	Diagnostic	N/A	39	2	19.50								
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	426	11	38.73	26.76							
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	0	1	0.00	0.00	256		2	128.00	135.76	-0.7698	-1.468005
January 2017	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	1,335	40	33.38	49.37	43,405		362	119.90	193.72	-2.680719	-2.629761
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	5	11	45.45%	49.79%							
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	2		2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	23	40	57.50%	49.43%	153		362	42.27%	49.40%	1.943134	0.181341
January 2017	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	3	3	100.00%								
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	2		2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	152	161	94.41%								
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	48	49	97.96%	14.14%	1		1	100.00%	0.00%	-2.053749	-2.248591
January 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	89	93	95.70%								
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%								
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%							
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	14	14	100.00%								
January 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%							
January 2017	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	9	3	3.00								
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	7	1	7.00	0.00							
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	300	101	2.97								
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	193	34	5.68								
January 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	455	90	5.06								
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	0	1	0.00								
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	10	1	10.00	0.00							
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	24	8	3.00								
January 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	7	2	3.50								
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	7	7	100.00%	0.00%	2		2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	3	3	100.00%	0.00%	2		2	100.00%	0.00%		
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	175	178	98.31%	12.87%	1		1	100.00%	0.00%	-2.125804	-2.292397
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	49	51	96.08%	19.41%	2		2	100.00%	0.00%	-1.441328	-1.876265
January 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	94	96	97.92%	14.28%	1,812		1,968	92.07%	27.02%	-2.069425	-2.258121
January 2017	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,535	3,559	99.33%								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	6846.35	19,561	0.35								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15751.78	13,018	1.21								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22598.13	19,561	1.16								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	3146.25	4,195	0.75								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	3727.65	4,195	0.89								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	720.30	1,715	0.42								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1241.15	1,205	1.03								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1961.45	1,715	1.14								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3223.08	3,837	0.84								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	8107.65	3,771	2.15								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11330.73	3,837	2.95								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	8216.53	7,679	1.07								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14702.53	7,679	1.91								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	2265.90	1,079	2.10								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	655.05	1,191	0.55								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	2920.95	1,079	2.71								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3686.58	6,827	0.54								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7878.00	13,130	0.60								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11564.58	6,827	1.69								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	264.75	1,059	0.25								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	817.54	1,994	0.41								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1237.11	959	1.29								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2319.40	1,994	1.16								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	2293.41	3,423	0.67								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	51346.01	2,701	19.01								
January 2017	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	53639.42	3,423	15.67								
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	8412.78	4,523	1.86								
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	7614.30	4,479	1.70								
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	67178.52	6,876	9.77								
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26253.76	6,311	4.16								
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	47120.81	3,373	13.97								
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3863.25	765	5.05								
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	15057.00	4,780	3.15								
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3895.20	3,246	1.20								
January 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46								
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,555	3,173	80.52%								
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	39	76	51.32%								
January 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	466	555	83.96%								
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,555	2,561	99.77%								
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	39	39	100.00%								
January 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	466	470	99.15%								
January 2017	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	1.38	1	1.38								
January 2017	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	165.50	169	0.59								
January 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	183	183	100.00%								
January 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	458	458	100.00%								
January 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,289	2,290	99.96%								
January 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	108	108	100.00%								
January 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	175	179	97.77%								
January 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	502	502	100.00%								

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2017	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	18	18	100.00%							
January 2017	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	22	60	36.67%	48.19%	2	90	2.22%	14.74%	-14.020278	-9.523724