WN U-60

## PUGET SOUND ENERGY Electric Tariff G

## SCHEDULE 58 FLOOD LIGHTING SERVICE (Continued)

<u>Horizontal Flood</u> Sodium Vapor	Base Rate per	Low Income			
Lamp Wattage	Month per lamp	Program	Effective Rate		
100	\$13.60	\$0.01	\$13.61	— (I) (	(I)
150	\$15.01	\$0.02	\$15.03		ļ
200	\$17.26	\$0.02	\$17.28		ļ
250	\$17.70	\$0.03	\$17.73		
400	\$22.77	\$0.04	\$22.81	(I) (	(I)
Metal Halide	Base Rate per	Low Income			
Lamp Wattage	Month per lamp	Program	Effective Rate		
175	\$18.85	\$0.02	\$18.87	- (I) (	(I)
250	\$21.08	\$0.03	\$21.11		
400	\$26.18	\$0.04	\$26.22	(1) (	(I)

## FACILITIES CHARGE:

By:

The Company's facilities will be extended to provide secondary voltage service to an existing pole or to a thirty foot wood pole (installed for the purpose of area lighting) at locations where such pole and/or service is not available under the following terms:

<u>Facilities installed after November 1, 1999</u>: Customers served by a 30 foot wood pole installed after this date shall have the option of paying the full cost of the extension and pole up-front or shall be subject to a charge of \$7.48 per month for each pole required for such extension. The cost of all other extensions of facilities to provide secondary voltage service shall be paid in advance of service.

## SPECIAL TERMS AND CONDITIONS:

1. <u>Ownership & Operations</u>: The Company will own, operate, and maintain the facilities for supplying flood lighting service utilizing its overhead circuits in accordance with the Company's standards. The Company will furnish the necessary energy, repairs, and maintenance. Repairs and maintenance work will be performed by the Company as required during regularly scheduled working hours of the Company.

Issued: February 25, 2005	Effective: March 4, 2005				
Advice No.: 2005-12					
By Authority of the Washington Utilities and Transportation Commission in Docket No. UG-040640 & UE-040641					
Issued By Puget Sound Energy					

Karl R. Karzmar

Title: Director, Regulatory Relations

(I)