



Qwest Corporation (Qwest or CTL-Q) Performance Results

Washington February 2017 - February 2018

Statistical parameters used to calculate whether PAP standards have been met or missed, and any applicable PAP payments, are sometimes required to be different than those used to calculate performance in this report. See the Reading Reports link on CenturyLink's Wholesale Website for details.

March 9, 2018

CenturyLink QC Performance Results – Current 271 PID

Month	Category	Item	Sub-Item	Unit	Value	Target	Delta	Score	Weight	Impact	Score	Weight	Impact			
April 2017	Maintenance and Repair	MR-8	Trouble Rate	LIS Truck	Platy	N/A	1	70,432	0.00%	0.38%	4	56,425	0.01%	0.84%	-1.19119	-1.72854
April 2017	Maintenance and Repair	MR-8	Trouble Rate	Sub-Loop UNBINDING	Platy	N/A	2	222	0.00%	0.45%	25	2,850	0.05%	2.89%	-0.00135	-1.04239
April 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBINDING LOOP - ADSL COMPATIBLE	Platy	N/A	4	2,003	0.00%	1.46%	0	912	0.00%	0.00%	0.00000	0.00000
April 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBINDING LOOP - 2 Wire Non-Loaded	Platy	N/A	0	14,115	0.00%	0.00%	0	912	0.00%	0.00%	0.00000	0.00000
April 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBINDING LOOP - DS1 Capable	Platy	N/A	28	4,514	0.06%	7.85%	25	2,361	0.06%	10.20%	-1.68705	-2.05862
April 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBINDING LOOP - XDSL	Platy	N/A	0	200	0.00%	0.00%	25	2,628	0.06%	0.77%	-0.88618	-1.28845
April 2017	Maintenance and Repair	MR-8	Trouble Rate	UNBINDING LOOP - 2 Wire Non-Loaded	Platy	N/A	696	227	2.00%	2.20%	4,871	486,481	1.00%	3.84%	-16.80739	-7.21763
April 2017	Network Performance	N-1A	Trunk Backlog to CLG-Tandem Off w/ TGRS end	LIS Truck	Platy	N/A	4	33,376	0.01%	0.14%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Network Performance	N-1B	Trunk Backlog to CLG-End Off w/ TGRS end	LIS Truck	Platy	N/A	1	12,967	0.01%	0.09%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Network Performance	N-1C	Trunk Backlog to CLG-Tandem Truck w/ TGRS end	LIS Truck	Platy	N/A	1	33,689	0.01%	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Network Performance	N-1D	Trunk Backlog to CLG-End Off w/ TGRS end	LIS Truck	Platy	N/A	4	13,087	0.01%	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-15A	Internal Pending Orders Delayed Past Due Date	UNBINDING Loop Analog	Platy	N/A	1,890	22	86.00%	88.83	38,620	302	121.30	184.78	-0.88482	-1.02789
April 2017	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed Past Due Date	UNBINDING Loop Analog	Platy	N/A	0	0	0.00%	0.00%	195	300	51.32%	43.88%	-4.49493	-3.92977
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 1 - Areas	LIS Truck	Platy	N/A	2	2	100.00%	0.00%	4	4	100.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 2 - Areas	UNBINDING Loop - 2 Wire Non-Loaded	Platy	N/A	12	12	100.00%	0.00%	1	1	100.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-3D	Interval Zone 3 - Areas	UNBINDING Loop - DS1 Capable	Platy	N/A	13	16	81.25%	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 - Areas	UNBINDING Loop - DS1 Capable	Platy	N/A	2	2	100.00%	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 3 - Areas	UNBINDING Loop - 2 Wire Non-Loaded	Platy	N/A	10	10	100.00%	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 2 - Areas	UNBINDING Loop - DS1 Capable	Platy	N/A	1	1	100.00%	41.14%	1	1	100.00%	0.00%	0	-1
April 2017	Ordering and Provisioning	OP-3E	Interval Zone 3 - Areas	UNBINDING Loop Analog	Platy	N/A	2	2	100.00%	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-4D	Interval Zone 1 - Areas	UNBINDING Loop - 2 Wire Non-Loaded	Platy	N/A	6,60	397	105	3.78	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-4D	Interval Zone 2 - Areas	UNBINDING Loop Analog	Platy	N/A	6,60	132	26	5.08	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 - Areas	UNBINDING Loop - DS1 Capable	Platy	N/A	6,60	18	3	4.33	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-4E	Interval Zone 3 - Areas	UNBINDING Loop - 2 Wire Non-Loaded	Platy	N/A	6,60	12	6	2.00	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-4E	Interval Zone 2 - Areas	UNBINDING Loop - DS1 Capable	Platy	N/A	6,60	17	3	5.67	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-4E	Interval Zone 3 - Areas	UNBINDING Loop Analog	Platy	N/A	6,60	3	4.33	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Truck	Platy	N/A	5	5	100.00%	0.00%	4	4	100.00%	0.00%	0.00000	0.00000
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBINDING Loop - 2 Wire Non-Loaded	Platy	N/A	137	145	94.48%	22.87%	6	6	100.00%	0.00%	-0.57473	-1.38413
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBINDING Loop - DS1 Capable	Platy	N/A	137	137	100.00%	0.00%	0	0	0.00%	0.00%	-1.16667	-1.70283
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBINDING Loop Analog	Platy	N/A	30	30	100.00%	28.75%	1,695	1,814	93.44%	24.76%	0.32023	-0.80428
April 2017	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBINDING Loop Analog	Platy	N/A	30	30	100.00%	98.97%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Address Validation)	LNP	Diagnostic	N/A	6,962	4,984	98.96%	19.89%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	15,437.18	12,758	1.21	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	22,399.18	19,816	1.13	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Agmt. Schedul.)	REQUEST	Diagnostic	N/A	328.196	4	1.32	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Agmt. Schedul.)	TOTAL	Diagnostic	N/A	380.82	4,192	0.91	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Agmt. Schedul.)	REQUEST	Diagnostic	N/A	102.82	1,774	1.71	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	1,213.38	1,134	0.91	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	1,926.20	1,774	1.11	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	3,881	3,881	100.00%	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	7,908.68	3,739	2.12	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	11,794.34	3,881	2.90	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	7,852.61	7,852	100.00%	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6,972.60	5,560	1.14	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	14,825.22	7,852	1.90	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Max Part Intry)	REQUEST	Diagnostic	N/A	2,171.19	1,509	1.11	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Max Part Intry)	RESPONSE	Diagnostic	N/A	644.76	1,194	0.54	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Max Part Intry)	TOTAL	Diagnostic	N/A	2,815.95	1,803	2.74	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	3,978.27	6,387	1.60	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	7,980.80	13,760	0.74	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11,959.07	20,147	0.61	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	2,654.04	1,021	0.24	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	853.19	1,999	0.41	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	1,136.66	921	0.28	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	2,224.69	1,969	1.13	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times(Tenure/Qual Tools)	REQUEST	Diagnostic	N/A	2,901.01	3,531	0.71	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times(Tenure/Qual Tools)	RESPONSE	Diagnostic	N/A	5,021.08	2,728	1.90	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times(Tenure/Qual Tools)	TOTAL	Diagnostic	N/A	5,419.09	3,531	1.42	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times (Address Validation)	XML Request/Response	Diagnostic	N/A	441.72	4,823	1.88	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Agmt. Schedul. XML)	XML Request/Response	Diagnostic	N/A	7,864.64	4,562	1.74	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	686,438.84	6,976	9.84	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	263,744.78	6,324	41.10	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	4,602.58	3,472	1.34	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	3,944.75	775	5.09	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Max Part Intry XML)	XML Request/Response	Diagnostic	N/A	4,208.01	1,829	2.31	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Max Part Intry XML)	XML Request/Response	Diagnostic	N/A	3,787.20	1,156	1.00	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Availability XML)	XML Request/Response	Diagnostic	N/A	56,952.0	1,836	34.7	0.00%	0	0	0.00%	0.00%	0.00000	0.00000
April 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Availability XML)	XML Request/Response	Diagnostic	N/A										

February 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times(Loop Dual Tools)	RESPONSE	Diagnostic	N/A	53639.15	2,801	19.15										
February 2017	Pre-Ordering	PO-1-IMA-GUI	Pre-Order Response Times(Loop Dual Tools)	TOTAL	Diagnostic	N/A	56158.42	2,499	16.55										
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	4389.75	4,535	1.85										
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Age Scheduler XML)	XML Request/Response	Diagnostic	N/A	7748.87	4,479	1.73										
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Fully Check XML)	XML Request/Response	Diagnostic	N/A	68191.76	6,916	9.86										
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	26127.54	6,311	4.14										
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Dual Tools XML)	XML Request/Response	Diagnostic	N/A	46713.95	3,468	13.47										
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Mail Post Inquiry XML)	XML Request/Response	Diagnostic	N/A	3051.25	775	5.15										
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	14994.00	4,780	3.15										
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	3992.58	3,248	1.23										
February 2017	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fax Assign XML)	XML Request/Response	Diagnostic	N/A	5612.12	1,622	3.46										
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	2,499	3,095	80.42%										
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O LINE-P-POTS	Diagnostic	N/A	28	70	40.00%										
February 2017	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	430	537	81.59%										
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	2,499	2,492	99.88%										
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O LINE-P-POTS	Diagnostic	N/A	28	28	100.00%										
February 2017	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	430	433	99.54%										
February 2017	Pre-Ordering	PO-2C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	2417	1	24.17										
February 2017	Pre-Ordering	PO-2A	Electronic LSRs Received Manually	Product Aggregate	Diagnostic	N/A	22122	153	1.27										
February 2017	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	195	195	100.00%										
February 2017	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EEEs	Benchmark	95.00%	359	359	100.00%										
February 2017	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	2,202	2,202	100.00%										
February 2017	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	125	125	100.00%										
February 2017	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EEEs	Benchmark	90.00%	199	199	98.49%										
February 2017	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	488	488	100.00%										
February 2017	Pre-Ordering	PO-5C-(a)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	3	3	100.00%										
February 2017	Pre-Ordering	PO-5D	FOCs provided for LSRs requesting LIS Trunk	LIS Trunk	Benchmark	85.00%	2	3	100.00%										
February 2017	Pre-Ordering	PO-5B	Unbundled Loops	Unbundled Loops and Number Portability	Purity	N/A	6	42	11.90%	32.38%	4	75	6.33%	22.47%	-1.517484	-1.922665			