

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of M K Wiebe Keogh <marniwk@yahoo.com>  
**Sent:** Sunday, August 11, 2013 8:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:45  
UTC DL RECORDS CENTER

M K Wiebe Keogh  
22015a 76th Ave W  
Edmonds, WA 98026-7905

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Valerie Mehring <vmehring@gmail.com>  
**Sent:** Sunday, August 11, 2013 8:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:15  
UTC DL RECORDS CENTER  
1111 1ST AVENUE  
SEASIDE WA 98148

Valerie Mehring  
13729 22nd Ave NE  
Seattle, WA 98125-3313  
(206) 406-7146

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Adele Warsinske <westseattlewar@yahoo.com>  
**Sent:** Sunday, August 11, 2013 8:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:45  
UTC DL RECORDS CENTER

Adele Warsinske  
7566 37th Ave SW  
Seattle, WA 98126-3257  
(206) 937-3698

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Leslie Scott <lesliedscott@yahoo.com>  
**Sent:** Sunday, August 11, 2013 8:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Leslie Scott  
6121 S 242nd Pl  
Apt 10-301  
Kent, WA 98032-4638



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Frances Hogan <rockranch2000@yahoo.com>  
**Sent:** Sunday, August 11, 2013 8:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:15  
UTC DL RECORDS CENTER

Frances Hogan  
PO Box 2863  
Vashon, WA 98070-2863  
(253) 620-4135

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Bette Lu Krause <bettelukrause@gmail.com>  
**Sent:** Sunday, August 11, 2013 8:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:45

Bette Lu Krause  
27806 L PI  
Ocean Park, WA 98640-4423

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Richard Hann <rickhann@hotmail.com>  
**Sent:** Sunday, August 11, 2013 8:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am long time PSE customer.

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

Richard Hann  
5513 Maple Way  
Blaine, WA 98230-9635  
(360) 739-4205

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Robert Whitlock <robertfwhitlock@gmail.com>  
**Sent:** Sunday, August 11, 2013 8:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am aware that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years.

Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance.

PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs.

Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

2013 AUG 12 PM 11:45

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Thank you,

Sincerely,

Robert Whitlock  
502 Tullis St NE  
Olympia, WA 98506-4240  
(360) 259-4291



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Lauren Kim <laurenlovestrees@gmail.com>  
**Sent:** Sunday, August 11, 2013 8:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:10  
UTC DL RECORDS CENTER

Lauren Kim  
2840 Eastlake Ave E Apt 514  
Seattle, WA 98102-3044

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Suzanne Immonen <s\_immonen@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:18  
UTC DL RECORDS CENTER

Suzanne Immonen  
4447 Moresby Way  
Ferndale, WA 98248-9510  
(360) 922-0382

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Melvin Mackey <melvin\_mackey@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:18  
STATE OF WASHINGTON  
UTILITY AND TRANSPORTATION COMMISSION

Melvin Mackey  
24430 Old Mill Rd SW  
Vashon, WA 98070-7547  
(206) 463-3468

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Marsha Beck <beckshopper@q.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:40  
UTC DL RECORDS CENTER

Marsha Beck  
10023 N Quinault Ct  
Spokane, WA 99208-9320



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Marie Johantgen <johantgen9220@comcast.net>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:19

Marie Johantgen  
3115 31st Ct SE  
Olympia, WA 98501-3917  
(360) 539-7976

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Hal Glidden <hglid@comcast.net>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:43

Hal Glidden  
419 Briar Rd  
Bellingham, WA 98225-7809  
(360) 778-3583

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Marguerite Thayer <thayermr58@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:19

Marguerite Thayer  
PO Box 1264  
Federal Way Wa 98023 (residenc  
Kent, WA 98035-1264  
(253) 835-1464

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of William Monroe <bill.monroe@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:49  
UTC DL RECORDS CENTER

William Monroe  
1467 Ridge Dr  
Camano Island, WA 98282-7615  
(360) 387-8270



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Polly Taylor <pollyktaylor@comcast.net>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 1:19

Polly Taylor  
312 18th Ave SE  
Olympia, WA 98501-2302  
(360) 943-3554

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of David & Judith Laws <davidmlaws@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

We are very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. We urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:19

UTC DL  
RECORDS CENTER

UTC DL  
RECORDS CENTER

David & Judith Laws  
1718 Valencia St  
Bellingham, WA 98229-5335

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Cj Gainer <redwing-9@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:19  
UTC DL RECORDS CENTER

Cj Gainer  
4500 Palatine Ave N  
Seattle, WA 98103-6397

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Denise R. Ballard <wateri@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:49

Denise R. Ballard  
6523 California Ave SW  
Seattle, WA 98136-1833



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Marilyn Wojtyna <mmwojtyna@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:19  
UTC DL RECORDS CENTER

Marilyn Wojtyna  
19103 23rd Ave. Ne  
Woodinville, WA 98077

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Randall Ayers <allphourus@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:59  
UTC DL RECORDS CENTER  
1000 WEST 10TH AVENUE  
SEATTLE, WA 98101  
TEL: 206.462.2000  
WWW.UTC.WA.GOV

Randall Ayers  
14000 SE Cascde Prk Dr Apt 30  
Vancouver, WA 98683-8707  
(973) 962-6985

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Roni Jo Patterson <stackatoms@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:19

Roni Jo Patterson  
2614 4th Ave  
Apt 206  
Seattle, WA 98121-1201

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Shelley Moore <bivalveshell@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:19  
MAIL ROOM  
COMMUNICATIONS SECTION  
UTILITY AND TRANSPORTATION COMMISSION  
1000 WEST 4TH AVENUE  
SEATTLE, WA 98101

Shelley Moore  
20 Decatur Is  
Anacortes, WA 98221-9402  
(360) 375-6096



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Julie Grobelny <juliegrobelny@mac.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 2:19  
UTC DL RECORDS CENTER

Julie Grobelny  
2506 E 28th St  
Vancouver, WA 98661-3927  
(503) 804-6082

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Tracy Kane  
<mallardkane@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:49

Tracy Kane  
1813 Creekside Ln  
Anacortes, WA 98221-2463

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Eldon Leuning <eleuning@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:49

Eldon Leuning  
211 Kirkland Ave Apt 302  
Kirkland, WA 98033-6579  
(206) 355-9973

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Phil Karasick <phil-karasick@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:19  
UTC DL RECORDS CENTER

Phil Karasick  
11514 16th Ave NE  
Seattle, WA 98125-5102



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Jared Moore <jareddmoore@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur within the next two decades. As President Obama noted in a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its cost assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50  
UTC DL RECORDS CENTER

Jared Moore  
7495 Maxwellton Rd  
Clinton, WA 98236-9212

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Diane Shaughnessy <dshau1@aol.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 11:50

Diane Shaughnessy  
7308 N Skyview Pl Apt A208  
Tacoma, WA 98406-1379  
(253) 282-8485

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Becky Spraitzar <freetobe98277@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50  
UTC DL RECORDS CENTER

Becky Spraitzar  
37353 State Route 20  
Oak Harbor, WA 98277-9595

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Keith Horton <kehorton@live.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50

Keith Horton  
2025 230th PI NE  
Sammamish, WA 98074-6542  
(425) 736-3730



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of K. Freya Skarin <freyask@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:48 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:00

K. Freya Skarin  
2167 Boyer Ave E  
Seattle, WA 98112-2114  
(206) 322-6357

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Donald Theobald <dona1dtheobald@comcast.net>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50

Donald Theobald  
4702 Kingsway  
Anacortes, WA 98221-3210  
(360) 903-8731

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Adam Fahlstrom <adammf@uw.edu>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No-consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Adam Fahlstrom  
5649 Brooklyn Ave NE  
Seattle, WA 98105-2611

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Anthony Bencivengo <anthonylawrencebencivengo@msn.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

-No price or regulation on carbon for the next 20 years.

Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted in a recent speech about climate disruption and carbon pollution:

"We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free.

That's not right, that's not safe, and it needs to stop." It is entirely possible that in a few years, government action may have made the continued use of coal even more economically untenable than it already is. PSE should plan ahead for this possibility by getting entirely off of coal now.

-No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues. These are serious costs that could be avoided if PSE stopped using coal - PSE should take them into account!

-No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

-No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

-PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, cleaner alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Anthony Bencivengo  
12516 37th Ave NE  
Seattle, WA 98125-4655  
(206) 363-6347



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Peggy Madden-O'Brien <danpeg@redshift.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50

Peggy Madden-O'Brien  
4226 Leavelle St NW  
Olympia, WA 98502-3637  
(360) 867-1783

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Sandra Perkins  
<sandraperkins@seanet.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50

Sandra Perkins  
13226 42nd Ave NE  
Seattle, WA 98125-4627  
(206) 000-0000

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Sue O'Donnell <sdnll@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

2013 AUG 12 PM 12:50

This is important to citizens now and to future residents of the area - especially to babies & young children with their fragile developing lungs. Also, don't be killing off us old people - we're the ones who pay the bills!!!!

Sincerely,

Sue O'Donnell  
PO Box 744  
North Bend, WA 98045-0744  
(425) 888-1245

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Sue Gibbs <segibbs58@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50

Sue Gibbs  
5322 46th Ave S  
Seattle, WA 98118-2316



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Stella Zahn  
<stellazahn@msn.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50  
UTC DL RECORDS CENTER  
1000 WEST 4TH AVENUE  
SEATTLE, WA 98101  
TEL: 206.462.2000  
WWW.UTC.WA.GOV

Stella Zahn  
2233 NW 58th St Unit 438  
Seattle, WA 98107-6107  
(845) 679-8758

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Rose Remsing <ourshores@wildblue.net>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50  
UTC DL RECORDS CENTER

Rose Remsing  
403 Malibu St SW  
Ocean Shores, WA 98569-9612  
(360) 289-5701

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Sue Gibbs <segibbs58@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:50  
UTC DL RECORDS CENTER

Sue Gibbs  
5322 46th Ave S  
Seattle, WA 98118-2316

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Sunny Thompson <sunny@wellspringspa.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

Sunny Thompson  
54922 Kernahan Rd E  
Ashford, WA 98304-9761  
(360) 569-2514



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Wynell Popovich <wpopovich@msn.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plan and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 11:51

Wynell Popovich  
1812 Eagle Harbor Ln NE  
Bainbridge Island, WA 98110-2142  
(206) 780-5515

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of James Shea <jumboj206@gmail.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

James Shea  
4212 Whitman Ave N  
Seattle, WA 98103-7323

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Joyce Miceli <joycemiceli@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:51  
UTC DL RECORDS CENTER  
1000

Joyce Miceli  
812 Yakima Ave S  
Seattle, WA 98144-3145

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Linda Julien <lindajulien@prodigy.net>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO2 non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:51  
OFFICE OF THE  
CLERK OF THE  
COMMISSION

Linda Julien  
2230 4th Ave Apt 105  
Seattle, WA 98121-2014  
(206) 441-6129



## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of J Martin  
<dr\_jacqmartin@yahoo.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:58  
MAIL ROOM  
COMMUNICATIONS SECTION

J Martin  
719 N Sunset Dr  
Tacoma, WA 98406-1032  
(253) 460-9447

## Higgins, Joni (UTC)

---

**From:** Sierra Club <information@sierraclub.org> on behalf of Alex Abbott  
<axlegardens@hotmail.com>  
**Sent:** Sunday, August 11, 2013 7:18 PM  
**To:** UTC DL Records Center  
**Subject:** RE: Comments on Puget Sound Energy Integrated Resource Plan (UE-120767)

Aug 11, 2013

Utilities and Transportation Commission (UTC) WA

Dear (UTC),

I am very disappointed that Puget Sound Energy is planning to continue financing its dirty, dangerous, and increasingly expensive coal plant for another 20 years.

There are cleaner, safer, and less risky alternatives. PSE's plant may require hundreds of millions of dollars to clean up its dirty air, water, and mining waste, and now is the time for PSE to be honest about the true cost of keeping a dying coal plant on life support.

PSE has not accounted for the true cost of burning coal; from carbon pollution to leaky coal ash ponds, PSE has left off coal's big liabilities from the cost-benefit equation. Here are some of the main concerns with PSE's 2013 Integrated Resource Plan (UE-120767):

No price or regulation on carbon for the next 20 years. Although there is currently no carbon cap or tax in Washington, federal or state action is anticipated in the near future, and is almost certain to occur with the next two decades. As President Obama noted a recent speech about climate disruption and carbon pollution: "We limit toxic chemicals in our air and water, but power plants can dump unlimited amounts of carbon pollution into the air for free. That's not right, that's not safe, and it needs to stop."

No inclusion of costs for federal designation of coal ash as a hazardous substance. PSE acknowledged previously that the pending Coal Combustion Residual rules could result in up to \$125 million in annual costs for disposal of hazardous coal ash. PSE has already paid \$25 million in a settlement for contaminated groundwater. PSE is currently facing two state-based legal challenges on coal ash and the contamination continues.

No consideration of potential SO<sub>2</sub> non-attainment costs and underestimation of other air quality liabilities such as compliance with federal haze rules and new federal air toxics rules.

No accounting for anticipated increasing coal mining costs. Much of the coal remaining onsite after 40 years of mining is increasingly hard to obtain, and will require additional costs.

PSE's planning process lacks transparency. PSE has refused to fully disclose its modeling data or analyses, making it impossible for the public to verify or refute PSE's methodology. In some cases PSE has not justified why its costs assumptions for Colstrip are different from costs documented by the plant's other owners.

PSE's conclusion that Colstrip is "economic" is overly simplistic and misleading. Several of the scenarios that PSE ran showed that continuing to operate Colstrip for the next 20 years is in many cases more expensive than transitioning to other, clean generation alternatives.

This is not where we want our next energy dollars spent. I urge the commission to critically evaluate PSE's long range plant and have them incorporate the true cost of coal.

Sincerely,

2013 AUG 12 PM 12:51

Alex Abbott  
734 14th Ave SE  
Olympia, WA 98501-2423