## Unbundled Network Elements (UNEs) - Resale Forbearance Amendment to the Interconnection Agreement between Qwest Corporation dba CenturyLink QC and BCN Telecom, Inc. for the State of Washington

This is an Amendment ("Amendment") to the Interconnection Agreement between Qwest Corporation dba CenturyLink QC ("CenturyLink"), a Colorado corporation, and BCN Telecom, Inc. ("CLEC"). CenturyLink and CLEC shall be known jointly as the "Parties".

# **RECITALS**

WHEREAS, the Parties entered into an Interconnection Agreement ("Agreement") for service in the state of Washington which was approved by the Commission on April 9, 2014; and

WHEREAS, the Parties entered into an Interconnection Agreement ("Agreement") for service in the state of Washington which was allowed to go into effect by the Washington Utilities and Transportation Commission ("Commission"); and

WHEREAS, on July 12, 2019, the Federal Communications Commission (the, "FCC" or "Commission") released Order FCC 19-66, a Report and Order on Remand and Memorandum Opinion and Order in WC Docket Nos. 18-141, et al (the "UNE Transport Order"), which became effective upon release; and

WHEREAS, on August 2, 2019, the FCC released Order FCC 19-72, a Memorandum Opinion and Order in WC Docket 18-141 (the "UNE Analog Loop and Resale Forbearance Order"), which became effective upon release (together, with the UNE Transport Order, collectively referred to as the "Forbearance Orders"); and

WHEREAS, the Parties agree that the Forbearance Orders are changes in Applicable Law that, pursuant to the terms of the Agreement, must be incorporated through an amendment to the Agreement; and

WHEREAS, in order to implement the terms of the Forbearance Orders and consistent with the terms of the Agreement regarding changes in Applicable Law, the Parties desire to amend the Agreement further under the terms and conditions contained herein.

## **AGREEMENT**

NOW THEREFORE, in consideration of the mutual terms, covenants and conditions contained in this Amendment and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the Parties agree as follows:

## Amendment Terms

The Agreement is hereby amended by adding terms and conditions for Unbundled Network Elements (UNEs) and Resale as set forth in attachments and Exhibit A to this Amendment, attached hereto and incorporated herein by this reference. Any capitalized terms not defined specifically in this Amendment are as defined in the Agreement.

## Effective Date

This Amendment shall be deemed effective upon approval by the Commission, or by being permitted to go into effect by operation of law; however, the Parties may agree to implement the provisions of this Amendment upon execution. To accommodate this need, CLEC must generate, if necessary, an updated Customer Questionnaire. The Parties agree that so long as CenturyLink implements the billing changes and the true-up as set forth below, the CLEC's bills shall be deemed accurate and adjusted without error.

#### **Further Amendments**

Except as modified herein, the provisions of the Agreement shall remain in full force and effect. The provisions of this Amendment, including the provisions of this sentence, may not be amended, modified or supplemented, and waivers or consents to departures from the provisions of this Amendment may not be given without the written consent thereto by both Parties' authorized representative. No waiver by any Party of any default, misrepresentation, or breach of warranty or covenant hereunder, whether intentional or not, will be deemed to extend to any prior or subsequent default, misrepresentation, or breach of warranty or covenant hereunder or affect in any way any rights arising by virtue of any prior or subsequent such occurrence.

### **Entire Agreement**

The Agreement as amended (including the documents referred to herein) constitutes the full and entire understanding and agreement between the Parties with regard to the subjects of the Agreement as amended and supersedes any prior understandings, agreements, or representations by or between the Parties, written or oral, to the extent they relate in any way to the subjects of the Agreement as amended.

The Parties intending to be legally bound have executed this Amendment as of the dates set forth below, in multiple counterparts, each of which is deemed an original, but all of which shall constitute one and the same instrument.

## BCN Telecom, Inc.

Julian Jacquez
Julian Jacquez (Apr 27, 2020)

Signature

Julian Jacquez Name Printed/Typed

President/COO Title Apr 27, 2020

Date

## **Qwest Corporation dba CenturyLink QC**

Kimberli Povirk imberly J. Povirk (Ap

Signature

Kimberly J. Povirk Name Printed/Typed

Sr. Dir. Bus. Ops Wholesale Sales Title Apr 27, 2020

Date

# **ATTACHMENT 1**

- Resale Provisions Pursuant to the Forbearance Orders, CLEC's ability to order new services and retain existing services from CenturyLink for resale pursuant to Sections 6, including Directory Listings and Directory Assistance that pertain to Resale, of the Agreement are altered as follows:
  - a. Effective Date to February 2, 2020 During the time period from the Effective Date of this Amendment until February 2, 2020, CLEC may order any services for resale pursuant to the applicable terms and conditions of the Agreement. In addition, CLEC may make changes in existing resold services, also pursuant to the applicable terms of the Agreement, until February 2, 2020.
  - b. February 2, 2020 to August 2, 2022 After February 2, 2020, CLEC cannot order any services for resale from CenturyLink pursuant to the applicable provisions of the Agreement. Any orders for new services for resale will be pursuant solely to the terms of the applicable Tariff for the service including any ICB agreements entered into under the applicable Tariffs.
    - i. For any services procured for resale under the terms of the Agreement ("Existing Resale Services") on February 2, 2020 or prior, CenturyLink will continue to provide such Existing Resale Services pursuant to the terms of the Agreement, including any discounts delineated in Exhibit A of the Agreement.
    - ii. CLEC cannot make any changes to such Existing Resale Services, as they will be treated in a "grandfathered" status, with continued receipt or disconnection of the Existing Resale Services the only options under the Agreement available to CLEC. If CLEC issues an order to change such services, it will be treated as new services for resale and will be provided solely under the Tariffs, rather than under the Agreement.
    - iii. CLEC agrees that it will no longer submit any orders for resale services under the Agreement from CenturyLink after February 2, 2020. CLEC agrees that it is the CLEC's responsibility to ensure that no further orders for resold services under the Agreement are submitted after February 2, 2020. If resold services are ordered after February 2, 2020 CLEC agrees that the Agreement is no longer in effect and resold services are being ordered per the applicable tariff at the full rates in the tariff.
      - In order to ensure compliance with these provisions, the Parties agree that CenturyLink, on no more than quarterly basis, CenturyLink may conduct an audit of CLEC's order activity after February 2, 2020, in order to identify any mistaken instances of attempting to order resold services under the terms of the Agreement.
      - Should such instances occur, the Parties further agree that CenturyLink may issue a bill using the effective date of the changes that the applicable service was originally ordered ("Resale True-Up Bill") removing the discount for such services

and billing under the Tariffs at full tariffed prices. CLEC agrees not to contest such Resale True-Up Bills unless such billing is not consistent with the applicable Tariff.

- c. After August 2, 2022 The Parties agree that CenturyLink will no longer provide any Existing Resold Services under the terms of the Agreement after August 2, 2022. CLEC is solely responsible for either disconnecting such Existing Resold Services prior to August 2, 2022 or ordering them as new services under the applicable Tariffs.
- 2. UNE Analog Loops Pursuant to the terms of the Forbearance Orders, the terms and conditions under which CLEC may order and maintain Analog Unbundled Loops, as defined in Section 9.2.2 provided in the Agreement and Two-Wire/Four-Wire Unbundled Distribution Loop, as provided in Section 9.3.2.1.1 of the Agreement (together, referred to as "Analog Unbundled Loops") are altered as follows:
  - a. Effective Date to February 2, 2020 During the time period from the Effective Date of this Amendment until February 2, 2020, CLEC may order Analog Unbundled Loops pursuant to the applicable terms and conditions of the Agreement. In addition, CLEC may make changes in existing Analog Unbundled Loop arrangements, also pursuant to the applicable terms of the Agreement.
  - **b.** February 2, 2020 to August 2, 2022 After February 2, 2020, CLEC cannot order any Analog Unbundled Loops from CenturyLink pursuant to the applicable provisions of the Agreement.
    - i. For any Unbundled Analog Loops procured under the terms of the Agreement ("Existing Analog Loops") on February 2, 2020 or prior, CenturyLink will continue to provide such Existing Analog Loops pursuant to the terms of the agreement, including the applicable rates delineated in Exhibit A of the Agreement.
    - ii. CLEC cannot make any changes to such Existing Analog Loops, as they will be treated in a "grandfathered" status, with continued receipt or disconnection of the Existing Analog Loops the only options under the Agreement available to CLEC. If CLEC issues an order to change such services, it will be treated as a conversion to Special Access services being provided solely under the Tariffs, rather than under the Agreement.
    - iii. CLEC agrees that it will no longer submit any orders for Unbundled Analog Loops under the Agreement from CenturyLink after February 2, 2020. CLEC agrees that it is the responsibility of the CLEC to ensure that no further orders for such Analog Unbundled Loops under the Agreement are submitted after February 2, 2020.
      - 1. In order to ensure compliance with these provisions, the Parties agree that CenturyLink, on a no more than quarterly basis, may conduct an audit of CLEC's order activity after February 2, 2020, in order to identify any mistaken instances of attempting to order Analog Unbundled Loops under the terms of the Agreement.
      - 2. Should such instances occur, the Parties further agree that CenturyLink will request CLEC to disconnect such services and

order them as new by ordering the Special Access service under the applicable Tariff, changing the applicable rate charged, and CenturyLink may issue a bill using the effective date of the changes that the applicable Unbundled Analog Loop was originally ordered ("Analog Loop True-Up Bill"). CLEC agrees not to contest such Analog Loop True-Up Bills unless such billing is not consistent with the applicable Tariff.

- iv. CLEC agrees that any provisions in the Agreement that provide for Line Splitting or Loop Splitting are also removed and may no longer be ordered, as they all involve an order of an Unbundled Analog Loop. Any existing arrangements will be maintained during the time period of this section.
- **c.** After August 2, 2022 The Parties agree that CenturyLink will no longer provide any Unbundled Analog Loops under the terms of the Agreement after August 2, 2022, including any arrangements for Line Splitting or Loop Splitting. CLEC is solely responsible for either disconnecting such Analog Unbundled Loops prior to August 2, 2022 or converting them to a service under the applicable Tariffs. For any Analog Unbundled Loops in place as of August 2, 2022, CLEC agrees that CenturyLink will convert any such Analog Unbundled Loops to the appropriate Special Access service under the applicable Tariff, and CLEC is then responsible for such services under that Tariff. In addition, should any charges be necessary as part of that conversion, CLEC agrees that it is responsible for payment of such charges and will not dispute application of such charges necessary for the conversion. As Line Splitting and Loop Splitting are not available service under the meet its needs, as such arrangements will otherwise be terminated after August 2, 2022.
- **d.** Alternative Analog Unbundled Loops Commercial Arrangements The Parties understand and agree that the Forbearance Orders specifically permit alternative commercial arrangements for the provision of UNEs that are impacted by the Forbearance Orders. Nothing in this Amendment either requires CenturyLink to enter into such alternative arrangements or prohibits the Parties from reaching an agreement on terms and conditions of such alternative arrangements. The Parties agree that nothing in such alternative arrangement, rather to be in parallel to the terms and conditions of the Agreement.
- e. UNE Combinations Any UNE Combinations provided under the Agreement that might include UNE Analog Loop are also treated as UNE Analog Loops under this Agreement.
- **3. UNE Transport** Pursuant to the terms of the Forbearance Orders, the terms and conditions under which CLEC may order and maintain Unbundled Dedicated Interoffice Transport ("UDIT"), as provided in Section 9.6.1.1 of the Agreement and Enhanced Extended Loop ("EEL"), as provided in Section 9.23.3.7 of the Agreement (together, referred to as "UNE Transport") are altered as follows:
  - a. Effective Date to January 12, 2020 During the time period from the Effective Date of this Amendment until January 12, 2020, CLEC may order UNE Transport

pursuant to the applicable terms and conditions of the Agreement. In addition, CLEC may make changes in existing UNE Transport arrangements, also pursuant to the applicable terms of the Agreement.

- b. January 12, 2020 to July 12, 2022 After January 12, 2020, CLEC cannot order any UNE Transport from CenturyLink pursuant to the applicable provisions of the Agreement that has each endpoint in one of the Serving Wire Centers listed on the Wholesale website: <u>http://www.centurylink.com/wholesale/clecs/nta.html#UNE-F</u> to this Amendment ("Forbearance UNE Transport"). For any UNE Transport that does not meet the definition of Forbearance UNE Transport, such UNE Transport will continue to be available and provided under the terms of the Agreement, including the terms under which it may be withdrawn.
  - i. For any Forbearance UNE Transport procured under the terms of the Agreement ("Existing Forbearance UNE Transport") on January 12, 2020 or prior, CenturyLink will continue to provide such Existing Forbearance UNE Transport pursuant to the terms of the Agreement, including the applicable rates delineated in Exhibit A of the Agreement.
  - ii. CLEC cannot make any changes to such Existing UNE Transport, as they will be treated in a "grandfathered" status, with continued receipt or disconnection of the Existing UNE Transport the only options under the Agreement available to CLEC. If CLEC issues an order to change such services, it will be treated as a conversion to Special Access services being provided solely under the Tariffs, rather than under the Agreement.
  - iii. CLEC agrees that it will no longer submit any orders for Forbearance UNE Transport under the Agreement from CenturyLink after January 12, 2020. CLEC agrees that it is the CLEC's responsibility to ensure that no further orders for such Forbearance UNE Transport under the Agreement are submitted after January 12, 2020.
    - 1. In order to ensure compliance with these provisions, the Parties agree that CenturyLink, on a no more than quarterly basis, may conduct an audit of CLEC's order activity after January 12, 2020, in order to identify any mistaken instances of attempting to order Forbearance UNE Transport under the terms of the Agreement.
    - 2. Should such instances occur, the Parties further agree that CenturyLink will convert such services to the Special Access service under the applicable Tariff, changing the applicable rate charged as needed, and issue a bill to make the effective date of the charges be the date the applicable Forbearance UNE Transport was originally ordered ("UNE Transport True-Up Bill"). CLEC agrees not to contest such UNE Transport True-Up Bills unless such billing is not consistent with the applicable Tariff.
- c. After July 12, 2022 The Parties agree that CenturyLink will no longer provide any Forbearance UNE Transport under the terms of the Agreement after July 12, 2022. CLEC is solely responsible for either disconnecting such Forbearance UNE Transport prior to July 12, 2022 or converting to Special Access service under the applicable Tariffs. For any Forbearance UNE Transport in place as of

July 12, 2022, CLEC agrees that CenturyLink will convert any such Forbearance UNE Transport to the appropriate Special Access service under the applicable Tariff, and CLEC is then responsible for such services under that Tariff. In addition, should any charges be necessary as part of that conversion, CLEC agrees that it is responsible for payment of such charges and will not dispute application of such charges necessary for the conversion.

**d.** Alternative UNE Transport Commercial Arrangements – The Parties understand and agree that the Forbearance Orders specifically permit alternative commercial arrangements for the provision of UNEs that are impacted by the Forbearance Orders. Nothing in this Amendment either requires CenturyLink to enter into such alternative arrangements or prohibits the parties from reaching an agreement on terms and conditions of such alternative arrangements. The Parties agree that nothing in such alternative arrangement would ever be intended to change any of the obligations under this Agreement, rather to be in parallel to the terms and conditions of the Agreement.

		ost docket					EAS / Loc Reciprocal Co					
	mendmen						Bill and	d Keen			Notes	
		L					Recurring	Recurring Per Mile	Non- Recurring	REC	Mile	NRC
Resale	9					Wholesale Discount		Wholesale Discount				
							Percentage		Percentage			
6.1	1 Wholes	le Discount	Pates									
0.	6.1.1	General	Naico				14.74%		50.00%	A, H, I		A, H, I
	6.1.2			ectory Assistance			7.97%		50.00%	A, H, I		A, H, I
	6.1.3	Public Acce	ess Line (PAL) S	Service			14.74%		50.00%	A, H, I		A, H, I
6.2	2 Custom		Charge (CTC)		1							
	6.2.1		DTS Service									
		6.2.1.1	Residential / B 6.2.1.1.1	Business First Line								
			0.2.1.1.1	6.2.1.1.1.1	Installation, Manual				\$21.24			E, H, I
				6.2.1.1.1.2	Intentionally Left Bla							
		+	62112	6.2.1.1.1.3	Installation, Mechan	ized			\$5.82			E, H, I
	-	-	6.2.1.1.2	Each Additiona 6.2.1.1.2.1	Installation, Manual				\$7.83			E, H, I
				6.2.1.1.2.2	Intentionally Left Bla				φ1.00			
		070 1		6.2.1.1.2.3	Installation, Mechan	ized			\$5.28			E, H, I
	6.2.2	CTC for Pri 6.2.2.1	ivate Line Trans First Circuit	port Services								
		0.2.2.1	6.2.2.1.1	First Circuit (Ma	anual)				\$44.19			C. H, I
			6.2.2.1.2	First Circuit (M	echanized)				\$36.98			C. H, I
	-	6.2.2.2		uit, per Circuit, S					<b>*</b> ***			
			6.2.2.2.1 6.2.2.2.2		uit, per Circuit, same Cuit, per Circuit, same C				\$26.15 \$26.15			C. H, I C. H, I
	6.2.3	CTC for Ad					nt		φ20.15			0.11,
				inications service	s (Frame Relav. ATM	Cell Relay, or Transpare	11					
	0.2.0		e), per Circuit	inications Service	s (Frame Relay, ATM	Cell Relay, or Transpare	an c					
	0.2.0	LAN Servic 6.2.3.1	e), per Circuit Each Circuit, M	Vechanized	s (Frame Relay, ATM	Cell Relay, or Transpare			\$27.64			
	0.2.0	LAN Servic	e), per Circuit	Vechanized	s (Frame Relay, ATM	Cell Relay, or Transpare			\$27.64 \$31.68			
Unbun		LAN Servic 6.2.3.1	e), per Circuit Each Circuit, M Each Circuit, M	Vechanized	s (Frame Relay, ATM	Cell Relay, or Transpare						
	dled Netw	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen	e), per Circuit Each Circuit, M Each Circuit, M	Vechanized	s (Frame Relay, ATM	Cell Relay, or Transpare						
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops	xe), per Circuit Each Circuit, M Each Circuit, M ts (UNEs)	Vechanized	s (Frame Relay, ATM	Cell Relay, or Transpare			\$31.68			
	dled Netw	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops Analog Loo	ee), per Circuit Each Circuit, M Each Circuit, M t <b>s (UNEs)</b>	Mechanized Manual	s (Frame Relay, ATM	Cell Relay, or Transpare						
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops	xe), per Circuit Each Circuit, M Each Circuit, M ts (UNEs)	Mechanized Manual	s (Frame Relay, ATM	Cell Relay, or Transpare	\$11.26		\$31.68	F, H, I		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops Analog Loo	2-Wire Voice ( 9.2.1.1.2	Mechanized Manual Grade Loop Zone 1 Zone 2	s (Frame Relay, ATM	Cell Relay, or Transpare	\$11.26 \$13.63		\$31.68	F, H, I		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops Analog Loo	Description         Description           Each Circuit, N         Each Circuit, N           Each Circuit, N         Each Circuit, N           tts (UNEs)         UNEs)           2-Wire Voice 0         9.2.1.1.1           9.2.1.1.2         9.2.1.1.3	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3	s (Frame Relay, ATM	Cell Relay, or Transpare	\$11.26 \$13.63 \$16.92		\$31.68	F, H, I F, H, I		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops Analog Loo	2-Wire Voice ( 9.2.1.1.2	Mechanized Manual Grade Loop Zone 1 Zone 2	s (Frame Relay, ATM	Cell Relay, or Transpare	\$11.26 \$13.63		\$31.68	F, H, I		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops Analog Loo	2-Wire Voice 0 9.2.1.1.3 9.2.1.1.3 9.2.1.1.5 2-Wire Voice 0 9.2.1.1.4 9.2.1.1.5 2-Wire Voice 0 9.2.1.1.4 9.2.1.1.5 2-Wire Voice 0 9.2.1.1.5 2-Wire Voice 0 1-Wire Voice 0 1-	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when	s (Frame Relay, ATM	Cell Relay, or Transpare	\$11.26 \$11.26 \$13.63 \$16.92 \$28.23 \$67.77		\$31.68	F, H, I F, H, I F, H, I F, H, I		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops Analog Loo 9.2.1.1	2.1.1.3 2.2.1.1.3 2.2.1.1.3 2.2.1.1.5 2.2.1.2.1.5 2.2.1.2.1.5 2.2.1.2.1.5 2.2.1.2.1.5 2.2.1.2.1.5 2.2.1.2.1.2.1 2.2.1.2.1.2.1.2.1.2.1.2.1.2.1.2.1.2.1.2	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1		Cell Relay, or Transpare	\$11.26 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07		\$31.68	F, H, I F, H, I F, H, I F, H, I F, H, I		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops Analog Loo 9.2.1.1	e), per Circuit Each Circuit, M Each Circuit, M ts (UNEs) 2-Wire Voice ( 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice ( 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2		Cell Relay, or Transpare	\$11.26 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44		\$31.68	F, H, I F, H, I F, H, I F, H, I F, H, I F, H, I		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops Analog Loo 9.2.1.1	e), per Circuit Each Circuit, M Each Circuit, M ts (UNEs) 2-Wire Voice ( 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice ( 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 1 Zone 2 Zone 2 Zone 3 Zone 3 Zone 4		Cell Relay, or Transpare	\$11.26 \$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04		\$31.68	F, H, I F, H, I		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2	e), per Circuit Each Circuit, M Each Circuit, M ts (UNEs) 2-Wire Voice ( 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice ( 9.2.1.2.1 9.2.1.2.1 9.2.1.2.3 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 2 Zone 3 Zone 4 Zone 5		Cell Relay, or Transpare	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73		\$31.68	F, H, I F, H, I F, H, I F, H, I F, H, I F, H, I F, H, I		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 Fork Elemen led Loops Analog Loo 9.2.1.1	Dep           Each Circuit, M           Each Circuit, M           Each Circuit, M           Each Circuit, M           ts (UNEs)           2-Wire Voice (0           9.2.1.1.1           9.2.1.1.2           9.2.1.1.3           9.2.1.1.4           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.3           9.2.1.2.4           9.2.1.2.5           4-Wire Voice (0	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 3 Zone 3 Zone 4 Zone 5 Grade Loop		Cell Relay, or Transpare	\$11.26 \$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58		\$31.68			
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2	e), per Circuit Each Circuit, M Each Circuit, M Each Circuit, M ts (UNEs) 2-Wire Voice 0 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice 0 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice 0 9.2.1.3.1	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 2 Zone 3 Zone 4 Zone 5		Cell Relay, or Transpare	\$11.26 \$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04		\$31.68	-       -		
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2	Dep           Each Circuit, M           Each Circuit, M           Each Circuit, M           Each Circuit, M           ts (UNEs)           2-Wire Voice (0           9.2.1.1.1           9.2.1.1.2           9.2.1.1.3           9.2.1.1.4           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.1           9.2.1.2.3           9.2.1.2.4           9.2.1.2.5           4-Wire Voice (0	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 1 Zone 2 Zone 1 Zone 2 Zone 3		Cell Relay, or Transpare	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$221.38 \$221.38 \$22.29 \$32.69		\$31.68			
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2	e), per Circuit Each Circuit, M Each Circuit, M Each Circuit, M ts (UNEs) 2-Wire Voice ( 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice ( 9.2.1.2.1 9.2.1.2.1 9.2.1.2.3 9.2.1.2.4 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice ( 9.2.1.3.1 9.2.1.3.2 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 4 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 2 Zone 3 Zone 3 Zone 3 Zone 4		Cell Relay, or Transpare	\$11.26 \$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$22.39 \$22.69 \$32.69 \$32.69		\$31.68			
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 ork Elemen led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.2 9.2.1.3 9.2.1.3	e), per Circuit Each Circuit, M Each Circuit, M Each Circuit, M (UNES) 2-Wire Voice ( 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice ( 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice ( 9.2.1.3.1 9.2.1.3.2 9.2.1.3.4 9.2.1.3.5	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Grade Loop Zone 1 Zone 2 Zone 2 Zone 3 Zone 2 Zone 3 Zone 3 Zone 4 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5	ordered with Port		\$11.26 \$11.26 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$221.38 \$221.38 \$22.69 \$32.69 \$32.69 \$54.66 \$131.66		\$31.68			
	dled Netw 2 Unbund	LAN Servic 6.2.3.1 6.2.3.2 ork Elemen led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.2 9.2.1.3 9.2.1.3 1.2 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	e), per Circuit Each Circuit, M Each Circuit, M Each Circuit, M (UNES) 2-Wire Voice ( 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice ( 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice ( 9.2.1.3.1 9.2.1.3.2 9.2.1.3.4 9.2.1.3.5	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 3 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Sone 4 Zone 5 Sone 4 Zone 5			\$11.26 \$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$22.39 \$22.69 \$32.69 \$32.69		\$31.68			
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 ork Elemen led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.2 9.2.1.3 9.2.1.3 1.2 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	Des.         per Circuit           Each Circuit, M           Each Circuit, M           Each Circuit, M           Each Circuit, M           ts (UNEs)           2.Wire Voice (           9.2.1.1.1           9.2.1.1.2           9.2.1.1.3           9.2.1.1.4           9.2.1.1.5           2.Wire Voice (           9.2.1.2.1           9.2.1.2.2           9.2.1.2.3           9.2.1.2.4           9.2.1.2.5           4-Wire Voice (           9.2.1.3.1           9.2.1.3.2           9.2.1.3.3           9.2.1.3.4           9.2.1.3.5           Ilation and Discc           g is not required           Basic Installati	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 3 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Grade Loop	ordered with Port		\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68			
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 Tork Elemen Led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.3 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	e), per Circuit Each Circuit, M Each Circuit, M Each Circuit, M ts (UNEs) 2-Wire Voice ( 9.2.1.1.1 9.2.1.1.2 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice ( 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.2 9.2.1.2.3 9.2.1.2.5 4-Wire Voice ( 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Ilation and Disco	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Men Zone 5 Grade Loop Men Zone 3 Zone 4 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Zone 6 Zone 6 Zone 7 Zone	ordered with Port	bg Loops where	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 			C. H, I
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 Tork Elemen Led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.3 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	Des.         per Circuit           Each Circuit, M           Each Circuit, M           Each Circuit, M           Each Circuit, M           ts (UNEs)           2.Wire Voice (           9.2.1.1.1           9.2.1.1.2           9.2.1.1.3           9.2.1.1.4           9.2.1.1.5           2.Wire Voice (           9.2.1.2.1           9.2.1.2.2           9.2.1.2.3           9.2.1.2.4           9.2.1.2.5           4-Wire Voice (           9.2.1.3.1           9.2.1.3.2           9.2.1.3.3           9.2.1.3.4           9.2.1.3.5           Ilation and Discc           g is not required           Basic Installati	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 1 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 4 Zone 4 Zone 4 Zone 4 Zone 4 Zone 5 Grade Loop Zone 4 Zone 7 Zone 7 Zone 7 Zone 7 Zone 7 Zone	ordered with Port	ng Loops where	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4 See 9.2.4 See 9.2.4 See 9.2.4			C. H, I
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 Tork Elemen Led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.3 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	Des.         per Circuit           Each Circuit, M           Each Circuit, M           Each Circuit, M           Each Circuit, M           ts (UNEs)           2.Wire Voice (           9.2.1.1.1           9.2.1.1.2           9.2.1.1.3           9.2.1.1.4           9.2.1.1.5           2.Wire Voice (           9.2.1.2.1           9.2.1.2.2           9.2.1.2.3           9.2.1.2.4           9.2.1.2.5           4-Wire Voice (           9.2.1.3.1           9.2.1.3.2           9.2.1.3.3           9.2.1.3.4           9.2.1.3.5           Ilation and Discc           g is not required           Basic Installati	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Men Zone 5 Grade Loop Men Zone 3 Zone 4 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Zone 6 Zone 6 Zone 7 Zone	ordered with Port	bg Loops where	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 			C. H, I
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 Tork Elemen Led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.3 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	ac), per Circuit         Each Circuit, N         ts (UNEs)         2:Wire Voice (19,2,1,1,1)         9,2,1,1,2         9,2,1,1,3         9,2,1,1,4         9,2,1,1,4         9,2,1,1,5         2:Wire Voice (19,2,1,2,1)         9,2,1,2,1         9,2,1,2,3         9,2,1,2,4         9,2,1,2,5         4:Wire Voice (19,2,1,3,1)         9,2,1,3,1         9,2,1,3,2         9,2,1,3,3         9,2,1,3,4         9,2,1,3,5         llation and Discord g is not required         Basic Installatif         9,2,4,1,1	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone	ordered with Port	bg Loops where	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4			C. H, I
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 Tork Elemen Led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.3 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	Des.         per Circuit           Each Circuit, M           Each Circuit, M           Each Circuit, M           Each Circuit, M           ts (UNEs)           2.Wire Voice (           9.2.1.1.1           9.2.1.1.2           9.2.1.1.3           9.2.1.1.4           9.2.1.1.5           2.Wire Voice (           9.2.1.2.1           9.2.1.2.2           9.2.1.2.3           9.2.1.2.4           9.2.1.2.5           4-Wire Voice (           9.2.1.3.1           9.2.1.3.2           9.2.1.3.3           9.2.1.3.4           9.2.1.3.5           llation and Discc           g is not required           Basic Installati	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 1 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 1 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Sone 4 Zone 5 Grade Loop Grade Loop Zone 4 Zone 5 Grade Loop Grade Loop Grade Loop Zone 4 Zone 5 Grade Loop Grade Loop Grade Loop Zone 4 Zone 5 Grade Loop Grade Loop Zone 4 Zone 5 Grade Loop Grade Loop Zone 4 Zone 5 Grade Loop Grade Loop Grade Loop Grade Loop Grade Loop Grade Loop Grade Loop Zone 4 Zone 5 Grade Loop Grade Loo	ordered with Port	ing Loops where je, Manual ual je, Mechanized hanized	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4			C. H, I
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 Tork Elemen Led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.3 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	ac), per Circuit         Each Circuit, N         ts (UNEs)         2:Wire Voice (19,2,1,1,1)         9,2,1,1,2         9,2,1,1,3         9,2,1,1,4         9,2,1,1,4         9,2,1,1,5         2:Wire Voice (19,2,1,2,1)         9,2,1,2,1         9,2,1,2,3         9,2,1,2,4         9,2,1,2,5         4:Wire Voice (19,2,1,3,1)         9,2,1,3,1         9,2,1,3,2         9,2,1,3,3         9,2,1,3,4         9,2,1,3,5         llation and Discord g is not required         Basic Installatif         9,2,4,1,1	Mechanized Manual Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop Sonection Charge 3 Solution 9 2.4.1.1.1 Brach Additiona 9.2.4.1.2.1	ordered with Port	pg Loops where ge, Manual ual ge, Mechanized hanized	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4			C. H, I 
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 Tork Elemen Led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.3 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	ac), per Circuit         Each Circuit, N         ts (UNEs)         2:Wire Voice (19,2,1,1,1)         9,2,1,1,2         9,2,1,1,3         9,2,1,1,4         9,2,1,1,4         9,2,1,1,5         2:Wire Voice (19,2,1,2,1)         9,2,1,2,1         9,2,1,2,3         9,2,1,2,4         9,2,1,2,5         4:Wire Voice (19,2,1,3,1)         9,2,1,3,1         9,2,1,3,2         9,2,1,3,3         9,2,1,3,4         9,2,1,3,5         llation and Discord g is not required         Basic Installatif         9,2,4,1,1	Mechanized           Manual           Grade Loop           Zone 1           Zone 2           Zone 3           Zone 4           Zone 5           Grade Loop when           Zone 4           Zone 5           Grade Loop when           Zone 4           Zone 5           Grade Loop           Zone 1           Zone 3           Zone 4           Zone 5           Grade Loop           Zone 4           Zone 5           Grade Loop           Zone 1           Zone 2           Zone 3           Zone 4           Zone 5           Grade Loop           Zone 4           Zone 5           Grade Loop           Jone 5           Grade Loop           Sone 4           Zone 5           Donnection Charge 6           Ion           First           9.2.4.1.1.1           9.2.4.1.1.4           Each Additiona           9.2.4.1.2.1           9.2.4.1.2.1	ordered with Port	bg Loops where je, Manual ual je, Mechanized nanized je, Manual ual	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.5 See 9.2.5 See 9.2.5 See 9.2.5 See 9.2.5 See 9.2.5 See 9.2.5			C. H, I 
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 <b>Fork Elemen</b> <b>Ied Loops</b> Analog Loo 9.2.1.1 9.2.1.2 9.2.1.2 9.2.1.3 9.2.1.3 9.2.1.3 9.2.1.4 9.2.1.4 9.2.1.4 9.2.1.2 9.2.1.4 9.2.1	ac), per Circuit         Each Circuit, N         ts (UNEs)         2:Wire Voice (         9.2.1.1.1         9.2.1.1.2         9.2.1.1.3         9.2.1.1.4         9.2.1.1.5         2:Wire Voice (         9.2.1.2.1         9.2.1.2.2         9.2.1.2.3         9.2.1.2.4         9.2.1.3.1         9.2.1.3.2         9.2.1.3.3         9.2.1.3.4         9.2.1.3.5         llation and Discc         g is not required         Basic Installatia         9.2.4.1.1         9.2.4.1.2	Mechanized           Manual           Zane 1           Zone 1           Zone 3           Zone 4           Zone 5           Grade Loop when           Zone 1           Zone 3           Zone 4           Zone 5           Grade Loop when           Zone 1           Zone 3           Zone 4           Zone 5           Grade Loop           Zone 1           Zone 2           Zone 3           Zone 4           Zone 5           Opnection Charge 1           Sonnection Charge 1           9.2.4.1.1.1           9.2.4.1.1.3           9.2.4.1.1.4           Each Additiona           9.2.4.1.2.1           9.2.4.1.2.3           9.2.4.1.2.4	ordered with Port ordered with Port s for 2 & 4-Wire Analo Disconnection, Man Installation or Chang Disconnection, Mecl Installation or Chang Disconnection, Man Installation or Chang Disconnection, Man Installation or Chang Disconnection, Man	bg Loops where ge, Manual ual ge, Manual ual ual ual ual ual ual ual	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4			C. H, I 
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 Tork Elemen Led Loops Analog Loo 9.2.1.1 9.2.1.2 9.2.1.3 9.2.1.3 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	ac), per Circuit         Each Circuit, N         Each Circuit, N         Each Circuit, N         Each Circuit, N         its (UNEs)         2-Wire Voice (0         9.2.1.1.1         9.2.1.1.2         9.2.1.1.3         9.2.1.1.4         9.2.1.1.5         2-Wire Voice (1)         9.2.1.2.1         9.2.1.2.2         9.2.1.2.3         9.2.1.2.4         9.2.1.2.5         4-Wire Voice (1)         9.2.1.3.1         9.2.1.3.2         9.2.1.3.3         9.2.1.3.4         9.2.1.3.5         Ilation and Discord g is not required         Basic Installati         9.2.4.1.1         9.2.4.1.2	Mechanized           Manual           Grade Loop           Zone 1           Zone 2           Zone 3           Zone 4           Zone 5           Grade Loop when           Zone 1           Zone 3           Zone 4           Zone 5           Grade Loop           Zone 1           Zone 3           Zone 4           Zone 5           Grade Loop           Zone 1           Zone 2           Zone 3           Zone 5           Grade Loop           Zone 5           Grade Loop           Zone 6           Jonnection Charge           dion           First           9.2.4.1.1.1           9.2.4.1.1.3           9.2.4.1.1.4           Each Additiona           9.2.4.1.2.1           9.2.4.1.2.4           9.2.4.1.2.4           9.2.4.1.2.4           ion with Performa	ordered with Port ordered with Port s for 2 & 4-Wire Analo Disconnection, Man Installation or Chang Disconnection, Mecl Installation or Chang Disconnection, Man Installation or Chang Disconnection, Man Installation or Chang Disconnection, Man	bg Loops where ge, Manual ual ge, Manual ual ual ual ual ual ual ual	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9			C, H, I C, H, I
	dled Netw 2Unbund 9.2.1	LAN Servic 6.2.3.1 6.2.3.2 <b>Fork Elemen</b> <b>Ied Loops</b> Analog Loo 9.2.1.1 9.2.1.2 9.2.1.2 9.2.1.3 9.2.1.3 9.2.1.3 9.2.1.4 9.2.1.4 9.2.1.4 9.2.1.2 9.2.1.4 9.2.1	ac), per Circuit         Each Circuit, N         ts (UNEs)         2:Wire Voice (         9.2.1.1.1         9.2.1.1.2         9.2.1.1.3         9.2.1.1.4         9.2.1.1.5         2:Wire Voice (         9.2.1.2.1         9.2.1.2.2         9.2.1.2.3         9.2.1.2.4         9.2.1.3.1         9.2.1.3.2         9.2.1.3.3         9.2.1.3.4         9.2.1.3.5         llation and Discc         g is not required         Basic Installatia         9.2.4.1.1         9.2.4.1.2	Mechanized           Manual           Zane 1           Zone 1           Zone 3           Zone 4           Zone 5           Grade Loop when           Zone 1           Zone 3           Zone 4           Zone 5           Grade Loop when           Zone 1           Zone 3           Zone 4           Zone 5           Grade Loop           Zone 1           Zone 2           Zone 3           Zone 4           Zone 5           Opnection Charge 1           Sonnection Charge 1           9.2.4.1.1.1           9.2.4.1.1.3           9.2.4.1.1.4           Each Additiona           9.2.4.1.2.1           9.2.4.1.2.3           9.2.4.1.2.4	ordered with Port ordered with Port s for 2 & 4-Wire Analo Disconnection, Man Installation or Chang Disconnection, Mecl Installation or Chang Disconnection, Man Installation or Chang Disconnection, Man Installation or Chang Disconnection, Man	bg Loops where ge, Manual ual ge, Manual ual ge, Manual ual ge, Manual ual ge, Manual ual ge, Manual ual ge, Manual ual ge, Manual ual	\$11.26 \$13.63 \$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$22.38 \$22.39 \$24.69 \$32.69 \$54.66 \$131.66 \$e9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9.5 See 9			С. H, I

			9.2.4.2.1.3	Installation or Change, Mechanized			\$109.82			
			9.2.4.2.1.4	Disconnection, Mechanized			\$16.33			C, H C, H
		9.2.4.2.2	Each Additional				ψ10.55			0,11
+ +		5.2.4.2.2	9.2.4.2.2.1	Installation or Change, Manual			\$66.37			С, Н
+ +			9.2.4.2.2.1	Disconnection, Manual			\$16.33			C, H
+ +			9.2.4.2.2.3	Installation or Change, Mechanized			\$66.37			C, H
				0						
+ +			9.2.4.2.2.4	Disconnection, Mechanized			\$16.33			C, ⊦
	9.2.4.3			operative Testing / Project Coordinated						
		9.2.4.3.1	First							
			9.2.4.3.1.1	Installation or Change, Manual			\$171.07			C, I
			9.2.4.3.1.2	Disconnection, Manual			\$26.51			С,
			9.2.4.3.1.3	Installation or Change, Mechanized			\$162.81			С,
			9.2.4.3.1.4	Disconnection, Mechanized			\$9.06			<u>,</u> Н,
+ +		9.2.4.3.2	Each Additional				ψ5.00			,
+ +		9.2.4.3.2	9.2.4.3.2.1				¢440.05			C,
-				Installation or Change, Manual			\$119.35			
			9.2.4.3.2.2	Disconnection, Manual			\$16.33			С,
_			9.2.4.3.2.3	Installation or Change, Mechanized			\$85.03			Η,
			9.2.4.3.2.4	Disconnection, Mechanized			\$9.06			Η,
	9.2.4.4	Coordinated Ir	stallation without	Cooperative Testing / Project Coordinated						
		Installation		,						
		9.2.4.4.1	First							
+ +		9.2.4.4.1		last-lating			¢50.04			
+ +			9.2.4.4.1.1	Installation	+		\$59.81			Н,
+			9.2.4.4.1.2	Disconnection			\$0.00			Н,
		9.2.4.4.2	Each Additional							
			9.2.4.4.2.1	Installation			\$53.32			Η,
			9.2.4.4.2.2	Disconnection			\$0.00			Η,
	9.2.4.5	Basic Installati	ion with Cooperat			1				
		9.2.4.5.1	First	U.		l			1	1
+ +			9.2.4.5.1.1	Installation or Change, Manual	+ +		\$111.29		1	E,
+ +			9.2.4.5.1.2	Disconnection, Manual	+ +		\$30.30			
+					+ +					E,
+			9.2.4.5.1.3	Installation or Change, Mechanized	+ $+$		\$88.49			E,
+			9.2.4.5.1.4	Disconnection, Mechanized			\$16.89			Ε,
		9.2.4.5.2	Each Additional							
			9.2.4.5.2.1	Installation or Change, Manual			\$54.28			Ε,
			9.2.4.5.2.2	Disconnection, Manual			\$16.89			Ε,
			9.2.4.5.2.3	Installation or Change, Mechanized			\$54.28			Ε,
			9.2.4.5.2.4	Disconnection, Mechanized			\$16.89			Ε,
- I - I			5.2.4.5.2.4	Disconnection, meenanized			ψ10.05			∟,
9.5 0										
g	Subloop 9.3.1 2-Wire	Analog Loop								
9	9.3.1 2-Wire	Analog Loop								
g		First		bong Manual			¢65.00			
g	9.3.1 2-Wire	First 9.3.1.1.1	Installation or C				\$65.99			
9 	9.3.1 2-Wire	First 9.3.1.1.1 9.3.1.1.2	Disconnection,	Manual			\$16.81			С,
9 	9.3.1 2-Wire	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3	Disconnection, Installation or C	Manual Change, Mechanized			\$16.81 \$58.94			C, C,
9 	9.3.1 2-Wire 9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4	Disconnection, Installation or C Disconnection,	Manual Change, Mechanized			\$16.81			C, C,
	9.3.1 2-Wire	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3	Disconnection, Installation or C Disconnection,	Manual Change, Mechanized			\$16.81 \$58.94			C, C,
	9.3.1 2-Wire 9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4	Disconnection, Installation or C Disconnection, al	Manual Change, Mechanized Mechanized			\$16.81 \$58.94			C, C, C,
	9.3.1 2-Wire 9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1	Disconnection, Installation or C Disconnection, al Installation or C	Manual Shange, Mechanized Mechanized Shange, Manual			\$16.81 \$58.94 \$5.42 \$21.83			C, C, C, C,
	9.3.1 2-Wire 9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2	Disconnection, Installation or C Disconnection, al Installation or C Disconnection,	Manual hange, Mechanized Mechanized Shange, Manual Manual			\$16.81 \$58.94 \$5.42 \$21.83 \$16.81			C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized			\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78			C, C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection,	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized			\$16.81 \$58.94 \$5.42 \$21.83 \$16.81			C, C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, ution Loop, First &	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized			\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78			C, C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, ution Loop, First & Zone 1	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized	\$6.67		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I		C, C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, ution Loop, First &	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized	\$6.67 \$8.27		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I		C, C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, ution Loop, First & Zone 1	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized			\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78			C, C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, ution Loop, First & Zone 1 Zone 2 Zone 3	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized	\$8.27 \$10.69		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I		C, C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3 9.3.1.3.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, titon Loop, First & Zone 1 Zone 2 Zone 3 Zone 4	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, ution Loop, First & Zone 1 Zone 2 Zone 3	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized	\$8.27 \$10.69		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I		C, C, C, C, C, C,
	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.3	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2.Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, titon Loop, First & Zone 1 Zone 2 Zone 3 Zone 4	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C, C,
9.4 §	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, titon Loop, First & Zone 1 Zone 2 Zone 3 Zone 4	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C, C,
9.4 5	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Addition: 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5 mally Left Blank	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, tition Loop, First & Zone 1 Zone 2 Zone 3 Zone 4	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C, C,
9.4 5	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.4 9.3.1.4 9.3.1.4 9.3.1.1 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.3	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.3 9.3.1.2.1 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5 nally Left Blank varing	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, tion Loop, First & Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	Manual Change, Mechanized Mechanized Change, Manual Manual Change, Mechanized Mechanized & Each Additional	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C, C,
9.4 5	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, tition Loop, First & Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	Manual Change, Mechanized Mechanized Change, Manual Change, Manual Change, Mechanized Mechanized Mechanized & Each Additional	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42	F, H, I F, H, I F, H, I		
9.4 5	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.4 9.3.1.4 9.3.1.4 9.3.1.1 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.3	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2.Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.2 9.3.1.3.4 9.3.1.3.4 9.3.1.3.4 9.3.1.3.5 mally Left Blank taring Basic Installati 9.4.2.1.1	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, tion Loop, First & Zone 1 Zone 2 Zone 3 Zone 3 Zone 4 Zone 5	Manual Change, Mechanized Mechanized Mechanized Change, Manual Change, Mechanized Mechanized Achanized Ach	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$5.42 \$5.42 \$5.42 \$5.42 \$5.42 \$5.42	F, H, I F, H, I F, H, I		
9.4 5	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.4 9.3.1.4 9.3.1.4 9.3.1.1 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.3	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, tition Loop, First & Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	Manual Change, Mechanized Mechanized Mechanized Change, Manual Change, Mechanized Mechanized Achanized Ach	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42	F, H, I F, H, I F, H, I		
9.4 5	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.4 9.4.4 1.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2.Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.4 9.3.1.3.4 9.3.1.3.4 9.3.1.3.5 mally Left Blank taring Basic Installati 9.4.2.1.1	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, tion Loop, First & Zone 1 Zone 2 Zone 3 Zone 3 Zone 4 Zone 5	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Mechanized  Mechanized  Achanized  Ach	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$5.42 \$5.42 \$5.42 \$5.42 \$5.42 \$5.42	F, H, I F, H, I F, H, I		C; C
9.4 5	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.4 9.4.4 1.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribut 9.3.1.3.1 9.3.1.3.2 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5 mally Left Blank taring Basic Installati 9.4.2.1.1 9.4.2.1.2 9.4.2.1.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Ton Charge for Lim Installation, Ma Disconnection,	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Mechanized  Manual  hange, Mechanized  Achanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$54.22 \$21.83 \$16.81 \$14.78 \$5.42 \$5.42 \$45.70 \$45.70 \$26.51	F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.4.1 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.4	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribut 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5 mally Left Blank taring Basic Installati 9.4.2.1.1 9.4.2.1.3 9.4.2.1.4	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Mechanized  Manual  hange, Mechanized  Achanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$54.22 \$21.83 \$16.81 \$14.78 \$5.42 	F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.4.1 9.4.2.1 9.4.2.1 9.4.3 1.000 State S	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.2 9.3.1.2.1 9.3.1.2.1 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribut 9.3.1.3.1 9.3.1.3.2 9.3.1.3.2 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5 mally Left Blank taring Basic Installati 9.4.2.1.1 9.4.2.1.2 9.4.2.1.4 Point State	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 3 Zone 4 Zone 5	Manual	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$54.22 \$21.83 \$16.81 \$14.78 \$5.42 	F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.4.1 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.4	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.4           2-Wire Distribu           9.3.1.3.1           9.3.1.3.2           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           taring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.4           plitting           Basic Installati	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, tion Loop, First & Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Con Charge for Lin Installation, Ma Disconnection, Installation, Me Disconnection, Disconnection, Con Charge for Loo	Manual Change, Mechanized Mechanized Mechanized Change, Manual Change, Mechanized Manual Chanized Mechanized Mechanized Manual Chanized Mechanized Mechanized Mechanized Mechanized Mechanized Mechanized Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.4.1 9.4.2.1 9.4.2.1 9.4.3 1.000 State S	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.2           9.3.1.2.3           9.3.1.2.3           9.3.1.2.4           2.Wire Distribu           9.3.1.3.1           9.3.1.3.1           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           varing           Basic Installati           9.4.2.1.1           9.4.2.1.3           9.4.2.1.4           plitting           Basic Installati           9.4.2.1.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 ion Charge for Lim Installation, Ma Disconnection, Installation, Ma	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Mechanized  Mechanized  Achanized  Achanized  Achanized  Achanized  Achanized  Mechanized  Manual  chanized  Mechanized  po Splitting nual	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$54.22 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70	F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.4.1 9.4.2.1 9.4.2.1 9.4.3 1.000 State S	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.2           9.3.1.2.3           9.3.1.2.4           2.Wire Distribut           9.3.1.3.1           9.3.1.3.2           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           aring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 ion Charge for Lin Installation, Ma Disconnection, Installation, Ma Disconnection, Ma Disconnection, Ma	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Mechanized  Manual  hange, Mechanized  Mechanized  A Each Additional  e Splitting nual  Manual  chanized  Mechanized  op Splitting nual  Manual	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$54.22 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51	F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.4.1 9.4.2.1 9.4.2.1 9.4.3 1.000 State S	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2.Wire Distribution 9.3.1.3.1 9.3.1.3.2 9.3.1.3.1 9.3.1.3.2 9.3.1.3.4 9.3.1.3.5 mally Left Blank arring Basic Installati 9.4.2.1.1 9.4.2.1.2 9.4.2.1.4 plitting Basic Installati 9.4.3.1.1 9.4.3.1.2 9.4.3.1.2 9.4.3.1.3 9.4.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.4.1 9.4.2.1 9.4.2.1 9.4.3 1.000 State S	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.2           9.3.1.2.3           9.3.1.2.4           2.Wire Distribut           9.3.1.3.1           9.3.1.3.2           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           aring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 ion Charge for Lin Installation, Ma Disconnection, Installation, Ma Disconnection, Ma Disconnection, Ma	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$54.22 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51	F, H, I F, H, I F, H, I		
9.4 5 9.4 5 9.5 7 9.5 7	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.2 9.4.2.1 9.4.2.1 9.4.2.1	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.3           9.3.1.2.3           9.3.1.2.4           2-Wire Distribu           9.3.1.3.1           9.3.1.3.2           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           taring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.3           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1           9.4.3.1.3           9.4.3.1.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Lion Loop, First & Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Con Charge for Lin Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I		
9.4 5 9.4 5 9.5 7 9.5 7	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.2 9.4.2.1 9.4.2.1 9.4.2.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2.Wire Distribution 9.3.1.3.1 9.3.1.3.2 9.3.1.3.1 9.3.1.3.2 9.3.1.3.4 9.3.1.3.5 mally Left Blank arring Basic Installati 9.4.2.1.1 9.4.2.1.2 9.4.2.1.4 plitting Basic Installati 9.4.3.1.1 9.4.3.1.2 9.4.3.1.2 9.4.3.1.3 9.4.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Lion Loop, First & Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Con Charge for Lin Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.2 9.3.1.3	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.3           9.3.1.2.3           9.3.1.2.4           2-Wire Distribu           9.3.1.3.1           9.3.1.3.2           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           taring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.3           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1           9.4.3.1.3           9.4.3.1.3	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Con Charge for Lin Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection,	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.4.2 9.4.2 9.4.2 9.4.3 9.4.3 9.4.3 9.4.3.1	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.2           9.3.1.2.3           9.3.1.2.3           9.3.1.2.4           2-Wire Distribut           9.3.1.3.1           9.3.1.3.2           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           naring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1           9.4.3.1.2           9.4.3.1.3           9.4.3.1.4           2.4.3.1.3           9.4.3.1.4	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, tion Loop, First & Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02 \$48.37 		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9.4.2.1 9.4.2.1 9.4.3 9.4.3.1 9.5.1	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.3           9.3.1.2.4           2.Wire Distribut           9.3.1.3.1           9.3.1.3.4           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           airing           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.3           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1           9.4.3.1.2           9.4.3.1.3           9.4.3.1.4           cated Interoffice T           DIT (Recurring Fixee           Over 0 to 8 Mi	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Con Charge for Lin Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Installation, Me Disconnection,	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02 \$48.37		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I F, H, I F, H, I		
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9.4.1 9.4.2.1 9.4.2.1 9.4.3 9.4.1	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.2           9.3.1.2.3           9.3.1.3.3           9.3.1.3.1           9.3.1.3.2           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           aring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.3           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1           9.4.3.1.2           9.4.3.1.3           9.4.3.1.4           Cated Interoffice T           DIT (Recurring Fixed           Over 0 to 8 Min           Over 0 to 8 S Min	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 3 Zone 4 Zone 5 Con Charge for Lin Installation, Ma Disconnection, Installation, Me Disconnection, Installation, Me Disconnection,	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02 \$48.37 	\$0.07	\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I F, H, I F, H, I A, H, I	A, H, I	
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.3 9.3.1.2 9.3.1.3 9	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.2           9.3.1.2.3           9.3.1.2.3           9.3.1.3.1           9.3.1.3.2           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           taring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.3           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1           9.4.3.1.3           9.4.3.1.3           9.4.3.1.3           9.4.3.1.3           9.4.3.1.4           Cated Interoffice T           DIT (Recurring Fixee           Over 0 to 8 Mi           Over 25 to 50	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Con Charge for Lin Installation, Ma Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Me	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02 \$48.37	\$0.07 \$0.07	\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I F, H, I F, H, I A, H, I A, H, I A, H, I	A, H, I A, H, I	
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.2           9.3.1.2.3           9.3.1.2.4           2.Wire Distribu           9.3.1.3.1           9.3.1.3.2           9.3.1.3.2           9.3.1.3.3           9.3.1.3.4           9.3.1.3.4           9.3.1.3.4           9.3.1.3.4           9.3.1.3.4           9.3.1.3.4           9.3.1.3.5           nally Left Blank           taring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.3           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.3           9.4.3.1.3           9.4.3.1.3           9.4.3.1.3           9.4.3.1.4           Cover 0 to 8 Mi           Over 50 Miles </td <td>Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Con Charge for Lin Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Me Disconnection, Installation, Me Disconnection,</td> <td>Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized</td> <td>\$8.27 \$10.69 \$19.02 \$48.37 </td> <td>\$0.07</td> <td>\$16.81 \$58.94 \$21.83 \$16.81 \$14.78 \$5.42 \$16.81 \$14.78 \$5.42 \$5.42 \$2.5.51 \$3.7.53 \$14.411 \$2.6.51 \$3.7.53 \$14.411 \$2.6.51 \$3.7.53 \$14.411 \$3.7.53 \$14.411 \$3.7.53 \$14.411 \$3.7.53 \$14.411 \$3.7.53 \$14.411</td> <td>F, H, I F, H, I F, H, I F, H, I F, H, I A, H, I</td> <td>A, H, I</td> <td></td>	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Con Charge for Lin Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Me Disconnection, Installation, Me Disconnection,	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02 \$48.37 	\$0.07	\$16.81 \$58.94 \$21.83 \$16.81 \$14.78 \$5.42 \$16.81 \$14.78 \$5.42 \$5.42 \$2.5.51 \$3.7.53 \$14.411 \$2.6.51 \$3.7.53 \$14.411 \$2.6.51 \$3.7.53 \$14.411 \$3.7.53 \$14.411 \$3.7.53 \$14.411 \$3.7.53 \$14.411 \$3.7.53 \$14.411	F, H, I F, H, I F, H, I F, H, I F, H, I A, H, I	A, H, I	
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9.4.2 9.4.2 9.4.3 9.4.1.4 9.6.1.2 9.6.1.3 9.6.1.4 9.6.1.5	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.2           9.3.1.2.3           9.3.1.2.4           2.Wire Distribution           9.3.1.3.1           9.3.1.3.2           9.3.1.3.4           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           saring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.3           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1           9.4.3.1.2           9.4.3.1.3           9.4.3.1.4           Cated Interoffice T           DIT (Recurring Fixed           Over 0 to 8 Mi           Over 25 to 50           Over 50 Miles           Installation, Mi	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, tion Loop, First & Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Di	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02 \$48.37	\$0.07 \$0.07	\$16.81 \$58.94 \$54.22 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I F, H, I F, H, I A, H, I A, H, I A, H, I	A, H, I A, H, I	
9.4 S	9.3.1 2-Wire 9.3.1.1 9.3.1.1 9.3.1.1 9.3.1.2 9.3.1.2 9.3.1.2 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.3 9.3.1.2 9	First           9.3.1.1.1           9.3.1.1.2           9.3.1.1.2           9.3.1.1.3           9.3.1.1.4           Each Additiona           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.1           9.3.1.2.2           9.3.1.2.3           9.3.1.2.4           2.Wire Distribution           9.3.1.3.1           9.3.1.3.2           9.3.1.3.4           9.3.1.3.3           9.3.1.3.4           9.3.1.3.5           nally Left Blank           saring           Basic Installati           9.4.2.1.1           9.4.2.1.2           9.4.2.1.3           9.4.2.1.4           plitting           Basic Installati           9.4.3.1.1           9.4.3.1.2           9.4.3.1.3           9.4.3.1.4           Cated Interoffice T           DIT (Recurring Fixed           Over 0 to 8 Mi           Over 25 to 50           Over 50 Miles           Installation, Mi	Disconnection, Installation or C Disconnection, al Installation or C Disconnection, Installation or C Disconnection, Installation or C Disconnection, tion Loop, First & Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Ma Disconnection, Installation, Me Disconnection, Installation, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Disconnection, Me Di	Manual  hange, Mechanized  Mechanized  Anage, Manual  hange, Manual  hange, Mechanized  Mechanized  k Each Additional  e Splitting nual  Manual chanized  op Splitting nual  Manual chanized  Manual chanized  Manual chanized	\$8.27 \$10.69 \$19.02 \$48.37	\$0.07 \$0.07	\$16.81 \$58.94 \$21.83 \$16.81 \$14.78 \$5.42 \$16.81 \$14.78 \$5.42 \$5.42 \$2.5.51 \$3.7.53 \$14.411 \$2.6.51 \$3.7.53 \$14.411 \$2.6.51 \$3.7.53 \$14.411 \$3.7.53 \$14.411 \$3.7.53 \$14.411 \$3.7.53 \$14.411 \$3.7.53 \$14.411	F, H, I F, H, I F, H, I F, H, I F, H, I A, H, I A, H, I A, H, I	A, H, I A, H, I	С, С

	0.6.0	9.6.1.8	Disconnection,						\$74.23			C, F
	9.6.2		Recurring Fixed				<b>#00.10</b>	<b>*• • •</b>		A 17 -	A 11 /	+
		9.6.2.1	Over 0 to 8 Mile				\$33.12	\$0.51		A, H, I	A, H, I	
		9.6.2.2	Over 8 to 25 M				\$33.12	\$0.65		A, H, I	A, H, I	
		9.6.2.3	Over 25 to 50 N	/liles			\$33.13	\$2.30		A, H, I	A, H, I	
		9.6.2.4	Over 50 Miles				\$33.13	\$2.70		A, H, I	A, H, I	
		9.6.2.5	Installation, Ma						\$260.80			С,
		9.6.2.6	Disconnection,						\$91.37			С,
		9.6.2.7	Installation, Me						\$244.14			С,
		9.6.2.8	Disconnection,						\$74.74			С,
	9.6.3	DS3 UDIT (	Recurring Fixed	& per Mile)								
		9.6.3.1	Over 0 to 8 Mile	es			\$224.72	\$10.60		A, H, I	A, H, I	
		9.6.3.2	Over 8 to 25 M	les			\$225.41	\$11.55		A, H, I	A, H, I	
		9.6.3.3	Over 25 to 50 M	/liles			\$231.08	\$30.34		A, H, I	A, H, I	
		9.6.3.4	Over 50 Miles				\$233.13	\$34.70		A, H, I	A, H, I	
		9.6.3.5	Installation, Ma	nual					\$260.80			С,
		9.6.3.6	Disconnection,	Manual					\$91.37			C,
		9.6.3.7	Installation, Me	chanized					\$244.14			С,
		9.6.3.8	Disconnection,	Mechanized					\$74.74			C.
		10.0.0.0							•••••			,
9.23	UNE Con	nbinations										1
	9.23.2		Extended Loop (	FL)								1
	0.20.2	9.23.2.1	EEL Loop, DSC									
1	1	0.20.2.1	9.23.2.1.1	EEL 2-Wire Lo	on Installation						1	<u> </u>
<u> </u>	ł		0.20.2.1.1	9.23.2.1.1.1	First							+
<u> </u>	1		<u> </u>	0.20.2.1.1.1	9.23.2.1.1.1.1	Installation, Manual			\$226.09			C,
<del> </del>	+		<u> </u>	ł	9.23.2.1.1.1.1	,					+	C,
<u> </u>						Disconnection, Manual			\$73.38			
				<u> </u>	9.23.2.1.1.1.3	Installation, Mechanized			\$213.16		+	С,
ļ		L			9.23.2.1.1.1.4	Disconnection, Mechanized			\$60.45			С,
		ļ		9.23.2.1.1.2	Each Additional							<u> </u>
		ļ			9.23.2.1.1.2.1	Installation, Manual			\$156.43			С,
	ļ	L			9.23.2.1.1.2.2	Disconnection, Manual			\$46.29			С,
					9.23.2.1.1.2.3	Installation, Mechanized			\$156.43			С,
					9.23.2.1.1.2.4	Disconnection, Mechanized			\$46.29			С,
			9.23.2.1.2	2-Wire Analog	Loop (see rates in	9.2.1.1)						
				9.23.2.1.2.1	Zone 1		\$11.26			H, I , 12		
				9.23.2.1.2.2	Zone 2		\$13.63			H, I , 12		
				9.23.2.1.2.3	Zone 3		\$16.92			H, I, 12		
				9.23.2.1.2.4	Zone 4		\$28.23			H, I, 12		1
				9.23.2.1.2.5	Zone 5		\$67.77			H, I , 12		1
		9.23.2.2	EEL Loop, DSC							,.,.		-
		0.20.2.2	9.23.2.2.1	EEL 4-Wire Lo	on Installation							+
			3.23.2.2.1	9.23.2.2.1.1	First							
				3.23.2.2.1.1	9.23.2.2.1.1.1	Installation, Manual			\$226.09			C.
					9.23.2.2.1.1.1	Disconnection, Manual			\$73.38			C,
			-		9.23.2.2.1.1.2	Installation, Mechanized			\$213.16			C,
			-		9.23.2.2.1.1.3	Disconnection, Mechanized			\$60.45			C,
				0.00.0.0.4.0		Disconnection, Mechanized			\$60.45			U,
				9.23.2.2.1.2	Each Additional	Lestelle Constant			<b>\$450.40</b>			_
			_		9.23.2.2.1.2.1	Installation, Manual			\$156.43			С,
					9.23.2.2.1.2.2	Disconnection, Manual			\$46.29			С,
					9.23.2.2.1.2.3	Installation, Mechanized			\$156.43			С,
					9.23.2.2.1.2.4	Disconnection, Mechanized			\$46.29			С,
	ļ	ļ	9.23.2.2.2		Loop (see rates in	9.2.1.3)					ļ	_
	ļ	L		9.23.2.2.2.1	Zone 1		\$21.38			H, I , 12	L	<u> </u>
			ļ	9.23.2.2.2.2	Zone 2		\$26.29			H, I , 12		1
				9.23.2.2.2.3	Zone 3		\$32.69			H, I , 12		
				9.23.2.2.2.4	Zone 4		\$54.66			H, I , 12		
				9.23.2.2.2.5	Zone 5		\$131.66			H, I , 12		
		9.23.2.6	EEL Rearrange	ment								
	1		9.23.2.6.1	DS0					\$135.13			Η,
1			9.23.2.6.2	High Capacity					\$153.38			Н,
1		9.23.2.8	EEL Multiplexin	g			i					Γ
1			9.23.2.8.1	DS1 to DS0			\$175.23			A, H, I		Γ
1	1			9.23.2.8.1.1	Installation, Manu	Jal			\$202.05		1	С,
İ	1			9.23.2.8.1.2	Disconnection, M		1		\$74.96		1	C,
	1	1	t	9.23.2.8.1.3	Installation, Mech				\$189.11		1	C,
	1	1	1	9.23.2.8.1.4	Disconnection, M				\$62.03		1	C,
	1		9.23.2.8.2	9.23.2.8.1.4 DS3 to DS1			\$170.08		ψυ2.03	A, H, I	-	<u>,</u>
	1		0.20.2.0.2	9.23.2.8.2.1	Installation, Manu		φ170.00		\$202.05	Δ, Π, Ι		C,
	1		<u> </u>	9.23.2.8.2.1	Disconnection, Man				\$202.05 \$74.96			
												C,
				9.23.2.8.2.3	Installation, Mech				\$189.11			C,
l	<u> </u>	0.00.0.7		9.23.2.8.2.4	Disconnection, M				\$62.03			С,
<b> </b>		9.23.2.9			e (uses rates from 9	9.6.7)						<u> </u>
L	ļ	L	9.23.2.9.1		Channelization		\$11.23			C, H, I	L	<u> </u>
			9.23.2.9.2	DS1 / DS0 Lov	v Side Channelizati	on	\$6.41			C, H, I		
9.25	Loop Mu	x Combinat	ion (LMC)									
	9.25.1	Loop Mux D	S0 2-Wire Anal	og								$\bot$
1	1	9.25.1.1	LMC 2-Wire Lo	op Installation								
	Т	Γ	9.25.1.1.1	First			i				ſ	T
		1	9.25.1.1.1	First								L

				9.25.1.1.1.2	Disconnection, Manual		\$32.79		E, H,, I		
				9.25.1.1.1.3	Installation, Mechanized		\$107.93		E, H,, I		
				9.25.1.1.1.4	Disconnection, Mechanized		\$23.56		E, H,, I		
			9.25.1.1.2	Each Additiona							
				9.25.1.1.2.1	Installation, Manual		\$89.66		E, H,, I		
				9.25.1.1.2.2	Disconnection, Manual		\$14.61		E, H,, I		
				9.25.1.1.2.3	Installation, Mechanized		\$86.70		E, H,, I		
				9.25.1.1.2.4	Disconnection. Mechanized		\$13.06		E, H,, I		
		9.25.1.2	2-Wire Analog	Loop (see rates							
		0.2011.2	9.25.1.2.1	Zone 1		\$11.26		H, I, 12			
			9.25.1.2.2	Zone 2		\$13.63		H, I, 12			
			9.25.1.2.3	Zone 3		\$16.92		H, I, 12			
			9.25.1.2.4	Zone 4		\$28.23		H, I, 12			
			9.25.1.2.5	Zone 5		\$67.77		H, I, 12			
	9.25.2		DS0 4-Wire Ana			\$01.11		11, 1, 12			
	0.20.2	9.25.2.1		oop Installation							
		0.20.2.1	9.25.2.1.1	First							
	+	1	0.20.2.1.1	9.25.2.1.1.1	Installation, Manual		\$126.75	<u> </u>	E, H, I		
	-		1	9.25.2.1.1.2	Disconnection. Manual		\$32.79		E, H, I		
	-		1	9.25.2.1.1.2	Installation, Mechanized		\$107.93		E, H, I		
			-	9.25.2.1.1.4	Disconnection. Mechanized		\$23.56		E, H, I		
	+		9.25.2.1.2	Each Additiona			φ23.30		<u> </u>		
			9.23.2.1.2	9.25.2.1.2.1	Installation, Manual		\$89.66		E, H, I		
				9.25.2.1.2.1	Disconnection, Manual		\$09.00		E, H, I		
				9.25.2.1.2.2	Installation, Mechanized				E, H, I E, H, I		
				9.25.2.1.2.3	Disconnection, Mechanized		\$86.70 \$13.06		E, H, I E, H, I		
		0.05.0.0	4.14/200 0.0010.00		,		\$13.06		Е, Н, І		
		9.25.2.2		Loop (see rates	in 9.2.1.3)	<b>\$</b> 01.00		11 1 40			
_			9.25.2.2.1	Zone 1		\$21.38		H, I, 12			
			9.25.2.2.2	Zone 2		\$26.29		H, I, 12			
			9.25.2.2.3	Zone 3		\$32.69		H, I, 12			
			9.25.2.2.4	Zone 4		\$54.66		H, I, 12			
			9.25.2.2.5	Zone 5	1 1	\$131.66		H, I, 12			
	10.3.2	Premium /	Privacy Listings			General	General	H, I	Н, І		
						Exchange	Exchange				
						Tariff Rate,	Tariff Rate,				
						Less	Less				
						Wholesale	Wholesale				
						Discount	Discount				
TES:											
А	Generic (	Cost Docket	, UT-960369								
С		T-003013, F									
Е	Docket U	T-003013, F	Part D								
F	Docket U	T-023003									
Н	The Fede	ral Commu	nications Commi	ission (the, "FCC	" or "Commission") released Order FCC 19-	66, a Report and Order on R	emand and Memorandu	um Opinion			
	and Order in WC Docket Nos. 18-141, et al (the "UNE Transport Order"), and on August 2, 2019, released Order FCC 19-72, a Memorandum Opinion and										
	Order in WC Docket 18-141 (the "UNE Analog Loop and Resale Forbearance Order") which altered CenturyLink's obligations to provide certain unbundled										
	network e	network elements. As a result, any rate with this footnote attached to it only applies to UNEs and Resold services according to the terms of the UNE/Resale									
	Forbeara	nce Amendr	ment of the Agre	ement. Any rate	with this footnote is no longer applicable in	any way after August 2, 2022	2, again consistent with	the terms			
			ed amendment.		3. 11	· · · · · · · · · · · · · · · · · · ·	,				
						000 A		a da a sa d			
					for UNE/Resale on or before February 2, 2						
	atter Feb	uary 2, 202	0 will not have t	he discounts or ra	ates applicable in this table, but instead will	be subject to the applicable t	aritt, price list or catalog	g rates.			
1	Rate not	addressed i	n a cost proceer	ding (Estimated T	ELRIC)						