

Performance Results
Washington
April 2004 - March 2005
Qwest's Performance Assurance Plans (PAPs)

Combined	Month	CLEC Numerator	CLEC Denominator
BI-1A BI-1 - Time to Provide Recorded Usage Records UNEs and Resale Aggregate (Parity)	March 2005	98874099	53894234
	February 2005	85483188	46213570
	January 2005	781578290	52054954
	December 2004	100153135	53134114
	November 2004	92151225	49094957
	October 2004	89131775	48329358
	September 2004	98272654	52619910
	August 2004	102507752	52643667
	July 2004	92220048	51937240
	June 2004	110560955	53892539
	May 2004	87339820	44397575
	April 2004	88646737	44639175
BI-1B BI-1 - Time to Provide Recorded Usage Records Jointly-provided Switched Access (Benchmark)	March 2005	820609	820614
	February 2005	666082	666082
	January 2005	686266	686266
	December 2004	674208	674213
	November 2004	615371	615371
	October 2004	636778	636785
	September 2004	661403	661404
	August 2004	1008666	1008676
	July 2004	606212	606218
	June 2004	661721	662015
	May 2004	608022	608022
	April 2004	662725	662725
BI-1C-1 BI-1 - Time to Provide Recorded Usage Records UNEs and Resale Aggregate (Diagnostic)	March 2005	53368452	26868884
	February 2005	45739211	22887858
	January 2005	739736598	28057053
	December 2004	53246142	26391306
	November 2004	49204081	24769632
	October 2004	49064985	24896695
	September 2004	53407409	26610019
	August 2004	60000760	27046328
	July 2004	51213593	26463599
	June 2004	61966288	27100389
	May 2004	48404979	22894147
	April 2004	49804825	23071130
BI-1C-2 BI-1 - Time to Provide Recorded Usage Records UNEs and Resale Aggregate (Diagnostic)	March 2005	45505647	27025350
	February 2005	39743977	23325712
	January 2005	41841692	23997901
	December 2004	46906993	26742808
	November 2004	42947144	24325325
	October 2004	40066790	23432663
	September 2004	44865245	26009891
	August 2004	42506992	25597339

	July 2004	41006455	25473641
	June 2004	48594667	26792150
	May 2004	38934841	21503428
	April 2004	38841912	21568045
BI-2 BI-2 - Invoices Delivered within 10 Days All (Parity)	March 2005	910	913
	February 2005	770	771
	January 2005	771	773
	December 2004	843	844
	November 2004	662	663
	October 2004	812	812
	September 2004	759	759
	August 2004	737	738
	July 2004	775	775
	June 2004	873	876
	May 2004	715	716
	April 2004	669	669
	BI-3A BI-3 - Billing Accuracy - Adjustments for Errors UNEs and Resale Aggregate (Parity)	March 2005	4502543.14
February 2005		5862385.23	5869706.95
January 2005		6847698.29	6953902.9
December 2004		6716481.09	8635483.35
November 2004		5721170	5771218.65
October 2004		5513971.61	5517554.29
September 2004		5507007.08	5539684.62
August 2004		5672605.24	5684831.37
July 2004		5291479.34	5345945.35
June 2004		5649393.08	5688639.66
May 2004		5335803.37	5395623.26
April 2004		4756901.4	4960202
BI-3B BI-3 - Billing Accuracy - Adjustments for Errors Reciprocal Compensation (Benchmark)		March 2005	51265.08
	February 2005	62373.29	63577.88
	January 2005	60080.94	60080.94
	December 2004	58247.22	58247.22
	November 2004	64630.58	64630.58
	October 2004	62060.42	62061.58
	September 2004	62946.98	62946.98
	August 2004	65512.28	65512.28
	July 2004	66911.13	66911.13
	June 2004	72436.24	72436.24
	May 2004	72673.82	72673.82
	April 2004	78466.73	78466.73
	BI-4A BI-4 - Billing Completeness UNEs and Resale Aggregate (Parity)	March 2005	31364
February 2005		31536	31567
January 2005		26008	26139
December 2004		31270	31413
November 2004		35689	35736
October 2004		38707	38788
September 2004		32935	32980
August 2004		33449	33481
July 2004		37990	38061
June 2004		42481	42542
May 2004		42426	42486
April 2004		37786	37822

BI-4B BI-4 - Billing Completeness Reciprocal Compensation (Benchmark)	March 2005	59136.36	59136.36
	February 2005	63577.88	63577.88
	January 2005	60080.94	60080.94
	December 2004	58247.22	58247.22
	November 2004	64630.58	64630.58
	October 2004	62061.58	62061.58
	September 2004	62946.98	62946.98
	August 2004	65512.28	65512.28
	July 2004	66911.13	66911.13
	June 2004	72436.24	72436.24
	May 2004	72673.82	72673.82
	April 2004	78466.73	78466.73
	BI-5A BI-5 - Billing Accuracy & Claims Processing All (Benchmark)	March 2005	212
February 2005		293	321
January 2005		294	294
December 2004		208	210
November 2004		204	204
October 2004		233	239
September 2004		265	271
August 2004		237	237
July 2004		194	194
June 2004		279	279
May 2004		331	331
April 2004		191	197
BI-5B BI-5 - Billing Accuracy & Claims Processing All (Benchmark)		March 2005	219
	February 2005	269	275
	January 2005	187	188
	December 2004	146	161
	November 2004	189	190
	October 2004	306	308
	September 2004	199	204
	August 2004	234	235
	July 2004	235	236
	June 2004	296	299
	May 2004	360	363
	April 2004	226	227
	CP-1A CP-1 - Collocation Completion Interval (Average Days) All (Benchmark)	March 2005	0
February 2005		0	0
January 2005		69	1
December 2004		75	1
November 2004		54	1
October 2004		144	2
September 2004		0	0
August 2004		316	4
July 2004		0	0
June 2004		85	1
May 2004		301	4
April 2004		203	3
CP-1B CP-1 - Collocation Completion Interval (Average Days) All (Benchmark)		March 2005	71
	February 2005	0	0
	January 2005	71	1
	December 2004	0	0

	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	257	3
	July 2004	0	0
	June 2004	116	1
	May 2004	0	0
	April 2004	261	4
CP-1C CP-1 - Collocation Completion Interval (Average Days) All (Benchmark)	March 2005	64	1
	February 2005	257	3
	January 2005	0	0
	December 2004	123	1
	November 2004	134	2
	October 2004	251	2
	September 2004	168	2
	August 2004	509	5
	July 2004	0	0
	June 2004	225	2
	May 2004	220	3
	April 2004	256	3
CP-2B CP-2 - Collocations Completed within Scheduled Intervals (Percent) All (Benchmark)	March 2005	1	1
	February 2005	0	0
	January 2005	2	2
	December 2004	1	1
	November 2004	1	1
	October 2004	2	2
	September 2004	0	0
	August 2004	7	7
	July 2004	0	0
	June 2004	2	2
	May 2004	4	4
	April 2004	7	7
CP-2C CP-2 - Collocations Completed within Scheduled Intervals (Percent) All (Benchmark)	March 2005	1	1
	February 2005	4	4
	January 2005	3	3
	December 2004	1	1
	November 2004	3	3
	October 2004	2	2
	September 2004	5	5
	August 2004	5	5
	July 2004	1	1
	June 2004	2	2
	May 2004	3	3
	April 2004	5	5
CP-3 CP-3 - Collocation Feasibility Study Interval (Average Days) All (Benchmark)	March 2005	10	1
	February 2005	64	7
	January 2005	105	11
	December 2004	31	4
	November 2004	45	5
	October 2004	36	4
	September 2004	8	1
	August 2004	21	3

	July 2004	60	8
	June 2004	6	1
	May 2004	47	6
	April 2004	17	2
CP-4 CP-4 - Collocation Feasibility Study	March 2005	5	5
Commitments Met (Percent) All (Benchmark)	February 2005	9	9
	January 2005	11	11
	December 2004	4	4
	November 2004	6	6
	October 2004	4	4
	September 2004	1	1
	August 2004	3	3
	July 2004	8	8
	June 2004	8	8
	May 2004	6	6
	April 2004	2	2
DA-1 DA-1 - Speed of Answer - Directory Assistance (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
DB-1A DB-1 - Time to Update Databases E911 (Parity)	March 2005	0	137418
	February 2005	0	171935
	January 2005	0	288079
	December 2004	0	197074
	November 2004	0	213857
	October 2004	0	191506
	September 2004	0	155470
	August 2004	0	161721
	July 2004	0	117553
	June 2004	0	152022
	May 2004	0	154057
	April 2004	0	138843
DB-1B DB-1 - Time to Update Databases LIDB (Parity)	March 2005	5425077	5262607
	February 2005	4448444	4277374
	January 2005	4310690	4145982
	December 2004	5305844	5077119
	November 2004	4582329	4438879
	October 2004	5093661	4919094
	September 2004	6366056	6194011
	August 2004	4928663	4765476
	July 2004	5274150	5102921
	June 2004	5561233	5397765
	May 2004	5166398	5008929
	April 2004	5945807	5787323

DB-1C-1 DB-1 - Time to Update Databases Directory Listing (Parity)	March 2005	95793.21	339270
	February 2005	86576.31	262370
	January 2005	52165.35	254458
	December 2004	51211.96	279505
	November 2004	50742.94	275126
	October 2004	56329.32	317211
	September 2004	59239.19	333148
	August 2004	62147.85	349379
	July 2004	59976.72	341541
	June 2004	64940.07	374407
	May 2004	59191.46	335330
	April 2004	66156	363983
	DB-2C-1 DB-2 - Accurate Database Updates Directory Listing (Parity)	March 2005	275492
February 2005		215910	219490
January 2005		206916	210277
December 2004		228735	232072
November 2004		224400	227669
October 2004		263762	267712
September 2004		269030	273632
August 2004		281372	286032
July 2004		275274	279818
June 2004		302858	307732
May 2004		274445	278546
April 2004		301108	305981
GA-1A GA-1 - Gateway Availability - IMA-GUI All (Benchmark)		March 2005	29834
	February 2005	26588	26640
	January 2005	28955	28980
	December 2004	29744	29880
	November 2004	28800	28800
	October 2004	28365	28500
	September 2004	28800	28800
	August 2004	29092	29160
	July 2004	29562	29700
	June 2004	28640	28800
	May 2004	28980	28980
	April 2004	28440	28440
	GA-1D GA-1 - Gateway Availability - IMA-GUI SIA (Benchmark)	March 2005	29880
February 2005		26640	26640
January 2005		28980	28980
December 2004		29880	29880
November 2004		28800	28800
October 2004		28980	28980
September 2004		28800	28800
August 2004		29160	29160
July 2004		29680	29700
June 2004		28800	28800
May 2004		28980	28980
April 2004		28800	28800
GA-2 GA-2 - Gateway Availability - IMA-EDI (Benchmark)		March 2005	29834
	February 2005	26640	26640
	January 2005	28971	28980
	December 2004	29744	29880

	November 2004	28800	28800
	October 2004	28421	28500
	September 2004	28673	28800
	August 2004	29114	29160
	July 2004	29700	29700
	June 2004	28640	28800
	May 2004	28980	28980
	April 2004	28380	28440
GA-3 GA-3 - Gateway Availability - EB-TA (Benchmark)	March 2005	43200	43200
	February 2005	38880	38880
	January 2005	42840	42840
	December 2004	42660	42660
	November 2004	41501	41760
	October 2004	42720	42720
	September 2004	41760	41760
	August 2004	42853	42900
	July 2004	43140	43140
	June 2004	41273	41340
	May 2004	42785	42840
	April 2004	41340	41340
GA-4 GA-4 - System Availability - EXACT (Benchmark)	March 2005	22860	22860
	February 2005	20160	20160
	January 2005	21600	21600
	December 2004	22860	22860
	November 2004	21960	21960
	October 2004	21600	21600
	September 2004	21960	21960
	August 2004	21960	21960
	July 2004	22500	22500
	June 2004	21960	21960
	May 2004	21600	21600
	April 2004	21960	21960
GA-6 GA-6 - Gateway Availability - GUI - Repair (Benchmark)	March 2005	38647	38655
	February 2005	35108	35160
	January 2005	38730	38730
	December 2004	38542	38595
	November 2004	37723	37770
	October 2004	38604	38610
	September 2004	37770	37770
	August 2004	38455	38850
	July 2004	38955	38955
	June 2004	37343	37410
	May 2004	38624	38730
	April 2004	37410	37410
GA-7 GA-7 - Timely Outage Resolution following Software Releases (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	1	1
	September 2004	0	0
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Business (Diagnostic)	March 2005	9	28
	February 2005	10	24
	January 2005	8	24
	December 2004	13	40
	November 2004	10	30
	October 2004	9	23
	September 2004	14	21
	August 2004	9	27
	July 2004	13	31
	June 2004	12	36
	May 2004	13	36
	April 2004	9	24
	MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Centrex (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		1	3
August 2004		0	2
July 2004		1	1
June 2004		0	1
May 2004		0	1
April 2004		2	6
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Centrex 21 (Diagnostic)		March 2005	4
	February 2005	2	6
	January 2005	5	8
	December 2004	3	6
	November 2004	1	3
	October 2004	0	3
	September 2004	0	3
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	2
	MR-10 MR-10 - Customer-Related Trouble Reports (Percent) DS0 (Diagnostic)	March 2005	1
February 2005		1	1
January 2005		0	0
December 2004		0	3
November 2004		2	2
October 2004		0	0
September 2004		1	3
August 2004		1	6
July 2004		0	3
June 2004		0	1
May 2004		1	2
April 2004		0	2

MR-10 MR-10 - Customer-Related Trouble Reports (Percent) DS1 (Diagnostic)	March 2005	0	1
	February 2005	0	1
	January 2005	0	0
	December 2004	1	2
	November 2004	0	0
	October 2004	0	1
	September 2004	1	1
	August 2004	0	2
	July 2004	0	1
	June 2004	0	2
	May 2004	1	3
	April 2004	0	1
	MR-10 MR-10 - Customer-Related Trouble Reports (Percent) E911 (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	1
November 2004		0	0
October 2004		1	1
September 2004		0	1
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Frame Relay (Diagnostic)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	2
	July 2004	0	0
	June 2004	0	0
	May 2004	0	2
	April 2004	0	0
	MR-10 MR-10 - Customer-Related Trouble Reports (Percent) ISDN Primary (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		2	2
July 2004		0	1
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) LIS Trunk (Diagnostic)		March 2005	13
	February 2005	17	22
	January 2005	8	22
	December 2004	4	12

	November 2004	7	15
	October 2004	6	14
	September 2004	7	16
	August 2004	14	27
	July 2004	5	14
	June 2004	17	30
	May 2004	9	20
	April 2004	14	22
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) PBX (Diagnostic)	March 2005	0	1
	February 2005	0	1
	January 2005	2	3
	December 2004	0	1
	November 2004	1	1
	October 2004	1	4
	September 2004	1	1
	August 2004	0	0
	July 2004	6	6
	June 2004	2	3
	May 2004	3	7
	April 2004	0	2
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Qwest DSL (Diagnostic)	March 2005	15	25
	February 2005	9	14
	January 2005	11	22
	December 2004	3	7
	November 2004	10	18
	October 2004	13	19
	September 2004	3	3
	August 2004	7	8
	July 2004	5	9
	June 2004	13	18
	May 2004	3	9
	April 2004	10	19
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Residence (Diagnostic)	March 2005	54	131
	February 2005	40	91
	January 2005	64	130
	December 2004	50	111
	November 2004	43	108
	October 2004	39	110
	September 2004	49	103
	August 2004	52	113
	July 2004	49	96
	June 2004	38	90
	May 2004	57	117
	April 2004	40	92
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) UDIT Above DS1 Level (Diagnostic)	March 2005	4	8
	February 2005	0	2
	January 2005	1	1
	December 2004	1	2
	November 2004	1	5
	October 2004	1	3
	September 2004	1	2
	August 2004	0	1

	July 2004	1	5
	June 2004	1	2
	May 2004	0	2
	April 2004	1	2
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) UDIT DS1 (Diagnostic)	March 2005	1	1
	February 2005	0	0
	January 2005	1	1
	December 2004	0	1
	November 2004	0	0
	October 2004	1	3
	September 2004	0	0
	August 2004	0	0
	July 2004	3	3
	June 2004	0	0
	May 2004	1	4
	April 2004	0	0
	MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Unbundled Loop - 2 Wire Non-Loaded (Diagnostic)	March 2005	23
February 2005		18	49
January 2005		18	57
December 2004		26	82
November 2004		27	61
October 2004		14	51
September 2004		19	56
August 2004		20	50
July 2004		10	44
June 2004		14	47
May 2004		16	35
April 2004		18	47
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Unbundled Loop - 4 Wire Non-Loaded (Diagnostic)		March 2005	0
	February 2005	0	1
	January 2005	0	0
	December 2004	0	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	2
	August 2004	1	2
	July 2004	0	0
	June 2004	0	2
	May 2004	4	4
	April 2004	0	0
	MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Unbundled Loop - ADSL Qualified (Diagnostic)	March 2005	0
February 2005		1	1
January 2005		1	2
December 2004		0	1
November 2004		2	2
October 2004		1	2
September 2004		0	0
August 2004		4	5
July 2004		0	2
June 2004		0	2
May 2004		2	3
April 2004		2	6

MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Unbundled Loop - DS1 Capable (Diagnostic)	March 2005	29	136
	February 2005	39	134
	January 2005	22	118
	December 2004	16	104
	November 2004	18	114
	October 2004	19	109
	September 2004	19	105
	August 2004	23	145
	July 2004	29	138
	June 2004	36	153
	May 2004	18	86
	April 2004	28	108
	MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Unbundled Loop - XDSLi (Diagnostic)	March 2005	1
February 2005		1	4
January 2005		0	7
December 2004		0	4
November 2004		1	2
October 2004		2	5
September 2004		1	4
August 2004		0	3
July 2004		0	5
June 2004		0	0
May 2004		2	4
April 2004		1	1
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Unbundled Loop Analog (Diagnostic)		March 2005	98
	February 2005	71	260
	January 2005	139	375
	December 2004	111	332
	November 2004	123	358
	October 2004	121	338
	September 2004	110	357
	August 2004	124	401
	July 2004	130	371
	June 2004	107	344
	May 2004	130	296
	April 2004	89	288
	MR-10 MR-10 - Customer-Related Trouble Reports (Percent) Unbundled Loop ISDN Capable (Diagnostic)	March 2005	13
February 2005		3	31
January 2005		11	35
December 2004		8	42
November 2004		3	22
October 2004		11	36
September 2004		5	19
August 2004		5	30
July 2004		11	39
June 2004		13	52
May 2004		10	29
April 2004		11	57
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) UNE - P (POTS) (Diagnostic)		March 2005	20
	February 2005	26	69
	January 2005	51	128
	December 2004	506	1276

	November 2004	465	1179
	October 2004	507	1308
	September 2004	522	1342
	August 2004	599	1536
	July 2004	693	1844
	June 2004	756	1918
	May 2004	663	1768
	April 2004	536	1411
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) UNE P (Centrex 21) (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	2
	December 2004	6	16
	November 2004	0	6
	October 2004	3	9
	September 2004	3	7
	August 2004	4	11
	July 2004	7	16
	June 2004	6	14
	May 2004	7	18
	April 2004	12	15
MR-10 MR-10 - Customer-Related Trouble Reports (Percent) UNE P (Centrex) (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	9	22
	December 2004	19	40
	November 2004	16	41
	October 2004	17	32
	September 2004	22	46
	August 2004	19	40
	July 2004	13	32
	June 2004	19	46
	May 2004	14	44
	April 2004	16	35
MR-11A MR-11 - LNP Trouble Reports Cleared within 24 Hours LNP (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-11B MR-11 - LNP Trouble Reports Cleared within 24 Hours LNP (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	3	4
	December 2004	0	0
	November 2004	2	2
	October 2004	1	1
	September 2004	0	0
	August 2004	1	1

	July 2004	1	1
	June 2004	0	0
	May 2004	1	1
	April 2004	0	0
MR-2 MR-2 - Calls Answered within 20 Seconds - Interconnect Repair Center (Percent) (Parity)	March 2005	10805.86	11778
	February 2005	9900.2	10679
	January 2005	10292.44	11141
	December 2004	10104.41	11386
	November 2004	17899	21424
	October 2004	11356.99	13653
	September 2004	12190.3	13763
	August 2004	13531.59	15332
	July 2004	12757	14966
	June 2004	13638	15794
	May 2004	11581.08	13434
	April 2004	13439.81	16108
MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Business (Parity)	March 2005	7	9
	February 2005	6	7
	January 2005	5	6
	December 2004	11	13
	November 2004	9	10
	October 2004	8	8
	September 2004	2	3
	August 2004	8	9
	July 2004	8	8
	June 2004	13	14
	May 2004	8	10
	April 2004	5	5
MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Centrex (Parity)	March 2005	1	2
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	1	1
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	1	1
MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Centrex 21 (Parity)	March 2005	4	4
	February 2005	1	1
	January 2005	1	2
	December 2004	2	2
	November 2004	0	0
	October 2004	0	0
	September 2004	2	2
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Line Sharing (Parity)	March 2005	2	2
	February 2005	3	4
	January 2005	5	9
	December 2004	5	8
	November 2004	6	10
	October 2004	10	16
	September 2004	4	14
	August 2004	4	5
	July 2004	7	10
	June 2004	12	15
	May 2004	6	8
	April 2004	8	10
MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Line Splitting (Parity)	March 2005	9	13
	February 2005	4	4
	January 2005	0	2
	December 2004	3	4
	November 2004	4	4
	October 2004	3	3
	September 2004	4	6
	August 2004	3	5
	July 2004	5	5
	June 2004	5	6
	May 2004	3	3
	April 2004	5	5
MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs PBX (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	2	2
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	0	1
MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Residence (Parity)	March 2005	50	53
	February 2005	34	36
	January 2005	37	43
	December 2004	28	42
	November 2004	31	43
	October 2004	47	52
	September 2004	32	35
	August 2004	27	38
	July 2004	29	35
	June 2004	31	34
	May 2004	29	34
	April 2004	35	36
MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)	March 2005	20	20
	February 2005	19	21
	January 2005	31	31
	December 2004	353	394

	November 2004	329	357
	October 2004	362	390
	September 2004	372	412
	August 2004	368	429
	July 2004	549	582
	June 2004	554	578
	May 2004	539	592
	April 2004	410	420
MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs UNE P (Centrex 21) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	1	1
	December 2004	4	5
	November 2004	4	4
	October 2004	2	2
	September 2004	1	1
	August 2004	3	3
	July 2004	5	7
	June 2004	3	3
	May 2004	4	5
	April 2004	2	2
MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	6	6
	December 2004	15	15
	November 2004	10	11
	October 2004	8	9
	September 2004	12	12
	August 2004	10	11
	July 2004	13	14
	June 2004	14	14
	May 2004	13	14
	April 2004	9	10
MR-3B MR-3B - Out of Service Cleared within 24 Hours (Percent) - Dispatches outside MSAs Business (Parity)	March 2005	0	0
	February 2005	1	1
	January 2005	1	2
	December 2004	0	0
	November 2004	3	3
	October 2004	0	0
	September 2004	1	1
	August 2004	1	1
	July 2004	2	3
	June 2004	1	1
	May 2004	2	2
	April 2004	2	2
MR-3B MR-3B - Out of Service Cleared within 24 Hours (Percent) - Dispatches outside MSAs PBX (Parity)	March 2005	0	0
	February 2005	1	1
	January 2005	0	0
	December 2004	1	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-3B MR-3B - Out of Service Cleared within 24	March 2005	4	6
Hours (Percent) - Dispatches outside MSAs	February 2005	9	10
Residence (Parity)	January 2005	9	9
	December 2004	7	7
	November 2004	6	6
	October 2004	5	6
	September 2004	1	3
	August 2004	4	5
	July 2004	1	1
	June 2004	3	5
	May 2004	7	8
	April 2004	5	5
MR-3B MR-3B - Out of Service Cleared within 24	March 2005	2	2
Hours (Percent) - Dispatches outside MSAs UNE - P	February 2005	5	5
(POTS) (Parity)	January 2005	12	14
	December 2004	71	74
	November 2004	59	68
	October 2004	81	86
	September 2004	78	83
	August 2004	107	122
	July 2004	126	133
	June 2004	112	119
	May 2004	101	109
	April 2004	93	95
MR-3B MR-3B - Out of Service Cleared within 24	March 2005	0	0
Hours (Percent) - Dispatches outside MSAs UNE P	February 2005	0	0
(Centrex) (Parity)	January 2005	1	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-3C MR-3C - Out of Service Cleared within 24	March 2005	1	1
Hours (Percent) - No dispatches Business (Parity)	February 2005	3	3
	January 2005	3	3
	December 2004	2	2
	November 2004	3	3
	October 2004	0	0
	September 2004	1	1
	August 2004	2	2
	July 2004	0	0
	June 2004	2	2
	May 2004	3	3
	April 2004	0	0

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Centrex (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	3	3
MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Line Sharing (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	1	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Line Splitting (Parity)	March 2005	2	2
	February 2005	2	2
	January 2005	1	1
	December 2004	2	2
	November 2004	0	0
	October 2004	8	8
	September 2004	10	10
	August 2004	13	14
	July 2004	8	9
	June 2004	12	12
	May 2004	5	5
	April 2004	9	9
MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches PBX (Parity)	March 2005	1	1
	February 2005	1	1
	January 2005	1	1
	December 2004	1	1
	November 2004	3	3
	October 2004	2	2
	September 2004	0	0
	August 2004	2	2
	July 2004	4	4
	June 2004	2	2
	May 2004	1	1
	April 2004	0	0
MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Residence (Parity)	March 2005	1	1
	February 2005	0	0
	January 2005	1	1
	December 2004	0	0

	November 2004	0	0
	October 2004	1	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	4	4
	April 2004	1	1
MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Sub-Loop Unbundling (Diagnostic)	March 2005	3	3
	February 2005	3	3
	January 2005	2	2
	December 2004	4	4
	November 2004	7	7
	October 2004	4	4
	September 2004	7	8
	August 2004	8	8
	July 2004	0	0
	June 2004	4	4
	May 2004	3	3
	April 2004	4	4
MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches UNE - P (POTS) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	1	1
	April 2004	0	0
MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches UNE P (Centrex 21) (Parity)	March 2005	1	1
	February 2005	3	3
	January 2005	7	7
	December 2004	67	68
	November 2004	61	62
	October 2004	76	77
	September 2004	92	94
	August 2004	91	105
	July 2004	100	101
	June 2004	83	86
	May 2004	90	91
	April 2004	76	77
MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	1	1
	September 2004	2	2
	August 2004	3	3

	July 2004	1	1
	June 2004	1	1
	May 2004	2	2
	April 2004	0	0
MR-3D MR-3D - Out of Service Cleared within 24	March 2005	0	0
Hours (Percent) - Interval Zone One Unbundled	February 2005	0	0
Loop - 2 Wire Non-Loaded (Parity)	January 2005	1	1
	December 2004	3	3
	November 2004	1	1
	October 2004	1	1
	September 2004	2	2
	August 2004	3	3
	July 2004	1	1
	June 2004	4	4
	May 2004	4	4
	April 2004	1	1
MR-3D MR-3D - Out of Service Cleared within 24	March 2005	32	32
Hours (Percent) - Interval Zone One Unbundled	February 2005	20	20
Loop - ADSL Qualified (Parity)	January 2005	27	27
	December 2004	34	35
	November 2004	20	20
	October 2004	20	20
	September 2004	25	25
	August 2004	21	21
	July 2004	21	21
	June 2004	15	16
	May 2004	10	10
	April 2004	13	13
MR-3D MR-3D - Out of Service Cleared within 24	March 2005	0	0
Hours (Percent) - Interval Zone One Unbundled	February 2005	0	0
Loop - XDSLi (Parity)	January 2005	0	0
	December 2004	1	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	2	2
	June 2004	2	2
	May 2004	1	1
	April 2004	3	3
MR-3D MR-3D - Out of Service Cleared within 24	March 2005	1	1
Hours (Percent) - Interval Zone One Unbundled	February 2005	2	2
Loop Analog (Parity)	January 2005	7	7
	December 2004	3	3
	November 2004	1	1
	October 2004	2	2
	September 2004	3	3
	August 2004	3	3
	July 2004	4	4
	June 2004	0	0
	May 2004	2	2
	April 2004	0	0

MR-3D MR-3D - Out of Service Cleared within 24 Hours (Percent) - Interval Zone One Unbundled Loop ISDN Capable (Parity)	March 2005	136	141
	February 2005	108	111
	January 2005	159	166
	December 2004	141	147
	November 2004	168	168
	October 2004	149	157
	September 2004	167	176
	August 2004	171	199
	July 2004	163	167
	June 2004	154	160
	May 2004	98	102
	April 2004	118	120
	MR-3E MR-3E - Out of Service Cleared within 24 Hours (Percent) - Interval Zone Two Unbundled Loop - 2 Wire Non-Loaded (Parity)	March 2005	16
February 2005		15	15
January 2005		13	14
December 2004		13	14
November 2004		9	10
October 2004		14	15
September 2004		6	6
August 2004		8	8
July 2004		15	15
June 2004		19	19
May 2004		7	8
April 2004		25	26
MR-3E MR-3E - Out of Service Cleared within 24 Hours (Percent) - Interval Zone Two Unbundled Loop - ADSL Qualified (Parity)		March 2005	3
	February 2005	4	4
	January 2005	4	4
	December 2004	3	3
	November 2004	6	6
	October 2004	6	6
	September 2004	2	2
	August 2004	4	4
	July 2004	4	4
	June 2004	8	8
	May 2004	1	1
	April 2004	7	7
	MR-3E MR-3E - Out of Service Cleared within 24 Hours (Percent) - Interval Zone Two Unbundled Loop Analog (Parity)	March 2005	3
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		1	1
MR-3E MR-3E - Out of Service Cleared within 24 Hours (Percent) - Interval Zone Two Unbundled Loop ISDN Capable (Parity)		March 2005	18
	February 2005	11	11
	January 2005	11	12
	December 2004	13	13

	November 2004	22	23
	October 2004	19	19
	September 2004	12	12
	August 2004	9	9
	July 2004	15	15
	June 2004	18	18
	May 2004	20	20
	April 2004	23	23
MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Business (Parity)	March 2005	7	7
	February 2005	3	3
	January 2005	3	4
	December 2004	6	7
	November 2004	5	5
	October 2004	5	5
	September 2004	6	6
	August 2004	6	6
	July 2004	5	5
	June 2004	11	11
	May 2004	1	1
	April 2004	8	8
MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Centrex (Parity)	March 2005	11	11
	February 2005	10	10
	January 2005	6	6
	December 2004	21	21
	November 2004	12	12
	October 2004	11	11
	September 2004	4	4
	August 2004	11	11
	July 2004	9	9
	June 2004	17	17
	May 2004	12	12
	April 2004	6	6
MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Centrex 21 (Parity)	March 2005	2	2
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	1	1
	July 2004	0	0
	June 2004	1	1
	May 2004	1	1
	April 2004	1	1
MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Line Sharing (Parity)	March 2005	4	4
	February 2005	4	4
	January 2005	2	2
	December 2004	3	3
	November 2004	0	0
	October 2004	0	0
	September 2004	2	2
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Line Splitting (Parity)	March 2005	2	2
	February 2005	4	4
	January 2005	7	9
	December 2004	7	8
	November 2004	9	10
	October 2004	13	16
	September 2004	14	14
	August 2004	5	5
	July 2004	10	10
	June 2004	15	15
	May 2004	8	8
	April 2004	10	10
MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs PBX (Parity)	March 2005	12	13
	February 2005	6	6
	January 2005	2	2
	December 2004	4	5
	November 2004	4	4
	October 2004	3	3
	September 2004	8	8
	August 2004	4	5
	July 2004	7	7
	June 2004	7	7
	May 2004	3	3
	April 2004	6	6
MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Residence (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	2	2
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	1	1
MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)	March 2005	55	55
	February 2005	36	36
	January 2005	48	49
	December 2004	44	45
	November 2004	45	45
	October 2004	56	56
	September 2004	39	39
	August 2004	42	44
	July 2004	35	36
	June 2004	37	37
	May 2004	38	40
	April 2004	39	39

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs UNE P (Centrex 21) (Parity)	March 2005	23	23
	February 2005	26	26
	January 2005	42	42
	December 2004	518	522
	November 2004	459	462
	October 2004	501	507
	September 2004	506	510
	August 2004	523	542
	July 2004	709	717
	June 2004	735	736
	May 2004	678	702
	April 2004	549	551
MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	1	1
	December 2004	7	7
	November 2004	4	4
	October 2004	3	3
	September 2004	1	1
	August 2004	3	3
	July 2004	8	8
	June 2004	5	5
	May 2004	5	5
	April 2004	2	2
MR-4B MR-4B - All Troubles Cleared within 48 Hours (Percent) - Dispatches outside MSAs Business (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	6	6
	December 2004	15	15
	November 2004	15	15
	October 2004	11	11
	September 2004	17	17
	August 2004	12	13
	July 2004	14	14
	June 2004	19	19
	May 2004	19	19
	April 2004	12	12
MR-4B MR-4B - All Troubles Cleared within 48 Hours (Percent) - Dispatches outside MSAs Centrex 21 (Parity)	March 2005	1	1
	February 2005	1	1
	January 2005	5	5
	December 2004	1	1
	November 2004	3	3
	October 2004	0	0
	September 2004	2	2
	August 2004	1	1
	July 2004	3	3
	June 2004	1	1
	May 2004	3	3
	April 2004	2	2
MR-4B MR-4B - All Troubles Cleared within 48 Hours (Percent) - Dispatches outside MSAs PBX (Parity)	March 2005	1	1
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0

	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-4B MR-4B - All Troubles Cleared within 48	March 2005	0	0
Hours (Percent) - Dispatches outside MSAs	February 2005	1	1
Residence (Parity)	January 2005	0	0
	December 2004	1	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-4B MR-4B - All Troubles Cleared within 48	March 2005	7	7
Hours (Percent) - Dispatches outside MSAs UNE - P	February 2005	11	11
(POTS) (Parity)	January 2005	11	11
	December 2004	9	10
	November 2004	7	7
	October 2004	6	6
	September 2004	3	4
	August 2004	5	6
	July 2004	4	4
	June 2004	4	5
	May 2004	9	9
	April 2004	5	5
MR-4B MR-4B - All Troubles Cleared within 48	March 2005	5	5
Hours (Percent) - Dispatches outside MSAs UNE P	February 2005	8	8
(Centrex) (Parity)	January 2005	14	15
	December 2004	101	102
	November 2004	108	109
	October 2004	120	120
	September 2004	116	117
	August 2004	158	162
	July 2004	175	176
	June 2004	159	161
	May 2004	133	134
	April 2004	122	122
MR-4C MR-4C - All Troubles Cleared within 48	March 2005	0	0
Hours (Percent) - No dispatches Business (Parity)	February 2005	0	0
	January 2005	1	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Centrex (Parity)	March 2005	7	7
	February 2005	3	3
	January 2005	5	5
	December 2004	5	5
	November 2004	4	4
	October 2004	2	2
	September 2004	1	1
	August 2004	6	6
	July 2004	6	6
	June 2004	5	5
	May 2004	6	6
	April 2004	6	6
MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Centrex 21 (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	3	3
MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Line Sharing (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	1	1
	December 2004	0	0
	November 2004	1	1
	October 2004	3	3
	September 2004	1	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Line Splitting (Parity)	March 2005	2	2
	February 2005	2	2
	January 2005	2	2
	December 2004	2	2
	November 2004	0	0
	October 2004	8	8
	September 2004	10	10
	August 2004	15	15
	July 2004	8	9
	June 2004	12	12
	May 2004	5	5
	April 2004	9	9

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches PBX (Parity)	March 2005	1	1
	February 2005	2	2
	January 2005	2	2
	December 2004	3	3
	November 2004	4	4
	October 2004	3	3
	September 2004	0	0
	August 2004	3	3
	July 2004	5	5
	June 2004	2	2
	May 2004	2	2
	April 2004	0	0
	MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Residence (Parity)	March 2005	1
February 2005		0	0
January 2005		1	1
December 2004		0	0
November 2004		0	0
October 2004		1	1
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		4	4
April 2004		1	1
MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Sub-Loop Unbundling (Diagnostic)		March 2005	11
	February 2005	4	4
	January 2005	5	5
	December 2004	5	5
	November 2004	10	10
	October 2004	6	6
	September 2004	10	10
	August 2004	10	10
	July 2004	5	5
	June 2004	9	9
	May 2004	8	8
	April 2004	8	8
	MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches UNE - P (POTS) (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		1	1
April 2004		0	0
MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches UNE P (Centrex 21) (Parity)		March 2005	4
	February 2005	7	7
	January 2005	18	18
	December 2004	127	127

	November 2004	124	124
	October 2004	158	158
	September 2004	180	180
	August 2004	215	224
	July 2004	237	237
	June 2004	240	240
	May 2004	251	251
	April 2004	183	184
MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	3	3
	November 2004	2	2
	October 2004	3	3
	September 2004	3	3
	August 2004	4	4
	July 2004	1	1
	June 2004	3	3
	May 2004	6	6
	April 2004	1	1
MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Qwest DSL (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	5	5
	December 2004	5	5
	November 2004	9	9
	October 2004	4	4
	September 2004	6	6
	August 2004	7	7
	July 2004	4	4
	June 2004	8	8
	May 2004	10	10
	April 2004	7	7
MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop - 2 Wire Non-Loaded (Parity)	March 2005	10	10
	February 2005	5	5
	January 2005	8	8
	December 2004	4	4
	November 2004	6	7
	October 2004	5	5
	September 2004	0	0
	August 2004	1	1
	July 2004	4	4
	June 2004	4	4
	May 2004	4	6
	April 2004	8	8
MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop - ADSL Qualified (Parity)	March 2005	35	35
	February 2005	27	27
	January 2005	35	35
	December 2004	53	53
	November 2004	28	28
	October 2004	30	30
	September 2004	35	35
	August 2004	26	26

	July 2004	30	30
	June 2004	25	25
	May 2004	17	18
	April 2004	21	21
MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop - XDSLi (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	1	1
	November 2004	0	0
	October 2004	1	1
	September 2004	0	0
	August 2004	1	1
	July 2004	2	2
	June 2004	2	2
	May 2004	1	1
	April 2004	3	3
MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop Analog (Parity)	March 2005	2	2
	February 2005	3	3
	January 2005	7	7
	December 2004	4	4
	November 2004	1	1
	October 2004	3	3
	September 2004	3	3
	August 2004	3	3
	July 2004	5	5
	June 2004	0	0
	May 2004	2	2
	April 2004	0	0
MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop ISDN Capable (Parity)	March 2005	202	202
	February 2005	174	174
	January 2005	218	220
	December 2004	204	204
	November 2004	209	209
	October 2004	194	195
	September 2004	228	229
	August 2004	244	258
	July 2004	220	222
	June 2004	215	219
	May 2004	144	144
	April 2004	174	175
MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Qwest DSL (Parity)	March 2005	24	24
	February 2005	21	21
	January 2005	20	20
	December 2004	24	24
	November 2004	14	14
	October 2004	17	17
	September 2004	7	7
	August 2004	17	17
	July 2004	23	23
	June 2004	26	26
	May 2004	15	16
	April 2004	37	37

MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Unbundled Loop - 2 Wire Non-Loaded (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	3	3
	December 2004	0	0
	November 2004	1	1
	October 2004	1	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	1	1
	MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Unbundled Loop - ADSL Qualified (Parity)	March 2005	4
February 2005		4	4
January 2005		4	4
December 2004		3	3
November 2004		6	6
October 2004		7	7
September 2004		2	2
August 2004		4	4
July 2004		4	4
June 2004		8	8
May 2004		1	1
April 2004		8	8
MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Unbundled Loop Analog (Parity)		March 2005	4
	February 2005	0	0
	January 2005	1	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
	MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Unbundled Loop ISDN Capable (Parity)	March 2005	27
February 2005		15	15
January 2005		16	16
December 2004		17	17
November 2004		26	26
October 2004		22	22
September 2004		18	18
August 2004		19	19
July 2004		19	19
June 2004		18	18
May 2004		22	22
April 2004		24	24
MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One DS0 (Parity)		March 2005	8
	February 2005	7	7
	January 2005	4	4
	December 2004	9	10

	November 2004	5	5
	October 2004	8	8
	September 2004	7	7
	August 2004	8	8
	July 2004	5	5
	June 2004	13	13
	May 2004	3	3
	April 2004	9	9
MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One DS1 (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	3	3
	November 2004	0	0
	October 2004	0	0
	September 2004	2	2
	August 2004	3	5
	July 2004	1	2
	June 2004	1	1
	May 2004	0	1
	April 2004	2	2
MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One E911 (Parity)	March 2005	0	1
	February 2005	0	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	1	1
	September 2004	0	0
	August 2004	1	1
	July 2004	1	1
	June 2004	1	1
	May 2004	0	1
	April 2004	1	1
MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Enhanced Extended Loops - DS0 Capable (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Enhanced Extended Loops - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	2	2
	September 2004	0	0
	August 2004	0	0

	July 2004	1	1
	June 2004	1	1
	May 2004	0	0
	April 2004	0	0
MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Enhanced Extended Loops - DS3 Capable (Diagnostic)	March 2005	33	42
	February 2005	29	40
	January 2005	33	46
	December 2004	38	49
	November 2004	33	47
	October 2004	36	47
	September 2004	27	32
	August 2004	31	46
	July 2004	24	37
	June 2004	27	41
	May 2004	20	30
	April 2004	21	28
	MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Frame Relay (Parity)	March 2005	0
February 2005		1	1
January 2005		0	0
December 2004		1	1
November 2004		0	0
October 2004		0	0
September 2004		1	1
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		1	1
April 2004		0	0
MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One ISDN Primary (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	2	2
	April 2004	0	0
	MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One LIS Trunk (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		1	1
June 2004		0	0
May 2004		0	0
April 2004		0	0

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One UDIT Above DS1 Level (Parity)	March 2005	4	5
	February 2005	4	4
	January 2005	11	11
	December 2004	3	4
	November 2004	2	3
	October 2004	7	7
	September 2004	8	8
	August 2004	9	9
	July 2004	6	6
	June 2004	9	9
	May 2004	8	8
	April 2004	4	5
	MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One UDIT DS1 (Parity)	March 2005	3
February 2005		1	1
January 2005		0	0
December 2004		1	1
November 2004		2	3
October 2004		2	2
September 2004		1	1
August 2004		1	1
July 2004		3	3
June 2004		1	1
May 2004		1	2
April 2004		1	1
MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Unbundled Loop - 4 Wire Non-Loaded (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	1	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	3	3
	April 2004	0	0
	MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Unbundled Loop - DS1 Capable (Parity)	March 2005	2
February 2005		0	1
January 2005		0	0
December 2004		1	1
November 2004		0	0
October 2004		0	0
September 2004		1	2
August 2004		1	1
July 2004		0	0
June 2004		2	2
May 2004		0	0
April 2004		0	0
MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two DS0 (Parity)		March 2005	65
	February 2005	53	77
	January 2005	63	91
	December 2004	56	74

	November 2004	57	84
	October 2004	51	78
	September 2004	51	76
	August 2004	55	98
	July 2004	65	95
	June 2004	68	102
	May 2004	34	59
	April 2004	40	65
MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two DS1 (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	1	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two Enhanced Extended Loops - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	1	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	1
	July 2004	0	0
	June 2004	1	1
	May 2004	1	1
	April 2004	0	0
MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two LIS Trunk (Parity)	March 2005	16	20
	February 2005	11	15
	January 2005	10	15
	December 2004	2	2
	November 2004	6	7
	October 2004	11	14
	September 2004	6	12
	August 2004	10	15
	July 2004	7	11
	June 2004	14	18
	May 2004	2	3
	April 2004	9	9
MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two UDIT Above DS1 Level (Parity)	March 2005	5	5
	February 2005	0	1
	January 2005	3	3
	December 2004	2	4
	November 2004	5	5
	October 2004	0	1
	September 2004	1	1
	August 2004	4	4

	July 2004	3	3
	June 2004	4	4
	May 2004	3	3
	April 2004	3	3
MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two UDIT DS1 (Parity)	March 2005	0	0
	February 2005	1	1
	January 2005	0	0
	December 2004	0	0
	November 2004	1	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	1	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two Unbundled Loop - DS1 Capable (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		1	1
November 2004		0	0
October 2004		1	1
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Business (Parity)		March 2005	10
	February 2005	6	18
	January 2005	4	5
	December 2004	8	14
	November 2004	6	12
	October 2004	6	12
	September 2004	6	10
	August 2004	14	24
	July 2004	12	14
	June 2004	7	15
	May 2004	4	9
	April 2004	12	15
	MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Centrex (Parity)	March 2005	6.78819444
February 2005		5.77083333	10
January 2005		3.21111111	6
December 2004		12.8826389	21
November 2004		5.78958333	12
October 2004		4.80625	11
September 2004		2.11319444	4
August 2004		5.29513889	11
July 2004		4.34097222	9
June 2004		7.57847222	17
May 2004		7.23333333	12
April 2004		1.24652778	6

MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Centrex 21 (Parity)	March 2005	1.1375	2
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0.23958333	1
	August 2004	0.21736111	1
	July 2004	0	0
	June 2004	0.12013889	1
	May 2004	0.87986111	1
	April 2004	0.81736111	1
	MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs PBX (Parity)	March 2005	1.27430556
February 2005		0.67291667	4
January 2005		2.75	2
December 2004		0.91805556	3
November 2004		0	0
October 2004		0	0
September 2004		0.25833333	2
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		1	1
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Residence (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0.44930556	2
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0.08888889	1
	May 2004	0	0
	April 2004	1.11319444	1
	MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs UNE - P (POTS) (Parity)	March 2005	25.4604167
February 2005		24.3673611	36
January 2005		34.5034722	49
December 2004		37.2381944	45
November 2004		35.6215278	45
October 2004		36.9145833	56
September 2004		26.4909722	39
August 2004		34.2236111	44
July 2004		25.0659722	36
June 2004		22.9097222	37
May 2004		25.2243056	40
April 2004		19.4604167	39
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs UNE P (Centrex 21) (Parity)		March 2005	12.0236111
	February 2005	13.1625	26
	January 2005	19.0645833	42
	December 2004	294.780556	522

	November 2004	251.170833	462
	October 2004	268.029861	507
	September 2004	283.652778	510
	August 2004	350.374306	542
	July 2004	364.950694	717
	June 2004	342.382639	736
	May 2004	373.6125	702
	April 2004	225.856944	551
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0.24375	1
	December 2004	4.80972222	7
	November 2004	1.82152778	4
	October 2004	0.38888889	3
	September 2004	0.79375	1
	August 2004	0.55416667	3
	July 2004	5.79583333	8
	June 2004	3.2875	5
	May 2004	1.47152778	5
	April 2004	0.95416667	2
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs Business (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0.80555556	6
	December 2004	2.67777778	15
	November 2004	4.54305556	15
	October 2004	4.19583333	11
	September 2004	8.66527778	17
	August 2004	10.1395833	13
	July 2004	3.80347222	14
	June 2004	6.19652778	19
	May 2004	8.86458333	19
	April 2004	5.61944444	12
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs Centrex 21 (Parity)	March 2005	0.87569444	1
	February 2005	0.13819444	1
	January 2005	1.58263889	5
	December 2004	0.05	1
	November 2004	0.58888889	3
	October 2004	0	0
	September 2004	0.22152778	2
	August 2004	0.12430556	1
	July 2004	1.34861111	3
	June 2004	0.69444444	1
	May 2004	1.43194444	3
	April 2004	0.32847222	2
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs PBX (Parity)	March 2005	0.05	1
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs Residence (Parity)	March 2005	0	0
	February 2005	0.09861111	1
	January 2005	0	0
	December 2004	0.26597222	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs UNE - P (POTS) (Parity)	March 2005	3.3
February 2005		6.17430556	11
January 2005		4.73055556	11
December 2004		7.20069444	10
November 2004		3.17638889	7
October 2004		3.44444444	6
September 2004		7.73402778	4
August 2004		4.70902778	6
July 2004		4.58611111	4
June 2004		4.43680556	5
May 2004		4.67777778	9
April 2004		2.31805556	5
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs UNE P (Centrex) (Parity)		March 2005	0.82847222
	February 2005	2.54375	8
	January 2005	9.60138889	15
	December 2004	44.7097222	102
	November 2004	43.5625	109
	October 2004	47.0208333	120
	September 2004	56.6854167	117
	August 2004	87.2076389	162
	July 2004	75.4541667	176
	June 2004	69.9583333	161
	May 2004	54.7465278	134
	April 2004	46.3256944	122
	MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Business (Parity)	March 2005	0
February 2005		0	0
January 2005		0.125	1
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0

MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Centrex (Parity)	March 2005	0.26875	7
	February 2005	0.16319444	3
	January 2005	0.30833333	5
	December 2004	0.4375	5
	November 2004	0.74375	4
	October 2004	0.08402778	2
	September 2004	0.25833333	1
	August 2004	0.43125	6
	July 2004	0.42083333	6
	June 2004	0.14236111	5
	May 2004	0.35833333	6
	April 2004	0.37708333	6
	MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Centrex 21 (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0.04652778	1
August 2004		0.02916667	1
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0.19791667	3
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Line Sharing (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0.08472222	1
	December 2004	0	0
	November 2004	0.00277778	1
	October 2004	0.05347222	3
	September 2004	0.025	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0.00069444	1
	MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Line Splitting (Parity)	March 2005	0.19166667
February 2005		0.10694444	2
January 2005		0.06319444	2
December 2004		0.54375	2
November 2004		0	0
October 2004		2.11875	8
September 2004		1.05416667	10
August 2004		2.80833333	15
July 2004		4.36805556	9
June 2004		1.39722222	12
May 2004		1.33055556	5
April 2004		3.85277778	9
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches PBX (Parity)		March 2005	0.23680556
	February 2005	0.86458333	2
	January 2005	0.20486111	2
	December 2004	0.12361111	3

	November 2004	0.32569444	4
	October 2004	0.59097222	3
	September 2004	0	0
	August 2004	0.60833333	3
	July 2004	0.57291667	5
	June 2004	0.76875	2
	May 2004	0.0875	2
	April 2004	0	0
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Residence (Parity)	March 2005	0.0125	1
	February 2005	0	0
	January 2005	0.02013889	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0.04097222	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0.29652778	4
	April 2004	0.01527778	1
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Sub-Loop Unbundling (Diagnostic)	March 2005	0.57847222	11
	February 2005	0.94513889	4
	January 2005	0.51944444	5
	December 2004	1.96319444	5
	November 2004	3.18125	10
	October 2004	2.04236111	6
	September 2004	4.00902778	10
	August 2004	2.31944444	10
	July 2004	0.13194444	5
	June 2004	0.36180556	9
	May 2004	0.89305556	8
	April 2004	2.44097222	8
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches UNE - P (POTS) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0.01666667	1
	April 2004	0	0
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches UNE P (Centrex 21) (Parity)	March 2005	0.22222222	4
	February 2005	0.41527778	7
	January 2005	1.42986111	18
	December 2004	20.3486111	127
	November 2004	19.6958333	124
	October 2004	20.5069444	158
	September 2004	29.9055556	180
	August 2004	60.4986111	224

	July 2004	30.8361111	237
	June 2004	29.4138889	240
	May 2004	26.7034722	251
	April 2004	21.8520833	184
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0.1875	3
	November 2004	0.00763889	2
	October 2004	0.33888889	3
	September 2004	0.15	3
	August 2004	0.2375	4
	July 2004	0.09097222	1
	June 2004	0.09097222	3
	May 2004	0.9125	6
April 2004	0.02222222	1	
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Dark Fiber - IOF (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0.31736111	5
	December 2004	1.42986111	5
	November 2004	1.47916667	9
	October 2004	0.45486111	4
	September 2004	0.42638889	6
	August 2004	0.55902778	7
	July 2004	0.31597222	4
	June 2004	0.50625	8
	May 2004	1.24166667	10
April 2004	0.39375	7	
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One DS0 (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0.13472222	1
	May 2004	0	0
April 2004	0	0	
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One DS1 (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0.14513889	3
	November 2004	0	0
	October 2004	0	0
	September 2004	0.22638889	2
	August 2004	1.26805556	5
	July 2004	1.73541667	2
	June 2004	0.02013889	1
	May 2004	0.19791667	1
April 2004	0.11944444	2	

MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One E911 (Parity)	March 2005	0.26875	1
	February 2005	0.25486111	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0.01944444	1
	September 2004	0	0
	August 2004	0.04027778	1
	July 2004	0.12638889	1
	June 2004	0.00694444	1
	May 2004	0.85486111	1
	April 2004	0.01666667	1
	MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Enhanced Extended Loops - DS0 Capable (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0.05277778	1
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Enhanced Extended Loops - DS1 Capable (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0.12152778	2
	September 2004	0	0
	August 2004	0	0
	July 2004	0.07916667	1
	June 2004	0.04791667	1
	May 2004	0	0
	April 2004	0	0
	MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Enhanced Extended Loops - DS3 Capable (Diagnostic)	March 2005	5.58055556
February 2005		5.59861111	40
January 2005		6.35416667	46
December 2004		9.73333333	49
November 2004		5.58472222	47
October 2004		5.89027778	47
September 2004		3.67916667	32
August 2004		6.57083333	46
July 2004		7.87430556	37
June 2004		7.70625	41
May 2004		6.49652778	30
April 2004		3.86388889	28
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Frame Relay (Parity)		March 2005	0
	February 2005	0.05625	1
	January 2005	0	0
	December 2004	0.07847222	1

	November 2004	0	0
	October 2004	0	0
	September 2004	0.075	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0.04930556	1
	April 2004	0	0
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One ISDN Primary (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0.025	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0.15902778	2
	April 2004	0	0
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One LIS Trunk (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0.07083333	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Qwest DSL (Parity)	March 2005	0.39861111	5
	February 2005	0.14166667	4
	January 2005	0.57013889	11
	December 2004	0.46388889	4
	November 2004	0.40208333	3
	October 2004	0.36111111	7
	September 2004	0.34305556	8
	August 2004	0.38125	9
	July 2004	0.22013889	6
	June 2004	0.23541667	9
	May 2004	0.34791667	8
	April 2004	1.69930556	5
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One UDIT Above DS1 Level (Parity)	March 2005	1.95833333	10
	February 2005	0.24930556	5
	January 2005	3.12986111	8
	December 2004	0.08958333	4
	November 2004	8.41458333	7
	October 2004	1.16944444	5
	September 2004	0	0
	August 2004	0.05555556	1

	July 2004	0.11666667	4
	June 2004	1.04583333	4
	May 2004	7.58611111	6
	April 2004	3.36527778	8
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One UDIT DS1 (Parity)	March 2005	0.45486111	4
	February 2005	0.10138889	1
	January 2005	0	0
	December 2004	0.07777778	1
	November 2004	0.47152778	3
	October 2004	0.13888889	2
	September 2004	0.06805556	1
	August 2004	0.05277778	1
	July 2004	0.22986111	3
	June 2004	0.01875	1
	May 2004	0.24930556	2
	April 2004	0.10763889	1
	MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - 2 Wire Non-Loaded (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0.05486111	1
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0.06944444	3
April 2004		0	0
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - 4 Wire Non-Loaded (Parity)		March 2005	3.92638889
	February 2005	5.20763889	27
	January 2005	6.18055556	35
	December 2004	8.56527778	53
	November 2004	3.74236111	28
	October 2004	3.41875	30
	September 2004	4.30972222	35
	August 2004	2.23125	26
	July 2004	3.67638889	30
	June 2004	4.68541667	25
	May 2004	5.91944444	18
	April 2004	2.23611111	21
	MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - ADSL Qualified (Parity)	March 2005	0.14513889
February 2005		0.17430556	1
January 2005		0	0
December 2004		0.08888889	1
November 2004		0	0
October 2004		0	0
September 2004		0.45277778	2
August 2004		0.05694444	1
July 2004		0	0
June 2004		0.23888889	2
May 2004	0	0	
April 2004	0	0	

MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0.0875	1
	November 2004	0	0
	October 2004	0.14097222	1
	September 2004	0	0
	August 2004	0.15069444	1
	July 2004	0.19652778	2
	June 2004	0.16875	2
	May 2004	0.18611111	1
	April 2004	0.81666667	3
	MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - XDSLi (Parity)	March 2005	15.9270833
February 2005		11.5826389	77
January 2005		17.3597222	91
December 2004		10.5416667	74
November 2004		13.0888889	84
October 2004		13.0555556	78
September 2004		14.5756944	76
August 2004		21.9145833	98
July 2004		16.7951389	95
June 2004		15.8791667	102
May 2004		12.9069444	59
April 2004		12.2159722	65
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop Analog (Parity)		March 2005	0.28472222
	February 2005	0.56666667	3
	January 2005	0.68263889	7
	December 2004	0.28125	4
	November 2004	0.05486111	1
	October 2004	0.28055556	3
	September 2004	0.46319444	3
	August 2004	0.20138889	3
	July 2004	0.76041667	5
	June 2004	0	0
	May 2004	0.19166667	2
	April 2004	0	0
	MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop ISDN Capable (Parity)	March 2005	68.3395833
February 2005		50.1590278	174
January 2005		101.20625	220
December 2004		60.8770833	204
November 2004		64.4368056	209
October 2004		75.6236111	195
September 2004		88.4013889	229
August 2004		131.250694	258
July 2004		77.225	222
June 2004		73.9965278	219
May 2004		38.3388889	144
April 2004		47.6166667	175
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two DS0 (Parity)		March 2005	3.53541667
	February 2005	3.77916667	21
	January 2005	5.64236111	20
	December 2004	4.61388889	24

	November 2004	3.47361111	14
	October 2004	2.775	17
	September 2004	1.06597222	7
	August 2004	2.50069444	17
	July 2004	2.30277778	23
	June 2004	5.23541667	26
	May 2004	5.07708333	16
	April 2004	8.01180556	37
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two DS1 (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0.03263889	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Enhanced Extended Loops - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0.09305556	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0.04652778	1
	July 2004	0	0
	June 2004	0.15625	1
	May 2004	0.10069444	1
	April 2004	0	0
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two LIS Trunk (Parity)	March 2005	2.49722222	20
	February 2005	2.3625	15
	January 2005	2.49097222	15
	December 2004	0.04166667	2
	November 2004	0.73402778	7
	October 2004	1.93541667	14
	September 2004	2.34375	12
	August 2004	2.50486111	15
	July 2004	1.64236111	11
	June 2004	2.15486111	18
	May 2004	0.36041667	3
	April 2004	0.82777778	9
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Qwest DSL (Parity)	March 2005	0.37222222	5
	February 2005	0.42638889	1
	January 2005	0.04861111	3
	December 2004	0.87083333	4
	November 2004	0.49652778	5
	October 2004	0.70069444	1
	September 2004	0.14166667	1
	August 2004	0.17291667	4

	July 2004	0.17083333	3
	June 2004	0.01805556	4
	May 2004	0.10486111	3
	April 2004	0.26458333	3
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two UDIT Above DS1 Level (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0.15763889	3
	December 2004	0	0
	November 2004	0.00069444	1
	October 2004	0.80555556	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0.00069444	1
	May 2004	0	0
	April 2004	0.00069444	1
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two UDIT DS1 (Parity)	March 2005	0	0
	February 2005	0.05347222	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0.01666667	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0.14513889	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop - 2 Wire Non-Loaded (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0.03333333	1
	November 2004	0	0
	October 2004	0.09097222	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop - ADSL Qualified (Parity)	March 2005	0.30972222	4
	February 2005	0.44513889	4
	January 2005	0.83958333	4
	December 2004	0.35138889	3
	November 2004	1.27430556	6
	October 2004	0.94513889	7
	September 2004	0.125	2
	August 2004	0.18611111	4
	July 2004	0.25347222	4
	June 2004	1.16736111	8
	May 2004	0.26944444	1
	April 2004	1.42916667	8

MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop - DS1 Capable (Parity)	March 2005	0.25486111	4
	February 2005	0	0
	January 2005	0.0375	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0.15486111	1
	MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop Analog (Parity)	March 2005	1.23958333
February 2005		5.49444444	18
January 2005		0.50347222	5
December 2004		2.61388889	14
November 2004		2.29375	12
October 2004		4.19930556	12
September 2004		2.45625	10
August 2004		4.16319444	24
July 2004		1.80833333	14
June 2004		2.8375	15
May 2004		6.42222222	9
April 2004		2.23125	15
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop ISDN Capable (Parity)		March 2005	8.48472222
	February 2005	5.53333333	15
	January 2005	9.95763889	16
	December 2004	3.55625	17
	November 2004	5.66875	26
	October 2004	5.73194444	22
	September 2004	5.35625	18
	August 2004	3.10277778	19
	July 2004	4.36527778	19
	June 2004	3.71597222	18
	May 2004	4.50277778	22
	April 2004	5.40694444	24
	MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Business (Parity)	March 2005	1.31388889
February 2005		2.46388889	7
January 2005		2.22222222	4
December 2004		7.84652778	10
November 2004		0.79513889	5
October 2004		1.01597222	8
September 2004		0.75277778	7
August 2004		1.64444444	8
July 2004		0.68194444	5
June 2004		2.15069444	13
May 2004		0.85347222	3
April 2004		1.68958333	9
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Centrex (Parity)		March 2005	0
	February 2005	0	10
	January 2005	1	6
	December 2004	1	21

	November 2004	1	12
	October 2004	2	12
	September 2004	0	4
	August 2004	0	11
	July 2004	2	9
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Line Sharing (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	1
	August 2004	0	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Line Splitting (Parity)	March 2005	0	0
	February 2005	2	4
	January 2005	0	2
	December 2004	1	3
	November 2004	0	1
	October 2004	0	0
	September 2004	0	2
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Residence (Parity)	March 2005	0	0
	February 2005	1	4
	January 2005	2	9
	December 2004	2	9
	November 2004	1	10
	October 2004	2	16
	September 2004	1	16
	August 2004	2	6
	July 2004	3	10
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)	March 2005	0	0
	February 2005	0	6
	January 2005	1	2
	December 2004	0	5
	November 2004	0	4
	October 2004	0	3
	September 2004	0	8
	August 2004	1	7

	July 2004	2	7
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs UNE P (Centrex 21) (Parity)	March 2005	0	0
	February 2005	0	36
	January 2005	3	50
	December 2004	2	46
	November 2004	1	47
	October 2004	6	59
	September 2004	5	40
	August 2004	2	45
	July 2004	3	38
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	4	27
	January 2005	4	44
	December 2004	50	538
	November 2004	38	478
	October 2004	38	520
	September 2004	40	520
	August 2004	49	548
	July 2004	73	733
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs Business (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	1	2
	December 2004	1	7
	November 2004	0	4
	October 2004	0	3
	September 2004	0	1
	August 2004	1	3
	July 2004	0	8
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs Residence (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	7
	December 2004	0	16
	November 2004	2	16
	October 2004	0	11
	September 2004	0	18
	August 2004	0	14
	July 2004	1	15
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0

MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs UNE - P (POTS) (Parity)	March 2005	0	0
	February 2005	0	1
	January 2005	1	5
	December 2004	0	1
	November 2004	0	4
	October 2004	0	0
	September 2004	0	2
	August 2004	0	1
	July 2004	0	3
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Business (Parity)	March 2005	0
February 2005		1	11
January 2005		1	11
December 2004		0	10
November 2004		1	8
October 2004		1	6
September 2004		0	4
August 2004		0	6
July 2004		1	4
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Centrex (Parity)		March 2005	0
	February 2005	0	9
	January 2005	0	15
	December 2004	8	105
	November 2004	10	111
	October 2004	9	123
	September 2004	16	119
	August 2004	16	165
	July 2004	10	181
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Line Sharing (Diagnostic)	March 2005	0
February 2005		0	3
January 2005		1	5
December 2004		0	5
November 2004		2	4
October 2004		0	2
September 2004		0	1
August 2004		0	6
July 2004		0	6
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Line Splitting (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0

	November 2004	0	0
	October 2004	0	0
	September 2004	0	1
	August 2004	0	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Residence (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	1
	December 2004	0	0
	November 2004	0	1
	October 2004	0	3
	September 2004	1	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches UNE - P (POTS) (Parity)	March 2005	0	0
	February 2005	1	2
	January 2005	0	2
	December 2004	0	2
	November 2004	0	0
	October 2004	1	9
	September 2004	5	11
	August 2004	6	16
	July 2004	1	9
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches UNE P (Centrex 21) (Parity)	March 2005	0	0
	February 2005	0	2
	January 2005	1	2
	December 2004	0	3
	November 2004	0	4
	October 2004	0	4
	September 2004	0	0
	August 2004	0	3
	July 2004	0	5
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	1	4
	January 2005	1	5
	December 2004	0	5
	November 2004	2	10
	October 2004	0	6
	September 2004	1	10
	August 2004	1	10

	July 2004	2	5
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One DS0 (Parity)	March 2005	0	0
	February 2005	1	7
	January 2005	1	18
	December 2004	15	127
	November 2004	13	125
	October 2004	24	158
	September 2004	25	181
	August 2004	37	224
	July 2004	42	237
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One DS1 (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		1	3
November 2004		1	2
October 2004		1	3
September 2004		1	3
August 2004		0	4
July 2004		0	1
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Enhanced Extended Loops - DS0 Capable (Diagnostic)		March 2005	0
	February 2005	0	0
	January 2005	1	5
	December 2004	2	5
	November 2004	0	9
	October 2004	0	4
	September 2004	1	6
	August 2004	1	7
	July 2004	1	4
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Enhanced Extended Loops - DS1 Capable (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	3
November 2004		0	0
October 2004		0	0
September 2004		0	2
August 2004		3	5
July 2004		1	2
June 2004		0	0
May 2004		0	0
April 2004		0	0

MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Frame Relay (Parity)	March 2005	0	0
	February 2005	0	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	1
	September 2004	0	0
	August 2004	0	1
	July 2004	1	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One ISDN Primary (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	1
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One LIS Trunk (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	2
	September 2004	0	0
	August 2004	0	0
	July 2004	0	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Qwest DSL (Parity)	March 2005	0
February 2005		12	40
January 2005		11	46
December 2004		6	49
November 2004		8	47
October 2004		15	47
September 2004		1	32
August 2004		5	46
July 2004		13	37
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One UDIT Above DS1 Level (Parity)		March 2005	0
	February 2005	0	1
	January 2005	0	0
	December 2004	0	1

	November 2004	0	0
	October 2004	0	0
	September 2004	0	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - 2 Wire Non-Loaded (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - 4 Wire Non-Loaded (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - ADSL Qualified (Parity)	March 2005	0	0
	February 2005	0	4
	January 2005	1	11
	December 2004	0	4
	November 2004	0	3
	October 2004	0	7
	September 2004	0	8
	August 2004	0	9
	July 2004	0	6
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - DS1 Capable (Parity)	March 2005	0	0
	February 2005	1	5
	January 2005	1	8
	December 2004	1	4
	November 2004	1	7
	October 2004	0	5
	September 2004	0	0
	August 2004	0	1

	July 2004	1	4
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - XDSLi (Parity)	March 2005	0	0
	February 2005	0	1
	January 2005	0	0
	December 2004	0	1
	November 2004	0	3
	October 2004	1	2
	September 2004	0	1
	August 2004	0	1
	July 2004	0	3
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop Analog (Parity)	March 2005	0
February 2005		1	27
January 2005		4	35
December 2004		6	53
November 2004		1	28
October 2004		0	30
September 2004		3	35
August 2004		3	26
July 2004		1	30
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop ISDN Capable (Parity)		March 2005	0
	February 2005	0	1
	January 2005	0	0
	December 2004	0	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	2
	August 2004	0	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two DS0 (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	1
November 2004		0	0
October 2004		0	1
September 2004		0	0
August 2004		0	1
July 2004		0	2
June 2004		0	0
May 2004		0	0
April 2004		0	0

MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two DS1 (Parity)	March 2005	0	0
	February 2005	9	77
	January 2005	12	91
	December 2004	12	74
	November 2004	12	84
	October 2004	17	78
	September 2004	14	76
	August 2004	18	98
	July 2004	14	95
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Enhanced Extended Loops - DS1 Capable (Parity)	March 2005	0
February 2005		1	3
January 2005		3	7
December 2004		0	4
November 2004		0	1
October 2004		1	3
September 2004		0	3
August 2004		0	0
July 2004		1	5
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two LIS Trunk (Parity)		March 2005	0
	February 2005	16	174
	January 2005	14	220
	December 2004	13	204
	November 2004	22	209
	October 2004	12	195
	September 2004	10	229
	August 2004	20	258
	July 2004	12	222
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two UDIT Above DS1 Level (Parity)	March 2005	0
February 2005		4	21
January 2005		2	20
December 2004		2	24
November 2004		2	14
October 2004		1	17
September 2004		1	7
August 2004		0	17
July 2004		3	23
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop - 2 Wire Non-Loaded (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0

	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop Analog (Parity)	March 2005	0	0
	February 2005	5	15
	January 2005	1	15
	December 2004	0	2
	November 2004	0	7
	October 2004	3	14
	September 2004	0	12
	August 2004	0	15
	July 2004	3	11
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop ISDN Capable (Parity)	March 2005	0	0
	February 2005	0	1
	January 2005	0	3
	December 2004	0	4
	November 2004	0	5
	October 2004	0	1
	September 2004	0	1
	August 2004	0	4
	July 2004	0	3
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-8 MR-8 - Trouble Rate (Percent) Basic Rate ISDN (Parity)	March 2005	0	0
	February 2005	0	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	0	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-8 MR-8 - Trouble Rate (Percent) Business (Parity)	March 2005	0	0
	February 2005	0	4
	January 2005	0	4
	December 2004	0	3
	November 2004	0	6
	October 2004	2	7
	September 2004	0	2
	August 2004	0	4
	July 2004	0	4
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-8 MR-8 - Trouble Rate (Percent) Centrex (Parity)	March 2005	0	0
	February 2005	5	18
	January 2005	1	5
	December 2004	1	14
	November 2004	0	12
	October 2004	2	12
	September 2004	1	10
	August 2004	4	24
	July 2004	3	14
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-8 MR-8 - Trouble Rate (Percent) Centrex 21 (Parity)	March 2005	0	0
	February 2005	1	15
	January 2005	3	16
	December 2004	1	17
	November 2004	0	26
	October 2004	2	22
	September 2004	1	18
	August 2004	1	19
	July 2004	0	19
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-8 MR-8 - Trouble Rate (Percent) Dark Fiber - IOF (Diagnostic)	March 2005	0	0
	February 2005	1	7
	January 2005	2	4
	December 2004	1	10
	November 2004	1	5
	October 2004	1	8
	September 2004	0	7
	August 2004	1	8
	July 2004	0	5
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0

MR-8 MR-8 - Trouble Rate (Percent) Dark Fiber - Loop (Diagnostic)	March 2005	0	12
	February 2005	0	12
	January 2005	0	12
	December 2004	0	12
	November 2004	0	12
	October 2004	0	14
	September 2004	0	16
	August 2004	0	19
	July 2004	0	19
	June 2004	0	19
	May 2004	0	20
	April 2004	0	19
	MR-8 MR-8 - Trouble Rate (Percent) DS0 (Parity)	March 2005	19
February 2005		14	3173
January 2005		16	3315
December 2004		27	4276
November 2004		20	4193
October 2004		14	3400
September 2004		7	3434
August 2004		18	3488
July 2004		18	3440
June 2004		24	3585
May 2004		23	3586
April 2004		15	3592
MR-8 MR-8 - Trouble Rate (Percent) DS1 (Parity)		March 2005	2
	February 2005	0	456
	January 2005	0	457
	December 2004	0	464
	November 2004	0	849
	October 2004	0	849
	September 2004	2	872
	August 2004	2	876
	July 2004	0	889
	June 2004	1	988
	May 2004	1	998
	April 2004	4	1003
	MR-8 MR-8 - Trouble Rate (Percent) DS3 (Parity)	March 2005	5
February 2005		4	650
January 2005		3	596
December 2004		3	488
November 2004		2	457
October 2004		3	287
September 2004		3	287
August 2004		0	247
July 2004		0	259
June 2004		0	233
May 2004		0	207
April 2004		2	137
MR-8 MR-8 - Trouble Rate (Percent) E911 (Parity)		March 2005	0
	February 2005	0	32
	January 2005	0	32
	December 2004	0	29

	November 2004	0	29
	October 2004	0	29
	September 2004	0	45
	August 2004	0	45
	July 2004	0	41
	June 2004	1	33
	May 2004	0	33
	April 2004	0	38
MR-8 MR-8 - Trouble Rate (Percent) Enhanced Extended Loops - DS0 Capable (Diagnostic)	March 2005	0	32
	February 2005	0	32
	January 2005	1	32
	December 2004	0	32
	November 2004	0	33
	October 2004	0	28
	September 2004	0	28
	August 2004	0	27
	July 2004	0	25
	June 2004	0	23
	May 2004	0	22
	April 2004	0	23
MR-8 MR-8 - Trouble Rate (Percent) Enhanced Extended Loops - DS1 Capable (Parity)	March 2005	0	507
	February 2005	0	508
	January 2005	0	508
	December 2004	3	509
	November 2004	0	513
	October 2004	0	528
	September 2004	2	604
	August 2004	5	612
	July 2004	3	622
	June 2004	1	620
	May 2004	1	641
	April 2004	2	648
MR-8 MR-8 - Trouble Rate (Percent) Enhanced Extended Loops - DS3 Capable (Diagnostic)	March 2005	1	82
	February 2005	1	81
	January 2005	0	84
	December 2004	1	83
	November 2004	0	86
	October 2004	1	89
	September 2004	0	113
	August 2004	2	109
	July 2004	1	99
	June 2004	2	111
	May 2004	2	101
	April 2004	1	118
MR-8 MR-8 - Trouble Rate (Percent) Frame Relay (Parity)	March 2005	0	1
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	1
MR-8 MR-8 - Trouble Rate (Percent) ISDN Primary (Parity)	March 2005	0	632
	February 2005	0	634
	January 2005	0	634
	December 2004	1	634
	November 2004	0	634
	October 2004	0	630
	September 2004	1	620
	August 2004	0	614
	July 2004	0	608
	June 2004	0	622
	May 2004	0	615
	April 2004	0	631
MR-8 MR-8 - Trouble Rate (Percent) Line Sharing (Parity)	March 2005	0	24
	February 2005	0	19
	January 2005	0	19
	December 2004	0	19
	November 2004	0	19
	October 2004	2	19
	September 2004	0	11
	August 2004	0	11
	July 2004	1	8
	June 2004	1	7
	May 2004	0	7
	April 2004	0	7
MR-8 MR-8 - Trouble Rate (Percent) Line Splitting (Parity)	March 2005	62	2184
	February 2005	55	2116
	January 2005	61	2018
	December 2004	51	1937
	November 2004	54	1853
	October 2004	61	1786
	September 2004	44	1660
	August 2004	61	1579
	July 2004	48	1535
	June 2004	59	1494
	May 2004	33	1410
	April 2004	37	1048
MR-8 MR-8 - Trouble Rate (Percent) LIS Trunk (Parity)	March 2005	0	50
	February 2005	1	50
	January 2005	0	48
	December 2004	1	48
	November 2004	0	46
	October 2004	0	44
	September 2004	1	42
	August 2004	0	39
	July 2004	0	37
	June 2004	0	35
	May 2004	1	33
	April 2004	0	31

MR-8 MR-8 - Trouble Rate (Percent) PBX (Parity)	March 2005	0	13	
	February 2005	0	15	
	January 2005	0	13	
	December 2004	0	14	
	November 2004	0	13	
	October 2004	0	12	
	September 2004	0	11	
	August 2004	1	11	
	July 2004	0	11	
	June 2004	0	11	
	May 2004	2	12	
	April 2004	0	12	
	MR-8 MR-8 - Trouble Rate (Percent) Qwest DSL (Parity)	March 2005	0	168
		February 2005	0	96
January 2005		0	96	
December 2004		0	120	
November 2004		0	120	
October 2004		0	133	
September 2004		0	157	
August 2004		0	156	
July 2004		1	180	
June 2004		0	214	
May 2004		0	190	
April 2004		0	190	
MR-8 MR-8 - Trouble Rate (Percent) Residence (Parity)		March 2005	4	7955
		February 2005	6	8212
	January 2005	11	8513	
	December 2004	11	9006	
	November 2004	10	9495	
	October 2004	25	9987	
	September 2004	27	10302	
	August 2004	22	10454	
	July 2004	19	10511	
	June 2004	29	10643	
	May 2004	14	10772	
	April 2004	19	10852	
	MR-8 MR-8 - Trouble Rate (Percent) Sub-Loop Unbundling (Diagnostic)	March 2005	14	716
		February 2005	8	698
January 2005		4	692	
December 2004		8	671	
November 2004		8	672	
October 2004		7	654	
September 2004		8	623	
August 2004		10	593	
July 2004		12	552	
June 2004		9	519	
May 2004		5	501	
April 2004		6	461	
MR-8 MR-8 - Trouble Rate (Percent) UDIT Above DS1 Level (Parity)		March 2005	10	184555
		February 2005	5	188633
	January 2005	14	188607	
	December 2004	8	187744	

	November 2004	8	188752
	October 2004	8	186784
	September 2004	9	198768
	August 2004	13	199730
	July 2004	9	212259
	June 2004	13	213411
	May 2004	11	215091
	April 2004	8	216363
MR-8 MR-8 - Trouble Rate (Percent) UDIT DS1 (Parity)	March 2005	1	772
	February 2005	1	809
	January 2005	1	828
	December 2004	1	823
	November 2004	0	830
	October 2004	3	824
	September 2004	0	841
	August 2004	0	868
	July 2004	0	976
	June 2004	1	1044
	May 2004	4	1073
	April 2004	2	1102
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - 2 Wire Non-Loaded (Parity)	March 2005	10	1185
	February 2005	5	1152
	January 2005	11	1121
	December 2004	4	1076
	November 2004	8	1042
	October 2004	6	1014
	September 2004	0	971
	August 2004	1	933
	July 2004	4	850
	June 2004	5	822
	May 2004	6	775
	April 2004	9	735
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - 4 Wire Non-Loaded (Parity)	March 2005	77	3158
	February 2005	51	2925
	January 2005	66	2883
	December 2004	61	3118
	November 2004	65	3201
	October 2004	71	3144
	September 2004	54	3068
	August 2004	61	3288
	July 2004	47	3275
	June 2004	52	3453
	May 2004	60	3490
	April 2004	52	3506
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - ADSL Qualified (Parity)	March 2005	0	21
	February 2005	0	21
	January 2005	0	21
	December 2004	0	21
	November 2004	0	22
	October 2004	0	22
	September 2004	0	21
	August 2004	0	26

	July 2004	0	26
	June 2004	0	26
	May 2004	3	26
	April 2004	0	26
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - DS1 Capable (Parity)	March 2005	4	156
	February 2005	2	159
	January 2005	0	157
	December 2004	1	159
	November 2004	4	164
	October 2004	2	162
	September 2004	1	165
	August 2004	1	160
	July 2004	4	157
	June 2004	1	159
	May 2004	2	158
	April 2004	1	162
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - XDSLi (Parity)	March 2005	0	167
	February 2005	0	169
	January 2005	0	168
	December 2004	1	169
	November 2004	0	174
	October 2004	2	176
	September 2004	0	173
	August 2004	0	171
	July 2004	0	170
	June 2004	0	166
	May 2004	3	157
	April 2004	0	155
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop Analog (Parity)	March 2005	39	7964
	February 2005	31	7814
	January 2005	39	7694
	December 2004	56	7604
	November 2004	34	7522
	October 2004	37	7330
	September 2004	37	7147
	August 2004	30	6894
	July 2004	34	6722
	June 2004	33	6628
	May 2004	19	6663
	April 2004	29	6734
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop ISDN Capable (Parity)	March 2005	2	191
	February 2005	1	192
	January 2005	0	192
	December 2004	1	194
	November 2004	0	196
	October 2004	0	198
	September 2004	2	198
	August 2004	1	199
	July 2004	0	199
	June 2004	2	203
	May 2004	0	206
	April 2004	0	206

MR-8 MR-8 - Trouble Rate (Percent) UNE - P (POTS) (Parity)	March 2005	4	298
	February 2005	0	305
	January 2005	1	314
	December 2004	1	326
	November 2004	0	338
	October 2004	1	344
	September 2004	0	355
	August 2004	1	362
	July 2004	2	369
	June 2004	2	380
	May 2004	1	383
	April 2004	4	387
	MR-8 MR-8 - Trouble Rate (Percent) UNE P (Centrex 21) (Parity)	March 2005	107
February 2005		95	5759
January 2005		96	5735
December 2004		88	5717
November 2004		96	5658
October 2004		90	5581
September 2004		86	5492
August 2004		122	5389
July 2004		109	5275
June 2004		117	5206
May 2004		68	5155
April 2004		80	5094
MR-8 MR-8 - Trouble Rate (Percent) UNE P (Centrex) (Parity)		March 2005	2
	February 2005	3	175
	January 2005	7	173
	December 2004	4	165
	November 2004	1	165
	October 2004	3	167
	September 2004	3	165
	August 2004	3	165
	July 2004	5	167
	June 2004	0	169
	May 2004	2	166
	April 2004	0	157
	MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs Business (Parity)	March 2005	229
February 2005		189	56504
January 2005		236	56409
December 2004		221	56364
November 2004		235	56317
October 2004		217	56233
September 2004		247	56025
August 2004		277	55690
July 2004		241	55665
June 2004		237	55562
May 2004		166	55573
April 2004		199	55378
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs Centrex (Parity)		March 2005	32
	February 2005	28	2506
	January 2005	24	2523
	December 2004	34	2546

	November 2004	19	2583
	October 2004	25	2620
	September 2004	14	2659
	August 2004	25	2682
	July 2004	28	2697
	June 2004	39	2744
	May 2004	19	2795
	April 2004	46	2817
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs Centrex 21 (Parity)	March 2005	32	5640
	February 2005	43	5942
	January 2005	77	11621
	December 2004	770	94278
	November 2004	714	95164
	October 2004	801	97753
	September 2004	820	98624
	August 2004	937	100685
	July 2004	1151	144291
	June 2004	1162	140240
	May 2004	1105	132003
April 2004	875	117809	
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs PBX (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	2	145
	December 2004	10	1211
	November 2004	6	1232
	October 2004	6	1362
	September 2004	4	1355
	August 2004	7	1409
	July 2004	9	1358
	June 2004	8	1374
	May 2004	11	1364
April 2004	3	1361	
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs Residence (Parity)	March 2005	0	1
	February 2005	0	3
	January 2005	13	2255
	December 2004	21	5919
	November 2004	25	6075
	October 2004	15	6372
	September 2004	24	6535
	August 2004	21	6707
	July 2004	19	6850
	June 2004	27	7063
	May 2004	30	7178
April 2004	19	7265	
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)	March 2005	7	11
	February 2005	8	10
	January 2005	6	6
	December 2004	17	21
	November 2004	10	12
	October 2004	11	12
	September 2004	4	4
	August 2004	11	11

	July 2004	8	9
	June 2004	16	18
	May 2004	14	14
	April 2004	7	7
MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs Business (Parity)	March 2005	2	2
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	1	1
	July 2004	0	0
	June 2004	1	1
	May 2004	1	1
	April 2004	1	1
MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs Centrex 21 (Parity)	March 2005	3	4
	February 2005	4	4
	January 2005	1	2
	December 2004	3	3
	November 2004	1	1
	October 2004	0	0
	September 2004	2	2
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs PBX (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	1
MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs Residence (Parity)	March 2005	58	58
	February 2005	35	36
	January 2005	48	50
	December 2004	45	46
	November 2004	46	47
	October 2004	56	59
	September 2004	40	40
	August 2004	43	45
	July 2004	36	38
	June 2004	38	38
	May 2004	39	43
	April 2004	39	39

MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs UNE - P (POTS) (Parity)	March 2005	18	23	
	February 2005	24	27	
	January 2005	38	44	
	December 2004	420	538	
	November 2004	377	478	
	October 2004	428	520	
	September 2004	415	520	
	August 2004	411	548	
	July 2004	588	733	
	June 2004	603	756	
	May 2004	585	714	
	April 2004	479	569	
	MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches Business (Parity)	March 2005	1	1
		February 2005	1	1
January 2005		5	5	
December 2004		1	1	
November 2004		4	4	
October 2004		0	0	
September 2004		2	2	
August 2004		1	1	
July 2004		3	3	
June 2004		1	1	
May 2004		3	3	
April 2004		2	2	
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches Centrex (Parity)		March 2005	1	1
		February 2005	0	0
	January 2005	0	0	
	December 2004	0	0	
	November 2004	0	0	
	October 2004	0	0	
	September 2004	0	0	
	August 2004	0	0	
	July 2004	0	0	
	June 2004	0	0	
	May 2004	0	0	
	April 2004	0	0	
	MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches Centrex 21 (Parity)	March 2005	0	0
		February 2005	1	1
January 2005		0	0	
December 2004		1	1	
November 2004		0	0	
October 2004		0	0	
September 2004		0	0	
August 2004		0	0	
July 2004		0	0	
June 2004		0	0	
May 2004		0	0	
April 2004		0	0	
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches PBX (Parity)		March 2005	8	8
		February 2005	11	11
	January 2005	10	11	
	December 2004	10	10	

	November 2004	7	8
	October 2004	6	6
	September 2004	4	4
	August 2004	6	6
	July 2004	4	4
	June 2004	5	5
	May 2004	9	9
	April 2004	5	5
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches Residence (Parity)	March 2005	3	5
	February 2005	6	9
	January 2005	10	15
	December 2004	81	105
	November 2004	73	111
	October 2004	96	123
	September 2004	78	119
	August 2004	102	165
	July 2004	121	181
	June 2004	127	166
	May 2004	106	140
	April 2004	105	122
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches UNE - P (POTS) (Parity)	March 2005	7	7
	February 2005	3	3
	January 2005	5	5
	December 2004	5	5
	November 2004	4	4
	October 2004	2	2
	September 2004	1	1
	August 2004	6	6
	July 2004	6	6
	June 2004	5	5
	May 2004	6	6
	April 2004	6	6
NI-1A NI-1 - Trunk Blocking LIS Trunk (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
NI-1B NI-1 - Trunk Blocking LIS Trunk (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	1	1
	December 2004	0	0
	November 2004	1	1
	October 2004	3	3
	September 2004	1	1
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
NI-1C NI-1 - Trunk Blocking LIS Trunk (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	2	2
	April 2004	1	1
NI-1D NI-1 - Trunk Blocking LIS Trunk (Diagnostic)	March 2005	11	11
	February 2005	4	4
	January 2005	5	5
	December 2004	5	5
	November 2004	10	10
	October 2004	6	6
	September 2004	10	10
	August 2004	10	10
	July 2004	5	5
	June 2004	9	9
	May 2004	8	8
	April 2004	8	8
NP-1A NP-1 - NXX Code Activation All (Parity)	March 2005	4	4
	February 2005	7	7
	January 2005	18	18
	December 2004	125	127
	November 2004	122	125
	October 2004	154	158
	September 2004	177	181
	August 2004	216	224
	July 2004	233	237
	June 2004	235	240
	May 2004	246	251
	April 2004	182	184
NP-1B NP-1 - NXX Code Activation All (Diagnostic)	March 2005	1.77	26448
	February 2005	0.74	27024
	January 2005	7.27	27624
	December 2004	1.76	28320
	November 2004	1.57	29712
	October 2004	1.35	28080
	September 2004	4.72	29592
	August 2004	1.04	28872
	July 2004	1.99	31608
	June 2004	0.72	31968
	May 2004	1.79	31896
	April 2004	1.67	32592

OP-13A OP-13 - Coordinated Cuts on Time (Percent) Unbundled Loop - Analog (Benchmark)	March 2005	1.88	16392
	February 2005	1.53	15960
	January 2005	2.17	15552
	December 2004	0.43	16248
	November 2004	1.05	17028
	October 2004	0.71	17148
	September 2004	0.19	18012
	August 2004	0.01	18540
	July 2004	1.27	18228
	June 2004	0.79	18180
	May 2004	0.03	19800
	April 2004	0.55	19572
	OP-13A OP-13 - Coordinated Cuts on Time (Percent) Unbundled Loop Other (Benchmark)	March 2005	8.93
February 2005		2.21	27168
January 2005		31.52	28200
December 2004		11.28	28656
November 2004		3.77	29736
October 2004		16.66	28416
September 2004		67.49	29928
August 2004		2.5	28920
July 2004		1.99	31608
June 2004		2.76	32016
May 2004		21.11	32376
April 2004		39.16	33264
OP-13B OP-13 - Coordinated Cuts on Time (Percent) Unbundled Loop - Analog (Diagnostic)		March 2005	11.61
	February 2005	51.2	16764
	January 2005	167.59	16716
	December 2004	108.85	16764
	November 2004	79.4	17316
	October 2004	69.85	17484
	September 2004	41.39	18420
	August 2004	91.02	18900
	July 2004	86.18	18468
	June 2004	64.93	18444
	May 2004	76.27	20196
	April 2004	124.22	20364
	OP-13B OP-13 - Coordinated Cuts on Time (Percent) Unbundled Loop Other (Diagnostic)	March 2005	0
February 2005		1	1
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		1	1
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		1	1
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Business (Diagnostic)		March 2005	0
	February 2005	0	1
	January 2005	0	0
	December 2004	0	0

	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	1
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Dark Fiber - IOF (Diagnostic)	March 2005	220	220
	February 2005	183	183
	January 2005	186	187
	December 2004	215	215
	November 2004	244	246
	October 2004	246	248
	September 2004	254	254
	August 2004	245	246
	July 2004	210	210
	June 2004	203	203
	May 2004	184	184
	April 2004	208	208
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Enhanced Extended Loops (EELs) (Diagnostic)	March 2005	25	25
	February 2005	33	34
	January 2005	17	19
	December 2004	21	21
	November 2004	21	33
	October 2004	28	29
	September 2004	32	35
	August 2004	46	47
	July 2004	39	43
	June 2004	38	39
	May 2004	39	39
	April 2004	42	42
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Line Sharing (Diagnostic)	March 2005	0	220
	February 2005	0	183
	January 2005	0	187
	December 2004	0	215
	November 2004	0	246
	October 2004	0	248
	September 2004	0	254
	August 2004	0	246
	July 2004	0	210
	June 2004	0	203
	May 2004	0	184
	April 2004	0	208
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Line Splitting (Diagnostic)	March 2005	0	25
	February 2005	0	34
	January 2005	0	19
	December 2004	0	21
	November 2004	12	33
	October 2004	0	29
	September 2004	1	35
	August 2004	0	47

	July 2004	0	43
	June 2004	0	39
	May 2004	0	39
	April 2004	0	42
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date LIS Trunk (Diagnostic)	March 2005	0	0
	February 2005	9	2
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	17	1
	May 2004	0	0
	April 2004	0	0
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Qwest DSL (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	32	1
	August 2004	11	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Residence (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	12	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 2 Wire Non-Loaded (Diagnostic)	March 2005	1241	7
	February 2005	1145	5
	January 2005	1059	4
	December 2004	900	5
	November 2004	818	3
	October 2004	905	6
	September 2004	695	6
	August 2004	587	6
	July 2004	1898	7
	June 2004	1744	7
	May 2004	2273	9
	April 2004	2094	10

OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS1 Capable (Diagnostic)	March 2005	167	1
	February 2005	144	1
	January 2005	124	1
	December 2004	102	1
	November 2004	80	2
	October 2004	59	1
	September 2004	45	2
	August 2004	47	5
	July 2004	0	1
	June 2004	0	0
	May 2004	13	1
	April 2004	3	3
	OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Unbundled Loop Analog (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		42	1
August 2004		21	1
July 2004		0	0
June 2004		0	1
May 2004		0	0
April 2004		0	1
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Unbundled Loop ISDN Capable (Diagnostic)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	65	8
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date UNE - P (POTS) (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	1
December 2004		0	0
November 2004		0	0
October 2004		4	1
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Business (Diagnostic)		March 2005	99
	February 2005	254	4
	January 2005	200	3
	December 2004	177	5

	November 2004	152	6
	October 2004	232	13
	September 2004	127	10
	August 2004	130	9
	July 2004	116	8
	June 2004	132	10
	May 2004	170	10
	April 2004	214	11
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - IOF (Diagnostic)	March 2005	3114	21
	February 2005	2706	23
	January 2005	2402	21
	December 2004	2481	20
	November 2004	3049	23
	October 2004	2688	22
	September 2004	2442	24
	August 2004	2797	23
	July 2004	2582	18
	June 2004	2278	12
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Enhanced Extended Loops (EELs) (Diagnostic)	May 2004	2037	13
	April 2004	1825	14
	March 2005	340	4
	February 2005	262	3
	January 2005	203	4
	December 2004	154	4
	November 2004	131	2
	October 2004	134	3
	September 2004	118	4
	August 2004	429	9
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Line Sharing (Diagnostic)	July 2004	371	3
	June 2004	356	6
	May 2004	393	5
	April 2004	410	5
	March 2005	655	40
	February 2005	530	13
	January 2005	503	20
	December 2004	309	11
	November 2004	605	23
	October 2004	346	23
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Line Splitting (Diagnostic)	September 2004	317	31
	August 2004	116	6
	July 2004	137	21
	June 2004	32	1
	May 2004	467	20
	April 2004	277	8
	March 2005	5	2
	February 2005	0	0
	January 2005	0	0
	December 2004	2	1
November 2004	12	1	
October 2004	0	0	
September 2004	0	0	
August 2004	71	2	

	July 2004	33	4
	June 2004	5	1
	May 2004	0	0
	April 2004	21	1
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons LIS Trunk (Diagnostic)	March 2005	355	3
	February 2005	286	3
	January 2005	226	3
	December 2004	1311	23
	November 2004	1395	44
	October 2004	1619	72
	September 2004	1835	98
	August 2004	1685	106
	July 2004	759	61
	June 2004	977	79
	May 2004	572	45
	April 2004	416	34
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Qwest DSL (Diagnostic)	March 2005	0	0
	February 2005	2	2
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	1
	May 2004	0	0
	April 2004	0	0
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Residence (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Loaded (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0

OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable (Diagnostic)	March 2005	4	7
	February 2005	4	5
	January 2005	4	4
	December 2004	4	5
	November 2004	3	3
	October 2004	3	6
	September 2004	2	6
	August 2004	3	6
	July 2004	7	7
	June 2004	7	7
	May 2004	9	9
	April 2004	9	10
	OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog (Diagnostic)	March 2005	1
February 2005		1	1
January 2005		1	1
December 2004		1	1
November 2004		2	2
October 2004		1	1
September 2004		1	2
August 2004		2	5
July 2004		1	1
June 2004		0	0
May 2004		0	1
April 2004		0	3
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable (Diagnostic)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	1	1
	July 2004	0	0
	June 2004	0	1
	May 2004	0	0
	April 2004	0	1
	OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	8
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-17A OP-17 - Timeliness of Disconnects associated with LNP Orders LNP (Benchmark)		March 2005	0
	February 2005	0	0
	January 2005	0	1
	December 2004	0	0

	November 2004	0	0
	October 2004	0	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-17B OP-17 - Timeliness of Disconnects associated with LNP Orders LNP (Diagnostic)	March 2005	0	1
	February 2005	0	4
	January 2005	1	3
	December 2004	0	5
	November 2004	0	6
	October 2004	1	13
	September 2004	0	10
	August 2004	0	9
	July 2004	0	8
	June 2004	1	10
	May 2004	1	10
OP-2 OP-2 - Calls Answered within Twenty Seconds - Interconnect Provisioning Center (Parity)	April 2004	0	11
	March 2005	20	21
	February 2005	19	23
	January 2005	20	21
	December 2004	14	20
	November 2004	20	23
	October 2004	20	22
	September 2004	22	24
	August 2004	21	23
	July 2004	18	18
	June 2004	12	12
OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Business (Parity)	May 2004	12	13
	April 2004	13	14
	March 2005	3	4
	February 2005	3	3
	January 2005	3	4
	December 2004	3	4
	November 2004	1	2
	October 2004	2	3
	September 2004	2	4
	August 2004	5	9
	July 2004	2	3
OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Line Sharing (Benchmark)	June 2004	5	6
	May 2004	2	5
	April 2004	3	5
	March 2005	8	40
	February 2005	11	13
	January 2005	7	20
	December 2004	6	11
	November 2004	15	23
	October 2004	10	23
	September 2004	5	31
	August 2004	4	6

	July 2004	1	21
	June 2004	1	1
	May 2004	19	20
	April 2004	7	8
OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Line Splitting (Benchmark)	March 2005	1	2
	February 2005	0	0
	January 2005	0	0
	December 2004	0	1
	November 2004	0	1
	October 2004	0	0
	September 2004	0	0
	August 2004	2	2
	July 2004	3	4
	June 2004	1	1
	May 2004	0	0
	April 2004	0	1
	OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Qwest DSL (Parity)	March 2005	0
February 2005		0	3
January 2005		0	3
December 2004		2	23
November 2004		5	44
October 2004		5	72
September 2004		2	98
August 2004		4	106
July 2004		6	61
June 2004		5	79
May 2004		4	45
April 2004		1	34
OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Residence (Parity)		March 2005	26477
	February 2005	10931	10931
	January 2005	2515	2525
	December 2004	1515	1515
	November 2004	10584	10588
	October 2004	6792	6792
	September 2004	3030	3030
	August 2004	4775	4818
	July 2004	5212	5212
	June 2004	5750	5750
	May 2004	4232	4234
	April 2004	11427	11427
	OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)	March 2005	26477
February 2005		10931	10931
January 2005		2525	2525
December 2004		1515	1515
November 2004		10588	10588
October 2004		6792	6792
September 2004		3030	3030
August 2004		4818	4818
July 2004		5212	5212
June 2004		5750	5750
May 2004		4234	4234
April 2004		11427	11427

OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs UNE P (Centrex 21) (Parity)	March 2005	16918	17384
	February 2005	14794	15195
	January 2005	16301	16499
	December 2004	18047	18709
	November 2004	19611	20249
	October 2004	22199	22648
	September 2004	22116	22726
	August 2004	23357	24370
	July 2004	23766	24692
	June 2004	26447	27500
	May 2004	24129	25119
	April 2004	26634	27225
	OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs UNE P (Centrex) (Parity)	March 2005	1
February 2005		7	7
January 2005		2	2
December 2004		7	7
November 2004		10	10
October 2004		1	1
September 2004		4	4
August 2004		9	9
July 2004		6	6
June 2004		25	27
May 2004		10	11
April 2004		10	10
OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs Business (Parity)		March 2005	5
	February 2005	9	9
	January 2005	7	7
	December 2004	3	3
	November 2004	4	4
	October 2004	9	10
	September 2004	55	57
	August 2004	60	60
	July 2004	43	43
	June 2004	49	52
	May 2004	41	43
	April 2004	26	27
	OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs Qwest DSL (Parity)	March 2005	8
February 2005		4	5
January 2005		6	6
December 2004		4	5
November 2004		2	2
October 2004		4	4
September 2004		4	4
August 2004		7	7
July 2004		3	3
June 2004		1	2
May 2004		1	3
April 2004		1	1
OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs Residence (Parity)		March 2005	35
	February 2005	23	24
	January 2005	29	29
	December 2004	37	38

	November 2004	31	32
	October 2004	40	41
	September 2004	45	46
	August 2004	33	33
	July 2004	33	33
	June 2004	38	38
	May 2004	41	41
	April 2004	23	23
OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs Sub-Loop Unbundling (Diagnostic)	March 2005	610	615
	February 2005	277	282
	January 2005	464	468
	December 2004	391	396
	November 2004	530	542
	October 2004	561	570
	September 2004	495	502
	August 2004	484	488
	July 2004	458	461
	June 2004	447	451
	May 2004	517	520
	April 2004	538	542
OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs UNE - P (POTS) (Parity)	March 2005	5	5
	February 2005	6	6
	January 2005	32	34
	December 2004	471	482
	November 2004	661	677
	October 2004	551	557
	September 2004	685	709
	August 2004	733	760
	July 2004	773	792
	June 2004	747	765
	May 2004	602	615
	April 2004	530	538
OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	1	1
	October 2004	2	2
	September 2004	0	0
	August 2004	2	2
	July 2004	1	1
	June 2004	4	4
	May 2004	6	6
	April 2004	2	2
OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Business (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	2	2
	December 2004	2	2
	November 2004	5	6
	October 2004	1	2
	September 2004	4	4
	August 2004	4	4

	July 2004	4	4
	June 2004	6	7
	May 2004	4	4
	April 2004	5	5
OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Line Sharing (Benchmark)	March 2005	1	1
	February 2005	1	1
	January 2005	1	1
	December 2004	1	1
	November 2004	0	0
	October 2004	1	1
	September 2004	1	1
	August 2004	1	1
	July 2004	1	1
	June 2004	5	5
	May 2004	0	0
	April 2004	3	3
OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Line Splitting (Benchmark)	March 2005	3	3
	February 2005	4	4
	January 2005	0	0
	December 2004	2	2
	November 2004	2	2
	October 2004	10	11
	September 2004	2	2
	August 2004	1	1
	July 2004	1	1
	June 2004	1	1
	May 2004	0	0
	April 2004	0	0
OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Qwest DSL (Parity)	March 2005	62	64
	February 2005	18	18
	January 2005	40	40
	December 2004	38	38
	November 2004	36	37
	October 2004	57	57
	September 2004	10	11
	August 2004	10	11
	July 2004	9	9
	June 2004	14	14
	May 2004	13	13
	April 2004	11	11
OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Residence (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1

OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Sub-Loop Unbundling (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	11	12
	December 2004	61	63
	November 2004	81	83
	October 2004	72	73
	September 2004	93	96
	August 2004	102	106
	July 2004	122	124
	June 2004	76	78
	May 2004	64	65
	April 2004	46	46
	OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches UNE - P (POTS) (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		1	1
June 2004		0	0
May 2004		1	1
April 2004		0	0
OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches UNE P (Centrex 21) (Parity)		March 2005	9
	February 2005	10	10
	January 2005	8	8
	December 2004	20	20
	November 2004	10	10
	October 2004	6	6
	September 2004	5	5
	August 2004	11	11
	July 2004	13	13
	June 2004	9	9
	May 2004	10	10
	April 2004	8	8
	OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches UNE P (Centrex) (Parity)	March 2005	2
February 2005		4	4
January 2005		5	5
December 2004		9	9
November 2004		8	8
October 2004		88	89
September 2004		474	475
August 2004		434	434
July 2004		348	348
June 2004		416	416
May 2004		360	361
April 2004		377	379
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Dark Fiber - IOF (Diagnostic)		March 2005	58
	February 2005	47	47
	January 2005	45	45
	December 2004	46	46

	November 2004	60	60
	October 2004	51	51
	September 2004	60	60
	August 2004	51	51
	July 2004	62	63
	June 2004	33	33
	May 2004	21	21
	April 2004	26	26
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Dark Fiber - Loop (Diagnostic)	March 2005	60	60
	February 2005	30	30
	January 2005	45	45
	December 2004	25	25
	November 2004	21	21
	October 2004	18	18
	September 2004	5	5
	August 2004	61	65
	July 2004	43	43
	June 2004	173	173
	May 2004	87	87
	April 2004	22	22
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One E911 (Parity)	March 2005	1297	1298
	February 2005	988	989
	January 2005	881	881
	December 2004	1004	1004
	November 2004	1217	1218
	October 2004	1371	1372
	September 2004	898	898
	August 2004	619	622
	July 2004	522	523
	June 2004	539	540
	May 2004	502	504
	April 2004	447	448
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Enhanced Extended Loops - DS0 Capable (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	2	2
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Enhanced Extended Loops - DS1 Capable (Benchmark)	March 2005	12	12
	February 2005	40	40
	January 2005	111	111
	December 2004	3631	3639
	November 2004	5082	5084
	October 2004	5753	5754
	September 2004	3963	3968
	August 2004	5295	5315

	July 2004	9154	9155
	June 2004	15047	15049
	May 2004	15813	15814
	April 2004	16992	16994
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Enhanced Extended Loops - DS3 Capable (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	1	1
	November 2004	0	0
	October 2004	8	8
	September 2004	0	0
	August 2004	1	1
	July 2004	0	0
	June 2004	7	7
	May 2004	0	0
	April 2004	1	1
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One ISDN Primary (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	1	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	4	4
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	0	0
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One LIS Trunk (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	1	1
	December 2004	1	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	3	3
	July 2004	7	7
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One PBX (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0

OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Qwest DSL (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	4	4
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	0	0
	OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One UDIT Above DS1 Level (Parity)	March 2005	1
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		8	8
September 2004		0	0
August 2004		2	2
July 2004		2	2
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One UDIT DS1 (Parity)		March 2005	91
	February 2005	85	91
	January 2005	82	84
	December 2004	88	91
	November 2004	56	59
	October 2004	95	96
	September 2004	74	83
	August 2004	45	47
	July 2004	43	45
	June 2004	61	70
	May 2004	49	53
	April 2004	67	68
	OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - 2 Wire Non-Loaded (Benchmark)	March 2005	1
February 2005		1	1
January 2005		1	1
December 2004		1	1
November 2004		2	2
October 2004		0	0
September 2004		1	1
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		1	1
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - 4 Wire Non-Loaded (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0

	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	3	3
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - ADSL Qualified (Benchmark)	March 2005	17	18
	February 2005	32	32
	January 2005	16	16
	December 2004	21	25
	November 2004	16	23
	October 2004	11	11
	September 2004	10	10
	August 2004	15	16
	July 2004	18	18
	June 2004	17	17
	May 2004	14	14
April 2004	19	19	
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	1	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	1	1
	June 2004	0	0
	May 2004	0	0
April 2004	0	0	
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - DS3 Capable (Parity)	March 2005	1	1
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	2	2
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
April 2004	0	0	
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - XDSLi (Benchmark)	March 2005	0	0
	February 2005	3	3
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	1	1
	September 2004	5	5
August 2004	3	3	

	July 2004	4	5
	June 2004	9	9
	May 2004	0	0
	April 2004	1	1
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop Analog (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	1	1
	December 2004	2	2
	November 2004	1	1
	October 2004	2	2
	September 2004	2	2
	August 2004	0	0
	July 2004	2	2
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop Conditioned (Benchmark)	March 2005	340
February 2005		294	296
January 2005		290	297
December 2004		314	318
November 2004		410	417
October 2004		402	410
September 2004		363	376
August 2004		294	301
July 2004		223	224
June 2004		136	136
May 2004		145	146
April 2004		139	142
OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop ISDN Capable (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Dark Fiber - Loop (Diagnostic)	March 2005	4
February 2005		6	6
January 2005		5	5
December 2004		18	18
November 2004		10	11
October 2004		26	28
September 2004		20	23
August 2004		18	19
July 2004		19	19
June 2004		15	15
May 2004		21	21
April 2004		15	15

OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two DS1 (Parity)	March 2005	118	128
	February 2005	101	110
	January 2005	81	83
	December 2004	105	112
	November 2004	122	126
	October 2004	110	123
	September 2004	128	145
	August 2004	126	146
	July 2004	114	123
	June 2004	105	112
	May 2004	105	111
	April 2004	109	113
	OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two E911 (Parity)	March 2005	0
February 2005		1	1
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		1	1
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Enhanced Extended Loops - DS1 Capable (Benchmark)		March 2005	8
	February 2005	8	8
	January 2005	10	10
	December 2004	4	5
	November 2004	4	4
	October 2004	9	9
	September 2004	5	6
	August 2004	4	4
	July 2004	5	5
	June 2004	4	4
	May 2004	11	11
	April 2004	4	4
	OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Enhanced Extended Loops - DS3 Capable (Diagnostic)	March 2005	1355
February 2005		1230	1266
January 2005		1060	1085
December 2004		1183	1228
November 2004		1141	1199
October 2004		1268	1307
September 2004		1207	1265
August 2004		1282	1314
July 2004		1431	1467
June 2004		1248	1272
May 2004		1179	1200
April 2004		1261	1271
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two ISDN Primary (Parity)		March 2005	3
	February 2005	4	6
	January 2005	9	10
	December 2004	10	12

	November 2004	6	9
	October 2004	17	20
	September 2004	13	18
	August 2004	17	17
	July 2004	11	12
	June 2004	20	21
	May 2004	12	12
	April 2004	8	9
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two LIS Trunk (Parity)	March 2005	40	40
	February 2005	25	26
	January 2005	30	32
	December 2004	29	29
	November 2004	35	35
	October 2004	37	38
	September 2004	35	37
	August 2004	28	29
	July 2004	19	20
	June 2004	39	40
May 2004	38	38	
April 2004	28	29	
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two UDIT Above DS1 Level (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	1
	July 2004	0	0
	June 2004	1	1
May 2004	0	0	
April 2004	0	0	
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two UDIT DS1 (Parity)	March 2005	0	0
	February 2005	0	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
May 2004	1	1	
April 2004	0	0	
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop - 2 Wire Non-Loaded (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	1	1
	October 2004	0	0
	September 2004	0	0
	August 2004	3	3

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop - ADSL Qualified (Benchmark)	March 2005	10	10
	February 2005	14	15
	January 2005	14	15
	December 2004	14	16
	November 2004	18	18
	October 2004	14	17
	September 2004	12	15
	August 2004	15	16
	July 2004	7	8
	June 2004	14	14
	May 2004	12	12
	April 2004	8	9
	OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop - DS1 Capable (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		1	1
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop Analog (Benchmark)		March 2005	6
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	2	2
	May 2004	0	0
	April 2004	0	0
	OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop Conditioned (Benchmark)	March 2005	14
February 2005		21	21
January 2005		3	3
December 2004		10	13
November 2004		5	6
October 2004		1	1
September 2004		8	8
August 2004		7	7
July 2004		13	13
June 2004		8	8
May 2004		5	5
April 2004		10	10

OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop ISDN Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	1
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	0	1
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Business (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	1	1
	December 2004	0	0
	November 2004	0	0
	October 2004	2	3
	September 2004	0	1
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	2	2
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Line Sharing (Benchmark)	March 2005	26	26
	February 2005	17	17
	January 2005	13	13
	December 2004	16	16
	November 2004	21	21
	October 2004	26	26
	September 2004	18	21
	August 2004	21	21
	July 2004	28	28
	June 2004	20	20
	May 2004	8	8
	April 2004	11	12
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Line Splitting (Diagnostic)	March 2005	14	14
	February 2005	9	9
	January 2005	42	42
	December 2004	13	13
	November 2004	27	28
	October 2004	18	19
	September 2004	12	15
	August 2004	4	4
	July 2004	6	6
	June 2004	7	7
	May 2004	8	8
	April 2004	8	9
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Qwest DSL (Parity)	March 2005	22	23
	February 2005	15	15
	January 2005	11	12
	December 2004	7	8

	November 2004	26	27
	October 2004	17	21
	September 2004	9	10
	August 2004	13	15
	July 2004	23	28
	June 2004	22	23
	May 2004	13	14
	April 2004	11	12
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Residence (Parity)	March 2005	45	47
	February 2005	99	100
	January 2005	97	98
	December 2004	84	84
	November 2004	127	127
	October 2004	88	91
	September 2004	68	71
	August 2004	79	83
	July 2004	66	66
	June 2004	60	60
	May 2004	94	94
April 2004	68	68	
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs UNE - P (POTS) (Parity)	March 2005	0	1
	February 2005	2	2
	January 2005	4	4
	December 2004	1	1
	November 2004	10	10
	October 2004	0	0
	September 2004	3	5
	August 2004	1	2
	July 2004	0	0
	June 2004	2	2
	May 2004	0	0
April 2004	1	1	
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs UNE P (Centrex 21) (Parity)	March 2005	8	8
	February 2005	7	7
	January 2005	11	11
	December 2004	11	11
	November 2004	14	14
	October 2004	13	14
	September 2004	16	17
	August 2004	15	16
	July 2004	14	15
	June 2004	15	15
	May 2004	16	16
April 2004	10	10	
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs UNE P (Centrex) (Parity)	March 2005	21	1
	February 2005	16	6
	January 2005	18	2
	December 2004	16	5
	November 2004	22	7
	October 2004	4	1
	September 2004	16	4
	August 2004	32	7

	July 2004	18	3
	June 2004	103	25
	May 2004	20	5
	April 2004	22	6
OP-4B OP-4B - Installation Interval (Average Days) -	March 2005	12	4
Dispatches outside MSAs Business (Parity)	February 2005	27	9
	January 2005	21	7
	December 2004	9	3
	November 2004	6	2
	October 2004	31	10
	September 2004	161	55
	August 2004	173	58
	July 2004	128	41
	June 2004	153	50
	May 2004	119	38
	April 2004	74	24
OP-4B OP-4B - Installation Interval (Average Days) -	March 2005	25	8
Dispatches outside MSAs Qwest DSL (Parity)	February 2005	13	4
	January 2005	18	6
	December 2004	12	4
	November 2004	6	2
	October 2004	12	4
	September 2004	9	3
	August 2004	18	6
	July 2004	9	3
	June 2004	8	2
	May 2004	14	3
	April 2004	3	1
OP-4B OP-4B - Installation Interval (Average Days) -	March 2005	41	8
Dispatches outside MSAs Residence (Parity)	February 2005	34	7
	January 2005	45	10
	December 2004	56	9
	November 2004	34	5
	October 2004	64	10
	September 2004	122	25
	August 2004	64	12
	July 2004	59	11
	June 2004	74	12
	May 2004	60	13
	April 2004	25	6
OP-4B OP-4B - Installation Interval (Average Days) -	March 2005	1785	517
Dispatches outside MSAs Sub-Loop Unbundling	February 2005	525	173
(Diagnostic)	January 2005	1273	347
	December 2004	1174	328
	November 2004	1757	435
	October 2004	2084	485
	September 2004	1996	461
	August 2004	1962	435
	July 2004	2226	417
	June 2004	1551	404
	May 2004	1423	447
	April 2004	1490	475

OP-4B OP-4B - Installation Interval (Average Days) Dispatches outside MSAs UNE - P (POTS) (Parity)	March 2005	15	5
	February 2005	7	2
	January 2005	83	23
	December 2004	919	244
	November 2004	1378	353
	October 2004	1519	354
	September 2004	2591	498
	August 2004	2572	471
	July 2004	3094	537
	June 2004	2218	506
	May 2004	1528	423
	April 2004	1268	394
OP-4B OP-4B - Installation Interval (Average Days) Dispatches outside MSAs UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	3	1
	September 2004	0	0
	August 2004	6	2
	July 2004	3	1
	June 2004	8	3
	May 2004	16	5
	April 2004	6	2
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches Business (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	3	1
	December 2004	6	2
	November 2004	9	4
	October 2004	6	2
	September 2004	9	4
	August 2004	4	4
	July 2004	20	2
	June 2004	17	5
	May 2004	9	3
	April 2004	23	5
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches Line Sharing (Benchmark)	March 2005	3	1
	February 2005	3	1
	January 2005	3	1
	December 2004	4	1
	November 2004	0	0
	October 2004	3	1
	September 2004	3	1
	August 2004	3	1
	July 2004	5	1
	June 2004	19	5
	May 2004	0	0
	April 2004	13	2
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches Line Splitting (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	6	1

	November 2004	10	2
	October 2004	0	0
	September 2004	5	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4C OP-4C - Installation Interval (Average Days)	March 2005	176	54
- No dispatches Qwest DSL (Parity)	February 2005	44	15
	January 2005	103	28
	December 2004	116	34
	November 2004	68	23
	October 2004	176	50
	September 2004	46	11
	August 2004	30	9
	July 2004	29	9
	June 2004	42	11
	May 2004	39	12
	April 2004	27	9
OP-4C OP-4C - Installation Interval (Average Days)	March 2005	0	0
- No dispatches Residence (Parity)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	9	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	4	1
OP-4C OP-4C - Installation Interval (Average Days)	March 2005	0	0
- No dispatches Sub-Loop Unbundling (Diagnostic)	February 2005	0	0
	January 2005	40	7
	December 2004	98	29
	November 2004	94	25
	October 2004	118	35
	September 2004	148	37
	August 2004	122	37
	July 2004	245	51
	June 2004	206	44
	May 2004	166	44
	April 2004	121	37
OP-4C OP-4C - Installation Interval (Average Days)	March 2005	0	0
- No dispatches UNE - P (POTS) (Parity)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	3	1
	June 2004	0	0
	May 2004	3	1
	April 2004	0	0
OP-4C OP-4C - Installation Interval (Average Days)	March 2005	16	7
- No dispatches UNE P (Centrex 21) (Parity)	February 2005	16	7
	January 2005	6	3
	December 2004	46	17
	November 2004	12	4
	October 2004	10	4
	September 2004	7	3
	August 2004	21	9
	July 2004	16	5
	June 2004	16	6
	May 2004	9	3
	April 2004	13	5
OP-4C OP-4C - Installation Interval (Average Days)	March 2005	6	2
- No dispatches UNE P (Centrex) (Parity)	February 2005	12	4
	January 2005	9	3
	December 2004	24	8
	November 2004	15	5
	October 2004	249	82
	September 2004	1410	468
	August 2004	1292	431
	July 2004	1014	338
	June 2004	1244	413
	May 2004	1082	359
	April 2004	1108	369
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	167	56
- Interval Zone One Dark Fiber - IOF (Diagnostic)	February 2005	134	45
	January 2005	125	41
	December 2004	137	46
	November 2004	165	55
	October 2004	149	50
	September 2004	175	59
	August 2004	151	51
	July 2004	180	60
	June 2004	96	32
	May 2004	60	20
	April 2004	62	22
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	207	45
- Interval Zone One Dark Fiber - Loop (Diagnostic)	February 2005	79	19
	January 2005	139	30
	December 2004	87	18
	November 2004	50	12
	October 2004	39	8
	September 2004	19	5
	August 2004	272	61
	July 2004	176	41
	June 2004	720	167
	May 2004	327	78
	April 2004	72	15

OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One E911 (Parity)	March 2005	1956	655
	February 2005	1291	424
	January 2005	1325	448
	December 2004	1614	545
	November 2004	1775	597
	October 2004	1995	666
	September 2004	1408	485
	August 2004	869	287
	July 2004	717	240
	June 2004	768	255
	May 2004	814	277
	April 2004	791	273
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Enhanced Extended Loops - DS0 Capable (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	8	2
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Enhanced Extended Loops - DS1 Capable (Benchmark)	March 2005	12	4
	February 2005	69	23
	January 2005	156	53
	December 2004	5942	1988
	November 2004	5745	1926
	October 2004	10892	3645
	September 2004	7331	2458
	August 2004	9290	3095
	July 2004	14137	4748
	June 2004	13331	4469
	May 2004	15290	5141
	April 2004	17853	6016
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Enhanced Extended Loops - DS3 Capable (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	3	1
	November 2004	0	0
	October 2004	9	3
	September 2004	0	0
	August 2004	0	1
	July 2004	0	0
	June 2004	14	5
	May 2004	0	0
	April 2004	3	1
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One ISDN Primary (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	1

	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	3
	July 2004	0	0
	June 2004	0	1
	May 2004	0	0
	April 2004	0	0
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	0	0
- Interval Zone One LIS Trunk (Parity)	February 2005	0	0
	January 2005	31	2
	December 2004	18	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	80	4
	July 2004	171	10
	June 2004	0	0
	May 2004	0	0
	April 2004	20	1
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	0	0
- Interval Zone One PBX (Parity)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	20	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	24	2
- Interval Zone One Qwest DSL (Parity)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	44	4
	July 2004	0	0
	June 2004	54	4
	May 2004	0	0
	April 2004	20	2
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	40	5
- Interval Zone One UDIT Above DS1 Level (Parity)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	30	7
	September 2004	0	0
	August 2004	16	2

	July 2004	10	2
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	393	76
- Interval Zone One UDIT DS1 (Parity)	February 2005	309	64
	January 2005	317	67
	December 2004	353	66
	November 2004	275	51
	October 2004	492	89
	September 2004	476	84
	August 2004	200	37
	July 2004	182	32
	June 2004	321	56
	May 2004	201	41
	April 2004	260	56
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	1	1
- Interval Zone One Unbundled Loop - 2 Wire Non-Loaded (Benchmark)	February 2005	0	0
	January 2005	0	0
	December 2004	10	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	7	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	0	0
- Interval Zone One Unbundled Loop - 4 Wire Non-Loaded (Parity)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	27	3
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	213	15
- Interval Zone One Unbundled Loop - ADSL Qualified (Benchmark)	February 2005	272	20
	January 2005	166	11
	December 2004	305	20
	November 2004	65	5
	October 2004	115	10
	September 2004	70	7
	August 2004	169	10
	July 2004	312	20
	June 2004	226	14
	May 2004	98	11
	April 2004	199	17

OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	6	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	6	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop - DS3 Capable (Parity)	March 2005	5	1
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	8	2
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop - XDSLi (Benchmark)	March 2005	0	0
	February 2005	12	2
	January 2005	0	0
	December 2004	0	0
	November 2004	16	2
	October 2004	8	1
	September 2004	44	4
	August 2004	10	1
	July 2004	39	5
	June 2004	71	9
	May 2004	13	1
	April 2004	27	2
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop Analog (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	4	1
	December 2004	0	0
	November 2004	0	0
	October 2004	4	1
	September 2004	8	2
	August 2004	5	1
	July 2004	10	2
	June 2004	41	6
	May 2004	0	0
	April 2004	5	1
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop Conditioned (Benchmark)	March 2005	1212	317
	February 2005	1083	279
	January 2005	1033	263
	December 2004	1082	279

	November 2004	1440	371
	October 2004	1550	387
	September 2004	1521	355
	August 2004	1127	275
	July 2004	860	202
	June 2004	512	122
	May 2004	546	133
	April 2004	480	125
OP-4D OP-4D - Installation Interval (Average Days)	March 2005	0	0
- Interval Zone One Unbundled Loop ISDN Capable	February 2005	0	0
(Parity)	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	3	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4E OP-4E - Installation Interval (Average Days)	March 2005	12	3
Interval Zone Two Dark Fiber - Loop (Diagnostic)	February 2005	26	6
	January 2005	20	4
	December 2004	70	15
	November 2004	31	7
	October 2004	118	27
	September 2004	142	23
	August 2004	88	18
	July 2004	80	18
	June 2004	70	15
	May 2004	95	21
	April 2004	61	14
OP-4E OP-4E - Installation Interval (Average Days)	March 2005	520	103
Interval Zone Two DS1 (Parity)	February 2005	392	80
	January 2005	276	63
	December 2004	400	84
	November 2004	381	85
	October 2004	514	103
	September 2004	629	111
	August 2004	488	102
	July 2004	405	84
	June 2004	357	72
	May 2004	316	66
	April 2004	310	73
OP-4E OP-4E - Installation Interval (Average Days)	March 2005	0	0
Interval Zone Two E911 (Parity)	February 2005	7	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	5	1
	September 2004	0	0
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Enhanced Extended Loops - DS1 Capable (Benchmark)	March 2005	19	5
	February 2005	21	5
	January 2005	35	9
	December 2004	16	4
	November 2004	16	4
	October 2004	34	8
	September 2004	26	5
	August 2004	0	0
	July 2004	23	5
	June 2004	19	4
	May 2004	30	6
	April 2004	10	2
	OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Enhanced Extended Loops - DS3 Capable (Diagnostic)	March 2005	4474
February 2005		4614	916
January 2005		2989	591
December 2004		3438	669
November 2004		3460	671
October 2004		3527	701
September 2004		4063	791
August 2004		4041	794
July 2004		4392	919
June 2004		3628	746
May 2004		3292	668
April 2004		3711	752
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two ISDN Primary (Parity)		March 2005	64
	February 2005	32	5
	January 2005	69	7
	December 2004	114	10
	November 2004	48	6
	October 2004	222	16
	September 2004	150	15
	August 2004	141	14
	July 2004	71	9
	June 2004	246	19
	May 2004	91	8
	April 2004	77	7
	OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two LIS Trunk (Parity)	March 2005	160
February 2005		110	25
January 2005		124	30
December 2004		105	26
November 2004		131	32
October 2004		156	37
September 2004		168	36
August 2004		120	28
July 2004		73	18
June 2004		160	39
May 2004		167	38
April 2004		114	29

OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two UDIT Above DS1 Level (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	5	1
	November 2004	0	0
	October 2004	19	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two UDIT DS1 (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	40	2
	October 2004	0	0
	September 2004	0	0
	August 2004	24	1
	July 2004	0	0
	June 2004	17	1
	May 2004	0	0
	April 2004	0	0
OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two Unbundled Loop - 2 Wire Non-Loaded (Benchmark)	March 2005	0	0
	February 2005	9	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	3	1
	April 2004	0	0
OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two Unbundled Loop - ADSL Qualified (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	36	3
	October 2004	56	5
	September 2004	22	2
	August 2004	33	3
	July 2004	0	0
	June 2004	26	2
	May 2004	0	0
	April 2004	190	14
OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two Unbundled Loop - DS1 Capable (Parity)	March 2005	19	4
	February 2005	96	13
	January 2005	70	12
	December 2004	58	7

	November 2004	108	17
	October 2004	85	13
	September 2004	87	15
	August 2004	93	14
	July 2004	73	6
	June 2004	82	11
	May 2004	110	7
	April 2004	44	6
OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two Unbundled Loop Analog (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	8	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
April 2004	0	0	
OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two Unbundled Loop Conditioned (Benchmark)	March 2005	54	6
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
April 2004	0	0	
OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two Unbundled Loop ISDN Capable (Parity)	March 2005	199	11
	February 2005	224	13
	January 2005	46	3
	December 2004	239	10
	November 2004	57	4
	October 2004	12	1
	September 2004	111	6
	August 2004	96	6
	July 2004	209	13
	June 2004	161	10
	May 2004	126	6
April 2004	232	11	
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Business (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	56	4
	November 2004	0	0
	October 2004	0	0
	September 2004	9	1
	August 2004	9	1

	July 2004	0	0
	June 2004	21	2
	May 2004	0	0
	April 2004	12	1
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Dark Fiber - IOF (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	4	1
	December 2004	0	0
	November 2004	0	0
	October 2004	21	2
	September 2004	6	1
	August 2004	6	1
	July 2004	21	2
	June 2004	13	2
	May 2004	0	0
	April 2004	10	2
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Dark Fiber - Loop (Diagnostic)	March 2005	104	25
	February 2005	71	17
	January 2005	53	13
	December 2004	59	14
	November 2004	79	20
	October 2004	106	26
	September 2004	104	21
	August 2004	81	20
	July 2004	93	21
	June 2004	79	20
	May 2004	25	8
	April 2004	57	12
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) DS1 (Parity)	March 2005	51	12
	February 2005	45	9
	January 2005	66	17
	December 2004	40	8
	November 2004	91	20
	October 2004	78	16
	September 2004	74	11
	August 2004	16	4
	July 2004	26	6
	June 2004	26	6
	May 2004	32	7
	April 2004	36	7
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) E911 (Parity)	March 2005	87	22
	February 2005	68	14
	January 2005	30	6
	December 2004	39	7
	November 2004	71	15
	October 2004	90	18
	September 2004	21	5
	August 2004	38	8
	July 2004	74	15
	June 2004	89	19
May 2004	9	2	
April 2004	46	8	

OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Enhanced Extended Loops - DS0 Capable (Diagnostic)	March 2005	257	47
	February 2005	387	78
	January 2005	309	64
	December 2004	204	42
	November 2004	468	92
	October 2004	418	85
	September 2004	322	62
	August 2004	346	66
	July 2004	239	49
	June 2004	150	37
	May 2004	273	67
	April 2004	234	45
	OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Enhanced Extended Loops - DS1 Capable (Parity)	March 2005	15
February 2005		10	1
January 2005		48	3
December 2004		14	1
November 2004		96	10
October 2004		0	0
September 2004		57	5
August 2004		21	2
July 2004		0	0
June 2004		20	2
May 2004		0	0
April 2004		4	1
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Enhanced Extended Loops - DS3 Capable (Diagnostic)		March 2005	34
	February 2005	30	7
	January 2005	48	11
	December 2004	48	11
	November 2004	64	13
	October 2004	67	14
	September 2004	83	17
	August 2004	84	16
	July 2004	74	15
	June 2004	64	14
	May 2004	76	16
	April 2004	33	9
	OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) ISDN Primary (Parity)	March 2005	0
February 2005		14	18
January 2005		11	11
December 2004		25	28
November 2004		19	20
October 2004		8	8
September 2004		9	10
August 2004		21	22
July 2004		18	20
June 2004		41	43
May 2004		20	21
April 2004		19	21
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Line Sharing (Parity)		March 2005	0
	February 2005	0	0
	January 2005	2	2
	December 2004	2	2

	November 2004	0	0
	October 2004	1	1
	September 2004	0	0
	August 2004	4	4
	July 2004	10	10
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Line Splitting (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	3	3
	October 2004	0	0
	September 2004	1	1
	August 2004	2	2
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	0	0
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) LIS Trunk (Parity)	March 2005	0	0
	February 2005	1	1
	January 2005	0	0
	December 2004	0	0
	November 2004	1	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	1	1
	April 2004	0	0
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) PBX (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	3	3
	October 2004	5	5
	September 2004	2	2
	August 2004	7	7
	July 2004	0	0
	June 2004	6	6
	May 2004	0	0
	April 2004	16	16
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Qwest DSL (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	6	8
	September 2004	0	0
	August 2004	2	2

	July 2004	0	2
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Residence (Parity)	March 2005	0	0
	February 2005	101	110
	January 2005	98	103
	December 2004	109	114
	November 2004	85	87
	October 2004	113	126
	September 2004	96	108
	August 2004	64	68
	July 2004	46	54
	June 2004	76	89
	May 2004	59	68
	April 2004	79	82
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Sub-Loop Unbundling (Diagnostic)	March 2005	0	0
	February 2005	2	2
	January 2005	1	1
	December 2004	1	1
	November 2004	2	2
	October 2004	1	1
	September 2004	2	2
	August 2004	1	1
	July 2004	1	1
	June 2004	1	1
	May 2004	0	0
	April 2004	1	1
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UDIT Above DS1 Level (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	2	2
	May 2004	0	0
	April 2004	3	3
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UDIT DS1 (Parity)	March 2005	0	0
	February 2005	13	13
	January 2005	12	13
	December 2004	11	13
	November 2004	13	13
	October 2004	101	104
	September 2004	524	540
	August 2004	493	502
	July 2004	392	395
	June 2004	466	480
	May 2004	394	407
	April 2004	399	409

OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - 2 Wire Non-Loaded (Parity)	March 2005	0	0
	February 2005	52	55
	January 2005	48	51
	December 2004	48	51
	November 2004	59	65
	October 2004	55	56
	September 2004	63	65
	August 2004	56	59
	July 2004	64	67
	June 2004	35	35
	May 2004	23	24
	April 2004	28	29
	OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - 4 Wire Non-Loaded (Parity)	March 2005	0
February 2005		54	54
January 2005		19	19
December 2004		39	39
November 2004		29	30
October 2004		14	14
September 2004		18	18
August 2004		24	25
July 2004		33	34
June 2004		28	28
May 2004		25	25
April 2004		37	37
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - ADSL Qualified (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	1	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	1	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - DS1 Capable (Parity)	March 2005	0
February 2005		51	58
January 2005		67	74
December 2004		58	65
November 2004		51	55
October 2004		66	70
September 2004		54	55
August 2004		97	99
July 2004		75	77
June 2004		208	212
May 2004		124	128
April 2004		39	45
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - DS3 Capable (Parity)		March 2005	0
	February 2005	1217	1290
	January 2005	1325	1390
	December 2004	1373	1439

	November 2004	1716	1797
	October 2004	1899	1999
	September 2004	1352	1410
	August 2004	1064	1121
	July 2004	946	993
	June 2004	960	1004
	May 2004	974	1037
	April 2004	950	1000
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - XDSLi (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	2	2
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
April 2004	1	1	
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop Analog (Parity)	March 2005	0	0
	February 2005	2	3
	January 2005	1	1
	December 2004	4	4
	November 2004	1	2
	October 2004	2	2
	September 2004	6	6
	August 2004	4	4
	July 2004	5	5
	June 2004	12	12
	May 2004	1	1
April 2004	3	3	
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop ISDN Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	2	2
	December 2004	2	2
	November 2004	1	1
	October 2004	4	5
	September 2004	3	3
	August 2004	3	3
	July 2004	4	4
	June 2004	9	9
	May 2004	0	0
April 2004	3	3	
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UNE - P (POTS) (Parity)	March 2005	0	0
	February 2005	311	318
	January 2005	305	315
	December 2004	337	347
	November 2004	430	441
	October 2004	428	444
	September 2004	394	408
	August 2004	320	329

	July 2004	247	258
	June 2004	155	162
	May 2004	154	160
	April 2004	151	157
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UNE P (Centrex 21) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UNE P (Centrex) (Parity)	March 2005	0
February 2005		15	16
January 2005		45	47
December 2004		31	31
November 2004		40	41
October 2004		48	51
September 2004		35	40
August 2004		23	25
July 2004		23	25
June 2004		22	23
May 2004		26	29
April 2004		25	25
OP-5B OP-5B - New Service Provisioning Quality (Percent) Dark Fiber - Loop (Diagnostic)		March 2005	0
	February 2005	118	125
	January 2005	94	97
	December 2004	115	120
	November 2004	146	154
	October 2004	138	145
	September 2004	146	155
	August 2004	146	161
	July 2004	148	152
	June 2004	128	135
	May 2004	114	125
	April 2004	116	126
	OP-5B OP-5B - New Service Provisioning Quality (Percent) Sub-Loop Unbundling (Diagnostic)	March 2005	0
February 2005		2	2
January 2005		0	0
December 2004		1	1
November 2004		1	1
October 2004		1	1
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0

OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Business (Diagnostic)	March 2005	0	0
	February 2005	8	8
	January 2005	10	10
	December 2004	5	5
	November 2004	4	4
	October 2004	10	10
	September 2004	4	6
	August 2004	0	0
	July 2004	5	5
	June 2004	5	5
	May 2004	12	12
	April 2004	5	5
	OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Enhanced Extended Loops - DS0 Capable (Diagnostic)	March 2005	0
February 2005		1348	1368
January 2005		1170	1184
December 2004		1285	1312
November 2004		1298	1330
October 2004		1362	1398
September 2004		1304	1336
August 2004		1360	1398
July 2004		1500	1533
June 2004		1303	1332
May 2004		1272	1294
April 2004		1317	1341
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Enhanced Extended Loops - DS1 Capable (Diagnostic)		March 2005	0
	February 2005	33	34
	January 2005	50	50
	December 2004	38	40
	November 2004	56	59
	October 2004	51	54
	September 2004	55	58
	August 2004	46	46
	July 2004	32	37
	June 2004	55	58
	May 2004	54	56
	April 2004	40	40
	OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Line Sharing (Diagnostic)	March 2005	0
February 2005		46	46
January 2005		147	157
December 2004		4045	4186
November 2004		5663	5848
October 2004		6205	6386
September 2004		4630	4777
August 2004		5978	6182
July 2004		9843	10072
June 2004		15582	15894
May 2004		16166	16496
April 2004		17232	17577
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Line Splitting (Diagnostic)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	1	1

	November 2004	1	1
	October 2004	10	10
	September 2004	0	0
	August 2004	3	3
	July 2004	1	1
	June 2004	10	11
	May 2004	6	6
	April 2004	3	3
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) LIS Trunk (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	1	2
	December 2004	3	3
	November 2004	6	6
	October 2004	2	2
	September 2004	4	4
	August 2004	5	8
	July 2004	5	5
	June 2004	6	8
	May 2004	5	5
	April 2004	5	5
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Qwest DSL (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	3	3
	October 2004	0	0
	September 2004	1	1
	August 2004	2	2
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	0	0
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Residence (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	2	2
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop - 2 Wire Non-Loaded (Diagnostic)	March 2005	0	0
	February 2005	2	6
	January 2005	0	0
	December 2004	2	6
	November 2004	0	2
	October 2004	0	0
	September 2004	0	1
	August 2004	0	2

	July 2004	0	2
	June 2004	1	3
	May 2004	0	1
	April 2004	0	2
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop - ADSL Qualified (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	2
	September 2004	0	0
	August 2004	0	0
	July 2004	0	2
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop - DS1 Capable (Diagnostic)	March 2005	0
February 2005		1	10
January 2005		1	8
December 2004		0	5
November 2004		0	2
October 2004		0	13
September 2004		3	15
August 2004		0	4
July 2004		0	9
June 2004		2	18
May 2004		1	10
April 2004		0	3
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop - XDSL (Diagnostic)		March 2005	0
	February 2005	0	0
	January 2005	2	3
	December 2004	0	2
	November 2004	0	0
	October 2004	1	5
	September 2004	3	19
	August 2004	5	15
	July 2004	0	5
	June 2004	0	15
	May 2004	0	14
	April 2004	2	13
	OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop Analog (Diagnostic)	March 2005	0
February 2005		0	2
January 2005		2	5
December 2004		0	3
November 2004		0	6
October 2004		0	0
September 2004		0	2
August 2004		0	1
July 2004		1	5
June 2004		0	0
May 2004		0	1
April 2004		0	0

OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop ISDN Capable (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	1
	July 2004	0	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UNE - P (POTS) (Diagnostic)	March 2005	0
February 2005		3	13
January 2005		3	12
December 2004		3	13
November 2004		0	6
October 2004		0	5
September 2004		0	2
August 2004		0	3
July 2004		1	3
June 2004		6	14
May 2004		1	5
April 2004		3	10
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UNE P (Centrex 21) (Diagnostic)		March 2005	0
	February 2005	3	62
	January 2005	4	54
	December 2004	0	61
	November 2004	5	62
	October 2004	4	87
	September 2004	4	54
	August 2004	4	43
	July 2004	3	43
	June 2004	3	40
	May 2004	1	53
	April 2004	2	44
	OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UNE P (Centrex) (Diagnostic)	March 2005	0
February 2005		0	7
January 2005		0	10
December 2004		0	11
November 2004		0	11
October 2004		2	18
September 2004		1	15
August 2004		0	9
July 2004		2	13
June 2004		0	7
May 2004		0	6
April 2004		0	6
OP-5T OP-5T - New Service Installation Quality Total (Percent) Business (Diagnostic)		March 2005	0
	February 2005	1	2
	January 2005	0	2
	December 2004	0	0

	November 2004	0	1
	October 2004	0	3
	September 2004	0	5
	August 2004	0	2
	July 2004	0	2
	June 2004	0	1
	May 2004	0	3
	April 2004	0	0
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Dark Fiber - Loop (Diagnostic)	February 2005	1	8
	January 2005	0	3
	December 2004	1	6
	November 2004	1	10
	October 2004	0	8
	September 2004	1	11
	August 2004	3	19
	July 2004	1	5
	June 2004	0	7
	May 2004	0	11
	April 2004	0	10
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) DS1 (Diagnostic)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	3
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Enhanced Extended Loops - DS0	February 2005	2	24
Capable (Diagnostic)	January 2005	1	17
	December 2004	2	29
	November 2004	3	36
	October 2004	4	41
	September 2004	0	32
	August 2004	1	40
	July 2004	3	36
	June 2004	1	31
	May 2004	1	23
	April 2004	1	25
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Enhanced Extended Loops - DS1	February 2005	1	2
Capable (Diagnostic)	January 2005	0	0
	December 2004	0	2
	November 2004	0	4
	October 2004	0	3
	September 2004	0	3
	August 2004	0	0

	July 2004	0	5
	June 2004	0	3
	May 2004	0	2
	April 2004	0	0
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Enhanced Extended Loops - DS3	February 2005	0	0
Capable (Diagnostic)	January 2005	4	15
	December 2004	26	177
	November 2004	13	206
	October 2004	17	209
	September 2004	22	178
	August 2004	36	266
	July 2004	30	279
	June 2004	39	379
	May 2004	28	388
	April 2004	34	406
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) ISDN Primary (Diagnostic)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	1	2
	May 2004	0	2
	April 2004	0	0
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Line Sharing (Diagnostic)	February 2005	0	0
	January 2005	0	1
	December 2004	0	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	4
	July 2004	0	0
	June 2004	2	4
	May 2004	0	0
	April 2004	0	0
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Line Splitting (Diagnostic)	February 2005	14	18
	January 2005	11	11
	December 2004	24	28
	November 2004	19	20
	October 2004	8	8
	September 2004	9	10
	August 2004	20	22
	July 2004	18	20
	June 2004	41	43
	May 2004	20	21
	April 2004	19	21

OP-5T OP-5T - New Service Installation Quality Total (Percent) PBX (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	3	3
	October 2004	0	0
	September 2004	1	1
	August 2004	2	2
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	0	0
	OP-5T OP-5T - New Service Installation Quality Total (Percent) Qwest DSL (Diagnostic)	March 2005	0
February 2005		1	1
January 2005		0	0
December 2004		0	0
November 2004		1	1
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		1	1
April 2004		0	0
OP-5T OP-5T - New Service Installation Quality Total (Percent) Residence (Diagnostic)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	6	8
	September 2004	0	0
	August 2004	2	2
	July 2004	0	2
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5T OP-5T - New Service Installation Quality Total (Percent) Sub-Loop Unbundling (Diagnostic)	March 2005	0
February 2005		101	110
January 2005		97	103
December 2004		109	114
November 2004		85	87
October 2004		113	126
September 2004		96	108
August 2004		64	68
July 2004		45	54
June 2004		74	89
May 2004		59	68
April 2004		79	82
OP-5T OP-5T - New Service Installation Quality Total (Percent) Unbundled Loop - 2 Wire Non-Loaded (Diagnostic)		March 2005	0
	February 2005	2	2
	January 2005	1	1
	December 2004	1	1

	November 2004	2	2
	October 2004	1	1
	September 2004	2	2
	August 2004	1	1
	July 2004	1	1
	June 2004	1	1
	May 2004	0	0
	April 2004	1	1
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Unbundled Loop - 4 Wire Non-Loaded (Diagnostic)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	2	2
	May 2004	0	0
	April 2004	3	3
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Unbundled Loop - ADSL Qualified (Diagnostic)	February 2005	13	13
	January 2005	12	13
	December 2004	11	13
	November 2004	13	13
	October 2004	101	104
	September 2004	524	540
	August 2004	493	502
	July 2004	391	395
	June 2004	465	480
	May 2004	393	407
	April 2004	399	409
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Unbundled Loop - DS1 Capable (Diagnostic)	February 2005	52	55
	January 2005	48	51
	December 2004	48	51
	November 2004	59	65
	October 2004	55	56
	September 2004	63	65
	August 2004	56	59
	July 2004	63	67
	June 2004	35	35
	May 2004	23	24
	April 2004	28	29
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Unbundled Loop - DS3 Capable (Diagnostic)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	1	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	1	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Unbundled Loop - XDSL	February 2005	48	58
(Diagnostic)	January 2005	65	74
	December 2004	55	65
	November 2004	49	55
	October 2004	65	70
	September 2004	53	55
	August 2004	96	99
	July 2004	75	77
	June 2004	204	212
	May 2004	124	128
	April 2004	38	45
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Unbundled Loop Analog (Diagnostic)	February 2005	1217	1290
	January 2005	1324	1390
	December 2004	1369	1439
	November 2004	1716	1797
	October 2004	1895	1999
	September 2004	1351	1410
	August 2004	1063	1121
	July 2004	944	993
	June 2004	959	1004
	May 2004	974	1037
	April 2004	948	1000
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) Unbundled Loop ISDN Capable	February 2005	0	0
(Diagnostic)	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	1	1
	August 2004	2	2
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	1	1
OP-5T OP-5T - New Service Installation Quality	March 2005	0	0
Total (Percent) UNE - P (POTS) (Diagnostic)	February 2005	311	318
	January 2005	305	315
	December 2004	336	347
	November 2004	430	441
	October 2004	428	444
	September 2004	394	408
	August 2004	320	329
	July 2004	247	258
	June 2004	155	162
	May 2004	154	160
	April 2004	151	157

OP-5T OP-5T - New Service Installation Quality Total (Percent) UNE P (Centrex 21) (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5T OP-5T - New Service Installation Quality Total (Percent) UNE P (Centrex) (Diagnostic)	March 2005	0
February 2005		15	16
January 2005		45	47
December 2004		31	31
November 2004		40	41
October 2004		48	51
September 2004		35	40
August 2004		23	25
July 2004		23	25
June 2004		22	23
May 2004		26	29
April 2004		25	25
OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Business (Parity)		March 2005	0
	February 2005	118	125
	January 2005	94	97
	December 2004	115	120
	November 2004	146	154
	October 2004	137	145
	September 2004	146	155
	August 2004	146	161
	July 2004	148	152
	June 2004	128	135
	May 2004	114	125
	April 2004	116	126
	OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Line Sharing (Parity)	March 2005	0
February 2005		2	2
January 2005		0	0
December 2004		1	1
November 2004		1	1
October 2004		1	1
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Line Splitting (Parity)		March 2005	0
	February 2005	8	8
	January 2005	10	10
	December 2004	5	5

	November 2004	4	4
	October 2004	10	10
	September 2004	4	6
	August 2004	0	0
	July 2004	5	5
	June 2004	5	5
	May 2004	12	12
	April 2004	5	5
OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Qwest DSL (Parity)	March 2005	0	0
	February 2005	1345	1368
	January 2005	1164	1184
	December 2004	1285	1312
	November 2004	1296	1330
	October 2004	1360	1398
	September 2004	1304	1336
	August 2004	1360	1398
	July 2004	1500	1533
	June 2004	1299	1332
	May 2004	1272	1294
April 2004	1317	1341	
OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Residence (Parity)	March 2005	0	0
	February 2005	33	34
	January 2005	50	50
	December 2004	38	40
	November 2004	56	59
	October 2004	51	54
	September 2004	55	58
	August 2004	46	46
	July 2004	32	37
	June 2004	55	58
	May 2004	54	56
April 2004	40	40	
OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs UNE - P (POTS) (Parity)	March 2005	0	0
	February 2005	46	46
	January 2005	146	157
	December 2004	4032	4186
	November 2004	5655	5848
	October 2004	6197	6386
	September 2004	4623	4777
	August 2004	5962	6182
	July 2004	9826	10072
	June 2004	15563	15894
	May 2004	16145	16496
April 2004	17218	17577	
OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	1	1
	November 2004	1	1
	October 2004	10	10
	September 2004	0	0
	August 2004	3	3

	July 2004	1	1
	June 2004	10	11
	May 2004	5	6
	April 2004	3	3
OP-6A-2 OP-6A-2 - Delayed Days for Non-Facility	March 2005	0	0
Reasons (Average Days) - Dispatches outside MSAs	February 2005	0	0
UNE - P (POTS) (Parity)	January 2005	1	2
	December 2004	3	3
	November 2004	6	6
	October 2004	2	2
	September 2004	4	4
	August 2004	5	8
	July 2004	5	5
	June 2004	6	8
	May 2004	5	5
	April 2004	5	5
OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility	March 2005	0	0
Reasons (Average Days) - No dispatches Business	February 2005	0	0
(Parity)	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	13	4
	May 2004	5	1
	April 2004	0	0
OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility	March 2005	0	0
Reasons (Average Days) - No dispatches Line	February 2005	0	0
Sharing (Parity)	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	1	1
	September 2004	2	2
	August 2004	0	0
	July 2004	0	0
	June 2004	3	3
	May 2004	4	2
	April 2004	2	1
OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility	March 2005	1	1
Reasons (Average Days) - No dispatches Line	February 2005	1	1
Splitting (Parity)	January 2005	0	0
	December 2004	2	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	2	1
	May 2004	5	2
	April 2004	0	0

OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility Reasons (Average Days) - No dispatches Qwest DSL (Parity)	March 2005	1	1
	February 2005	1	1
	January 2005	0	0
	December 2004	4	1
	November 2004	1	1
	October 2004	0	0
	September 2004	1	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility Reasons (Average Days) - No dispatches Residence (Parity)	March 2005	15	3
	February 2005	6	2
	January 2005	3	3
	December 2004	5	2
	November 2004	25	9
	October 2004	22	9
	September 2004	14	7
	August 2004	12	3
	July 2004	1	1
	June 2004	3	3
	May 2004	3	3
	April 2004	7	3
OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility Reasons (Average Days) - No dispatches UNE - P (POTS) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	4	2
	December 2004	48	10
	November 2004	15	9
	October 2004	14	7
	September 2004	36	19
	August 2004	31	19
	July 2004	17	10
	June 2004	15	8
	May 2004	19	8
	April 2004	7	4
OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Enhanced Extended Loops - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	2	1
	October 2004	1	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	1	1
	May 2004	0	0
	April 2004	0	0
OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One LIS Trunk (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0

	November 2004	0	0
	October 2004	1	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One UDIT Above DS1 Level (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	1	1
	December 2004	0	0
	November 2004	9	2
	October 2004	1	1
	September 2004	5	1
	August 2004	2	2
	July 2004	9	2
	June 2004	1	1
	May 2004	0	0
OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Unbundled Loop - 2 Wire Non-Loaded (Parity)	April 2004	0	0
	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	2	1
	July 2004	0	0
	June 2004	0	0
OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Unbundled Loop - ADSL Qualified (Parity)	May 2004	0	0
	April 2004	0	0
	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	14	2
	September 2004	2	1
	August 2004	0	0
	July 2004	0	0
OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Unbundled Loop - DS1 Capable (Parity)	June 2004	0	0
	May 2004	5	1
	April 2004	9	2
	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	3	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Unbundled Loop Analog (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	4	4
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Unbundled Loop ISDN Capable (Parity)	March 2005	7	1
	February 2005	12	3
	January 2005	1	1
	December 2004	0	0
	November 2004	4	1
	October 2004	2	1
	September 2004	0	0
	August 2004	12	3
	July 2004	19	1
	June 2004	11	1
	May 2004	2	2
	April 2004	1	1
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Enhanced Extended Loops - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	24	8
	November 2004	17	3
	October 2004	7	1
	September 2004	18	5
	August 2004	27	20
	July 2004	2	1
	June 2004	6	2
	May 2004	1	1
	April 2004	3	2
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two LIS Trunk (Parity)	March 2005	7	3
	February 2005	2	1
	January 2005	9	2
	December 2004	2	1
	November 2004	4	1
	October 2004	33	2
	September 2004	49	8
	August 2004	0	0
	July 2004	1	1
	June 2004	28	6
	May 2004	11	2
	April 2004	0	0

OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two UDIT Above DS1 Level (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	13	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two UDIT DS1 (Parity)	March 2005	67	8
	February 2005	0	0
	January 2005	0	0
	December 2004	67	4
	November 2004	79	7
	October 2004	0	0
	September 2004	0	0
	August 2004	11	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop - 2 Wire Non-Loaded (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	2	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop - ADSL Qualified (Parity)	March 2005	17	3
	February 2005	7	2
	January 2005	24	4
	December 2004	26	4
	November 2004	20	5
	October 2004	39	8
	September 2004	65	13
	August 2004	23	7
	July 2004	0	0
	June 2004	0	0
	May 2004	1	1
	April 2004	6	3
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0

	November 2004	2	1
	October 2004	0	0
	September 2004	29	3
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop Analog (Parity)	March 2005	42	5
	February 2005	18	5
	January 2005	4	1
	December 2004	5	3
	November 2004	10	2
	October 2004	40	8
	September 2004	53	12
	August 2004	9	9
	July 2004	22	6
	June 2004	10	4
	May 2004	17	5
April 2004	9	3	
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop ISDN Capable (Parity)	March 2005	60	10
	February 2005	168	24
	January 2005	91	21
	December 2004	277	39
	November 2004	188	39
	October 2004	169	35
	September 2004	304	57
	August 2004	104	24
	July 2004	80	27
	June 2004	62	15
	May 2004	29	12
April 2004	3	2	
OP-6B-1 OP-6B-1 - Delayed Days for Facility Reasons (Average Days) - Dispatches within MSAs Residence (Parity)	March 2005	0	0
	February 2005	6	1
	January 2005	1	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	13	2
	August 2004	0	0
	July 2004	3	1
	June 2004	0	0
	May 2004	0	0
April 2004	2	1	
OP-6B-1 OP-6B-1 - Delayed Days for Facility Reasons (Average Days) - Dispatches within MSAs UNE - P (POTS) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	9	2
	November 2004	0	0
	October 2004	0	0
	September 2004	10	2
	August 2004	9	1

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6B-2 OP-6B-2 - Delayed Days for Facility	March 2005	0	0
Reasons (Average Days) - Dispatches outside MSAs	February 2005	0	0
Residence (Parity)	January 2005	0	0
	December 2004	51	3
	November 2004	2	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6B-2 OP-6B-2 - Delayed Days for Facility	March 2005	0	0
Reasons (Average Days) - Dispatches outside MSAs	February 2005	0	0
UNE - P (POTS) (Parity)	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	3	1
OP-6B-4 OP-6B-4 - Delayed Days for Facility	March 2005	0	0
Reasons (Average Days) - Interval Zone One	February 2005	0	0
Unbundled Loop - 2 Wire Non-Loaded (Parity)	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	9	1
	September 2004	1	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6B-4 OP-6B-4 - Delayed Days for Facility	March 2005	0	0
Reasons (Average Days) - Interval Zone One	February 2005	0	0
Unbundled Loop - ADSL Qualified (Parity)	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	4	1
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	5	1

OP-6B-4 OP-6B-4 - Delayed Days for Facility Reasons (Average Days) - Interval Zone One Unbundled Loop - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	5	1
	October 2004	1	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	7	1
	OP-6B-4 OP-6B-4 - Delayed Days for Facility Reasons (Average Days) - Interval Zone One Unbundled Loop Analog (Parity)	March 2005	0
February 2005		0	0
January 2005		1	1
December 2004		7	1
November 2004		0	0
October 2004		0	0
September 2004		2	1
August 2004		3	2
July 2004		2	1
June 2004		5	1
May 2004		58	1
April 2004		0	0
OP-6B-4 OP-6B-4 - Delayed Days for Facility Reasons (Average Days) - Interval Zone One Unbundled Loop ISDN Capable (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	23	3
	August 2004	14	3
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Dark Fiber - Loop (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		5	1
September 2004		13	1
August 2004		9	1
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop - 2 Wire Non-Loaded (Parity)		March 2005	9
	February 2005	10	3
	January 2005	1	1
	December 2004	16	4

	November 2004	15	3
	October 2004	0	0
	September 2004	0	0
	August 2004	2	1
	July 2004	4	2
	June 2004	2	1
	May 2004	0	0
	April 2004	4	1
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop - ADSL Qualified (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	22	3
	November 2004	45	9
	October 2004	2	1
	September 2004	70	7
	August 2004	76	8
	July 2004	48	9
	June 2004	76	10
	May 2004	34	6
April 2004	19	3	
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop - DS1 Capable (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	2	1
	October 2004	0	0
	September 2004	2	1
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
April 2004	0	0	
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop Analog (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	10	2
	November 2004	2	1
	October 2004	0	0
	September 2004	7	2
	August 2004	12	2
	July 2004	0	0
	June 2004	13	1
	May 2004	4	1
April 2004	0	0	
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Unbundled Loop ISDN Capable (Parity)	March 2005	18	2
	February 2005	3	1
	January 2005	14	3
	December 2004	11	2
	November 2004	18	3
	October 2004	0	0
	September 2004	21	3
	August 2004	0	0

	July 2004	9	2
	June 2004	13	1
	May 2004	0	0
	April 2004	0	0
OP-7 OP-7 - Coordinated Hot Cut" Interval (Hours:Minutes)" Unbundled Loop - Analog (Diagnostic)	March 2005	2	1
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	3	2
	September 2004	5	1
	August 2004	2	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-7 OP-7 - Coordinated Hot Cut" Interval (Hours:Minutes)" Unbundled Loop Other (Diagnostic)	March 2005	8
February 2005		20	4
January 2005		1	1
December 2004		18	4
November 2004		8	2
October 2004		26	5
September 2004		62	5
August 2004		35	11
July 2004		10	3
June 2004		14	3
May 2004		1	1
April 2004		3	1
OP-8B OP-8 - Number Portability Timeliness (Percent) LNP (Benchmark)		March 2005	0
	February 2005	117	13
	January 2005	16	5
	December 2004	77	6
	November 2004	91	21
	October 2004	17	4
	September 2004	9	1
	August 2004	73	8
	July 2004	66	9
	June 2004	103	9
	May 2004	15	9
	April 2004	56	8
	OP-8C OP-8 - Number Portability Timeliness (Percent) LNP (Benchmark)	March 2005	0
February 2005		0	0
January 2005		1	1
December 2004		0	0
November 2004		0	0
October 2004		16	3
September 2004		5	1
August 2004		5	1
July 2004		0	0
June 2004		1	1
May 2004		0	0
April 2004		0	0

OS-1 OS-1 - Speed of Answer - Operator Services (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	4	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	PO-15 PO-15 - Number of Due Date Changes per Order All (Diagnostic)	March 2005	10
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		18	2
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
PO-16 PO-16 - Timely Release Notifications (Benchmark)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	30	4
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	PO-19 PO-19 - Stand-Alone Test Environment (SATE) Accuracy (Benchmark)	March 2005	1
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		1	1
October 2004		7	4
September 2004		0	0
August 2004		0	0
July 2004		58	4
June 2004		0	0
May 2004		0	0
April 2004		8	1
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. 13.0 (Benchmark)		March 2005	36
	February 2005	3	1
	January 2005	4	1
	December 2004	0	0

	November 2004	0	0
	October 2004	3	3
	September 2004	0	0
	August 2004	3	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. 14.0 (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	2	1
	August 2004	0	0
	July 2004	1	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 (Benchmark)	March 2005	1.10694444	564
	February 2005	1.0375	475
	January 2005	1.12638889	494
	December 2004	1.01805556	535
	November 2004	1.22847222	629
	October 2004	1.43402778	663
	September 2004	1.10138889	593
	August 2004	1.44513889	626
	July 2004	1.18402778	627
	June 2004	0.90486111	461
	May 2004	0.87777778	471
	April 2004	1.09305556	589
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI (Benchmark)	March 2005	0.02152778	7
	February 2005	0.03333333	12
	January 2005	0.03958333	7
	December 2004	0.01736111	8
	November 2004	0.00763889	5
	October 2004	0.05416667	10
	September 2004	0.03541667	12
	August 2004	0.09930556	20
	July 2004	0.07291667	17
	June 2004	0.15277778	17
	May 2004	0.04861111	23
	April 2004	0.03333333	13
PO-19B PO-19 - Stand-Alone Test Environment (SATE) Accuracy (Benchmark)	March 2005	382	382
	February 2005	352	352
	January 2005	343	343
	December 2004	107	109
	November 2004	493	496
	October 2004	553	557
	September 2004	467	468
	August 2004	513	516

	July 2004	483	483
	June 2004	410	410
	May 2004	415	416
	April 2004	440	444
PO-1A-1 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)	March 2005	5691	5695
	February 2005	2277	2287
	January 2005	1681	1686
	December 2004	1112	1117
	November 2004	2910	2915
	October 2004	1657	1667
	September 2004	2345	2364
	August 2004	4024	4050
	July 2004	4341	4358
	June 2004	5185	5194
	May 2004	3628	3641
	April 2004	3746	3757
	PO-1A-1(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
PO-1A-1(b,c) PO-1 - Pre-Order/Order Response Times IMA Response/Accept (Diagnostic)		March 2005	718
	February 2005	600	3629
	January 2005	537	3655
	December 2004	619	7842
	November 2004	751	10118
	October 2004	751	11382
	September 2004	747	9170
	August 2004	583	10280
	July 2004	518	13937
	June 2004	460	19731
	May 2004	402	20280
	April 2004	484	21322
	PO-1A-10 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)	March 2005	1
February 2005		1	1
January 2005		1	1
December 2004		1	1
November 2004		3	3
October 2004		1	1
September 2004		7	7
August 2004		1	2
July 2004		0	0
June 2004		2	2
May 2004		2	2
April 2004		0	0

PO-1A-10(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)	March 2005	872	883
	February 2005	600	602
	January 2005	601	602
	December 2004	600	600
	November 2004	861	863
	October 2004	861	861
	September 2004	860	864
	August 2004	585	585
	July 2004	583	585
	June 2004	579	585
	May 2004	836	850
	April 2004	978	980
	PO-1A-10(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		260	265
April 2004		265	265
PO-1A-2 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	262	263
	October 2004	263	263
	September 2004	263	263
	August 2004	263	263
	July 2004	262	263
	June 2004	262	263
	May 2004	261	263
	April 2004	263	263
	PO-1A-2(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)	March 2005	261
February 2005		268	269
January 2005		269	269
December 2004		269	269
November 2004		269	269
October 2004		269	269
September 2004		269	269
August 2004		269	269
July 2004		268	269
June 2004		264	269
May 2004		262	269
April 2004		268	269
PO-1A-2(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)		March 2005	55
	February 2005	55	55
	January 2005	54	55
	December 2004	55	55

	November 2004	55	55
	October 2004	53	53
	September 2004	54	56
	August 2004	53	53
	July 2004	53	53
	June 2004	53	53
	May 2004	53	53
	April 2004	182	183
PO-1A-3 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	194	200
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	198	200
PO-1A-3(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)	March 2005	4774.14	2526
	February 2005	4450.58	2306
	January 2005	5057.58	2607
	December 2004	4419.36	2376
	November 2004	4920.16	2674
	October 2004	4555.02	2559
	September 2004	4691.1	2469
	August 2004	4875.18	2526
	July 2004	4604.28	2257
	June 2004	4764.64	2456
	May 2004	4594.59	2431
	April 2004	3720.64	2416
PO-1A-3(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)	March 2005	252.6	2526
	February 2005	230.6	2306
	January 2005	260.7	2607
	December 2004	237.6	2376
	November 2004	267.4	2674
	October 2004	614.16	2559
	September 2004	1481.4	2469
	August 2004	1540.86	2526
	July 2004	1376.77	2257
	June 2004	1498.16	2456
	May 2004	1507.22	2431
	April 2004	942.24	2416
PO-1A-4 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)	March 2005	4521.54	2526
	February 2005	4219.98	2306
	January 2005	4796.88	2607
	December 2004	4181.76	2376
	November 2004	4652.76	2674
	October 2004	3940.86	2559
	September 2004	3209.7	2469
	August 2004	3334.32	2526

	July 2004	3227.51	2257
	June 2004	3266.48	2456
	May 2004	3087.37	2431
	April 2004	2778.4	2416
PO-1A-4(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)	March 2005	2460.91	579
	February 2005	2210.82	522
	January 2005	2394.06	552
	December 2004	2181.51	512
	November 2004	2590.06	616
	October 2004	3204.54	535
	September 2004	5001.18	424
	August 2004	5256.39	437
	July 2004	4866.87	402
	June 2004	5163.85	435
	May 2004	4974.36	409
	April 2004	4080.2	534
	PO-1A-4(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)	March 2005	59.52
February 2005		53.56	522
January 2005		56.42	552
December 2004		52.77	512
November 2004		63.37	616
October 2004		131.68	535
September 2004		525.6	424
August 2004		631.65	437
July 2004		480.76	402
June 2004		567.53	435
May 2004		639.33	409
April 2004		297.87	534
PO-1A-5 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)		March 2005	2401.39
	February 2005	2157.26	522
	January 2005	2337.64	552
	December 2004	2128.74	513
	November 2004	2526.69	616
	October 2004	3072.86	535
	September 2004	4475.58	424
	August 2004	4624.74	437
	July 2004	4386.11	402
	June 2004	4596.32	435
	May 2004	4335.03	409
	April 2004	3782.33	534
	PO-1A-5(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)	March 2005	19290.26
February 2005		17234.2	4367
January 2005		19309.17	4869
December 2004		17145.87	4368
November 2004		18857.95	5090
October 2004		18751.77	4875
September 2004		21395.79	4801
August 2004		22209.79	4831
July 2004		19490.91	4501
June 2004		24440.33	4819
May 2004		27639.73	4618
April 2004		37117.12	4600

PO-1A-5(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)	March 2005	503.04	4933
	February 2005	448.3	4367
	January 2005	495.34	4869
	December 2004	444.8	4368
	November 2004	527.74	5090
	October 2004	888.99	4875
	September 2004	1482.44	4801
	August 2004	1477.21	4831
	July 2004	1354.28	4501
	June 2004	1527.07	4819
	May 2004	1432.42	4618
	April 2004	1436.95	4600
	PO-1A-6 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)	March 2005	18787.22
February 2005		16785.9	4367
January 2005		18813.83	4869
December 2004		16701.07	4368
November 2004		18330.21	5090
October 2004		17862.78	4875
September 2004		19913.35	4801
August 2004		20732.58	4831
July 2004		18136.63	4502
June 2004		22913.26	4819
May 2004		26207.31	4618
April 2004		35680.17	4600
PO-1A-6(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)		March 2005	5708.46
	February 2005	4964.19	921
	January 2005	6085.05	1077
	December 2004	5646.89	1003
	November 2004	6458.01	1131
	October 2004	7310.94	1014
	September 2004	12169.67	1061
	August 2004	12454.48	1031
	July 2004	12204.08	1036
	June 2004	13828.2	1140
	May 2004	13684.36	1093
	April 2004	10219.64	1069
	PO-1A-6(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)	March 2005	106.9
February 2005		92.1	921
January 2005		107.7	1077
December 2004		100.3	1003
November 2004		113.1	1131
October 2004		324.48	1014
September 2004		880.63	1061
August 2004		896.97	1031
July 2004		714.84	1036
June 2004		1037.4	1140
May 2004		918.12	1093
April 2004		459.67	1069
PO-1A-6(c) PO-1 - Pre-Order/Order Response Times IMA Accept (Diagnostic)		March 2005	5601.56
	February 2005	4872.09	921
	January 2005	5977.35	1077
	December 2004	5546.59	1003

	November 2004	6344.91	1131
	October 2004	6986.46	1014
	September 2004	11289.04	1061
	August 2004	11557.51	1031
	July 2004	11489.24	1036
	June 2004	12790.8	1140
	May 2004	12766.24	1093
	April 2004	9759.97	1069
PO-1A-7 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Diagnostic)	March 2005	30682.41	8478
	February 2005	26830.99	7496
	January 2005	30628.34	8620
	December 2004	27704.91	7731
	November 2004	32268.89	8960
	October 2004	39404.03	8298
	September 2004	52916.96	8347
	August 2004	52490.48	8458
	July 2004	49533.26	7988
	June 2004	58374.27	8990
	May 2004	54088.98	8381
	April 2004	49811.32	8906
PO-1A-7(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)	March 2005	2544.4	8478
	February 2005	2269.19	7496
	January 2005	2616.85	8620
	December 2004	2347.38	7731
	November 2004	2611.23	8960
	October 2004	3765.88	8298
	September 2004	6818.33	8347
	August 2004	6954.17	8458
	July 2004	6753.07	7988
	June 2004	7427.02	8990
	May 2004	6805.15	8381
	April 2004	6809.45	8906
PO-1A-7(b) PO-1 - Pre-Order/Order Response Times IMA Response (Benchmark)	March 2005	28138.01	8478
	February 2005	24561.8	7496
	January 2005	28011.49	8620
	December 2004	25357.53	7731
	November 2004	29657.66	8960
	October 2004	35638.15	8298
	September 2004	46098.63	8347
	August 2004	45536.31	8458
	July 2004	42780.19	7988
	June 2004	50947.25	8990
	May 2004	47283.83	8381
	April 2004	43001.87	8906
PO-1A-8 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Diagnostic)	March 2005	3508.41	1083
	February 2005	3026.58	922
	January 2005	3633.59	1105
	December 2004	3484.66	996
	November 2004	4034.59	1129
	October 2004	6351.8	1072
	September 2004	13196.91	1097
	August 2004	13178.14	1070

	July 2004	13057.44	1075
	June 2004	14068.91	1151
	May 2004	13273.92	1096
	April 2004	9095.55	1072
PO-1A-8(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)	March 2005	110.44	1083
	February 2005	94.04	922
	January 2005	112.83	1105
	December 2004	101.53	996
	November 2004	115.37	1129
	October 2004	270.28	1072
	September 2004	585.32	1097
	August 2004	720.93	1070
	July 2004	578.79	1075
	June 2004	783.5	1151
	May 2004	585.49	1096
	April 2004	403.66	1072
PO-1A-8(b) PO-1 - Pre-Order/Order Response Times IMA Response (Benchmark)	March 2005	3397.97	1083
	February 2005	2932.54	922
	January 2005	3520.76	1105
	December 2004	3383.13	996
	November 2004	3919.22	1129
	October 2004	6081.52	1072
	September 2004	12611.59	1097
	August 2004	12457.21	1070
	July 2004	12478.65	1075
	June 2004	13285.41	1150
	May 2004	12688.43	1096
	April 2004	8691.89	1072
PO-1A-9 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)	March 2005	6974.84	1692
	February 2005	5846.11	1472
	January 2005	6652.96	1709
	December 2004	5939.38	1553
	November 2004	6958.72	1767
	October 2004	9647.21	1678
	September 2004	13236.15	1695
	August 2004	19759.81	1687
	July 2004	14967.09	1587
	June 2004	10817.02	1732
	May 2004	9145.13	1641
	April 2004	6326.49	1633
PO-1A-9(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)	March 2005	187.73	1692
	February 2005	164.04	1472
	January 2005	190.37	1709
	December 2004	172.48	1553
	November 2004	197.09	1767
	October 2004	529.21	1678
	September 2004	1544.12	1695
	August 2004	1512.39	1687
	July 2004	1265	1587
	June 2004	1489.72	1732
	May 2004	1309.97	1641
	April 2004	734.42	1633

PO-1A-9(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)	March 2005	5624.29	1692
	February 2005	4674.36	1472
	January 2005	5301.31	1709
	December 2004	4725.63	1553
	November 2004	5569.48	1767
	October 2004	7318.12	1678
	September 2004	11603.9	1695
	August 2004	18161.14	1687
	July 2004	13626.55	1587
	June 2004	9229.51	1732
	May 2004	7745.23	1641
	April 2004	4758.74	1633
	PO-1B-1 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)	March 2005	1162.82
February 2005		1007.71	1472
January 2005		1161.28	1709
December 2004		1041.27	1553
November 2004		1192.15	1767
October 2004		1799.88	1678
September 2004		88.13	1695
August 2004		86.28	1687
July 2004		75.54	1587
June 2004		97.79	1732
May 2004		89.93	1641
April 2004		833.33	1633
PO-1B-10 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)		March 2005	42733.64
	February 2005	46567.26	5940
	January 2005	52845.38	6650
	December 2004	45550.48	5931
	November 2004	55205.73	7108
	October 2004	52715.05	6452
	September 2004	54875.26	6066
	August 2004	59267.31	6518
	July 2004	53108.46	6120
	June 2004	50774.9	5844
	May 2004	50449.5	5605
	April 2004	52877.41	5957
	PO-1B-2 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)	March 2005	1221.55
February 2005		1066.99	5940
January 2005		1231.27	6650
December 2004		1096.31	5931
November 2004		1315.45	7108
October 2004		2854.38	6452
September 2004		5834.28	6066
August 2004		6002.01	6518
July 2004		5321.58	6120
June 2004		5228.64	5844
May 2004		5018.18	5605
April 2004		4459.19	5957
PO-1B-3 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)		March 2005	41512.09
	February 2005	45500.27	5940
	January 2005	51614.11	6650
	December 2004	44454.17	5931

	November 2004	53890.28	7108
	October 2004	49860.67	6452
	September 2004	49040.98	6066
	August 2004	53265.3	6518
	July 2004	47786.88	6120
	June 2004	45546.26	5844
	May 2004	45431.32	5605
	April 2004	48418.22	5957
PO-1B-4 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)	March 2005	5324.49	603
	February 2005	3815.28	504
	January 2005	6164.41	581
	December 2004	4147.92	504
	November 2004	4944	600
	October 2004	5747.5	550
	September 2004	10288.26	549
	August 2004	9687.8	590
	July 2004	8398.4	580
	June 2004	8156.75	553
	May 2004	8750.36	566
	April 2004	6558.53	547
PO-1B-5 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)	March 2005	66.33	603
	February 2005	55.44	504
	January 2005	63.91	581
	December 2004	55.44	504
	November 2004	66	600
	October 2004	192.5	550
	September 2004	724.68	549
	August 2004	772.9	590
	July 2004	655.4	580
	June 2004	757.61	553
	May 2004	741.46	566
	April 2004	273.5	547
PO-1B-6 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)	March 2005	5258.16	603
	February 2005	3759.84	504
	January 2005	6100.5	581
	December 2004	4092.48	504
	November 2004	4878	600
	October 2004	5555	550
	September 2004	9563.58	549
	August 2004	8914.9	590
	July 2004	7743	580
	June 2004	7399.14	553
	May 2004	8008.9	566
	April 2004	6285.03	547
PO-1B-7 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)	March 2005	5459.33	772
	February 2005	5308.04	711
	January 2005	5955.02	760
	December 2004	5095.19	711
	November 2004	5658.56	774
	October 2004	7317.81	803
	September 2004	9091.51	783
	August 2004	8781.45	769

	July 2004	7208.15	593
	June 2004	9095.33	751
	May 2004	8367.08	729
	April 2004	7686.18	756
PO-1B-8 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)	March 2005	78.99	772
	February 2005	72.26	711
	January 2005	77.11	760
	December 2004	72.24	711
	November 2004	78.51	774
	October 2004	148.17	803
	September 2004	237.43	783
	August 2004	231.65	769
	July 2004	177.48	593
	June 2004	227.31	751
	May 2004	221.45	729
	April 2004	227.61	756
PO-1B-9 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)	March 2005	5380.34	772
	February 2005	5235.78	711
	January 2005	5877.91	760
	December 2004	5022.95	711
	November 2004	5580.05	774
	October 2004	7169.64	803
	September 2004	8854.08	783
	August 2004	8549.8	769
	July 2004	7030.67	593
	June 2004	8868.02	751
	May 2004	8145.63	729
	April 2004	7458.57	756
PO-1C-1 PO-1 - Pre-Order/Order Response Times IMA Total (Benchmark)	March 2005	17004.12	3918
	February 2005	15016.5	3550
	January 2005	14963.57	3827
	December 2004	16470.89	3931
	November 2004	16111.13	3901
	October 2004	17439.49	4349
	September 2004	19929.32	4933
	August 2004	19028.95	5185
	July 2004	19958.13	5211
	June 2004	18676.84	5131
	May 2004	18003	5100
	April 2004	19421.5	5425
PO-1C-2 PO-1 - Pre-Order/Order Response Times EDI Total (Benchmark)	March 2005	2417.68	494
	February 2005	2130.54	442
	January 2005	2164.94	474
	December 2004	2306.8	495
	November 2004	2244.71	479
	October 2004	3164.32	629
	September 2004	4850.63	921
	August 2004	4933.12	972
	July 2004	5538.77	979
	June 2004	4915.8	957
	May 2004	4864.79	929
	April 2004	4531.26	894

PO-1D-1 PO-1 - Pre-Order/Order Response Times IMA Total (Diagnostic)	March 2005	22006.26	4376
	February 2005	19862.58	3951
	January 2005	21604.04	4268
	December 2004	21619.99	4286
	November 2004	21417.76	4230
	October 2004	24461.56	4666
	September 2004	31344.26	5562
	August 2004	31648.58	5923
	July 2004	30313.26	6050
	June 2004	32548.64	5828
	May 2004	36261.07	5673
	April 2004	46872.38	5905
PO-1D-2 PO-1 - Pre-Order/Order Response Times EDI Total (Diagnostic)	March 2005	1235.22	238
	February 2005	1178.31	217
	January 2005	1233.18	234
	December 2004	1343.1	242
	November 2004	1332.8	238
	October 2004	1706.92	307
	September 2004	2667.06	449
	August 2004	2901.6	468
	July 2004	3023.3	490
	June 2004	2962.5	474
	May 2004	3251.28	456
	April 2004	2887.07	449
PO-20 PO-20 - (Expanded) Manual Service Order Accuracy (Phase 1) Resale & UNE-P (POTS) (Benchmark)	March 2005	18297.07	6120
	February 2005	16749.93	5491
	January 2005	17520.63	5806
	December 2004	20399.14	5987
	November 2004	18722.33	5808
	October 2004	12873.91	6089
	September 2004	14446.29	7243
	August 2004	14758.4	7650
	July 2004	14317.19	7792
	June 2004	16126.56	8045
	May 2004	15826.95	7688
	April 2004	22558.24	8126
PO-20 PO-20 - (Expanded) Manual Service Order Accuracy (Phase 1) Unbundled Loops (Benchmark)	March 2005	3426.4	988
	February 2005	3225.57	881
	January 2005	3361.74	951
	December 2004	3560.24	981
	November 2004	3456.41	956
	October 2004	5280.86	1262
	September 2004	8855.73	1832
	August 2004	8476.29	1935
	July 2004	8673.86	1966
	June 2004	8503.52	1912
	May 2004	8726.66	1850
	April 2004	7618.34	1787
PO-20 PO-20 - Manual Service Order Accuracy Resale POTS and UNE-P (POTS) (Benchmark)	March 2005	6828.9	1916
	February 2005	5874.86	1745
	January 2005	6341.9	1930
	December 2004	6917.93	1944

	November 2004	6594.61	1934
	October 2004	8677.91	2226
	September 2004	12794.64	2598
	August 2004	14959.29	2740
	July 2004	12983.39	2751
	June 2004	10417.68	2764
	May 2004	9713.04	2557
	April 2004	11067.57	2824
PO-20 PO-20 - Manual Service Order Accuracy Unbundled Loops (Analog & NL 2-wire) (Benchmark)	March 2005	54932.83	7335
	February 2005	58590.94	6482
	January 2005	60665.05	6820
	December 2004	66033.29	7317
	November 2004	63942.81	7071
	October 2004	140542.5	16607
	September 2004	166109.5	20194
	August 2004	164797.5	20154
	July 2004	171548.8	20855
	June 2004	168903.9	19149
	May 2004	160913	17663
	April 2004	144162.4	15738
PO-20P2 PO-20 - (Expanded) Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) (Benchmark)	March 2005	4619.41	493
	February 2005	3991.56	444
	January 2005	4869.48	476
	December 2004	4393.56	492
	November 2004	4464.52	478
	October 2004	5651.1	630
	September 2004	10053.86	919
	August 2004	10069.92	972
	July 2004	8999.9	989
	June 2004	8688	960
	May 2004	8807.1	930
	April 2004	8539.98	898
PO-20P2 PO-20 - (Expanded) Manual Service Order Accuracy (Phase 2) Unbundled Loops (Benchmark)	March 2005	3976.19	491
	February 2005	3740.17	437
	January 2005	3775.29	471
	December 2004	4514.51	489
	November 2004	4083.63	476
	October 2004	5741.46	618
	September 2004	8697.15	914
	August 2004	8821.76	962
	July 2004	8952.52	981
	June 2004	8997.39	952
	May 2004	8621.77	918
	April 2004	7924.19	885
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) Line Sharing (Diagnostic)	March 2005	21	28568
	February 2005	17	25178
	January 2005	31	28561
	December 2004	107	25792
	November 2004	6	29855
	October 2004	132	27970
	September 2004	134	27430
	August 2004	133	28050

	July 2004	115	26254
	June 2004	111	27982
	May 2004	132	26701
	April 2004	104	27594
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) LNP (Diagnostic)	March 2005	9	26378
	February 2005	12	23652
	January 2005	18	25275
	December 2004	107	26271
	November 2004	66	25637
	October 2004	69	37452
	September 2004	52	45617
	August 2004	3	46964
	July 2004	6	48070
	June 2004	80	46252
	May 2004	25	43789
	April 2004	8	42939
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) Resale Aggregate W/O UNE-P-POTS (Diagnostic)	March 2005	3855.5	7711
	February 2005	3255.56	6644
	January 2005	4117	8234
	December 2004	3956.5	7913
	November 2004	5064.64	9044
	October 2004	22113.15	7759
	September 2004	43106.64	8354
	August 2004	40690.93	7963
	July 2004	42004.48	8204
	June 2004	41415.68	8089
	May 2004	36231.86	7049
	April 2004	24746.64	8504
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) Unbundled Loop Aggregate (Diagnostic)	March 2005	18591.04	8528
	February 2005	16602.88	7616
	January 2005	17161.2	8172
	December 2004	20071.8	8505
	November 2004	18154.4	8252
	October 2004	15539.37	7161
	September 2004	19019.72	7892
	August 2004	19432.32	8376
	July 2004	19010.75	8525
	June 2004	18159.48	8292
	May 2004	18466.7	8029
	April 2004	18720.88	7768
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) UNE - P (POTS) (Diagnostic)	March 2005	0	0
	February 2005	1228	1235
	January 2005	1303	1304
	December 2004	2195	2206
	November 2004	2666	2678
	October 2004	2740	2752
	September 2004	2266	2275
	August 2004	1980	2014
	July 2004	2015	2043
	June 2004	1926	1942
	May 2004	1499	1519
	April 2004	0	0

PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) UNE P (POTS AGG) (Diagnostic)	March 2005	0	0
	February 2005	784	785
	January 2005	946	951
	December 2004	1170	1170
	November 2004	1050	1053
	October 2004	942	944
	September 2004	913	914
	August 2004	983	983
	July 2004	812	813
	June 2004	689	689
	May 2004	576	576
	April 2004	0	0
	PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) Line Sharing (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		496	500
August 2004		517	520
July 2004		539	540
June 2004		518	520
May 2004		495	500
April 2004		513	520
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) LNP (Diagnostic)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	418	420
	August 2004	435	440
	July 2004	435	440
	June 2004	435	440
	May 2004	390	400
	April 2004	435	440
	PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) Resale Aggregate W/O UNE-P-POTS (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		8	8
September 2004		31	91
August 2004		11	83
July 2004		9	82
June 2004		0	0
May 2004		0	0
April 2004		0	0
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) Unbundled Loop Aggregate (Diagnostic)		March 2005	644
	February 2005	465	639
	January 2005	397	563
	December 2004	330	551

	November 2004	314	529
	October 2004	289	513
	September 2004	349	617
	August 2004	400	651
	July 2004	260	458
	June 2004	351	559
	May 2004	226	424
	April 2004	188	401
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) UNE - P (POTS) (Diagnostic)	March 2005	455	2840
	February 2005	434	1912
	January 2005	338	2086
	December 2004	418	2105
	November 2004	370	2242
	October 2004	336	2799
	September 2004	390	2244
	August 2004	358	1721
	July 2004	466	1717
	June 2004	465	1811
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) UNE P (POTS) AGG) (Diagnostic)	May 2004	468	1733
	April 2004	447	1580
	March 2005	618	1091
	February 2005	455	909
	January 2005	590	1220
	December 2004	431	1099
	November 2004	393	1154
	October 2004	501	1311
	September 2004	496	1376
	August 2004	398	1357
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) Line Sharing (Diagnostic)	July 2004	369	1182
	June 2004	372	1028
	May 2004	342	961
	April 2004	413	1115
	March 2005	68	81
	February 2005	34	49
	January 2005	137	229
	December 2004	4020	4915
	November 2004	6191	7084
	October 2004	5622	6420
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) LNP (Benchmark)	September 2004	4933	5674
	August 2004	4874	5839
	July 2004	4455	5404
	June 2004	4412	7315
	May 2004	5765	8991
	April 2004	5822	7642
	March 2005	68	81
	February 2005	34	49
	January 2005	137	229
	December 2004	4024	4920
November 2004	6198	7091	
October 2004	5638	6442	
September 2004	4938	5681	
August 2004	4882	5856	

	July 2004	4465	5420
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) Resale Aggregate W/O UNE-P-POTS (Benchmark)	March 2005	10	14
	February 2005	18	20
	January 2005	21	24
	December 2004	13	20
	November 2004	14	21
	October 2004	40	54
	September 2004	678	865
	August 2004	581	757
	July 2004	530	667
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) Unbundled Loop Aggregate (Benchmark)	March 2005	783	1047
	February 2005	603	770
	January 2005	700	889
	December 2004	526	690
	November 2004	505	657
	October 2004	390	560
	September 2004	372	565
	August 2004	362	526
	July 2004	426	542
	June 2004	394	577
	May 2004	264	363
	April 2004	361	520
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) UNE - P (POTS) (Benchmark)	March 2005	16	21
	February 2005	5	11
	January 2005	18	20
	December 2004	16	20
	November 2004	18	20
	October 2004	12	19
	September 2004	22	35
	August 2004	22	29
	July 2004	13	16
	June 2004	5	5
	May 2004	7	8
	April 2004	9	12
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) UNE P (POTS AGG) (Benchmark)	March 2005	1026	1593
	February 2005	873	1385
	January 2005	813	1455
	December 2004	677	1264
	November 2004	827	1406
	October 2004	924	1551
	September 2004	847	1357
	August 2004	625	1149
	July 2004	894	1356
	June 2004	745	1119
	May 2004	745	1059
	April 2004	641	965

PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) Line Sharing (Diagnostic)	March 2005	173	212
	February 2005	231	264
	January 2005	368	414
	December 2004	4369	5049
	November 2004	5227	5891
	October 2004	6162	6947
	September 2004	5794	6552
	August 2004	7984	8919
	July 2004	13825	16268
	June 2004	19133	21782
	May 2004	19711	22134
	April 2004	18567	21826
	PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) LNP (Benchmark)	March 2005	173
February 2005		231	264
January 2005		368	414
December 2004		4369	5049
November 2004		5227	5891
October 2004		6162	6947
September 2004		5794	6552
August 2004		7984	8919
July 2004		13825	16268
June 2004		0	0
May 2004		0	0
April 2004		0	0
PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) Resale Aggregate W/O UNE-P-POTS (Benchmark)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	8	8
	September 2004	31	33
	August 2004	11	12
	July 2004	9	9
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) Unbundled Loop Aggregate (Benchmark)	March 2005	644
February 2005		465	480
January 2005		397	412
December 2004		330	344
November 2004		314	324
October 2004		289	306
September 2004		349	363
August 2004		400	423
July 2004		260	289
June 2004		351	373
May 2004		226	247
April 2004		188	203
PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) UNE - P (POTS) (Benchmark)		March 2005	455
	February 2005	434	459
	January 2005	338	357
	December 2004	418	468

	November 2004	370	394
	October 2004	336	365
	September 2004	390	441
	August 2004	358	393
	July 2004	466	486
	June 2004	465	500
	May 2004	468	488
	April 2004	447	473
PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) UNE P (POTS AGG) (Benchmark)	March 2005	618	645
	February 2005	455	477
	January 2005	590	632
	December 2004	431	469
	November 2004	393	415
	October 2004	501	521
	September 2004	496	522
	August 2004	398	414
	July 2004	369	386
	June 2004	372	387
	May 2004	342	361
	April 2004	413	443
PO-3A-1 PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)	March 2005	68	75
	February 2005	34	37
	January 2005	137	146
	December 2004	4020	4197
	November 2004	6191	6336
	October 2004	5622	5710
	September 2004	4933	5053
	August 2004	4874	5133
	July 2004	4455	4617
	June 2004	4412	4635
	May 2004	5765	5929
	April 2004	5822	6028
PO-3A-2 PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)	March 2005	68	75
	February 2005	34	37
	January 2005	137	146
	December 2004	4024	4202
	November 2004	6198	6343
	October 2004	5638	5728
	September 2004	4938	5059
	August 2004	4882	5144
	July 2004	4466	4629
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
PO-3B-1 PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)	March 2005	10	11
	February 2005	18	19
	January 2005	21	24
	December 2004	13	18
	November 2004	14	14
	October 2004	40	44
	September 2004	678	715
	August 2004	581	629

	July 2004	530	570
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
PO-3B-2 PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)	March 2005	783	823
	February 2005	603	628
	January 2005	700	725
	December 2004	526	557
	November 2004	505	523
	October 2004	390	401
	September 2004	372	384
	August 2004	362	377
	July 2004	426	438
	June 2004	394	408
	May 2004	264	272
	April 2004	361	382
PO-3C PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)	March 2005	16	17
	February 2005	5	6
	January 2005	18	18
	December 2004	16	16
	November 2004	18	18
	October 2004	12	13
	September 2004	22	27
	August 2004	22	25
	July 2004	13	14
	June 2004	5	5
	May 2004	7	7
	April 2004	9	10
PO-4A-1 PO-4 - LSRs Rejected Product Aggregate (Diagnostic)	March 2005	1026	1056
	February 2005	875	912
	January 2005	813	890
	December 2004	677	759
	November 2004	827	852
	October 2004	924	967
	September 2004	847	874
	August 2004	625	658
	July 2004	894	923
	June 2004	745	774
	May 2004	745	766
	April 2004	641	665
PO-4A-2 PO-4 - LSRs Rejected Product Aggregate (Diagnostic)	March 2005	173	203
	February 2005	231	258
	January 2005	368	404
	December 2004	4369	4545
	November 2004	5227	5351
	October 2004	6162	6359
	September 2004	5794	6026
	August 2004	7984	8278
	July 2004	13825	14242
	June 2004	19133	19714
	May 2004	19711	20184
	April 2004	18567	19261

PO-4B-1 PO-4 - LSRs Rejected Product Aggregate (Diagnostic)	March 2005	173	203
	February 2005	231	258
	January 2005	368	404
	December 2004	4369	4545
	November 2004	5227	5351
	October 2004	6162	6359
	September 2004	5794	6026
	August 2004	7984	8278
	July 2004	13825	14242
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	PO-4B-2 PO-4 - LSRs Rejected Product Aggregate (Diagnostic)	March 2005	31.1104167
February 2005		18.4083333	116
January 2005		28.8340278	119
December 2004		60.1284722	182
November 2004		64.2368056	224
October 2004		21.0805556	208
September 2004		17.6555556	238
August 2004		144.4	243
July 2004		18.4694444	246
June 2004		25.1027778	329
May 2004		29.1055556	390
April 2004		62.1777778	354
PO-4C PO-4 - LSRs Rejected Product Aggregate (Diagnostic)		March 2005	153.705556
	February 2005	126.618056	26199
	January 2005	118.690972	26888
	December 2004	127.504167	26855
	November 2004	114.728472	24341
	October 2004	82.30625	19892
	September 2004	110.729167	25710
	August 2004	162.738889	27270
	July 2004	115.636111	26334
	June 2004	141.406944	30184
	May 2004	139.656944	28450
	April 2004	120.841667	31611
	PO-5A-1(a) PO-5A-1 - FOCs On Time for Fully Electronic LSRs Received via IMA GUI (Percent) Resale Aggregate (Benchmark)	March 2005	37.9659722
February 2005		21.6784722	175
January 2005		16.6423611	176
December 2004		50.5638889	224
November 2004		24.0520833	249
October 2004		29.5770833	269
September 2004		23.2458333	282
August 2004		20.0826389	352
July 2004		23.9701389	438
June 2004		36.6951389	613
May 2004		23.2972222	462
April 2004		34.9027778	424
PO-5A-1(b) PO-5A-1 - FOCs On Time for Fully Electronic LSRs Received via IMA GUI (Percent) Unbundled Loop Aggregate (Benchmark)		March 2005	353.136111
	February 2005	186.691667	28016
	January 2005	117.523611	25795
	December 2004	206.889583	30816

	November 2004	0	51824
	October 2004	75.7395833	23462
	September 2004	101.429167	27122
	August 2004	123.135417	32022
	July 2004	144.552778	34129
	June 2004	191.084722	43471
	May 2004	172.872917	37952
	April 2004	159.107639	42385
PO-5A-1(c) PO-5A-1 - FOCs On Time for Fully Electronic LSRs Received via IMA GUI (Percent) LNP (Benchmark)	March 2005	4.77152778	10
	February 2005	3.30069444	15
	January 2005	7.675	14
	December 2004	16.2888889	27
	November 2004	21.7138889	48
	October 2004	18.8458333	44
	September 2004	22.44375	50
	August 2004	38.0875	103
	July 2004	27.2395833	79
	June 2004	59.28125	143
	May 2004	8.54097222	38
	April 2004	12.5638889	32
PO-5A-2(a) PO-5A-2 - FOCs On Time for Fully Electronic LSRs Received via IMA EDI (Percent) Resale Aggregate (Benchmark)	March 2005	1536	78680
	February 2005	1006	64848
	January 2005	808	72321
	December 2004	1251	98819
	November 2004	1223	94947
	October 2004	1437	87491
	September 2004	1612	94752
	August 2004	1682	99501
	July 2004	1482	92607
	June 2004	1972	105986
	May 2004	2123	98826
	April 2004	2208	108339
PO-5A-2(b) PO-5A-2 - FOCs On Time for Fully Electronic LSRs Received via IMA EDI (Percent) Unbundled Loop Aggregate (Benchmark)	March 2005	30652	78680
	February 2005	26199	64848
	January 2005	26888	72321
	December 2004	26855	98819
	November 2004	24341	94947
	October 2004	19892	87491
	September 2004	25710	94752
	August 2004	27270	99501
	July 2004	26334	92607
	June 2004	30184	105986
	May 2004	28450	98826
	April 2004	31611	108339
PO-5A-2(c) PO-5A-2 - FOCs On Time for Fully Electronic LSRs Received via IMA EDI (Percent) LNP (Benchmark)	March 2005	1368	68028
	February 2005	1004	50317
	January 2005	989	48047
	December 2004	1367	84804
	November 2004	1471	109923
	October 2004	1546	86723
	September 2004	1924	101346
	August 2004	2165	117080

	July 2004	3015	177061
	June 2004	3419	200759
	May 2004	2969	187306
	April 2004	3069	189247
PO-5B-1(a) PO-5B-1 - FOCs On Time for Electronic/Manual LSRs Received via IMA GUI (Percent) Resale Aggregate (Benchmark)	March 2005	42085	68028
	February 2005	28016	50317
	January 2005	25795	48047
	December 2004	30816	84804
	November 2004	51824	109923
	October 2004	23462	86723
	September 2004	27122	101346
	August 2004	32022	117080
	July 2004	34129	177061
	June 2004	43471	200759
	May 2004	37952	187306
	April 2004	42385	189247
	PO-5B-1(b) PO-5B-1 - FOCs On Time for Electronic/Manual LSRs Received via IMA GUI (Percent) Unbundled Loop AGG-EELs (Benchmark)	March 2005	10
February 2005		15	46
January 2005		14	45
December 2004		27	51
November 2004		48	128
October 2004		44	156
September 2004		50	192
August 2004		103	265
July 2004		79	237
June 2004		143	350
May 2004		38	135
April 2004		32	88
PO-5B-1(b) PO-5B-1 - FOCs On Time for Electronic/Manual LSRs Received via IMA GUI (Percent) Unbundled Loop Aggregate (Benchmark)		March 2005	466
	February 2005	433	436
	January 2005	439	444
	December 2004	4187	4243
	November 2004	6351	6352
	October 2004	5770	5771
	September 2004	5190	5190
	August 2004	5071	5071
	July 2004	4808	4808
	June 2004	4587	4591
	May 2004	6044	6056
	April 2004	5928	5929
	PO-5B-1(c) PO-5B-1 - FOCs On Time for Electronic/Manual LSRs Received via IMA GUI (Percent) LNP (Benchmark)	March 2005	442
February 2005		327	327
January 2005		510	512
December 2004		383	387
November 2004		352	352
October 2004		452	452
September 2004		384	384
August 2004		350	350
July 2004		327	327
June 2004		320	321
May 2004		303	306
April 2004		386	386

PO-5B-2(a) PO-5B-2 - FOCs On Time for Electronic/Manual LSRs Received via IMA EDI (Percent) Resale Aggregate (Benchmark)	March 2005	609	609
	February 2005	455	455
	January 2005	378	384
	December 2004	317	317
	November 2004	301	301
	October 2004	278	278
	September 2004	333	333
	August 2004	390	390
	July 2004	250	250
	June 2004	335	335
	May 2004	219	219
	April 2004	177	177
	PO-5B-2(b) PO-5B-2 - FOCs On Time for Electronic/Manual LSRs Received via IMA EDI (Percent) Unbundled Loop AGG-EELs (Benchmark)	March 2005	189
February 2005		234	235
January 2005		376	383
December 2004		4297	4330
November 2004		5175	5175
October 2004		6084	6084
September 2004		5745	5745
August 2004		7909	7914
July 2004		13690	13699
June 2004		18944	18961
May 2004		19558	19563
April 2004		18424	18439
PO-5B-2(b) PO-5B-2 - FOCs On Time for Electronic/Manual LSRs Received via IMA EDI (Percent) Unbundled Loop Aggregate (Benchmark)		March 2005	689
	February 2005	618	618
	January 2005	612	616
	December 2004	500	513
	November 2004	564	564
	October 2004	642	642
	September 2004	1292	1292
	August 2004	1128	1129
	July 2004	1327	1329
	June 2004	662	662
	May 2004	686	686
	April 2004	573	578
	PO-5B-2(c) PO-5B-2 - FOCs On Time for Electronic/Manual LSRs Received via IMA EDI (Percent) LNP (Benchmark)	March 2005	722
February 2005		553	554
January 2005		647	647
December 2004		466	472
November 2004		467	467
October 2004		357	357
September 2004		348	348
August 2004		341	342
July 2004		405	406
June 2004		363	363
May 2004		239	239
April 2004		308	308
PO-5C-(a) PO-5C - FOCs on Time for Manual (Percent) Resale Aggregate (Benchmark)		March 2005	2239
	February 2005	1324	1325
	January 2005	1723	1725
	December 2004	2404	2409

	November 2004	2693	2696
	October 2004	3095	3097
	September 2004	2446	2448
	August 2004	2201	2204
	July 2004	2052	2056
	June 2004	3745	3752
	May 2004	3563	3567
	April 2004	2827	2829
PO-5C-(b) PO-5C - FOCs on Time for Manual (Percent) Unbundled Loop AGG-EELs (Benchmark)	March 2005	676	687
	February 2005	573	580
	January 2005	707	719
	December 2004	710	727
	November 2004	780	786
	October 2004	847	871
	September 2004	1072	1096
	August 2004	1067	1085
	July 2004	925	940
	June 2004	819	836
	May 2004	1033	1046
	April 2004	854	876
PO-5C-(b) PO-5C - FOCs on Time for Manual (Percent) Unbundled Loop Aggregate (Benchmark)	March 2005	577	588
	February 2005	495	502
	January 2005	611	623
	December 2004	618	635
	November 2004	696	702
	October 2004	755	779
	September 2004	959	983
	August 2004	990	1008
	July 2004	839	854
	June 2004	694	711
	May 2004	626	638
	April 2004	717	737
PO-5C-(c) PO-5C - FOCs on Time for Manual (Percent) LNP (Benchmark)	March 2005	189	189
	February 2005	154	154
	January 2005	152	152
	December 2004	195	195
	November 2004	194	194
	October 2004	201	201
	September 2004	238	238
	August 2004	235	235
	July 2004	169	169
	June 2004	177	177
	May 2004	170	170
	April 2004	189	189
PO-5D PO-5D - FOCs on Time (Percent) LIS Trunk (Benchmark)	March 2005	44	44
	February 2005	38	38
	January 2005	48	48
	December 2004	585	586
	November 2004	629	629
	October 2004	746	746
	September 2004	722	722
	August 2004	896	896

	July 2004	2349	2352
	June 2004	2596	2598
	May 2004	2329	2331
	April 2004	3101	3107
PO-6A PO-6 - Work Completion Notification Timeliness All (Benchmark)	March 2005	796	807
	February 2005	699	705
	January 2005	758	761
	December 2004	677	680
	November 2004	736	743
	October 2004	799	806
	September 2004	842	848
	August 2004	668	674
	July 2004	619	622
	June 2004	1189	1192
	May 2004	1050	1052
	April 2004	1012	1017
PO-6B PO-6 - Work Completion Notification Timeliness All (Benchmark)	March 2005	731	742
	February 2005	622	628
	January 2005	699	701
	December 2004	628	631
	November 2004	691	698
	October 2004	747	754
	September 2004	778	784
	August 2004	631	637
	July 2004	586	589
	June 2004	1187	1190
	May 2004	1050	1052
	April 2004	1012	1017
PO-7A,C PO-7 - Billing Completion Notification Timeliness All (Parity)	March 2005	236	236
	February 2005	154	154
	January 2005	174	174
	December 2004	154	154
	November 2004	142	142
	October 2004	160	160
	September 2004	181	181
	August 2004	146	146
	July 2004	105	105
	June 2004	173	173
	May 2004	93	93
	April 2004	143	143
PO-7B,C PO-7 - Billing Completion Notification Timeliness All (Parity)	March 2005	16	17
	February 2005	16	16
	January 2005	20	20
	December 2004	11	11
	November 2004	15	15
	October 2004	9	11
	September 2004	17	19
	August 2004	24	24
	July 2004	15	16
	June 2004	12	13
	May 2004	4	4
	April 2004	11	11

PO-8A PO-8 - Jeopardy Notice Interval Non-Designed Services (Parity)	March 2005	2	2
	February 2005	4	4
	January 2005	2	2
	December 2004	4	4
	November 2004	4	5
	October 2004	3	3
	September 2004	1	1
	August 2004	4	4
	July 2004	5	5
	June 2004	5	5
	May 2004	7	7
	April 2004	9	9
	PO-8B PO-8 - Jeopardy Notice Interval Unbundled Loops and Number Portability (Parity)	March 2005	2
February 2005		4	4
January 2005		2	2
December 2004		4	4
November 2004		4	5
October 2004		3	3
September 2004		1	1
August 2004		4	4
July 2004		5	5
June 2004		5	5
May 2004		7	7
April 2004		9	9
PO-8D PO-8 - Jeopardy Notice Interval UNE - P (POTS) (Parity)		March 2005	4
	February 2005	6	6
	January 2005	5	5
	December 2004	6	9
	November 2004	59	59
	October 2004	96	96
	September 2004	122	122
	August 2004	133	133
	July 2004	130	130
	June 2004	164	164
	May 2004	66	66
	April 2004	36	36
	PO-9A PO-9 - Timely Jeopardy Notices Non-Designed Services (Parity)	March 2005	51
February 2005		124	124
January 2005		70	70
December 2004		90	90
November 2004		55	55
October 2004		58	58
September 2004		41	41
August 2004		92	92
July 2004		100	100
June 2004		76	76
May 2004		90	90
April 2004		89	89
PO-9B PO-9 - Timely Jeopardy Notices Unbundled Loops and Number Portability (Parity)		March 2005	113.625
	February 2005	47.375	2807
	January 2005	39.1388889	4571
	December 2004	306.898611	7295

	November 2004	199.957639	8794
	October 2004	170.560417	8609
	September 2004	203.593056	7914
	August 2004	320.360417	7580
	July 2004	0	7189
	June 2004	150.994444	8376
	May 2004	313.165972	8182
	April 2004	255.761806	8849
PO-9C PO-9 - Timely Jeopardy Notices LIS Trunk (Parity)	March 2005	73.0291667	2138
	February 2005	57.0166667	1848
	January 2005	74.7972222	2673
	December 2004	297.7875	4998
	November 2004	150.780556	6491
	October 2004	149.458333	6127
	September 2004	322.086806	7745
	August 2004	340.147917	10235
	July 2004	373.280556	16491
	June 2004	399.232639	21900
	May 2004	0	20496
	April 2004	0	21105
PO-9D PO-9 - Timely Jeopardy Notices UNE - P (POTS) (Parity)	March 2005	5350	5350
	February 2005	3658	3658
	January 2005	4216	4217
	December 2004	9341	9346
	November 2004	12044	12328
	October 2004	9469	9470
	September 2004	9998	9999
	August 2004	9488	9488
	July 2004	9123	9124
	June 2004	10452	10452
	May 2004	10010	10012
	April 2004	10842	10960
MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Centrex 21 (Parity)	March 2005	274	274
	February 2005	237	237
	January 2005	321	321
	December 2004	154	154
	November 2004	227	227
	October 2004	265	265
	September 2004	408	408
	August 2004	427	427
	July 2004	387	387
	June 2004	326	326
	May 2004	338	338
	April 2004	3886	3886
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Centrex 21 (Parity)	March 2005	14	8
	February 2005	13	4
	January 2005	18	6
	December 2004	24	9
	November 2004	36	8
	October 2004	32	9
	September 2004	9	5
	August 2004	12	5

	July 2004	33	6
	June 2004	31	8
	May 2004	20	5
	April 2004	36	9
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Centrex 21 (Parity)	March 2005	306	87
	February 2005	270	67
	January 2005	337	71
	December 2004	341	83
	November 2004	382	95
	October 2004	578	126
	September 2004	337	88
	August 2004	379	104
	July 2004	297	64
	June 2004	368	71
	May 2004	524	74
	April 2004	456	78
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One E911 (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	2	1
	December 2004	65	17
	November 2004	69	22
	October 2004	45	15
	September 2004	110	31
	August 2004	73	17
	July 2004	101	20
	June 2004	146	24
	May 2004	106	15
	April 2004	34	11
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Enhanced Extended Loops - DS3 Capable (Diagnostic)	March 2005	3	9
	February 2005	1	8
	January 2005	1	4
	December 2004	2	5
	November 2004	0	9
	October 2004	0	11
	September 2004	0	8
	August 2004	0	22
	July 2004	1	5
	June 2004	1	8
	May 2004	0	6
	April 2004	0	4
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date DS0 (Diagnostic)	March 2005	11	29
	February 2005	7	36
	January 2005	13	37
	December 2004	12	55
	November 2004	8	63
	October 2004	15	65
	September 2004	14	108
	August 2004	25	66
	July 2004	14	44
	June 2004	13	32
	May 2004	8	30
	April 2004	10	22

OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons DS0 (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	1
	April 2004	0	0
	OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two Dark Fiber - IOF (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		1	2
December 2004		0	15
November 2004		2	15
October 2004		0	7
September 2004		4	32
August 2004		3	50
July 2004		3	20
June 2004		5	19
May 2004		2	12
April 2004		1	7
OP-6A-2 OP-6A-2 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches outside MSAs Qwest DSL (Parity)		March 2005	1.13611111
	February 2005	3.60902778	4
	January 2005	10.7513889	9
	December 2004	8.16111111	8
	November 2004	10.8125	10
	October 2004	15.9819444	16
	September 2004	15.53125	14
	August 2004	4.89722222	5
	July 2004	9.40347222	10
	June 2004	8.85277778	15
	May 2004	4.37083333	8
	April 2004	6.72916667	10
	OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Enhanced Extended Loops - DS3 Capable (Diagnostic)	March 2005	11.9645833
February 2005		4.77222222	6
January 2005		2.26875	2
December 2004		3.49166667	5
November 2004		1.90763889	4
October 2004		1.87708333	3
September 2004		6.24305556	8
August 2004		4.36805556	5
July 2004		2.81666667	7
June 2004		5.13055556	7
May 2004		1.88125	3
April 2004		3.08333333	6
		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0

	November 2004	0	0
	October 2004	0	2
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Line Sharing (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Line Splitting (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs PBX (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	2	3
	December 2004	0	0
	November 2004	0	1
	October 2004	0	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches PBX (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	1
	November 2004	0	0
	October 2004	0	1
	September 2004	0	0
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One UDIT DS1 (Parity)	March 2005	0	0
	February 2005	71	1
	January 2005	51	1
	December 2004	29	1
	November 2004	7	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Qwest DSL (Parity)	March 2005	0	0
	February 2005	0	1
	January 2005	0	1
	December 2004	0	1
	November 2004	0	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two UDIT DS1 (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	1	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	9	9
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0

OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - Loop (Diagnostic)	March 2005	0	0
	February 2005	1	1
	January 2005	0	0
	December 2004	1	1
	November 2004	1	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One DS1 (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		10	1
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two DS0 (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	36	9
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop - DS3 Capable (Parity)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	1
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One DS1 (Parity)		March 2005	0
	February 2005	1228	1235
	January 2005	1303	1304
	December 2004	2194	2206

	November 2004	2665	2678
	October 2004	2740	2752
	September 2004	2266	2275
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two DS0 (Parity)	March 2005	0	0
	February 2005	784	785
	January 2005	946	951
	December 2004	1170	1170
	November 2004	1050	1053
	October 2004	942	944
	September 2004	913	914
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UDIT DS1 (Diagnostic)	April 2004	0	0
	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	1	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two E911 (Parity)	May 2004	0	0
	April 2004	0	0
	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0.02708333	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two E911 (Parity)	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	9	9
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) DS0 (Parity)	March 2005	0	0
	February 2005	0	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UDIT Above DS1 Level (Diagnostic)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		9	9
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
OP-5T OP-5T - New Service Installation Quality Total (Percent) DS0 (Diagnostic)		March 2005	10
	February 2005	0	0
	January 2005	0	0
	December 2004	4	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-6A-2 OP-6A-2 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches outside MSAs Residence (Parity)	March 2005	0
February 2005		0	0
January 2005		0	1
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0

MR-3D MR-3D - Out of Service Cleared within 24 Hours (Percent) - Interval Zone One Qwest DSL (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0.85486111	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Dark Fiber - Loop (Diagnostic)	March 2005	0
February 2005		0	1
January 2005		0	0
December 2004		0	1
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		0	0
April 2004		0	0
MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs PBX (Parity)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	1
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two E911 (Parity)	March 2005	
February 2005			
January 2005			
December 2004			
November 2004			
October 2004			
September 2004			
August 2004			
July 2004			
June 2004			
May 2004			
April 2004			
MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs UNE P (Centrex) (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	1
	December 2004	0	0

	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Dark Fiber - Loop (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop - ADSL Qualified (Parity)	March 2005	0	0
	February 2005	0	0
	January 2005	0	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date UDIT Above DS1 Level (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	65	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level (Diagnostic)	March 2005	0	0
	February 2005	0	0
	January 2005	0	1
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-4E OP-4E - Installation Interval (Average Days) Interval Zone Two Unbundled Loop - DS3 Capable (Parity)	March 2005	0	0
	February 2005	7	1
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5B OP-5B - New Service Provisioning Quality (Percent) Business (Benchmark)	March 2005	0
February 2005		18	18
January 2005		11	11
December 2004		27	28
November 2004		20	20
October 2004		8	8
September 2004		10	10
August 2004		21	22
July 2004		20	20
June 2004		43	43
May 2004		21	21
April 2004		21	21
OP-5B OP-5B - New Service Provisioning Quality (Percent) DS0 (Benchmark)		March 2005	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	9	9
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5B OP-5B - New Service Provisioning Quality (Percent) DS1 (Benchmark)	March 2005	0
February 2005		1	1
January 2005		0	0
December 2004		0	0
November 2004		1	1
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		0	0
May 2004		1	1
April 2004		0	0

OP-5B OP-5B - New Service Provisioning Quality (Percent) Enhanced Extended Loops - DS0 Capable (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	8	8
	September 2004	0	0
	August 2004	2	2
	July 2004	2	2
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5B OP-5B - New Service Provisioning Quality (Percent) Enhanced Extended Loops - DS1 Capable (Benchmark)	March 2005	0
February 2005		110	110
January 2005		102	103
December 2004		114	114
November 2004		87	87
October 2004		126	126
September 2004		108	108
August 2004		68	68
July 2004		53	54
June 2004		87	89
May 2004		68	68
April 2004		82	82
OP-5B OP-5B - New Service Provisioning Quality (Percent) Enhanced Extended Loops - DS3 Capable (Benchmark)		March 2005	0
	February 2005	2	2
	January 2005	1	1
	December 2004	1	1
	November 2004	2	2
	October 2004	1	1
	September 2004	2	2
	August 2004	1	1
	July 2004	1	1
	June 2004	1	1
	May 2004	0	0
	April 2004	1	1
	OP-5B OP-5B - New Service Provisioning Quality (Percent) ISDN Primary (Benchmark)	March 2005	0
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0
July 2004		0	0
June 2004		2	2
May 2004		0	0
April 2004		3	3
OP-5B OP-5B - New Service Provisioning Quality (Percent) Line Sharing (Benchmark)		March 2005	0
	February 2005	13	13
	January 2005	13	13
	December 2004	13	13

	November 2004	13	13
	October 2004	104	104
	September 2004	540	540
	August 2004	502	502
	July 2004	394	395
	June 2004	479	480
	May 2004	406	407
	April 2004	409	409
OP-5B OP-5B - New Service Provisioning Quality (Percent) Line Splitting (Benchmark)	March 2005	0	0
	February 2005	55	55
	January 2005	51	51
	December 2004	51	51
	November 2004	65	65
	October 2004	56	56
	September 2004	65	65
	August 2004	59	59
	July 2004	66	67
	June 2004	35	35
OP-5B OP-5B - New Service Provisioning Quality (Percent) PBX (Benchmark)	May 2004	24	24
	April 2004	29	29
	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	1	1
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
OP-5B OP-5B - New Service Provisioning Quality (Percent) Qwest DSL (Benchmark)	July 2004	1	1
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	March 2005	0	0
	February 2005	55	58
	January 2005	71	74
	December 2004	62	65
	November 2004	53	55
	October 2004	69	70
OP-5B OP-5B - New Service Provisioning Quality (Percent) Residence (Benchmark)	September 2004	54	55
	August 2004	98	99
	July 2004	77	77
	June 2004	206	212
	May 2004	128	128
	April 2004	43	45
	March 2005	0	0
	February 2005	1290	1290
	January 2005	1388	1390
	December 2004	1435	1439
November 2004	1795	1797	
October 2004	1995	1999	
September 2004	1409	1410	
August 2004	1120	1121	

	July 2004	990	993
	June 2004	1003	1004
	May 2004	1037	1037
	April 2004	997	1000
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - 2 Wire Non-Loaded (Benchmark)	March 2005	0	0
	February 2005	318	318
	January 2005	315	315
	December 2004	346	347
	November 2004	441	441
	October 2004	444	444
	September 2004	408	408
	August 2004	329	329
	July 2004	258	258
	June 2004	162	162
	May 2004	160	160
	April 2004	157	157
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - 4 Wire Non-Loaded (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	1	1
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - ADSL Qualified (Benchmark)	March 2005	0	0
	February 2005	16	16
	January 2005	47	47
	December 2004	31	31
	November 2004	41	41
	October 2004	51	51
	September 2004	40	40
	August 2004	25	25
	July 2004	25	25
	June 2004	23	23
	May 2004	29	29
	April 2004	25	25
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - DS1 Capable (Benchmark)	March 2005	0	0
	February 2005	125	125
	January 2005	97	97
	December 2004	120	120
	November 2004	154	154
	October 2004	144	145
	September 2004	155	155
	August 2004	161	161
	July 2004	152	152
	June 2004	135	135
	May 2004	125	125
	April 2004	126	126

OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - DS3 Capable (Benchmark)	March 2005	0	0
	February 2005	2	2
	January 2005	0	0
	December 2004	1	1
	November 2004	1	1
	October 2004	1	1
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - XDSL (Benchmark)	March 2005	0
February 2005		8	8
January 2005		10	10
December 2004		5	5
November 2004		4	4
October 2004		10	10
September 2004		6	6
August 2004		0	0
July 2004		5	5
June 2004		5	5
May 2004		12	12
April 2004		5	5
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop Analog (Benchmark)		March 2005	0
	February 2005	1365	1368
	January 2005	1178	1184
	December 2004	1312	1312
	November 2004	1328	1330
	October 2004	1396	1398
	September 2004	1336	1336
	August 2004	1398	1398
	July 2004	1533	1533
	June 2004	1328	1332
	May 2004	1294	1294
	April 2004	1341	1341
	OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop ISDN Capable (Benchmark)	March 2005	0
February 2005		34	34
January 2005		50	50
December 2004		40	40
November 2004		59	59
October 2004		54	54
September 2004		58	58
August 2004		46	46
July 2004		37	37
June 2004		58	58
May 2004		56	56
April 2004		40	40
OP-5B OP-5B - New Service Provisioning Quality (Percent) UNE - P (POTS) (Benchmark)		March 2005	0
	February 2005	46	46
	January 2005	155	157
	December 2004	4172	4186

	November 2004	5839	5848
	October 2004	6378	6386
	September 2004	4768	4777
	August 2004	6163	6182
	July 2004	10050	10072
	June 2004	15873	15894
	May 2004	16474	16496
	April 2004	17562	17577
OP-5B OP-5B - New Service Provisioning Quality (Percent) UNE P (Centrex 21) (Benchmark)	March 2005	0	0
	February 2005	0	0
	January 2005	0	0
	December 2004	1	1
	November 2004	1	1
	October 2004	10	10
	September 2004	0	0
	August 2004	3	3
	July 2004	1	1
	June 2004	11	11
	May 2004	5	6
	April 2004	3	3
	OP-5B OP-5B - New Service Provisioning Quality (Percent) UNE P (Centrex) (Benchmark)	March 2005	0
February 2005		0	0
January 2005		2	2
December 2004		3	3
November 2004		6	6
October 2004		2	2
September 2004		4	4
August 2004		8	8
July 2004		5	5
June 2004		7	8
May 2004		5	5
April 2004		5	5
OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Enhanced Extended Loops - DS0 Capable (Diagnostic)		March 2005	12
	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
	OP-6B-1 OP-6B-1 - Delayed Days for Facility Reasons (Average Days) - Dispatches within MSAs Business (Parity)	March 2005	16
February 2005		0	0
January 2005		0	0
December 2004		0	0
November 2004		0	0
October 2004		0	0
September 2004		0	0
August 2004		0	0

	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
OP-6B-5 OP-6B-5 - Delayed Days for Facility	March 2005	0	0
Reasons (Average Days) - Interval Zone Two DS1	February 2005	4	1
(Parity)	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
PO-19A PO-19 - Stand-Alone Test Environment	March 2005	278	279
(SATE) Accuracy Rel. 16.0 (Benchmark)	February 2005	277	278
	January 2005	278	278
	December 2004	276	276
	November 2004	275	276
	October 2004	276	276
	September 2004	274	276
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0
PO-19A PO-19 - Stand-Alone Test Environment	March 2005	278	279
(SATE) Accuracy Rel. 17.0 (Benchmark)	February 2005	0	0
	January 2005	0	0
	December 2004	0	0
	November 2004	0	0
	October 2004	0	0
	September 2004	0	0
	August 2004	0	0
	July 2004	0	0
	June 2004	0	0
	May 2004	0	0
	April 2004	0	0

CLEC Result	Standard Deviation	Qwest Numerator	Qwest Denominator	Q Result	Modified Z	Parity
19:55	0.84	25606179.00	7388506.00	11:16	-978.07	-595.62
20:24	0.8	19818671.00	6176426.00	5:02	-777.88	-473.92
0:14	41.46	23774729.00	6808773.00	11:45	6610.12	4017.67
21:07	1.01	26400929.00	8222775.00	9:50	-967.11	-588.96
21:07	0.92	23808403.00	7746236.00	8:38	-841.06	-512.33
20:09	1.05	26755739.00	7082972.00	15:36	-890.55	-542.41
20:52	0.78	27754291.00	7326834.00	10:48	-873.71	-532.18
22:48	1.42	31005335.00	8043295.00	14:38	-918.21	-559.23
18:43	0.77	29251346.00	8599076.00	8:52	-965.91	-588.23
1:12	2.55	40904746.00	8668113.00	5:31	-1110.22	-675.97
23:16	0.73	31367973.00	9660198.00	19:26	-1011.79	-616.12
23:45	0.78	34236382.00	8891349.00	20:24	-1048.19	-638.25
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
23:59	0.02	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
23:45	0.82	25606179.00	7388506.00	11:16	-837.78	-510.34
0:00	0.79	19818671.00	6176426.00	5:02	-654.58	-398.95
8:52	53.93	23774729.00	6808773.00	11:45	12517.13	7608.87
0:28	0.92	26400929.00	8222775.00	9:50	-830.95	-506.18
23:45	0.78	23808403.00	7746236.00	8:38	-734.86	-447.76
23:16	1.19	26755739.00	7082972.00	15:36	-781.24	-475.96
0:14	0.82	27754291.00	7326834.00	10:48	-749.65	-456.75
5:16	1.84	31005335.00	8043295.00	14:38	-721.59	-439.69
22:33	0.78	29251346.00	8599076.00	8:52	-815.17	-496.59
6:57	3.54	40904746.00	8668113.00	5:31	-923.70	-562.57
2:38	0.81	31367973.00	9660198.00	19:26	-869.61	-529.68
3:50	0.9	34236382.00	8891349.00	20:24	-884.78	-538.91
16:19	0.83	25606179.00	7388506.00	11:16	-1009.69	-614.84
16:48	0.77	19818671.00	6176426.00	5:02	-815.49	-496.79
17:45	1.1	23774729.00	6808773.00	11:45	-941.26	-573.24
18:00	1.08	26400929.00	8222775.00	9:50	-989.91	-602.82
18:28	1.03	23808403.00	7746236.00	8:38	-851.22	-518.51
17:02	0.86	26755739.00	7082972.00	15:36	-896.14	-545.81
17:16	0.72	27754291.00	7326834.00	10:48	-893.76	-544.37
15:50	0.66	31005335.00	8043295.00	14:38	-1004.92	-611.95

14:38	0.73	29251346.00	8599076.00	8:52	-994.75	-605.76
19:26	0.57	40904746.00	8668113.00	5:31	-1146.18	-697.83
19:26	0.6	31367973.00	9660198.00	19:26	-1016.25	-618.84
19:12	0.59	34236382.00	8891349.00	20:24	-1061.69	-646.46
99.67%	0.06	0.00	0.00	0.00%	0.00	0.00
99.87%	0.04	0.00	0.00	0.00%	0.00	0.00
99.74%	0.05	0.00	0.00	0.00%	0.00	0.00
99.88%	0.03	0.00	0.00	0.00%	0.00	0.00
99.85%	0.04	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.86%	0.04	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.66%	0.06	0.00	0.00	0.00%	0.00	0.00
99.86%	0.04	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
77.79%	0.42	79018694.82	79952333.42	98.83%	4549.78	2765.07
99.88%	0.04	78803569.56	79784446.42	98.77%	-234.40	-143.51
98.47%	0.12	78671495.82	79556521.33	98.89%	100.01	59.80
77.78%	0.42	78882398.45	83254828.11	99.34%	7455.05	4531.35
99.13%	0.09	80189840.10	79403348.14	98.99%	-32.94	-21.03
99.94%	0.03	80818583.45	81007256.53	99.24%	-182.12	-111.72
99.41%	0.08	80269536.79	81438579.79	98.87%	-116.34	-71.73
99.78%	0.05	80734689.35	81186828.85	98.85%	-201.64	-123.59
98.98%	0.1	81240040.33	81670633.72	98.96%	-4.94	-4.01
99.31%	0.08	81811440.16	82094833.43	99.12%	-47.53	-29.90
98.89%	0.1	82360024.37	82539967.36	98.93%	7.40	3.50
95.90%	0.2	83695371.08	84552739.67	98.99%	666.45	404.17
86.69%	0.34	0.00	0.00	0.00%	0.00	0.00
98.11%	0.14	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.79%	0.05	165516.00	166836.00	99.21%	-10.73	-7.52
99.90%	0.03	170002.00	171202.00	99.30%	-11.79	-8.17
99.50%	0.07	172856.00	174446.00	99.09%	-6.51	-4.96
99.54%	0.07	167321.00	212767.00	99.38%	-3.46	-3.10
99.87%	0.04	181393.00	168369.00	99.55%	-8.29	-6.04
99.79%	0.05	201957.00	182220.00	99.56%	-6.35	-4.86
99.86%	0.04	195712.00	202854.00	99.43%	-9.67	-6.88
99.90%	0.03	194394.00	196833.00	99.32%	-11.99	-8.29
99.81%	0.04	194542.00	195719.00	99.35%	-10.29	-7.26
99.86%	0.04	197426.00	195814.00	99.23%	-13.45	-9.17
99.86%	0.04	211284.00	198962.00	99.30%	-12.57	-8.64
99.90%	0.03	204511.00	205825.00	99.36%	-12.19	-8.41

100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
98.60%	0.12	0.00	0.00	0.00%	0.00	0.00
91.28%	0.28	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.05%	0.1	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
97.49%	0.16	0.00	0.00	0.00%	0.00	0.00
97.79%	0.15	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
96.95%	0.17	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
97.82%	0.15	0.00	0.00	0.00%	0.00	0.00
99.47%	0.07	0.00	0.00	0.00%	0.00	0.00
90.68%	0.29	0.00	0.00	0.00%	0.00	0.00
99.47%	0.07	0.00	0.00	0.00%	0.00	0.00
99.35%	0.08	0.00	0.00	0.00%	0.00	0.00
97.55%	0.15	0.00	0.00	0.00%	0.00	0.00
99.57%	0.07	0.00	0.00	0.00%	0.00	0.00
99.58%	0.06	0.00	0.00	0.00%	0.00	0.00
99.00%	0.1	0.00	0.00	0.00%	0.00	0.00
99.17%	0.09	0.00	0.00	0.00%	0.00	0.00
99.56%	0.07	0.00	0.00	0.00%	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
69	0	0.00	0.00	0	0.00	0.00
75	0	0.00	0.00	0	0.00	0.00
54	0	0.00	0.00	0	0.00	0.00
72	16.97	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
79	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
85	0	0.00	0.00	0	0.00	0.00
75.25	9.36	0.00	0.00	0	0.00	0.00
67.67	6.11	0.00	0.00	0	0.00	0.00
71	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
71	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00

0	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
85.67	1.15	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
116	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
65.25	4.43	0.00	0.00	0	0.00	0.00
64	0	0.00	0.00	0	0.00	0.00
85.67	7.23	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
123	0	0.00	0.00	0	0.00	0.00
67	33.94	0.00	0.00	0	0.00	0.00
125.5	2.12	0.00	0.00	0	0.00	0.00
84	0	0.00	0.00	0	0.00	0.00
101.8	6.87	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
112.5	7.78	0.00	0.00	0	0.00	0.00
73.33	18.04	0.00	0.00	0	0.00	0.00
85.33	40.08	0.00	0.00	0	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
10	0	0.00	0.00	0	0.00	0.00
9.14	0.38	0.00	0.00	0	0.00	0.00
9.55	0.82	0.00	0.00	0	0.00	0.00
7.75	1.5	0.00	0.00	0	0.00	0.00
9	2.24	0.00	0.00	0	0.00	0.00
9	1.15	0.00	0.00	0	0.00	0.00
8	0	0.00	0.00	0	0.00	0.00
7	1	0.00	0.00	0	0.00	0.00

7.5	2.39	0.00	0.00	0	0.00	0.00
6	0	0.00	0.00	0	0.00	0.00
7.83	0.75	0.00	0.00	0	0.00	0.00
8.5	2.12	0.00	0.00	0	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0:00	0	7.70	1.00	16:48	0.00	0.00
0:00	0	7.12	1.00	2:52	0.00	0.00
0:00	0	7.81	1.00	19:26	0.00	0.00
0:00	0	6.98	1.00	23:31	0.00	0.00
0:00	0	7.12	1.00	2:52	0.00	0.00
0:00	0	7.84	1.00	20:09	0.00	0.00
0:00	0	7.47	1.00	11:16	0.00	0.00
0:00	0	7.18	1.00	4:19	0.00	0.00
0:00	0	7.63	1.00	15:07	0.00	0.00
0:00	0	7.43	1.00	10:19	0.00	0.00
0:00	0	7.67	1.00	16:04	0.00	0.00
0:00	0	7.54	1.00	12:57	0.00	0.00
0:25	51.88	0.00	0.00	0	0.00	0.00
0:31	15.35	0.00	0.00	0	0.00	0.00
1:06	115.91	0.00	0.00	0	0.00	0.00
0:24	17.11	0.00	0.00	0	0.00	0.00
0:20	13.97	0.00	0.00	0	0.00	0.00
0:33	15.95	0.00	0.00	0	0.00	0.00
0:32	19.28	0.00	0.00	0	0.00	0.00
0:37	19.52	0.00	0.00	0	0.00	0.00
0:41	49.14	0.00	0.00	0	0.00	0.00
1:15	179.64	0.00	0.00	0	0.00	0.00
0:35	28.91	0.00	0.00	0	0.00	0.00
0:48	32.42	0.00	0.00	0	0.00	0.00
0:43	0.22	0.00	0.00	0	0.00	0.00
0:57	0.29	0.00	0.00	0	0.00	0.00
0:57	0.29	0.00	0.00	0	0.00	0.00
1:12	0.28	0.00	0.00	0	0.00	0.00
0:43	0.27	0.00	0.00	0	0.00	0.00
0:57	0.29	0.00	0.00	0	0.00	0.00
0:43	0.27	0.00	0.00	0	0.00	0.00
0:43	0.29	0.00	0.00	0	0.00	0.00
0:43	0.29	0.00	0.00	0	0.00	0.00
0:43	0.27	0.00	0.00	0	0.00	0.00
0:43	0.28	0.00	0.00	0	0.00	0.00
0:43	0.26	0.00	0.00	0	0.00	0.00

6:43	0.45	0.00	0.00	0	0.00	0.00
7:55	0.47	0.00	0.00	0	0.00	0.00
5:02	0.4	0.00	0.00	0	0.00	0.00
4:19	0.39	0.00	0.00	0	0.00	0.00
4:19	0.39	0.00	0.00	0	0.00	0.00
4:19	0.38	0.00	0.00	0	0.00	0.00
4:19	0.38	0.00	0.00	0	0.00	0.00
4:19	0.38	0.00	0.00	0	0.00	0.00
4:19	0.38	0.00	0.00	0	0.00	0.00
4:19	0.38	0.00	0.00	0	0.00	0.00
4:04	0.38	0.00	0.00	0	0.00	0.00
4:19	0.38	0.00	0.00	0	0.00	0.00
4:19	0.39	0.00	0.00	0	0.00	0.00
98.28%	0.13	0.00	0.00	0.00%	0.00	0.00
98.37%	0.13	0.00	0.00	0.00%	0.00	0.00
98.40%	0.13	0.00	0.00	0.00%	0.00	0.00
98.56%	0.12	0.00	0.00	0.00%	0.00	0.00
98.56%	0.12	0.00	0.00	0.00%	0.00	0.00
98.52%	0.12	0.00	0.00	0.00%	0.00	0.00
98.32%	0.13	0.00	0.00	0.00%	0.00	0.00
98.37%	0.13	0.00	0.00	0.00%	0.00	0.00
98.38%	0.13	0.00	0.00	0.00%	0.00	0.00
98.42%	0.12	0.00	0.00	0.00%	0.00	0.00
98.53%	0.12	0.00	0.00	0.00%	0.00	0.00
98.41%	0.13	0.00	0.00	0.00%	0.00	0.00
99.85%	0	0.00	0.00	0.00%	0.00	0.00
99.80%	0	0.00	0.00	0.00%	0.00	0.00
99.91%	0	0.00	0.00	0.00%	0.00	0.00
99.54%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.53%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.77%	0	0.00	0.00	0.00%	0.00	0.00
99.54%	0	0.00	0.00	0.00%	0.00	0.00
99.44%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.93%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.85%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.97%	0	0.00	0.00	0.00%	0.00	0.00
99.54%	0	0.00	0.00	0.00%	0.00	0.00

0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
32.14%	0.47	1203.00	3146.00	38.24%	-0.66	-1.40
41.67%	0.49	1084.00	2667.00	40.64%	0.11	-0.93
33.33%	0.47	1335.00	3456.00	38.63%	-0.53	-1.32
32.50%	0.47	1248.00	3267.00	38.66%	-0.80	-1.48
33.33%	0.47	1293.00	3228.00	40.39%	-0.78	-1.48
39.13%	0.49	1302.00	3201.00	38.24%	0.10	-0.94
66.67%	0.47	1350.00	3405.00	38.46%	2.57	0.56
33.33%	0.47	1442.00	3510.00	37.48%	-0.44	-1.27
41.94%	0.49	1390.00	3847.00	41.42%	0.06	-0.96
33.33%	0.47	1436.00	3356.00	38.70%	-0.66	-1.40
36.11%	0.48	1222.00	3711.00	37.40%	-0.16	-1.10
37.50%	0.48	1247.00	3184.00	39.16%	-0.17	-1.10
0.00%	0	51.00	155.00	32.90%	-0.98	-1.60
0.00%	0	55.00	187.00	29.41%	0.00	0.00
0.00%	0	66.00	209.00	31.58%	0.00	0.00
0.00%	0	60.00	184.00	28.71%	0.00	0.00
0.00%	0	44.00	209.00	29.33%	0.00	0.00
0.00%	0	60.00	150.00	33.90%	0.00	0.00
33.33%	0.47	51.00	177.00	28.65%	0.17	-0.90
0.00%	0	75.00	178.00	35.05%	-1.03	-1.63
100.00%	0	72.00	214.00	35.82%	0.92	-0.44
0.00%	0	53.00	201.00	27.32%	-0.61	-1.37
0.00%	0	63.00	194.00	34.24%	-0.72	-1.44
33.33%	0.47	55.00	187.00	29.41%	0.21	-0.87
44.44%	0.5	106.00	289.00	36.68%	0.47	-0.72
33.33%	0.47	76.00	227.00	33.48%	-0.01	-1.00
62.50%	0.48	83.00	278.00	29.86%	1.83	0.11
50.00%	0.5	93.00	329.00	38.75%	0.53	-0.68
33.33%	0.47	112.00	240.00	34.78%	-0.05	-1.03
0.00%	0	110.00	322.00	36.30%	-1.30	-1.79
0.00%	0	101.00	303.00	34.71%	-1.26	-1.76
100.00%	0	131.00	291.00	39.82%	0.85	-0.49
0.00%	0	107.00	329.00	33.97%	0.00	0.00
0.00%	0	139.00	315.00	39.04%	0.00	0.00
0.00%	0	129.00	356.00	39.21%	0.00	0.00
0.00%	0	111.00	291.00	38.14%	-1.11	-1.67
100.00%	0	193.00	484.00	39.88%	0.85	-0.49
100.00%	0	181.00	369.00	49.05%	0.69	-0.58
0.00%	0	223.00	496.00	44.96%	0.00	0.00
0.00%	0	180.00	489.00	41.00%	-1.44	-1.87
100.00%	0	175.00	439.00	42.68%	1.35	-0.18
0.00%	0	169.00	410.00	39.58%	0.00	0.00
33.33%	0.47	192.00	427.00	37.57%	-0.15	-1.09
16.67%	0.37	220.00	511.00	40.74%	-1.19	-1.73
0.00%	0	190.00	540.00	35.06%	-1.27	-1.77
0.00%	0	209.00	542.00	37.06%	-0.77	-1.47
50.00%	0.5	188.00	564.00	38.45%	0.28	-0.83
0.00%	0	185.00	475.00	38.95%	-1.13	-1.69

0.00%	0	82.00	346.00	23.70%	-0.56	-1.34
0.00%	0	73.00	304.00	24.01%	-0.56	-1.34
0.00%	0	89.00	368.00	24.18%	0.00	0.00
50.00%	0.5	71.00	333.00	21.13%	0.79	-0.52
0.00%	0	46.00	336.00	13.98%	0.00	0.00
0.00%	0	71.00	329.00	19.35%	-0.49	-1.30
100.00%	0	69.00	367.00	17.83%	1.35	-0.18
0.00%	0	110.00	387.00	24.07%	-0.79	-1.48
0.00%	0	83.00	457.00	21.73%	-0.53	-1.32
0.00%	0	92.00	382.00	20.72%	-0.72	-1.44
33.33%	0.47	72.00	444.00	21.62%	0.45	-0.73
0.00%	0	105.00	372.00	28.23%	-0.63	-1.38
0.00%	0	1.00	2.00	50.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	1.00	0.00	100.00%	0.00	0.00
0.00%	0	1.00	1.00	20.00%	0.00	0.00
100.00%	0	0.00	5.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	2.00	1.00	66.67%	0.00	0.00
0.00%	0	0.00	3.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	1.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	14.00	69.00	20.29%	0.00	0.00
0.00%	0	15.00	56.00	26.79%	0.00	0.00
0.00%	0	13.00	67.00	19.40%	0.00	0.00
0.00%	0	18.00	108.00	26.87%	0.00	0.00
0.00%	0	16.00	67.00	17.78%	0.00	0.00
0.00%	0	42.00	90.00	40.00%	0.00	0.00
0.00%	0	47.00	105.00	41.23%	0.00	0.00
50.00%	0.5	31.00	114.00	23.13%	0.72	-0.56
0.00%	0	30.00	134.00	26.09%	0.00	0.00
0.00%	0	38.00	115.00	28.57%	0.00	0.00
0.00%	0	30.00	133.00	27.78%	-0.87	-1.53
0.00%	0	30.00	106.00	28.30%	0.00	0.00
0.00%	0	31.00	58.00	53.45%	0.00	0.00
0.00%	0	29.00	56.00	51.79%	0.00	0.00
0.00%	0	38.00	64.00	59.38%	0.00	0.00
0.00%	0	23.00	44.00	52.27%	0.00	0.00
0.00%	0	26.00	44.00	46.43%	0.00	0.00
0.00%	0	30.00	56.00	42.25%	0.00	0.00
0.00%	0	30.00	71.00	56.60%	0.00	0.00
100.00%	0	38.00	53.00	58.46%	0.97	-0.41
0.00%	0	22.00	65.00	44.90%	-0.89	-1.54
0.00%	0	31.00	49.00	54.39%	0.00	0.00
0.00%	0	22.00	57.00	50.00%	0.00	0.00
0.00%	0	25.00	54.00	46.30%	0.00	0.00
56.52%	0.5	8.00	17.00	47.06%	0.55	-0.67
77.27%	0.42	1.00	10.00	10.00%	3.58	1.18
36.36%	0.48	7.00	13.00	53.85%	-1.00	-1.61
33.33%	0.47	2.00	19.00	22.22%	0.45	-0.73

46.67%	0.5	9.00	9.00	69.23%	-1.29	-1.78
42.86%	0.49	7.00	13.00	53.85%	-0.57	-1.35
43.75%	0.5	10.00	13.00	55.56%	-0.69	-1.42
51.85%	0.5	4.00	18.00	36.36%	0.81	-0.51
35.71%	0.48	7.00	11.00	70.00%	-1.81	-2.10
56.67%	0.5	8.00	10.00	47.06%	0.60	-0.64
45.00%	0.5	13.00	17.00	68.42%	-1.57	-1.96
63.64%	0.48	2.00	7.00	28.57%	1.54	-0.07
0.00%	0	42.00	97.00	43.30%	-0.87	-1.53
0.00%	0	32.00	89.00	35.96%	-0.75	-1.45
66.67%	0.47	33.00	101.00	32.67%	1.07	-0.35
0.00%	0	37.00	113.00	39.78%	-0.81	-1.49
100.00%	0	43.00	93.00	34.96%	0.94	-0.43
25.00%	0.43	32.00	123.00	36.36%	-0.46	-1.28
100.00%	0	49.00	88.00	42.98%	0.79	-0.52
0.00%	0	42.00	114.00	30.88%	0.00	0.00
100.00%	0	41.00	136.00	34.45%	3.17	0.93
66.67%	0.47	49.00	119.00	33.11%	1.06	-0.36
42.86%	0.49	39.00	148.00	34.51%	0.43	-0.74
0.00%	0	45.00	117.00	38.46%	-1.11	-1.67
60.00%	0.49	14341.00	18242.00	78.62%	-2.27	-2.38
64.29%	0.48	14067.00	16082.00	87.47%	-2.62	-2.59
50.00%	0.5	14150.00	16572.00	85.38%	-4.70	-3.85
42.86%	0.49	13312.00	14625.00	83.39%	-2.88	-2.75
55.56%	0.5	11967.00	15964.00	84.13%	-3.32	-3.02
68.42%	0.46	13383.00	14224.00	79.30%	-1.17	-1.71
100.00%	0	11638.00	16876.00	76.88%	0.75	-0.54
87.50%	0.33	12637.00	15137.00	77.50%	0.58	-0.65
55.56%	0.5	11701.00	16305.00	78.00%	-1.63	-1.99
72.22%	0.45	12042.00	15001.00	80.80%	-0.92	-1.56
33.33%	0.47	11621.00	14904.00	79.46%	-3.42	-3.08
52.63%	0.5	9663.00	12965.00	74.53%	-2.19	-2.33
41.22%	0.49	8548.00	24121.00	35.44%	1.37	-0.17
43.96%	0.5	7614.00	19688.00	38.67%	1.03	-0.37
49.23%	0.5	11191.00	27749.00	40.33%	2.05	0.24
45.05%	0.5	10423.00	27530.00	38.73%	1.36	-0.18
39.81%	0.49	9855.00	26915.00	39.13%	0.15	-0.91
35.45%	0.48	10115.00	25188.00	37.59%	-0.46	-1.28
47.57%	0.5	9945.00	26911.00	36.17%	2.37	0.44
46.02%	0.5	11333.00	27498.00	35.29%	2.34	0.42
51.04%	0.5	9540.00	32112.00	36.56%	2.88	0.75
42.22%	0.49	10056.00	26092.00	35.86%	1.25	-0.24
48.72%	0.5	9741.00	28044.00	35.38%	2.95	0.79
43.48%	0.5	9224.00	24684.00	37.37%	1.20	-0.27
50.00%	0.5	3.00	8.00	37.50%	0.25	-0.85
0.00%	0	5.00	9.00	55.56%	-1.43	-1.87
100.00%	0	3.00	8.00	37.50%	0.78	-0.53
50.00%	0.5	5.00	13.00	55.56%	-0.14	-1.09
20.00%	0.4	2.00	9.00	16.67%	0.08	-0.95
33.33%	0.47	6.00	12.00	50.00%	-0.52	-1.31
50.00%	0.5	3.00	12.00	42.86%	-0.01	-1.00
0.00%	0	4.00	7.00	25.00%	-0.56	-1.34

20.00%	0.4	4.00	16.00	40.00%	-0.75	-1.45
50.00%	0.5	2.00	10.00	16.67%	0.78	-0.52
0.00%	0	9.00	12.00	69.23%	-1.97	-2.20
50.00%	0.5	5.00	15.00	33.33%	0.31	-0.81
100.00%	0	82.00	346.00	23.70%	1.19	-0.28
0.00%	0	73.00	304.00	24.01%	0.00	0.00
100.00%	0	89.00	368.00	24.18%	1.18	-0.29
0.00%	0	71.00	333.00	21.13%	-0.52	-1.31
0.00%	0	46.00	336.00	13.98%	0.00	0.00
33.33%	0.47	71.00	329.00	19.35%	0.55	-0.67
0.00%	0	69.00	367.00	17.83%	0.00	0.00
0.00%	0	110.00	387.00	24.07%	0.00	0.00
100.00%	0	83.00	457.00	21.73%	2.60	0.58
0.00%	0	92.00	382.00	20.72%	0.00	0.00
25.00%	0.43	72.00	444.00	21.62%	0.19	-0.89
0.00%	0	105.00	372.00	28.23%	0.00	0.00
37.10%	0.48	35.00	104.00	33.65%	0.44	-0.73
36.73%	0.48	39.00	121.00	32.23%	0.56	-0.66
31.58%	0.46	43.00	103.00	41.75%	-1.25	-1.76
31.71%	0.47	32.00	176.00	24.62%	1.12	-0.32
44.26%	0.5	33.00	130.00	31.13%	1.68	0.02
27.45%	0.45	34.00	106.00	26.15%	0.18	-0.89
33.93%	0.47	49.00	130.00	32.03%	0.26	-0.84
40.00%	0.49	55.00	153.00	32.16%	1.02	-0.38
22.73%	0.42	53.00	171.00	30.11%	-0.96	-1.58
29.79%	0.46	47.00	176.00	27.81%	0.27	-0.84
45.71%	0.5	59.00	169.00	33.52%	1.35	-0.18
38.30%	0.49	60.00	208.00	28.85%	1.25	-0.24
0.00%	0	82.00	346.00	23.70%	-0.79	-1.48
0.00%	0	73.00	304.00	24.01%	-0.56	-1.34
0.00%	0	89.00	368.00	24.18%	0.00	0.00
0.00%	0	71.00	333.00	21.13%	-0.52	-1.31
0.00%	0	46.00	336.00	13.98%	0.00	0.00
0.00%	0	71.00	329.00	19.35%	0.00	0.00
0.00%	0	69.00	367.00	17.83%	-0.66	-1.40
50.00%	0.5	110.00	387.00	24.07%	0.70	-0.58
0.00%	0	83.00	457.00	21.73%	0.00	0.00
0.00%	0	92.00	382.00	20.72%	-0.72	-1.44
100.00%	0	72.00	444.00	21.62%	3.10	0.89
0.00%	0	105.00	372.00	28.23%	0.00	0.00
0.00%	0	14342.00	18245.00	78.61%	-3.83	-3.33
100.00%	0	14073.00	16088.00	87.48%	0.15	-0.91
50.00%	0.5	14151.00	16574.00	85.38%	-1.42	-1.86
0.00%	0	13313.00	14625.00	83.39%	-2.24	-2.36
100.00%	0	11972.00	15965.00	84.13%	0.37	-0.77
50.00%	0.5	13388.00	14231.00	79.30%	-1.02	-1.62
0.00%	0	11641.00	16883.00	76.86%	0.00	0.00
80.00%	0.4	12640.00	15145.00	77.50%	0.04	-0.97
0.00%	0	11704.00	16310.00	78.00%	-2.66	-2.62
0.00%	0	12044.00	15005.00	80.80%	-2.90	-2.76
66.67%	0.47	11621.00	14906.00	79.46%	-0.55	-1.33
33.33%	0.47	9663.00	12965.00	74.53%	-2.32	-2.41

21.32%	0.41	82.00	346.00	23.70%	-0.55	-1.34
29.10%	0.45	73.00	304.00	24.01%	1.12	-0.32
18.64%	0.39	89.00	368.00	24.18%	-1.22	-1.74
15.38%	0.36	71.00	333.00	21.13%	-1.25	-1.76
15.79%	0.36	46.00	336.00	13.98%	0.48	-0.71
17.43%	0.38	71.00	329.00	19.35%	-0.44	-1.27
18.10%	0.38	69.00	367.00	17.83%	0.07	-0.96
15.86%	0.37	110.00	387.00	24.07%	-2.01	-2.22
21.01%	0.41	83.00	457.00	21.73%	-0.17	-1.11
23.53%	0.42	92.00	382.00	20.72%	0.73	-0.56
20.93%	0.41	72.00	444.00	21.62%	-0.14	-1.08
25.93%	0.44	105.00	372.00	28.23%	-0.47	-1.28
33.33%	0.47	1.00	3.00	33.33%	0.00	-1.00
25.00%	0.43	1.00	3.00	33.33%	-0.23	-1.14
0.00%	0	1.00	4.00	25.00%	-0.92	-1.56
0.00%	0	0.00	0.00	0.00%	0.00	0.00
50.00%	0.5	2.00	5.00	33.33%	0.20	-0.88
40.00%	0.49	1.00	6.00	33.33%	-0.03	-1.02
25.00%	0.43	1.00	3.00	20.00%	0.02	-0.99
0.00%	0	0.00	5.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
50.00%	0.5	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
29.97%	0.46	9751.00	27267.00	35.76%	-2.17	-2.32
27.31%	0.45	8698.00	22355.00	38.91%	-3.81	-3.32
37.07%	0.48	12526.00	31205.00	40.14%	-1.21	-1.73
33.43%	0.47	11671.00	30797.00	38.72%	-1.97	-2.20
34.36%	0.47	11148.00	30143.00	39.27%	-1.89	-2.15
35.80%	0.48	11417.00	28389.00	37.66%	-0.70	-1.43
30.81%	0.46	11295.00	30316.00	36.43%	-2.19	-2.33
30.92%	0.46	12775.00	31008.00	35.53%	-1.92	-2.16
35.04%	0.48	10930.00	35959.00	37.12%	-0.82	-1.50
31.10%	0.46	11492.00	29448.00	36.19%	-1.95	-2.19
43.92%	0.5	10963.00	31755.00	35.60%	2.94	0.78
30.90%	0.46	10471.00	27868.00	37.57%	-2.33	-2.41
28.89%	0.45	32.00	101.00	31.68%	-0.34	-1.20
9.68%	0.3	39.00	121.00	32.23%	-2.40	-2.46
31.43%	0.46	43.00	103.00	41.75%	-1.07	-1.65
19.05%	0.39	29.00	174.00	22.83%	-0.51	-1.31
13.64%	0.34	33.00	127.00	31.13%	-1.61	-1.98
30.56%	0.46	34.00	106.00	26.15%	0.52	-0.68
26.32%	0.44	48.00	130.00	31.58%	-0.47	-1.28
16.67%	0.37	55.00	152.00	32.16%	-1.68	-2.02
28.21%	0.45	53.00	171.00	30.11%	-0.24	-1.14
25.00%	0.43	44.00	176.00	26.67%	-0.24	-1.14
34.48%	0.48	58.00	165.00	33.33%	0.11	-0.93
19.30%	0.39	58.00	206.00	28.16%	-1.32	-1.80
38.46%	0.49	9751.00	27267.00	35.76%	0.41	-0.75
37.68%	0.48	8698.00	22355.00	38.91%	-0.21	-1.13
39.84%	0.49	12526.00	31205.00	40.14%	-0.07	-1.04
39.66%	0.49	11671.00	30797.00	38.72%	0.67	-0.59

39.44%	0.49	11148.00	30143.00	39.27%	0.12	-0.93
38.76%	0.49	11417.00	28389.00	37.66%	0.80	-0.51
38.90%	0.49	11295.00	30316.00	36.43%	1.84	0.12
39.00%	0.49	12775.00	31008.00	35.53%	2.78	0.69
37.58%	0.48	10930.00	35959.00	37.12%	0.40	-0.76
39.42%	0.49	11492.00	29448.00	36.19%	2.86	0.74
37.50%	0.48	10963.00	31755.00	35.60%	1.62	-0.01
37.99%	0.49	10471.00	27868.00	37.57%	0.31	-0.81
0.00%	0	106.00	289.00	36.68%	0.00	0.00
0.00%	0	76.00	227.00	33.48%	0.00	0.00
0.00%	0	83.00	278.00	29.86%	-0.92	-1.56
37.50%	0.48	93.00	329.00	38.75%	-0.10	-1.06
0.00%	0	112.00	240.00	34.78%	-1.77	-2.08
33.33%	0.47	110.00	322.00	36.30%	-0.18	-1.11
42.86%	0.49	101.00	303.00	34.71%	0.44	-0.74
36.36%	0.48	131.00	291.00	39.82%	-0.23	-1.14
43.75%	0.5	107.00	329.00	33.97%	0.79	-0.52
42.86%	0.49	139.00	315.00	39.04%	0.29	-0.83
38.89%	0.49	129.00	356.00	39.21%	-0.03	-1.02
80.00%	0.4	111.00	291.00	38.14%	3.18	0.93
0.00%	0	51.00	155.00	32.90%	0.00	0.00
0.00%	0	55.00	187.00	29.41%	0.00	0.00
40.91%	0.49	66.00	209.00	31.58%	0.87	-0.47
47.50%	0.5	60.00	184.00	28.71%	2.27	0.38
39.02%	0.49	44.00	209.00	29.33%	1.17	-0.29
53.13%	0.5	60.00	150.00	33.90%	2.03	0.23
47.83%	0.5	51.00	177.00	28.65%	2.41	0.47
47.50%	0.5	75.00	178.00	35.05%	1.47	-0.10
40.63%	0.49	72.00	214.00	35.82%	0.52	-0.68
41.30%	0.49	53.00	201.00	27.32%	1.82	0.10
31.82%	0.47	63.00	194.00	34.24%	-0.30	-1.18
45.71%	0.5	55.00	187.00	29.41%	1.85	0.12
0.00%	0	874.00	1468.00	59.54%	0.00	0.00
0.00%	0	732.00	1134.00	64.55%	0.00	0.00
0.00%	0	816.00	1257.00	64.92%	0.94	-0.43
0.00%	0	959.00	1441.00	61.95%	0.00	0.00
0.00%	0	949.00	1548.00	60.87%	0.00	0.00
0.00%	0	960.00	1559.00	56.37%	0.00	0.00
0.00%	0	1085.00	1703.00	52.24%	0.00	0.00
0.00%	0	1035.00	2077.00	50.00%	0.00	0.00
0.00%	0	982.00	2070.00	58.56%	0.00	0.00
0.00%	0	1037.00	1677.00	59.36%	0.00	0.00
0.00%	0	788.00	1747.00	54.68%	0.00	0.00
0.00%	0	817.00	1413.00	57.82%	0.00	0.00
0.00%	0	2917.00	2919.00	99.93%	0.00	0.00
0.00%	0	2375.00	2378.00	99.87%	0.00	0.00
75.00%	0.43	2633.00	2636.00	99.89%	2.79	0.70
0.00%	0	2943.00	3410.00	99.93%	0.00	0.00
100.00%	0	3139.00	2945.00	99.84%	-0.06	-1.03
100.00%	0	3604.00	3144.00	99.72%	-0.05	-1.03
0.00%	0	4176.00	3614.00	99.52%	0.00	0.00
100.00%	0	4093.00	4196.00	99.03%	-0.10	-1.06

100.00%	0	3616.00	4133.00	99.78%	-0.05	-1.03
0.00%	0	3900.00	3624.00	99.80%	0.00	0.00
100.00%	0	3404.00	3908.00	99.82%	-0.04	-1.03
0.00%	0	3225.00	3228.00	99.91%	0.00	0.00
91.75%	0.28	315383.00	386135.00	81.68%	0.00	0.00
92.71%	0.26	302532.00	371933.00	81.34%	0.00	0.00
92.38%	0.27	359961.00	432733.00	83.18%	0.00	0.00
88.74%	0.32	360438.00	516643.00	86.03%	0.00	0.00
83.55%	0.37	361912.00	418959.00	80.61%	0.00	0.00
83.18%	0.37	421259.00	448953.00	80.10%	0.00	0.00
88.57%	0.32	456267.00	525922.00	82.88%	0.00	0.00
88.26%	0.32	509074.00	550489.00	80.82%	0.00	0.00
85.24%	0.35	483042.00	629893.00	81.62%	0.00	0.00
86.35%	0.34	475982.00	591846.00	81.50%	0.00	0.00
86.21%	0.34	423579.00	584044.00	81.99%	0.00	0.00
83.44%	0.37	428480.00	525513.00	81.54%	0.00	0.00
77.78%	0.42	895.00	976.00	91.70%	1.29	-0.22
85.71%	0.35	683.00	742.00	92.05%	0.59	-0.64
83.33%	0.37	917.00	1081.00	84.83%	0.16	-0.90
84.62%	0.36	839.00	970.00	85.79%	0.18	-0.89
90.00%	0.3	785.00	978.00	87.61%	-0.23	-1.14
100.00%	0	955.00	896.00	89.34%	-0.97	-1.59
66.67%	0.47	843.00	1069.00	83.71%	0.69	-0.58
88.89%	0.31	897.00	1007.00	79.24%	-0.71	-1.43
100.00%	0	766.00	1132.00	85.68%	-1.15	-1.70
92.86%	0.26	926.00	894.00	88.95%	-0.46	-1.28
80.00%	0.4	858.00	1041.00	88.45%	0.80	-0.51
100.00%	0	805.00	877.00	91.79%	-0.67	-1.41
50.00%	0.5	45.00	46.00	97.83%	1.80	0.10
0.00%	0	56.00	60.00	93.33%	0.00	0.00
0.00%	0	65.00	77.00	84.42%	0.00	0.00
0.00%	0	62.00	55.00	72.09%	0.00	0.00
0.00%	0	57.00	86.00	96.61%	0.00	0.00
0.00%	0	53.00	59.00	89.83%	0.00	0.00
100.00%	0	64.00	59.00	92.75%	-0.28	-1.17
100.00%	0	58.00	69.00	90.63%	-0.32	-1.19
0.00%	0	48.00	64.00	90.57%	0.00	0.00
100.00%	0	69.00	53.00	95.83%	-0.21	-1.13
0.00%	0	52.00	72.00	94.55%	0.00	0.00
100.00%	0	67.00	70.00	95.71%	-0.21	-1.13
100.00%	0	90.00	96.00	93.75%	-0.51	-1.31
100.00%	0	68.00	78.00	87.18%	-0.38	-1.23
50.00%	0.5	72.00	85.00	84.71%	1.00	-0.39
100.00%	0	68.00	104.00	93.15%	-0.38	-1.23
0.00%	0	90.00	73.00	86.54%	0.00	0.00
0.00%	0	92.00	104.00	92.93%	0.00	0.00
100.00%	0	74.00	99.00	84.09%	-0.61	-1.37
0.00%	0	80.00	88.00	84.21%	0.00	0.00
0.00%	0	109.00	95.00	93.97%	0.00	0.00
0.00%	0	105.00	116.00	97.22%	0.00	0.00
0.00%	0	92.00	108.00	88.46%	0.00	0.00
0.00%	0	80.00	84.00	95.24%	0.00	0.00

100.00%	0	7906.00	8834.00	89.50%	-0.48	-1.29
75.00%	0.43	6071.00	6865.00	88.43%	0.74	-0.55
55.56%	0.5	7568.00	9657.00	78.37%	1.50	-0.09
62.50%	0.48	7316.00	10523.00	77.83%	0.98	-0.41
60.00%	0.49	7059.00	9400.00	82.53%	1.66	0.01
62.50%	0.48	8167.00	8553.00	84.99%	2.19	0.33
28.57%	0.45	7630.00	9609.00	78.11%	3.88	1.36
80.00%	0.4	8433.00	9768.00	68.90%	-0.54	-1.33
70.00%	0.46	7541.00	12240.00	83.43%	1.06	-0.36
80.00%	0.4	8517.00	9039.00	83.59%	0.41	-0.75
75.00%	0.43	8368.00	10189.00	79.52%	0.35	-0.79
80.00%	0.4	7817.00	8694.00	89.91%	0.96	-0.42
69.23%	0.46	19.00	28.00	67.86%	-0.09	-1.05
100.00%	0	1.00	2.00	50.00%	-1.15	-1.70
0.00%	0	13.00	24.00	54.17%	1.25	-0.24
75.00%	0.43	39.00	22.00	57.35%	-0.69	-1.42
100.00%	0	30.00	68.00	63.83%	-1.45	-1.88
100.00%	0	14.00	47.00	66.67%	-1.15	-1.70
66.67%	0.47	3.00	21.00	25.00%	-1.92	-2.17
60.00%	0.49	3.00	12.00	100.00%	0.99	-0.40
100.00%	0	13.00	3.00	65.00%	-1.47	-1.89
83.33%	0.37	16.00	20.00	64.00%	-0.89	-1.54
100.00%	0	15.00	25.00	68.18%	-1.11	-1.67
100.00%	0	25.00	35.00	71.43%	-1.32	-1.80
0.00%	0	17.00	17.00	100.00%	0.00	0.00
0.00%	0	10.00	10.00	100.00%	0.00	0.00
0.00%	0	24.00	25.00	96.00%	0.00	0.00
0.00%	0	19.00	21.00	86.36%	0.00	0.00
0.00%	0	23.00	22.00	92.00%	0.00	0.00
100.00%	0	18.00	25.00	94.74%	-0.32	-1.19
0.00%	0	11.00	19.00	91.67%	0.00	0.00
0.00%	0	20.00	12.00	86.96%	0.00	0.00
0.00%	0	18.00	23.00	94.74%	0.00	0.00
100.00%	0	28.00	19.00	96.55%	-0.19	-1.11
0.00%	0	20.00	29.00	95.24%	0.00	0.00
0.00%	0	21.00	21.00	100.00%	2.12	0.29
94.34%	0.23	7011.00	7858.00	89.22%	-1.20	-1.73
94.44%	0.23	5388.00	6123.00	88.00%	-1.19	-1.72
86.05%	0.35	6651.00	8576.00	77.55%	-1.33	-1.81
66.67%	0.47	6477.00	9553.00	76.91%	1.52	-0.08
72.09%	0.45	6274.00	8422.00	81.94%	1.60	-0.03
90.38%	0.29	7212.00	7657.00	84.45%	-1.18	-1.72
91.43%	0.28	6787.00	8540.00	77.47%	-1.97	-2.20
71.05%	0.45	7536.00	8761.00	67.84%	-0.42	-1.26
82.86%	0.38	6775.00	11108.00	83.18%	0.09	-0.94
91.18%	0.28	7591.00	8145.00	82.98%	-1.27	-1.77
85.29%	0.35	7510.00	9148.00	78.61%	-0.95	-1.58
97.22%	0.16	7012.00	7817.00	89.70%	-1.48	-1.90
100.00%	0	7906.00	8834.00	89.50%	-1.53	-1.93
90.48%	0.29	6071.00	6865.00	88.43%	-0.29	-1.18
100.00%	0	7568.00	9657.00	78.37%	-2.92	-2.78
89.59%	0.31	7316.00	10523.00	77.83%	-5.51	-4.35

92.16%	0.27	7059.00	9400.00	82.53%	-4.69	-3.85
92.82%	0.26	8167.00	8553.00	84.99%	-4.24	-3.58
90.29%	0.3	7630.00	9609.00	78.11%	-5.86	-4.56
85.78%	0.35	8433.00	9768.00	68.90%	-7.43	-5.51
94.33%	0.23	7541.00	12240.00	83.43%	-6.86	-5.17
95.85%	0.2	8517.00	9039.00	83.59%	-7.74	-5.71
91.05%	0.29	8368.00	10189.00	79.52%	-6.76	-5.11
97.62%	0.15	7817.00	8694.00	89.91%	-5.12	-4.11
0.00%	0	90.00	96.00	93.75%	0.00	0.00
0.00%	0	68.00	78.00	87.18%	0.00	0.00
100.00%	0	72.00	85.00	84.71%	-0.42	-1.26
80.00%	0.4	68.00	104.00	93.15%	0.87	-0.47
100.00%	0	90.00	73.00	86.54%	-0.77	-1.47
100.00%	0	92.00	104.00	92.93%	-0.39	-1.23
100.00%	0	74.00	99.00	84.09%	-0.43	-1.26
100.00%	0	80.00	88.00	84.21%	-0.74	-1.45
71.43%	0.45	109.00	95.00	93.97%	1.75	0.06
100.00%	0	105.00	116.00	97.22%	-0.29	-1.18
80.00%	0.4	92.00	108.00	88.46%	0.52	-0.68
100.00%	0	80.00	84.00	95.24%	-0.31	-1.19
0.00%	0	45.00	46.00	97.83%	0.00	0.00
0.00%	0	56.00	60.00	93.33%	0.00	0.00
100.00%	0	65.00	77.00	84.42%	-1.01	-1.62
100.00%	0	62.00	55.00	72.09%	-2.22	-2.35
90.91%	0.29	57.00	86.00	96.61%	0.71	-0.57
88.89%	0.31	53.00	59.00	89.83%	0.09	-0.95
100.00%	0	64.00	59.00	92.75%	-0.89	-1.54
90.91%	0.29	58.00	69.00	90.63%	-0.03	-1.02
92.86%	0.26	48.00	64.00	90.57%	-0.26	-1.16
100.00%	0	69.00	53.00	95.83%	-0.71	-1.43
92.86%	0.26	52.00	72.00	94.55%	0.22	-0.87
90.00%	0.3	67.00	70.00	95.71%	0.66	-0.60
0.00%	0	179.00	192.00	93.23%	0.00	0.00
100.00%	0	127.00	147.00	86.39%	-0.40	-1.24
50.00%	0.5	186.00	212.00	87.74%	1.16	-0.30
0.00%	0	166.00	206.00	91.21%	0.00	0.00
100.00%	0	201.00	182.00	92.20%	-0.50	-1.30
0.00%	0	194.00	218.00	90.65%	0.00	0.00
100.00%	0	207.00	214.00	86.97%	-0.39	-1.23
100.00%	0	230.00	238.00	84.56%	-0.43	-1.26
66.67%	0.47	178.00	272.00	88.12%	0.91	-0.45
100.00%	0	223.00	202.00	91.02%	-0.31	-1.19
100.00%	0	189.00	245.00	91.75%	-0.42	-1.26
100.00%	0	188.00	200.00	94.00%	-0.36	-1.22
0.00%	0	8.00	8.00	100.00%	0.00	0.00
100.00%	0	5.00	5.00	100.00%	0.00	0.00
0.00%	0	9.00	9.00	100.00%	0.00	0.00
100.00%	0	3.00	4.00	100.00%	0.00	0.00
0.00%	0	4.00	3.00	100.00%	0.00	0.00
0.00%	0	5.00	4.00	83.33%	0.00	0.00
0.00%	0	7.00	6.00	87.50%	0.00	0.00
0.00%	0	10.00	8.00	83.33%	0.00	0.00

0.00%	0	5.00	12.00	100.00%	0.00	0.00
0.00%	0	6.00	5.00	100.00%	0.00	0.00
0.00%	0	4.00	6.00	100.00%	0.00	0.00
0.00%	0	4.00	4.00	100.00%	0.00	0.00
66.67%	0.47	1778.00	2018.00	88.11%	1.35	-0.18
90.00%	0.3	1108.00	1348.00	82.20%	-0.64	-1.39
100.00%	0	1470.00	1924.00	76.40%	-1.66	-2.01
100.00%	0	1576.00	1962.00	83.25%	-1.18	-1.72
100.00%	0	1436.00	1893.00	80.27%	-1.21	-1.74
83.33%	0.37	1752.00	1789.00	84.23%	0.13	-0.92
33.33%	0.47	1556.00	2080.00	79.47%	1.58	-0.04
80.00%	0.4	1876.00	1958.00	71.28%	-0.43	-1.26
100.00%	0	1570.00	2632.00	82.37%	-0.46	-1.28
60.00%	0.49	1712.00	1906.00	81.06%	1.06	-0.36
87.50%	0.33	1690.00	2112.00	86.14%	-0.11	-1.07
100.00%	0	1614.00	1760.00	91.70%	-0.67	-1.41
100.00%	0	1957.00	2210.00	88.55%	-0.51	-1.31
100.00%	0	1235.00	1495.00	82.61%	-1.02	-1.62
85.71%	0.35	1656.00	2136.00	77.53%	-0.73	-1.44
95.95%	0.2	1742.00	2168.00	83.95%	-2.76	-2.68
86.76%	0.34	1637.00	2075.00	81.56%	-1.09	-1.66
94.19%	0.23	1946.00	2007.00	84.83%	-2.37	-2.44
93.98%	0.24	1763.00	2294.00	80.28%	-3.08	-2.87
87.70%	0.33	2106.00	2196.00	72.52%	-3.68	-3.24
94.74%	0.22	1748.00	2904.00	82.92%	-3.51	-3.13
94.12%	0.24	1935.00	2108.00	82.10%	-3.34	-3.03
92.66%	0.26	1879.00	2357.00	86.67%	-1.80	-2.09
97.89%	0.14	1802.00	1960.00	91.94%	-2.08	-2.27
0.00%	0	7.00	7.00	100.00%	0.00	0.00
0.00%	0	6.00	6.00	100.00%	0.00	0.00
100.00%	0	2.00	3.00	66.67%	-0.61	-1.37
0.00%	0	4.00	3.00	100.00%	0.00	0.00
0.00%	0	8.00	4.00	88.89%	0.00	0.00
0.00%	0	2.00	9.00	66.67%	0.00	0.00
0.00%	0	5.00	3.00	71.43%	0.00	0.00
0.00%	0	3.00	7.00	100.00%	0.00	0.00
0.00%	0	5.00	3.00	71.43%	0.00	0.00
0.00%	0	4.00	7.00	100.00%	0.00	0.00
0.00%	0	1.00	4.00	33.33%	0.00	0.00
0.00%	0	6.00	6.00	100.00%	0.00	0.00
100.00%	0	169.00	171.00	98.83%	-0.11	-1.07
100.00%	0	148.00	149.00	99.33%	-0.14	-1.09
100.00%	0	192.00	194.00	98.97%	-0.18	-1.11
100.00%	0	190.00	189.00	97.94%	-0.20	-1.12
100.00%	0	190.00	194.00	97.94%	-0.25	-1.15
0.00%	0	211.00	194.00	96.35%	0.00	0.00
100.00%	0	233.00	219.00	97.90%	-0.15	-1.09
100.00%	0	249.00	238.00	94.32%	-0.35	-1.21
0.00%	0	182.00	264.00	94.30%	0.00	0.00
100.00%	0	204.00	193.00	99.51%	-0.10	-1.06
100.00%	0	187.00	205.00	98.94%	-0.18	-1.11
0.00%	0	181.00	182.00	99.45%	0.00	0.00

0.00%	0	25.00	25.00	100.00%	0.00	0.00
0.00%	0	31.00	31.00	100.00%	0.00	0.00
0.00%	0	38.00	38.00	100.00%	0.00	0.00
0.00%	0	29.00	24.00	100.00%	0.00	0.00
0.00%	0	17.00	29.00	100.00%	0.00	0.00
0.00%	0	26.00	17.00	100.00%	0.00	0.00
100.00%	0	27.00	26.00	100.00%	0.00	0.00
0.00%	0	37.00	27.00	92.50%	0.00	0.00
0.00%	0	35.00	40.00	97.22%	0.00	0.00
0.00%	0	34.00	36.00	97.14%	0.00	0.00
0.00%	0	24.00	35.00	100.00%	0.00	0.00
100.00%	0	22.00	22.00	100.00%	0.00	0.00
100.00%	0	16.00	16.00	98.77%	0.00	0.00
100.00%	0	16.00	17.00	98.77%	0.00	0.00
100.00%	0	15.00	15.00	98.01%	0.00	0.00
100.00%	0	18.00	21.00	95.99%	0.00	0.00
0.00%	0	29.00	18.00	97.18%	0.00	0.00
100.00%	0	25.00	29.00	97.18%	0.00	0.00
100.00%	0	34.00	25.00	94.75%	0.00	0.00
92.86%	0	25.00	35.00	93.53%	0.00	0.00
88.89%	0	12.00	25.00	96.72%	0.00	0.00
100.00%	0	22.00	12.00	98.17%	0.00	0.00
100.00%	0	21.00	22.00	98.06%	0.00	0.00
100.00%	0	20.00	20.00	98.23%	0.00	0.00
100.00%	0	1450.00	1468.00	96.15%	-0.16	-1.10
100.00%	0	1120.00	1134.00	86.78%	-0.16	-1.10
100.00%	0	1232.00	1257.00	98.41%	-0.14	-1.09
100.00%	0	1486.00	1441.00	96.62%	-0.29	-1.18
100.00%	0	1515.00	1548.00	98.98%	0.00	0.00
100.00%	0	1655.00	1559.00	97.84%	-0.48	-1.29
0.00%	0	1968.00	1703.00	96.28%	-0.74	-1.45
100.00%	0.26	1936.00	2077.00	95.82%	0.19	-0.89
100.00%	0.31	1622.00	2070.00	96.34%	1.05	-0.36
100.00%	0	1715.00	1677.00	96.59%	-0.47	-1.29
100.00%	0	1413.00	1747.00	96.83%	-0.31	-1.19
0.00%	0	1388.00	1413.00	96.11%	-0.40	-1.24
100.00%	0	100.00	104.00	100.00%	-0.20	-1.12
0.00%	0	105.00	121.00	100.00%	-0.39	-1.24
100.00%	0	247.00	251.00	96.30%	-0.13	-1.08
0.00%	0	200.00	347.00	100.00%	-0.19	-1.11
0.00%	0	194.00	207.00	100.00%	-0.17	-1.11
100.00%	0	227.00	196.00	100.00%	-0.21	-1.13
0.00%	0	311.00	232.00	100.00%	0.00	0.00
0.00%	0	344.00	323.00	100.00%	-0.29	-1.18
0.00%	0	316.00	359.00	100.00%	-0.39	-1.24
0.00%	0	340.00	328.00	100.00%	-0.26	-1.16
100.00%	0	336.00	352.00	100.00%	-0.18	-1.11
100.00%	0	321.00	334.00	100.00%	0.00	0.00
100.00%	0	26.00	26.00	98.77%	0.00	0.00
100.00%	0	38.00	38.00	98.68%	0.00	0.00
100.00%	0	26.00	27.00	97.84%	-0.19	-1.12
100.00%	0	29.00	38.00	95.72%	0.00	0.00

100.00%	0	42.00	29.00	97.07%	0.00	0.00
100.00%	0	29.00	42.00	97.30%	0.00	0.00
87.50%	0	36.00	29.00	94.34%	0.00	0.00
100.00%	0	46.00	36.00	93.41%	0.00	0.00
0.00%	0	38.00	46.00	97.04%	0.00	0.00
100.00%	0	53.00	38.00	97.99%	0.00	0.00
100.00%	0	38.00	53.00	97.92%	0.00	0.00
100.00%	0	44.00	44.00	98.05%	0.00	0.00
0.00%	0	1281.00	1297.00	0.00%	-0.19	-1.12
0.00%	0	972.00	985.00	0.00%	-0.20	-1.12
0.00%	0	1040.00	1063.00	0.00%	-0.21	-1.13
0.00%	0	1296.00	1252.00	0.00%	-0.42	-1.26
0.00%	0	1325.00	1354.00	0.00%	-0.46	-1.28
0.00%	0	1444.00	1365.00	0.00%	-0.33	-1.20
0.00%	0.33	1735.00	1484.00	0.00%	0.76	-0.54
0.00%	0	1687.00	1839.00	0.00%	-0.75	-1.46
0.00%	0	1440.00	1806.00	0.00%	0.00	0.00
0.00%	0	1511.00	1484.00	0.00%	-0.29	-1.17
100.00%	0	1226.00	1542.00	0.00%	-0.25	-1.15
0.00%	0	1207.00	1231.00	0.00%	-0.28	-1.17
100.00%	0	0.00	0.00	98.77%	0.00	0.00
100.00%	0	0.00	0.00	98.77%	0.00	0.00
100.00%	0	0.00	0.00	98.01%	0.00	0.00
98.53%	0	0.00	0.00	95.99%	0.00	0.00
98.39%	0	0.00	0.00	97.18%	0.00	0.00
98.70%	0	0.00	0.00	97.18%	0.00	0.00
97.87%	0	0.00	0.00	94.75%	0.00	0.00
86.67%	0	0.00	0.00	93.53%	0.00	0.00
99.01%	0	0.00	0.00	96.72%	0.00	0.00
96.51%	0	0.00	0.00	98.17%	0.00	0.00
98.90%	0	0.00	0.00	98.06%	0.00	0.00
98.70%	0	0.00	0.00	98.23%	0.00	0.00
0.00%	0	1450.00	1468.00	100.00%	-0.11	-1.07
0.00%	0	1120.00	1134.00	94.12%	-0.19	-1.12
0.00%	0	1232.00	1257.00	100.00%	-0.38	-1.23
0.00%	0.12	1486.00	1441.00	100.00%	-1.04	-1.63
0.00%	0.13	1515.00	1548.00	100.00%	-0.56	-1.34
100.00%	0.11	1655.00	1559.00	100.00%	-0.79	-1.48
100.00%	0.14	1968.00	1703.00	97.14%	-1.33	-1.81
100.00%	0.34	1936.00	2077.00	100.00%	2.47	0.50
100.00%	0.1	1622.00	2070.00	100.00%	-1.25	-1.76
100.00%	0.18	1715.00	1677.00	100.00%	1.05	-0.36
100.00%	0.1	1413.00	1747.00	100.00%	-0.57	-1.34
0.00%	0.11	1388.00	1413.00	100.00%	-0.31	-1.19
0.00%	0	16.00	16.00	100.00%	0.00	0.00
0.00%	0	16.00	17.00	100.00%	0.00	0.00
100.00%	0	15.00	15.00	100.00%	0.00	0.00
100.00%	0	18.00	21.00	100.00%	0.00	0.00
100.00%	0	29.00	18.00	100.00%	0.00	0.00
100.00%	0	25.00	29.00	100.00%	0.00	0.00
100.00%	0	34.00	25.00	100.00%	-0.24	-1.14
100.00%	0	25.00	35.00	92.50%	0.00	0.00

100.00%	0	12.00	25.00	97.22%	0.00	0.00
100.00%	0	22.00	12.00	97.14%	0.00	0.00
100.00%	0	21.00	22.00	100.00%	0.00	0.00
100.00%	0	20.00	20.00	100.00%	0.00	0.00
100.00%	0	25.00	25.00	98.36%	0.00	0.00
100.00%	0	31.00	31.00	100.00%	0.00	0.00
100.00%	0	38.00	38.00	98.15%	0.00	0.00
97.14%	0	29.00	24.00	100.00%	0.00	0.00
100.00%	0	17.00	29.00	100.00%	0.00	0.00
100.00%	0	26.00	17.00	97.65%	0.00	0.00
100.00%	0	27.00	26.00	98.86%	0.00	0.00
100.00%	0	37.00	27.00	97.17%	-0.48	-1.29
100.00%	0	35.00	40.00	99.06%	-0.17	-1.10
93.75%	0	34.00	36.00	98.17%	-0.32	-1.20
100.00%	0	24.00	35.00	97.98%	0.00	0.00
100.00%	0	22.00	22.00	100.00%	0.00	0.00
0.00%	0	60.00	61.00	89.68%	-0.59	-1.36
0.00%	0	75.00	75.00	85.47%	0.00	0.00
0.00%	0	53.00	54.00	94.07%	-0.58	-1.35
100.00%	0.17	89.00	99.00	85.89%	1.10	-0.33
0.00%	0	62.00	89.00	91.67%	0.00	0.00
0.00%	0	83.00	62.00	94.96%	-0.62	-1.38
0.00%	0	87.00	85.00	93.75%	-0.47	-1.29
0.00%	0	103.00	88.00	96.01%	-0.71	-1.43
100.00%	0	105.00	106.00	93.99%	-0.41	-1.25
100.00%	0.24	107.00	106.00	93.95%	0.87	-0.47
100.00%	0	97.00	109.00	94.58%	-0.43	-1.26
100.00%	0	136.00	136.00	93.29%	0.00	0.00
100.00%	0	113.00	126.00	100.00%	0.00	0.00
100.00%	0	100.00	117.00	100.00%	0.00	0.00
100.00%	0	238.00	253.00	100.00%	0.00	0.00
100.00%	0	213.00	332.00	100.00%	-0.40	-1.25
100.00%	0	209.00	248.00	100.00%	0.00	0.00
100.00%	0	226.00	228.00	100.00%	0.00	0.00
100.00%	0	285.00	238.00	75.00%	0.00	0.00
100.00%	0	313.00	304.00	0.00%	0.00	0.00
100.00%	0	297.00	326.00	0.00%	-0.36	-1.22
0.00%	0	326.00	316.00	0.00%	-0.36	-1.22
100.00%	0	314.00	347.00	0.00%	-0.24	-1.15
0.00%	0	320.00	343.00	0.00%	-0.46	-1.28
96.45%	0	2.00	2.00	90.67%	0.00	0.00
97.30%	0	1.00	1.00	89.77%	0.00	0.00
95.78%	0	3.00	3.00	80.41%	0.00	0.00
95.92%	0	4.00	0.00	79.96%	0.00	0.00
100.00%	0	3.00	4.00	84.41%	0.00	0.00
94.90%	0	2.00	3.00	86.66%	0.00	0.00
94.89%	0	3.00	2.00	80.67%	-0.76	-1.46
85.93%	0	0.00	4.00	72.01%	0.00	0.00
97.60%	0	0.00	0.00	85.25%	0.00	0.00
96.25%	0	0.00	0.00	85.52%	0.00	0.00
96.08%	0	0.00	0.00	81.54%	0.00	0.00
98.33%	0	0.00	0.00	90.96%	0.00	0.00

100.00%	0.18	9156.00	10098.00	98.36%	-2.34	-2.43
100.00%	0.16	7058.00	7862.00	100.00%	-2.60	-2.58
92.86%	0.2	8657.00	10766.00	98.15%	-4.95	-4.01
92.86%	0.2	8549.00	11818.00	100.00%	-4.80	-3.92
90.00%	0	8308.00	10691.00	100.00%	-5.52	-4.36
93.33%	0.22	9604.00	9842.00	97.65%	-3.02	-2.83
100.00%	0.22	9322.00	11083.00	98.86%	-4.74	-3.88
100.00%	0.35	10099.00	11556.00	97.17%	-4.34	-3.64
100.00%	0.15	8956.00	14024.00	99.06%	-4.47	-3.72
100.00%	0.19	10036.00	10505.00	98.15%	-3.83	-3.33
87.50%	0.19	9636.00	11735.00	97.96%	-3.77	-3.29
96.15%	0.13	9047.00	9946.00	100.00%	-2.80	-2.70
100.00%	0	60.00	61.00	100.00%	-0.46	-1.28
100.00%	0	75.00	75.00	100.00%	0.00	0.00
100.00%	0.26	53.00	54.00	100.00%	0.81	-0.51
100.00%	0.26	89.00	98.00	100.00%	1.57	-0.05
100.00%	0.3	62.00	89.00	100.00%	1.56	-0.05
100.00%	0.25	83.00	62.00	100.00%	0.75	-0.55
100.00%	0	87.00	85.00	100.00%	-0.25	-1.15
100.00%	0	103.00	88.00	100.00%	-0.47	-1.28
100.00%	0	105.00	106.00	100.00%	-0.35	-1.22
100.00%	0	106.00	106.00	100.00%	-0.55	-1.34
100.00%	0.33	96.00	108.00	100.00%	1.24	-0.25
100.00%	0.19	136.00	136.00	100.00%	1.47	-0.10
100.00%	0	8.00	8.00	87.50%	0.00	0.00
0.00%	0	7.00	7.00	100.00%	0.00	0.00
0.00%	0	6.00	6.00	100.00%	0.00	0.00
0.00%	0	9.00	18.00	90.32%	0.00	0.00
0.00%	0	11.00	9.00	89.47%	0.00	0.00
0.00%	0	11.00	11.00	89.47%	0.00	0.00
0.00%	0	16.00	11.00	93.94%	0.00	0.00
0.00%	0	10.00	16.00	91.89%	0.00	0.00
0.00%	0	17.00	10.00	100.00%	0.00	0.00
0.00%	0	13.00	17.00	96.77%	0.00	0.00
0.00%	0	18.00	13.00	100.00%	0.00	0.00
100.00%	0	11.00	11.00	100.00%	0.00	0.00
100.00%	0	7.00	8.00	89.35%	-0.56	-1.34
100.00%	0	6.00	6.00	83.82%	0.00	0.00
91.67%	0	22.00	22.00	78.77%	0.00	0.00
100.00%	0	28.00	38.00	85.55%	0.00	0.00
95.65%	0	17.00	31.00	83.57%	0.00	0.00
100.00%	0	17.00	19.00	85.77%	0.00	0.00
100.00%	0	31.00	19.00	82.05%	0.00	0.00
100.00%	0	34.00	33.00	74.48%	0.00	0.00
100.00%	0	34.00	37.00	84.30%	0.00	0.00
100.00%	0	30.00	34.00	83.31%	0.00	0.00
100.00%	0	38.00	31.00	87.47%	0.00	0.00
100.00%	0	28.00	28.00	92.41%	0.00	0.00
100.00%	0	2157.00	2414.00	100.00%	-1.46	-1.89
100.00%	0	1368.00	1632.00	100.00%	-1.45	-1.88
75.00%	0.28	1799.00	2284.00	100.00%	-1.09	-1.66
85.71%	0	1995.00	2314.00	100.00%	-1.48	-1.90

100.00%	0.2	1903.00	2332.00	100.00%	-1.56	-1.95
100.00%	0	2164.00	2277.00	100.00%	-1.77	-2.08
100.00%	0	2039.00	2523.00	100.00%	-1.62	-1.98
100.00%	0	2376.00	2485.00	100.00%	-1.75	-2.07
100.00%	0	1955.00	3190.00	100.00%	-1.67	-2.01
100.00%	0	2131.00	2319.00	100.00%	-1.89	-2.15
100.00%	0	2024.00	2558.00	100.00%	-1.69	-2.02
100.00%	0	1960.00	2121.00	100.00%	-1.37	-1.83
100.00%	0	8.00	8.00	97.97%	0.00	0.00
100.00%	0	7.00	7.00	97.51%	0.00	0.00
100.00%	0.43	6.00	6.00	96.39%	0.84	-0.49
100.00%	0.35	9.00	18.00	96.17%	0.75	-0.54
100.00%	0	11.00	9.00	97.79%	0.00	0.00
100.00%	0	11.00	11.00	97.42%	0.00	0.00
100.00%	0	16.00	11.00	97.30%	0.00	0.00
100.00%	0	10.00	16.00	92.70%	0.00	0.00
100.00%	0	17.00	10.00	97.44%	0.00	0.00
100.00%	0	13.00	17.00	97.03%	0.00	0.00
100.00%	0	18.00	13.00	96.07%	0.00	0.00
100.00%	0	11.00	11.00	97.85%	0.00	0.00
100.00%	0	1159.00	1183.00	98.18%	-0.48	-1.29
0.00%	0	900.00	923.00	95.45%	-0.50	-1.31
0.00%	0	1254.00	1301.00	95.18%	-0.47	-1.29
0.00%	0	1155.00	1195.00	95.74%	-0.91	-1.55
0.00%	0	1060.00	1201.00	98.51%	-0.52	-1.32
0.00%	0	1206.00	1084.00	96.83%	-0.54	-1.33
100.00%	0	1191.00	1238.00	98.67%	-0.33	-1.20
100.00%	0	1245.00	1224.00	97.26%	-0.93	-1.56
0.00%	0	1103.00	1343.00	98.36%	-0.48	-1.29
100.00%	0	1272.00	1132.00	97.50%	-0.72	-1.44
100.00%	0	1148.00	1311.00	100.00%	-0.70	-1.42
100.00%	0	1091.00	1115.00	96.43%	-0.36	-1.22
100.00%	0	54.00	55.00	100.00%	-0.19	-1.11
100.00%	0	63.00	66.00	98.00%	0.00	0.00
100.00%	0	79.00	83.00	96.61%	0.00	0.00
100.00%	0	90.00	64.00	100.00%	0.00	0.00
0.00%	0	66.00	94.00	97.71%	0.00	0.00
0.00%	0	61.00	67.00	97.52%	0.00	0.00
100.00%	0	74.00	63.00	99.08%	-0.12	-1.07
0.00%	0	71.00	75.00	96.40%	-0.17	-1.10
0.00%	0	60.00	73.00	98.55%	0.00	0.00
0.00%	0	78.00	61.00	97.73%	-0.16	-1.10
0.00%	0	64.00	80.00	96.92%	0.00	0.00
100.00%	0	81.00	84.00	99.07%	-0.19	-1.12
100.00%	0	112.00	112.00	98.17%	0.00	0.00
100.00%	0	98.00	100.00	97.22%	-0.28	-1.17
77.78%	0	114.00	118.00	95.25%	-0.26	-1.16
87.50%	0	91.00	130.00	94.78%	0.00	0.00
90.00%	0	128.00	91.00	96.91%	0.00	0.00
81.25%	0	118.00	131.00	96.65%	0.00	0.00
100.00%	0	108.00	121.00	95.63%	-0.13	-1.08
100.00%	0	107.00	109.00	88.13%	0.00	0.00

100.00%	0	136.00	111.00	97.02%	0.00	0.00
100.00%	0	129.00	138.00	96.85%	0.00	0.00
100.00%	0	126.00	132.00	93.35%	0.00	0.00
100.00%	0	106.00	107.00	98.40%	-0.10	-1.06
92.31%	0	11076.00	11283.00	90.10%	-0.19	-1.12
100.00%	0	8544.00	8788.00	83.80%	-0.34	-1.21
100.00%	0.42	11987.00	12585.00	89.62%	1.81	0.10
80.00%	0.33	11505.00	13135.00	80.07%	0.82	-0.50
100.00%	0.3	10548.00	12138.00	86.80%	1.02	-0.38
100.00%	0.39	11495.00	10884.00	86.58%	2.41	0.46
100.00%	0	11673.00	11893.00	82.38%	-0.80	-1.49
80.00%	0	13117.00	12206.00	0.00%	-0.82	-1.50
100.00%	0	11288.00	14884.00	0.00%	-0.55	-1.34
100.00%	0	12422.00	11635.00	0.00%	-0.70	-1.42
100.00%	0	12261.00	12826.00	0.00%	-0.75	-1.46
100.00%	0	11039.00	11219.00	0.00%	-0.40	-1.25
0.00%	0.27	737.00	818.00	100.00%	-0.26	-1.16
0.00%	0	481.00	574.00	100.00%	-1.07	-1.65
0.00%	0	518.00	578.00	100.00%	-0.48	-1.29
0.00%	0.4	651.00	0.00	91.30%	0.06	-0.96
0.00%	0	447.00	813.00	93.10%	-0.78	-1.47
100.00%	0	774.00	515.00	100.00%	-0.68	-1.41
0.00%	0	706.00	894.00	100.00%	-1.30	-1.79
0.00%	0.4	0.00	857.00	96.00%	0.00	0.00
0.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	18.00	18.00	98.19%	0.00	0.00
100.00%	0	11.00	11.00	97.19%	0.00	0.00
97.96%	0	28.00	28.00	95.12%	0.00	0.00
97.78%	0	21.00	26.00	94.63%	0.00	0.00
100.00%	0	27.00	23.00	96.82%	0.00	0.00
100.00%	0	20.00	29.00	96.56%	0.00	0.00
100.00%	0	13.00	20.00	95.45%	0.00	0.00
95.45%	0	24.00	13.00	87.67%	0.00	0.00
97.22%	0	21.00	25.00	96.97%	0.00	0.00
100.00%	0	32.00	21.00	96.83%	0.00	0.00
95.00%	0	26.00	32.00	93.07%	0.00	0.00
100.00%	0	23.00	23.00	98.46%	0.00	0.00
100.00%	0	9917.00	10100.00	98.17%	-1.00	-1.61
100.00%	0	7644.00	7865.00	97.22%	-1.02	-1.62
100.00%	0.14	10733.00	11284.00	95.25%	-0.92	-1.56
99.23%	0.15	10350.00	11940.00	94.78%	-0.93	-1.57
99.35%	0	9488.00	10937.00	96.91%	-1.21	-1.74
98.82%	0	10289.00	9800.00	96.65%	-1.41	-1.86
99.22%	0	10482.00	10655.00	95.63%	-1.36	-1.83
96.49%	0.21	11872.00	10982.00	88.13%	-1.57	-1.95
98.88%	0.16	10185.00	13541.00	97.02%	-0.09	-1.05
99.86%	0	11150.00	10503.00	96.85%	-1.10	-1.67
96.58%	0.22	11113.00	11515.00	93.35%	-0.48	-1.29
99.64%	0	9948.00	10104.00	98.40%	-0.78	-1.47

0.00%	0	11076.00	11283.00	100.00%	-0.65	-1.40
0.00%	0	8544.00	8788.00	98.00%	-0.86	-1.52
100.00%	0	11987.00	12585.00	96.61%	-1.45	-1.88
100.00%	0.09	11505.00	13135.00	100.00%	-4.48	-3.72
100.00%	0.08	10548.00	12138.00	97.71%	-2.97	-2.80
100.00%	0.11	11495.00	10884.00	97.52%	-2.65	-2.61
100.00%	0.09	11673.00	11893.00	99.08%	-3.88	-3.36
100.00%	0.18	13117.00	12206.00	96.40%	-5.91	-4.60
100.00%	0.11	11288.00	14884.00	98.55%	-2.85	-2.73
100.00%	0.04	12422.00	11635.00	97.73%	-4.55	-3.77
100.00%	0.18	12261.00	12826.00	96.92%	-3.35	-3.04
100.00%	0.06	11039.00	11219.00	99.07%	-2.26	-2.38
0.00%	0	112.00	112.00	98.18%	0.00	0.00
0.00%	0	98.00	100.00	95.45%	0.00	0.00
100.00%	0	114.00	118.00	95.18%	-0.19	-1.11
100.00%	0	91.00	130.00	95.74%	0.00	0.00
100.00%	0	128.00	91.00	98.51%	-0.30	-1.18
100.00%	0	118.00	131.00	96.83%	-0.27	-1.17
100.00%	0	108.00	121.00	98.67%	-0.10	-1.06
92.31%	0	107.00	109.00	97.26%	-0.33	-1.20
100.00%	0	136.00	111.00	98.36%	-0.33	-1.20
100.00%	0	129.00	138.00	97.50%	-0.33	-1.20
100.00%	0	126.00	132.00	100.00%	-0.39	-1.24
100.00%	0	106.00	107.00	96.43%	-0.14	-1.08
100.00%	0	54.00	55.00	98.77%	0.00	0.00
100.00%	0	63.00	66.00	96.39%	0.00	0.00
100.00%	0	79.00	83.00	95.60%	-0.53	-1.32
100.00%	0	90.00	64.00	98.22%	-0.76	-1.46
100.00%	0	66.00	94.00	98.16%	-0.43	-1.26
0.00%	0	61.00	67.00	98.14%	-0.55	-1.34
100.00%	0	74.00	63.00	95.14%	-0.43	-1.26
100.00%	0.27	71.00	75.00	95.43%	0.74	-0.55
100.00%	0	60.00	73.00	98.40%	-0.44	-1.26
100.00%	0	78.00	61.00	96.76%	-0.63	-1.38
100.00%	0	64.00	80.00	98.05%	0.00	0.00
100.00%	0	81.00	84.00	97.98%	-0.62	-1.38
100.00%	0	240.00	243.00	100.00%	-0.11	-1.07
0.00%	0	187.00	194.00	100.00%	-0.19	-1.12
0.00%	0	261.00	273.00	100.00%	-0.48	-1.29
0.00%	0	221.00	256.00	100.00%	-0.13	-1.08
0.00%	0	267.00	225.00	100.00%	-0.24	-1.14
0.00%	0	264.00	272.00	93.33%	0.00	0.00
0.00%	0	274.00	269.00	100.00%	-0.32	-1.19
0.00%	0	334.00	288.00	89.47%	-0.22	-1.13
0.00%	0	246.00	350.00	100.00%	-0.22	-1.13
0.00%	0	299.00	250.00	100.00%	-0.18	-1.11
0.00%	0	251.00	309.00	100.00%	-0.24	-1.15
0.00%	0	243.00	248.00	100.00%	-0.20	-1.12
0.00%	0	23.00	23.00	100.00%	0.00	0.00
100.00%	0	12.00	12.00	100.00%	0.00	0.00
0.00%	0	18.00	18.00	100.00%	0.00	0.00
100.00%	0	13.00	13.00	100.00%	0.00	0.00

0.00%	0	11.00	13.00	100.00%	0.00	0.00
0.00%	0	14.00	11.00	100.00%	0.00	0.00
0.00%	0	13.00	15.00	88.89%	0.00	0.00
0.00%	0	17.00	13.00	100.00%	0.00	0.00
0.00%	0	12.00	19.00	100.00%	0.00	0.00
0.00%	0	18.00	12.00	100.00%	0.00	0.00
0.00%	0	13.00	18.00	100.00%	0.00	0.00
0.00%	0	11.00	11.00	100.00%	0.00	0.00
100.00%	0	8.00	8.00	97.18%	0.00	0.00
100.00%	0	5.00	5.00	95.92%	0.00	0.00
100.00%	0	9.00	9.00	93.87%	0.00	0.00
90.00%	0	3.00	4.00	95.84%	0.00	0.00
100.00%	0	5.00	3.00	95.99%	0.00	0.00
100.00%	0	6.00	5.00	96.62%	0.00	0.00
75.00%	0	8.00	6.00	94.16%	0.00	0.00
83.33%	0	12.00	9.00	91.23%	0.00	0.00
100.00%	0	7.00	12.00	95.58%	0.00	0.00
80.00%	0	6.00	7.00	96.93%	0.00	0.00
100.00%	0	4.00	6.00	97.58%	0.00	0.00
100.00%	0	4.00	4.00	98.25%	0.00	0.00
100.00%	0	2549.00	2623.00	97.31%	-0.45	-1.27
100.00%	0	1787.00	1863.00	95.96%	-0.68	-1.41
93.33%	0	2467.00	2628.00	94.04%	-0.85	-1.51
99.02%	0.3	2489.00	2598.00	96.03%	0.82	-0.50
99.08%	0	2321.00	2597.00	96.21%	-0.54	-1.33
100.00%	0	2573.00	2418.00	96.76%	-0.46	-1.28
99.15%	0.43	2419.00	2663.00	94.26%	1.19	-0.27
97.53%	0.37	3006.00	2569.00	91.63%	0.65	-0.61
99.43%	0	2441.00	3295.00	95.83%	-0.43	-1.26
98.76%	0.4	2687.00	2554.00	96.92%	1.43	-0.13
99.25%	0	2535.00	2772.00	97.62%	-0.47	-1.29
100.00%	0	2296.00	2337.00	98.22%	-0.30	-1.18
0.00%	0	2789.00	2866.00	100.00%	-0.37	-1.23
0.00%	0	1974.00	2057.00	100.00%	-0.58	-1.35
100.00%	0.25	2728.00	2901.00	66.67%	0.20	-0.88
0.00%	0.1	2710.00	2854.00	100.00%	-1.52	-1.92
0.00%	0.1	2588.00	2822.00	100.00%	-1.54	-1.94
0.00%	0	2837.00	2690.00	66.67%	-1.96	-2.19
0.00%	0.09	2693.00	2932.00	77.78%	-2.23	-2.35
0.00%	0.16	3340.00	2857.00	100.00%	-2.65	-2.61
0.00%	0.08	2687.00	3645.00	100.00%	-2.32	-2.41
0.00%	0.11	2986.00	2804.00	100.00%	-1.32	-1.80
0.00%	0.09	2786.00	3081.00	83.33%	-1.21	-1.74
0.00%	0	2539.00	2585.00	100.00%	-1.45	-1.88
100.00%	0	7.00	7.00	100.00%	0.00	0.00
100.00%	0	7.00	7.00	100.00%	0.00	0.00
100.00%	0	2.00	3.00	100.00%	-0.61	-1.37
100.00%	0	5.00	6.00	100.00%	0.00	0.00
100.00%	0	11.00	5.00	100.00%	0.00	0.00
100.00%	0	2.00	11.00	99.62%	0.00	0.00
100.00%	0	7.00	3.00	100.00%	0.00	0.00
100.00%	0	6.00	9.00	99.84%	0.00	0.00

100.00%	0	11.00	6.00	100.00%	0.00	0.00
100.00%	0	6.00	11.00	100.00%	0.00	0.00
100.00%	0	5.00	6.00	100.00%	0.00	0.00
100.00%	0	7.00	7.00	100.00%	0.00	0.00
0.00%	0	458.00	458.00	100.00%	0.00	0.00
0.00%	0	381.00	381.00	100.00%	0.00	0.00
0.00%	0	458.00	458.00	100.00%	0.00	0.00
0.00%	0	473.00	542.00	100.00%	0.00	0.00
0.00%	0	466.00	473.00	100.00%	0.00	0.00
0.00%	0	530.00	466.00	100.00%	-0.09	-1.05
100.00%	0	593.00	532.00	100.00%	0.00	0.00
100.00%	0	626.00	593.00	98.25%	-0.10	-1.06
0.00%	0	531.00	627.00	100.00%	0.00	0.00
0.00%	0	599.00	531.00	100.00%	0.00	0.00
0.00%	0	542.00	599.00	100.00%	0.00	0.00
100.00%	0	518.00	518.00	100.00%	0.00	0.00
0.00%	0	36.00	36.00	100.00%	0.00	0.00
0.00%	0	52.00	52.00	100.00%	0.00	0.00
100.00%	0	53.00	53.00	100.00%	0.00	0.00
0.00%	0	45.00	50.00	100.00%	0.00	0.00
100.00%	0	25.00	45.00	100.00%	0.00	0.00
100.00%	0	40.00	25.00	100.00%	0.00	0.00
100.00%	0	36.00	40.00	100.00%	0.00	0.00
0.00%	0	56.00	36.00	100.00%	-0.13	-1.08
0.00%	0	53.00	57.00	100.00%	0.00	0.00
0.00%	0	49.00	53.00	100.00%	0.00	0.00
0.00%	0	50.00	49.00	100.00%	0.00	0.00
100.00%	0	36.00	36.00	98.33%	0.00	0.00
100.00%	0	41.00	41.00	99.93%	0.00	0.00
100.00%	0	33.00	33.00	99.87%	0.00	0.00
100.00%	0	51.00	51.00	99.89%	0.00	0.00
100.00%	0	38.00	55.00	99.93%	0.00	0.00
0.00%	0	59.00	38.00	99.84%	0.00	0.00
100.00%	0	53.00	59.00	99.72%	0.00	0.00
100.00%	0	62.00	53.00	99.52%	0.00	0.00
100.00%	0	61.00	62.00	99.03%	0.00	0.00
88.89%	0	50.00	61.00	99.78%	0.00	0.00
100.00%	0	61.00	50.00	99.80%	0.00	0.00
100.00%	0	55.00	61.00	99.82%	0.00	0.00
100.00%	0	59.00	60.00	99.91%	-0.13	-1.08
100.00%	0	2917.00	2919.00	96.43%	-0.04	-1.02
100.00%	0	2375.00	2378.00	95.02%	-0.05	-1.03
100.00%	0	2633.00	2636.00	87.35%	-0.05	-1.03
100.00%	0	2943.00	3410.00	96.04%	-0.04	-1.02
100.00%	0	3139.00	2945.00	93.55%	0.00	0.00
100.00%	0	3604.00	3144.00	93.49%	-0.15	-1.09
0.00%	0	4176.00	3614.00	87.22%	-0.22	-1.13
100.00%	0	4093.00	4196.00	0.00%	-0.38	-1.23
100.00%	0.31	3616.00	4133.00	0.00%	2.32	0.41
100.00%	0	3900.00	3624.00	0.00%	-0.16	-1.10
100.00%	0	3404.00	3908.00	0.00%	-0.09	-1.06
0.00%	0	3225.00	3228.00	0.00%	-0.09	-1.06

100.00%	0	2676.00	2775.00	100.00%	-0.19	-1.12
0.00%	0	1125.00	1184.00	100.00%	-0.32	-1.20
100.00%	0	1374.00	1573.00	96.67%	-0.54	-1.33
0.00%	0	1457.00	0.00	100.00%	-0.35	-1.21
0.00%	0	1437.00	1517.00	100.00%	-0.52	-1.32
100.00%	0	2125.00	1536.00	100.00%	-0.46	-1.28
0.00%	0	1938.00	2273.00	100.00%	0.00	0.00
0.00%	0	0.00	2222.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	27.00	27.00	99.92%	0.00	0.00
100.00%	0	39.00	39.00	99.85%	0.00	0.00
100.00%	0	29.00	30.00	99.86%	-0.18	-1.11
100.00%	0	30.00	43.00	99.92%	0.00	0.00
100.00%	0	44.00	30.00	99.81%	0.00	0.00
100.00%	0	30.00	44.00	99.74%	0.00	0.00
100.00%	0	40.00	30.00	99.44%	0.00	0.00
100.00%	0	57.00	40.00	98.89%	0.00	0.00
100.00%	0	48.00	57.00	99.74%	0.00	0.00
100.00%	0	59.00	48.00	99.76%	0.00	0.00
100.00%	0	43.00	59.00	99.79%	0.00	0.00
100.00%	0	45.00	45.00	99.89%	0.00	0.00
0.00%	0	2459.00	2461.00	0.00%	-0.09	-1.06
0.00%	0	1994.00	1997.00	0.00%	-0.08	-1.05
0.00%	0	2175.00	2178.00	0.00%	-0.08	-1.05
0.00%	0	2470.00	2868.00	0.00%	-0.06	-1.04
0.00%	0	2673.00	2472.00	0.00%	-0.14	-1.08
0.00%	0	3074.00	2678.00	0.00%	-0.12	-1.08
0.00%	0	3583.00	3082.00	0.00%	-0.24	-1.14
0.00%	0	3467.00	3603.00	0.00%	-0.33	-1.20
0.00%	0	3085.00	3506.00	0.00%	-0.11	-1.07
0.00%	0	3301.00	3093.00	0.00%	-0.15	-1.09
100.00%	0	2862.00	3309.00	0.00%	-0.13	-1.08
0.00%	0	2707.00	2710.00	0.00%	-0.09	-1.06
100.00%	0	0.00	0.00	99.93%	0.00	0.00
100.00%	0	0.00	0.00	99.87%	0.00	0.00
100.00%	0	0.00	0.00	99.89%	0.00	0.00
100.00%	0	0.00	0.00	99.93%	0.00	0.00
100.00%	0	0.00	0.00	99.84%	0.00	0.00
100.00%	0	0.00	0.00	99.72%	0.00	0.00
100.00%	0	0.00	0.00	99.52%	0.00	0.00
95.98%	0	0.00	0.00	99.03%	0.00	0.00
100.00%	0	0.00	0.00	99.78%	0.00	0.00
100.00%	0	0.00	0.00	99.80%	0.00	0.00
100.00%	0	0.00	0.00	99.82%	0.00	0.00
99.46%	0	0.00	0.00	99.91%	0.00	0.00
0.00%	0	2917.00	2919.00	100.00%	-0.05	-1.03
0.00%	0	2375.00	2378.00	100.00%	-0.09	-1.06
0.00%	0	2633.00	2636.00	100.00%	-0.14	-1.09
100.00%	0	2943.00	3410.00	100.00%	-0.29	-1.17

100.00%	0	3139.00	2945.00	100.00%	-0.44	-1.27
100.00%	0	3604.00	3144.00	100.00%	-0.65	-1.39
100.00%	0	4176.00	3614.00	100.00%	-0.91	-1.55
100.00%	0.2	4093.00	4196.00	100.00%	3.34	1.03
100.00%	0	3616.00	4133.00	100.00%	-0.70	-1.43
100.00%	0	3900.00	3624.00	100.00%	-0.68	-1.41
100.00%	0	3404.00	3908.00	100.00%	-0.64	-1.39
100.00%	0.07	3225.00	3228.00	98.33%	1.26	-0.23
0.00%	0	41.00	41.00	100.00%	0.00	0.00
0.00%	0	33.00	33.00	100.00%	0.00	0.00
100.00%	0	51.00	51.00	100.00%	0.00	0.00
100.00%	0	38.00	55.00	100.00%	0.00	0.00
100.00%	0	59.00	38.00	100.00%	0.00	0.00
100.00%	0	53.00	59.00	100.00%	0.00	0.00
100.00%	0	62.00	53.00	100.00%	0.00	0.00
100.00%	0	61.00	62.00	98.25%	0.00	0.00
100.00%	0	50.00	61.00	100.00%	0.00	0.00
100.00%	0	61.00	50.00	100.00%	0.00	0.00
100.00%	0	55.00	61.00	100.00%	0.00	0.00
100.00%	0	59.00	60.00	100.00%	-0.13	-1.08
100.00%	0	36.00	36.00	94.37%	0.00	0.00
100.00%	0	52.00	52.00	90.47%	0.00	0.00
100.00%	0	53.00	53.00	91.58%	0.00	0.00
100.00%	0	45.00	50.00	89.11%	0.00	0.00
85.71%	0	25.00	45.00	91.54%	0.00	0.00
100.00%	0	40.00	25.00	90.74%	0.00	0.00
0.00%	0	36.00	40.00	85.48%	0.00	0.00
100.00%	0	56.00	36.00	89.77%	-0.33	-1.20
100.00%	0	53.00	57.00	85.95%	0.00	0.00
100.00%	0	49.00	53.00	91.14%	0.00	0.00
66.67%	0	50.00	49.00	93.17%	0.00	0.00
100.00%	0	36.00	36.00	93.77%	0.00	0.00
100.00%	0	2615.00	2771.00	100.00%	-0.77	-1.47
100.00%	0	1301.00	1438.00	100.00%	-0.72	-1.44
100.00%	0	1480.00	1616.00	98.15%	-0.86	-1.52
100.00%	0	1677.00	2152.00	100.00%	-0.70	-1.42
100.00%	0.35	1439.00	1882.00	100.00%	0.55	-0.67
100.00%	0	2186.00	1572.00	98.82%	-0.71	-1.43
100.00%	0	2037.00	2409.00	100.00%	0.00	0.00
100.00%	0	2291.00	2383.00	98.11%	-0.34	-1.21
100.00%	0	2068.00	2552.00	100.00%	-0.81	-1.49
100.00%	0	1863.00	2406.00	100.00%	-0.62	-1.38
94.44%	0.47	2005.00	2044.00	98.99%	1.87	0.14
100.00%	0	2168.00	2312.00	100.00%	-0.73	-1.44
0.00%	0	61.00	61.00	94.37%	0.00	0.00
0.00%	0	75.00	75.00	90.47%	0.00	0.00
0.00%	0	53.00	54.00	91.59%	-0.63	-1.38
100.00%	0	89.00	99.00	89.11%	0.00	0.00
0.00%	0	62.00	89.00	91.55%	0.00	0.00
100.00%	0	84.00	62.00	90.75%	-0.51	-1.31
0.00%	0	88.00	85.00	85.51%	0.00	0.00
100.00%	0	104.00	88.00	89.78%	-0.63	-1.39

100.00%	0	106.00	106.00	85.96%	0.00	0.00
100.00%	0	109.00	106.00	91.14%	0.00	0.00
100.00%	0.23	98.00	109.00	93.17%	1.03	-0.37
100.00%	0	137.00	137.00	93.77%	0.00	0.00
100.00%	0	2617.00	2773.00	100.00%	0.00	0.00
100.00%	0	1301.00	1438.00	100.00%	0.00	0.00
100.00%	0	1481.00	1617.00	100.00%	0.00	0.00
100.00%	0	1677.00	2152.00	100.00%	-0.35	-1.21
100.00%	0	1441.00	1882.00	100.00%	0.00	0.00
100.00%	0	2188.00	1574.00	100.00%	-0.32	-1.19
100.00%	0	2042.00	2411.00	100.00%	0.00	0.00
100.00%	0	2293.00	2388.00	0.00%	-0.34	-1.21
100.00%	0	2069.00	2554.00	0.00%	-0.57	-1.35
0.00%	0	1863.00	2407.00	0.00%	-0.44	-1.27
100.00%	0	2005.00	2044.00	0.00%	-0.27	-1.16
0.00%	0	2168.00	2312.00	0.00%	-0.45	-1.27
100.00%	0	2.00	2.00	98.49%	0.00	0.00
100.00%	0	1.00	1.00	97.74%	0.00	0.00
99.09%	0	3.00	3.00	95.96%	0.00	0.00
100.00%	0	4.00	0.00	95.67%	0.00	0.00
100.00%	0	3.00	4.00	97.49%	0.00	0.00
99.49%	0	2.00	3.00	97.30%	0.00	0.00
99.56%	0	4.00	2.00	96.53%	0.00	0.00
94.57%	0	0.00	4.00	90.22%	0.00	0.00
99.10%	0	0.00	0.00	97.61%	0.00	0.00
98.17%	0	0.00	0.00	97.47%	0.00	0.00
100.00%	0	0.00	0.00	94.56%	0.00	0.00
99.43%	0	0.00	0.00	98.69%	0.00	0.00
100.00%	0	13572.00	13780.00	100.00%	-1.75	-2.06
100.00%	0	10607.00	10852.00	100.00%	-1.99	-2.21
100.00%	0.09	14267.00	14868.00	98.15%	-2.34	-2.42
100.00%	0	14020.00	16163.00	100.00%	-3.02	-2.84
100.00%	0	13201.00	14655.00	100.00%	-2.30	-2.40
100.00%	0.07	14640.00	13541.00	98.82%	-1.87	-2.14
100.00%	0.07	15287.00	15046.00	100.00%	-2.49	-2.51
100.00%	0.23	16632.00	15836.00	98.11%	-2.34	-2.42
100.00%	0.09	14416.00	18435.00	100.00%	-1.44	-1.88
100.00%	0.13	15832.00	14769.00	100.00%	-0.66	-1.40
93.75%	0	15284.00	16243.00	98.98%	-2.87	-2.74
100.00%	0.08	13828.00	14011.00	100.00%	-0.85	-1.52
0.00%	0	61.00	61.00	94.06%	0.00	0.00
0.00%	0	75.00	75.00	90.47%	0.00	0.00
100.00%	0	53.00	54.00	79.68%	-0.52	-1.32
0.00%	0	89.00	98.00	88.04%	0.00	0.00
100.00%	0	62.00	89.00	88.73%	0.00	0.00
100.00%	0	84.00	62.00	91.40%	-0.41	-1.25
0.00%	0	88.00	85.00	85.11%	0.00	0.00
0.00%	0	104.00	88.00	84.68%	-0.53	-1.32
0.00%	0	106.00	106.00	84.23%	0.00	0.00
100.00%	0	108.00	106.00	85.45%	0.00	0.00
0.00%	0.24	97.00	108.00	88.34%	1.10	-0.33
100.00%	0	137.00	137.00	92.10%	0.00	0.00

100.00%	0	1061.00	1128.00	100.00%	0.00	0.00
100.00%	0	522.00	577.00	100.00%	0.00	0.00
100.00%	0	639.00	802.00	100.00%	-0.87	-1.53
100.00%	0	677.00	849.00	100.00%	0.00	0.00
100.00%	0	606.00	769.00	100.00%	-0.36	-1.22
100.00%	0	988.00	683.00	100.00%	-0.31	-1.19
100.00%	0	949.00	1081.00	100.00%	0.00	0.00
100.00%	0	945.00	1115.00	100.00%	0.00	0.00
100.00%	0	748.00	1116.00	100.00%	0.00	0.00
100.00%	0	693.00	888.00	100.00%	-0.41	-1.25
100.00%	0	750.00	811.00	100.00%	0.00	0.00
100.00%	0	909.00	987.00	100.00%	-0.29	-1.18
100.00%	0	8.00	8.00	94.06%	0.00	0.00
0.00%	0	7.00	7.00	90.47%	0.00	0.00
100.00%	0	6.00	6.00	79.68%	0.00	0.00
0.00%	0	9.00	18.00	88.04%	0.00	0.00
0.00%	0	11.00	9.00	88.73%	0.00	0.00
0.00%	0	11.00	11.00	91.40%	0.00	0.00
0.00%	0	16.00	11.00	85.11%	0.00	0.00
0.00%	0	10.00	16.00	84.68%	0.00	0.00
0.00%	0	17.00	10.00	84.23%	0.00	0.00
0.00%	0	13.00	17.00	85.45%	0.00	0.00
0.00%	0	18.00	13.00	88.34%	0.00	0.00
100.00%	0	11.00	11.00	92.10%	0.00	0.00
100.00%	0	1061.00	1128.00	97.63%	-0.50	-1.31
100.00%	0	522.00	577.00	96.42%	0.00	0.00
100.00%	0	639.00	802.00	94.68%	-0.50	-1.31
100.00%	0	677.00	849.00	96.55%	0.00	0.00
100.00%	0	606.00	769.00	96.76%	0.00	0.00
100.00%	0	988.00	683.00	97.14%	0.00	0.00
100.00%	0	949.00	1081.00	95.09%	0.00	0.00
100.00%	0	945.00	1115.00	92.69%	0.00	0.00
100.00%	0	748.00	1116.00	96.39%	0.00	0.00
100.00%	0	693.00	888.00	97.31%	0.00	0.00
100.00%	0	750.00	811.00	97.87%	0.00	0.00
100.00%	0	909.00	987.00	98.48%	-0.29	-1.18
100.00%	0	3210.00	3288.00	100.00%	-0.81	-1.49
100.00%	0	2286.00	2371.00	100.00%	-0.74	-1.45
100.00%	0	3081.00	3254.00	100.00%	-0.95	-1.57
90.00%	0	3138.00	3236.00	100.00%	-0.78	-1.47
100.00%	0	3074.00	3250.00	100.00%	-0.93	-1.57
100.00%	0	3296.00	3177.00	100.00%	-0.80	-1.49
100.00%	0	3255.00	3393.00	100.00%	-0.96	-1.58
100.00%	0	3918.00	3423.00	100.00%	-1.22	-1.74
100.00%	0	3175.00	4227.00	100.00%	-0.84	-1.51
100.00%	0	3476.00	3294.00	100.00%	-0.70	-1.43
100.00%	0	3167.00	3572.00	100.00%	-0.69	-1.42
100.00%	0	2975.00	3021.00	100.00%	-0.61	-1.37
0.00%	0	8.00	8.00	85.71%	0.00	0.00
0.00%	0	7.00	7.00	92.50%	0.00	0.00
0.00%	0	6.00	6.00	82.53%	0.00	0.00
100.00%	0.3	9.00	18.00	85.71%	0.64	-0.61

0.00%	0	11.00	9.00	89.23%	0.00	0.00
0.00%	0	11.00	11.00	82.84%	0.00	0.00
100.00%	0	16.00	11.00	88.63%	0.00	0.00
60.00%	0	10.00	16.00	81.57%	0.00	0.00
50.00%	0	17.00	10.00	81.86%	0.00	0.00
100.00%	0	13.00	17.00	86.32%	0.00	0.00
0.00%	0	18.00	13.00	83.98%	0.00	0.00
100.00%	0	11.00	11.00	81.32%	0.00	0.00
0.00%	0	156.00	182.00	83.46%	0.00	0.00
0.00%	0	111.00	120.00	82.20%	0.00	0.00
0.00%	0	137.00	166.00	76.55%	0.00	0.00
0.00%	0	138.00	181.00	78.10%	-0.70	-1.43
0.00%	0	116.00	161.00	86.81%	0.00	0.00
100.00%	0	140.00	130.00	84.11%	0.00	0.00
0.00%	0	187.00	169.00	81.56%	-0.50	-1.31
100.00%	0.49	177.00	211.00	75.44%	1.08	-0.34
100.00%	0.5	167.00	217.00	76.03%	0.90	-0.45
100.00%	0	183.00	204.00	83.33%	-0.40	-1.24
0.00%	0	152.00	212.00	76.92%	1.41	-0.14
100.00%	0	148.00	182.00	83.46%	-0.67	-1.41
0.00%	0	111.00	133.00	0.00%	1.39	-0.16
0.00%	0	97.00	118.00	0.00%	1.35	-0.18
0.00%	0	111.00	145.00	0.00%	0.00	0.00
0.00%	0	107.00	130.00	0.00%	0.00	0.00
0.00%	0	125.00	137.00	100.00%	0.00	0.00
0.00%	0	127.00	144.00	0.00%	-0.43	-1.26
100.00%	0	115.00	151.00	0.00%	0.00	0.00
0.00%	0	129.00	141.00	100.00%	-0.57	-1.35
0.00%	0	111.00	171.00	0.00%	-0.56	-1.34
0.00%	0	150.00	146.00	100.00%	-0.45	-1.27
0.00%	0	100.00	180.00	0.00%	1.20	-0.27
0.00%	0	111.00	133.00	0.00%	-0.44	-1.27
0.00%	0	0.00	1.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	2.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	2.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	1.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	1.00	0.00%	0.00	0.00
100.00%	0	1.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	1.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
78.57%	0	0.00	0.00	83.46%	0.00	0.00
72.50%	0	0.00	0.00	82.20%	0.00	0.00
71.74%	0	0.00	0.00	76.55%	0.00	0.00
77.55%	0	0.00	0.00	78.10%	0.00	0.00
70.21%	0	0.00	0.00	86.81%	0.00	0.00
76.60%	0	0.00	0.00	84.11%	0.00	0.00
84.38%	0	0.00	0.00	81.56%	0.00	0.00
67.39%	0	0.00	0.00	75.44%	0.00	0.00

64.86%	0	0.00	0.00	76.03%	0.00	0.00
65.85%	0	0.00	0.00	83.33%	0.00	0.00
66.67%	0	0.00	0.00	76.92%	0.00	0.00
75.00%	0	0.00	0.00	83.46%	0.00	0.00
0.00%	0.41	111.00	133.00	0.00%	0.72	-0.56
100.00%	0.45	97.00	118.00	0.00%	1.29	-0.22
0.00%	0.45	111.00	145.00	0.00%	0.66	-0.60
100.00%	0.42	107.00	130.00	0.00%	0.08	-0.95
0.00%	0.46	125.00	137.00	0.00%	2.47	0.50
0.00%	0.42	127.00	144.00	0.00%	1.15	-0.30
100.00%	0.36	115.00	151.00	0.00%	-0.37	-1.23
0.00%	0.47	129.00	141.00	0.00%	1.08	-0.34
0.00%	0.48	111.00	171.00	0.00%	1.35	-0.18
0.00%	0.47	150.00	146.00	0.00%	2.40	0.46
100.00%	0.47	100.00	180.00	0.00%	1.14	-0.31
0.00%	0.43	111.00	133.00	0.00%	1.03	-0.37
0.00%	0	0.00	0.00	87.10%	0.00	0.00
0.00%	0	0.00	0.00	87.50%	0.00	0.00
0.00%	0	0.00	0.00	80.65%	0.00	0.00
0.00%	0	0.00	0.00	81.82%	0.00	0.00
0.00%	0	0.00	0.00	80.95%	0.00	0.00
0.00%	0	0.00	0.00	59.26%	0.00	0.00
0.00%	0	0.00	0.00	77.14%	0.00	0.00
100.00%	0	0.00	0.00	80.00%	0.00	0.00
0.00%	0	0.00	0.00	91.49%	0.00	0.00
0.00%	0	0.00	0.00	76.36%	0.00	0.00
100.00%	0	0.00	0.00	88.24%	0.00	0.00
0.00%	0	0.00	0.00	85.42%	0.00	0.00
0.00%	0	27.00	31.00	93.33%	0.00	0.00
0.00%	0	21.00	24.00	92.31%	0.00	0.00
0.00%	0	25.00	31.00	92.31%	0.00	0.00
0.00%	0	27.00	51.00	81.82%	0.00	0.00
0.00%	0	34.00	33.00	90.00%	0.00	0.00
0.00%	0	16.00	42.00	100.00%	0.00	0.00
0.00%	0	27.00	27.00	93.33%	0.00	0.00
0.00%	0	48.00	35.00	100.00%	-0.50	-1.30
100.00%	0	43.00	60.00	90.00%	0.00	0.00
0.00%	0	42.00	47.00	94.12%	0.00	0.00
0.00%	0	45.00	55.00	100.00%	-0.51	-1.31
0.00%	0	41.00	48.00	95.45%	0.00	0.00
80.00%	0	14.00	15.00	100.00%	0.00	0.00
100.00%	0	12.00	13.00	100.00%	0.00	0.00
100.00%	0	12.00	13.00	100.00%	0.00	0.00
75.00%	0	9.00	12.00	100.00%	0.00	0.00
66.67%	0	18.00	11.00	75.00%	0.00	0.00
100.00%	0	28.00	20.00	100.00%	0.00	0.00
100.00%	0	14.00	28.00	100.00%	0.00	0.00
100.00%	0	15.00	15.00	100.00%	0.00	0.00
100.00%	0	18.00	15.00	100.00%	-0.33	-1.20
100.00%	0	16.00	20.00	100.00%	0.00	0.00
100.00%	0	12.00	17.00	100.00%	0.00	0.00
80.00%	0	21.00	22.00	100.00%	0.00	0.00

75.00%	0.4	7.00	7.00	100.00%	0.80	-0.52
100.00%	0	8.00	8.00	100.00%	0.00	0.00
0.00%	0	3.00	3.00	100.00%	0.00	0.00
100.00%	0.43	2.00	3.00	100.00%	0.35	-0.79
66.67%	0.47	3.00	2.00	62.50%	0.05	-0.97
100.00%	0	4.00	4.00	80.00%	0.00	0.00
100.00%	0	3.00	4.00	100.00%	0.00	0.00
100.00%	0	7.00	3.00	100.00%	0.00	0.00
100.00%	0	2.00	7.00	100.00%	0.00	0.00
100.00%	0	7.00	2.00	100.00%	0.00	0.00
50.00%	0	3.00	7.00	100.00%	0.00	0.00
100.00%	0.4	2.00	2.00	66.67%	0.27	-0.84
0.00%	0.43	4.00	4.00	83.46%	0.61	-0.63
0.00%	0	1.00	1.00	82.20%	0.00	0.00
0.00%	0	2.00	2.00	76.55%	0.00	0.00
0.00%	0	3.00	2.00	78.10%	0.00	0.00
0.00%	0.47	5.00	3.00	86.81%	-0.13	-1.08
100.00%	0	4.00	8.00	84.11%	-0.60	-1.36
0.00%	0	3.00	5.00	81.56%	0.00	0.00
0.00%	0	2.00	3.00	75.44%	0.00	0.00
0.00%	0	5.00	2.00	76.03%	0.00	0.00
0.00%	0	6.00	5.00	83.33%	0.00	0.00
100.00%	0.5	2.00	6.00	76.92%	0.61	-0.63
0.00%	0	4.00	6.00	83.46%	-0.65	-1.40
100.00%	0	111.00	133.00	83.46%	0.00	0.00
0.00%	0	97.00	118.00	82.20%	0.00	0.00
0.00%	0	111.00	145.00	76.55%	0.00	0.00
100.00%	0	107.00	130.00	78.10%	0.00	0.00
0.00%	0	125.00	137.00	86.81%	0.00	0.00
0.00%	0	127.00	144.00	84.11%	-0.43	-1.26
50.00%	0	115.00	151.00	81.56%	0.00	0.00
100.00%	0	129.00	141.00	75.44%	0.00	0.00
0.00%	0	111.00	171.00	76.03%	0.00	0.00
100.00%	0	150.00	146.00	83.33%	0.00	0.00
0.00%	0	100.00	180.00	76.92%	-0.94	-1.57
0.00%	0	111.00	133.00	83.46%	0.00	0.00
67.71%	0	111.00	133.00	83.46%	-0.62	-1.38
68.83%	0	97.00	118.00	82.20%	1.35	-0.18
69.23%	0	111.00	145.00	76.55%	0.00	0.00
75.68%	0	107.00	130.00	78.10%	-0.53	-1.32
67.86%	0	125.00	137.00	86.81%	0.00	0.00
65.38%	0	127.00	144.00	84.11%	0.00	0.00
67.11%	0.5	115.00	151.00	81.56%	0.88	-0.46
56.12%	0	129.00	141.00	75.44%	-0.57	-1.35
68.42%	0	111.00	171.00	76.03%	0.00	0.00
66.67%	0	150.00	146.00	83.33%	-0.63	-1.38
57.63%	0	100.00	180.00	76.92%	0.00	0.00
61.54%	0	111.00	133.00	83.46%	0.00	0.00
0.00%	0.47	111.00	133.00	82.57%	2.75	0.67
0.00%	0.46	97.00	118.00	88.24%	2.13	0.29
0.00%	0.46	111.00	145.00	85.05%	1.23	-0.25
0.00%	0.43	107.00	130.00	88.78%	0.40	-0.76

0.00%	0.47	125.00	137.00	79.05%	3.34	1.03
0.00%	0.48	127.00	144.00	80.90%	3.14	0.91
0.00%	0.47	115.00	151.00	85.19%	2.35	0.43
0.00%	0.5	129.00	141.00	81.55%	3.24	0.97
100.00%	0.46	111.00	171.00	85.81%	1.29	-0.22
0.00%	0.47	150.00	146.00	86.71%	3.14	0.91
0.00%	0.49	100.00	180.00	83.33%	2.65	0.61
0.00%	0.49	111.00	133.00	86.11%	3.28	1.00
0.00%	0	90.00	109.00	87.79%	0.00	0.00
0.00%	0	60.00	68.00	86.73%	0.00	0.00
0.00%	0	91.00	107.00	76.12%	0.00	0.00
100.00%	0	87.00	120.00	78.91%	0.00	0.00
0.00%	0	83.00	98.00	84.17%	0.00	0.00
0.00%	0	72.00	105.00	80.00%	0.00	0.00
0.00%	0	92.00	89.00	84.18%	0.00	0.00
100.00%	0	84.00	108.00	75.00%	0.00	0.00
0.00%	0	127.00	103.00	76.47%	-0.41	-1.25
100.00%	0	124.00	148.00	79.07%	0.00	0.00
100.00%	0	100.00	143.00	81.68%	0.00	0.00
0.00%	0	93.00	108.00	77.61%	0.00	0.00
80.00%	0	115.00	131.00	87.79%	0.00	0.00
73.33%	0	98.00	113.00	86.73%	0.00	0.00
66.67%	0	102.00	134.00	76.12%	0.00	0.00
100.00%	0	101.00	131.00	78.91%	-0.52	-1.31
85.71%	0	117.00	128.00	84.17%	0.00	0.00
78.57%	0	116.00	139.00	80.00%	0.00	0.00
50.00%	0	149.00	145.00	84.18%	0.00	0.00
66.67%	0	132.00	177.00	75.00%	-0.58	-1.35
63.64%	0	117.00	176.00	76.47%	0.00	0.00
77.78%	0	136.00	153.00	79.07%	-0.51	-1.31
66.67%	0	107.00	172.00	81.68%	-0.47	-1.29
100.00%	0	104.00	134.00	77.61%	0.00	0.00
100.00%	0.4	115.00	131.00	100.00%	0.93	-0.44
0.00%	0.44	98.00	113.00	100.00%	1.28	-0.22
100.00%	0.47	102.00	134.00	100.00%	0.79	-0.52
50.00%	0	101.00	131.00	60.00%	-0.73	-1.44
100.00%	0.35	117.00	128.00	0.00%	-0.11	-1.07
0.00%	0.41	116.00	139.00	100.00%	0.15	-0.91
100.00%	0.5	149.00	145.00	60.00%	2.61	0.59
100.00%	0.47	132.00	177.00	0.00%	0.70	-0.57
100.00%	0.48	117.00	176.00	100.00%	0.92	-0.44
100.00%	0.42	136.00	153.00	100.00%	0.15	-0.91
100.00%	0.47	107.00	172.00	66.67%	0.58	-0.65
100.00%	0	104.00	134.00	100.00%	-1.56	-1.95
0.00%	0	2.00	2.00	100.00%	0.00	0.00
100.00%	0	1.00	1.00	100.00%	0.67	-0.59
0.00%	0	3.00	3.00	100.00%	0.00	0.00
0.00%	0.5	3.00	3.00	100.00%	0.14	-0.92
100.00%	0	0.00	5.00	50.00%	0.00	0.00
0.00%	0	2.00	0.00	100.00%	1.04	-0.37
0.00%	0	3.00	2.00	100.00%	-0.75	-1.45
0.00%	0	0.00	5.00	100.00%	0.00	0.00

100.00%	0	1.00	0.00	0.00%	0.00	0.00
0.00%	0	2.00	1.00	100.00%	0.00	0.00
0.00%	0	2.00	2.00	100.00%	-0.87	-1.53
0.00%	0	3.00	3.00	100.00%	0.00	0.00
0.00%	0	1.00	1.00	87.79%	0.00	0.00
0.00%	0	3.00	3.00	86.73%	0.00	0.00
0.00%	0	3.00	3.00	76.12%	0.00	0.00
100.00%	0	1.00	2.00	78.91%	0.00	0.00
0.00%	0	1.00	1.00	84.17%	-0.82	-1.50
100.00%	0	1.00	2.00	80.00%	0.00	0.00
0.00%	0	1.00	1.00	84.18%	0.00	0.00
0.00%	0	10.00	1.00	75.00%	0.00	0.00
0.00%	0	0.00	10.00	76.47%	0.00	0.00
0.00%	0	4.00	1.00	79.07%	0.00	0.00
0.00%	0	2.00	4.00	81.68%	0.00	0.00
0.00%	0	4.00	4.00	77.61%	0.00	0.00
90.91%	0	115.00	131.00	87.79%	0.00	0.00
33.33%	0	98.00	113.00	86.73%	0.00	0.00
80.00%	0	102.00	134.00	76.12%	0.00	0.00
57.14%	0	101.00	131.00	78.91%	-0.52	-1.31
50.00%	0	117.00	128.00	84.17%	0.00	0.00
50.00%	0	116.00	139.00	80.00%	-0.50	-1.30
60.00%	0	149.00	145.00	84.18%	0.00	0.00
58.33%	0	132.00	177.00	75.00%	0.00	0.00
85.71%	0	117.00	176.00	76.47%	0.00	0.00
46.67%	0	136.00	153.00	79.07%	0.00	0.00
44.44%	0	107.00	172.00	81.68%	0.00	0.00
80.00%	0	104.00	134.00	77.61%	0.00	0.00
61.74%	0.29	115.00	131.00	51.46%	-0.30	-1.18
57.71%	0.47	98.00	113.00	52.57%	4.59	1.79
53.54%	0.4	102.00	134.00	64.65%	-0.20	-1.12
61.32%	0.49	101.00	131.00	67.15%	1.71	0.04
48.26%	0.5	117.00	128.00	57.08%	2.57	0.57
43.68%	0.5	116.00	139.00	56.18%	2.18	0.33
52.85%	0.49	149.00	145.00	62.15%	1.77	0.07
48.13%	0.49	132.00	177.00	77.85%	1.66	0.01
48.26%	0.35	117.00	176.00	64.86%	-0.78	-1.47
44.58%	0.5	136.00	153.00	60.56%	2.60	0.58
60.28%	0.5	107.00	172.00	59.79%	2.36	0.43
20.76%	0.4	104.00	134.00	51.11%	-0.21	-1.13
13:39	856.3	0.00	1183.00	9:29	0.70	-0.57
0:00	817.69	0.00	923.00	13:29	0.47	-0.71
0:00	562.67	0.00	1301.00	13:24	-0.42	-1.25
0:00	618.86	0.00	1195.00	15:23	-0.28	-1.17
0:00	780.62	0.00	1201.00	11:15	-0.48	-1.29
0:00	497.87	0.00	1084.00	11:24	-0.73	-1.44
5:45	689.96	0.00	1238.00	10:16	-0.33	-1.20
5:13	664.96	0.00	1224.00	13:26	-1.20	-1.73
0:00	576.31	0.00	1343.00	12:19	-0.76	-1.46
2:53	739.36	0.00	1132.00	9:22	-1.11	-1.67
21:07	573.32	0.00	1311.00	8:20	0.18	-0.89
19:37	444.79	0.00	1115.00	11:21	-1.41	-1.86

7:39	941.87	21.75	55.00	10:53	0.73	-0.56
4:02	0	37.09	66.00	12:47	0.00	0.00
9:00	0	46.37	83.00	14:56	0.00	0.00
7:21	0	60.25	64.00	12:53	0.00	0.00
0:00	0	31.41	94.00	13:54	0.00	0.00
0:00	0	29.92	67.00	14:07	0.00	0.00
3:06	0	32.11	63.00	13:35	-0.45	-1.27
0:00	0	40.87	75.00	16:04	-0.57	-1.35
0:00	0	31.30	73.00	13:32	0.00	0.00
0:00	0	31.23	61.00	12:13	-0.46	-1.28
0:00	0	22.24	80.00	13:25	1.47	-0.11
0:00	0	39.73	84.00	10:20	0.57	-0.65
0:00	449.16	50.80	112.00	5:33	-0.72	-1.44
0:00	179.36	53.25	100.00	3:39	-1.22	-1.74
0:00	1223.29	73.38	118.00	10:58	1.50	-0.09
0:00	706.47	48.87	130.00	15:24	-0.94	-1.57
0:00	0	75.91	91.00	13:54	0.00	0.00
5:23	0	71.14	131.00	7:00	0.00	0.00
0:00	2.83	61.71	121.00	12:12	-1.22	-1.74
0:00	0	74.31	109.00	13:07	0.00	0.00
0:00	0	77.82	111.00	8:19	0.00	0.00
2:08	0	67.18	138.00	9:20	0.00	0.00
0:00	0	72.66	132.00	7:06	0.00	0.00
2:43	0	46.10	107.00	6:22	1.33	-0.19
11:07	0	4.16	18.00	15:40	0.00	0.00
16:15	0	1.68	11.00	16:33	0.00	0.00
16:54	0	12.79	28.00	20:39	0.00	0.00
19:52	0	14.76	26.00	19:55	0.00	0.00
19:00	0	16.80	23.00	18:23	0.00	0.00
15:49	160.51	5.84	29.00	17:45	-0.25	-1.15
16:18	0	6.61	20.00	20:03	0.00	0.00
18:40	0	13.66	13.00	1:13	0.00	0.00
16:43	0	7.27	25.00	18:40	0.00	0.00
14:52	0	12.45	21.00	18:31	-0.82	-1.50
15:08	0	7.69	32.00	20:42	0.00	0.00
11:59	0	6.10	23.00	16:15	2.17	0.32
12:33	541.11	0.00	10100.00	15:19	-2.65	-2.61
12:09	596.64	0.00	7865.00	16:08	-0.10	-1.06
10:54	709.95	0.00	11284.00	20:07	-1.57	-1.95
13:33	974.23	0.00	11940.00	19:33	-0.02	-1.01
13:03	512.6	0.00	10937.00	17:55	0.43	-0.74
12:41	562.84	0.00	9800.00	17:18	-0.90	-1.55
13:21	598.33	0.00	10655.00	19:32	-1.28	-1.78
15:31	677.37	0.00	10982.00	0:38	-2.00	-2.21
12:13	791.72	0.00	13541.00	18:21	-0.72	-1.44
11:10	511.68	0.00	10503.00	18:07	-1.42	-1.86
12:46	743.26	0.00	11515.00	20:07	-1.78	-2.08
9:50	551.05	0.00	10104.00	15:52	-2.09	-2.27
0:00	481.29	0.00	11283.00	10:53	-1.04	-1.63
0:00	657.33	0.00	8788.00	12:47	-1.15	-1.70
5:51	499.01	0.00	12585.00	14:56	-3.58	-3.18
16:29	670.53	0.00	13135.00	12:53	-7.37	-5.48

10:56	659.01	0.00	12138.00	13:54	-6.70	-5.08
3:07	658.47	0.00	10884.00	14:07	-6.44	-4.92
19:03	651.58	0.00	11893.00	13:35	-7.66	-5.66
4:26	866.63	0.00	12206.00	16:04	-9.63	-6.86
17:23	668.75	0.00	14884.00	13:32	-9.85	-6.99
15:47	532.78	0.00	11635.00	12:13	-11.78	-8.16
7:04	888.74	0.00	12826.00	13:25	-9.70	-6.90
11:27	513.61	0.00	11219.00	10:20	-10.78	-7.56
0:00	0	50.80	112.00	9:29	0.00	0.00
0:00	0	53.25	100.00	13:29	0.00	0.00
3:13	0	73.38	118.00	13:24	-0.70	-1.43
4:17	875.52	48.87	130.00	15:23	0.78	-0.52
7:16	399.45	75.91	91.00	11:15	-0.47	-1.29
9:09	32.15	71.14	131.00	11:24	-1.13	-1.69
12:14	0	61.71	121.00	10:16	0.27	-0.83
18:43	32.45	74.31	109.00	13:26	-1.17	-1.71
6:31	580.76	77.82	111.00	12:19	0.97	-0.41
7:50	418.74	67.18	138.00	9:22	0.90	-0.45
11:12	645.33	72.66	132.00	8:20	-0.97	-1.59
11:14	800.44	46.10	107.00	11:21	0.09	-0.95
21:01	0	21.75	55.00	10:26	0.00	0.00
3:19	0	37.09	66.00	13:18	0.00	0.00
7:36	65.55	46.37	83.00	13:49	-1.82	-2.11
1:12	153.52	60.25	64.00	11:45	-2.71	-2.65
4:43	505.32	31.41	94.00	10:18	-1.16	-1.71
0:00	537.12	29.92	67.00	14:00	-0.45	-1.27
2:39	562.22	32.11	63.00	13:36	0.74	-0.55
2:59	1136.34	40.87	75.00	13:25	1.12	-0.32
10:47	473.88	31.30	73.00	12:38	-1.71	-2.04
16:40	411.13	31.23	61.00	11:27	-0.43	-1.26
11:27	627.53	22.24	80.00	11:44	1.07	-0.35
3:56	749.59	39.73	84.00	10:49	-0.02	-1.01
1:12	0	105.72	243.00	8:39	1.06	-0.35
0:00	0	107.56	194.00	9:08	-0.76	-1.46
0:00	570.31	157.10	273.00	10:18	-0.92	-1.56
0:00	0	110.15	256.00	4:50	-0.86	-1.52
0:00	165.23	116.71	225.00	8:15	-0.74	-1.45
0:00	0	156.83	272.00	15:48	0.00	0.00
0:00	58.69	163.26	269.00	5:56	-0.93	-1.56
0:00	0	195.55	288.00	13:39	-0.69	-1.42
0:00	850.53	131.55	350.00	9:14	-0.26	-1.16
0:00	0	147.33	250.00	9:58	0.51	-0.69
0:00	740.33	125.24	309.00	5:38	-0.04	-1.02
0:00	67.18	111.84	248.00	6:18	-0.79	-1.48
0:00	0	8.28	23.00	7:07	-0.93	-1.57
2:22	0	4.57	12.00	7:24	0.00	0.00
0:00	0	7.72	18.00	5:48	0.00	0.00
6:23	0	2.62	13.00	1:07	0.00	0.00
0:00	0	3.78	13.00	9:48	0.00	0.00
0:00	0	9.88	11.00	10:04	0.00	0.00
0:00	0	3.21	15.00	18:26	0.00	0.00
0:00	0	10.81	13.00	6:32	0.00	0.00

0:00	0	4.62	19.00	8:50	0.00	0.00
0:00	0	7.47	12.00	6:22	0.00	0.00
0:00	0	3.05	18.00	7:25	0.00	0.00
0:00	0	2.89	11.00	1:59	0.00	0.00
11:19	0	2.37	8.00	14:36	0.00	0.00
13:28	0	1.54	5.00	17:35	-0.82	-1.50
10:19	0	2.18	9.00	19:59	0.00	0.00
17:17	0	0.14	4.00	17:17	3.72	1.26
10:53	0	2.04	3.00	17:44	0.00	0.00
13:47	0	2.52	5.00	16:27	0.00	0.00
22:24	0	6.91	6.00	19:07	0.00	0.00
18:50	0	3.26	9.00	22:41	0.00	0.00
3:31	0	2.58	12.00	18:29	0.00	0.00
21:18	0	1.59	7.00	17:31	0.00	0.00
12:28	0	1.24	6.00	15:54	0.00	0.00
11:08	0	0.33	4.00	14:01	0.00	0.00
3:59	677.63	0.00	2623.00	14:15	-0.63	-1.38
7:38	602.69	0.00	1863.00	17:11	-0.90	-1.54
15:22	538.53	0.00	2628.00	19:24	-1.91	-2.16
10:31	824.87	0.00	2598.00	16:51	0.00	-1.00
9:36	548.72	0.00	2597.00	16:59	-1.19	-1.73
9:24	659.6	0.00	2418.00	16:14	-0.48	-1.29
11:38	2900.42	0.00	2663.00	18:34	2.33	0.41
12:55	1156.89	0.00	2569.00	21:48	-0.38	-1.23
10:17	787.77	0.00	3295.00	17:58	1.30	-0.21
10:26	1075.75	0.00	2554.00	16:55	0.71	-0.57
9:48	648.77	0.00	2772.00	15:32	-0.81	-1.49
9:07	666.3	0.00	2337.00	13:43	-0.48	-1.29
0:00	155.11	0.00	2866.00	4:40	-1.67	-2.02
0:00	503.31	0.00	2057.00	12:03	-1.79	-2.09
3:00	1203.35	0.00	2901.00	1:54	-0.94	-1.57
0:00	682.24	0.00	2854.00	5:17	-4.27	-3.59
0:00	594.61	0.00	2822.00	5:31	-5.00	-4.04
0:00	503.9	0.00	2690.00	2:28	-3.86	-3.35
0:00	830.32	0.00	2932.00	20:58	-4.25	-3.59
0:00	801.51	0.00	2857.00	7:48	-4.56	-3.77
0:00	636.24	0.00	3645.00	12:34	-6.32	-4.84
0:00	781.79	0.00	2804.00	4:01	-5.31	-4.23
0:00	584.08	0.00	3081.00	23:50	-5.08	-4.09
0:00	484.99	0.00	2585.00	6:03	-3.71	-3.25
0:55	0	1.36	7.00	2:34	0.00	0.00
1:18	0	3.51	7.00	2:40	0.00	0.00
1:29	0	3.24	3.00	2:20	-0.60	-1.36
2:06	0	1.10	6.00	2:49	0.00	0.00
4:28	0	2.53	5.00	3:40	0.00	0.00
1:00	0	3.31	11.00	3:14	0.00	0.00
6:12	0	7.86	3.00	3:39	0.00	0.00
1:43	0	1.95	9.00	4:01	0.00	0.00
1:41	0	5.76	6.00	4:05	0.00	0.00
0:41	0	1.00	11.00	2:57	0.00	0.00
1:26	0	5.96	6.00	3:25	0.00	0.00
1:30	0	1.76	7.00	3:26	0.00	0.00

0:00	123.16	48.88	458.00	2:13	-0.88	-1.53
0:00	90.51	42.20	381.00	2:27	-0.49	-1.30
0:00	64.38	44.64	458.00	2:43	-0.42	-1.25
0:00	128.31	55.47	542.00	2:39	-0.30	-1.18
0:00	454.86	71.12	473.00	2:49	0.36	-0.78
0:00	31.82	71.54	466.00	2:06	-0.33	-1.20
1:07	0	90.35	532.00	3:22	1.08	-0.35
0:42	159.29	105.07	593.00	4:28	-0.74	-1.45
0:00	91.85	90.40	627.00	3:12	-0.79	-1.48
0:00	51.99	73.83	531.00	4:32	-0.97	-1.59
0:00	112.06	76.99	599.00	2:27	-0.80	-1.48
1:35	98.28	74.02	518.00	2:22	-0.78	-1.47
0:00	0	3.31	36.00	2:16	0.00	0.00
0:00	0	5.31	52.00	2:56	0.00	0.00
2:02	0	6.00	53.00	3:26	0.00	0.00
0:00	0	4.97	50.00	3:42	0.00	0.00
0:04	0	2.94	45.00	2:54	0.00	0.00
0:26	0	3.50	25.00	3:52	0.00	0.00
0:36	0	5.05	40.00	4:18	-0.49	-1.29
0:00	0	10.61	36.00	4:06	-0.42	-1.25
0:00	0	7.07	57.00	2:21	0.00	0.00
0:00	0	9.25	53.00	2:36	0.00	0.00
0:00	0	5.12	49.00	2:35	0.00	0.00
0:01	71.44	3.56	36.00	4:05	-0.37	-1.22
2:18	0	3.87	41.00	3:52	0.00	0.00
1:17	0	4.03	33.00	3:35	0.00	0.00
0:45	0	7.30	51.00	3:35	-0.24	-1.15
6:31	0	5.86	55.00	4:23	0.00	0.00
0:00	0	7.14	38.00	4:40	-0.57	-1.35
6:21	40.15	8.55	59.00	5:06	-1.01	-1.61
2:32	0	11.13	53.00	6:04	-0.59	-1.36
4:30	0	10.44	62.00	6:20	0.00	0.00
11:39	0	4.88	61.00	5:06	0.00	0.00
2:48	0	6.60	50.00	4:45	0.00	0.00
6:23	0	5.91	61.00	5:03	0.00	0.00
10:16	0	10.21	60.00	5:05	-0.27	-1.16
5:41	96.17	0.00	2919.00	6:55	-0.36	-1.22
10:22	35.36	354.98	2378.00	12:43	-0.53	-1.32
2:27	26.16	394.38	2636.00	21:14	-0.62	-1.38
0:59	521.14	0.00	3410.00	12:38	0.60	-0.63
1:57	0	0.00	2945.00	18:03	0.00	0.00
4:44	480.07	0.00	3144.00	13:52	0.57	-0.65
0:00	130.07	0.00	3614.00	12:50	-1.22	-1.74
4:52	421.42	0.00	4196.00	21:32	-0.64	-1.39
2:45	1351.83	0.00	4133.00	6:51	2.26	0.37
9:13	233.01	0.00	3624.00	14:13	-0.92	-1.56
1:03	358.13	0.00	3908.00	10:07	0.54	-0.67
0:00	539.29	0.00	3228.00	7:21	1.84	0.12
0:18	0	0.00	2775.00	0:51	-0.04	-1.03
0:00	0.71	0.00	1184.00	1:10	-0.08	-1.05
0:29	140.71	0.00	1573.00	3:41	-0.56	-1.34
0:00	47.06	0.00	1783.00	1:22	-0.39	-1.23

0:00	143.27	0.00	1517.00	1:37	-0.46	-1.28
0:59	283.52	0.00	1536.00	1:23	-0.47	-1.28
0:00	0	0.00	2273.00	1:17	0.00	0.00
0:00	465.46	0.00	2222.00	1:12	-0.44	-1.26
0:00	127.05	0.00	2517.00	1:05	-0.74	-1.45
0:00	317.49	0.00	2120.00	1:27	-0.15	-1.09
1:47	45.25	0.00	1739.00	1:36	-0.46	-1.28
0:22	0	0.00	2005.00	1:06	0.00	0.00
1:16	0	0.95	27.00	4:07	-0.70	-1.43
5:40	0	1.90	39.00	3:46	0.00	0.00
2:30	0	4.61	30.00	3:51	-0.24	-1.14
9:25	0	1.71	43.00	4:41	0.00	0.00
7:38	0	2.96	30.00	4:50	0.00	0.00
8:10	0	1.73	44.00	5:25	-0.22	-1.14
9:37	0	2.13	30.00	6:28	0.00	0.00
5:34	0	2.86	40.00	6:45	0.00	0.00
0:38	0	2.17	57.00	5:16	0.00	0.00
0:58	0	3.55	48.00	5:04	0.00	0.00
2:41	109.18	2.86	59.00	5:22	0.79	-0.52
7:19	0	2.07	45.00	5:24	-0.52	-1.32
0:00	112.1	0.00	2461.00	0:00	-1.49	-1.91
0:00	438.84	312.78	1997.00	0:00	0.73	-0.55
0:00	180.26	349.74	2178.00	0:00	-0.45	-1.27
0:00	591.56	0.00	2868.00	0:00	1.33	-0.19
0:00	588.91	0.00	2472.00	0:00	1.11	-0.32
0:00	900.26	0.00	2678.00	0:00	0.95	-0.42
0:00	584.19	0.00	3082.00	0:00	1.10	-0.33
0:00	417.16	0.00	3603.00	0:00	-0.32	-1.20
0:00	65.3	0.00	3506.00	0:00	-1.33	-1.81
0:00	99.66	0.00	3093.00	0:00	-1.61	-1.98
0:24	440.57	0.00	3309.00	0:00	-0.98	-1.59
0:00	585.77	0.00	2710.00	0:00	0.85	-0.49
1:20	0	0.00	0.00	3:52	0.00	0.00
1:25	0	0.00	0.00	3:35	0.00	0.00
1:54	0	0.00	0.00	3:35	0.00	0.00
3:51	0	0.00	0.00	4:23	0.00	0.00
3:49	0	0.00	0.00	4:40	0.00	0.00
3:07	0	0.00	0.00	5:06	0.00	0.00
3:59	0	0.00	0.00	6:04	0.00	0.00
6:29	0	0.00	0.00	6:20	0.00	0.00
3:07	0	0.00	0.00	5:06	0.00	0.00
2:56	0	0.00	0.00	4:45	0.00	0.00
2:33	0	0.00	0.00	5:03	0.00	0.00
2:51	0	0.00	0.00	5:05	0.00	0.00
0:00	119.57	0.00	2919.00	2:16	-0.82	-1.50
0:00	87.19	354.98	2378.00	2:56	-0.93	-1.56
0:00	177.69	394.38	2636.00	3:26	-1.10	-1.67
1:30	370.1	0.00	3410.00	3:42	-0.82	-1.50
0:05	369.84	0.00	2945.00	2:54	-1.15	-1.70
2:43	312.84	0.00	3144.00	3:52	-2.56	-2.55
1:12	388.23	0.00	3614.00	4:18	-2.98	-2.81
1:25	812.46	0.00	4196.00	4:06	0.19	-0.88

2:11	316.42	0.00	4133.00	2:21	-3.80	-3.31
0:44	305.69	0.00	3624.00	2:36	-3.70	-3.25
3:39	275.69	0.00	3908.00	2:35	-5.07	-4.08
0:32	332.66	0.00	3228.00	4:05	-3.55	-3.16
0:00	0	3.87	41.00	2:13	0.00	0.00
0:00	0	4.03	33.00	2:27	0.00	0.00
1:31	0	7.30	51.00	2:43	0.00	0.00
6:52	111.88	5.86	55.00	2:39	-0.61	-1.37
3:57	4.95	7.14	38.00	2:49	-0.80	-1.48
2:44	113.8	8.55	59.00	2:06	-0.34	-1.21
1:42	74.51	11.13	53.00	3:22	-0.84	-1.51
1:55	85.36	10.44	62.00	4:28	-0.73	-1.44
1:54	0	4.88	61.00	3:12	-0.03	-1.02
1:31	35.22	6.60	50.00	4:32	-0.74	-1.45
2:59	404	5.91	61.00	2:27	0.62	-0.63
1:21	0	10.21	60.00	2:22	-0.23	-1.14
0:00	0	3.31	36.00	0:00	0.00	0.00
0:00	0	5.31	52.00	0:00	0.00	0.00
0:00	54.79	6.00	53.00	0:00	-0.77	-1.47
0:00	458.6	4.97	50.00	0:00	1.75	0.06
0:00	376.2	2.94	45.00	0:00	0.65	-0.60
0:00	33.81	3.50	25.00	0:00	0.58	-0.65
0:00	99.19	5.05	40.00	0:00	-0.82	-1.50
0:00	101.03	10.61	36.00	0:00	-0.71	-1.43
0:00	126.63	7.07	57.00	0:00	-0.34	-1.21
3:14	76.67	9.25	53.00	0:00	-1.16	-1.71
0:00	286.85	5.12	49.00	0:00	0.40	-0.76
0:00	45.83	3.56	36.00	0:00	-0.69	-1.42
0:00	0	0.00	0.00	2:06	0.00	0.00
0:00	0	0.00	0.00	1:46	0.00	0.00
0:00	0	0.00	0.00	2:28	0.00	0.00
1:10	0	0.00	0.00	2:20	0.00	0.00
0:00	0	0.00	0.00	2:04	0.00	0.00
0:00	0	0.00	0.00	2:31	0.00	0.00
2:43	0	0.00	0.00	2:19	0.00	0.00
6:05	0	0.00	0.00	4:20	0.00	0.00
20:49	0	0.00	0.00	2:55	0.00	0.00
0:29	0	0.00	0.00	2:08	0.00	0.00
4:45	0	0.00	0.00	2:09	0.00	0.00
1:26	0	0.00	0.00	2:39	0.00	0.00
6:27	0	15.89	182.00	2:14	0.00	0.00
6:07	0	8.80	120.00	2:43	0.00	0.00
0:00	0	17.05	166.00	2:59	0.00	0.00
0:00	4.04	15.69	181.00	2:40	-0.46	-1.28
0:00	0	11.19	161.00	2:28	0.00	0.00
0:28	0	17.69	130.00	2:16	0.00	0.00
0:00	89.1	20.44	169.00	2:46	0.69	-0.58
0:58	437.64	39.21	211.00	3:59	1.14	-0.31
3:02	1605.84	24.81	217.00	2:58	2.75	0.67
0:10	0	18.91	204.00	2:43	-0.58	-1.35
20:31	0	16.27	212.00	3:01	1.09	-0.33
0:24	33.94	20.09	182.00	2:31	-0.50	-1.30

0:00	0	12.38	133.00	9:56	1.25	-0.24
0:00	0	13.34	118.00	0:00	1.22	-0.26
0:00	0	17.99	145.00	0:00	0.00	0.00
0:00	0	15.18	130.00	0:00	0.00	0.00
0:00	0	14.75	137.00	1:04	0.00	0.00
0:00	0	14.31	144.00	0:00	-0.55	-1.33
1:16	0	16.29	151.00	0:00	0.00	0.00
0:00	0	28.41	141.00	0:29	-0.40	-1.24
0:00	0	18.03	171.00	0:00	0.43	-0.74
0:00	0	20.37	146.00	1:15	-0.63	-1.38
0:00	0	16.34	180.00	0:00	2.07	0.26
0:00	0	13.91	133.00	0:00	-0.78	-1.48
0:00	0	0.41	1.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.09	0.00	0:00	0.00	0.00
1:28	0	0.00	2.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.02	0.00	0:00	0.00	0.00
1:54	0	0.00	1.00	0:00	0.00	0.00
1:09	0	0.05	0.00	0:00	0.00	0.00
0:00	0	0.00	1.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
3:11	0	0.00	0.00	2:14	0.00	0.00
3:22	0	0.00	0.00	2:43	0.00	0.00
3:19	0	0.00	0.00	2:59	0.00	0.00
4:46	0	0.00	0.00	2:40	0.00	0.00
2:51	0	0.00	0.00	2:28	0.00	0.00
3:00	81.32	0.00	0.00	2:16	0.00	0.00
2:46	0	0.00	0.00	2:46	0.00	0.00
3:26	0	0.00	0.00	3:59	0.00	0.00
5:06	0	0.00	0.00	2:58	0.00	0.00
4:31	0	0.00	0.00	2:43	0.00	0.00
5:12	0	0.00	0.00	3:01	0.00	0.00
3:19	0	0.00	0.00	2:31	0.00	0.00
0:00	207	12.38	133.00	0:00	1.80	0.09
1:21	200.42	13.34	118.00	0:00	1.07	-0.35
0:00	202.57	17.99	145.00	0:00	0.55	-0.66
1:53	769.48	15.18	130.00	0:00	1.53	-0.07
0:00	156.4	14.75	137.00	0:00	0.51	-0.69
0:00	153.34	14.31	144.00	0:00	1.17	-0.29
1:48	132.41	16.29	151.00	0:00	-0.02	-1.01
0:00	249.94	28.41	141.00	0:00	-0.45	-1.27
0:00	316.09	18.03	171.00	0:00	3.72	1.26
0:00	293.78	20.37	146.00	0:00	2.23	0.35
1:11	445.44	16.34	180.00	0:00	2.10	0.27
0:00	214.38	13.91	133.00	0:00	1.33	-0.19
0:00	0	0.00	0.00	2:28	0.00	0.00
0:00	0	0.00	0.00	2:30	0.00	0.00
0:00	0	0.00	0.00	2:51	0.00	0.00
0:00	0	0.00	0.00	2:41	0.00	0.00

0:00	0	0.00	0.00	2:42	0.00	0.00
0:00	0	0.00	0.00	3:18	0.00	0.00
0:00	0	0.00	0.00	2:45	0.00	0.00
0:36	0	0.00	0.00	2:31	0.00	0.00
0:00	0	0.00	0.00	2:03	0.00	0.00
0:00	0	0.00	0.00	3:12	0.00	0.00
1:55	0	0.00	0.00	2:00	0.00	0.00
0:00	0	0.00	0.00	2:13	0.00	0.00
0:00	0	3.18	31.00	1:53	0.00	0.00
0:00	0	2.49	24.00	1:21	0.00	0.00
0:00	0	3.68	31.00	1:18	0.00	0.00
0:00	0	3.69	51.00	3:53	0.00	0.00
0:00	0	4.73	33.00	2:18	0.00	0.00
0:00	0	3.71	42.00	0:57	0.00	0.00
0:00	0	4.01	27.00	2:42	0.00	0.00
0:00	0	6.30	35.00	0:57	-0.61	-1.37
1:42	0	4.02	60.00	1:36	0.00	0.00
0:00	0	7.35	47.00	1:52	0.00	0.00
0:00	149.2	4.26	55.00	1:11	-0.06	-1.04
0:00	0	4.44	48.00	1:07	0.00	0.00
1:55	0	1.17	15.00	0:54	0.00	0.00
0:51	0	0.73	13.00	0:30	0.00	0.00
1:15	0	0.70	13.00	0:59	0.00	0.00
2:47	0	1.78	12.00	1:05	0.00	0.00
3:13	0	1.91	11.00	3:40	0.00	0.00
1:14	0	1.10	20.00	0:33	0.00	0.00
1:02	0	1.69	28.00	0:44	0.00	0.00
1:01	0	0.60	15.00	0:59	0.00	0.00
0:53	0	1.33	15.00	0:39	0.43	-0.74
0:38	0	1.32	20.00	0:39	0.00	0.00
1:03	0	0.60	17.00	0:27	0.00	0.00
8:09	0	1.02	22.00	0:36	0.00	0.00
4:42	97.74	0.26	7.00	14:48	1.62	-0.02
1:12	53.73	0.17	8.00	7:54	0.72	-0.56
9:23	68.29	0.12	3.00	18:54	0.11	-0.93
0:32	112.74	0.09	3.00	20:57	0.59	-0.64
4:51	173.63	0.61	2.00	22:48	-0.10	-1.06
5:37	53.89	0.09	4.00	22:13	0.99	-0.40
0:00	42.85	0.09	4.00	5:37	0.33	-0.80
1:20	44.95	0.29	3.00	1:42	0.21	-0.87
0:42	48.96	0.05	7.00	13:15	0.15	-0.91
6:17	24.85	0.19	2.00	20:48	-0.13	-1.08
6:21	53.3	0.06	7.00	16:07	1.37	-0.17
10:06	1023.95	0.05	2.00	14:33	1.82	0.11
2:44	564.03	0.00	2771.00	0:58	-0.67	-1.40
2:26	117.54	0.00	1438.00	1:30	-0.68	-1.42
0:00	1019.58	0.00	1616.00	1:42	-0.75	-1.46
1:52	28.65	0.00	2152.00	1:28	-0.68	-1.41
3:46	4494.09	0.00	1882.00	2:29	0.89	-0.46
1:40	750.31	0.00	1572.00	2:05	-0.54	-1.33
1:38	0	0.00	2409.00	0:58	0.00	0.00
1:16	0	0.00	2383.00	1:58	-0.35	-1.21

1:50	65.82	0.00	2552.00	1:38	-0.69	-1.42
0:27	547.29	0.00	2406.00	0:51	-0.56	-1.34
2:59	2869.39	0.00	2044.00	1:53	1.30	-0.21
2:35	723.71	0.00	2312.00	2:53	-0.50	-1.30
0:00	77.42	0.16	4.00	2:14	3.72	1.26
0:00	0	0.06	1.00	2:43	0.00	0.00
0:00	0	0.14	2.00	2:59	0.00	0.00
0:00	0	0.18	2.00	2:40	-0.01	-1.01
0:00	288.75	0.83	3.00	2:28	1.10	-0.33
1:19	53.74	0.43	8.00	2:16	-0.16	-1.10
0:00	0	0.12	5.00	2:46	0.37	-0.77
0:00	0	0.16	3.00	3:59	-12.12	-8.37
0:00	86.75	0.34	2.00	2:58	0.10	-0.94
0:00	0	0.21	5.00	2:43	-0.84	-1.51
0:33	126.57	0.16	6.00	3:01	1.02	-0.38
0:00	0	0.72	6.00	2:31	-0.09	-1.05
2:42	0	12.38	133.00	2:29	0.00	0.00
4:38	0	13.34	118.00	1:45	0.00	0.00
4:14	0	17.99	145.00	2:45	0.00	0.00
3:53	0	15.18	130.00	2:47	0.00	0.00
3:12	0	14.75	137.00	2:58	0.00	0.00
2:44	0	14.31	144.00	3:10	-0.29	-1.18
2:57	0	16.29	151.00	2:47	0.00	0.00
2:04	0	28.41	141.00	4:44	0.00	0.00
2:56	0	18.03	171.00	2:06	0.00	0.00
4:30	0	20.37	146.00	2:59	0.00	0.00
7:54	16.17	16.34	180.00	5:07	-1.03	-1.62
0.10625	0	13.91	133.00	0.071527778	0.00	0.00
1:44	92.63	6.32	61.00	2:14	0.22	-0.86
4:11	329.98	5.46	75.00	2:43	2.51	0.53
0:00	209.36	6.18	54.00	2:59	0.29	-0.82
2:08	362.46	10.32	99.00	2:40	1.29	-0.22
0:00	245.39	7.67	89.00	2:28	0.22	-0.87
0:00	114.82	11.24	62.00	2:16	-0.29	-1.18
5:26	135.19	10.20	85.00	2:46	0.25	-0.85
1:22	124.73	20.92	88.00	3:59	-0.99	-1.60
0:00	198.16	9.28	106.00	2:58	0.90	-0.45
2:52	354.36	13.54	106.00	2:43	1.23	-0.25
0:00	722.65	21.08	109.00	3:01	0.97	-0.41
0:00	131.02	9.81	137.00	2:31	1.62	-0.02
0:00	4.95	12.38	133.00	14:48	-0.26	-1.16
0:00	0	13.34	118.00	7:54	0.90	-0.45
0:00	0	17.99	145.00	18:53	0.00	0.00
2:06	0	15.18	130.00	20:57	-0.18	-1.11
0:00	0	14.75	137.00	22:48	0.00	0.00
3:23	0	14.31	144.00	22:11	0.00	0.00
0:00	258.8	16.29	151.00	5:30	1.25	-0.24
3:37	0	28.41	141.00	1:41	-0.35	-1.21
2:21	0	18.03	171.00	13:15	0.00	0.00
2:01	73.54	20.37	146.00	20:48	0.53	-0.68
4:28	0	16.34	180.00	16:07	0.00	0.00
6:32	0	13.91	133.00	14:33	0.00	0.00

3:59	0	0.00	2773.00	2:14	0.00	0.00
3:37	0	0.00	1438.00	2:43	0.00	0.00
4:35	0	0.00	1617.00	2:59	0.00	0.00
3:25	0	0.00	2152.00	2:40	-0.33	-1.20
3:44	0	0.00	1882.00	2:28	0.00	0.00
4:01	0	0.00	1574.00	2:16	-0.27	-1.17
4:36	0	0.00	2411.00	2:46	0.00	0.00
5:22	0	0.00	2388.00	3:59	-0.31	-1.19
4:15	10.61	0.00	2554.00	2:58	-0.47	-1.28
3:44	9.19	0.00	2407.00	2:43	-0.51	-1.31
5:15	0	0.00	2044.00	3:01	-0.33	-1.20
4:31	484.16	0.00	2312.00	2:31	-0.55	-1.34
3:25	234.66	12.38	133.00	17:52	3.09	0.88
4:32	168.08	13.34	118.00	0:18	1.73	0.05
2:20	325.07	17.99	145.00	1:29	2.46	0.49
1:41	176.5	15.18	130.00	1:40	1.72	0.04
1:19	229.72	14.75	137.00	0:58	1.42	-0.14
2:15	258.58	14.31	144.00	0:46	2.88	0.75
3:42	398.61	16.29	151.00	8:35	2.58	0.57
1:37	574.38	28.41	141.00	0:00	1.04	-0.37
3:39	328.47	18.03	171.00	0:00	2.37	0.44
0:00	191.52	20.37	146.00	0:00	2.04	0.24
2:18	370.03	16.34	180.00	0:00	2.65	0.61
0:00	315.47	13.91	133.00	0:00	3.09	0.88
8:07	39.6	1.49	2.00	13:16	-2.28	-2.39
6:55	157.25	0.01	1.00	13:45	0.00	0.00
11:02	147.23	0.19	3.00	17:35	0.48	-0.71
7:10	89.99	0.28	0.00	16:55	0.37	-0.77
7:24	0	0.12	4.00	15:19	0.91	-0.45
9:18	92.88	0.06	3.00	14:45	0.46	-0.72
9:16	82.68	1.43	2.00	16:28	-0.49	-1.30
12:13	50.54	0.00	4.00	21:08	0.00	0.00
8:21	104.37	0.00	0.00	15:32	0.00	0.00
8:07	0	0.00	0.00	15:17	0.00	0.00
6:23	155.56	0.00	0.00	17:18	0.00	0.00
6:32	0	0.00	0.00	13:44	0.00	0.00
3:32	495.71	0.00	13780.00	2:29	-5.74	-4.49
4:19	450.18	0.00	10852.00	1:45	-5.32	-4.23
6:46	599.22	0.00	14868.00	2:45	-5.80	-4.53
4:37	502.19	0.00	16163.00	2:47	-7.78	-5.73
5:57	433.46	0.00	14655.00	2:58	-7.53	-5.58
3:55	534.25	0.00	13541.00	3:10	-4.86	-3.95
3:39	526.83	0.00	15046.00	2:47	-6.27	-4.81
3:32	1136.57	0.00	15836.00	4:44	-6.68	-5.06
2:24	788.8	0.00	18435.00	2:06	-6.74	-5.10
4:50	667.03	0.00	14769.00	2:48	-6.93	-5.21
7:37	423.82	0.00	16243.00	4:55	-6.91	-5.20
5:12	448.06	0.00	14011.00	1:43	-7.39	-5.49
0:00	226.32	6.32	61.00	2:13	0.78	-0.52
0:00	471.31	5.46	75.00	2:08	1.64	-0.01
0:00	431.85	6.18	54.00	2:23	0.90	-0.45
0:00	381.7	10.32	98.00	2:09	1.61	-0.02

0:00	461.38	7.67	89.00	4:21	2.05	0.25
0:00	349.69	11.24	62.00	2:46	0.49	-0.70
0:00	89.42	10.20	85.00	2:35	0.69	-0.58
0:00	198.52	20.92	88.00	3:00	-0.38	-1.23
0:47	95.04	9.28	106.00	3:04	0.53	-0.68
0:00	298.95	12.63	106.00	2:22	1.34	-0.18
0:00	929.31	20.10	108.00	2:34	0.92	-0.44
0:00	355.2	9.81	137.00	2:19	3.72	1.26
0:00	0	10.05	109.00	2:16	0.00	0.00
0:00	0	6.06	68.00	2:09	0.00	0.00
0:00	0	10.65	107.00	3:02	0.00	0.00
2:14	0	8.81	120.00	2:40	0.00	0.00
0:00	0	19.03	98.00	2:24	0.00	0.00
0:00	0	10.29	105.00	3:02	0.00	0.00
0:00	0	11.66	89.00	2:25	0.00	0.00
1:07	0	12.88	108.00	3:08	0.00	0.00
0:00	0	18.88	103.00	3:07	-0.41	-1.25
3:45	0	14.08	148.00	2:38	0.00	0.00
2:25	0	12.79	143.00	2:22	0.00	0.00
0:00	0	10.40	108.00	2:36	0.00	0.00
3:00	0	12.40	131.00	2:16	0.00	0.00
3:47	0	10.13	113.00	2:09	0.00	0.00
3:59	0	16.91	134.00	3:02	0.00	0.00
0:30	0	14.18	131.00	2:40	-0.13	-1.08
2:31	0	13.91	128.00	2:24	0.00	0.00
3:19	0	18.30	139.00	3:02	0.00	0.00
4:41	0	17.81	145.00	2:25	0.00	0.00
4:00	0	23.00	177.00	3:08	-0.50	-1.30
3:35	0	19.86	176.00	3:07	0.00	0.00
2:52	0	18.90	153.00	2:38	0.75	-0.55
2:53	0	12.95	172.00	2:22	0.34	-0.79
2:12	0	14.56	134.00	2:36	0.00	0.00
1:47	188.77	12.40	131.00	0:43	1.04	-0.37
10:14	236.49	10.13	113.00	0:18	2.29	0.39
0:23	212.95	16.91	134.00	0:30	0.91	-0.45
5:13	15.56	14.18	131.00	4:02	-0.95	-1.58
2:23	113.15	13.91	128.00	0:00	0.48	-0.71
16:49	311.89	18.30	139.00	0:23	0.37	-0.78
3:24	152.22	17.81	145.00	4:09	1.93	0.17
1:02	286.06	23.00	177.00	0:00	0.90	-0.45
1:22	156.14	19.86	176.00	0:15	0.55	-0.66
0:06	211.29	18.90	153.00	1:58	0.34	-0.80
0:50	148.94	12.95	172.00	7:58	0.41	-0.75
2:07	76.63	14.56	134.00	0:53	-0.34	-1.21
0:00	67.42	0.06	2.00	16:49	0.89	-0.46
0:00	0	0.01	1.00	7:12	0.00	0.00
1:16	9.61	0.06	3.00	12:31	-0.29	-1.17
0:00	281.33	0.84	3.00	18:58	0.85	-0.49
0:01	83.33	0.00	5.00	4:54	0.00	0.00
19:20	0	0.03	0.00	19:21	0.00	0.00
0:00	0	0.86	2.00	3:23	-0.16	-1.09
0:00	70.12	0.00	5.00	6:44	0.00	0.00

0:00	28	0.01	0.00	13:05	0.00	0.00
0:01	4.12	0.16	1.00	3:09	-13.94	-9.48
0:00	32.93	1.00	2.00	21:38	-0.78	-1.48
0:01	80.55	0.11	3.00	17:54	1.23	-0.25
0:00	0	0.00	1128.00	0:24	0.00	0.00
1:17	0	0.00	577.00	0:32	0.00	0.00
0:00	129.33	0.00	802.00	0:41	-1.01	-1.61
0:00	0	0.00	849.00	2:14	0.00	0.00
0:24	0	0.00	769.00	4:25	-0.37	-1.22
0:00	0	0.00	683.00	1:33	0.00	-1.00
0:00	0	0.00	1081.00	2:03	0.00	0.00
0:00	0	0.00	1115.00	0:50	0.00	0.00
3:29	0	0.00	1116.00	12:26	0.00	0.00
0:00	0	0.00	888.00	0:44	-0.52	-1.32
0:00	0	0.00	811.00	0:29	0.00	0.00
0:00	0	0.00	987.00	1:15	-0.60	-1.36
0:00	0	0.02	1.00	2:16	0.00	0.00
0:00	0	0.07	3.00	2:09	3.72	1.26
0:00	0	0.09	3.00	3:02	0.00	0.00
0:48	0	0.09	2.00	2:40	0.00	0.00
0:00	0	0.37	1.00	2:24	-0.69	-1.42
2:11	0	0.06	2.00	3:02	0.00	0.00
0:00	0	0.09	1.00	2:25	0.00	0.00
0:00	0	0.35	1.00	3:08	0.00	0.00
0:00	0	0.52	10.00	3:07	0.00	0.00
0:00	0	0.12	1.00	2:38	0.00	0.00
0:00	0	0.04	4.00	2:22	0.00	0.00
0:00	0	0.21	4.00	2:36	0.00	0.00
1:52	0	12.40	131.00	0:53	0.00	0.00
2:40	0	10.13	113.00	1:51	0.00	0.00
5:02	0	16.91	134.00	0:51	0.00	0.00
2:49	0	14.18	131.00	3:39	-0.58	-1.35
5:06	0	13.91	128.00	2:08	0.00	0.00
3:14	0	18.30	139.00	1:55	-0.18	-1.11
1:30	0	17.81	145.00	2:15	0.00	0.00
1:07	0	23.00	177.00	4:56	0.00	0.00
1:31	0	19.86	176.00	2:40	0.00	0.00
3:30	0	18.90	153.00	4:30	0.00	0.00
6:28	0	12.95	172.00	3:19	0.00	0.00
4:17	0	14.56	134.00	4:07	0.00	0.00
1:32	64.19	0.30	8.00	16:49	1.68	0.02
0:00	164.53	0.54	7.00	7:12	1.04	-0.37
0:54	215.31	0.21	6.00	12:31	2.88	0.75
0:00	189.22	1.37	18.00	18:58	-0.32	-1.19
0:00	523.11	0.98	9.00	4:54	0.84	-0.49
0:00	188.69	0.88	11.00	19:21	0.98	-0.40
0:00	22.63	1.50	11.00	3:23	-0.54	-1.33
0:00	26.92	2.06	16.00	6:44	-1.59	-1.97
0:00	76.86	1.88	10.00	13:05	-0.60	-1.36
0:00	109.81	2.43	17.00	3:09	-0.38	-1.23
0:00	0	2.48	13.00	21:38	1.07	-0.35
3:43	434.02	1.89	11.00	17:54	-0.12	-1.07

2:42	55.99	0.00	1128.00	2:16	-0.52	-1.32
7:20	0	0.00	577.00	2:09	0.00	0.00
2:25	0	0.00	802.00	3:02	-0.59	-1.36
4:29	0	0.00	849.00	2:40	0.00	0.00
4:35	0	0.00	769.00	2:24	0.00	0.00
8:24	0	0.00	683.00	3:02	0.00	0.00
5:54	0	0.00	1081.00	2:25	0.00	0.00
4:10	0	0.00	1115.00	3:08	0.00	0.00
3:06	0	0.00	1116.00	3:07	0.00	0.00
4:32	0	0.00	888.00	2:38	0.00	0.00
17:08	0	0.00	811.00	2:22	0.00	0.00
3:34	0	0.00	987.00	2:36	-0.48	-1.29
7:33	208.66	12.40	131.00	12:52	0.58	-0.65
8:51	474.73	10.13	113.00	15:25	3.72	1.26
14:56	72.09	16.91	134.00	17:38	-0.39	-1.24
5:01	190.23	14.18	131.00	15:18	1.61	-0.02
5:14	313.17	13.91	128.00	15:02	1.51	-0.08
6:15	824.48	18.30	139.00	14:43	2.07	0.26
7:09	382.83	17.81	145.00	16:26	2.46	0.49
3:55	175	23.00	177.00	19:34	1.06	-0.36
5:31	197.21	19.86	176.00	16:05	-0.02	-1.01
4:57	195.79	18.90	153.00	15:18	1.81	0.10
4:55	2065.24	12.95	172.00	14:18	3.09	0.88
5:24	199.17	14.56	134.00	12:24	1.00	-0.39
3:57	431.88	0.00	3288.00	0:53	-2.04	-2.24
8:27	402.73	0.00	2371.00	1:51	-1.69	-2.03
13:20	552.18	0.00	3254.00	0:51	-0.64	-1.39
18:50	383.66	0.00	3236.00	3:39	-2.92	-2.77
3:49	397.15	0.00	3250.00	2:08	-3.35	-3.03
3:03	352.5	0.00	3177.00	1:55	-2.16	-2.31
2:35	410.91	0.00	3393.00	2:15	-2.32	-2.41
4:56	218.21	0.00	3423.00	4:56	-2.90	-2.76
3:16	286.22	0.00	4227.00	2:40	-2.98	-2.81
3:58	317.2	0.00	3294.00	4:30	-2.94	-2.78
6:50	270.77	0.00	3572.00	3:19	-3.46	-3.10
4:30	325.81	0.00	3021.00	4:07	-2.61	-2.59
0:00	233.41	0.30	8.00	0:00	1.98	0.20
0:00	224.57	0.54	7.00	2:19	3.72	1.26
4:00	673.78	0.21	6.00	2:25	3.72	1.26
1:08	2817.82	1.37	18.00	2:08	0.36	-0.78
1:59	266.71	0.98	9.00	1:53	0.86	-0.48
4:00	162.36	0.88	11.00	2:06	0.57	-0.65
0:00	80.46	1.50	11.00	2:14	0.59	-0.64
0:00	178.29	2.06	16.00	1:55	-0.03	-1.02
5:19	215.36	1.88	10.00	2:18	0.36	-0.78
0:00	103.34	2.43	17.00	0:00	-0.23	-1.14
0:00	182.42	2.48	13.00	0:00	1.59	-0.03
0:00	163.51	1.89	11.00	0:00	0.06	-0.96
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	96.00	988.00	8.45%	-1.03	-1.63
0.00%	0.37	139.00	1375.00	3.49%	0.53	-0.68
0.00%	0.21	113.00	0.00	7.14%	-0.66	-1.40

0.00%	0.28	90.00	1267.00	2.86%	0.14	-0.91
0.00%	0.37	114.00	1146.00	4.11%	0.90	-0.45
0.00%	0	118.00	1294.00	6.17%	-0.64	-1.39
0.00%	0	113.00	1267.00	3.95%	-0.97	-1.59
0.00%	0.42	113.00	1412.00	12.31%	1.13	-0.31
0.00%	0	0.00	1173.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
25.00%	0	6.00	71.00	10.80%	0.00	0.00
22.22%	0	3.00	86.00	12.80%	0.00	0.00
22.22%	0	7.00	0.00	9.59%	0.00	0.00
10.00%	0	2.00	98.00	10.87%	0.00	0.00
12.50%	0	3.00	70.00	13.98%	0.00	0.00
6.25%	0	5.00	73.00	12.25%	-0.25	-1.15
33.33%	0	3.00	81.00	12.69%	-0.20	-1.12
30.00%	0	8.00	76.00	0.00%	0.00	0.00
0.00%	0	0.00	65.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.5	11.00	105.00	10.80%	1.85	0.12
50.00%	0	12.00	125.00	12.80%	-0.46	-1.28
0.00%	0.47	7.00	0.00	9.59%	1.19	-0.28
0.00%	0	10.00	96.00	10.87%	-0.28	-1.17
0.00%	0	13.00	140.00	13.98%	0.00	0.00
0.00%	0	12.00	123.00	12.25%	-0.48	-1.29
14.29%	0	6.00	114.00	12.69%	0.00	0.00
28.57%	0	14.00	117.00	0.00%	0.00	0.00
0.00%	0	0.00	146.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.43	62.00	574.00	8.49%	0.78	-0.52
6.00%	0.42	74.00	578.00	8.82%	0.80	-0.51
4.35%	0.42	78.00	0.00	9.22%	1.13	-0.31
2.13%	0.3	56.00	813.00	8.69%	-0.09	-1.05
10.17%	0.33	125.00	515.00	8.38%	-0.17	-1.10
12.50%	0.24	105.00	894.00	9.30%	-0.73	-1.44
4.44%	0.47	101.00	857.00	8.62%	1.29	-0.22
7.89%	0.46	0.00	796.00	9.01%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
14.81%	0	62.00	574.00	8.62%	-0.85	-1.52
9.09%	0.5	74.00	578.00	8.96%	1.14	-0.31
9.29%	0	78.00	0.00	9.19%	-0.73	-1.44
7.95%	0	56.00	813.00	8.61%	-0.70	-1.42
7.31%	0	125.00	515.00	8.43%	-0.70	-1.42
7.69%	0	105.00	894.00	9.30%	-1.05	-1.64
8.94%	0.35	101.00	857.00	8.57%	0.19	-0.89

9.96%	0.45	0.00	796.00	9.07%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	693.00	8161.00	10.48%	-1.82	-2.11
50.00%	0.24	1031.00	11686.00	9.60%	-0.70	-1.43
14.29%	0.2	1045.00	0.00	7.29%	-1.14	-1.69
0.00%	0.14	884.00	11330.00	7.14%	-1.59	-1.97
0.00%	0.3	921.00	10167.00	10.57%	0.53	-0.68
0.00%	0.33	1053.00	10985.00	10.53%	0.71	-0.57
33.33%	0.21	1198.00	11326.00	5.13%	-1.00	-1.61
0.00%	0.27	975.00	13893.00	9.59%	-0.24	-1.15
0.00%	0	0.00	10826.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.36	789.00	9149.00	8.45%	1.09	-0.34
0.00%	0.29	1170.00	13061.00	3.49%	0.09	-0.94
0.00%	0.29	1158.00	0.00	7.14%	0.08	-0.95
12.50%	0.27	974.00	12597.00	2.86%	-0.50	-1.31
0.00%	0.26	1035.00	11313.00	4.11%	-0.90	-1.55
0.00%	0.27	1171.00	12279.00	6.17%	-1.24	-1.75
0.00%	0.29	1311.00	12593.00	3.95%	0.31	-0.81
6.67%	0.3	1088.00	15305.00	12.31%	0.82	-0.50
0.00%	0	0.00	11999.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	11.00	105.00	5.19%	0.00	0.00
20.00%	0.5	12.00	125.00	9.12%	1.29	-0.22
0.00%	0.35	7.00	0.00	5.08%	0.60	-0.64
0.00%	0	10.00	96.00	7.99%	-0.55	-1.33
0.00%	0	13.00	140.00	6.93%	-0.59	-1.36
0.00%	0	12.00	123.00	6.80%	-0.34	-1.21
0.00%	0.47	6.00	114.00	7.22%	1.38	-0.16
0.00%	0	14.00	117.00	7.72%	-0.90	-1.55
0.00%	0	0.00	146.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
9.09%	0	6.00	71.00	8.53%	0.00	0.00
9.09%	0	3.00	86.00	10.90%	-0.48	-1.29
0.00%	0	7.00	0.00	9.69%	-1.03	-1.63
12.50%	0.33	2.00	98.00	9.88%	1.39	-0.16
16.67%	0	3.00	70.00	12.13%	-0.64	-1.39
0.00%	0	5.00	73.00	9.75%	-0.98	-1.60
0.00%	0	3.00	81.00	9.17%	-0.70	-1.42
25.00%	0.25	8.00	76.00	10.28%	-0.60	-1.36
0.00%	0	0.00	65.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00

0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	11.00	212.00	8.20%	-0.23	-1.14
0.00%	0.4	26.00	285.00	10.73%	0.73	-0.55
7.62%	0	12.00	0.00	9.32%	-0.23	-1.14
9.01%	0	23.00	236.00	9.68%	-0.59	-1.36
7.32%	0	19.00	288.00	11.65%	0.00	0.00
13.45%	0	20.00	274.00	9.45%	-0.38	-1.23
9.70%	0	26.00	294.00	8.98%	-0.28	-1.17
5.52%	0	20.00	360.00	10.05%	-0.50	-1.30
0.00%	0	0.00	259.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.29	163.00	1911.00	11.23%	0.15	-0.91
20.00%	0.29	293.00	2687.00	11.93%	-0.19	-1.12
0.00%	0	260.00	0.00	10.90%	-1.03	-1.63
50.00%	0.33	245.00	2684.00	13.08%	0.31	-0.81
0.00%	0.37	330.00	2480.00	11.21%	0.38	-0.77
0.00%	0	255.00	2721.00	12.35%	-0.66	-1.40
0.00%	0	309.00	2616.00	10.58%	-0.78	-1.47
0.00%	0.43	270.00	3369.00	14.04%	0.83	-0.50
0.00%	0	0.00	2626.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	174.00	2123.00	15.09%	-0.89	-1.54
0.00%	0	319.00	2972.00	13.21%	-1.34	-1.81
0.00%	0.27	272.00	0.00	8.70%	-0.59	-1.36
0.00%	0.29	268.00	2920.00	20.00%	-0.24	-1.14
0.00%	0.26	349.00	2768.00	10.00%	-1.47	-1.89
0.00%	0.34	275.00	2995.00	8.11%	1.41	-0.14
0.00%	0.3	335.00	2910.00	7.02%	0.34	-0.79
0.00%	0.23	290.00	3729.00	16.98%	-1.96	-2.19
0.00%	0	0.00	2885.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
50.00%	0	43.00	383.00	11.66%	-0.61	-1.37
0.00%	0.4	55.00	461.00	13.03%	0.53	-0.68
0.00%	0	52.00	0.00	11.93%	-0.78	-1.47
0.00%	0.5	62.00	477.00	10.94%	1.69	0.03
11.11%	0	60.00	474.00	14.21%	-0.50	-1.31
45.45%	0	74.00	535.00	13.91%	-0.38	-1.23
37.50%	0	67.00	599.00	14.62%	-0.84	-1.51
11.11%	0	75.00	633.00	0.00%	-0.98	-1.60
0.00%	0	0.00	534.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	8.00	53.00	11.66%	0.00	0.00
50.00%	0	7.00	53.00	13.03%	0.00	0.00
0.00%	0	4.00	0.00	11.93%	0.00	0.00

0.00%	0	5.00	46.00	10.94%	0.00	0.00
0.00%	0	4.00	25.00	14.21%	0.00	0.00
0.00%	0	3.00	40.00	13.91%	-0.29	-1.18
0.00%	0	4.00	37.00	14.62%	-0.27	-1.17
0.00%	0	9.00	57.00	0.00%	0.00	0.00
0.00%	0	0.00	53.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
25.00%	0	1.00	34.00	13.24%	0.00	0.00
20.00%	0	3.00	51.00	12.13%	-0.25	-1.15
0.00%	0	2.00	0.00	12.31%	0.00	0.00
20.00%	0	13.00	38.00	11.84%	-0.53	-1.32
0.00%	0	6.00	59.00	14.50%	-0.60	-1.36
10.00%	0	10.00	54.00	14.26%	1.39	-0.15
10.00%	0	5.00	62.00	12.79%	0.00	0.00
40.00%	0	3.00	61.00	14.77%	0.00	0.00
0.00%	0	0.00	50.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
14.29%	0.5	138.00	1184.00	12.91%	1.19	-0.27
5.56%	0	205.00	1573.00	12.09%	-0.55	-1.33
11.81%	0	181.00	0.00	12.08%	-0.52	-1.32
10.40%	0	168.00	1517.00	12.03%	0.00	0.00
15.19%	0.31	323.00	1536.00	14.01%	-0.27	-1.16
13.81%	0.5	309.00	2273.00	13.99%	2.49	0.52
16.52%	0.48	368.00	2222.00	12.46%	2.25	0.37
17.72%	0.31	0.00	2517.00	14.67%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	138.00	1184.00	2.94%	-0.51	-1.31
0.00%	0.5	205.00	1573.00	5.88%	1.13	-0.32
33.33%	0	181.00	0.00	5.26%	-0.64	-1.39
50.00%	0	168.00	1517.00	22.03%	-0.70	-1.43
33.33%	0	323.00	1536.00	11.11%	-0.81	-1.49
33.33%	0	309.00	2273.00	16.13%	0.00	0.00
0.00%	0	368.00	2222.00	8.20%	-0.72	-1.44
0.00%	0	0.00	2517.00	6.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.43	265.00	2002.00	15.09%	0.64	-0.61
20.00%	0.4	265.00	2185.00	13.21%	0.53	-0.68
40.00%	0	305.00	0.00	8.70%	-0.84	-1.51
0.00%	0.4	318.00	2478.00	20.00%	0.77	-0.53
0.00%	0	448.00	2686.00	10.00%	-1.01	-1.61
16.67%	0.3	515.00	3090.00	8.11%	-0.38	-1.23
14.29%	0.3	450.00	3611.00	7.02%	-0.26	-1.16

25.00%	0.49	458.00	3517.00	16.98%	1.33	-0.19
0.00%	0	0.00	3100.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.35	308.00	2385.00	17.50%	0.18	-0.89
0.00%	0.23	320.00	2646.00	13.86%	-0.85	-1.52
0.00%	0.32	357.00	0.00	9.94%	-0.09	-1.06
0.00%	0.31	380.00	2955.00	13.85%	-0.55	-1.33
0.00%	0.36	508.00	3160.00	16.57%	0.43	-0.74
0.00%	0.35	589.00	3625.00	10.43%	-0.07	-1.04
60.00%	0.37	517.00	4210.00	11.98%	1.73	0.05
50.00%	0.38	533.00	4150.00	17.65%	1.27	-0.23
0.00%	0	0.00	3634.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	1.00	34.00	6.78%	0.00	0.00
0.00%	0	3.00	51.00	14.48%	0.00	0.00
0.00%	0.47	2.00	0.00	13.14%	1.26	-0.23
0.00%	0.5	13.00	38.00	14.58%	0.73	-0.55
0.00%	0.47	6.00	59.00	16.56%	0.90	-0.45
0.00%	0.47	10.00	54.00	10.64%	0.65	-0.60
0.00%	0	5.00	62.00	9.94%	-0.58	-1.35
100.00%	0	3.00	61.00	13.70%	-0.25	-1.15
0.00%	0	0.00	50.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	8.00	53.00	0.00%	0.00	0.00
0.00%	0.4	7.00	53.00	0.00%	0.38	-0.77
0.00%	0.49	4.00	0.00	0.00%	1.67	0.02
0.00%	0	5.00	46.00	0.00%	-1.29	-1.78
0.00%	0	4.00	25.00	0.00%	-0.64	-1.39
0.00%	0.37	3.00	40.00	0.00%	0.56	-0.66
0.00%	0.35	4.00	37.00	0.00%	0.59	-0.64
0.00%	0.43	9.00	57.00	0.00%	0.36	-0.78
0.00%	0	0.00	53.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
30.00%	0	21.00	120.00	6.78%	0.00	0.00
23.91%	0	23.00	166.00	14.48%	0.00	0.00
12.24%	0	16.00	0.00	13.14%	-0.57	-1.35
17.02%	0	18.00	161.00	14.58%	0.00	0.00
31.91%	0	28.00	130.00	16.56%	0.00	0.00
3.13%	0	22.00	169.00	10.64%	-0.48	-1.29
10.87%	0.49	26.00	211.00	9.94%	2.44	0.48
35.14%	0.5	36.00	217.00	13.70%	0.92	-0.44
0.00%	0	0.00	204.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00

0.00%	0	0.00	0.00	0.00%	0.00	0.00
50.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
3.70%	0	2.00	24.00	14.67%	0.00	0.00
11.43%	0	7.00	31.00	12.96%	0.00	0.00
11.32%	0	4.00	0.00	20.22%	0.00	0.00
3.57%	0	6.00	33.00	9.68%	0.00	0.00
0.00%	0	3.00	42.00	20.00%	0.00	0.00
8.57%	0	3.00	27.00	11.36%	0.00	0.00
11.54%	0	8.00	35.00	12.26%	-0.39	-1.24
3.33%	0	12.00	60.00	8.49%	0.00	0.00
0.00%	0	0.00	47.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	13.00	6.78%	0.00	0.00
0.00%	0	0.00	13.00	14.48%	0.00	0.00
0.00%	0	0.00	0.00	13.14%	0.00	0.00
0.00%	0	0.00	11.00	14.58%	0.00	0.00
0.00%	0	1.00	20.00	16.56%	0.00	0.00
0.00%	0	0.00	28.00	10.64%	0.00	0.00
0.00%	0	4.00	15.00	9.94%	0.00	0.00
0.00%	0	0.00	15.00	13.70%	0.00	0.00
0.00%	0	0.00	20.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	8.00	10.57%	0.00	0.00
0.00%	0.29	0.00	3.00	11.26%	0.13	-0.92
0.00%	0	0.00	0.00	10.15%	0.00	0.00
0.00%	0	0.00	2.00	11.12%	0.00	0.00
0.00%	0	0.00	4.00	13.11%	0.00	0.00
0.00%	0	0.00	4.00	11.98%	0.00	0.00
0.00%	0	0.00	3.00	13.70%	0.00	0.00
0.00%	0	0.00	7.00	14.79%	0.00	0.00
0.00%	0	0.00	2.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
11.69%	0.4	152.00	1438.00	6.78%	0.64	-0.61
13.19%	0.33	182.00	1616.00	14.48%	0.18	-0.89
16.22%	0.43	191.00	0.00	13.14%	0.83	-0.49
14.29%	0.35	175.00	1882.00	14.58%	0.32	-0.81
21.79%	0	316.00	1572.00	16.56%	-0.87	-1.53
18.42%	0	286.00	2409.00	10.64%	0.00	0.00
18.37%	0	350.00	2383.00	9.94%	-0.40	-1.24

14.74%	0.43	356.00	2552.00	13.70%	0.55	-0.67
0.00%	0	0.00	2406.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
33.33%	0	0.00	1.00	0.00%	0.00	0.00
42.86%	0	0.00	2.00	0.00%	0.00	0.00
0.00%	0	1.00	0.00	0.00%	-0.61	-1.37
0.00%	0	0.00	3.00	0.00%	0.00	0.00
33.33%	0.5	0.00	8.00	50.00%	1.11	-0.32
0.00%	0	0.00	5.00	0.00%	0.00	0.00
0.00%	0	0.00	3.00	14.29%	0.00	0.00
20.00%	0	0.00	2.00	0.00%	0.00	0.00
0.00%	0	0.00	5.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
9.20%	0.19	11.00	75.00	9.39%	-1.38	-1.84
6.36%	0.32	7.00	54.00	9.33%	-0.21	-1.13
6.37%	0.32	18.00	0.00	9.75%	-1.28	-1.78
10.53%	0.19	6.00	89.00	9.20%	-0.91	-1.55
6.15%	0	17.00	62.00	9.51%	-2.35	-2.43
4.37%	0.28	10.00	85.00	10.25%	-0.44	-1.27
7.75%	0.32	13.00	88.00	9.28%	-0.10	-1.06
5.41%	0.18	9.00	106.00	10.26%	-0.89	-1.54
0.00%	0	0.00	106.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
19.05%	0	8.00	118.00	14.67%	-0.27	-1.16
10.00%	0	21.00	145.00	12.96%	0.00	0.00
8.33%	0	18.00	0.00	20.22%	-0.39	-1.24
14.29%	0	21.00	137.00	9.68%	0.00	0.00
5.88%	0	25.00	144.00	20.00%	0.00	0.00
14.29%	0	15.00	151.00	11.36%	-0.48	-1.29
0.00%	0	17.00	141.00	12.26%	-0.33	-1.20
13.04%	0	20.00	171.00	8.49%	0.00	0.00
0.00%	0	0.00	146.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	152.00	1438.00	16.18%	0.00	0.00
0.00%	0	182.00	1617.00	11.21%	0.00	0.00
0.00%	0	191.00	0.00	8.16%	-0.34	-1.20
0.00%	0	175.00	1882.00	12.38%	0.00	0.00
0.00%	0	316.00	1574.00	17.98%	-0.39	-1.24
0.00%	0	286.00	2411.00	13.89%	0.00	0.00
0.00%	0	350.00	2388.00	12.62%	-0.40	-1.24
0.00%	0	356.00	2554.00	10.14%	-0.59	-1.36
0.00%	0	0.00	2407.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00

0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.32	8.00	118.00	9.73%	1.16	-0.30
0.00%	0.34	21.00	145.00	11.19%	-0.28	-1.17
0.00%	0.37	18.00	0.00	12.50%	0.60	-0.63
0.00%	0.35	21.00	137.00	15.11%	-0.06	-1.04
0.00%	0.41	25.00	144.00	25.52%	0.96	-0.42
0.00%	0.39	15.00	151.00	10.73%	1.57	-0.05
0.00%	0.39	17.00	141.00	13.64%	1.93	0.17
0.00%	0.35	20.00	171.00	15.69%	0.22	-0.86
0.00%	0	0.00	146.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
33.33%	0.47	0.00	1.00	9.73%	0.17	-0.90
6.67%	0.49	0.00	3.00	11.19%	1.16	-0.29
0.00%	0	0.00	0.00	12.50%	0.00	0.00
0.00%	0	0.00	4.00	15.11%	0.00	0.00
21.43%	0.47	1.00	3.00	25.52%	-0.37	-1.22
0.00%	0	0.00	2.00	10.73%	0.00	0.00
0.00%	0	1.00	4.00	13.64%	0.00	0.00
27.27%	0.4	0.00	7.00	15.69%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.29	1054.00	11220.00	0.00%	-0.09	-1.05
0.00%	0.24	1432.00	15353.00	0.00%	-1.50	-1.91
0.00%	0.24	1474.00	0.00	0.00%	-1.61	-1.98
0.00%	0.31	1287.00	15124.00	0.00%	0.67	-0.59
0.00%	0.24	1469.00	13983.00	0.00%	-1.59	-1.97
0.00%	0.2	1664.00	15443.00	20.00%	-2.91	-2.77
0.00%	0.27	1752.00	16236.00	0.00%	-0.84	-1.51
0.00%	0.23	1553.00	18872.00	0.00%	-2.37	-2.44
0.00%	0	0.00	15142.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.39	11.00	75.00	0.00%	0.48	-0.71
0.00%	0.3	7.00	54.00	0.00%	-0.34	-1.20
0.00%	0.28	18.00	0.00	0.00%	-1.29	-1.78
0.00%	0.35	6.00	89.00	0.00%	0.50	-0.70
0.00%	0.24	17.00	62.00	0.00%	-1.33	-1.81
0.00%	0.35	10.00	85.00	0.00%	0.24	-0.86
0.00%	0	13.00	88.00	30.00%	-1.43	-1.87
0.00%	0.34	9.00	106.00	0.00%	0.67	-0.59
0.00%	0	0.00	106.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	11.00	68.00	0.00%	0.00	0.00
0.00%	0	12.00	107.00	16.67%	0.00	0.00
0.00%	0	8.00	0.00	0.00%	0.00	0.00

0.00%	0	13.00	98.00	18.18%	0.00	0.00
28.57%	0	16.00	105.00	36.36%	0.00	0.00
0.00%	0	15.00	89.00	6.25%	0.00	0.00
0.00%	0	13.00	108.00	40.00%	0.00	0.00
0.00%	0	15.00	103.00	11.76%	-0.33	-1.20
0.00%	0	0.00	148.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
27.78%	0	11.00	113.00	9.73%	0.00	0.00
20.00%	0	15.00	134.00	11.19%	0.00	0.00
7.14%	0	16.00	0.00	12.50%	-0.38	-1.23
0.00%	0	21.00	128.00	15.11%	0.00	0.00
16.67%	0	37.00	139.00	25.52%	0.00	0.00
10.00%	0	19.00	145.00	10.73%	0.00	0.00
16.67%	0	24.00	177.00	13.64%	-0.40	-1.24
21.43%	0	24.00	176.00	15.69%	0.00	0.00
0.00%	0	0.00	153.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
6.67%	0.47	11.00	113.00	8.90%	2.26	0.37
18.75%	0.25	15.00	134.00	11.33%	-0.53	-1.32
5.88%	0	16.00	0.00	9.35%	-0.53	-1.32
0.00%	0	21.00	128.00	10.28%	-1.09	-1.66
9.09%	0.41	37.00	139.00	12.24%	-0.34	-1.20
5.56%	0	19.00	145.00	10.67%	-1.16	-1.71
5.26%	0	24.00	177.00	9.53%	-1.48	-1.90
0.00%	0.45	24.00	176.00	10.60%	0.95	-0.42
0.00%	0	0.00	153.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
14.29%	0	0.00	1.00	0.00%	0.00	0.00
50.00%	0	0.00	3.00	16.67%	0.00	0.00
10.00%	0	0.00	0.00	0.00%	0.00	0.00
20.00%	0	0.00	5.00	18.18%	0.00	0.00
12.50%	0	0.00	0.00	36.36%	0.00	0.00
0.00%	0	1.00	2.00	6.25%	-0.46	-1.28
12.50%	0	0.00	5.00	40.00%	0.00	0.00
0.00%	0	0.00	0.00	11.76%	0.00	0.00
0.00%	0	0.00	1.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.81%	0.00	0.00
0.00%	0	0.00	3.00	0.95%	0.00	0.00
0.00%	0	0.00	3.00	0.69%	0.00	0.00
0.00%	0	0.00	0.00	1.11%	0.00	0.00
0.00%	0	0.00	1.00	0.82%	0.00	0.00
0.00%	0	0.00	2.00	1.04%	0.00	0.00
0.00%	0	0.00	1.00	1.11%	0.00	0.00
0.00%	0	3.00	1.00	1.22%	0.00	0.00

0.00%	0	0.00	10.00	1.28%	0.00	0.00
0.00%	0	0.00	1.00	1.26%	0.00	0.00
0.00%	0	0.00	0.00	1.20%	0.00	0.00
0.00%	0	0.00	0.00	1.49%	0.00	0.00
0.74%	0	0.00	0.00	0.61%	0.00	0.00
0.44%	0	0.00	7.00	0.49%	0.00	0.00
0.48%	0	1.00	6.00	0.66%	-0.69	-1.42
0.63%	0	0.00	0.00	0.62%	0.00	0.00
0.48%	0	2.00	9.00	0.59%	-0.93	-1.56
0.41%	0.45	4.00	11.00	0.65%	-0.34	-1.20
0.20%	0	1.00	11.00	0.67%	-0.34	-1.21
0.52%	0	4.00	16.00	0.75%	-1.38	-1.84
0.52%	0	2.00	10.00	0.61%	-0.66	-1.40
0.67%	0	0.00	17.00	0.71%	0.00	0.00
0.64%	0	0.00	0.00	0.64%	0.00	0.00
0.42%	0	0.00	0.00	0.60%	0.00	0.00
0.44%	0	0.00	0.00	0.14%	0.00	0.00
0.00%	0.45	11.00	113.00	0.18%	1.94	0.18
0.00%	0.4	15.00	134.00	0.19%	0.56	-0.66
0.00%	0.26	16.00	0.00	0.20%	-0.58	-1.35
0.00%	0	21.00	128.00	0.14%	-1.40	-1.85
0.00%	0.37	37.00	139.00	0.16%	-0.68	-1.41
0.23%	0.3	19.00	145.00	0.17%	-0.07	-1.04
0.23%	0.37	24.00	177.00	0.18%	0.42	-0.74
0.00%	0.41	24.00	176.00	0.17%	0.56	-0.66
0.10%	0	0.00	153.00	0.18%	0.00	0.00
0.10%	0	0.00	0.00	0.15%	0.00	0.00
0.40%	0	0.00	0.00	0.17%	0.00	0.00
0.77%	0	0.00	0.00	0.36%	0.00	0.00
0.62%	0.25	217.00	2437.00	0.29%	-0.30	-1.18
0.50%	0.39	377.00	3326.00	0.38%	0.90	-0.45
0.61%	0.24	313.00	0.00	0.28%	-0.49	-1.30
0.44%	0	335.00	3348.00	0.40%	-1.72	-2.05
1.05%	0.29	423.00	3258.00	0.36%	-0.45	-1.27
1.05%	0.23	371.00	3456.00	0.35%	-0.70	-1.43
0.00%	0.22	411.00	3477.00	0.36%	-0.63	-1.38
0.00%	0	358.00	4312.00	0.38%	-1.50	-1.91
0.00%	0	0.00	3376.00	0.39%	0.00	0.00
0.00%	0	0.00	0.00	0.36%	0.00	0.00
1.46%	0	0.00	0.00	0.32%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.35	0.00	7.00	0.00%	0.62	-0.63
0.00%	0.5	1.00	6.00	0.00%	0.93	-0.43
0.00%	0.3	0.00	0.00	0.00%	0.64	-0.61
0.00%	0.4	2.00	9.00	0.00%	0.00	-1.00
0.00%	0.33	4.00	11.00	0.00%	-1.07	-1.65
0.00%	0	1.00	11.00	0.00%	-0.57	-1.35
0.00%	0.33	4.00	16.00	0.00%	-1.18	-1.72
0.00%	0	2.00	10.00	0.00%	-0.72	-1.44
3.03%	0	0.00	17.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00

0.00%	0	69.00	8472.00	0.00%	-0.31	-1.19
0.00%	0	82.00	8623.00	0.00%	-0.34	-1.21
3.13%	0	60.00	8658.00	0.00%	-0.29	-1.18
0.00%	0	98.00	9790.00	0.00%	-0.37	-1.22
0.00%	0	73.00	8804.00	0.00%	-0.31	-1.19
0.00%	0	96.00	8912.00	0.00%	-0.38	-1.23
0.00%	0	104.00	9266.00	0.00%	-0.42	-1.26
0.00%	0	116.00	9367.00	0.00%	-0.48	-1.29
0.00%	0	123.00	9533.00	0.00%	-0.49	-1.30
0.00%	0	122.00	9644.00	0.00%	-0.49	-1.30
0.00%	0	117.00	9709.00	0.00%	-0.49	-1.30
0.00%	0	148.00	9902.00	0.00%	-0.54	-1.33
0.00%	0.09	1943.00	321023.00	0.26%	0.90	-0.45
0.00%	0.07	1583.00	320073.00	0.17%	-0.43	-1.26
0.00%	0.07	2121.00	320371.00	0.25%	-1.27	-1.77
0.59%	0.08	1980.00	321391.00	0.24%	0.12	-0.92
0.00%	0.07	1908.00	321192.00	0.22%	-0.98	-1.59
0.00%	0.06	2103.00	321417.00	0.24%	-1.74	-2.06
0.33%	0.05	2160.00	321993.00	0.31%	-3.34	-3.03
0.82%	0.07	2405.00	321346.00	0.31%	-1.58	-1.96
0.48%	0.07	1966.00	321276.00	0.34%	-0.66	-1.40
0.16%	0.08	2275.00	321834.00	0.34%	-0.26	-1.16
0.16%	0.08	2045.00	322149.00	0.29%	0.04	-0.98
0.31%	0.06	1937.00	322080.00	0.29%	-1.42	-1.86
1.22%	0.07	104.00	73135.00	1.67%	1.40	-0.15
1.23%	0	132.00	73983.00	1.45%	-0.90	-1.55
0.00%	0	143.00	74096.00	1.76%	-0.94	-1.57
1.20%	0	149.00	79212.00	1.67%	-0.96	-1.58
0.00%	0	106.00	74529.00	1.78%	-1.09	-1.66
1.12%	0	117.00	74926.00	1.86%	-1.14	-1.69
0.00%	0.05	127.00	75295.00	2.00%	0.45	-0.73
1.83%	0.05	139.00	75933.00	2.18%	0.34	-0.79
1.01%	0	129.00	77362.00	1.87%	-1.21	-1.73
1.80%	0.03	141.00	77916.00	2.19%	-0.57	-1.35
1.98%	0.03	121.00	78918.00	1.61%	-0.42	-1.26
0.85%	0.06	132.00	79550.00	1.64%	1.80	0.09
0.00%	0.09	183.00	51204.00	0.41%	1.75	0.07
0.00%	0.08	151.00	51431.00	0.33%	1.51	-0.08
0.00%	0.07	195.00	51791.00	0.42%	0.50	-0.69
0.00%	0.08	147.00	55800.00	0.33%	1.26	-0.24
0.00%	0.07	210.00	52175.00	0.83%	0.22	-0.87
0.00%	0.1	193.00	52821.00	0.50%	1.62	-0.02
0.00%	0.1	190.00	53468.00	0.33%	1.65	0.00
0.00%	0	198.00	54032.00	1.00%	-0.95	-1.57
0.00%	0	208.00	54640.00	0.49%	-0.99	-1.60
0.00%	0	217.00	54905.00	0.81%	-0.95	-1.58
0.00%	0	200.00	55441.00	0.35%	-0.86	-1.52
0.00%	0.12	180.00	56160.00	0.88%	1.75	0.06
0.00%	0	0.00	0.00	0.05%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.16%	0	0.00	0.00	0.00%	0.00	0.00

0.00%	0	0.00	0.00	0.20%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.16%	0	0.00	0.00	0.05%	0.00	0.00
0.00%	0	0.00	0.00	0.05%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.17	0.00	0.00	0.05%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.17	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
10.53%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
12.50%	0	0.00	0.00	0.00%	0.00	0.00
14.29%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
2.84%	0	291.00	111161.00	1.67%	-1.15	-1.70
2.60%	0	188.00	111257.00	1.45%	-0.93	-1.56
3.02%	0	273.00	109555.00	1.76%	-1.12	-1.68
2.63%	0.08	259.00	102282.00	1.67%	1.63	-0.01
2.91%	0	235.00	109398.00	1.78%	-1.06	-1.64
3.42%	0	258.00	107647.00	1.86%	-1.13	-1.69
2.65%	0.06	319.00	106265.00	2.00%	0.11	-0.94
3.86%	0.09	320.00	103807.00	2.18%	2.28	0.38
3.13%	0.07	352.00	104336.00	1.87%	0.62	-0.62
3.95%	0.04	355.00	104131.00	2.19%	-0.78	-1.47
2.34%	0.04	301.00	103111.00	1.61%	-0.64	-1.39
3.53%	0.06	290.00	100690.00	1.64%	0.10	-0.94
0.00%	0.11	264.00	15838.00	0.00%	-0.32	-1.19
2.00%	0.11	231.00	15917.00	0.00%	-0.16	-1.10
0.00%	0	279.00	15866.00	0.00%	-1.22	-1.74
2.08%	0.11	265.00	16217.00	0.00%	-0.33	-1.20
0.00%	0	283.00	15877.00	0.00%	-1.25	-1.76
0.00%	0.11	296.00	15863.00	0.00%	-0.51	-1.31
2.38%	0	318.00	15921.00	0.00%	-1.51	-1.92
0.00%	0.13	347.00	15888.00	0.00%	-0.24	-1.15
0.00%	0.1	299.00	15941.00	0.00%	-0.63	-1.38
0.00%	0.13	352.00	15982.00	0.00%	-0.28	-1.17
3.03%	0.14	261.00	16037.00	0.00%	0.37	-0.78
0.00%	0.09	267.00	16326.00	0.00%	-0.67	-1.41
0.00%	0	5.00	1208.00	0.75%	-0.06	-1.04
0.00%	0	4.00	1203.00	0.55%	0.00	0.00
0.00%	0	5.00	1196.00	0.71%	0.00	0.00
0.00%	0	4.00	1151.00	0.64%	0.00	0.00
0.00%	0	10.00	1211.00	0.96%	0.00	0.00
0.00%	0	6.00	1209.00	0.81%	0.00	0.00
0.00%	0	4.00	1211.00	0.85%	0.00	0.00
9.09%	0	12.00	1206.00	1.27%	0.00	0.00

0.00%	0	6.00	1206.00	1.03%	0.00	0.00
0.00%	0	10.00	1223.00	1.14%	0.00	0.00
16.67%	0	4.00	1232.00	0.93%	0.00	0.00
0.00%	0	10.00	1133.00	0.90%	-0.09	-1.06
0.00%	0	1.00	1978.00	0.05%	-0.49	-1.30
0.00%	0	0.00	1966.00	0.05%	0.00	0.00
0.00%	0	0.00	1968.00	0.05%	0.00	0.00
0.00%	0.04	0.00	1680.00	0.04%	0.00	0.00
0.00%	0	4.00	2031.00	0.05%	-0.98	-1.59
0.00%	0	0.00	2031.00	0.07%	0.00	0.00
0.00%	0.04	1.00	2026.00	0.04%	1.08	-0.34
0.00%	0	1.00	1998.00	0.05%	-0.49	-1.30
0.56%	0	0.00	1993.00	0.05%	0.00	0.00
0.00%	0	1.00	1986.00	0.05%	-0.49	-1.30
0.00%	0	0.00	1990.00	0.04%	0.00	0.00
0.00%	0	0.00	1678.00	0.06%	0.00	0.00
0.05%	0	0.00	0.00	0.99%	0.00	0.00
0.07%	0	0.00	0.00	0.77%	0.00	0.00
0.13%	0	0.00	0.00	1.05%	0.00	0.00
0.12%	0	0.00	0.00	1.04%	0.00	0.00
0.11%	0	0.00	0.00	0.97%	0.00	0.00
0.25%	0.31	0.00	0.00	1.06%	0.00	0.00
0.26%	0	0.00	0.00	1.10%	0.00	0.00
0.21%	0	0.00	0.00	1.29%	0.00	0.00
0.18%	0.33	0.00	0.00	1.03%	0.00	0.00
0.27%	0.35	0.00	0.00	1.12%	0.00	0.00
0.13%	0	0.00	0.00	1.09%	0.00	0.00
0.18%	0	0.00	0.00	0.94%	0.00	0.00
1.96%	0.17	264.00	15838.00	2.15%	4.01	1.44
1.15%	0.16	231.00	15917.00	1.12%	4.15	1.52
0.58%	0.17	279.00	15866.00	1.38%	4.07	1.47
1.19%	0.16	265.00	16217.00	1.55%	3.13	0.90
1.19%	0.17	283.00	15877.00	1.34%	3.48	1.11
1.07%	0.18	296.00	15863.00	2.12%	4.62	1.81
1.28%	0.16	318.00	15921.00	2.18%	1.80	0.09
1.69%	0.19	347.00	15888.00	2.32%	4.38	1.66
2.17%	0.17	299.00	15941.00	2.12%	3.47	1.11
1.73%	0.19	352.00	15982.00	1.88%	4.43	1.69
1.00%	0.15	261.00	16037.00	2.04%	2.09	0.27
1.30%	0.18	267.00	16326.00	2.31%	4.69	1.85
0.01%	0	0.00	0.00	0.01%	0.00	0.00
0.00%	0.14	0.00	0.00	0.01%	0.00	0.00
0.01%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.14	0.00	0.00	0.01%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.15	0.00	0.00	0.01%	0.00	0.00
0.01%	0	0.00	0.00	0.01%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.01%	0	0.00	0.00	0.01%	0.00	0.00
0.01%	0.17	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00

0.13%	0	55.00	7300.00	0.09%	-0.31	-1.19
0.12%	0	41.00	7434.00	0.09%	-0.29	-1.18
0.12%	0	54.00	7561.00	0.10%	-0.31	-1.19
0.12%	0	49.00	8356.00	0.09%	-0.30	-1.18
0.00%	0	74.00	7634.00	0.12%	-0.36	-1.22
0.36%	0	63.00	7689.00	0.08%	-0.31	-1.19
0.00%	0	67.00	7805.00	0.10%	-0.31	-1.19
0.00%	0.29	103.00	7907.00	0.14%	1.48	-0.10
0.00%	0	85.00	8118.00	0.11%	-0.34	-1.21
0.10%	0	95.00	8229.00	0.14%	-0.36	-1.22
0.37%	0.37	78.00	8300.00	0.11%	2.79	0.70
0.18%	0	76.00	8442.00	0.10%	-0.33	-1.20
0.84%	0	27.00	58851.00	2.14%	-0.28	-1.17
0.43%	0	27.00	57929.00	1.12%	-0.21	-1.13
0.98%	0	26.00	56894.00	1.38%	-0.21	-1.13
0.37%	0	21.00	50954.00	1.55%	-0.21	-1.13
0.77%	0	30.00	55929.00	1.34%	-0.25	-1.15
0.59%	0	41.00	55571.00	2.11%	-0.31	-1.19
0.00%	0	23.00	55178.00	2.18%	-0.26	-1.16
0.11%	0	27.00	54362.00	2.32%	-0.28	-1.17
0.47%	0.07	27.00	53164.00	2.12%	1.67	0.02
0.61%	0	26.00	51603.00	1.88%	-0.33	-1.20
0.77%	0	22.00	51082.00	2.04%	-0.29	-1.17
1.22%	0	29.00	52070.00	2.31%	-0.32	-1.20
2.44%	0.02	17516.00	1767448.00	1.08%	-8.45	-6.14
1.74%	0.03	13657.00	1770661.00	0.83%	-7.22	-5.39
2.29%	0.04	18679.00	1775455.00	1.14%	-8.33	-6.06
1.96%	0.03	18472.00	1823415.00	1.13%	-8.56	-6.20
2.03%	0.03	17241.00	1779098.00	1.05%	-8.56	-6.20
2.26%	0.05	18899.00	1783492.00	1.15%	-7.86	-5.78
1.76%	0.05	19713.00	1788541.00	1.20%	-8.14	-5.95
1.86%	0.05	23184.00	1788456.00	1.41%	-9.77	-6.94
1.44%	0.04	18518.00	1792923.00	1.12%	-8.59	-6.22
1.51%	0.05	20263.00	1799299.00	1.21%	-8.28	-6.03
1.72%	0.04	19834.00	1810624.00	1.18%	-9.56	-6.81
1.48%	0.04	17397.00	1843422.00	1.02%	-8.26	-6.02
0.00%	0.14	3901.00	181791.00	0.00%	-0.35	-1.21
0.00%	0.11	2015.00	179164.00	0.00%	0.05	-0.97
0.00%	0.08	2419.00	175633.00	0.00%	-1.80	-2.09
0.00%	0.11	2651.00	147081.00	0.00%	-0.74	-1.45
0.00%	0.11	2257.00	171424.00	0.00%	-0.34	-1.21
0.00%	0.1	3492.00	168218.00	0.00%	-1.85	-2.13
0.00%	0.11	3503.00	165080.00	0.00%	-1.53	-1.93
0.00%	0.13	3670.00	160818.00	0.00%	-1.03	-1.62
0.00%	0.15	3295.00	158014.00	0.00%	0.08	-0.95
0.00%	0.13	2855.00	155231.00	0.00%	-0.24	-1.14
11.54%	0.1	3001.00	152160.00	0.00%	-1.65	-2.00
0.00%	0.11	3299.00	142547.00	0.00%	-1.44	-1.88
2.56%	0.01	9.00	127701.00	0.41%	-0.53	-1.32
1.26%	0.01	9.00	125925.00	0.33%	-1.46	-1.89
0.00%	0.01	6.00	124233.00	0.42%	1.02	-0.38
0.63%	0.01	7.00	123050.00	0.33%	-0.53	-1.32

2.44%	0.01	4.00	122344.00	0.83%	0.49	-0.70
1.23%	0.01	6.00	123982.00	0.50%	-0.23	-1.14
0.61%	0.01	8.00	123197.00	0.33%	-0.66	-1.40
0.63%	0.01	7.00	123917.00	1.00%	0.31	-0.81
2.55%	0.01	3.00	123485.00	0.49%	1.03	-0.37
0.63%	0.01	9.00	123646.00	0.81%	-0.38	-1.23
1.27%	0.01	6.00	124102.00	0.35%	0.10	-0.94
0.62%	0.01	5.00	121037.00	0.88%	-0.19	-1.11
0.00%	0.04	55.00	63877.00	1.67%	0.41	-0.75
0.00%	0.04	57.00	64646.00	1.45%	0.34	-0.79
0.00%	0.03	68.00	64976.00	1.76%	0.14	-0.91
0.59%	0.03	56.00	70168.00	1.67%	0.35	-0.79
0.00%	0	80.00	65521.00	1.78%	-1.00	-1.61
1.14%	0.06	56.00	65671.00	1.86%	2.74	0.67
0.00%	0	65.00	66264.00	2.00%	-0.90	-1.55
0.00%	0	94.00	66800.00	2.18%	-1.09	-1.66
0.00%	0	78.00	67758.00	1.87%	-1.05	-1.64
0.00%	0.03	99.00	68611.00	2.19%	-0.40	-1.24
1.91%	0.06	74.00	69488.00	1.61%	2.68	0.63
0.00%	0.04	72.00	70772.00	1.64%	0.82	-0.50
0.49%	0.09	3899.00	181791.00	0.81%	-3.08	-2.87
0.40%	0.07	2015.00	179164.00	0.95%	-2.22	-2.35
0.51%	0.1	2418.00	175633.00	0.69%	-1.13	-1.69
0.74%	0.06	2651.00	147081.00	1.11%	-3.11	-2.89
0.45%	0.09	2255.00	171424.00	0.82%	-1.60	-1.97
0.50%	0.08	3490.00	168218.00	1.04%	-3.36	-3.04
0.52%	0	3498.00	165080.00	1.11%	-4.63	-3.82
0.44%	0.03	3668.00	160818.00	1.22%	-4.48	-3.72
0.51%	0.07	3294.00	158014.00	1.28%	-3.33	-3.03
0.50%	0.08	2855.00	155231.00	1.26%	-2.67	-2.62
0.29%	0.09	3001.00	152160.00	1.20%	-2.49	-2.51
0.43%	0.11	3299.00	142547.00	1.49%	-1.96	-2.19
1.05%	0.15	15573.00	1446425.00	1.67%	7.41	3.50
0.52%	0.13	12074.00	1450588.00	1.45%	5.42	2.29
0.00%	0.15	16558.00	1455084.00	1.76%	5.82	2.54
0.52%	0.14	16492.00	1502024.00	1.67%	4.35	1.65
0.00%	0.14	15333.00	1457906.00	1.78%	5.45	2.31
0.00%	0.15	16796.00	1462075.00	1.86%	5.86	2.56
1.01%	0.13	17553.00	1466548.00	2.00%	2.87	0.74
0.50%	0.13	20779.00	1467110.00	2.18%	2.15	0.31
0.00%	0.12	16552.00	1471647.00	1.87%	1.71	0.04
0.99%	0.12	17988.00	1477465.00	2.19%	1.60	-0.03
0.00%	0.13	17789.00	1488475.00	1.61%	2.92	0.77
0.00%	0.12	15460.00	1521342.00	1.64%	2.75	0.67
1.34%	0	0.00	3.00	2.15%	0.00	0.00
0.00%	0	0.00	3.00	1.12%	0.00	0.00
0.32%	0	0.00	3.00	1.38%	0.00	0.00
0.31%	0	0.00	1.00	1.55%	0.00	0.00
0.00%	0	0.00	3.00	1.34%	0.00	0.00
0.29%	0	0.00	3.00	2.12%	0.00	0.00
0.00%	0	0.00	3.00	2.18%	0.00	0.00
0.28%	0	0.00	3.00	2.32%	0.00	0.00

0.54%	0	0.00	1.00	2.12%	0.00	0.00
0.53%	0	0.00	1.00	1.88%	0.00	0.00
0.26%	0.32	0.00	1.00	2.04%	0.00	-1.00
1.03%	0	0.00	1.00	2.31%	0.00	0.00
1.84%	0.16	5.00	1205.00	1.67%	2.46	0.49
1.65%	0.11	4.00	1200.00	1.45%	1.40	-0.15
1.67%	0	5.00	1193.00	1.76%	-0.76	-1.46
1.54%	0.08	4.00	1145.00	1.67%	0.54	-0.67
1.70%	0.15	10.00	1206.00	1.78%	1.69	0.03
1.61%	0.11	6.00	1204.00	1.86%	1.05	-0.36
1.57%	0.08	4.00	1206.00	2.00%	0.51	-0.69
2.26%	0.08	12.00	1201.00	2.18%	-0.45	-1.27
2.07%	0.16	6.00	1201.00	1.87%	2.30	0.40
2.25%	0.08	10.00	1218.00	2.19%	-0.25	-1.15
1.32%	0.11	4.00	1227.00	1.61%	1.36	-0.17
1.57%	0.08	10.00	1133.00	1.64%	-0.34	-1.21
1.16%	0	264.00	15838.00	2.60%	-1.67	-2.02
1.71%	0	231.00	15917.00	2.47%	-1.57	-1.95
4.05%	0	279.00	15866.00	3.66%	-1.72	-2.05
2.42%	0.08	265.00	16217.00	5.88%	-1.09	-1.66
0.61%	0	283.00	15877.00	4.65%	-1.77	-2.07
1.80%	0.11	296.00	15863.00	2.27%	-0.71	-1.43
1.82%	0	318.00	15921.00	4.35%	-1.87	-2.14
1.82%	0	347.00	15888.00	0.00%	-1.94	-2.18
2.99%	0	299.00	15941.00	0.00%	-1.79	-2.09
0.00%	0	352.00	15982.00	0.00%	-1.92	-2.17
1.20%	0.14	261.00	16037.00	0.00%	0.36	-0.78
0.00%	0	267.00	16326.00	0.00%	-1.60	-1.97
0.40%	0.07	69.00	8472.00	0.99%	-2.31	-2.41
0.33%	0.06	82.00	8623.00	0.77%	-3.66	-3.22
0.42%	0.07	60.00	8658.00	1.05%	-1.43	-1.87
0.39%	0.09	98.00	9790.00	1.04%	-2.29	-2.39
0.42%	0.07	73.00	8804.00	0.97%	-2.60	-2.58
0.39%	0.07	96.00	8912.00	1.06%	-3.36	-3.04
0.44%	0.07	104.00	9266.00	1.10%	-3.60	-3.19
0.50%	0.07	116.00	9367.00	1.29%	-4.51	-3.74
0.43%	0.07	123.00	9533.00	1.03%	-4.32	-3.62
0.43%	0.07	122.00	9644.00	1.12%	-4.27	-3.60
0.30%	0.05	117.00	9709.00	1.09%	-5.27	-4.21
0.36%	0.07	148.00	9902.00	0.94%	-5.55	-4.38
1.30%	0.1	264.00	15838.00	0.82%	-0.67	-1.40
1.12%	0.07	231.00	15917.00	0.96%	-1.07	-1.65
0.95%	0	279.00	15866.00	0.70%	-1.84	-2.12
1.34%	0.07	265.00	16217.00	1.12%	-1.25	-1.76
0.74%	0	283.00	15877.00	0.82%	-1.88	-2.14
0.95%	0	296.00	15863.00	1.04%	-1.92	-2.17
0.53%	0.1	318.00	15921.00	1.12%	-0.99	-1.60
0.93%	0.07	347.00	15888.00	1.23%	-1.61	-1.98
1.04%	0	299.00	15941.00	1.29%	-1.94	-2.18
1.42%	0.1	352.00	15982.00	1.26%	-1.17	-1.71
0.68%	0	261.00	16037.00	1.19%	-1.82	-2.11
1.63%	0	267.00	16326.00	1.51%	-1.84	-2.12

0.57%	0.12	3901.00	181791.00	0.99%	-0.96	-1.58
0.72%	0	2015.00	179164.00	0.77%	-1.86	-2.13
0.66%	0.06	2419.00	175633.00	1.05%	-1.61	-1.98
0.82%	0.06	2651.00	147081.00	1.04%	-1.81	-2.10
0.75%	0	2257.00	171424.00	0.97%	-2.14	-2.30
0.82%	0.05	3492.00	168218.00	1.06%	-2.35	-2.43
0.83%	0	3503.00	165080.00	1.10%	-2.81	-2.71
0.93%	0.05	3670.00	160818.00	1.29%	-2.58	-2.57
0.80%	0.07	3295.00	158014.00	1.03%	-2.10	-2.28
0.83%	0.07	2855.00	155231.00	1.12%	-1.94	-2.18
0.84%	0.05	3001.00	152160.00	1.09%	-2.46	-2.50
0.74%	0.1	3299.00	142547.00	0.94%	-1.67	-2.02
0.00%	0.13	264.00	15838.00	0.36%	0.88	-0.46
0.00%	0.13	231.00	15917.00	0.29%	1.08	-0.34
1.38%	0.13	279.00	15866.00	0.38%	-0.42	-1.25
0.83%	0.12	265.00	16217.00	0.28%	-0.66	-1.40
0.49%	0.13	283.00	15877.00	0.40%	-0.43	-1.26
0.44%	0.13	296.00	15863.00	0.36%	-1.17	-1.71
0.30%	0.12	318.00	15921.00	0.35%	-1.99	-2.21
0.50%	0.15	347.00	15888.00	0.36%	0.38	-0.77
0.66%	0.14	299.00	15941.00	0.38%	0.91	-0.45
0.58%	0.15	352.00	15982.00	0.39%	0.22	-0.86
0.81%	0.11	261.00	16037.00	0.36%	-1.44	-1.88
0.22%	0.12	267.00	16326.00	0.32%	-0.32	-1.19
0.00%	0.11	2.00	77.00	0.14%	-0.66	-1.40
0.00%	0.13	2.00	81.00	0.18%	-0.36	-1.22
0.58%	0.2	3.00	82.00	0.19%	0.06	-0.97
0.35%	0.15	5.00	0.00	0.20%	-1.10	-1.67
0.41%	0.08	4.00	85.00	0.14%	-1.44	-1.88
0.24%	0.13	2.00	86.00	0.16%	-0.24	-1.15
0.37%	0.13	4.00	88.00	0.17%	-0.95	-1.58
0.31%	0.13	0.00	92.00	0.18%	0.00	0.00
0.28%	0.17	0.00	0.00	0.17%	0.00	0.00
0.38%	0	0.00	0.00	0.18%	0.00	0.00
0.42%	0.11	0.00	0.00	0.15%	0.00	0.00
0.26%	0	0.00	0.00	0.17%	0.00	0.00
63.64%	0.06	17516.00	1767448.00	92.05%	-13.87	-9.43
80.00%	0.06	13657.00	1770661.00	92.61%	-11.68	-8.10
100.00%	0.06	18679.00	1775455.00	88.65%	-14.52	-9.83
80.95%	0.06	18472.00	1823415.00	88.24%	-14.90	-10.06
83.33%	0.06	17241.00	1779098.00	91.36%	-13.12	-8.98
91.67%	0.06	18899.00	1783492.00	90.80%	-15.32	-10.31
100.00%	0.07	19713.00	1788541.00	92.03%	-14.76	-9.98
100.00%	0.07	23184.00	1788456.00	88.81%	-16.37	-10.95
88.89%	0.07	18518.00	1792923.00	90.62%	-13.73	-9.35
88.89%	0.07	20263.00	1799299.00	91.59%	-15.29	-10.29
100.00%	0.05	19834.00	1810624.00	89.41%	-17.67	-11.74
100.00%	0.06	17397.00	1843422.00	92.32%	-14.01	-9.52
100.00%	0.11	69.00	8433.00	81.82%	2.34	0.42
0.00%	0.11	82.00	8584.00	84.13%	0.73	-0.55
0.00%	0.1	60.00	8619.00	78.21%	1.36	-0.18
0.00%	0.11	98.00	9712.00	64.84%	0.92	-0.44

0.00%	0.09	73.00	8763.00	77.42%	-0.44	-1.27
0.00%	0.1	96.00	8850.00	78.26%	-0.40	-1.24
100.00%	0.07	104.00	9198.00	66.67%	-2.56	-2.56
100.00%	0.1	116.00	9297.00	70.00%	-1.22	-1.74
0.00%	0.1	123.00	9460.00	70.69%	-1.01	-1.61
100.00%	0.12	121.00	9571.00	77.78%	0.68	-0.58
100.00%	0.08	116.00	9632.00	76.27%	-2.21	-2.34
100.00%	0.13	148.00	9824.00	78.82%	0.49	-0.70
75.00%	0.08	17516.00	1767448.00	91.53%	-3.21	-2.95
100.00%	0.08	13657.00	1770661.00	95.24%	-0.42	-1.25
50.00%	0.08	18679.00	1775455.00	87.20%	-4.10	-3.49
100.00%	0.09	18472.00	1823415.00	86.46%	-6.54	-4.98
100.00%	0.09	17241.00	1779098.00	89.29%	-6.65	-5.04
0.00%	0.09	18899.00	1783492.00	94.31%	-7.06	-5.29
100.00%	0.09	19713.00	1788541.00	85.96%	-7.93	-5.82
0.00%	0.1	23184.00	1788456.00	84.62%	-9.91	-7.02
0.00%	0.09	18518.00	1792923.00	90.41%	-8.38	-6.10
0.00%	0.09	20263.00	1799299.00	90.44%	-9.96	-7.06
0.00%	0.09	19834.00	1810624.00	85.61%	-8.48	-6.15
100.00%	0.09	17397.00	1843422.00	92.59%	-6.92	-5.21
0.00%	0	183.00	51204.00	90.91%	0.00	0.00
0.00%	0	151.00	51431.00	100.00%	0.00	0.00
0.00%	0.12	195.00	51791.00	84.21%	1.56	-0.05
0.00%	0.09	147.00	55800.00	72.73%	3.53	1.15
0.00%	0.07	210.00	52175.00	85.71%	0.49	-0.70
0.00%	0.07	193.00	52821.00	81.82%	0.48	-0.71
0.00%	0.05	190.00	53468.00	81.82%	-0.35	-1.21
0.00%	0.07	198.00	54032.00	81.82%	0.83	-0.50
0.00%	0.08	208.00	54640.00	88.89%	1.68	0.02
0.00%	0.08	217.00	54905.00	86.67%	1.12	-0.32
0.00%	0.09	200.00	55441.00	85.71%	2.74	0.66
0.00%	0.05	180.00	56160.00	83.33%	-0.65	-1.39
100.00%	0	104.00	73135.00	95.50%	-0.04	-1.02
97.22%	0	132.00	73983.00	94.98%	-0.07	-1.04
96.00%	0.08	143.00	74096.00	92.40%	4.09	1.49
97.83%	0.06	149.00	79212.00	92.64%	2.57	0.56
97.87%	0.06	106.00	74529.00	94.53%	5.39	2.27
94.92%	0.05	117.00	74926.00	94.35%	1.56	-0.05
100.00%	0.06	127.00	75295.00	93.65%	3.80	1.31
95.56%	0.06	139.00	75933.00	92.27%	2.48	0.50
94.74%	0.05	129.00	77362.00	94.72%	2.18	0.33
100.00%	0.06	141.00	77916.00	95.11%	3.88	1.36
90.70%	0.06	121.00	78918.00	92.14%	5.51	2.35
100.00%	0.05	132.00	79550.00	95.58%	1.92	0.17
78.26%	0.48	1135.00	1233.00	95.13%	2.62	0.59
88.89%	0.4	915.00	988.00	94.72%	1.29	-0.21
86.36%	0	1219.00	1375.00	92.01%	-0.87	-1.53
78.07%	0.39	1118.00	1237.00	92.20%	0.99	-0.40
78.87%	0.37	1047.00	1267.00	94.21%	0.92	-0.44
82.31%	0.28	1175.00	1146.00	93.97%	-0.10	-1.06
79.81%	0	1166.00	1294.00	93.49%	-0.59	-1.36
75.00%	0	1254.00	1267.00	91.95%	-1.17	-1.71

80.22%	0.31	1063.00	1412.00	94.32%	0.24	-0.85
79.76%	0.31	1241.00	1173.00	94.75%	0.45	-0.72
81.93%	0	1106.00	1355.00	91.89%	-1.28	-1.78
84.18%	0	1070.00	1159.00	95.26%	-0.76	-1.46
100.00%	0	45.00	55.00	91.60%	-0.65	-1.40
100.00%	0	53.00	63.00	90.09%	0.00	0.00
100.00%	0	61.00	78.00	86.32%	0.00	0.00
100.00%	0	59.00	59.00	89.83%	0.00	0.00
100.00%	0	48.00	91.00	92.01%	0.00	0.00
0.00%	0	54.00	62.00	85.77%	0.00	0.00
100.00%	0	50.00	69.00	91.50%	-0.70	-1.43
100.00%	0	49.00	75.00	86.11%	-0.65	-1.40
100.00%	0	41.00	70.00	90.35%	0.00	0.00
100.00%	0	63.00	58.00	88.47%	-0.53	-1.32
100.00%	0	45.00	81.00	90.53%	-0.55	-1.34
100.00%	0	67.00	85.00	88.46%	-0.52	-1.31
100.00%	0.43	108.00	118.00	91.67%	0.92	-0.44
0.00%	0	100.00	105.00	83.33%	-0.44	-1.27
0.00%	0.5	109.00	125.00	89.47%	1.12	-0.32
0.00%	0	83.00	132.00	100.00%	-0.68	-1.41
0.00%	0	125.00	96.00	72.73%	-0.35	-1.21
0.00%	0	116.00	140.00	93.75%	0.00	0.00
0.00%	0	98.00	123.00	85.71%	-0.57	-1.34
0.00%	0	99.00	114.00	70.00%	0.00	0.00
0.00%	0	132.00	117.00	75.00%	0.00	0.00
0.00%	0	123.00	146.00	78.95%	0.00	0.00
0.00%	0	113.00	136.00	84.62%	0.00	0.00
0.00%	0	100.00	108.00	63.64%	-0.28	-1.17
0.00%	0	10.00	11.00	100.00%	0.00	0.00
100.00%	0	5.00	5.00	75.00%	0.00	0.00
0.00%	0	16.00	19.00	100.00%	0.00	0.00
100.00%	0	8.00	14.00	100.00%	0.00	0.00
0.00%	0	18.00	11.00	100.00%	0.00	0.00
0.00%	0	9.00	21.00	50.00%	0.00	0.00
0.00%	0	9.00	11.00	62.50%	0.00	0.00
0.00%	0	9.00	11.00	40.00%	0.00	0.00
0.00%	0	8.00	11.00	85.71%	0.00	0.00
0.00%	0	13.00	9.00	100.00%	0.00	0.00
0.00%	0	12.00	15.00	100.00%	0.00	0.00
0.00%	0	10.00	12.00	100.00%	1.26	-0.24
100.00%	0	9947.00	10416.00	96.25%	-1.65	-2.00
100.00%	0.16	7751.00	8161.00	95.08%	-0.62	-1.37
90.91%	0.2	10798.00	11686.00	95.20%	-0.96	-1.58
100.00%	0.15	10496.00	12258.00	95.42%	-1.34	-1.82
87.50%	0.14	9611.00	11330.00	95.85%	-1.01	-1.61
100.00%	0.22	10364.00	10167.00	95.52%	-0.19	-1.11
100.00%	0	10607.00	10985.00	95.49%	-1.64	-2.00
100.00%	0.21	12819.00	11326.00	91.27%	-0.82	-1.50
100.00%	0.22	10254.00	13893.00	93.64%	-0.01	-1.00
100.00%	0	11254.00	10826.00	94.68%	-1.39	-1.85
100.00%	0.29	11295.00	11832.00	95.64%	0.40	-0.76
100.00%	0	9894.00	10351.00	96.74%	-1.34	-1.81

60.00%	0.41	11082.00	11649.00	95.85%	2.82	0.72
66.67%	0.31	8666.00	9149.00	94.58%	1.23	-0.25
66.67%	0.34	12017.00	13061.00	94.35%	1.30	-0.21
77.14%	0.41	11614.00	13495.00	94.97%	11.97	6.27
65.77%	0.41	10658.00	12597.00	95.45%	7.94	3.83
78.05%	0.38	11539.00	11313.00	94.62%	10.95	5.66
65.55%	0.4	11773.00	12279.00	95.09%	12.39	6.53
61.82%	0.43	14073.00	12593.00	90.78%	14.33	7.71
66.85%	0.4	11317.00	15305.00	93.34%	16.00	8.73
76.51%	0.4	12495.00	11999.00	94.05%	17.98	9.93
75.71%	0.38	12401.00	13187.00	95.18%	9.50	4.78
86.07%	0.36	10964.00	11510.00	95.93%	12.13	6.37
100.00%	0	229.00	250.00	98.91%	-0.30	-1.18
100.00%	0	191.00	212.00	98.43%	-0.33	-1.20
100.00%	0	246.00	285.00	99.57%	-0.88	-1.54
100.00%	0	212.00	264.00	98.95%	-0.34	-1.20
100.00%	0	265.00	236.00	98.95%	-0.59	-1.36
100.00%	0	235.00	288.00	99.25%	0.00	0.00
100.00%	0	269.00	274.00	99.00%	-0.43	-1.26
100.00%	0	310.00	294.00	98.74%	-0.40	-1.24
100.00%	0	234.00	360.00	98.50%	-0.56	-1.34
100.00%	0	284.00	259.00	99.17%	-0.36	-1.22
100.00%	0	239.00	321.00	98.71%	-0.56	-1.34
100.00%	0	230.00	260.00	98.65%	-0.51	-1.31
0.00%	0	22.00	24.00	100.00%	-0.30	-1.18
0.00%	0	10.00	12.00	95.92%	0.00	0.00
0.00%	0	17.00	19.00	93.75%	0.00	0.00
0.00%	0	13.00	13.00	97.14%	0.00	0.00
0.00%	0	8.00	13.00	100.00%	0.00	0.00
0.00%	0	15.00	11.00	90.91%	0.00	0.00
100.00%	0	12.00	16.00	96.43%	0.00	0.00
100.00%	0	14.00	14.00	95.74%	0.00	0.00
0.00%	0	9.00	20.00	92.50%	0.00	0.00
0.00%	0	15.00	12.00	92.31%	0.00	0.00
0.00%	0	11.00	19.00	95.12%	0.00	0.00
100.00%	0	7.00	11.00	95.45%	0.00	0.00
0.00%	0	4.00	4.00	97.56%	0.00	0.00
0.00%	0	3.00	4.00	100.00%	-0.52	-1.31
100.00%	0	5.00	5.00	98.04%	0.00	0.00
0.00%	0	1.00	3.00	97.37%	0.00	0.00
100.00%	0	3.00	1.00	100.00%	0.00	0.00
100.00%	0	2.00	3.00	100.00%	0.00	0.00
100.00%	0	5.00	4.00	98.39%	0.00	0.00
0.00%	0	2.00	8.00	100.00%	0.00	0.00
0.00%	0	6.00	5.00	100.00%	0.00	0.00
0.00%	0	5.00	7.00	100.00%	0.00	0.00
0.00%	0	3.00	5.00	100.00%	0.00	0.00
100.00%	0	2.00	2.00	96.72%	0.00	0.00
0.00%	0	2589.00	2690.00	100.00%	-0.56	-1.34
0.00%	0	1817.00	1911.00	100.00%	-0.75	-1.46
0.00%	0.29	2558.00	2687.00	100.00%	0.64	-0.61
0.00%	0	2561.00	2659.00	100.00%	-0.69	-1.42

0.00%	0.33	2377.00	2684.00	100.00%	0.97	-0.41
0.00%	0	2599.00	2480.00	100.00%	-0.53	-1.32
0.00%	0	2498.00	2721.00	100.00%	-0.43	-1.26
0.00%	0	3075.00	2616.00	100.00%	-0.76	-1.46
0.00%	0	2459.00	3369.00	100.00%	-0.52	-1.32
0.00%	0	2686.00	2626.00	100.00%	-0.53	-1.32
100.00%	0	2543.00	2837.00	100.00%	-0.64	-1.39
100.00%	0	2318.00	2396.00	100.00%	-0.41	-1.25
100.00%	0.49	2818.00	2940.00	99.55%	2.42	0.47
100.00%	0.47	2008.00	2123.00	99.10%	2.56	0.55
100.00%	0.47	2804.00	2972.00	99.36%	3.27	0.99
100.00%	0.42	2773.00	2923.00	99.48%	6.03	2.66
100.00%	0.47	2642.00	2920.00	99.33%	7.94	3.83
100.00%	0.41	2834.00	2768.00	99.06%	6.01	2.66
100.00%	0.48	2767.00	2995.00	99.17%	7.94	3.83
100.00%	0.49	3385.00	2910.00	98.95%	7.94	3.83
100.00%	0.47	2693.00	3729.00	99.03%	7.94	3.83
100.00%	0.42	2970.00	2885.00	99.25%	7.04	3.28
100.00%	0.43	2782.00	3158.00	99.51%	7.44	3.53
100.00%	0.35	2548.00	2656.00	99.30%	4.22	1.56
100.00%	0	455.00	460.00	99.45%	-0.28	-1.17
100.00%	0	377.00	383.00	98.99%	-0.22	-1.13
100.00%	0	459.00	461.00	99.40%	-0.15	-1.09
98.43%	0	472.00	544.00	99.39%	-0.23	-1.14
97.60%	0	469.00	477.00	99.27%	-0.21	-1.13
97.47%	0	531.00	474.00	99.09%	-0.12	-1.07
97.79%	0	593.00	535.00	99.14%	-0.10	-1.06
96.43%	0	625.00	599.00	98.92%	-0.28	-1.17
98.31%	0	526.00	633.00	98.95%	-0.30	-1.18
97.92%	0	594.00	534.00	99.23%	-0.20	-1.12
98.01%	0	537.00	599.00	99.39%	-0.28	-1.17
98.91%	0	511.00	518.00	99.20%	-0.29	-1.17
0.01%	0	33.00	33.00	0.02%	0.00	0.00
0.00%	0	47.00	49.00	0.00%	0.00	0.00
0.03%	0	45.00	48.00	0.04%	0.00	0.00
0.01%	0	34.00	41.00	0.00%	0.00	0.00
0.01%	0	20.00	35.00	0.01%	0.00	0.00
0.00%	0	30.00	20.00	0.01%	0.00	0.00
0.02%	0	27.00	33.00	0.00%	-0.19	-1.11
0.00%	0	45.00	28.00	0.00%	-0.21	-1.13
0.01%	0	37.00	47.00	0.00%	0.00	0.00
0.00%	0	36.00	40.00	0.00%	0.00	0.00
0.01%	0	39.00	39.00	0.06%	0.00	0.00
0.01%	0	21.00	22.00	0.04%	-0.21	-1.13
0.01%	0	40.00	41.00	0.00%	0.00	0.00
0.01%	0	34.00	34.00	0.00%	0.00	0.00
0.01%	0	50.00	51.00	0.05%	-0.14	-1.09
0.00%	0	37.00	55.00	0.00%	0.00	0.00
0.01%	0	59.00	38.00	0.30%	0.00	0.00
0.00%	0	54.00	59.00	0.05%	0.00	0.00
0.00%	0	61.00	54.00	0.00%	-0.13	-1.08
0.00%	0	61.00	62.00	0.00%	0.00	0.00

0.01%	0	50.00	61.00	0.00%	0.00	0.00
0.00%	0	62.00	50.00	0.00%	0.00	0.00
0.00%	0	55.00	62.00	0.00%	0.00	0.00
0.00%	0	59.00	61.00	0.01%	-0.18	-1.11
0.03%	0	1.00	1.00	0.02%	0.00	0.00
0.01%	0	6.00	6.00	0.00%	0.00	0.00
0.11%	0	7.00	7.00	0.04%	0.00	0.00
0.04%	0	3.00	7.00	0.00%	0.00	0.00
0.01%	0	8.00	3.00	0.01%	0.00	0.00
0.06%	0	5.00	8.00	0.01%	0.00	0.00
0.23%	0	13.00	5.00	0.00%	0.00	0.00
0.01%	0	16.00	13.00	0.00%	0.00	0.00
0.01%	0	12.00	16.00	0.00%	0.00	0.00
0.01%	0	10.00	12.00	0.00%	0.00	0.00
0.07%	0	7.00	10.00	0.06%	0.00	0.00
0.12%	0	5.00	5.00	0.04%	0.00	0.00
0.07%	0	2456.00	2467.00	0.00%	-0.22	-1.13
0.31%	0	1984.00	2002.00	0.00%	-0.19	-1.12
1.00%	0	2171.00	2185.00	0.05%	-0.18	-1.11
0.65%	0	2465.00	2872.00	0.00%	-0.16	-1.10
0.46%	0	2668.00	2478.00	0.30%	-0.26	-1.16
0.40%	0	3061.00	2686.00	0.05%	-0.24	-1.14
0.22%	0	3581.00	3090.00	0.00%	-0.29	-1.18
0.48%	0	3480.00	3611.00	0.00%	-0.33	-1.20
0.47%	0	3070.00	3517.00	0.00%	-0.22	-1.13
0.35%	0	3294.00	3100.00	0.00%	-0.26	-1.16
0.38%	0	2858.00	3319.00	0.00%	-0.20	-1.12
0.61%	0	2694.00	2713.00	0.01%	-0.24	-1.14
0.00%	0	2911.00	2927.00	0.00%	-0.15	-1.09
100.00%	0	2361.00	2385.00	0.00%	-0.27	-1.16
0.00%	0	2630.00	2646.00	0.00%	-0.33	-1.20
0.00%	0.12	2937.00	3416.00	0.00%	1.18	-0.28
0.00%	0.15	3137.00	2955.00	0.00%	1.74	0.06
0.00%	0.16	3592.00	3160.00	0.00%	1.76	0.07
0.00%	0.15	4174.00	3625.00	0.00%	1.66	0.01
100.00%	0.19	4105.00	4210.00	0.00%	2.75	0.67
0.00%	0.13	3596.00	4150.00	0.00%	0.92	-0.44
0.00%	0.14	3888.00	3634.00	0.00%	1.89	0.15
0.00%	0.14	3395.00	3918.00	0.00%	2.12	0.29
100.00%	0.1	3205.00	3231.00	0.00%	0.46	-0.72
0.00%	0	6.92	30360.00	0.00%	-10.03	-7.10
0.00%	0	0.79	30576.00	0.00%	0.54	-0.67
0.00%	0	14.05	32400.00	0.00%	-6.54	-4.98
0.00%	0	0.00	32593.00	0.00%	0.00	0.00
0.00%	0	1.91	33241.00	0.00%	-1.94	-2.18
0.00%	0	4.42	32617.00	0.00%	-10.41	-7.33
0.00%	0	0.10	32617.00	0.00%	420.10	254.40
0.00%	0	0.00	32617.00	0.00%	0.00	0.00
0.00%	0	1.21	32617.00	0.00%	11.13	5.77
0.00%	0	0.00	32617.00	0.00%	0.00	0.00
0.00%	0	21.18	32617.00	0.00%	-24.90	-16.14
0.00%	0	13.64	33239.00	0.00%	-20.52	-13.48

100.00%	0	0.03	54041.00	0.00%	1151.42	699.01
100.00%	0	0.12	55841.00	0.00%	272.25	164.52
99.47%	0	31.98	58764.00	0.00%	-8.34	-6.07
100.00%	0	0.12	28599.00	0.00%	136.26	81.84
99.19%	0	177.17	59124.00	0.00%	-13.23	-9.04
99.19%	0	30.15	58476.00	0.00%	-14.19	-9.63
100.00%	0	0.00	58572.00	0.00%	0.00	0.00
99.59%	0	0.06	28623.00	0.00%	-6.24	-4.79
100.00%	0	0.00	28623.00	0.00%	0.00	0.00
100.00%	0	0.00	28599.00	0.00%	0.00	0.00
100.00%	0	0.00	28599.00	0.00%	0.00	0.00
100.00%	0	1.60	29031.00	0.00%	-4.49	-3.73
100.00%	0.01	6.92	30360.00	0.00%	6.78	3.12
97.06%	0	0.79	30576.00	0.00%	23.34	13.19
89.47%	0.01	14.05	32400.00	0.00%	26.38	15.04
100.00%	0	0.00	32593.00	0.00%	0.00	0.00
63.64%	0	1.91	33241.00	0.00%	24.19	13.71
96.55%	0.01	4.42	32617.00	0.00%	53.83	31.73
91.43%	0.02	0.10	32617.00	0.00%	6061.98	3684.42
97.87%	0	0.00	32617.00	0.00%	0.00	0.00
90.70%	0	1.21	32617.00	0.00%	11.13	5.77
97.44%	0	0.00	32617.00	0.00%	0.00	0.00
100.00%	0.01	21.18	32617.00	0.00%	0.09	-0.95
100.00%	0.01	13.64	33239.00	0.00%	44.03	25.77
0.00%	0.01	0.03	54041.00	0.00%	7116.71	4325.66
0.00%	0.02	0.12	55841.00	0.00%	9040.09	5494.99
0.00%	0.05	31.98	58764.00	0.00%	200.97	121.18
0.00%	0.05	0.12	28599.00	0.00%	36457.94	22163.85
0.00%	0.03	177.17	59124.00	0.00%	6.98	3.24
0.00%	0.03	30.15	58476.00	0.00%	105.17	62.94
0.00%	0.02	0.00	58572.00	0.00%	0.00	0.00
0.00%	0.04	0.06	28623.00	0.00%	20400.20	12401.44
0.00%	0.04	0.00	28623.00	0.00%	0.00	0.00
0.00%	0.03	0.00	28599.00	0.00%	0.00	0.00
0.00%	0.03	0.00	28599.00	0.00%	0.00	0.00
0.00%	0.05	1.60	29031.00	0.00%	1004.55	609.72
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
36.36%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
2.86%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00	0	0.00	0.00	32.37	0.00	0.00
4.50	0	0.00	0.00	30.31	0.00	0.00
0.00	0	0.00	0.00	22.82	0.00	0.00
0.00	0	0.00	0.00	34.53	0.00	0.00

0.00	0	0.00	0.00	27.42	0.00	0.00
0.00	0	0.00	0.00	23.21	0.00	0.00
0.00	0	0.00	0.00	56.79	0.00	0.00
0.00	0	0.00	0.00	43.35	0.00	0.00
0.00	0	0.00	0.00	34.60	0.00	0.00
17.00	0	0.00	0.00	46.05	0.00	0.00
0.00	0	0.00	0.00	44.75	0.00	0.00
0.00	0	0.00	0.00	54.79	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0.07	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0.09	0.00	0.00	0.00	0.00	0.00
0.00	0.09	0.00	0.00	0.00	0.00	0.00
32.00	0	0.00	0.00	0.00	0.00	0.00
11.00	0.06	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
177.29	0	0.00	0.00	0.00	0.00	0.00
229.00	0.17	0.00	0.00	0.00	0.00	0.00
264.75	0.31	0.00	0.00	0.00	0.00	0.00
180.00	0	0.00	0.00	0.00	0.00	0.00
272.67	0.48	0.00	0.00	0.00	0.00	0.00
150.83	0.18	0.00	0.00	0.00	0.00	0.00
115.83	0.28	0.00	0.00	0.00	0.00	0.00
97.83	0.14	0.00	0.00	0.00	0.00	0.00
271.14	0.29	0.00	0.00	0.00	0.00	0.00
249.14	0.16	0.00	0.00	0.00	0.00	0.00
252.56	0	0.00	0.00	0.00	0.00	0.00
209.40	0	0.00	0.00	0.00	0.00	0.00
167.00	0	0.00	0.00	50.02	0.00	0.00
144.00	0	0.00	0.00	64.08	0.00	0.00
124.00	0	0.00	0.00	45.06	0.00	0.00
102.00	0	0.00	0.00	40.91	0.00	0.00
40.00	0	0.00	0.00	44.06	0.00	0.00
59.00	0	0.00	0.00	48.47	0.00	0.00
22.50	0	0.00	0.00	73.32	0.00	0.00
9.40	0	0.00	0.00	48.89	0.00	0.00
0.00	0	0.00	0.00	46.32	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
13.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	50.02	0.00	0.00
0.00	0	0.00	0.00	64.08	0.00	0.00
0.00	0	0.00	0.00	45.06	0.00	0.00
0.00	0	0.00	0.00	40.91	0.00	0.00
0.00	0.48	0.00	0.00	44.06	0.00	0.00
0.00	0	0.00	0.00	48.47	0.00	0.00
42.00	0.17	0.00	0.00	73.32	0.00	0.00
21.00	0	0.00	0.00	48.89	0.00	0.00

0.00	0	0.00	0.00	46.32	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	1845.00	57.00	142.00	0.00	0.00
0.00	2.12	1182.00	39.00	0.00	-0.91	-1.55
0.00	0	1118.00	49.00	63.33	0.00	0.00
0.00	0	2141.00	103.00	150.40	0.00	0.00
0.00	0	2002.00	62.00	76.44	0.00	0.00
8.13	0	1625.00	73.00	57.11	0.00	0.00
0.00	0	6361.00	70.00	43.22	0.00	0.00
0.00	0	6936.00	112.00	41.00	0.00	0.00
0.00	0	5086.00	160.00	36.60	0.00	0.00
0.00	0	4559.00	147.00	37.00	-0.53	-1.32
0.00	0	4609.00	99.00	15.00	0.00	0.00
0.00	0	5315.00	97.00	0.00	0.00	0.00
0.00	0	0.00	0.00	50.02	0.00	0.00
0.00	0	0.00	0.00	64.08	0.00	0.00
0.00	0	0.00	0.00	45.06	0.00	0.00
0.00	0	0.00	0.00	40.91	0.00	0.00
0.00	0	0.00	0.00	44.06	0.00	0.00
4.00	0	0.00	0.00	48.47	0.00	0.00
0.00	0	0.00	0.00	73.32	0.00	0.00
0.00	0	0.00	0.00	48.89	0.00	0.00
0.00	0	0.00	0.00	46.32	0.00	0.00
0.00	0	0.00	0.00	40.32	0.00	0.00
0.00	0	0.00	0.00	37.42	0.00	0.00
0.00	0	0.00	0.00	43.92	0.00	0.00
99	0	459.00	9.00	38.72	0.00	0.00
63.5	0	660.00	15.00	35.54	0.00	0.00
66.67	0	492.00	12.00	25.64	0.00	0.00
35.4	0	502.00	10.00	26.63	0.00	0.00
25.33	0	461.00	14.00	31.65	0.00	0.00
17.85	0	505.00	12.00	29.15	-0.62	-1.37
12.7	0	505.00	13.00	46.03	0.00	0.00
14.44	0	653.00	15.00	72.61	0.00	0.00
14.5	0	442.00	19.00	73.01	0.00	0.00
13.2	0	330.00	19.00	77.95	0.00	0.00
17	0	504.00	7.00	70.3	0.00	0.00
19.45	0	893.00	29.00	62.81	0.00	0.00
148.29	193.77	0.00	0.00	130.71	0.00	0.00
117.65	179.29	0.00	0.00	129.2	0.00	0.00
114.38	148.8	0.00	0.00	152.27	0.00	0.00
124.05	182.14	0.00	0.00	156.83	0.00	0.00
132.57	130.54	0.00	0.00	130.92	0.00	0.00
122.18	137.9	0.00	0.00	117.38	0.00	0.00
101.75	147.08	0.00	0.00	118.56	0.00	0.00
121.61	144.48	0.00	0.00	130.44	0.00	0.00
143.44	48.01	0.00	0.00	89.82	0.00	0.00
189.83	48.01	0.00	0.00	84.65	0.00	0.00
156.69	69.89	0.00	0.00	85.67	0.00	0.00
130.36	98.5	0.00	0.00	77.32	0.00	0.00

85	0	2051.00	41.00	46	1.24	-0.24
87.33	0	1666.00	26.00	40.6	1.02	-0.38
50.75	0	1532.00	34.00	35.57	1.08	-0.34
38.5	0	1432.00	0.00	38	1.27	-0.23
65.5	56.57	2203.00	35.00	26.9	-0.07	-1.04
44.67	0	2472.00	50.00	41.33	0.69	-0.58
29.5	21.92	4546.00	51.00	36.01	-0.87	-1.53
47.67	8.2	4351.00	62.00	30.87	-1.30	-1.79
123.67	0	3798.00	89.00	43.05	-0.75	-1.46
59.33	0	0.00	82.00	45.13	0.00	0.00
78.6	0	0.00	0.00	45.07	0.00	0.00
82	1.73	0.00	0.00	52.6	0.00	0.00
16.38	0	2051.00	41.00	36.72	0.00	0.00
40.77	0	1666.00	26.00	32.1	0.00	0.00
25.15	0	1532.00	34.00	24.16	0.00	0.00
28.09	0	1432.00	0.00	26.23	0.00	0.00
26.3	0	2203.00	35.00	29.43	0.00	0.00
15.04	0	2472.00	50.00	26.12	0.00	0.00
10.23	0	4546.00	51.00	39.85	-0.38	-1.23
19.33	0	4351.00	62.00	41.24	-0.42	-1.25
6.52	0	3798.00	89.00	37.09	0.00	0.00
32	0	0.00	82.00	47.17	0.00	0.00
23.35	0	0.00	0.00	39.88	0.00	0.00
34.63	0	0.00	0.00	36.03	0.00	0.00
2.5	0	142.00	1.00	130.71	0.00	0.00
0	0	0.00	0.00	136.86	0.00	0.00
0	0	190.00	3.00	167.3	0.00	0.00
2	0	752.00	3.00	180.1	0.00	0.00
12	0	688.00	5.00	148.82	0.00	0.00
0	6.73	514.00	9.00	125	-1.90	-2.16
0	0	389.00	9.00	125.29	0.00	0.00
35.5	0	205.00	9.00	130.44	0.00	0.00
8.25	0	183.00	5.00	89.82	0.00	0.00
5	0	111.00	5.00	84.65	0.00	0.00
0	0	45.00	3.00	85.67	0.00	0.00
21	0	0.00	0.00	77.32	0.00	0.00
118.33	0	2051.00	41.00	37.26	0.00	0.00
95.33	0	1666.00	26.00	34.47	0.00	0.00
75.33	0	1532.00	34.00	24.94	-0.55	-1.34
57	0	1432.00	78.00	28.67	0.00	0.00
31.7	0	2203.00	35.00	30.78	0.00	0.00
22.49	0	2472.00	50.00	28	-0.62	-1.38
18.72	0	4546.00	51.00	48.48	0.00	0.00
15.9	0	4351.00	62.00	66.88	0.00	0.00
12.44	0	3798.00	89.00	64.86	0.00	0.00
12.37	0	3427.00	82.00	72.35	0.00	0.00
12.71	0	2919.00	85.00	65.6	0.00	0.00
12.24	0	2635.00	60.00	61.33	0.00	0.00
0	0	7357.00	190.00	0.4211	1.32	-0.20
1	70.97	5367.00	151.00	0.5385	1.19	-0.28
0	67.63	3846.00	150.00	0.4286	1.81	0.10
0	46.92	4740.00	457.00	0.3387	0.59	-0.64

0	34.34	8926.00	178.00	0.3151	-0.48	-1.29
0	19.88	8511.00	282.00	0.2714	-1.37	-1.83
0	15.61	17444.00	292.00	0.2768	-1.37	-1.83
0	11.73	47705.00	379.00	0.2438	-1.96	-2.19
0	8.09	39862.00	657.00	0.2449	-1.87	-2.14
0	12.39	36246.00	546.00	0.3636	-2.41	-2.46
0	10.6	32128.00	465.00	0.3883	-1.97	-2.20
0	31.56	26882.00	428.00	0.3711	-1.78	-2.08
0	133.48	1830.00	14.00	0	0.37	-0.78
0	129.21	1938.00	15.00	0	-0.24	-1.15
0	125.47	1675.00	11.00	0	-0.70	-1.42
0	128.04	1882.00	21.00	0	-0.73	-1.44
0	160.66	1702.00	12.00	0	0.11	-0.93
0	158	1526.00	13.00	0	0.18	-0.89
1	147.4	2134.00	13.00	0	-0.50	-1.30
1	152.24	2087.00	18.00	0	-0.29	-1.18
0	148.26	1976.00	16.00	0	1.60	-0.03
0	136.58	1693.00	22.00	0	2.37	0.44
0	136.48	1799.00	20.00	0	1.77	0.08
0	132.38	1469.00	19.00	0	1.41	-0.14
0.5714	83.12	690.00	15.00	0	1.09	-0.33
0.8	80.7	609.00	15.00	0	1.33	-0.19
1	73.77	498.00	14.00	0	0.81	-0.51
0.8	65.94	304.00	45.00	0	0.04	-0.98
1	70	1318.00	8.00	0	1.17	-0.29
0.5	46.76	1612.00	49.00	0	0.43	-0.74
0.3333	29.1	2413.00	39.00	0	-0.21	-1.13
0.5	113.02	2068.00	67.00	0	0.67	-0.59
1	173.62	1808.00	67.00	0	1.55	-0.06
1	118.94	2121.00	42.00	0	0.50	-0.70
1	117.29	2028.00	47.00	0	0.97	-0.41
0.9	101.44	1841.00	35.00	0	0.89	-0.46
1	41.11	6646.00	181.00	0.439	-2.80	-2.70
1	50.21	4719.00	147.00	0.3846	0.80	-0.51
1	34.99	3576.00	148.00	0.4118	0.19	-0.88
1	32.39	4564.00	274.00	0.2571	0.28	-0.83
1	33.12	7622.00	174.00	0.46	-0.46	-1.28
1	28.19	6477.00	259.00	0.5098	-1.97	-2.20
0.5	18.97	13430.00	248.00	0.3548	-2.72	-2.65
0.4	29.19	20950.00	337.00	0.4382	-0.95	-1.58
1	11.54	15949.00	508.00	0.4878	-2.54	-2.55
0	0	13539.00	430.00	0	-0.26	-1.16
0	27.16	10928.00	287.00	0	-1.32	-1.80
0	12.37	9043.00	251.00	0	-0.07	-1.04
0	0.71	1830.00	14.00	0.439	-1.06	-1.65
0	0	1916.00	14.00	0.3846	0.00	0.00
0	0	1673.00	10.00	0.4118	0.00	0.00
0	0	1801.00	21.00	0.2571	-1.39	-1.84
0	0	1637.00	10.00	0.46	-1.10	-1.67
0	0	1500.00	11.00	0.5098	0.00	0.00
1	0	2130.00	12.00	0.3548	0.00	0.00
1	19.09	2087.00	17.00	0.4382	-1.35	-1.82

0	12.58	1976.00	16.00	0.4878	-1.69	-2.03
0	0	1693.00	22.00	0	-0.97	-1.59
0	0	1799.00	20.00	0	0.00	0.00
0	0	1469.00	19.00	0	-0.76	-1.46
0	39.72	9202.00	247.00	0	2.51	0.53
0	39.72	6549.00	190.00	0	2.07	0.26
0	39.72	4964.00	199.00	0	1.94	0.18
0	36.99	6881.00	560.00	0	3.72	1.26
0	32.74	10928.00	240.00	0	0.28	-0.83
0	22.67	10136.00	355.00	0	-1.51	-1.92
0	18.09	23805.00	362.00	0	-3.67	-3.23
0	14.8	54641.00	491.00	0	-5.92	-4.60
0	11.39	44948.00	817.00	0	-4.75	-3.89
0	17.72	40805.00	693.00	0	-6.19	-4.77
0	18.41	36737.00	564.00	0	-4.19	-3.55
0	17.49	32197.00	525.00	0	-3.31	-3.01
0	0	24.00	57.00	0.439	0.00	0.00
0	0	21.00	39.00	0.3846	1.07	-0.35
0	0	21.00	49.00	0.4118	0.00	0.00
0	0	21.00	103.00	0.2571	0.00	0.00
0	0	23.00	62.00	0.46	0.00	0.00
0	0	19.00	73.00	0.5098	0.00	0.00
0	0	31.00	70.00	0.3548	0.00	0.00
0	0	39.00	112.00	0.4382	0.00	0.00
0	0	36.00	160.00	0.4878	0.00	0.00
0	0	36.00	147.00	0.4941	-0.75	-1.46
0	0	40.00	99.00	0.4359	0.00	0.00
0	0	36.00	97.00	0.3333	0.00	0.00
0	0	0.00	0.00	0.2895	0.00	0.00
0	0	0.00	0.00	0.3444	0.00	0.00
0.3333	0	0.00	0.00	0.4	0.00	0.00
0	0	0.00	0.00	0.2697	0.00	0.00
0	0	0.00	0.00	0.2234	0.00	0.00
0.0769	0	0.00	0.00	0.2226	0.00	0.00
0	0	0.00	0.00	0.2401	0.00	0.00
0	0	0.00	0.00	0.1218	0.00	0.00
0	0	0.00	0.00	0.1319	0.00	0.00
0.1	0	0.00	0.00	0.1419	0.00	0.00
0.1	0	0.00	0.00	0.1379	0.00	0.00
0	0	0.00	0.00	0.1495	0.00	0.00
0.95	0	2.00	9.00	0.21	0.00	0.00
0.83	0	3.00	15.00	0.07	0.00	0.00
0.95	0	3.00	12.00	0.00	0.00	0.00
0.70	0	3.00	10.00	0.00	0.00	0.00
0.87	0	0.00	14.00	0.08	0.00	0.00
0.91	0	1.00	12.00	0.08	-0.28	-1.17
0.92	0	3.00	13.00	0.11	0.00	0.00
0.91	0	4.00	15.00	0.13	0.00	0.00
1.00	0	5.00	19.00	0.18	0.00	0.00
1.00	0	2.00	19.00	0.15	0.00	0.00
0.92	0	2.00	7.00	0.10	0.00	0.00
0.93	0	13.00	29.00	0.05	0.00	0.00

0.75	0.49	0.00	0.00	0.33	0.00	0.00
1.00	0.4	0.00	0.00	0.73	0.00	0.00
0.75	0	0.00	0.00	0.57	0.00	0.00
0.75	0.4	0.00	0.00	0.38	0.00	0.00
0.50	0	0.00	0.00	0.27	0.00	0.00
0.67	0.5	0.00	0.00	0.21	0.00	0.00
0.50	0.47	0.00	0.00	0.31	0.00	0.00
0.56	0.5	0.00	0.00	0.27	0.00	0.00
0.67	0	0.00	0.00	0.36	0.00	0.00
0.83	0	0.00	0.00	0.32	0.00	0.00
0.40	0	0.00	0.00	0.40	0.00	0.00
0.60	0.3	0.00	0.00	0.26	0.00	0.00
0.20	0	18.00	41.00	0.38	0.76	-0.54
0.85	0	10.00	26.00	0.44	0.84	-0.49
0.35	0	14.00	34.00	0.49	0.80	-0.51
0.55	0	9.00	0.00	0.34	1.11	-0.32
0.65	0	23.00	35.00	0.29	1.27	-0.23
0.43	0	26.00	50.00	0.29	0.64	-0.61
0.16	0.5	22.00	51.00	0.30	0.33	-0.80
0.67	0.49	39.00	62.00	0.18	-0.17	-1.10
0.05	0	40.00	89.00	0.20	0.68	-0.58
1.00	0	0.00	82.00	0.25	0.00	0.00
0.95	0	0.00	0.00	0.26	0.00	0.00
0.88	0	0.00	0.00	0.25	0.00	0.00
0.50	0	18.00	41.00	0.21	0.00	0.00
0.00	0	10.00	26.00	0.07	0.00	0.00
0.00	0	14.00	34.00	0.00	0.00	0.00
0.00	0	9.00	0.00	0.00	0.00	0.00
0.00	0	23.00	35.00	0.09	0.00	0.00
0.00	0	26.00	50.00	0.08	0.00	0.00
0.00	0	22.00	51.00	0.12	0.92	-0.44
1.00	0	39.00	62.00	0.13	0.77	-0.53
0.75	0	40.00	89.00	0.18	0.00	0.00
1.00	0	0.00	82.00	0.15	0.00	0.00
0.00	0	0.00	0.00	0.10	0.00	0.00
0.00	0	0.00	0.00	0.05	0.00	0.00
0.00	0	0.00	1.00	0.32	0.00	0.00
0.00	0	0.00	0.00	0.38	0.00	0.00
0.00	0	0.00	3.00	0.41	0.00	0.00
0.09	0	0.00	3.00	0.29	0.00	0.00
0.11	0	0.00	5.00	0.24	0.00	0.00
0.07	0	0.00	9.00	0.23	0.00	0.00
0.02	0	0.00	9.00	0.25	0.00	0.00
0.04	0	0.00	9.00	0.15	0.00	0.00
0.10	0	0.00	5.00	0.16	0.00	0.00
0.06	0	0.00	5.00	0.18	0.00	0.00
0.09	0	0.00	3.00	0.18	0.00	0.00
0.03	0	0.00	0.00	0.19	0.00	0.00
1.00	0	18.00	41.00	0.00	0.00	0.00
1.00	0	10.00	26.00	0.00	0.00	0.00
1.00	0	14.00	34.00	0.00	-0.82	-1.50
1.00	0	9.00	78.00	0.00	0.00	0.00

1.00	0	23.00	35.00	0.00	0.00	0.00
1.00	0	26.00	50.00	0.00	-1.01	-1.61
1.00	0	22.00	51.00	0.00	0.00	0.00
0.99	0	39.00	62.00	0.00	0.00	0.00
1.00	0	40.00	89.00	0.00	0.00	0.00
1.00	0	42.00	82.00	0.00	0.00	0.00
1.00	0	34.00	85.00	0.00	0.00	0.00
1.00	0	20.00	60.00	0.00	0.00	0.00
1.00	0	55.00	190.00	0.00	-0.64	-1.39
1.00	0	52.00	151.00	0.00	-1.43	-1.87
1.00	0.47	60.00	150.00	0.00	-0.23	-1.14
1.00	0	48.00	457.00	0.00	-1.34	-1.81
1.00	0	63.00	178.00	0.00	-1.30	-1.79
1.00	0.27	65.00	282.00	0.00	-1.24	-1.75
1.00	0	91.00	292.00	0.00	-1.75	-2.07
1.00	0	80.00	379.00	0.00	-1.11	-1.67
1.00	0	72.00	657.00	0.00	-1.09	-1.67
1.00	0.3	66.00	546.00	0.00	-0.38	-1.23
1.00	0.3	63.00	465.00	0.00	-0.34	-1.21
1.00	0	64.00	428.00	0.00	-1.37	-1.83
97.32%	0.21	3.00	14.00	82.19%	4.50	1.74
97.36%	0.38	1.00	15.00	78.88%	4.77	1.90
98.80%	0.21	0.00	11.00	83.77%	5.55	2.37
96.46%	0.46	0.00	21.00	86.23%	4.04	1.45
96.85%	0.34	1.00	12.00	72.08%	4.76	1.90
98.02%	0.29	1.00	13.00	81.49%	5.01	2.05
97.32%	0.28	2.00	13.00	76.71%	5.43	2.30
95.84%	0.28	2.00	18.00	78.17%	5.08	2.09
96.25%	0	4.00	16.00	78.09%	5.55	2.38
96.17%	0	3.00	22.00	67.86%	4.92	1.99
96.06%	0.27	2.00	20.00	77.20%	4.93	2.00
97.83%	0.26	1.00	19.00	83.01%	5.27	2.21
50.00%	0.43	5.00	15.00	97.09%	1.36	-0.17
100.00%	0	11.00	15.00	96.81%	0.82	-0.50
100.00%	0.43	8.00	14.00	96.96%	0.50	-0.69
100.00%	0.43	3.00	45.00	96.76%	1.00	-0.39
100.00%	0.5	13.00	8.00	96.07%	0.58	-0.65
100.00%	0.47	8.00	49.00	95.77%	1.52	-0.08
100.00%	0.5	21.00	39.00	95.06%	0.70	-0.58
100.00%	0.5	18.00	67.00	95.77%	1.65	0.00
100.00%	0.47	15.00	67.00	95.85%	0.93	-0.43
92.59%	0.37	15.00	42.00	96.67%	2.33	0.42
90.91%	0.49	18.00	47.00	96.75%	0.00	-1.00
100.00%	0.49	9.00	35.00	96.06%	1.41	-0.14
100.00%	0.4	69.00	181.00	97.72%	-2.14	-2.30
100.00%	0.36	64.00	147.00	97.28%	2.87	0.75
100.00%	0.48	72.00	148.00	96.92%	-1.15	-1.70
100.00%	0.5	60.00	274.00	96.56%	1.30	-0.21
100.00%	0.48	75.00	174.00	96.63%	3.41	1.07
90.00%	0.5	73.00	259.00	96.33%	1.36	-0.17
96.49%	0.37	100.00	248.00	95.80%	-1.58	-1.96
100.00%	0.47	93.00	337.00	95.92%	2.50	0.52

100.00%	0.21	84.00	508.00	96.41%	-1.67	-2.01
94.23%	0	73.00	430.00	96.58%	1.14	-0.30
95.35%	0.22	70.00	287.00	96.64%	6.33	2.85
96.30%	0.33	62.00	251.00	97.05%	3.57	1.17
88.89%	0.5	3.00	14.00	97.72%	0.65	-0.61
80.00%	0	1.00	14.00	97.28%	0.00	0.00
100.00%	0	0.00	10.00	96.92%	0.00	0.00
80.00%	0	0.00	21.00	96.56%	0.00	0.00
100.00%	0	1.00	10.00	96.63%	-0.30	-1.18
100.00%	0	1.00	11.00	96.33%	0.00	0.00
100.00%	0	2.00	12.00	95.80%	0.00	0.00
100.00%	0	2.00	17.00	95.92%	2.21	0.34
100.00%	0.43	4.00	16.00	96.41%	2.06	0.25
50.00%	0	3.00	22.00	96.58%	1.36	-0.17
33.33%	0	2.00	20.00	96.64%	0.00	0.00
100.00%	0	1.00	19.00	97.05%	-0.23	-1.14
97.22%	0	79.00	247.00	98.90%	-1.18	-1.72
95.83%	0	73.00	190.00	98.30%	-1.36	-1.83
100.00%	0	81.00	199.00	99.19%	-1.42	-1.87
97.37%	0.28	69.00	560.00	97.81%	-2.03	-2.23
96.88%	0.32	86.00	240.00	98.44%	-1.88	-2.14
97.56%	0.25	84.00	355.00	98.15%	-2.98	-2.81
97.83%	0.14	122.00	362.00	97.79%	-4.77	-3.90
100.00%	0.19	119.00	491.00	97.68%	-2.96	-2.80
100.00%	0.3	108.00	817.00	98.34%	-1.19	-1.72
100.00%	0.24	102.00	693.00	98.24%	-2.54	-2.55
100.00%	0.28	103.00	564.00	98.13%	-1.58	-1.96
100.00%	0.17	100.00	525.00	98.43%	-2.32	-2.41
99.19%	0	0.00	0.00	97.90%	0.00	0.00
98.23%	0	0.00	0.00	97.42%	0.00	0.00
99.15%	0.06	0.00	0.00	96.90%	0.00	0.00
98.74%	0	0.00	0.00	96.51%	0.00	0.00
97.79%	0.02	0.00	0.00	96.78%	0.00	0.00
98.42%	0	0.00	0.00	96.48%	0.00	0.00
98.61%	0	0.00	0.00	95.96%	0.00	0.00
99.18%	0.09	0.00	0.00	95.96%	0.00	0.00
99.35%	0	0.00	0.00	96.54%	0.00	0.00
99.11%	0	0.00	0.00	96.56%	0.00	0.00
99.42%	0.02	0.00	0.00	96.61%	0.00	0.00
99.26%	0	0.00	0.00	97.32%	0.00	0.00
100.00%	0	0.00	0.00	97.72%	0.00	0.00
100.00%	0	0.00	0.00	97.28%	0.00	0.00
94.12%	0	0.00	0.00	96.92%	0.00	0.00
97.72%	0	0.00	0.00	96.56%	0.00	0.00
97.64%	0	0.00	0.00	96.63%	0.00	0.00
98.92%	0	0.00	0.00	96.33%	0.00	0.00
96.61%	0	0.00	0.00	95.80%	0.00	0.00
96.45%	0	0.00	0.00	95.92%	0.00	0.00
97.60%	0	0.00	0.00	96.41%	0.00	0.00
97.65%	0	0.00	0.00	96.58%	0.00	0.00
97.89%	0	0.00	0.00	96.64%	0.00	0.00
98.51%	0	0.00	0.00	97.05%	0.00	0.00

0.00%	0.16	1871791.00	2277286.00	96.30%	0.00	0.00
0.00%	0.16	1628462.00	2064597.00	96.25%	0.00	0.00
0.00%	0.11	1954501.00	2333287.00	94.68%	0.00	0.00
0.00%	0.18	1998521.00	2711980.00	91.07%	0.00	0.00
100.00%	0.17	1744701.00	2317687.00	98.61%	0.00	0.00
100.00%	0.14	2070335.00	2420635.00	98.51%	0.00	0.00
0.00%	0.16	2121022.00	2540565.00	97.50%	0.00	0.00
100.00%	0.2	2208178.00	2764870.00	97.89%	0.00	0.00
100.00%	0.19	2271706.00	2825014.00	93.58%	0.00	0.00
100.00%	0.19	2095478.00	2908955.00	98.35%	0.00	0.00
100.00%	0.19	2093771.00	3087970.00	97.33%	0.00	0.00
100.00%	0.15	2418419.00	2913320.00	97.50%	0.00	0.00
0.00%	0.5	2135.00	2199.00	98.31%	1.90	0.16
0.00%	0	1881.00	1943.00	99.02%	-0.48	-1.29
100.00%	0	1852.00	1910.00	98.32%	-0.25	-1.15
100.00%	0	1761.00	2246.00	93.53%	-0.48	-1.29
83.33%	0	2029.00	1820.00	91.40%	-0.64	-1.39
50.00%	0	2241.00	2112.00	94.06%	-0.21	-1.13
100.00%	0	2137.00	2340.00	97.52%	-0.46	-1.28
100.00%	0	2126.00	2248.00	98.28%	-0.63	-1.38
100.00%	0	2192.00	2220.00	98.27%	-0.51	-1.31
85.71%	0.26	2384.00	2287.00	96.28%	1.07	-0.35
100.00%	0.29	2173.00	2466.00	98.41%	0.92	-0.44
100.00%	0	2270.00	2363.00	96.04%	-0.64	-1.39
100.00%	0	9793.00	10021.00	97.65%	-0.34	-1.21
100.00%	0	8296.00	8528.00	97.25%	-0.50	-1.30
100.00%	0	8145.00	8404.00	97.58%	-0.47	-1.29
100.00%	0	8836.00	10084.00	97.94%	-0.33	-1.20
0.00%	0	9314.00	9151.00	92.42%	-0.37	-1.23
100.00%	0.3	10552.00	9639.00	96.73%	0.91	-0.45
100.00%	0.18	11826.00	10954.00	96.25%	-0.26	-1.16
100.00%	0	11785.00	12345.00	97.52%	-1.59	-1.97
100.00%	0	11932.00	12286.00	98.15%	-1.26	-1.77
100.00%	0.23	10767.00	12376.00	96.17%	0.91	-0.45
0.00%	0.21	9745.00	11148.00	96.05%	0.52	-0.68
100.00%	0.19	10480.00	10799.00	97.05%	0.32	-0.81
100.00%	0.31	9793.00	10021.00	98.90%	1.27	-0.23
100.00%	0.4	8296.00	8528.00	97.90%	1.49	-0.09
0.00%	0	8145.00	8404.00	98.52%	-0.44	-1.27
100.00%	0.4	8836.00	10084.00	98.95%	1.37	-0.17
100.00%	0	9314.00	9151.00	98.16%	-0.26	-1.16
90.91%	0	10552.00	9639.00	98.96%	-0.39	-1.24
100.00%	0	11826.00	10954.00	98.66%	-0.42	-1.25
100.00%	0	11785.00	12345.00	96.27%	-0.55	-1.33
100.00%	0	11932.00	12286.00	93.72%	-0.33	-1.20
100.00%	0.5	10767.00	12376.00	92.74%	1.83	0.11
0.00%	0.47	9745.00	11148.00	98.37%	2.95	0.79
0.00%	0	10480.00	10799.00	98.58%	-0.17	-1.11
96.88%	0.16	3413.00	3451.00	96.75%	0.85	-0.48
100.00%	0.2	3238.00	3294.00	96.81%	0.83	-0.49
100.00%	0	3672.00	3702.00	96.12%	-0.48	-1.29
100.00%	0.16	2991.00	2837.00	96.16%	0.27	-0.84

97.30%	0.17	2833.00	3058.00	95.76%	0.68	-0.59
100.00%	0.15	3085.00	2878.00	96.26%	0.35	-0.79
90.91%	0.15	3367.00	3143.00	93.32%	-0.02	-1.01
90.91%	0	3111.00	3443.00	94.56%	-0.88	-1.54
100.00%	0	3253.00	3185.00	94.82%	-0.74	-1.45
100.00%	0	3344.00	3308.00	94.77%	-0.82	-1.50
100.00%	0	2784.00	3404.00	95.96%	-0.88	-1.53
100.00%	0	2688.00	2731.00	95.32%	-0.60	-1.37
0.00%	0.09	7658.00	7822.00	0.00%	-2.14	-2.30
0.00%	0.13	6415.00	6585.00	0.00%	-0.84	-1.51
0.00%	0.09	6293.00	6494.00	0.00%	-2.70	-2.64
0.00%	0.11	7075.00	7838.00	0.00%	-2.35	-2.43
0.00%	0.15	7285.00	7331.00	0.00%	-1.28	-1.78
0.00%	0.12	8311.00	7527.00	0.00%	-2.43	-2.48
100.00%	0.12	9689.00	8614.00	0.00%	-2.94	-2.79
0.00%	0.09	9659.00	10097.00	0.00%	-3.53	-3.15
0.00%	0.08	9740.00	10066.00	0.00%	-3.23	-2.96
0.00%	0.09	8383.00	10089.00	0.00%	-2.90	-2.77
0.00%	0.08	7572.00	8682.00	0.00%	-3.44	-3.09
100.00%	0.09	8210.00	8436.00	0.00%	-2.71	-2.65
0.00%	0	9793.00	10021.00	96.92%	-0.34	-1.21
0.00%	0	8296.00	8528.00	96.89%	-0.41	-1.25
91.67%	0.24	8145.00	8404.00	96.40%	0.90	-0.45
96.83%	0.15	8836.00	10084.00	96.45%	-1.36	-1.83
97.59%	0.15	9314.00	9151.00	95.17%	-1.41	-1.85
98.63%	0.1	10552.00	9639.00	96.34%	-3.17	-2.93
96.88%	0.18	11826.00	10954.00	93.80%	-1.06	-1.64
96.23%	0.19	11785.00	12345.00	95.03%	-0.71	-1.43
98.39%	0.15	11932.00	12286.00	95.32%	-1.74	-2.06
97.44%	0.15	10767.00	12376.00	95.02%	-1.57	-1.95
98.46%	0.14	9745.00	11148.00	95.97%	-1.67	-2.01
100.00%	0.12	10480.00	10799.00	95.62%	-1.96	-2.19
0.00%	0	78.00	81.00	100.00%	0.00	0.00
0.00%	0	77.00	80.00	100.00%	0.00	0.00
0.00%	0	89.00	94.00	83.33%	0.00	0.00
0.00%	0	51.00	75.00	100.00%	0.00	0.00
0.00%	0	71.00	56.00	100.00%	-0.12	-1.07
0.00%	0	66.00	72.00	100.00%	-0.17	-1.10
0.00%	0	78.00	67.00	100.00%	0.00	0.00
0.00%	0	93.00	80.00	100.00%	-0.21	-1.12
100.00%	0	102.00	95.00	100.00%	-0.26	-1.16
0.00%	0	119.00	109.00	100.00%	-0.26	-1.16
100.00%	0	73.00	121.00	83.33%	-0.39	-1.24
0.00%	0	117.00	120.00	100.00%	-0.22	-1.14
100.00%	0	233.00	237.00	99.52%	0.00	0.00
100.00%	0	202.00	204.00	99.24%	0.00	0.00
100.00%	0	292.00	297.00	98.56%	-0.18	-1.11
100.00%	0	188.00	189.00	98.50%	-0.37	-1.22
100.00%	0.37	425.00	201.00	99.70%	0.65	-0.61
100.00%	0.5	285.00	465.00	99.72%	1.56	-0.05
100.00%	0	314.00	303.00	99.24%	-0.32	-1.19
100.00%	0	229.00	322.00	99.32%	-0.26	-1.16

100.00%	0	284.00	233.00	98.42%	-0.26	-1.16
100.00%	0.35	285.00	289.00	99.07%	1.10	-0.33
100.00%	0	186.00	296.00	99.68%	-0.25	-1.15
100.00%	0	267.00	278.00	99.12%	-0.45	-1.27
100.00%	0	291.00	298.00	99.81%	-0.15	-1.09
100.00%	0	248.00	255.00	99.78%	-0.17	-1.10
100.00%	0	242.00	248.00	99.75%	-0.16	-1.10
100.00%	0	238.00	253.00	99.71%	-0.14	-1.09
100.00%	0	256.00	243.00	99.72%	0.00	0.00
98.88%	0	296.00	277.00	99.87%	-0.18	-1.11
99.79%	0	282.00	306.00	99.74%	-0.20	-1.12
100.00%	0	275.00	293.00	99.79%	-0.16	-1.10
100.00%	0	266.00	282.00	99.68%	-0.14	-1.08
100.00%	0	301.00	271.00	99.68%	-0.44	-1.27
99.72%	0	243.00	313.00	99.69%	0.00	0.00
99.47%	0	296.00	305.00	99.43%	-0.30	-1.18
100.00%	0	361.00	365.00	99.81%	-0.18	-1.11
100.00%	0	327.00	334.00	99.78%	-0.29	-1.18
100.00%	0	400.00	406.00	99.75%	0.00	0.00
100.00%	0	376.00	369.00	99.71%	-0.15	-1.09
100.00%	0	373.00	380.00	99.72%	-0.19	-1.12
100.00%	0.29	379.00	380.00	99.87%	1.51	-0.08
100.00%	0	369.00	383.00	99.74%	-0.16	-1.10
100.00%	0	387.00	374.00	99.79%	-0.20	-1.12
98.41%	0	433.00	402.00	99.68%	-0.26	-1.16
100.00%	0	409.00	462.00	99.68%	-0.28	-1.17
100.00%	0	363.00	441.00	99.69%	0.00	0.00
100.00%	0	347.00	352.00	99.43%	0.00	0.00
100.00%	0.17	1250.00	1292.00	99.91%	-0.06	-1.03
100.00%	0	1031.00	1065.00	99.93%	-0.76	-1.46
100.00%	0	1015.00	1056.00	99.90%	-1.25	-1.76
100.00%	0	1176.00	1337.00	99.92%	-1.21	-1.74
100.00%	0.16	1243.00	1223.00	99.91%	-0.46	-1.28
100.00%	0	1363.00	1298.00	99.88%	-1.46	-1.89
100.00%	0.29	1396.00	1416.00	99.78%	0.37	-0.77
93.85%	0.29	1407.00	1496.00	99.73%	0.54	-0.67
100.00%	0	1465.00	1488.00	99.80%	-0.70	-1.42
100.00%	0	1377.00	1545.00	99.82%	-0.87	-1.53
100.00%	0	1283.00	1453.00	99.71%	-0.74	-1.45
100.00%	0	1406.00	1475.00	99.88%	-0.73	-1.45
99.92%	0	0.00	0.00	99.83%	0.00	0.00
99.90%	0	0.00	0.00	99.80%	0.00	0.00
100.00%	0	0.00	0.00	99.79%	0.00	0.00
100.00%	0	0.00	0.00	99.75%	0.00	0.00
99.92%	0	0.00	0.00	99.72%	0.00	0.00
99.93%	0	0.00	0.00	99.87%	0.00	0.00
100.00%	0	0.00	0.00	99.75%	0.00	0.00
99.52%	0	0.00	0.00	99.81%	0.00	0.00
99.81%	0	0.00	0.00	99.72%	0.00	0.00
99.81%	0	0.00	0.00	99.70%	0.00	0.00
99.60%	0	0.00	0.00	99.69%	0.00	0.00
99.78%	0	0.00	0.00	99.44%	0.00	0.00

0.00%	0	1541.00	1590.00	0.00%	0.00	0.00
0.00%	0	1279.00	1320.00	0.00%	0.00	0.00
0.00%	0.28	1257.00	1304.00	0.00%	0.79	-0.52
0.00%	0.18	1414.00	1590.00	0.00%	-0.16	-1.10
0.00%	0.15	1499.00	1466.00	0.00%	-1.00	-1.61
0.00%	0.12	1659.00	1575.00	0.00%	-1.02	-1.62
0.00%	0.17	1678.00	1722.00	0.00%	-1.22	-1.74
100.00%	0.19	1682.00	1789.00	0.00%	-0.55	-1.34
0.00%	0.13	1731.00	1770.00	0.00%	-1.56	-1.95
0.00%	0.16	1678.00	1816.00	0.00%	-0.96	-1.58
0.00%	0.12	1526.00	1766.00	0.00%	-1.00	-1.61
0.00%	0	1702.00	1780.00	0.00%	-1.43	-1.87
100.00%	0	4.00	4.00	99.81%	0.00	0.00
100.00%	0	8.00	8.00	99.78%	0.00	0.00
100.00%	0	5.00	6.00	99.75%	0.00	0.00
99.78%	0	3.00	6.00	99.71%	0.00	0.00
99.96%	0	4.00	3.00	99.72%	0.00	0.00
99.98%	0	13.00	4.00	99.87%	0.00	0.00
99.87%	0	4.00	13.00	99.74%	0.00	0.00
99.62%	0	11.00	4.00	99.79%	0.00	0.00
99.99%	0	5.00	11.00	99.68%	0.00	0.00
99.99%	0	5.00	5.00	99.68%	0.00	0.00
99.99%	0	5.00	5.00	99.69%	-0.41	-1.25
99.99%	0	7.00	7.00	99.43%	0.00	0.00
0.00%	0	825.00	829.00	100.00%	-0.21	-1.13
0.00%	0	654.00	659.00	100.00%	-0.27	-1.17
0.00%	0	616.00	625.00	100.00%	-0.34	-1.21
100.00%	0	724.00	625.00	100.00%	-0.54	-1.33
0.00%	0	654.00	735.00	100.00%	-0.17	-1.11
100.00%	0	706.00	656.00	91.18%	-0.13	-1.08
0.00%	0	653.00	708.00	100.00%	-0.19	-1.12
100.00%	0	726.00	658.00	100.00%	-0.27	-1.17
0.00%	0	746.00	731.00	100.00%	-0.45	-1.28
100.00%	0	743.00	758.00	100.00%	-0.29	-1.18
0.00%	0	623.00	750.00	100.00%	-0.18	-1.11
100.00%	0	677.00	683.00	100.00%	-0.26	-1.16
0.00%	0	21565.00	21605.00	100.00%	-0.06	-1.04
0.00%	0	18736.00	18778.00	93.75%	-0.09	-1.06
0.00%	0	18922.00	18969.00	87.50%	-0.11	-1.07
100.00%	0	20595.00	23541.00	92.31%	-0.16	-1.10
0.00%	0	22068.00	20655.00	100.00%	-0.15	-1.09
0.00%	0.11	23705.00	22130.00	100.00%	1.57	-0.04
0.00%	0.05	26513.00	23736.00	83.33%	-0.22	-1.14
100.00%	0	26110.00	26583.00	100.00%	-0.94	-1.57
0.00%	0	25577.00	26164.00	88.89%	-1.04	-1.63
100.00%	0	27294.00	25658.00	100.00%	-1.15	-1.70
0.00%	0.05	23469.00	27382.00	100.00%	-0.10	-1.06
0.00%	0.07	26700.00	26853.00	100.00%	-0.11	-1.07
0.00%	0	21565.00	21605.00	0.00%	-0.33	-1.20
0.00%	0	18736.00	18778.00	0.00%	-0.32	-1.20
100.00%	0	18922.00	18969.00	0.00%	-0.33	-1.20
100.00%	0	20595.00	23541.00	0.00%	-0.37	-1.22

0.00%	0	22068.00	20655.00	0.00%	-0.41	-1.25
0.00%	0	23705.00	22130.00	0.00%	-0.26	-1.16
0.00%	0	26513.00	23736.00	0.00%	-0.40	-1.24
100.00%	0	26110.00	26583.00	0.00%	-0.32	-1.20
100.00%	0.12	25577.00	26164.00	0.00%	1.29	-0.22
0.00%	0	27294.00	25658.00	0.00%	-0.33	-1.20
0.00%	0	23469.00	27382.00	0.00%	-0.25	-1.15
100.00%	0	26700.00	26853.00	0.00%	-0.39	-1.23
0.00%	0	7946.00	7953.00	0.00%	-0.23	-1.14
0.00%	0	7355.00	7360.00	0.00%	-0.14	-1.09
0.00%	0	8931.00	8940.00	0.00%	-0.21	-1.13
0.00%	0	10735.00	9073.00	0.00%	-0.14	-1.09
0.00%	0	8966.00	10744.00	0.00%	-0.14	-1.08
0.00%	0	9755.00	8974.00	0.00%	-0.15	-1.09
0.00%	0	9457.00	9767.00	0.00%	-0.11	-1.06
100.00%	0.24	9625.00	9478.00	0.00%	4.16	1.53
0.00%	0	9301.00	9651.00	0.00%	-0.30	-1.18
0.00%	0	10037.00	9320.00	0.00%	-0.55	-1.34
0.00%	0	9047.00	10055.00	0.00%	-0.50	-1.30
0.00%	0	9156.00	9167.00	0.00%	-0.16	-1.10
0.00%	0.03	20740.00	20776.00	0.00%	-0.81	-1.49
0.00%	0.03	18082.00	18119.00	0.00%	-0.70	-1.43
0.00%	0	18306.00	18344.00	0.00%	-1.32	-1.80
0.00%	0	19871.00	22916.00	100.00%	-1.54	-1.93
0.00%	0.03	21414.00	19920.00	0.00%	-1.27	-1.77
0.00%	0.03	22999.00	21474.00	0.00%	-0.54	-1.33
0.00%	0	25860.00	23028.00	0.00%	-1.48	-1.90
100.00%	0.07	25384.00	25925.00	100.00%	1.63	-0.01
0.00%	0.04	24831.00	25433.00	100.00%	-0.37	-1.22
100.00%	0.04	26551.00	24900.00	0.00%	-0.50	-1.30
0.00%	0.06	22846.00	26632.00	0.00%	0.37	-0.78
0.00%	0.05	26023.00	26170.00	100.00%	-0.95	-1.58
20.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
91.92%	0	21565.00	21605.00	90.00%	-0.15	-1.09
93.41%	0	18736.00	18778.00	92.86%	-0.30	-1.18
97.62%	0	18922.00	18969.00	89.74%	-0.52	-1.32
96.70%	0.05	20595.00	23541.00	91.13%	-0.73	-1.44
94.92%	0.02	22068.00	20655.00	88.12%	-2.93	-2.78
98.96%	0.01	23705.00	22130.00	83.93%	-2.13	-2.30
89.16%	0.04	26513.00	23736.00	85.05%	-1.57	-1.96
95.74%	0.06	26110.00	26583.00	83.72%	2.49	0.51

95.56%	0.01	25577.00	26164.00	88.15%	-4.46	-3.71
87.14%	0.01	27294.00	25658.00	88.39%	-5.36	-4.26
92.45%	0.01	23469.00	27382.00	88.31%	-5.28	-4.21
98.53%	0.01	26700.00	26853.00	84.30%	-7.56	-5.60
100.00%	0	33.00	33.00	0.00%	0.00	0.00
100.00%	0	43.00	43.00	0.00%	0.00	0.00
100.00%	0	44.00	44.00	0.00%	0.00	0.00
100.00%	0	29.00	32.00	0.00%	0.00	0.00
100.00%	0	25.00	29.00	0.00%	0.00	0.00
0.00%	0	31.00	25.00	0.00%	-0.79	-1.48
100.00%	0	29.00	34.00	0.00%	0.00	0.00
0.00%	0	43.00	29.00	0.00%	0.00	0.00
0.00%	0	35.00	43.00	0.00%	0.00	0.00
0.00%	0	41.00	35.00	0.00%	0.00	0.00
0.00%	0	32.00	41.00	0.00%	0.00	0.00
100.00%	0	35.00	35.00	0.00%	0.00	0.00
0.00%	0	3.00	3.00	81.25%	0.00	0.00
0.00%	0	15.00	16.00	75.00%	0.00	0.00
0.00%	0	7.00	8.00	66.67%	0.00	0.00
0.00%	0	12.00	5.00	80.70%	-0.28	-1.17
0.00%	0	8.00	13.00	92.50%	0.00	0.00
0.00%	0	5.00	8.00	54.39%	0.00	0.00
0.00%	0	5.00	5.00	44.00%	0.00	0.00
0.00%	0	4.00	6.00	65.22%	0.00	0.00
0.00%	0	16.00	4.00	72.97%	0.00	0.00
0.00%	0	5.00	18.00	72.83%	0.00	0.00
0.00%	0	5.00	5.00	76.19%	0.00	0.00
100.00%	0	7.00	7.00	41.46%	0.00	0.00
94.44%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	85.71%	0.00	0.00
84.00%	0	0.00	0.00	100.00%	0.00	0.00
69.57%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	92.31%	0.00	0.00
100.00%	0	0.00	0.00	60.00%	0.00	0.00
93.75%	0	0.00	0.00	94.12%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	93.33%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	94.12%	0.00	0.00
0.00%	0	0.00	0.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	66.67%	0.00	0.00
100.00%	0	0.00	0.00	82.35%	0.00	0.00
0.00%	0	0.00	0.00	73.68%	0.00	0.00
0.00%	0	0.00	0.00	55.56%	0.00	0.00
0.00%	0	0.00	0.00	91.67%	0.00	0.00
100.00%	0	0.00	0.00	73.68%	0.00	0.00
0.00%	0	0.00	0.00	78.26%	0.00	0.00
0.00%	0	0.00	0.00	80.00%	0.00	0.00
0.00%	0	0.00	0.00	76.92%	0.00	0.00

100.00%	0	0.00	0.00	92.31%	0.00	0.00
0.00%	0	0.00	0.00	97.83%	0.00	0.00
0.00%	0	0.00	0.00	83.33%	0.00	0.00
0.00%	0	6.00	0.00	100.00%	0.00	0.00
0.00%	0	0.00	6.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	90.91%	0.00	0.00
0.00%	0	2.00	0.00	100.00%	0.00	0.00
0.00%	0	1.00	2.00	100.00%	0.00	0.00
0.00%	0	0.00	1.00	85.71%	0.00	0.00
0.00%	0	0.00	0.00	100.00%	0.00	0.00
0.00%	0	2.00	2.00	83.33%	0.00	0.00
0.00%	0.4	0.00	0.00	97.73%	0.00	0.00
100.00%	0	0.00	0.00	60.87%	0.00	0.00
0.00%	0	0.00	0.00	66.67%	0.00	0.00
0.00%	0	0.00	0.00	54.84%	0.00	0.00
0.00%	0	0.00	0.00	47.06%	0.00	0.00
100.00%	0	0.00	0.00	68.18%	0.00	0.00
100.00%	0	0.00	0.00	66.67%	0.00	0.00
100.00%	0	0.00	0.00	86.67%	0.00	0.00
80.00%	0	0.00	0.00	77.78%	0.00	0.00
100.00%	0	0.00	0.00	75.00%	0.00	0.00
0.00%	0	0.00	0.00	80.95%	0.00	0.00
100.00%	0	0.00	0.00	66.67%	0.00	0.00
0.00%	0.27	54.00	60.00	90.00%	-0.39	-1.24
0.00%	0.25	39.00	42.00	92.86%	-0.11	-1.07
100.00%	0.15	35.00	39.00	89.74%	-1.34	-1.81
100.00%	0.18	113.00	77.00	91.13%	-1.42	-1.86
100.00%	0.22	89.00	124.00	88.12%	-1.28	-1.78
100.00%	0.1	94.00	101.00	83.93%	-2.94	-2.79
100.00%	0.31	91.00	112.00	85.05%	-0.79	-1.48
0.00%	0.2	72.00	107.00	83.72%	-1.80	-2.09
100.00%	0.21	119.00	86.00	88.15%	-1.33	-1.81
0.00%	0.33	137.00	135.00	88.39%	0.27	-0.84
0.00%	0.26	68.00	155.00	88.31%	-0.72	-1.44
0.00%	0.12	102.00	121.00	84.30%	-2.58	-2.57
98.84%	0	0.00	0.00	93.94%	0.00	0.00
99.32%	0	0.00	0.00	96.36%	0.00	0.00
97.64%	0	0.00	0.00	89.13%	0.00	0.00
98.74%	0	0.00	0.00	80.95%	0.00	0.00
98.32%	0	0.00	0.00	83.02%	0.00	0.00
98.05%	0	0.00	0.00	94.64%	0.00	0.00
96.54%	0	0.00	0.00	93.18%	0.00	0.00
97.67%	0	0.00	0.00	86.11%	0.00	0.00
99.55%	0	0.00	0.00	89.47%	0.00	0.00
100.00%	0	0.00	0.00	94.44%	0.00	0.00
99.32%	0	0.00	0.00	98.41%	0.00	0.00
97.89%	0	0.00	0.00	92.31%	0.00	0.00
0.00%	0	52.00	64.00	90.00%	0.00	0.00
0.00%	0	33.00	44.00	92.86%	0.00	0.00
0.00%	0	46.00	69.00	89.74%	0.00	0.00
0.00%	0	46.00	42.00	91.13%	0.00	0.00

0.00%	0	74.00	57.00	88.12%	0.00	0.00
0.00%	0	31.00	80.00	83.93%	0.00	0.00
0.00%	0	22.00	57.00	85.05%	0.00	0.00
100.00%	0	60.00	50.00	83.72%	0.00	0.00
0.00%	0	54.00	92.00	88.15%	0.00	0.00
0.00%	0	67.00	74.00	88.39%	0.00	0.00
0.00%	0	32.00	92.00	88.31%	0.00	0.00
0.00%	0	34.00	82.00	84.30%	-2.02	-2.23
100.00%	0.23	17.00	17.00	98.90%	0.67	-0.60
100.00%	0	6.00	6.00	98.30%	0.00	0.00
100.00%	0	6.00	7.00	99.19%	-0.90	-1.55
100.00%	0.37	4.00	15.00	97.81%	0.66	-0.60
90.91%	0.46	12.00	4.00	98.44%	2.11	0.28
92.86%	0	12.00	12.00	98.16%	-0.70	-1.43
86.96%	0	9.00	13.00	97.80%	-2.00	-2.22
94.74%	0.24	16.00	15.00	97.68%	-0.03	-1.02
100.00%	0	10.00	17.00	98.34%	0.00	0.00
100.00%	0	41.00	10.00	98.24%	0.00	0.00
100.00%	0	14.00	41.00	98.13%	-0.72	-1.44
100.00%	0	16.00	16.00	98.43%	0.00	0.00
92.19%	0	16.00	17.00	90.00%	0.00	0.00
91.82%	0	17.00	17.00	92.86%	0.00	0.00
97.59%	0	5.00	5.00	89.74%	0.00	0.00
93.75%	0	10.00	15.00	91.13%	0.00	0.00
96.83%	0	14.00	15.00	88.12%	-0.45	-1.27
89.43%	0	14.00	17.00	83.93%	0.00	0.00
88.28%	0	5.00	19.00	85.05%	0.00	0.00
86.30%	0	11.00	9.00	83.72%	0.00	0.00
92.68%	0	14.00	12.00	88.15%	-0.58	-1.35
93.75%	0	18.00	19.00	88.39%	0.00	0.00
94.59%	0	12.00	23.00	88.31%	0.00	0.00
96.46%	0	10.00	13.00	84.30%	0.00	0.00
0.00%	0	12.00	13.00	97.73%	-0.28	-1.17
100.00%	0	45.00	46.00	60.87%	0.00	0.00
0.00%	0	5.00	6.00	66.67%	0.00	0.00
0.00%	0	3.00	4.00	54.84%	0.00	0.00
0.00%	0	2.00	3.00	47.06%	0.00	0.00
100.00%	0	5.00	2.00	68.18%	0.00	0.00
0.00%	0	10.00	5.00	66.67%	-0.41	-1.25
0.00%	0	6.00	11.00	86.67%	0.00	0.00
0.00%	0	4.00	6.00	77.78%	0.00	0.00
0.00%	0	6.00	4.00	75.00%	0.00	0.00
0.00%	0	4.00	7.00	80.95%	0.00	0.00
0.00%	0	5.00	6.00	66.67%	0.00	0.00
100.00%	0	43.00	44.00	98.90%	0.00	0.00
100.00%	0	14.00	23.00	98.30%	-1.31	-1.79
100.00%	0	4.00	6.00	99.19%	0.00	0.00
80.00%	0	17.00	21.00	97.81%	0.00	0.00
100.00%	0	8.00	31.00	98.44%	0.00	0.00
100.00%	0	15.00	17.00	98.16%	-0.67	-1.41
83.33%	0	12.00	22.00	97.80%	-1.40	-1.85
100.00%	0	13.00	18.00	0.00%	-0.62	-1.38

100.00%	0.4	14.00	15.00	0.00%	-0.11	-1.06
100.00%	0	15.00	18.00	0.00%	-1.44	-1.87
100.00%	0	17.00	20.00	0.00%	0.00	0.00
100.00%	0	10.00	15.00	0.00%	-0.68	-1.42
99.34%	0	54.00	60.00	97.72%	0.00	0.00
97.16%	0	39.00	42.00	97.28%	0.00	0.00
97.70%	0	35.00	39.00	96.92%	-0.33	-1.20
96.34%	0	113.00	77.00	96.56%	-0.44	-1.27
95.16%	0	89.00	124.00	96.63%	-0.37	-1.22
97.02%	0	94.00	101.00	96.33%	-0.61	-1.37
95.42%	0	91.00	112.00	95.80%	-0.59	-1.36
97.56%	0	72.00	107.00	95.92%	0.00	0.00
97.55%	0	119.00	86.00	96.41%	-0.51	-1.31
98.11%	0	137.00	135.00	96.58%	0.00	0.00
98.25%	0	68.00	155.00	96.64%	0.00	0.00
99.21%	0	102.00	121.00	97.05%	0.00	0.00
60.00%	0.11	62.00	66.00	0.00%	-1.53	-1.93
66.67%	0.08	53.00	55.00	0.00%	-1.08	-1.65
90.00%	0.15	41.00	46.00	0.00%	-1.73	-2.05
83.33%	0.11	34.00	63.00	0.00%	-2.76	-2.68
66.67%	0.13	44.00	42.00	0.00%	-2.79	-2.70
85.00%	0.14	53.00	53.00	0.00%	-1.06	-1.65
72.22%	0.18	41.00	56.00	0.00%	-0.84	-1.51
100.00%	0.15	62.00	44.00	0.00%	-2.55	-2.55
91.67%	0.07	68.00	72.00	0.00%	-2.47	-2.50
95.24%	0	51.00	76.00	0.00%	-1.51	-1.92
100.00%	0.08	62.00	54.00	0.00%	-0.48	-1.29
88.89%	0.14	108.00	117.00	0.00%	-1.68	-2.02
100.00%	0	54.00	60.00	93.65%	0.00	0.00
96.15%	0	39.00	42.00	96.36%	0.00	0.00
93.75%	0	35.00	39.00	88.64%	0.00	0.00
100.00%	0	113.00	77.00	82.93%	0.00	0.00
100.00%	0	89.00	124.00	84.31%	0.00	0.00
97.37%	0	94.00	101.00	94.64%	0.00	0.00
94.59%	0	91.00	112.00	93.18%	0.00	0.00
96.55%	0	72.00	107.00	86.11%	-0.44	-1.27
95.00%	0	119.00	86.00	89.47%	0.00	0.00
97.50%	0	137.00	135.00	94.44%	0.00	0.00
100.00%	0	68.00	155.00	98.41%	0.00	0.00
96.55%	0	102.00	121.00	92.66%	0.00	0.00
0.00%	0	3415.00	3453.00	0.00%	-0.21	-1.13
0.00%	0	3238.00	3294.00	0.00%	-0.32	-1.20
0.00%	0	3673.00	3703.00	0.00%	-0.20	-1.12
0.00%	0	2991.00	2837.00	0.00%	-0.63	-1.38
0.00%	0.29	2834.00	3058.00	0.00%	1.37	-0.17
0.00%	0.26	3086.00	2879.00	0.00%	1.61	-0.02
0.00%	0.34	3372.00	3144.00	0.00%	2.45	0.49
0.00%	0.22	3115.00	3448.00	0.00%	0.78	-0.53
0.00%	0	3255.00	3189.00	0.00%	-0.56	-1.34
100.00%	0	3348.00	3310.00	0.00%	-0.52	-1.31
0.00%	0	2784.00	3408.00	0.00%	-0.63	-1.38
0.00%	0	2689.00	2732.00	0.00%	-0.49	-1.30

0.00%	0.27	54.00	60.00	88.00%	-0.47	-1.28
0.00%	0.27	39.00	42.00	81.82%	0.13	-0.92
0.00%	0.15	35.00	39.00	72.22%	-1.33	-1.81
0.00%	0.24	113.00	77.00	78.46%	-0.71	-1.43
0.00%	0.18	89.00	124.00	81.82%	-2.01	-2.22
0.00%	0.31	94.00	101.00	78.09%	-1.15	-1.70
0.00%	0.32	91.00	112.00	63.43%	-0.71	-1.43
0.00%	0.34	72.00	107.00	87.21%	-0.51	-1.31
0.00%	0.26	119.00	86.00	87.43%	-1.13	-1.68
0.00%	0.24	137.00	135.00	83.65%	-1.35	-1.82
100.00%	0.23	68.00	155.00	83.74%	-1.32	-1.80
0.00%	0.18	102.00	121.00	84.58%	-2.56	-2.55
0.00%	0	43.00	44.00	100.00%	0.00	0.00
0.00%	0	14.00	23.00	0.00%	-0.78	-1.48
0.00%	0	4.00	6.00	0.00%	0.00	0.00
0.00%	0	17.00	21.00	100.00%	0.00	0.00
100.00%	0	8.00	31.00	100.00%	0.00	0.00
0.00%	0	15.00	17.00	100.00%	-0.67	-1.41
0.00%	0	12.00	22.00	0.00%	0.00	0.00
100.00%	0	13.00	18.00	0.00%	0.00	0.00
0.00%	0	14.00	15.00	0.00%	0.00	0.00
0.00%	0	15.00	18.00	100.00%	0.00	0.00
0.00%	0	17.00	20.00	0.00%	0.00	0.00
100.00%	0	10.00	15.00	100.00%	0.00	0.00
100.00%	0	3415.00	3453.00	88.00%	-0.30	-1.18
93.33%	0	3238.00	3294.00	81.82%	-0.37	-1.23
93.33%	0	3673.00	3703.00	72.22%	-0.29	-1.17
87.50%	0.4	2991.00	0.00	78.46%	1.60	-0.02
100.00%	0	2834.00	3058.00	81.82%	-0.25	-1.15
82.35%	0	3086.00	2879.00	78.09%	-0.41	-1.25
80.00%	0.37	3372.00	3144.00	63.43%	1.51	-0.08
93.75%	0	0.00	3448.00	87.21%	0.00	0.00
87.50%	0	0.00	0.00	87.43%	0.00	0.00
100.00%	0	0.00	0.00	83.65%	0.00	0.00
100.00%	0	0.00	0.00	83.74%	0.00	0.00
88.89%	0	0.00	0.00	84.58%	0.00	0.00
0.00%	0.08	9793.00	10021.00	0.00%	-3.75	-3.28
0.00%	0.17	8296.00	8528.00	0.00%	0.25	-0.85
0.00%	0.15	8145.00	8404.00	0.00%	-1.39	-1.85
0.00%	0.19	8836.00	10084.00	0.00%	0.40	-0.76
0.00%	0.21	9314.00	9151.00	0.00%	2.65	0.61
0.00%	0.17	10552.00	9639.00	0.00%	-1.25	-1.76
0.00%	0.21	11826.00	10954.00	0.00%	0.64	-0.61
0.00%	0.15	11785.00	12345.00	0.00%	-2.86	-2.74
100.00%	0.15	11932.00	12286.00	0.00%	-2.21	-2.34
0.00%	0.14	10767.00	12376.00	0.00%	-2.85	-2.73
0.00%	0.13	9745.00	11148.00	0.00%	-2.93	-2.78
0.00%	0.09	10480.00	10799.00	0.00%	-4.32	-3.62
100.00%	0.49	0.00	0.00	83.33%	0.00	0.00
0.00%	0.47	0.00	0.00	83.78%	0.00	0.00
0.00%	0.3	0.00	0.00	57.78%	0.00	0.00
0.00%	0.37	0.00	0.00	60.66%	0.00	0.00

0.00%	0.47	0.00	0.00	70.00%	0.00	0.00
0.00%	0.36	0.00	0.00	70.37%	0.00	0.00
0.00%	0.45	0.00	0.00	54.72%	0.00	0.00
0.00%	0	0.00	0.00	66.67%	0.00	0.00
0.00%	0.28	0.00	0.00	34.64%	0.00	0.00
100.00%	0.21	0.00	0.00	94.32%	0.00	0.00
0.00%	0	0.00	0.00	75.36%	0.00	0.00
0.00%	0.31	0.00	0.00	33.96%	0.00	0.00
100.00%	0	59.00	63.00	89.47%	-1.29	-1.78
100.00%	0.19	53.00	55.00	85.71%	0.02	-0.99
100.00%	0.24	39.00	44.00	76.19%	-0.69	-1.42
76.92%	0	34.00	63.00	50.00%	-1.87	-2.14
83.33%	0	43.00	41.00	100.00%	-1.97	-2.19
100.00%	0.16	53.00	51.00	91.89%	-0.58	-1.35
100.00%	0.23	41.00	56.00	84.62%	-0.25	-1.15
100.00%	0.18	62.00	44.00	92.31%	-1.37	-1.83
100.00%	0.22	68.00	72.00	96.43%	-0.72	-1.44
100.00%	0.16	51.00	76.00	100.00%	-0.64	-1.39
100.00%	0	62.00	54.00	98.33%	-0.62	-1.38
100.00%	0.18	101.00	109.00	85.71%	-0.71	-1.43
0.00%	0	0.00	0.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	75.00%	0.00	0.00
0.00%	0	0.00	0.00	75.00%	0.00	0.00
0.00%	0	0.00	0.00	42.86%	0.00	0.00
0.00%	0	0.00	0.00	91.67%	0.00	0.00
0.00%	0	0.00	0.00	50.00%	0.00	0.00
0.00%	0	0.00	0.00	66.67%	0.00	0.00
100.00%	0	0.00	0.00	66.67%	0.00	0.00
0.00%	0	0.00	0.00	40.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	66.67%	0.00	0.00
0.00%	0	0.00	0.00	30.77%	0.00	0.00
0.00%	0	22.00	25.00	88.00%	0.00	0.00
0.00%	0	45.00	55.00	81.82%	1.32	-0.20
100.00%	0	26.00	36.00	72.22%	0.00	0.00
0.00%	0	51.00	123.00	78.46%	0.00	0.00
0.00%	0	117.00	65.00	81.82%	0.00	0.00
66.67%	0	139.00	143.00	78.09%	0.00	0.00
0.00%	0	85.00	178.00	63.43%	0.00	0.00
100.00%	0	75.00	134.00	87.21%	0.00	0.00
0.00%	0	153.00	86.00	87.43%	0.00	0.00
0.00%	0	133.00	175.00	83.65%	0.00	0.00
0.00%	0	103.00	159.00	83.74%	-0.44	-1.27
100.00%	0	181.00	214.00	84.58%	0.00	0.00
100.00%	0	2.00	2.00	77.78%	0.00	0.00
100.00%	0	0.00	0.00	85.00%	0.00	0.00
100.00%	0	0.00	0.00	89.47%	0.00	0.00
100.00%	0	1.00	0.00	89.47%	0.00	0.00
100.00%	0	2.00	1.00	71.43%	0.00	0.00
100.00%	0	3.00	2.00	60.00%	0.00	0.00
85.71%	0	0.00	3.00	70.83%	0.00	0.00
100.00%	0	0.00	0.00	71.43%	0.00	0.00

100.00%	0	0.00	0.00	92.00%	0.00	0.00
100.00%	0	1.00	0.00	88.89%	0.00	0.00
100.00%	0	0.00	1.00	77.78%	0.00	0.00
91.67%	0	5.00	5.00	78.43%	0.00	0.00
100.00%	0	22.00	25.00	98.90%	-0.99	-1.60
100.00%	0.25	45.00	55.00	97.90%	-1.02	-1.62
100.00%	0.25	26.00	36.00	98.52%	-1.53	-1.93
100.00%	0.33	51.00	123.00	98.95%	-0.79	-1.48
96.43%	0	117.00	65.00	98.16%	-1.88	-2.15
94.74%	0.38	139.00	143.00	98.96%	-0.41	-1.25
80.00%	0.4	85.00	178.00	98.66%	-1.26	-1.77
100.00%	0.24	75.00	134.00	96.27%	-0.72	-1.44
100.00%	0.33	153.00	86.00	93.72%	-0.01	-1.00
100.00%	0	133.00	175.00	92.76%	-1.59	-1.96
100.00%	0	103.00	159.00	98.37%	-1.46	-1.89
88.89%	0.31	181.00	214.00	98.58%	-0.35	-1.21
95.65%	0	0.00	0.00	88.00%	0.00	0.00
100.00%	0	0.00	0.00	81.82%	0.00	0.00
91.67%	0	0.00	0.00	72.22%	0.00	0.00
87.50%	0	0.00	0.00	78.46%	0.00	0.00
96.30%	0	0.00	0.00	81.82%	0.00	0.00
80.95%	0	0.00	0.00	78.09%	0.00	0.00
90.00%	0	0.00	0.00	63.43%	0.00	0.00
86.67%	0	0.00	0.00	87.21%	0.00	0.00
82.14%	0	0.00	0.00	87.43%	0.00	0.00
95.65%	0	0.00	0.00	83.65%	0.00	0.00
92.86%	0	0.00	0.00	83.74%	0.00	0.00
91.67%	0	0.00	0.00	84.58%	0.00	0.00
95.74%	0	45.00	54.00	96.92%	-1.04	-1.63
99.00%	0	31.00	37.00	96.89%	0.00	0.00
98.98%	0	26.00	45.00	96.40%	0.00	0.00
100.00%	0	37.00	69.00	96.45%	0.00	0.00
100.00%	0	21.00	61.00	95.17%	0.00	0.00
96.70%	0	38.00	30.00	96.34%	0.00	0.00
95.77%	0	29.00	54.00	93.80%	0.00	0.00
95.18%	0	34.00	53.00	95.03%	0.00	0.00
100.00%	0	53.00	51.00	95.32%	0.00	0.00
100.00%	0	249.00	153.00	95.02%	-0.35	-1.21
100.00%	0	52.00	264.00	95.97%	0.00	0.00
100.00%	0	18.00	53.00	95.62%	0.00	0.00
0.00%	0	34.00	38.00	0.00%	-1.10	-1.67
100.00%	0	24.00	28.00	0.00%	-1.41	-1.86
100.00%	0	16.00	21.00	0.00%	-0.91	-1.55
100.00%	0.42	5.00	60.00	0.00%	-1.28	-1.78
100.00%	0.37	13.00	10.00	0.00%	1.02	-0.38
0.00%	0	34.00	13.00	0.00%	-0.29	-1.18
60.00%	0	22.00	37.00	0.00%	-1.05	-1.64
50.00%	0	12.00	26.00	0.00%	-0.62	-1.37
0.00%	0	27.00	13.00	0.00%	-0.57	-1.35
100.00%	0	36.00	28.00	0.00%	0.00	0.00
0.00%	0	59.00	36.00	0.00%	-0.28	-1.17
100.00%	0	18.00	21.00	0.00%	-1.06	-1.65

100.00%	0	2.00	2.00	77.78%	0.00	0.00
100.00%	0	6.00	8.00	85.00%	0.00	0.00
100.00%	0	3.00	4.00	89.47%	0.00	0.00
100.00%	0	3.00	6.00	88.89%	0.00	0.00
100.00%	0	11.00	7.00	71.43%	0.00	0.00
92.86%	0	4.00	12.00	60.00%	0.00	0.00
94.12%	0	6.00	8.00	70.83%	0.00	0.00
93.75%	0	6.00	9.00	71.43%	-0.67	-1.41
93.33%	0	2.00	9.00	92.00%	0.00	0.00
100.00%	0	0.00	5.00	88.89%	0.00	0.00
100.00%	0	4.00	3.00	77.78%	0.00	0.00
100.00%	0	4.00	13.00	78.43%	0.30	-0.82
2100.00%	0	22.00	25.00	345.00%	0.00	0.00
267.00%	0	45.00	55.00	349.00%	0.00	0.00
900.00%	0	26.00	36.00	351.00%	-0.61	-1.37
320.00%	0	51.00	123.00	345.00%	0.00	0.00
314.00%	0	117.00	65.00	368.00%	0.00	0.00
400.00%	0.47	139.00	143.00	418.00%	0.43	-0.74
400.00%	0	85.00	178.00	453.00%	0.90	-0.45
457.00%	0	75.00	134.00	414.00%	-0.38	-1.23
600.00%	0	153.00	86.00	489.00%	0.00	0.00
412.00%	0	133.00	175.00	428.00%	0.00	0.00
400.00%	0	103.00	159.00	381.00%	0.00	0.00
367.00%	0	181.00	214.00	385.00%	-0.60	-1.37
300.00%	0	14.00	18.00	335.00%	-1.74	-2.06
300.00%	0	17.00	20.00	333.00%	-1.27	-1.77
300.00%	0	17.00	19.00	339.00%	-0.95	-1.58
300.00%	0	17.00	27.00	340.00%	-1.01	-1.61
300.00%	0	10.00	19.00	362.00%	-1.83	-2.11
310.00%	0	6.00	14.00	421.00%	-2.19	-2.33
293.00%	0.35	17.00	10.00	465.00%	-1.10	-1.67
298.00%	0	15.00	24.00	452.00%	-2.05	-2.25
312.00%	0	23.00	21.00	511.00%	-1.07	-1.65
306.00%	0	24.00	25.00	426.00%	-1.20	-1.73
313.00%	0	21.00	27.00	363.00%	-1.33	-1.81
308.00%	0.28	40.00	51.00	355.00%	-1.00	-1.61
313.00%	0	361.00	365.00	335.00%	-0.39	-1.23
325.00%	0	327.00	334.00	333.00%	-0.43	-1.26
300.00%	0	400.00	406.00	339.00%	-0.76	-1.46
300.00%	0	376.00	369.00	340.00%	-0.37	-1.22
300.00%	0.19	373.00	380.00	362.00%	0.60	-0.64
300.00%	0.22	379.00	380.00	421.00%	1.21	-0.27
300.00%	0.4	369.00	383.00	465.00%	3.13	0.90
300.00%	0	387.00	374.00	452.00%	-0.39	-1.24
300.00%	0	433.00	402.00	511.00%	-0.63	-1.38
400.00%	0	410.00	462.00	426.00%	-0.73	-1.45
467.00%	0	363.00	442.00	363.00%	-0.36	-1.22
300.00%	0.31	347.00	352.00	355.00%	1.47	-0.11
5.13	0.2	22.00	25.00	5.29	-0.82	-1.50
4.86	0	45.00	55.00	5.42	-1.62	-1.98
4.50	0.28	26.00	36.00	5.14	-1.30	-1.79
6.22	0.33	51.00	123.00	5.18	-0.59	-1.36

6.80	0.19	117.00	65.00	4.80	-1.79	-2.09
6.40	0.39	139.00	143.00	5.25	-0.30	-1.18
4.88	0.3	85.00	178.00	5.40	-1.68	-2.02
5.33	0.34	75.00	134.00	5.43	0.08	-0.95
5.36	0.38	153.00	86.00	5.50	0.76	-0.54
6.17	0.2	133.00	175.00	5.28	-1.45	-1.88
4.62	0.26	103.00	159.00	5.16	-0.88	-1.53
4.17	0.28	181.00	214.00	5.04	-0.66	-1.40
3.45	0.2	1541.00	1590.00	3.33	0.50	-0.70
3.03	0.1	1279.00	1320.00	3.28	-1.17	-1.71
3.67	0.1	1257.00	1304.00	3.35	-1.32	-1.80
3.58	0	1414.00	1590.00	3.38	-1.71	-2.04
4.04	0	1499.00	1466.00	3.60	-2.44	-2.48
4.30	0.18	1659.00	1575.00	4.22	-0.18	-1.11
4.33	0.2	1678.00	1722.00	4.68	-0.68	-1.41
4.51	0.21	1682.00	1789.00	4.60	-0.06	-1.04
5.34	0	1731.00	1770.00	5.16	-1.77	-2.08
3.84	0	1678.00	1816.00	4.25	-1.74	-2.06
3.18	0	1526.00	1766.00	3.57	-1.93	-2.17
3.14	0	1702.00	1780.00	3.46	-1.73	-2.05
3.00	0	0.00	0.00	3.35	0.00	0.00
3.50	0	0.00	0.00	3.33	0.00	0.00
3.61	0	0.00	0.00	3.39	0.00	0.00
3.77	0	0.00	0.00	3.40	0.00	0.00
3.90	0	0.00	0.00	3.62	0.00	0.00
4.29	0	0.00	0.00	4.21	0.00	0.00
5.20	0.49	0.00	0.00	4.65	0.00	0.00
5.46	0.5	0.00	0.00	4.52	0.00	0.00
5.76	0	0.00	0.00	5.11	0.00	0.00
4.38	0	0.00	0.00	4.26	0.00	0.00
3.61	0	0.00	0.00	3.63	0.00	0.00
3.22	0	0.00	0.00	3.55	0.00	0.00
0.00	0	14.00	18.00	2.98	-1.26	-1.76
0.00	0	17.00	20.00	2.93	-0.96	-1.58
0.00	0	17.00	19.00	3.26	-0.91	-1.55
0.00	0	16.00	27.00	3.78	-0.92	-1.56
0.00	0	10.00	18.00	3.43	-1.67	-2.02
3.00	0.26	6.00	14.00	4.17	-1.62	-1.98
0.00	0.24	17.00	10.00	5.74	-1.62	-1.98
3.00	0.24	15.00	24.00	4.19	-1.49	-1.91
3.00	0.25	23.00	21.00	4.98	-0.15	-1.09
2.67	0	24.00	25.00	4.01	-1.10	-1.67
3.20	0	21.00	27.00	3.73	-1.69	-2.03
3.00	0	40.00	51.00	3.53	-1.52	-1.92
0.00	0	5583.00	1616.00	3.70	2.58	0.57
0.00	0.82	4919.00	1410.00	3.70	-0.53	-1.32
3.00	8.49	4653.00	1327.00	4.36	1.81	0.10
3.00	0.45	4379.00	1572.00	3.72	-0.15	-1.09
2.25	0.38	5353.00	1268.00	5.11	-0.34	-1.21
3.00	0	6698.00	1454.00	3.44	-0.03	-1.02
2.25	1.41	7626.00	1603.00	3.12	-0.24	-1.15
1.00	3.1	6551.00	1685.00	3.36	0.59	-0.64

10.00	3.61	7673.00	1582.00	3.15	0.74	-0.55
3.40	3.46	7521.00	1570.00	3.89	-0.20	-1.12
3.00	2.24	5996.00	1756.00	3.25	0.68	-0.59
4.60	1.63	6023.00	1564.00	3.75	-0.09	-1.06
3.00	0	25113.00	7487.00	3.38	-0.29	-1.18
3.00	0	21115.00	6343.00	3.33	-0.34	-1.20
3.00	0	21615.00	6384.00	3.21	-0.42	-1.26
4.00	0	22984.00	6581.00	3.34	-0.25	-1.15
0.00	0	25245.00	6765.00	3.91	-0.31	-1.19
3.00	0.32	33712.00	6972.00	3.65	-0.98	-1.60
3.00	0.6	43992.00	7999.00	3.50	-4.03	-3.45
3.00	0.13	39290.00	9462.00	3.68	-3.98	-3.42
5.00	0.95	46229.00	8699.00	4.44	-3.65	-3.22
3.80	0.37	32126.00	9046.00	4.49	-2.65	-2.61
0.00	0.58	23860.00	7543.00	4.09	-1.18	-1.71
6.50	0.41	24032.00	6775.00	4.06	-0.75	-1.45
0.00	0.35	25113.00	7487.00	5.26	-0.27	-1.16
0.00	0.5	21115.00	6343.00	5.33	-0.05	-1.03
0.00	0	21615.00	6384.00	5.15	-0.39	-1.24
6.00	0	22984.00	6581.00	4.99	-0.29	-1.18
5.00	0	25245.00	6765.00	5.27	-0.31	-1.19
0.00	0	33712.00	6972.00	5.11	-0.68	-1.41
5.00	0	43992.00	7999.00	5.00	-0.91	-1.55
0.00	0	39290.00	9462.00	5.12	-1.27	-1.77
0.00	0	46229.00	8699.00	6.07	-1.05	-1.64
0.00	1.41	32126.00	9046.00	5.81	-0.11	-1.07
0.00	1.53	23860.00	7543.00	5.08	1.24	-0.24
0.00	0	24032.00	6775.00	5.04	-0.18	-1.11
3.26	1.96	11966.00	2261.00	3.28	-0.18	-1.11
2.93	0.38	13058.00	2409.00	3.25	-0.79	-1.48
3.68	1.65	12396.00	2411.00	3.17	-1.14	-1.69
3.41	2.95	9126.00	1848.00	3.30	1.45	-0.12
2.96	4.09	8153.00	1762.00	3.59	2.26	0.37
3.52	4.88	10666.00	1698.00	3.81	1.65	0.01
4.18	1.24	12192.00	2032.00	3.61	-1.32	-1.80
3.33	1.5	11622.00	2257.00	3.55	-0.16	-1.09
3.22	2.58	12434.00	2139.00	4.14	-0.17	-1.10
3.82	3.3	12237.00	2262.00	4.04	1.51	-0.08
3.25	1.26	9535.00	2316.00	3.57	-0.97	-1.59
3.00	0.41	8161.00	1619.00	3.32	-1.43	-1.87
0.00	0.92	19530.00	5871.00	0.00	1.35	-0.18
0.00	0.36	16196.00	4933.00	0.00	-1.22	-1.74
0.00	1.11	16962.00	5057.00	0.00	2.57	0.56
0.00	1.22	18605.00	5009.00	0.00	1.41	-0.14
0.00	1.52	19892.00	5497.00	0.00	3.59	1.18
0.00	1.59	27014.00	5518.00	0.00	0.60	-0.63
9.00	1.49	36366.00	6396.00	0.00	-2.55	-2.55
0.00	1.86	32739.00	7777.00	0.00	-0.66	-1.40
0.00	1.92	38556.00	7117.00	0.00	1.17	-0.29
0.00	1.07	24605.00	7476.00	0.00	-2.78	-2.69
0.00	0.63	17864.00	5787.00	0.00	-3.37	-3.05
4.00	0.72	18009.00	5211.00	0.00	-2.92	-2.78

0	0	25113.00	7487.00	3.3	-0.33	-1.20
0	0.71	21115.00	6343.00	3.26	0.68	-0.59
5.71	1.16	21615.00	6384.00	3.18	0.69	-0.58
3.38	2.73	22984.00	6581.00	3.31	2.07	0.26
3.76	1.84	25245.00	6765.00	3.64	1.81	0.10
3.37	1.93	33712.00	6972.00	3.78	0.39	-0.76
4	2.85	43992.00	7999.00	3.59	3.81	1.32
3.3	3.32	39290.00	9462.00	3.57	6.82	3.15
4.8	2.96	46229.00	8699.00	4.18	4.22	1.56
4.68	2.18	32126.00	9046.00	4.12	0.85	-0.48
3.77	2.6	23860.00	7543.00	3.66	-0.10	-1.06
3.27	1.2	24032.00	6775.00	3.45	-2.09	-2.27
0	0	179.00	60.00	3	0.00	0.00
0	0	161.00	55.00	3	0.00	0.00
0	0	225.00	69.00	5	0.00	0.00
0	0	136.00	49.00	3	0.00	0.00
0	0	182.00	36.00	3	0.00	0.00
0	0	225.00	53.00	3.43	-0.28	-1.17
0	0	356.00	54.00	5.67	0.00	0.00
0	0	285.00	62.00	3	-0.62	-1.38
3	0	269.00	68.00	4	-0.40	-1.24
0	0.58	337.00	54.00	3.25	-1.34	-1.82
3	2.49	183.00	84.00	3.4	-0.53	-1.32
0	0	279.00	79.00	3	-0.27	-1.16
2.29	0	525.00	142.00	3.38	0.00	0.00
2.29	0	477.00	129.00	3.12	0.00	0.00
2	0	915.00	210.00	3.13	-0.34	-1.21
2.71	0	495.00	156.00	3.03	-0.55	-1.33
3	1.5	1639.00	133.00	3.17	-0.88	-1.54
2.5	0	715.00	321.00	3.06	-0.34	-1.21
2.33	1.5	785.00	208.00	3.09	-0.95	-1.58
2.33	1.15	498.00	252.00	3.22	-3.19	-2.94
3.2	2.83	736.00	148.00	3.07	2.23	0.35
2.67	1.14	832.00	234.00	2.88	-0.38	-1.23
3	0	507.00	214.00	2.9	-0.35	-1.21
2.6	3.05	708.00	189.00	2.68	1.08	-0.35
3	0	730.00	216.00	3.16	-0.12	-1.07
3	0	639.00	192.00	3.16	-0.15	-1.09
3	0	613.00	191.00	3.16	-0.11	-1.07
3	0	642.00	197.00	3.07	1.22	-0.26
3	0	704.00	192.00	3.26	0.00	0.00
3.04	0	832.00	180.00	3.18	-0.25	-1.15
3.01	0	757.00	228.00	3.17	-0.26	-1.16
3	0	711.00	216.00	3.26	-0.15	-1.09
3	0	910.00	193.00	3.18	0.53	-0.68
3.01	1.3	996.00	205.00	3.26	-0.56	-1.34
3.01	0	806.00	222.00	3.18	0.00	0.00
3	0.71	833.00	205.00	3.14	1.45	-0.12
2.98	0	1500.00	285.00	3.16	0.00	0.00
2.98	0	1471.00	276.00	3.16	0.00	0.00
3.05	0	1508.00	293.00	3.16	0.00	0.00
2.98	0	1267.00	285.00	3.07	1.79	0.09

3	0	1497.00	254.00	3.26	-0.14	-1.09
2.98	0	1297.00	284.00	3.18	0.00	0.00
2.97	0	1384.00	254.00	3.17	-1.45	-1.88
2.96	0	1541.00	277.00	3.26	0.00	0.00
3	0	2026.00	301.00	3.18	0.00	0.00
3	0	2045.00	334.00	3.26	0.00	0.00
3	0	1449.00	352.00	3.18	0.00	0.00
2.82	0	1330.00	264.00	3.14	0.00	0.00
4.6	1.01	3388.00	1033.00	4.89	-0.07	-1.04
4.16	0.26	2812.00	865.00	4.89	-0.55	-1.34
4.63	2.44	2746.00	865.00	4.91	1.30	-0.21
4.83	0.82	3220.00	905.00	4.9	0.67	-0.60
4.17	0.56	3524.00	975.00	4.89	-0.65	-1.40
4.88	1.05	4271.00	982.00	4.92	-0.53	-1.32
3.8	1.4	4158.00	1122.00	4.89	0.95	-0.42
4.46	0.5	3892.00	1153.00	4.92	-0.25	-1.15
4.29	0.67	4819.00	1096.00	4.92	-0.95	-1.58
4.31	1.17	3976.00	1165.00	4.93	-0.29	-1.18
4.19	0.97	3231.00	984.00	4.93	-0.53	-1.32
4.8	1	3331.00	1003.00	4.91	-0.51	-1.31
2.99	0	0.00	0.00	3.15	0.00	0.00
3.04	0	0.00	0.00	3.16	0.00	0.00
2.96	0	0.00	0.00	3.16	0.00	0.00
2.96	0	0.00	0.00	3.07	0.00	0.00
2.97	0	0.00	0.00	3.26	0.00	0.00
3	0	0.00	0.00	3.18	0.00	0.00
2.9	0	0.00	0.00	3.17	0.00	0.00
3.03	0	0.00	0.00	3.26	0.00	0.00
2.99	0	0.00	0.00	3.18	0.00	0.00
3.01	0	0.00	0.00	3.27	0.00	0.00
2.94	0	0.00	0.00	3.19	0.00	0.00
2.9	0	0.00	0.00	3.15	0.00	0.00
0	0	4118.00	1249.00	0	0.00	0.00
0	0	3451.00	1057.00	0	0.00	0.00
0	5.06	3359.00	1056.00	0	1.98	0.20
0	1.12	3862.00	1102.00	0	0.49	-0.70
0	2.44	4228.00	1167.00	0	0.52	-0.69
0	1.17	5103.00	1162.00	0	-0.67	-1.41
0	1.55	4915.00	1350.00	0	0.95	-0.42
4	1.22	4603.00	1369.00	0	-0.55	-1.33
0	2.89	5729.00	1289.00	0	1.36	-0.17
0	6.21	4972.00	1370.00	0	1.44	-0.12
0	1.75	4037.00	1206.00	0	0.43	-0.74
0	1.19	4164.00	1208.00	0	-0.37	-1.23
3	0	6.00	2.00	3.16	0.00	0.00
3	0	15.00	5.00	3.16	0.00	0.00
2.94	0	15.00	3.00	3.16	0.00	0.00
2.99	0	3.00	5.00	3.07	0.00	0.00
2.98	0	3.00	1.00	3.26	0.00	0.00
2.99	0	24.00	1.00	3.18	0.00	0.00
2.98	0	17.00	7.00	3.17	0.00	0.00
3	0	15.00	3.00	3.26	0.00	0.00

2.98	0	8.00	5.00	3.18	-0.58	-1.35
2.98	0	13.00	2.00	3.26	0.00	0.00
2.97	0	17.00	4.00	3.18	-0.24	-1.15
2.97	0	9.00	3.00	3.14	0.00	0.00
0	1.11	1958.00	580.00	3.19	-1.10	-1.67
0	0.76	1290.00	413.00	2.63	-1.09	-1.66
0	1.73	1230.00	393.00	3.26	-1.00	-1.61
3	0.69	1300.00	335.00	2.95	-0.81	-1.49
0	0	1235.00	429.00	2.83	-0.13	-1.08
3	1	1213.00	389.00	7.94	-0.72	-1.44
0	1.15	1278.00	397.00	3	-0.65	-1.40
0	1.12	1252.00	414.00	2.54	-1.23	-1.75
0	1.64	1153.00	389.00	2.54	0.33	-0.80
2.8	2.42	1027.00	376.00	3.12	-0.37	-1.22
0	0	972.00	356.00	2.87	-0.11	-1.07
3	0.89	919.00	343.00	2.13	-0.13	-1.08
0	0	52003.00	16455.00	0	-0.19	-1.12
0	0	45770.00	14471.00	2.25	-0.27	-1.16
0	0	46964.00	14849.00	3	-0.23	-1.14
0	0	47784.00	16820.00	2.43	-0.16	-1.10
0	0	53425.00	15590.00	0	-0.48	-1.29
0	0.25	55271.00	16405.00	11.5	-1.10	-1.67
0	0.35	63536.00	17396.00	3	-2.71	-2.64
0	0.08	61161.00	20071.00	0	-4.55	-3.77
0	0	58667.00	18777.00	0.36	-2.88	-2.75
0	0.23	63105.00	18450.00	3	-3.81	-3.32
0	0.26	53536.00	19351.00	0	-2.82	-2.72
0	0.42	60220.00	19176.00	2.8	-2.24	-2.36
0	0.13	52003.00	16455.00	0	-1.11	-1.68
0	0.15	45770.00	14471.00	0	-1.01	-1.62
15.5	0.84	46964.00	14849.00	0	-0.59	-1.36
18	0.15	47784.00	16820.00	0	-0.51	-1.31
0	0	53425.00	15590.00	0	-1.57	-1.96
0	0.14	55271.00	16405.00	0	-1.20	-1.73
0	0.18	63536.00	17396.00	0	-1.27	-1.77
20	0.2	61161.00	20071.00	0	-1.81	-2.10
17.1	0	58667.00	18777.00	0	-1.22	-1.74
0	0	63105.00	18450.00	0	-1.12	-1.68
0	0	53536.00	19351.00	0	-0.73	-1.44
20	0.66	60220.00	19176.00	0	-1.29	-1.78
0	0.91	32677.00	6679.00	0	-2.58	-2.57
0	1.21	29829.00	6105.00	0	-3.49	-3.12
0	0.81	36732.00	7474.00	0	-2.01	-2.22
0	0.51	39207.00	7408.00	0	-0.36	-1.22
20	1.4	36519.00	8000.00	0	-2.76	-2.68
0	0.35	40387.00	7469.00	0	-0.18	-1.11
0	1.64	38536.00	8212.00	0	-2.18	-2.33
0	0.56	39361.00	7888.00	0	-3.93	-3.39
0	0.51	36403.00	8003.00	0	-4.58	-3.79
0	0.49	39635.00	7395.00	0	-9.52	-6.79
0	0.97	36524.00	8043.00	0	-8.51	-6.18
0	0.56	36452.00	7428.00	0	-0.66	-1.40

12	0.38	50045.00	15875.00	0	-3.76	-3.28
0	0.5	44480.00	14058.00	12	-2.03	-2.23
0	0.4	45734.00	14456.00	12	-3.57	-3.17
0	0.41	46484.00	16485.00	12.57	-2.12	-2.29
0	0.31	52190.00	15161.00	11	-5.99	-4.64
0	0.85	54058.00	16016.00	0	-4.08	-3.48
0	0.71	62258.00	16999.00	11	-4.85	-3.95
11	1.34	59909.00	19657.00	9	-3.39	-3.06
0	0.81	57514.00	18388.00	12	-2.65	-2.61
13.5	0.99	62078.00	18074.00	11	-3.10	-2.89
0	0.46	52564.00	18995.00	12	-3.71	-3.25
10	0.42	59301.00	18833.00	10.67	-3.54	-3.15
8	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
4.29	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
8	0	0.00	0.00	0	0.00	0.00
5	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
0	0	0.00	0.00	0	0.00	0.00
5.17	0	52003.00	16455.00	10.35	-0.27	-1.16
4.83	0	45770.00	14471.00	12.32	-0.64	-1.39
4.73	0.36	46964.00	14849.00	13.19	-1.30	-1.79
5.35	0.4	47784.00	16820.00	9.66	-2.78	-2.69
5.39	0.32	53425.00	15590.00	9.57	-9.42	-6.73
5.53	0.27	55271.00	16405.00	10.04	-8.98	-6.46
5.67	0.3	63536.00	17396.00	13.37	-7.09	-5.31
5.41	0.41	61161.00	20071.00	9.74	-11.26	-7.85
5.69	0.4	58667.00	18777.00	8.77	-10.91	-7.63
5.73	0.34	63105.00	18450.00	11.63	-12.74	-8.75
4.9	0.34	53536.00	19351.00	9.39	-11.67	-8.09
4.64	0.54	60220.00	19176.00	13.77	-9.99	-7.07
1	0	99.00	31.00	0	0.00	0.00
0	0	79.00	30.00	0	0.00	0.00
0	0	101.00	31.00	0	0.00	0.00
10	0	59.00	23.00	0	-0.83	-1.51
0	0	51.00	20.00	0	0.00	0.00
0	0	143.00	18.00	0	-0.36	-1.22
0	0	45.00	18.00	0	0.00	0.00
7	0	89.00	15.00	0	-1.74	-2.06
0	0	71.00	35.00	0	0.00	0.00
0	0.45	106.00	28.00	0	-0.54	-1.33
0	0	66.00	34.00	0	0.00	0.00
0	0	51.00	24.00	0	0.05	-0.97
0	0	0.00	0.00	12.65	0.00	0.00
0	0	18.00	8.00	14.26	0.00	0.00
0	0	6.00	2.00	17.37	0.00	0.00
0	0	17.00	1.00	12.13	-1.10	-1.67

0	0	0.00	7.00	8.56	0.00	0.00
0	0	23.00	0.00	22.47	0.00	0.00
0	0	3.00	2.00	16.1	0.00	0.00
0	0	0.00	1.00	15.52	0.00	0.00
0	0	5.00	0.00	12.99	0.00	0.00
0	0	3.00	14.00	10.91	0.00	0.00
0	0	0.00	1.00	12.42	0.00	0.00
9	0	14.00	5.00	29.11	0.00	0.00
14.2	0	0.00	0.00	15.63	0.00	0.00
13.6	0	0.00	0.00	10.6	0.00	0.00
15.09	6.36	0.00	0.00	15	0.00	0.00
15.25	0	0.00	0.00	23.33	0.00	0.00
13	0	0.00	0.00	22.23	0.00	0.00
11.5	0	0.00	0.00	17.67	0.00	0.00
10	0	0.00	0.00	29	0.00	0.00
16.9	0	0.00	0.00	23.24	0.00	0.00
15.6	3.21	0.00	0.00	19.73	0.00	0.00
16.14	0	0.00	0.00	24.72	0.00	0.00
8.91	0	0.00	0.00	17.94	0.00	0.00
11.71	0	0.00	0.00	15.33	0.00	0.00
0	0	0.00	0.00	9.11	0.00	0.00
0	0	0.00	0.00	5.79	0.00	0.00
0	0	0.00	0.00	6.75	0.00	0.00
0	0	0.00	0.00	13.5	0.00	0.00
6	0	0.00	0.00	17.72	0.00	0.00
0	0	0.00	0.00	9.16	0.00	0.00
0	0	0.00	0.00	9.83	0.00	0.00
0	0	0.00	0.00	11.07	0.00	0.00
6	0	0.00	0.00	10.89	0.00	0.00
0	0	0.00	0.00	10.88	0.00	0.00
0	0	0.00	0.00	10.21	0.00	0.00
0	0	0.00	0.00	12.14	0.00	0.00
5	0	0.00	0.00	4.08	0.00	0.00
0	0	12.00	1.00	3.04	0.00	0.00
0	0	12.00	1.00	8	0.00	0.00
0	0	88.00	1.00	5	0.00	0.00
0	0	11.00	7.00	3	0.00	0.00
0	0	0.00	1.00	7	0.00	0.00
4	0	22.00	0.00	5.11	0.00	0.00
0	0	27.00	2.00	6.67	-3.72	-3.26
0	0	24.00	3.00	8	0.00	0.00
0	3	22.00	2.00	4.6	0.00	0.00
0	0	12.00	2.00	2	0.00	0.00
0	0	32.00	3.00	4.5	-0.25	-1.15
0	2.24	0.00	0.00	6.2	0.00	0.00
6	0	0.00	0.00	21.17	0.00	0.00
0	0	0.00	0.00	12	0.00	0.00
0	0	0.00	0.00	17.19	0.00	0.00
8	0	0.00	0.00	25.35	0.00	0.00
8	0.49	0.00	0.00	19.57	0.00	0.00
11	0	0.00	0.00	12.78	0.00	0.00
10	0	0.00	0.00	16.5	0.00	0.00

7.8	0	0.00	0.00	11.65	0.00	0.00
7.89	0	0.00	0.00	16.8	0.00	0.00
13	0	0.00	0.00	10.6	0.00	0.00
13.5	0	0.00	0.00	17.33	0.00	0.00
0	2.43	890.00	86.00	10.35	-5.75	-4.49
0	0.86	739.00	60.00	12.32	-5.08	-4.09
4	1.37	633.00	48.00	13.19	-5.37	-4.26
0	1.89	1343.00	69.00	9.66	-2.77	-2.69
0	2.25	775.00	139.00	9.57	-4.50	-3.74
4	2.95	1074.00	81.00	10.04	-4.14	-3.51
4	3.62	1457.00	107.00	13.37	-3.87	-3.35
5	1.91	711.00	109.00	9.74	-3.76	-3.29
5	2.49	1219.00	73.00	8.77	-2.84	-2.72
6.83	3.5	1698.00	139.00	11.63	-3.24	-2.97
0	3.58	648.00	146.00	9.39	-4.81	-3.92
5	1.03	1157.00	84.00	13.77	-5.04	-4.06
3.82	0	0.00	0.00	7.3	0.00	0.00
3.88	0	0.00	0.00	6.8	0.00	0.00
3.93	0	0.00	0.00	6.24	0.00	0.00
3.88	0	0.00	0.00	8.6	0.00	0.00
3.88	0	0.00	0.00	6.8	0.00	0.00
4.01	0	0.00	0.00	5.96	0.00	0.00
4.28	0	0.00	0.00	5.36	0.00	0.00
4.1	0	0.00	0.00	7.34	0.00	0.00
4.26	0	0.00	0.00	7.82	0.00	0.00
4.2	0	0.00	0.00	6.87	0.00	0.00
4.11	0	0.00	0.00	6.48	0.00	0.00
3.84	0	0.00	0.00	6.15	0.00	0.00
0	0	936.00	74.00	10.35	0.00	0.00
0	0	656.00	46.00	12.32	0.00	0.00
0	0	1129.00	65.00	13.19	0.00	0.00
0	0	631.00	33.00	9.66	0.00	0.00
0	0	693.00	52.00	9.57	0.00	0.00
0	0	1236.00	81.00	10.04	0.00	0.00
0	0	821.00	55.00	13.37	0.00	0.00
3	0	1288.00	51.00	9.74	0.00	0.00
0	0	961.00	83.00	8.77	0.00	0.00
0	0	884.00	74.00	11.63	0.00	0.00
0	0	410.00	81.00	9.39	0.00	0.00
0	0	1805.00	62.00	13.77	-1.52	-1.93
4	9.55	250.00	16.00	5.29	-0.47	-1.29
4.33	5.24	53.00	5.00	5.42	1.94	0.18
5	7.38	90.00	6.00	5.14	-0.25	-1.15
4.67	8.66	70.00	17.00	5.18	-1.15	-1.70
4.43	6.52	289.00	3.00	4.8	-2.83	-2.72
4.37	5.48	212.00	13.00	5.25	-3.32	-3.02
6.17	6.14	435.00	12.00	5.4	-1.94	-2.18
4.89	8.01	395.00	15.00	5.43	-1.10	-1.67
4.44	4.31	217.00	17.00	5.5	-1.26	-1.77
4.67	4.47	890.00	11.00	5.28	-4.52	-3.75
4.52	4.44	305.00	36.00	5.16	-4.13	-3.51
4.36	6.72	230.00	15.00	5.04	-1.64	-2.00

5.05		164.00	18.00	10.35	0.00	0.00
4.9	0	110.00	19.00	12.32	0.00	0.00
4.38	0	27.00	4.00	13.19	0.00	0.00
4.76	0	216.00	19.00	9.66	0.00	0.00
4.48	0	319.00	16.00	9.57	-0.39	-1.24
4.99	0	174.00	18.00	10.04	0.00	0.00
5.67	0	118.00	19.00	13.37	0.00	0.00
4.78	0	166.00	12.00	9.74	0.00	0.00
4.82	0	207.00	15.00	8.77	-0.46	-1.28
4.96	0	272.00	19.00	11.63	0.00	0.00
4.79	0	194.00	25.00	9.39	0.00	0.00
4.25	0	170.00	14.00	13.77	0.00	0.00
0	0	53.00	13.00	6.2	0.76	-0.54
7	0	140.00	46.00	21.17	0.00	0.00
0	0	16.00	2.00	12	0.00	0.00
0	0	5.00	1.00	17.19	0.00	0.00
0	0	3.00	1.00	25.35	0.00	0.00
5	0	14.00	1.00	19.57	0.00	0.00
0	1.41	46.00	2.00	12.78	-0.81	-1.49
0	0	40.00	9.00	16.5	0.00	0.00
0	0	32.00	6.00	11.65	0.00	0.00
0	0	23.00	4.00	16.8	0.00	0.00
0	0	2.00	5.00	10.6	0.00	0.00
0	0	18.00	4.00	17.33	0.00	0.00
3.8	0	285.00	46.00	5.29	0.00	0.00
4.2	1.41	487.00	23.00	5.42	-1.24	-1.75
3.89	0	72.00	6.00	5.14	0.00	0.00
4	0	447.00	20.00	5.18	0.00	0.00
4	1.41	431.00	26.00	4.8	-1.64	-2.00
4.25	0	450.00	17.00	5.25	-0.39	-1.24
5.2	0.82	294.00	23.00	5.4	-0.18	-1.11
0	0	264.00	23.00	0	-0.32	-1.19
4.6	1.79	233.00	16.00	0	-1.75	-2.06
4.75	1.45	336.00	20.00	0	-1.18	-1.71
5	0	212.00	20.00	0	1.12	-0.32
5	9.19	260.00	15.00	0	-0.26	-1.16
5.02	0	890.00	86.00	3.35	0.00	0.00
5.04	0	739.00	60.00	3.33	0.00	0.00
5.06	0	633.00	48.00	3.39	-1.09	-1.66
5.14	0	1343.00	69.00	3.4	0.00	0.00
5.16	0	775.00	139.00	3.62	0.00	0.00
5.03	0	1074.00	81.00	4.21	-0.79	-1.48
5.14	1.41	1457.00	107.00	4.65	-0.96	-1.58
5.09	0	711.00	109.00	4.52	-0.82	-1.50
4.78	0	1219.00	73.00	5.11	-0.96	-1.58
4.86	0.41	1698.00	139.00	4.26	-1.00	-1.61
4.93	0	648.00	146.00	3.63	0.00	0.00
4.93	0	1157.00	84.00	3.55	-0.83	-1.50
12.8	1.37	445.00	61.00	0	-3.11	-2.89
6.4	1.18	340.00	50.00	0	-4.23	-3.57
9.86	1.45	262.00	42.00	0	-2.37	-2.44
11.4	1.4	361.00	62.00	0	-3.33	-3.03

8	1.49	374.00	42.00	0	-2.84	-2.73
13.88	1.42	334.00	55.00	0	-2.47	-2.50
10	1.63	236.00	56.00	0	-3.54	-3.15
10.07	1.35	499.00	44.00	0	-3.91	-3.38
7.89	1.16	563.00	68.00	0	-3.27	-2.99
12.95	1.73	364.00	72.00	0	-3.19	-2.94
11.38	1.09	402.00	53.00	0	-3.47	-3.11
11	1.13	720.00	117.00	0	-3.45	-3.10
4.1	0	890.00	86.00	7.53	0.00	0.00
4.4	0	739.00	60.00	6.8	0.00	0.00
4.13	0	633.00	48.00	6.32	0.00	0.00
4.04	0	1343.00	69.00	8.6	0.00	0.00
4.09	0	775.00	139.00	6.8	0.00	0.00
4.22	0	1074.00	81.00	5.96	0.00	0.00
4.67	0	1457.00	107.00	5.36	0.00	0.00
4.29	0	711.00	109.00	7.34	-1.17	-1.71
4.06	0	1219.00	73.00	7.82	0.00	0.00
4.1	0	1698.00	139.00	6.87	0.00	0.00
4.39	0	648.00	146.00	6.48	0.00	0.00
3.93	0	1157.00	84.00	6.41	0.00	0.00
0	1	11975.00	2263.00	0	-0.87	-1.53
0	1.21	13058.00	2409.00	0	-1.42	-1.86
0	0	12406.00	2412.00	0	-0.16	-1.10
0	0.62	9126.00	1848.00	0	-0.96	-1.58
20	0.79	8156.00	1762.00	0	-0.53	-1.32
0	1.11	10668.00	1699.00	0	-2.51	-2.53
0	4.31	12213.00	2033.00	0	1.74	0.06
24	0.32	11640.00	2262.00	0	-1.04	-1.63
0	0.86	12447.00	2143.00	0	-1.67	-2.02
17	0.72	12256.00	2264.00	0	-1.18	-1.72
0	1.03	9535.00	2320.00	0	-1.44	-1.88
0	0.84	8166.00	1620.00	0	-1.71	-2.04
0	2.58	890.00	86.00	21.36	-6.34	-4.85
9	1.43	739.00	60.00	12.38	-5.29	-4.22
0	1.47	633.00	48.00	17.5	-5.52	-4.35
0	1.96	1343.00	69.00	13.15	-3.41	-3.07
0	1.39	775.00	139.00	11.42	-6.31	-4.84
0	3.01	1074.00	81.00	12.58	-4.81	-3.92
0	3.85	1457.00	107.00	16.91	-4.17	-3.53
0	1.24	711.00	109.00	12.38	-5.66	-4.44
0	1.22	1219.00	73.00	11.6	-5.16	-4.13
0	1.56	1698.00	139.00	11.01	-4.00	-3.43
3	1.42	648.00	146.00	13.23	-5.65	-4.43
0	0.92	1157.00	84.00	13.28	-5.67	-4.45
0	0	285.00	46.00	10.67	0.00	0.00
0	0	487.00	23.00	10	-0.83	-1.51
0	0	72.00	6.00	16	0.00	0.00
0	0	447.00	20.00	11.67	0.00	0.00
12	0	431.00	26.00	11.67	0.00	0.00
11.2	0	450.00	17.00	11	-0.49	-1.30
11	0	294.00	23.00	0	0.00	0.00
11	0	264.00	23.00	10	0.00	0.00

0	0	233.00	16.00	11.5	0.00	0.00
13	0	336.00	20.00	12	0.00	0.00
0	0	212.00	20.00	13.25	0.00	0.00
13.57	0	260.00	15.00	12.33	0.00	0.00
4.75	1.1	11975.00	2263.00	21.36	-1.29	-1.78
7.38	0.84	13058.00	2409.00	12.38	-1.46	-1.88
5.83	1.36	12406.00	2412.00	17.5	-2.12	-2.29
8.29	0.82	9126.00	0.00	13.15	-1.14	-1.69
6.35	1.15	8156.00	1762.00	11.42	-0.86	-1.52
6.54	0.89	10668.00	1699.00	12.58	-1.56	-1.95
5.8	2.17	12213.00	2033.00	16.91	-0.23	-1.14
6.64	0	0.00	2262.00	12.38	0.00	0.00
12.17	0.55	0.00	0.00	11.6	0.00	0.00
7.45	0.5	0.00	0.00	11.01	0.00	0.00
15.71	0	0.00	0.00	13.23	0.00	0.00
7.33	0	0.00	0.00	13.28	0.00	0.00
0	1.31	25113.00	7487.00	0	19.36	10.77
0	2.25	21115.00	6343.00	0	16.47	9.01
0	1.04	21615.00	6384.00	0	16.05	8.76
0	1.91	22984.00	6581.00	0	15.68	8.54
0	2.05	25245.00	6765.00	0	13.23	7.05
0	1.08	33712.00	6972.00	0	5.80	2.52
8	2.03	43992.00	7999.00	0	4.17	1.54
0	1.53	39290.00	9462.00	0	5.28	2.21
0	1.66	46229.00	8699.00	0	-2.75	-2.67
0	1.48	32126.00	9046.00	0	4.93	2.00
0	1.26	23860.00	7543.00	0	12.41	6.55
0	1.78	24032.00	6775.00	0	11.86	6.21
9	8.32	0.00	0.00	12.92	0.00	0.00
0	1.95	0.00	0.00	12	0.00	0.00
0	5.76	0.00	0.00	15.16	0.00	0.00
0	4.62	0.00	0.00	21.7	0.00	0.00
0	4.2	0.00	0.00	12.33	0.00	0.00
0	7.82	0.00	0.00	18.17	0.00	0.00
0	6.34	0.00	0.00	19.85	0.00	0.00
0	6.6	0.00	0.00	14.36	0.00	0.00
0	6.25	0.00	0.00	16.14	0.00	0.00
0	5.15	0.00	0.00	10.04	0.00	0.00
0	5.97	0.00	0.00	16.94	0.00	0.00
0	6.45	0.00	0.00	15.74	0.00	0.00
18.09	1.07	444.00	59.00	21.77	-2.07	-2.26
17.23	1.73	340.00	50.00	20.63	-2.18	-2.33
15.33	1.28	259.00	41.00	35.35	-1.54	-1.93
23.9	1.15	361.00	62.00	89.36	-2.14	-2.30
14.25	1.15	374.00	42.00	22.09	-1.71	-2.04
12	1.38	334.00	55.00	20.2	-1.49	-1.90
18.5	2.07	236.00	56.00	15.32	-1.63	-1.99
16	0.98	499.00	44.00	22.47	-2.22	-2.35
16.08	1.21	563.00	68.00	19.17	-1.80	-2.09
16.1	1.02	364.00	72.00	22.85	-2.58	-2.57
21	0.79	402.00	53.00	21.69	-2.27	-2.38
21.09	1.19	705.00	110.00	19.87	-2.25	-2.37

0	0	0.00	0.00	16.67	0.00	0.00
0	0	0.00	0.00	38.8	0.00	0.00
0	0	0.00	0.00	28.17	0.00	0.00
14	0	0.00	0.00	26.17	0.00	0.00
0	0	0.00	0.00	24.22	0.00	0.00
0	0	0.00	0.00	56.6	0.00	0.00
9	0	0.00	0.00	29.71	0.00	0.00
9	0	0.00	0.00	27.13	0.00	0.00
0	0	0.00	0.00	35	0.00	0.00
10.5	0	0.00	0.00	33	0.00	0.00
0	0	0.00	0.00	26.5	0.00	0.00
12	0	0.00	0.00	44.5	0.00	0.00
0	0	0.00	0.00	21.36	0.00	0.00
0	0	0.00	0.00	12.38	0.00	0.00
4	0	0.00	0.00	17.5	0.00	0.00
0	0	0.00	0.00	13.15	0.00	0.00
0	0	0.00	0.00	11.42	0.00	0.00
10.5	0	0.00	0.00	12.58	0.00	0.00
6	0	0.00	0.00	16.91	0.00	0.00
6	0	0.00	0.00	12.38	0.00	0.00
10.5	0	0.00	0.00	11.6	0.00	0.00
6.5	0	0.00	0.00	11.01	0.00	0.00
0	0	0.00	0.00	13.23	0.00	0.00
5	0	0.00	0.00	13.28	0.00	0.00
4.16	0	833.00	39.00	6.95	0.00	0.00
4.18	0	891.00	72.00	7.47	-0.49	-1.30
4.08	0	700.00	40.00	7.94	0.00	0.00
4.21	0	934.00	96.00	8	0.00	0.00
3.95	0	1096.00	71.00	12.56	0.00	0.00
4.08	0	1774.00	96.00	9.64	0.00	0.00
4.95	0	1877.00	141.00	11.87	0.00	0.00
4.05	0	904.00	111.00	7.67	0.00	0.00
4.43	0	1787.00	73.00	7.46	0.00	0.00
3.95	0	1233.00	154.00	8.41	0.00	0.00
3.13	0	1270.00	112.00	8.24	-0.69	-1.42
4.75	0	1846.00	139.00	6.62	0.00	0.00
4.25	0	32.00	3.00	5.26	0.00	0.00
5	0	10.00	1.00	5.33	0.00	0.00
3.88	0	16.00	1.00	5.15	0.00	0.00
5	0	35.00	4.00	4.99	0.00	0.00
4.55	0	35.00	3.00	5.27	-3.72	-3.26
4.88	0.45	55.00	3.00	5.11	-0.14	-1.09
6.73	0	0.00	5.00	5	0.00	0.00
4	0	20.00	0.00	5.12	0.00	0.00
4.33	0	23.00	2.00	6.07	0.00	0.00
4.33	1.41	36.00	2.00	5.81	0.22	-0.87
4.57	0	53.00	3.00	5.08	0.00	0.00
5.14	2.41	74.00	6.00	5.04	0.78	-0.53
3.95	0.5	833.00	39.00	21.36	-0.85	-1.52
4.86	3.4	891.00	72.00	12.38	-2.41	-2.46
5	4.2	700.00	40.00	17.5	-1.93	-2.17
5.57	2.81	934.00	96.00	13.15	-0.81	-1.49

4.73	3.06	1096.00	71.00	11.42	-2.27	-2.38
5	2.11	1774.00	96.00	12.58	-1.81	-2.10
4.2	2.24	1877.00	141.00	16.91	-2.43	-2.48
4.75	3.37	904.00	111.00	12.38	-2.53	-2.54
4.93	13.3	1787.00	73.00	11.6	0.80	-0.51
4.68	2.81	1233.00	154.00	11.01	-1.02	-1.62
4.5	12.53	1270.00	112.00	13.23	0.84	-0.49
5.75	6.71	1846.00	139.00	13.28	-1.40	-1.85
5.47	0	0.00	0.00	3.3	0.00	0.00
4.96	0	0.00	0.00	3.26	0.00	0.00
4.83	0	0.00	0.00	3.18	0.00	0.00
4.86	0	0.00	0.00	3.31	0.00	0.00
5.09	0	0.00	0.00	3.64	0.00	0.00
4.92	0	0.00	0.00	3.78	0.00	0.00
5.19	0	0.00	0.00	3.59	0.00	0.00
5.24	0	0.00	0.00	3.57	0.00	0.00
4.88	0	0.00	0.00	4.18	0.00	0.00
4.05	0	0.00	0.00	4.12	0.00	0.00
4.07	0	0.00	0.00	3.66	0.00	0.00
5.2	0	0.00	0.00	3.45	0.00	0.00
15	0	775.00	60.00	0	-0.82	-1.50
10	0	576.00	48.00	0	0.00	0.00
16	0	667.00	44.00	0	0.00	0.00
14	0	1302.00	64.00	0	0.00	0.00
9.6	0	296.00	60.00	0	0.00	0.00
0	0	963.00	24.00	0	0.00	0.00
11.4	0	1092.00	53.00	0	0.00	0.00
10.5	0	646.00	55.00	0	0.00	0.00
0	0	2470.00	45.00	0	0.00	0.00
10	0	2590.00	153.00	0	0.00	0.00
0	0	1084.00	258.00	0	0.00	0.00
4	0	535.00	34.00	0	0.00	0.00
4.86	5.82	849.00	39.00	6.95	-0.62	-1.38
4.29	2.89	619.00	30.00	7.47	-0.45	-1.27
4.36	10.69	707.00	20.00	7.94	-0.75	-1.45
4.36	4.15	983.00	62.00	8.16	-1.98	-2.20
4.92	10.14	243.00	11.00	12.56	-2.69	-2.64
4.79	0	808.00	11.00	9.64	-1.19	-1.72
4.88	1.05	383.00	40.00	11.87	0.99	-0.40
5.25	5.9	337.00	25.00	7.67	-2.39	-2.46
4.93	3.84	556.00	15.00	7.46	-2.29	-2.39
4.57	7.53	617.00	29.00	8.41	-3.90	-3.37
4.75	1.67	1345.00	27.00	8.24	-0.45	-1.27
3.67	1.7	457.00	23.00	6.62	0.70	-0.57
0	0	50.00	3.00	0	0.00	0.00
0.7778	0	388.00	10.00	0.9439	0.00	0.00
1	0	169.00	6.00	0.9407	0.00	0.00
0.8929	0	157.00	4.00	0.9362	-0.90	-1.55
0.95	0	218.00	6.00	0.9392	0.00	0.00
1	0	566.00	9.00	0.9359	0.00	0.00
0.9	0	416.00	10.00	0.9215	-0.55	-1.33
0.9545	0	217.00	14.00	0.9218	-0.48	-1.29

0.9	0	175.00	8.00	0.9287	0.00	0.00
0.9535	2.12	66.00	5.00	0.9238	-0.80	-1.48
0.9524	0	106.00	2.00	0.929	0.00	0.00
0.9048	0	534.00	12.00	0.9311	-0.96	-1.58
0	0	833.00	39.00	0	0.00	0.00
0	0	891.00	72.00	0	0.00	0.00
1	0	700.00	40.00	0	-0.72	-1.44
1	0	934.00	96.00	0	0.00	0.00
0	0	1096.00	71.00	0	0.00	0.00
1	4.95	1774.00	96.00	0	-0.25	-1.15
0	0	1877.00	141.00	0	-0.65	-1.40
1	0	904.00	111.00	0	-0.82	-1.50
1	0.71	1787.00	73.00	0	-0.09	-1.05
0	0.71	1233.00	154.00	0	-0.57	-1.35
0	0	1270.00	112.00	0	0.00	0.00
1	0	1846.00	139.00	0	-1.14	-1.70
0	1.07	132.00	19.00	0	-4.03	-3.45
0	1.01	142.00	19.00	0	-1.45	-1.88
0	1.04	127.00	16.00	0	-1.93	-2.17
0	0.97	160.00	25.00	0	-1.31	-1.79
1	1.47	201.00	20.00	0	-1.71	-2.04
0	1.16	106.00	16.00	0	-2.99	-2.82
1	3.69	273.00	11.00	0	-1.44	-1.88
1	1.1	161.00	23.00	0	-2.06	-2.25
0	0.81	179.00	21.00	0	-1.47	-1.89
1	1.1	227.00	24.00	0	-1.72	-2.05
0	1.64	206.00	27.00	0	-2.01	-2.22
0	1.91	331.00	50.00	0	-1.10	-1.67
0.00%	1.06	1500.00	285.00	0.00%	-2.13	-2.30
100.00%	0	1471.00	276.00	95.59%	-0.63	-1.38
0.00%	1.45	1508.00	293.00	93.62%	-3.08	-2.87
0.00%	0	1267.00	285.00	94.37%	-0.58	-1.35
100.00%	0.94	1497.00	254.00	91.79%	-1.16	-1.70
0.00%	0.5	1297.00	284.00	88.24%	-0.51	-1.31
0.00%	4.58	1384.00	254.00	91.96%	2.51	0.53
0.00%	1.15	1541.00	277.00	92.65%	-1.40	-1.85
0.00%	0.82	2026.00	301.00	92.42%	-1.08	-1.66
0.00%	1.21	2050.00	334.00	92.45%	-1.09	-1.67
100.00%	0.53	1449.00	353.00	95.00%	-1.90	-2.15
0.00%	3.18	1330.00	264.00	97.51%	1.48	-0.10
0.00%	1.05	833.00	39.00	0.00%	-1.75	-2.06
0.00%	0.36	891.00	72.00	100.00%	-3.74	-3.27
0.00%	0.63	700.00	40.00	100.00%	-1.55	-1.94
0.00%	3.05	934.00	96.00	100.00%	-1.26	-1.76
100.00%	0.7	1096.00	71.00	100.00%	-2.84	-2.72
100.00%	1.37	1774.00	96.00	100.00%	-2.64	-2.60
100.00%	0.84	1877.00	141.00	100.00%	-1.67	-2.02
100.00%	0.71	904.00	111.00	100.00%	-2.64	-2.60
0.00%	0.8	1787.00	73.00	100.00%	-1.37	-1.83
100.00%	1.7	1233.00	154.00	100.00%	-2.31	-2.40
0.00%	0.71	1270.00	112.00	100.00%	-0.83	-1.51
100.00%	2.96	1846.00	139.00	100.00%	-2.04	-2.24

0.00%	3.8	4118.00	1249.00	0.00%	3.72	1.26
0.00%	0.86	3451.00	1057.00	0.00%	2.88	0.75
0.00%	0.9	3359.00	1056.00	0.00%	2.88	0.75
0.00%	0.78	3862.00	1102.00	0.00%	1.76	0.07
0.00%	0.38	4228.00	1167.00	0.00%	1.98	0.20
75.00%	0.64	5103.00	1162.00	0.00%	2.14	0.30
0.00%	2.07	4915.00	1350.00	0.00%	2.65	0.61
100.00%	1.16	4603.00	1369.00	0.00%	2.58	0.57
0.00%	0.48	5729.00	1289.00	0.00%	1.48	-0.10
0.00%	0.97	4972.00	1370.00	0.00%	-0.16	-1.10
0.00%	1	4037.00	1206.00	0.00%	1.35	-0.18
0.00%	0.76	4164.00	1208.00	0.00%	2.29	0.39
0.00%	0	0.00	0.00	0.00%	0.00	0.00
91.82%	0	0.00	0.00	95.59%	0.00	0.00
95.15%	1	0.00	0.00	93.62%	0.00	0.00
95.61%	0	0.00	0.00	94.37%	0.00	0.00
97.70%	5.97	0.00	0.00	91.79%	0.00	0.00
89.68%	0	0.00	0.00	88.24%	0.00	0.00
88.89%	4.98	0.00	0.00	91.96%	0.00	0.00
94.12%	7.78	0.00	0.00	92.65%	0.00	0.00
85.19%	0	0.00	0.00	92.42%	0.00	0.00
85.39%	7.07	0.00	0.00	92.45%	0.00	0.00
86.76%	0	0.00	0.00	95.00%	0.00	0.00
96.34%	0	0.00	0.00	97.51%	0.00	0.00
0.00%	0.38	132.00	19.00	0.00%	-2.08	-2.26
100.00%	1.25	142.00	19.00	0.00%	-1.06	-1.64
100.00%	1.5	127.00	16.00	0.00%	-1.70	-2.03
100.00%	0.81	155.00	25.00	0.00%	-1.18	-1.72
100.00%	0.64	201.00	19.00	0.00%	-1.36	-1.83
100.00%	1.72	106.00	16.00	0.00%	-2.33	-2.42
100.00%	3.52	273.00	11.00	0.00%	-1.37	-1.84
100.00%	2.41	161.00	23.00	0.00%	-1.29	-1.79
100.00%	0.46	179.00	21.00	0.00%	-1.11	-1.68
100.00%	0.76	227.00	24.00	0.00%	-1.33	-1.81
0.00%	0.45	206.00	27.00	0.00%	-1.74	-2.06
100.00%	1	331.00	50.00	0.00%	-1.54	-1.94
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.42	2711.00	2872.00	98.10%	2.37	0.44
0.00%	0	2631.00	2797.00	97.46%	-0.83	-1.51
0.00%	0.31	2628.00	3139.00	98.32%	0.91	-0.45
0.00%	0.22	2873.00	2807.00	96.40%	-0.20	-1.12
0.00%	0	3167.00	3059.00	94.64%	-0.74	-1.45
0.00%	0.3	2971.00	3384.00	94.87%	0.32	-0.81
0.00%	0.21	3004.00	3224.00	97.35%	-0.57	-1.35
0.00%	0.3	3098.00	3259.00	94.07%	0.53	-0.68
100.00%	0.21	3271.00	3336.00	98.06%	-0.73	-1.44
0.00%	0.21	2916.00	3541.00	94.64%	-0.42	-1.25
100.00%	0.29	3135.00	3367.00	97.10%	0.52	-0.69
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	93.12%	0.00	0.00
92.31%	0	0.00	0.00	93.52%	0.00	0.00
84.62%	0	0.00	0.00	93.24%	0.00	0.00

100.00%	0	0.00	0.00	93.21%	0.00	0.00
97.12%	0	0.00	0.00	93.15%	0.00	0.00
97.04%	0	0.00	0.00	92.98%	0.00	0.00
98.21%	0	0.00	0.00	92.87%	0.00	0.00
99.24%	0	0.00	0.00	93.15%	0.00	0.00
97.08%	0	0.00	0.00	92.50%	0.00	0.00
96.81%	0	0.00	0.00	92.50%	0.00	0.00
97.56%	0	0.00	0.00	92.58%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
94.55%	0	0.00	0.00	93.55%	0.00	0.00
94.12%	0	0.00	0.00	94.81%	0.00	0.00
94.12%	0	0.00	0.00	94.74%	0.00	0.00
90.77%	0	0.00	0.00	94.20%	0.00	0.00
98.21%	0	0.00	0.00	93.79%	0.00	0.00
96.92%	0	0.00	0.00	92.19%	0.00	0.00
94.92%	0	0.00	0.00	92.27%	0.00	0.00
95.52%	0	0.00	0.00	93.15%	0.00	0.00
100.00%	0	0.00	0.00	92.50%	0.00	0.00
95.83%	0	0.00	0.00	92.50%	0.00	0.00
96.55%	0	0.00	0.00	92.58%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	130.00	136.00	100.00%	-0.21	-1.13
100.00%	0	88.00	94.00	100.00%	0.00	0.00
100.00%	0	201.00	220.00	100.00%	0.00	0.00
96.67%	0	246.00	213.00	100.00%	-0.30	-1.18
100.00%	0	285.00	268.00	100.00%	0.00	0.00
100.00%	0	263.00	323.00	100.00%	0.00	0.00
96.00%	0	189.00	286.00	100.00%	0.00	0.00
97.06%	0	317.00	204.00	100.00%	0.00	0.00
100.00%	0	306.00	343.00	100.00%	0.00	0.00
100.00%	0	209.00	331.00	100.00%	-0.23	-1.14
100.00%	0	353.00	362.00	97.56%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	2.00	2.00	91.89%	0.00	0.00
0.00%	0	2.00	2.00	90.48%	0.00	0.00
0.00%	0	10.00	5.00	97.50%	0.00	0.00
100.00%	0	3.00	10.00	97.50%	0.00	0.00
0.00%	0	5.00	3.00	95.12%	0.00	0.00
0.00%	0	2.00	5.00	94.12%	0.00	0.00
0.00%	0	5.00	2.00	93.48%	0.00	0.00
100.00%	0	4.00	5.00	91.30%	0.00	0.00
0.00%	0	5.00	4.00	93.88%	0.00	0.00
0.00%	0	5.00	5.00	95.74%	0.00	0.00
0.00%	0	9.00	9.00	91.67%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
87.93%	0	0.00	0.00	93.55%	0.00	0.00
90.54%	0	0.00	0.00	94.81%	0.00	0.00
89.23%	0	0.00	0.00	94.74%	0.00	0.00
92.73%	0	0.00	0.00	94.20%	0.00	0.00
94.29%	0.43	0.00	0.00	93.79%	0.00	0.00
98.18%	0	0.00	0.00	92.19%	0.00	0.00
97.98%	0	0.00	0.00	92.27%	0.00	0.00

97.40%	0	0.00	0.00	92.88%	0.00	0.00
98.11%	0	0.00	0.00	92.51%	0.00	0.00
96.88%	0	0.00	0.00	91.44%	0.00	0.00
86.67%	0	0.00	0.00	91.07%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
94.34%	0.27	130.00	136.00	92.98%	1.20	-0.27
95.32%	0.21	88.00	94.00	93.46%	-0.44	-1.27
95.41%	0.2	201.00	220.00	93.20%	-0.47	-1.28
95.49%	0.15	246.00	213.00	93.14%	-1.74	-2.06
95.00%	0.3	285.00	268.00	93.10%	-0.43	-1.26
95.89%	0.31	263.00	323.00	93.05%	0.94	-0.43
94.92%	0.24	189.00	286.00	92.93%	-0.40	-1.24
95.27%	0.36	317.00	204.00	93.17%	1.66	0.01
95.62%	0.35	306.00	343.00	92.51%	1.95	0.19
93.92%	0.34	209.00	331.00	92.47%	2.16	0.31
95.00%	0.19	353.00	362.00	92.53%	0.60	-0.63
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
66.67%	0	103.00	105.00	97.14%	0.00	0.00
100.00%	0	115.00	118.00	100.00%	0.00	0.00
100.00%	0	117.00	112.00	98.00%	0.00	0.00
50.00%	0	107.00	119.00	93.33%	0.00	0.00
100.00%	0	106.00	111.00	100.00%	0.00	0.00
100.00%	0	111.00	112.00	100.00%	0.00	0.00
100.00%	0	147.00	117.00	100.00%	0.00	0.00
100.00%	0	222.00	151.00	100.00%	0.00	0.00
100.00%	0	353.00	236.00	96.00%	-0.20	-1.12
100.00%	0	106.00	360.00	92.86%	0.00	0.00
100.00%	0	134.00	138.00	96.77%	-0.30	-1.18
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	26707.00	28679.00	95.59%	-0.98	-1.60
100.00%	0.27	26862.00	28723.00	93.62%	0.27	-0.84
100.00%	0.36	29236.00	35273.00	94.37%	1.10	-0.33
100.00%	0	31153.00	31355.00	91.79%	-0.97	-1.59
80.00%	0.17	34030.00	33423.00	88.24%	-1.60	-1.97
100.00%	0.17	37979.00	36533.00	91.96%	-3.66	-3.23
100.00%	0.13	37430.00	40845.00	92.65%	-4.62	-3.81
100.00%	0.09	37169.00	40304.00	92.42%	-4.77	-3.90
100.00%	0.17	37332.00	39903.00	92.45%	-3.79	-3.30
0.00%	0.18	32629.00	40359.00	95.00%	-3.28	-2.99
100.00%	0.15	36563.00	39494.00	97.51%	-3.82	-3.32

0.00%	0	0.00	0.00	0.00%	0.00	0.00
97.80%	0.23	10335.00	11048.00	90.79%	-0.30	-1.18
96.83%	0.24	12383.00	13061.00	87.88%	0.29	-0.82
97.12%	0.24	13450.00	35273.00	92.06%	0.27	-0.84
97.51%	0.29	11527.00	14196.00	97.33%	1.14	-0.31
96.40%	0.13	12483.00	12237.00	92.75%	-1.37	-1.83
96.57%	0.17	12282.00	13310.00	94.20%	-1.42	-1.86
97.26%	0.22	12235.00	13322.00	89.69%	-0.76	-1.46
95.74%	0.21	37169.00	13260.00	88.57%	-0.77	-1.47
95.68%	0	37332.00	39903.00	89.16%	-1.68	-2.02
96.25%	0.2	32629.00	40359.00	90.43%	-0.62	-1.38
96.18%	0.18	36563.00	39494.00	89.20%	-0.82	-1.50
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	36.00	36.00	95.59%	0.00	0.00
0.00%	0	28.00	28.00	93.62%	0.00	0.00
0.00%	0	15.00	79.00	94.37%	0.00	0.00
0.00%	0.18	26.00	15.00	91.79%	0.62	-0.62
0.00%	0	54.00	26.00	88.24%	0.00	0.00
0.00%	0	41.00	54.00	91.96%	0.00	0.00
100.00%	0.2	32.00	41.00	92.65%	0.75	-0.54
0.00%	0.17	41.00	32.00	92.42%	0.72	-0.56
0.00%	0	85.00	41.00	92.45%	0.00	0.00
0.00%	0	79.00	85.00	95.00%	0.00	0.00
0.00%	0	40.00	41.00	97.51%	-0.70	-1.42
0.00%	0	0.00	0.00	0.00%	0.00	0.00
93.75%	0	34.00	37.00	92.84%	0.00	0.00
95.74%	0	19.00	21.00	94.00%	0.00	0.00
100.00%	0	39.00	47.00	93.06%	0.00	0.00
97.56%	0	39.00	40.00	92.24%	-0.16	-1.10
94.12%	0	39.00	40.00	92.68%	0.00	0.00
87.50%	0	32.00	41.00	90.66%	0.00	0.00
92.00%	0	43.00	34.00	90.63%	0.00	0.00
92.00%	0	42.00	46.00	91.46%	-0.31	-1.19
95.65%	0	46.00	46.00	90.97%	0.00	0.00
89.66%	0	45.00	49.00	88.79%	0.00	0.00
100.00%	0	33.00	36.00	89.29%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
94.40%	0.33	10335.00	11048.00	95.59%	1.60	-0.03
96.91%	0.29	12383.00	13061.00	93.62%	1.53	-0.07
95.83%	0.31	13450.00	12296.00	94.37%	1.79	0.09
94.81%	0.26	11527.00	14196.00	91.79%	0.51	-0.69
95.17%	0.23	12483.00	12237.00	88.24%	-0.17	-1.10
94.19%	0.13	12282.00	13310.00	91.96%	-1.65	-2.00
90.68%	0.14	12235.00	13322.00	92.65%	-2.12	-2.29
97.37%	0.16	12173.00	13260.00	92.42%	-1.54	-1.94
94.81%	0.14	12879.00	13106.00	92.45%	-3.07	-2.87
91.20%	0.17	11244.00	13921.00	95.00%	-2.19	-2.33
92.06%	0.34	11171.00	12266.00	97.51%	1.01	-0.38
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.23	23996.00	25807.00	97.14%	-1.86	-2.13
0.00%	0.21	24231.00	25926.00	100.00%	-2.74	-2.66
100.00%	0.21	26608.00	32134.00	98.00%	-3.25	-2.98

100.00%	0.21	28280.00	28548.00	93.33%	-3.84	-3.33
100.00%	0.22	30863.00	30364.00	100.00%	-3.24	-2.97
0.00%	0.2	35008.00	33149.00	100.00%	-4.11	-3.50
0.00%	0.22	34426.00	37621.00	100.00%	-2.55	-2.55
0.00%	0.21	34071.00	37045.00	100.00%	-2.58	-2.57
0.00%	0.2	34061.00	36567.00	96.00%	-3.69	-3.24
0.00%	0.24	29713.00	36818.00	92.86%	-1.75	-2.07
0.00%	0.22	33428.00	36127.00	96.77%	-2.93	-2.78
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	93.55%	0.00	0.00
100.00%	0	0.00	0.00	94.81%	0.00	0.00
100.00%	0	0.00	0.00	94.74%	0.00	0.00
100.00%	0	0.00	0.00	94.20%	0.00	0.00
100.00%	0	0.00	0.00	93.79%	0.00	0.00
66.67%	0	0.00	0.00	92.19%	0.00	0.00
0.00%	0	0.00	0.00	92.27%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
98.54%	0.47	34.00	35.00	94.27%	1.47	-0.11
98.82%	0	13.00	13.00	93.78%	0.00	0.00
97.94%	0	49.00	28.00	93.75%	-0.27	-1.17
97.59%	0.5	28.00	50.00	93.58%	1.36	-0.17
97.42%	0	38.00	30.00	93.71%	0.00	0.00
97.60%	0	44.00	38.00	93.31%	0.00	0.00
97.28%	0	26.00	44.00	92.72%	0.00	0.00
97.85%	0	25.00	26.00	93.29%	0.00	0.00
97.82%	0	24.00	25.00	92.93%	-0.58	-1.35
98.30%	0	26.00	25.00	93.02%	-0.27	-1.17
98.21%	0	30.00	31.00	93.16%	-0.30	-1.18
0.00%	0	0.00	0.00	0.00%	0.00	0.00
97.06%	0	130.00	136.00	90.79%	0.00	0.00
100.00%	0	88.00	94.00	87.50%	-0.37	-1.22
95.00%	0	201.00	220.00	91.80%	-0.34	-1.21
94.92%	0	246.00	213.00	97.26%	-0.30	-1.18
94.44%	0.4	285.00	268.00	92.75%	0.54	-0.67
94.83%	0	263.00	323.00	94.20%	-0.51	-1.31
100.00%	0	189.00	286.00	89.69%	-0.48	-1.29
86.49%	0	317.00	204.00	88.57%	-0.57	-1.35
94.83%	0	306.00	343.00	89.16%	-0.85	-1.51
96.43%	0	209.00	331.00	90.43%	0.00	0.00
100.00%	0	353.00	362.00	91.07%	-0.28	-1.17
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.15	69.00	76.00	93.12%	-1.90	-2.15
93.63%	0.18	58.00	66.00	93.52%	-2.02	-2.23
96.63%	0.17	58.00	94.00	93.24%	-1.37	-1.83
96.84%	0.16	73.00	63.00	93.21%	-0.09	-1.05
97.17%	0.19	64.00	75.00	93.15%	-1.09	-1.66
96.92%	0.18	65.00	69.00	92.98%	-0.78	-1.47
96.70%	0.16	87.00	69.00	92.87%	-2.16	-2.31

97.73%	0.2	93.00	97.00	93.15%	-1.95	-2.18
98.04%	0.2	74.00	105.00	92.50%	-1.55	-1.94
98.00%	0.19	85.00	83.00	92.50%	-1.52	-1.93
98.04%	0.19	157.00	176.00	92.58%	-2.05	-2.24
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	130.00	136.00	95.45%	0.00	0.00
0.00%	0	88.00	94.00	92.41%	0.00	0.00
100.00%	0	201.00	220.00	87.23%	0.00	0.00
100.00%	0	246.00	213.00	89.83%	0.00	0.00
100.00%	0	285.00	268.00	90.00%	0.00	0.00
0.00%	0	263.00	323.00	88.98%	0.00	0.00
100.00%	0	189.00	286.00	89.12%	-0.28	-1.17
100.00%	0	317.00	204.00	93.71%	0.00	0.00
90.91%	0	306.00	343.00	91.81%	0.00	0.00
100.00%	0	209.00	331.00	88.14%	0.00	0.00
100.00%	0	353.00	362.00	93.90%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.24	3373.00	3633.00	94.81%	-0.14	-1.09
50.00%	0.2	3867.00	4114.00	92.68%	-0.50	-1.31
100.00%	0	3204.00	3212.00	96.38%	-1.51	-1.92
100.00%	0.15	3009.00	3443.00	97.91%	-1.26	-1.77
100.00%	0.24	3278.00	3262.00	92.88%	-0.39	-1.24
100.00%	0.33	3474.00	3537.00	65.18%	0.70	-0.57
62.50%	0.27	3260.00	3832.00	92.74%	-0.23	-1.14
100.00%	0.27	3461.00	3597.00	96.47%	-0.10	-1.06
75.00%	0.2	3507.00	3784.00	94.44%	-0.78	-1.47
100.00%	0.3	2852.00	3855.00	93.50%	-0.15	-1.09
100.00%	0	2760.00	3091.00	94.54%	-1.72	-2.05
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.23	130.00	136.00	0.00%	0.43	-0.74
0.00%	0.17	88.00	94.00	0.00%	-0.93	-1.57
0.00%	0.2	201.00	220.00	0.00%	-0.56	-1.34
100.00%	0.22	246.00	213.00	0.00%	-1.09	-1.66
0.00%	0.21	285.00	268.00	0.00%	-2.15	-2.31
100.00%	0.23	263.00	323.00	0.00%	-0.82	-1.50
100.00%	0.29	189.00	286.00	0.00%	0.67	-0.59
0.00%	0.16	317.00	204.00	0.00%	-1.92	-2.17
100.00%	0.22	306.00	343.00	0.00%	-0.88	-1.53
0.00%	0.28	209.00	331.00	0.00%	1.35	-0.18
0.00%	0.27	353.00	362.00	0.00%	2.50	0.52
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	34.00	35.00	0.00%	-0.24	-1.14
0.00%	0	13.00	13.00	0.00%	0.00	0.00
0.00%	0	49.00	28.00	0.00%	-0.14	-1.09
0.00%	0	28.00	50.00	0.00%	-0.26	-1.16
0.00%	0	38.00	30.00	0.00%	0.00	0.00
100.00%	0	44.00	38.00	0.00%	0.00	0.00
100.00%	0	26.00	44.00	0.00%	0.00	0.00
0.00%	0	25.00	26.00	0.00%	0.00	0.00
0.00%	0	24.00	25.00	0.00%	0.00	0.00
0.00%	0	26.00	25.00	0.00%	0.00	0.00
100.00%	0	30.00	31.00	0.00%	0.00	0.00

0.00%	0	0.00	0.00	0.00%	0.00	0.00
33.33%	0	10335.00	11048.00	15.10%	-0.74	-1.45
0.00%	0	12383.00	13061.00	14.50%	-0.74	-1.45
33.33%	0	13450.00	0.00	8.59%	-0.53	-1.32
0.00%	0	11527.00	14196.00	13.57%	-0.50	-1.30
0.00%	0	12483.00	12237.00	10.74%	-0.81	-1.49
0.00%	0.47	12282.00	13310.00	16.29%	1.75	0.06
0.00%	0	12235.00	13322.00	14.33%	0.00	0.00
0.00%	0	0.00	13260.00	15.28%	0.00	0.00
33.33%	0	0.00	0.00	13.18%	0.00	0.00
0.00%	0	0.00	0.00	15.07%	0.00	0.00
0.00%	0	0.00	0.00	12.41%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.12	9325.00	9892.00	0.00%	-6.37	-4.87
0.00%	0.11	9139.00	9745.00	0.00%	-6.78	-5.12
0.00%	0.14	10000.00	11730.00	0.00%	-5.92	-4.60
0.00%	0.15	10547.00	10667.00	0.00%	-5.65	-4.44
0.00%	0.16	11955.00	11271.00	0.00%	-5.44	-4.30
0.00%	0.15	13267.00	12758.00	0.00%	-6.01	-4.65
0.00%	0.16	13097.00	14218.00	0.00%	-6.26	-4.81
0.00%	0.15	13283.00	14125.00	0.00%	-6.77	-5.12
0.00%	0.15	12048.00	14238.00	0.00%	-6.64	-5.03
0.00%	0.13	10911.00	12965.00	0.00%	-7.08	-5.30
0.00%	0.13	11771.00	12635.00	0.00%	-6.96	-5.23
0.00%	0	0.00	0.00	0.00%	0.00	0.00
10.00%	0.17	69.00	76.00	0.00%	-1.05	-1.64
12.50%	0	56.00	64.00	0.00%	-2.00	-2.22
0.00%	0.22	56.00	94.00	0.00%	-0.57	-1.35
0.00%	0.22	71.00	61.00	0.00%	0.66	-0.60
0.00%	0.23	64.00	73.00	0.00%	-0.36	-1.22
20.00%	0.22	65.00	69.00	0.00%	-0.15	-1.09
0.00%	0	87.00	69.00	0.00%	-1.89	-2.15
0.00%	0.34	93.00	97.00	0.00%	0.33	-0.80
11.11%	0.22	74.00	105.00	0.00%	-1.07	-1.65
10.00%	0.19	85.00	83.00	0.00%	-1.21	-1.73
0.00%	0	153.00	168.00	0.00%	-1.78	-2.08
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	26707.00	28679.00	0.00%	-1.84	-2.12
66.67%	0.24	26862.00	28723.00	0.00%	-0.06	-1.03
0.00%	0.18	29236.00	35273.00	0.00%	-8.21	-5.99
0.00%	0.18	31153.00	31355.00	0.00%	-10.17	-7.19
20.00%	0.17	34030.00	33423.00	0.00%	-11.72	-8.13
15.79%	0.17	37979.00	36533.00	0.00%	-10.09	-7.13
33.33%	0.18	37430.00	40845.00	0.00%	-10.90	-7.63
0.00%	0.15	37169.00	40304.00	0.00%	-16.25	-10.88
0.00%	0.14	37332.00	39903.00	0.00%	-22.45	-14.65
0.00%	0.14	32629.00	40359.00	0.00%	-22.12	-14.45
15.38%	0.14	36563.00	39494.00	0.00%	-22.97	-14.96
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	126.00	132.00	0.00%	0.00	0.00
40.00%	0	134.00	145.00	0.00%	0.00	0.00
0.00%	0	82.00	118.00	0.00%	-0.38	-1.23

0.00%	0	106.00	94.00	0.00%	-0.34	-1.20
0.00%	0	99.00	118.00	0.00%	-1.01	-1.61
0.00%	0	105.00	110.00	0.00%	0.00	0.00
0.00%	0	131.00	118.00	0.00%	-0.60	-1.36
20.00%	0	149.00	147.00	0.00%	-0.26	-1.16
0.00%	0.29	157.00	159.00	0.00%	0.14	-0.91
0.00%	0	104.00	171.00	0.00%	-0.88	-1.53
0.00%	0	154.00	164.00	0.00%	-0.44	-1.27
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	219.00	231.00	0.00%	0.00	0.00
0.00%	0.5	291.00	314.00	0.00%	1.45	-0.12
0.00%	0	213.00	200.00	0.00%	-0.33	-1.20
0.00%	0	468.00	221.00	0.00%	-0.36	-1.22
0.00%	0	300.00	478.00	0.00%	-0.39	-1.24
0.00%	0	219.00	323.00	0.00%	-1.45	-1.88
0.00%	0.48	230.00	336.00	0.00%	2.35	0.43
0.00%	0	301.00	248.00	0.00%	-0.42	-1.26
0.00%	0.43	289.00	312.00	0.00%	1.76	0.07
0.00%	0	187.00	306.00	0.00%	-0.58	-1.35
0.00%	0	277.00	293.00	0.00%	-0.53	-1.32
0.00%	0	0.00	0.00	0.00%	0.00	0.00
23.08%	0	0.00	0.00	15.86%	0.00	0.00
25.00%	0	0.00	0.00	13.81%	0.00	0.00
23.08%	0	0.00	0.00	11.28%	0.00	0.00
0.00%	0	0.00	0.00	13.96%	0.00	0.00
0.00%	0	0.00	0.00	14.71%	0.00	0.00
0.00%	0	0.00	0.00	14.90%	0.00	0.00
0.00%	0	0.00	0.00	16.75%	0.00	0.00
33.33%	0	0.00	0.00	16.29%	0.00	0.00
42.86%	0	0.00	0.00	15.45%	0.00	0.00
20.00%	0	0.00	0.00	12.32%	0.00	0.00
30.00%	0	0.00	0.00	15.30%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
4.84%	0	0.00	0.00	7.24%	0.00	0.00
7.41%	0	0.00	0.00	8.71%	0.00	0.00
0.00%	0	0.00	0.00	7.83%	0.00	0.00
8.06%	0	0.00	0.00	8.27%	0.00	0.00
4.60%	0	0.00	0.00	8.25%	0.00	0.00
7.41%	0	0.00	0.00	8.10%	0.00	0.00
9.30%	0	0.00	0.00	8.83%	0.00	0.00
6.98%	0	0.00	0.00	8.46%	0.00	0.00
7.50%	0	0.00	0.00	8.38%	0.00	0.00
1.89%	0	0.00	0.00	9.58%	0.00	0.00
4.55%	0	0.00	0.00	8.50%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.47	29.00	192.00	0.00%	1.08	-0.34
0.00%	0	29.00	200.00	0.00%	0.00	0.00
0.00%	0.47	17.00	272.00	0.00%	1.64	0.00
0.00%	0	30.00	198.00	0.00%	-0.56	-1.34
11.11%	0	26.00	221.00	0.00%	0.00	0.00
6.67%	0	50.00	242.00	0.00%	-0.44	-1.27
0.00%	0	43.00	307.00	0.00%	-0.58	-1.35

0.00%	0	0.00	0.00	0.00%	0.00	0.00
50.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	1.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.42	138.00	870.00	0.00%	0.70	-0.57
26.67%	0.43	111.00	804.00	0.00%	1.05	-0.36
14.69%	0.42	97.00	1234.00	0.00%	1.22	-0.26
6.31%	0	116.00	860.00	0.00%	-0.98	-1.60
8.13%	0	144.00	831.00	0.00%	-0.93	-1.56
12.36%	0	184.00	979.00	0.00%	-0.59	-1.36
13.53%	0	210.00	1235.00	0.00%	-0.78	-1.47
10.75%	0.47	185.00	1254.00	0.00%	0.69	-0.58
10.29%	0.49	193.00	1136.00	0.00%	2.43	0.47
7.22%	0.4	152.00	1249.00	0.00%	0.51	-0.69
8.37%	0.46	201.00	1314.00	0.00%	1.18	-0.28
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.21	140.00	1933.00	0.00%	-0.72	-1.44
0.00%	0.26	162.00	1860.00	0.00%	-0.33	-1.20
0.00%	0	166.00	2692.00	0.00%	-2.24	-2.36
0.00%	0.27	187.00	2120.00	0.00%	-0.06	-1.04
0.00%	0.21	204.00	2260.00	0.00%	-1.22	-1.74
0.00%	0.26	230.00	2473.00	0.00%	-0.19	-1.11
0.00%	0.29	255.00	2839.00	0.00%	0.16	-0.90
0.00%	0.25	232.00	2887.00	0.00%	-0.35	-1.21
50.00%	0.26	253.00	2742.00	0.00%	-0.20	-1.12
0.00%	0.14	258.00	3019.00	0.00%	-1.89	-2.15
0.00%	0.21	249.00	2928.00	0.00%	-0.93	-1.57
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.31	0.00	0.00	0.00%	0.00	0.00
0.00%	0.25	0.00	0.00	0.00%	0.00	0.00
25.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.36	0.00	0.00	0.00%	0.00	0.00
50.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
77.78%	0.5	0.00	0.00	94.39%	0.00	0.00
100.00%	0	0.00	0.00	94.07%	0.00	0.00
85.71%	0	0.00	0.00	93.62%	0.00	0.00

95.00%	0	0.00	0.00	93.92%	0.00	0.00
100.00%	0	0.00	0.00	93.59%	0.00	0.00
90.00%	0	0.00	0.00	92.15%	0.00	0.00
90.91%	0	0.00	0.00	92.18%	0.00	0.00
90.00%	0	0.00	0.00	92.87%	0.00	0.00
95.35%	0	0.00	0.00	92.38%	0.00	0.00
95.24%	0	0.00	0.00	92.90%	0.00	0.00
90.48%	0	0.00	0.00	93.11%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.33	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.37	0.00	0.00	0.00%	0.00	0.00
100.00%	0.3	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.29	0.00	0.00	0.00%	0.00	0.00
100.00%	0.36	0.00	0.00	0.00%	0.00	0.00
0.00%	0.4	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	95.59%	0.00	0.00
0.00%	0	0.00	0.00	93.62%	0.00	0.00
0.00%	0	0.00	0.00	94.37%	0.00	0.00
100.00%	0	0.00	0.00	91.79%	0.00	0.00
0.00%	0	0.00	0.00	88.24%	0.00	0.00
0.00%	0.47	0.00	0.00	91.96%	0.00	0.00
0.00%	0	0.00	0.00	92.65%	0.00	0.00
0.00%	0	0.00	0.00	92.42%	0.00	0.00
0.00%	0	0.00	0.00	92.45%	0.00	0.00
100.00%	0	0.00	0.00	95.00%	0.00	0.00
0.00%	0	0.00	0.00	97.51%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.28	0.00	0.00	0.00%	0.00	0.00
0.00%	0.24	0.00	0.00	0.00%	0.00	0.00
0.00%	0.25	0.00	0.00	0.00%	0.00	0.00
0.00%	0.28	0.00	0.00	0.00%	0.00	0.00
75.00%	0.3	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.16	0.00	0.00	0.00%	0.00	0.00
0.00%	0.28	0.00	0.00	0.00%	0.00	0.00
0.00%	0.18	0.00	0.00	0.00%	0.00	0.00
0.00%	0.2	0.00	0.00	0.00%	0.00	0.00
0.00%	0.2	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
91.82%	0.5	0.00	0.00	95.59%	0.00	0.00
94.17%	0	0.00	0.00	0.00%	0.00	0.00
95.61%	0	0.00	0.00	0.00%	0.00	0.00
97.70%	0	0.00	0.00	0.00%	0.00	0.00
89.68%	0	0.00	0.00	0.00%	0.00	0.00
88.89%	0	0.00	0.00	0.00%	0.00	0.00
94.12%	0	0.00	0.00	0.00%	0.00	0.00

83.33%	0	0.00	0.00	0.00%	0.00	0.00
83.15%	0	0.00	0.00	0.00%	0.00	0.00
86.76%	0	0.00	0.00	0.00%	0.00	0.00
96.34%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.44	0.00	0.00	0.00%	0.00	0.00
100.00%	0.35	0.00	0.00	0.00%	0.00	0.00
100.00%	0.24	0.00	0.00	0.00%	0.00	0.00
100.00%	0.27	0.00	0.00	0.00%	0.00	0.00
100.00%	0.33	0.00	0.00	0.00%	0.00	0.00
100.00%	0.34	0.00	0.00	0.00%	0.00	0.00
100.00%	0.31	0.00	0.00	0.00%	0.00	0.00
100.00%	0.3	0.00	0.00	0.00%	0.00	0.00
0.00%	0.26	0.00	0.00	0.00%	0.00	0.00
100.00%	0.28	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	98.10%	0.00	0.00
0.00%	0	0.00	0.00	97.46%	0.00	0.00
0.00%	0	0.00	0.00	98.32%	0.00	0.00
0.00%	0	0.00	0.00	96.40%	0.00	0.00
0.00%	0	0.00	0.00	94.64%	0.00	0.00
0.00%	0	0.00	0.00	94.87%	0.00	0.00
0.00%	0	0.00	0.00	97.35%	0.00	0.00
0.00%	0	0.00	0.00	94.07%	0.00	0.00
100.00%	0.5	0.00	0.00	98.06%	0.00	0.00
0.00%	0	0.00	0.00	94.64%	0.00	0.00
100.00%	0	0.00	0.00	97.10%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	93.12%	0.00	0.00
92.31%	0	0.00	0.00	0.00%	0.00	0.00
84.62%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
97.12%	0	0.00	0.00	0.00%	0.00	0.00
97.04%	0	0.00	0.00	0.00%	0.00	0.00
98.21%	0.43	0.00	0.00	0.00%	0.00	0.00
98.99%	0	0.00	0.00	0.00%	0.00	0.00
96.88%	0.5	0.00	0.00	0.00%	0.00	0.00
96.56%	0	0.00	0.00	0.00%	0.00	0.00
97.56%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
94.55%	0.42	2711.00	2872.00	93.55%	2.37	0.44
94.12%	0	2631.00	2797.00	0.00%	-0.83	-1.51
94.12%	0.35	2628.00	3139.00	0.00%	1.52	-0.08
90.77%	0.22	2873.00	2807.00	0.00%	-0.20	-1.12
98.21%	0	3167.00	3059.00	0.00%	-0.74	-1.45
96.92%	0.3	2971.00	3384.00	0.00%	0.32	-0.81
94.92%	0.29	3004.00	3224.00	0.00%	0.29	-0.83
94.03%	0.3	3098.00	3259.00	0.00%	0.53	-0.68
100.00%	0.21	3271.00	3336.00	0.00%	-0.73	-1.44
95.83%	0.21	2916.00	3541.00	0.00%	-0.42	-1.25
96.55%	0.29	3135.00	3367.00	0.00%	0.52	-0.69

0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	91.89%	0.00	0.00
0.00%	0	0.00	0.00	90.48%	0.00	0.00
0.00%	0	0.00	0.00	97.50%	0.00	0.00
100.00%	0	0.00	0.00	97.50%	0.00	0.00
0.00%	0	0.00	0.00	95.12%	0.00	0.00
0.00%	0	0.00	0.00	94.12%	0.00	0.00
0.00%	0	0.00	0.00	93.48%	0.00	0.00
100.00%	0	0.00	0.00	91.30%	0.00	0.00
0.00%	0	0.00	0.00	93.88%	0.00	0.00
0.00%	0	0.00	0.00	95.74%	0.00	0.00
0.00%	0	0.00	0.00	91.67%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
82.76%	0	130.00	136.00	93.55%	-0.21	-1.13
87.84%	0	88.00	94.00	94.81%	0.00	0.00
84.62%	0	201.00	220.00	94.74%	0.00	0.00
89.09%	0	246.00	213.00	94.20%	-0.30	-1.18
92.86%	0	285.00	268.00	93.79%	0.00	0.00
96.36%	0	263.00	323.00	92.19%	0.00	0.00
96.97%	0	189.00	286.00	92.27%	0.00	0.00
97.40%	0	317.00	204.00	92.88%	0.00	0.00
96.23%	0	306.00	343.00	92.51%	0.00	0.00
96.88%	0	209.00	331.00	91.44%	-0.23	-1.14
84.44%	0	353.00	362.00	91.07%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
94.34%	0	0.00	0.00	92.98%	0.00	0.00
95.25%	0	0.00	0.00	93.46%	0.00	0.00
95.14%	0	0.00	0.00	93.20%	0.00	0.00
95.49%	0	0.00	0.00	93.14%	0.00	0.00
94.80%	0.43	0.00	0.00	93.10%	0.00	0.00
95.82%	0	0.00	0.00	93.05%	0.00	0.00
94.83%	0	0.00	0.00	92.93%	0.00	0.00
95.07%	0	0.00	0.00	93.17%	0.00	0.00
95.52%	0	0.00	0.00	92.51%	0.00	0.00
93.92%	0	0.00	0.00	92.47%	0.00	0.00
94.80%	0	0.00	0.00	92.53%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.27	130.00	136.00	0.00%	1.20	-0.27
0.00%	0.23	0.00	0.00	0.00%	0.00	0.00
0.00%	0.2	0.00	0.00	0.00%	0.00	0.00
0.00%	0.15	0.00	0.00	0.00%	0.00	0.00
0.00%	0.3	0.00	0.00	0.00%	0.00	0.00
100.00%	0.31	0.00	0.00	0.00%	0.00	0.00
100.00%	0.24	0.00	0.00	0.00%	0.00	0.00
0.00%	0.37	0.00	0.00	0.00%	0.00	0.00
0.00%	0.37	0.00	0.00	0.00%	0.00	0.00
0.00%	0.34	0.00	0.00	0.00%	0.00	0.00
100.00%	0.19	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
97.80%	0	0.00	0.00	90.79%	0.00	0.00
96.83%	0	0.00	0.00	0.00%	0.00	0.00
96.83%	0	0.00	0.00	0.00%	0.00	0.00

97.51%	0	0.00	0.00	0.00%	0.00	0.00
96.40%	0	0.00	0.00	0.00%	0.00	0.00
96.57%	0	0.00	0.00	0.00%	0.00	0.00
97.26%	0	0.00	0.00	0.00%	0.00	0.00
95.74%	0	0.00	0.00	0.00%	0.00	0.00
95.68%	0	0.00	0.00	0.00%	0.00	0.00
96.25%	0	0.00	0.00	0.00%	0.00	0.00
96.18%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	103.00	105.00	95.59%	0.00	0.00
0.00%	0	115.00	118.00	0.00%	0.00	0.00
0.00%	0	117.00	112.00	0.00%	0.00	0.00
0.00%	0	107.00	119.00	0.00%	0.00	0.00
0.00%	0	106.00	111.00	0.00%	0.00	0.00
0.00%	0	111.00	112.00	0.00%	0.00	0.00
100.00%	0	147.00	117.00	0.00%	0.00	0.00
0.00%	0	222.00	151.00	0.00%	0.00	0.00
0.00%	0	353.00	236.00	0.00%	-0.20	-1.12
0.00%	0	106.00	360.00	0.00%	0.00	0.00
0.00%	0	134.00	138.00	0.00%	-0.30	-1.18
0.00%	0	0.00	0.00	0.00%	0.00	0.00
93.75%	0	26707.00	28679.00	92.84%	-0.98	-1.60
95.74%	0.27	0.00	0.00	0.00%	0.00	0.00
100.00%	0.36	0.00	0.00	0.00%	0.00	0.00
97.56%	0	0.00	0.00	0.00%	0.00	0.00
94.12%	0.17	0.00	0.00	0.00%	0.00	0.00
87.50%	0.17	0.00	0.00	0.00%	0.00	0.00
92.00%	0.13	0.00	0.00	0.00%	0.00	0.00
92.00%	0.1	0.00	0.00	0.00%	0.00	0.00
95.65%	0.17	0.00	0.00	0.00%	0.00	0.00
89.66%	0.18	0.00	0.00	0.00%	0.00	0.00
100.00%	0.15	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
94.40%	0.23	10335.00	11048.00	95.59%	-0.30	-1.18
96.91%	0.24	0.00	0.00	0.00%	0.00	0.00
95.83%	0.24	0.00	0.00	0.00%	0.00	0.00
94.81%	0.29	0.00	0.00	0.00%	0.00	0.00
94.48%	0.13	0.00	0.00	0.00%	0.00	0.00
94.19%	0.17	0.00	0.00	0.00%	0.00	0.00
90.68%	0.22	0.00	0.00	0.00%	0.00	0.00
97.37%	0.24	0.00	0.00	0.00%	0.00	0.00
94.81%	0	0.00	0.00	0.00%	0.00	0.00
91.20%	0.2	0.00	0.00	0.00%	0.00	0.00
92.06%	0.18	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	34.00	37.00	97.14%	0.00	0.00
0.00%	0	19.00	21.00	0.00%	0.00	0.00
100.00%	0	39.00	47.00	0.00%	0.00	0.00
100.00%	0	39.00	40.00	0.00%	-0.16	-1.10
100.00%	0	39.00	40.00	0.00%	0.00	0.00
0.00%	0	32.00	41.00	0.00%	0.00	0.00
0.00%	0	43.00	34.00	0.00%	0.00	0.00

0.00%	0	42.00	46.00	0.00%	-0.31	-1.19
0.00%	0	46.00	46.00	0.00%	0.00	0.00
0.00%	0	45.00	49.00	0.00%	0.00	0.00
0.00%	0	33.00	36.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.38	10335.00	11048.00	93.55%	2.83	0.72
100.00%	0.33	12383.00	13061.00	0.00%	2.35	0.43
100.00%	0.36	13450.00	12296.00	0.00%	3.03	0.84
100.00%	0.31	11527.00	14196.00	0.00%	1.49	-0.09
100.00%	0.26	12483.00	12237.00	0.00%	0.37	-0.77
66.67%	0.19	12282.00	13310.00	0.00%	-1.15	-1.70
0.00%	0.17	12235.00	13322.00	0.00%	-1.74	-2.06
100.00%	0.16	12173.00	13260.00	0.00%	-1.54	-1.94
100.00%	0.19	12879.00	13106.00	0.00%	-2.04	-2.24
100.00%	0.17	11244.00	13921.00	0.00%	-2.19	-2.33
100.00%	0.36	11171.00	12266.00	0.00%	1.46	-0.11
0.00%	0	0.00	0.00	0.00%	0.00	0.00
98.32%	0.23	23996.00	25807.00	94.27%	-1.86	-2.13
98.31%	0.21	24231.00	25926.00	0.00%	-2.63	-2.60
97.94%	0.22	26608.00	32134.00	0.00%	-2.84	-2.73
97.44%	0.21	28280.00	28548.00	0.00%	-3.84	-3.33
97.28%	0.22	30863.00	30364.00	0.00%	-2.90	-2.76
97.60%	0.2	35008.00	33149.00	0.00%	-4.00	-3.43
97.28%	0.22	34426.00	37621.00	0.00%	-2.44	-2.48
97.85%	0.22	34071.00	37045.00	0.00%	-2.33	-2.42
97.52%	0.21	34061.00	36567.00	0.00%	-3.57	-3.17
98.30%	0.24	29713.00	36818.00	0.00%	-1.75	-2.07
98.21%	0.22	33428.00	36127.00	0.00%	-2.69	-2.64
0.00%	0	0.00	0.00	0.00%	0.00	0.00
97.06%	0	0.00	0.00	90.79%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
95.00%	0	0.00	0.00	0.00%	0.00	0.00
94.92%	0	0.00	0.00	0.00%	0.00	0.00
94.44%	0	0.00	0.00	0.00%	0.00	0.00
94.83%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
86.49%	0	0.00	0.00	0.00%	0.00	0.00
94.83%	0	0.00	0.00	0.00%	0.00	0.00
96.43%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.15	69.00	76.00	93.12%	-1.90	-2.15
92.99%	0.18	0.00	0.00	0.00%	0.00	0.00
96.32%	0.18	0.00	0.00	0.00%	0.00	0.00
96.70%	0.16	0.00	0.00	0.00%	0.00	0.00
97.04%	0.19	0.00	0.00	0.00%	0.00	0.00
96.78%	0.18	0.00	0.00	0.00%	0.00	0.00
96.44%	0.16	0.00	0.00	0.00%	0.00	0.00
97.56%	0.2	0.00	0.00	0.00%	0.00	0.00
97.92%	0.2	0.00	0.00	0.00%	0.00	0.00
97.87%	0.19	0.00	0.00	0.00%	0.00	0.00
97.96%	0.19	0.00	0.00	0.00%	0.00	0.00

0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	130.00	136.00	95.45%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
90.91%	0	0.00	0.00	0.00%	0.00	0.00
83.33%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0.24	3373.00	3633.00	94.81%	-0.14	-1.09
50.00%	0.2	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.15	0.00	0.00	0.00%	0.00	0.00
100.00%	0.24	0.00	0.00	0.00%	0.00	0.00
100.00%	0.33	0.00	0.00	0.00%	0.00	0.00
62.50%	0.27	0.00	0.00	0.00%	0.00	0.00
100.00%	0.27	0.00	0.00	0.00%	0.00	0.00
75.00%	0.2	0.00	0.00	0.00%	0.00	0.00
100.00%	0.3	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	441.00%	0.00	0.00
0.00%	0.23	130.00	136.00	466.00%	0.43	-0.74
0.00%	0.17	0.00	0.00	536.00%	0.00	0.00
0.00%	0.2	0.00	0.00	526.00%	0.00	0.00
0.00%	0.22	0.00	0.00	650.00%	0.00	0.00
0.00%	0.23	0.00	0.00	1132.00%	0.00	0.00
0.00%	0.23	0.00	0.00	383.00%	0.00	0.00
0.00%	0.29	0.00	0.00	398.00%	0.00	0.00
0.00%	0.16	0.00	0.00	477.00%	0.00	0.00
325.00%	0.22	0.00	0.00	415.00%	0.00	0.00
500.00%	0.28	0.00	0.00	350.00%	0.00	0.00
0.00%	0.27	0.00	0.00	309.00%	0.00	0.00
0.00%	0	0.00	0.00	457.00%	0.00	0.00
0.00%	0	34.00	35.00	479.00%	-0.24	-1.14
0.00%	0	0.00	0.00	329.00%	0.00	0.00
0.00%	0	0.00	0.00	452.00%	0.00	0.00
0.00%	0	0.00	0.00	456.00%	0.00	0.00
100.00%	0	0.00	0.00	534.00%	0.00	0.00
100.00%	0	0.00	0.00	277.00%	0.00	0.00
0.00%	0	0.00	0.00	285.00%	0.00	0.00
0.00%	0	0.00	0.00	331.00%	0.00	0.00
100.00%	0	0.00	0.00	369.00%	0.00	0.00
200.00%	0	0.00	0.00	315.00%	0.00	0.00
200.00%	0	0.00	0.00	315.00%	0.00	0.00
100.00%	0	0.00	0.00	457.00%	0.00	0.00
100.00%	0	10335.00	11048.00	479.00%	-0.74	-1.45
0.00%	0	0.00	0.00	329.00%	0.00	0.00
200.00%	0	0.00	0.00	452.00%	0.00	0.00

0.00%	0	0.00	0.00	456.00%	0.00	0.00
0.00%	0	0.00	0.00	534.00%	0.00	0.00
0.00%	0.47	0.00	0.00	277.00%	0.00	0.00
0.00%	0	0.00	0.00	285.00%	0.00	0.00
0.00%	0	0.00	0.00	331.00%	0.00	0.00
200.00%	0	0.00	0.00	369.00%	0.00	0.00
250.00%	0	0.00	0.00	315.00%	0.00	0.00
0.00%	0	0.00	0.00	315.00%	0.00	0.00
100.00%	0	0.00	0.00	152.00%	0.00	0.00
100.00%	0.13	9325.00	9892.00	324.00%	-6.04	-4.67
0.00%	0.13	0.00	0.00	200.00%	0.00	0.00
400.00%	0.14	0.00	0.00	341.00%	0.00	0.00
100.00%	0.16	0.00	0.00	187.00%	0.00	0.00
0.00%	0.16	0.00	0.00	185.00%	0.00	0.00
100.00%	0.15	0.00	0.00	245.00%	0.00	0.00
0.00%	0.16	0.00	0.00	204.00%	0.00	0.00
0.00%	0.15	0.00	0.00	203.00%	0.00	0.00
0.00%	0.16	0.00	0.00	261.00%	0.00	0.00
0.00%	0.13	0.00	0.00	261.00%	0.00	0.00
0.00%	0.13	0.00	0.00	347.00%	0.00	0.00
500.00%	0	0.00	0.00	465.00%	0.00	0.00
300.00%	0.17	69.00	76.00	485.00%	-1.05	-1.64
100.00%	0	0.00	0.00	251.00%	0.00	0.00
250.00%	0.22	0.00	0.00	434.00%	0.00	0.00
278.00%	0.22	0.00	0.00	387.00%	0.00	0.00
244.00%	0.23	0.00	0.00	307.00%	0.00	0.00
200.00%	0.22	0.00	0.00	250.00%	0.00	0.00
400.00%	0	0.00	0.00	254.00%	0.00	0.00
100.00%	0.34	0.00	0.00	288.00%	0.00	0.00
100.00%	0.22	0.00	0.00	355.00%	0.00	0.00
100.00%	0.19	0.00	0.00	305.00%	0.00	0.00
233.00%	0	0.00	0.00	318.00%	0.00	0.00
0.00%	0	0.00	0.00	457.00%	0.00	0.00
0.00%	0	26707.00	28679.00	479.00%	-1.84	-2.12
200.00%	0.26	0.00	0.00	329.00%	0.00	0.00
480.00%	0.19	0.00	0.00	452.00%	0.00	0.00
167.00%	0.18	0.00	0.00	456.00%	0.00	0.00
200.00%	0.17	0.00	0.00	534.00%	0.00	0.00
189.00%	0.18	0.00	0.00	277.00%	0.00	0.00
163.00%	0.19	0.00	0.00	285.00%	0.00	0.00
170.00%	0.15	0.00	0.00	331.00%	0.00	0.00
188.00%	0.14	0.00	0.00	369.00%	0.00	0.00
238.00%	0.14	0.00	0.00	315.00%	0.00	0.00
175.00%	0.14	0.00	0.00	315.00%	0.00	0.00
0.00	0	0.00	0.00	8.60	0.00	0.00
0.00	0	126.00	132.00	7.50	0.00	0.00
0.00	0	0.00	0.00	4.00	0.00	0.00
0.00	0	0.00	0.00	2.08	0.00	0.00
2.00	0	0.00	0.00	4.19	0.00	0.00
1.00	0	0.00	0.00	1.29	0.00	0.00
0.00	0	0.00	0.00	4.75	0.00	0.00
0.00	0	0.00	0.00	2.00	0.00	0.00

0.00	0	0.00	0.00	2.00	0.00	0.00
1.00	0.29	0.00	0.00	2.11	0.00	0.00
0.00	0.37	0.00	0.00	3.00	0.00	0.00
0.00	0	0.00	0.00	10.40	0.00	0.00
0.00	0	0.00	0.00	5.05	0.00	0.00
0.00	0	219.00	231.00	4.90	0.00	0.00
1.00	0.5	0.00	0.00	1.68	0.00	0.00
0.00	0	0.00	0.00	3.03	0.00	0.00
4.50	0	0.00	0.00	4.66	0.00	0.00
1.00	0	0.00	0.00	7.23	0.00	0.00
5.00	0	0.00	0.00	2.08	0.00	0.00
1.00	0.48	0.00	0.00	4.74	0.00	0.00
4.50	0	0.00	0.00	3.86	0.00	0.00
1.00	0.43	0.00	0.00	2.74	0.00	0.00
0.00	0	0.00	0.00	3.80	0.00	0.00
0.00	0	0.00	0.00	3.84	0.00	0.00
0.00	0	163.00	37.00	2.75	0.00	0.00
0.00	0	177.00	38.00	2.60	0.00	0.00
0.00	0	225.00	42.00	5.75	0.00	0.00
0.00	0	200.00	52.00	4.22	0.00	0.00
0.00	0	325.00	38.00	5.67	0.00	0.00
0.00	0	781.00	50.00	1.33	0.00	0.00
0.00	0	287.00	69.00	2.17	0.00	0.00
2.00	0	326.00	75.00	1.75	0.00	0.00
0.00	0	329.00	82.00	3.45	0.00	0.00
0.00	4.5	253.00	69.00	2.60	-0.26	-1.16
0.00	0	182.00	61.00	3.00	0.81	-0.51
0.00	0	167.00	54.00	1.33	0.00	0.00
0.00	0	558.00	122.00	3.87	0.00	0.00
0.00	0	570.00	119.00	2.73	0.00	0.00
0.00	0	506.00	154.00	5.76	0.00	0.00
0.00	0	895.00	242.00	3.98	0.00	0.00
0.00	0	875.00	198.00	4.98	0.00	0.00
7.00	0	1336.00	192.00	4.28	-0.33	-1.20
2.00	0	996.00	250.00	4.52	-0.53	-1.32
0.00	0	1059.00	359.00	4.21	0.00	0.00
0.00	0	991.00	371.00	3.40	0.00	0.00
0.00	0	992.00	299.00	4.80	-0.70	-1.43
5.00	0	762.00	269.00	4.48	-0.34	-1.20
4.50	0	653.00	207.00	4.30	-0.29	-1.18
0.00	0	558.00	122.00	3.87	-0.48	-1.29
0.00	0	570.00	119.00	2.73	-0.33	-1.20
0.00	0	506.00	154.00	5.76	0.00	0.00
0.00	0	895.00	242.00	3.98	-0.25	-1.16
0.00	0	875.00	198.00	4.98	0.00	0.00
0.00	0	1336.00	192.00	4.28	0.00	0.00
0.00	0	996.00	250.00	4.52	0.00	0.00
0.00	0	1059.00	359.00	4.21	0.00	0.00
3.00	0	991.00	371.00	3.40	0.00	0.00
0.00	0	992.00	299.00	4.80	-0.26	-1.16
0.00	0.71	762.00	269.00	4.48	-0.19	-1.12
0.00	0	653.00	207.00	4.30	0.00	0.00

0.00		44.00	29.00	5.80	-0.48	-1.29
0.00	0	110.00	34.00	3.29	-0.46	-1.28
0.00	0	40.00	20.00	4.50	0.00	0.00
0.00	0	133.00	38.00	9.38	0.85	-0.49
0.00	0	56.00	39.00	19.00	-0.43	-1.26
0.00	0	76.00	30.00	3.57	0.00	0.00
0.00	0	120.00	41.00	4.08	-0.52	-1.32
1.00	0	92.00	49.00	2.78	0.00	0.00
0.00	0	67.00	45.00	8.22	0.00	0.00
0.00	0	94.00	33.00	5.00	0.00	0.00
0.00	0	99.00	36.00	5.95	0.00	0.00
0.00	0	111.00	32.00	3.00	0.00	0.00
7.00	5.29	395.00	85.00	4.00	0.53	-0.68
4.00	2.83	393.00	81.00	2.74	-0.19	-1.12
1.00	0	281.00	112.00	5.76	-0.65	-1.39
0.00	2.12	695.00	190.00	3.93	-0.26	-1.16
4.00	2.28	550.00	160.00	4.95	-0.42	-1.26
2.00	2.51	555.00	142.00	4.59	-0.41	-1.25
0.00	1.41	709.00	181.00	4.76	-0.30	-1.19
4.00	5.2	733.00	284.00	4.40	1.01	-0.39
19.00	0	662.00	289.00	3.39	-0.39	-1.24
11.00	0	739.00	230.00	4.95	-0.67	-1.41
1.00	0	580.00	208.00	4.52	-0.72	-1.44
1.00	2.31	486.00	153.00	4.36	-0.37	-1.23
0.00	0	558.00	122.00	3.87	0.00	0.00
0.00	0	570.00	119.00	2.73	0.00	0.00
0.00	1.41	506.00	154.00	5.76	-0.35	-1.21
3.00	5.49	895.00	242.00	3.98	0.38	-0.77
5.67	1	875.00	198.00	4.98	-0.90	-1.55
7.00	1.53	1336.00	192.00	4.28	-0.66	-1.40
3.60	1.1	996.00	250.00	4.52	-0.80	-1.48
1.35	2.29	1059.00	359.00	4.21	-0.93	-1.56
2.00	1.25	991.00	371.00	3.40	-0.73	-1.44
3.00	1.73	992.00	299.00	4.80	-0.77	-1.47
1.00	1.41	762.00	269.00	4.48	-0.45	-1.27
1.50	1.5	653.00	207.00	4.30	-0.71	-1.43
2.33	0	43.00	5.00	8.73	0.00	0.00
2.00	0	15.00	2.00	11.90	0.00	0.00
4.50	0	16.00	4.00	13.33	0.00	0.00
2.00	0	27.00	2.00	19.77	0.00	0.00
4.00	0	67.00	13.00	15.00	-0.39	-1.24
16.50	0	22.00	16.00	10.40	-0.37	-1.23
6.13	0	38.00	17.00	17.43	0.00	0.00
0.00	0	6.00	8.00	20.00	0.00	0.00
1.00	0	10.00	3.00	6.43	0.00	0.00
4.67	0	19.00	5.00	20.38	-0.32	-1.19
5.50	0	6.00	9.00	8.00	0.00	0.00
0.00	0	104.00	10.00	20.24	0.00	0.00
8.38	0	4.00	3.00	0.00	0.00	0.00
0.00	0	25.00	3.00	0.00	0.00	0.00
0.00	0	4.00	2.00	5.00	0.00	0.00
16.75	0	2.00	5.00	0.00	0.00	0.00

11.29	0	1.00	2.00	0.00	0.00	0.00
0.00	0	5.00	1.00	11.00	-1.00	-1.61
0.00	0	1.00	3.00	14.67	0.00	0.00
11.00	0	11.00	1.00	16.00	0.00	0.00
0.00	0	6.00	5.00	0.00	0.00	0.00
0.00	0	9.00	5.00	0.00	0.00	0.00
0.00	0	13.00	6.00	2.00	0.00	0.00
0.00	0	8.00	2.00	0.00	0.00	0.00
0.00	0	101.00	20.00	22.00	0.00	0.00
0.00	0	98.00	20.00	8.80	0.00	0.00
0.00	0	32.00	19.00	10.00	-0.53	-1.32
0.00	0	103.00	41.00	7.42	0.00	0.00
0.00	4.95	191.00	34.00	19.13	-0.02	-1.01
0.00	0	340.00	41.00	12.20	-0.50	-1.30
0.00	0	131.00	47.00	11.50	1.21	-0.26
0.00	0	223.00	63.00	5.00	-0.60	-1.37
2.00	4.95	193.00	47.00	7.50	0.82	-0.50
0.00	0	148.00	50.00	30.33	-0.58	-1.35
0.00	0	156.00	54.00	4.67	0.00	0.00
0.00	0	196.00	51.00	11.25	0.00	0.00
5.67	0	11.00	4.00	12.33	0.00	0.00
3.50	0	13.00	5.00	0.00	0.00	0.00
6.00	0	46.00	8.00	5.25	0.00	0.00
6.50	0	38.00	2.00	7.71	0.00	0.00
4.00	0	17.00	9.00	1.33	0.00	0.00
4.88	0	4.00	3.00	2.00	0.00	0.00
5.00	0	13.00	3.00	1.00	0.00	0.00
3.29	0	7.00	6.00	6.00	-0.29	-1.18
0.00	0	38.00	4.00	3.20	0.00	0.00
0.00	0	13.00	11.00	3.50	0.00	0.00
1.00	0	6.00	5.00	18.00	0.00	0.00
2.00	0	4.00	3.00	5.75	0.00	0.00
0.00	0	151.00	39.00	1.52	0.00	0.00
0.00	0	109.00	40.00	3.24	0.00	0.00
0.00	0	242.00	42.00	2.00	0.00	0.00
0.00	0	219.00	67.00	3.41	0.00	0.00
2.00	0	294.00	55.00	1.87	0.00	0.00
0.00	7.07	137.00	59.00	1.85	0.82	-0.50
9.67	0	294.00	32.00	2.45	-0.31	-1.19
0.00	0	236.00	65.00	2.04	0.00	0.00
0.00	0	255.00	56.00	2.03	0.00	0.00
0.00	0	389.00	75.00	2.61	0.00	0.00
0.00	0	300.00	81.00	2.61	0.74	-0.55
0.00	2.12	636.00	148.00	3.47	0.57	-0.65
8.40	0	151.00	39.00	8.73	0.00	0.00
3.60	0	109.00	40.00	11.90	0.00	0.00
4.00	0	242.00	42.00	13.33	0.00	0.00
1.67	0	219.00	67.00	19.77	0.00	0.00
5.00	0	294.00	55.00	15.00	0.00	0.00
5.00	0	137.00	59.00	10.40	0.00	0.00
4.42	0	294.00	32.00	17.43	0.00	0.00
1.00	0	236.00	65.00	20.00	0.00	0.00

3.67	0	255.00	56.00	6.43	-0.11	-1.07
2.50	0	389.00	75.00	20.38	0.00	0.00
3.40	0	300.00	81.00	8.00	0.00	0.00
3.00	0	636.00	148.00	20.24	0.00	0.00
6.00	0	29.00	5.00	4.57	0.00	0.00
7.00	0	23.00	7.00	4.79	0.00	0.00
4.33	0	45.00	10.00	3.29	0.00	0.00
7.10	0	75.00	22.00	4.52	0.00	0.00
4.82	0	133.00	8.00	4.56	0.00	0.00
4.83	0	25.00	7.00	5.34	0.00	0.00
5.33	0	53.00	7.00	2.77	0.00	0.00
4.33	0	25.00	13.00	2.85	-1.44	-1.88
2.96	0	74.00	9.00	3.31	0.00	0.00
4.13	0	25.00	9.00	3.69	0.00	0.00
2.42	0	131.00	5.00	3.15	0.00	0.00
1.50	0	24.00	8.00	3.15	0.00	0.00
0.00	0	140.00	35.00	12.33	1.01	-0.39
6.00	5.2	96.00	35.00	0.00	0.87	-0.47
1.00	0	196.00	34.00	5.25	-0.50	-1.30
0.00	0	181.00	65.00	5.67	0.00	0.00
0.00	0	277.00	46.00	1.50	-0.14	-1.09
0.00	0	133.00	56.00	2.00	-0.34	-1.21
6.50	0	281.00	29.00	1.00	0.00	0.00
0.00	0	229.00	59.00	6.00	-0.08	-1.05
3.00	0	217.00	52.00	3.20	1.98	0.20
0.00	0	376.00	64.00	3.50	1.29	-0.21
0.00	0	294.00	76.00	18.00	-0.77	-1.47
2.00	0	632.00	145.00	6.43	-0.57	-1.35
0.00	0	151.00	39.00	44.50	0.00	0.00
0.00	0	109.00	40.00	7.07	0.00	0.00
0.00	0	242.00	42.00	11.25	0.00	0.00
4.50	2	219.00	67.00	20.86	-0.53	-1.32
0.00	5.51	294.00	55.00	35.61	0.55	-0.66
0.00	0	137.00	59.00	15.31	1.08	-0.35
5.00	1.52	294.00	32.00	16.15	-0.25	-1.15
9.00	1.18	236.00	65.00	22.00	-1.36	-1.83
0.00	0	255.00	56.00	32.47	-0.39	-1.24
0.00	1.41	389.00	75.00	22.00	-0.28	-1.17
0.00	0	300.00	81.00	19.67	-0.55	-1.33
0.00	0.71	636.00	148.00	12.72	-0.68	-1.41
0.00	0.58	96.00	11.00	22.00	-1.14	-1.69
0.00	0	119.00	10.00	50.50	-0.53	-1.33
0.00	0.71	80.00	6.00	59.40	-1.19	-1.72
17.00	0	257.00	2.00	128.00	-0.72	-1.44
2.00	0	45.00	13.00	0.00	-1.57	-1.95
0.00	0.71	104.00	3.00	9.40	0.98	-0.40
0.00	7.18	366.00	10.00	3.00	-1.07	-1.65
0.00	0	100.00	21.00	17.00	0.00	0.00
0.00	0	45.00	5.00	6.00	-1.18	-1.72
0.00	2.88	265.00	7.00	0.00	-1.40	-1.85
0.00	6.36	16.00	13.00	1.00	-0.44	-1.27
0.00	0	344.00	17.00	2.67	0.00	0.00

0.00	0	0.00	0.00	24.00	0.00	0.00
0.00	0	0.00	0.00	42.50	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	35.75	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	30.50	0.00	0.00
0.00	0	0.00	0.00	25.50	0.00	0.00
0.00	0	0.00	0.00	5.00	0.00	0.00
0.00	0	0.00	0.00	13.00	0.00	0.00
0.00	0	0.00	0.00	38.00	0.00	0.00
0.00	0	0.00	0.00	9.00	0.00	0.00
3.00	0	0.00	0.00	18.33	0.00	0.00
0.00	1.6	0.00	0.00	44.50	0.00	0.00
0.00	0	0.00	0.00	7.07	0.00	0.00
0.00	0	5.00	1.00	11.25	0.00	0.00
0.00	1.26	0.00	1.00	20.86	0.00	0.00
0.00	6.34	0.00	0.00	35.61	0.00	0.00
9.00	0	11.00	0.00	15.31	0.00	0.00
1.00	0	88.00	1.00	16.15	0.00	0.00
0.00	0	16.00	6.00	22.00	0.00	0.00
0.00	0	0.00	1.00	32.47	0.00	0.00
0.00	0	0.00	0.00	22.00	0.00	0.00
0.00	0	2.00	0.00	19.67	0.00	0.00
0.00	0	0.00	0.00	12.72	0.00	0.00
0.00	0	44.00	2.00	7.00	0.00	0.00
0.00	0	44.00	5.00	2.00	0.00	0.00
0.00	0	10.00	1.00	0.00	0.00	0.00
0.00	0	178.00	3.00	0.00	0.00	0.00
0.00	0	153.00	24.00	21.00	0.00	0.00
0.00	0	61.00	8.00	7.00	0.00	0.00
4.00	0	69.00	5.00	35.00	0.00	0.00
0.00	0	10.00	6.00	1.00	0.00	0.00
0.00	0	30.00	2.00	27.00	-0.68	-1.41
0.00	0	91.00	4.00	0.00	0.00	0.00
0.00	0	14.00	3.00	3.00	0.00	0.00
5.00	0	45.00	4.00	3.50	0.00	0.00
0.00	3.79	37.00	3.00	1.33	-0.48	-1.29
0.00	0.71	0.00	0.00	8.33	0.00	0.00
0.00	4.55	21.00	4.00	2.00	-0.22	-1.13
0.00	2.89	54.00	1.00	1.00	-0.31	-1.19
5.00	3.08	4.00	7.00	1.00	1.06	-0.35
1.00	2.7	4.00	3.00	1.67	1.69	0.03
0.00	4.32	1.00	2.00	1.00	0.00	0.00
0.00	1.8	24.00	1.00	2.20	-0.73	-1.44
0.00	0	16.00	4.00	1.20	0.00	0.00
0.00	0	7.00	5.00	1.50	0.00	0.00
0.00	0	18.00	2.00	2.60	0.00	0.00
7.00	1.73	46.00	8.00	4.00	-1.00	-1.61
0.00	0	44.00	29.00	44.50	0.00	0.00
0.00	0	110.00	34.00	7.07	0.00	0.00
1.00	0	40.00	20.00	11.25	0.00	0.00
7.00	0	133.00	38.00	20.86	0.00	0.00

0.00	0	56.00	39.00	35.61	0.34	-0.79
0.00	0	76.00	30.00	15.31	0.00	0.00
2.00	8.02	120.00	41.00	16.15	2.88	0.75
1.50	0	92.00	49.00	22.00	0.00	0.00
2.00	0	67.00	45.00	32.47	0.00	0.00
5.00	0	94.00	33.00	22.00	0.00	0.00
58.00	0	99.00	36.00	19.67	0.00	0.00
0.00	0	111.00	32.00	12.72	0.00	0.00
0.00	7.06	96.00	11.00	5.05	-0.07	-1.04
0.00	2.97	119.00	10.00	4.90	-0.86	-1.52
0.00	0	80.00	6.00	1.68	-0.95	-1.58
0.00	0.58	257.00	2.00	3.03	-1.19	-1.72
0.00	1.41	45.00	13.00	4.66	-1.80	-2.09
0.00	6.82	104.00	3.00	7.23	-1.65	-2.00
7.67	3.15	366.00	10.00	2.08	-1.42	-1.86
4.67	0	100.00	21.00	4.74	-2.23	-2.36
0.00	3.88	45.00	5.00	3.86	-1.15	-1.70
0.00	2.38	265.00	7.00	2.74	-1.37	-1.84
0.00	2.88	16.00	13.00	3.80	-0.97	-1.59
0.00	2	344.00	17.00	3.84	-1.99	-2.21
0.00	2.54	558.00	122.00	7.00	0.76	-0.54
0.00	7.42	570.00	119.00	2.00	0.71	-0.57
0.00	1.06	506.00	154.00	0.00	0.81	-0.51
0.00	10.83	895.00	242.00	0.00	1.28	-0.22
0.00	2.51	875.00	198.00	21.00	0.27	-0.84
5.00	4.05	1336.00	192.00	7.00	-0.22	-1.13
13.00	4.83	996.00	250.00	35.00	3.09	0.88
9.00	3.17	1059.00	359.00	1.00	1.21	-0.27
0.00	3.94	991.00	371.00	27.00	-0.25	-1.15
0.00	7.4	992.00	299.00	0.00	0.48	-0.71
0.00	1.98	762.00	269.00	3.00	-0.51	-1.31
0.00	0.71	653.00	207.00	3.50	-0.60	-1.36
4.50	0	37.00	3.00	4.93	0.00	0.00
3.33	0	0.00	0.00	4.17	0.00	0.00
1.00	0	21.00	4.00	5.05	-0.45	-1.27
4.00	0	34.00	1.00	5.27	0.00	0.00
5.00	0	3.00	6.00	4.57	0.00	0.00
0.00	0	4.00	2.00	6.19	0.00	0.00
0.00	2.12	1.00	2.00	4.93	0.00	0.00
2.00	0	24.00	1.00	5.42	0.00	0.00
2.00	0	16.00	4.00	4.82	-0.11	-1.07
2.00	0	7.00	5.00	4.85	0.00	0.00
0.00	0	18.00	2.00	4.76	0.00	0.00
4.00	0	45.00	7.00	5.16	-0.74	-1.45
0.00	0	267.00	6.00	5.99	0.00	0.00
0.00	0	99.00	14.00	5.30	0.00	0.00
0.00	0	45.00	4.00	5.45	0.00	0.00
7.33	4.95	292.00	15.00	5.61	-0.99	-1.60
5.00	0	641.00	14.00	5.09	0.00	0.00
2.00	0	444.00	18.00	6.16	0.00	0.00
10.00	2.83	646.00	29.00	5.43	-0.72	-1.44
9.50	0	154.00	40.00	5.59	-0.52	-1.32

5.33	0	552.00	7.00	5.64	0.00	0.00
7.60	0	220.00	17.00	4.80	0.00	0.00
5.67	0	295.00	10.00	5.29	0.00	0.00
6.33	0	318.00	25.00	5.71	0.00	0.00
0.00	0	110.00	5.00	5.39	0.00	0.00
0.00	0	202.00	4.00	3.04	0.00	0.00
0.00	0	297.00	5.00	5.67	0.00	0.00
0.00	0	768.00	1.00	7.91	-3.46	-3.11
2.00	0	0.00	6.00	8.56	0.00	0.00
0.00	0	47.00	0.00	7.92	0.00	0.00
2.00	0	12.00	5.00	5.91	0.00	0.00
1.00	0	17.00	4.00	7.82	0.00	0.00
0.00	0	6.00	1.00	4.58	0.00	0.00
0.00	0	0.00	1.00	4.18	0.00	0.00
0.00	0	1.00	0.00	4.50	0.00	0.00
0.00	0	8.00	3.00	5.33	0.00	0.00
0.00	0	24.00	1.00	6.32	0.00	0.00
0.00	0	85.00	2.00	3.32	0.00	0.00
0.00	0	0.00	0.00	5.81	0.00	0.00
5.00	0	143.00	2.00	7.65	0.00	0.00
2.00	0	0.00	4.00	8.45	0.00	0.00
0.00	0	61.00	0.00	6.97	0.00	0.00
3.50	0	102.00	2.00	5.98	0.00	0.00
6.00	0	5.00	4.00	7.79	0.00	0.00
0.00	0	26.00	1.00	4.34	0.00	0.00
13.00	0	38.00	2.00	4.32	0.00	0.00
4.00	0	18.00	1.00	4.43	0.00	0.00
0.00	0	110.00	6.00	6.35	-1.34	-1.81
9.00	0	267.00	6.00	4.00	0.00	0.00
3.00	0	99.00	14.00	3.00	0.00	0.00
4.67	0	45.00	4.00	6.00	0.00	0.00
5.50	0	292.00	15.00	29.00	0.00	0.00
6.00	0	641.00	14.00	8.33	0.00	0.00
0.00	0	444.00	18.00	3.00	-0.40	-1.24
7.00	0	646.00	29.00	3.00	-0.70	-1.43
0.00	0	154.00	40.00	12.17	0.00	0.00
4.50	0	552.00	7.00	16.75	0.00	0.00
13.00	0	220.00	17.00	4.00	0.00	0.00
0.00	0	295.00	10.00	1.00	0.00	0.00
0.00	0	318.00	25.00	2.00	0.00	0.00
2.00	0	7.00	1.00	12.30	0.00	0.00
0.00	0	2.00	1.00	4.13	0.00	0.00
0.00	0	0.00	0.00	7.27	0.00	0.00
0.00	0	0.00	2.00	8.03	0.00	0.00
0.00	0	21.00	0.00	10.31	0.00	0.00
1.50	0	7.00	1.00	7.24	0.00	0.00
5.00	0	35.00	1.00	6.29	0.00	0.00
2.00	0	1.00	1.00	10.13	0.00	0.00
0.00	0	27.00	1.00	11.38	0.00	0.00
0.00	0	0.00	1.00	9.13	0.00	0.00
0.00	0	6.00	0.00	11.41	0.00	0.00
0.00	0	7.00	2.00	4.43	-3.72	-3.26

1.60	0	4.00	3.00	1.00	0.00	0.00
5.00	0	25.00	3.00	4.00	0.00	0.00
1.00	0	4.00	2.00	26.50	0.00	0.00
4.50	0	2.00	5.00	7.40	0.00	0.00
4.00	0	1.00	2.00	7.75	0.00	0.00
5.20	0	5.00	1.00	10.67	-1.00	-1.61
12.40	0	1.00	3.00	7.50	0.00	0.00
3.18	0	11.00	1.00	12.18	0.00	0.00
3.33	0	6.00	5.00	6.82	0.00	0.00
4.67	0	9.00	5.00	13.13	0.00	0.00
1.00	0	13.00	6.00	9.71	0.00	0.00
3.00	0	8.00	2.00	12.33	-3.72	-3.26
0.00	0	267.00	6.00	5.99	0.00	0.00
9.00	0	99.00	14.00	5.30	0.00	0.00
3.20	0	45.00	4.00	5.45	-1.38	-1.84
12.83	0	292.00	15.00	5.61	-0.61	-1.37
4.33	0	641.00	14.00	5.09	0.00	0.00
4.25	0	444.00	18.00	6.16	0.00	0.00
9.00	0	646.00	29.00	5.43	-0.65	-1.40
9.13	0.71	154.00	40.00	5.59	-1.10	-1.67
7.33	0	552.00	7.00	5.64	-0.82	-1.50
11.44	0	220.00	17.00	4.80	-0.53	-1.32
1.67	0	295.00	10.00	5.29	1.13	-0.32
7.00	0	318.00	25.00	5.71	0.00	0.00
0.00	0	101.00	20.00	4.00	0.00	0.00
0.00	0	98.00	20.00	3.00	0.00	0.00
1.00	0	32.00	19.00	6.00	0.00	0.00
0.00	0	103.00	41.00	29.00	0.00	0.00
0.00	0	191.00	34.00	8.33	0.00	0.00
5.33	0	340.00	41.00	3.00	0.00	0.00
5.00	5.77	131.00	47.00	3.00	2.17	0.32
5.00	2.89	223.00	63.00	12.17	-0.02	-1.01
0.00	0	193.00	47.00	16.75	0.00	0.00
1.00	0	148.00	50.00	4.00	0.00	0.00
0.00	0	156.00	54.00	1.00	0.00	0.00
0.00	0	196.00	51.00	2.00	0.00	0.00
0.00	0	7.00	1.00	0.00	0.00	0.00
0.00	0	2.00	1.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	2.00	0.00	0.00	0.00
0.00	0	21.00	0.00	0.00	0.00	0.00
0.00	0	7.00	1.00	0.00	0.00	0.00
0.00	0	35.00	1.00	0.00	0.00	0.00
4.00	0	1.00	1.00	0.00	0.00	0.00
0.00	0	27.00	1.00	0.00	0.00	0.00
0.00	0	0.00	1.00	0.00	0.00	0.00
0.00	0	6.00	0.00	0.00	0.00	0.00
0.00	0	7.00	2.00	0.00	0.00	0.00
10.00	3.54	454.00	92.00	2.75	-0.08	-1.05
0.00	2.52	434.00	104.00	18.50	-0.31	-1.19
0.00	0	490.00	97.00	6.00	-0.63	-1.39
0.00	4.08	601.00	96.00	26.00	-0.22	-1.13

0.00	2.65	557.00	114.00	12.75	0.36	-0.78
0.00	0	898.00	122.00	9.67	0.00	0.00
9.00	0	676.00	145.00	19.67	0.00	0.00
0.00	0	742.00	137.00	9.40	-0.59	-1.36
0.00	0	627.00	137.00	9.00	-0.71	-1.43
0.00	0	543.00	130.00	24.00	-0.45	-1.27
0.00	0	457.00	112.00	12.50	0.00	0.00
0.00	0	480.00	93.00	7.10	-0.15	-1.09
0.00	0	731.00	122.00	16.00	0.00	0.00
0.00	0	721.00	136.00	9.00	0.00	0.00
0.00	0	654.00	120.00	6.00	0.00	0.00
0.00	4.16	797.00	122.00	2.50	0.91	-0.45
0.00	2.78	815.00	142.00	16.17	-0.05	-1.03
0.00	0	1196.00	160.00	21.00	-0.50	-1.30
7.50	6.06	1000.00	194.00	2.00	1.83	0.11
1.00	9.97	923.00	184.00	7.20	1.59	-0.03
0.00	3.24	914.00	165.00	14.46	-0.11	-1.07
0.00	5.72	672.00	162.00	11.69	1.28	-0.22
0.00	5.47	645.00	140.00	1.00	0.29	-0.82
0.00	6.81	788.00	138.00	6.33	0.58	-0.65
1.00	0	151.00	28.00	57.67	0.00	0.00
0.00	0	70.00	23.00	6.67	0.00	0.00
0.00	0	153.00	27.00	33.22	0.00	0.00
0.00	0	182.00	22.00	23.00	0.00	0.00
1.00	0	291.00	23.00	7.22	-0.47	-1.28
1.75	0	198.00	34.00	21.59	0.00	0.00
0.00	0	313.00	25.00	8.07	-0.63	-1.38
0.00	0	344.00	53.00	15.29	-0.82	-1.50
14.50	0	174.00	44.00	23.36	0.00	0.00
0.00	0	142.00	38.00	13.11	0.00	0.00
0.00	0	99.00	34.00	18.60	0.00	0.00
8.00	0	160.00	30.00	16.38	0.00	0.00
18.00	0	196.00	31.00	6.32	0.00	0.00
3.00	0	83.00	25.00	3.32	0.00	0.00
4.00	0	186.00	32.00	5.81	0.00	0.00
0.00	4.24	199.00	28.00	7.65	-0.24	-1.15
0.00	0	355.00	26.00	8.45	-0.49	-1.30
1.00	0	209.00	42.00	6.97	0.00	0.00
0.00	3.54	329.00	30.00	5.98	-0.56	-1.34
3.00	7.07	366.00	55.00	7.79	-0.31	-1.19
0.00	0	178.00	47.00	4.34	0.00	0.00
0.00	0	164.00	41.00	4.32	1.85	0.13
0.00	0	124.00	38.00	4.43	-0.14	-1.08
0.00	0	216.00	34.00	6.35	0.00	0.00
0.00	9.9	4.00	1.00	2.75	0.00	0.00
0.00	0	6.00	2.00	18.50	0.00	-1.00
0.00	3.51	6.00	1.00	6.00	0.00	0.00
0.00	6.36	58.00	1.00	26.00	-4.15	-3.53
0.00	2.65	50.00	2.00	12.75	-0.44	-1.27
0.00	0	3.00	6.00	9.67	0.00	0.00
2.00	4.36	6.00	1.00	19.67	0.61	-0.63
0.00	0	73.00	2.00	9.40	0.00	0.00

1.00	2.12	67.00	6.00	9.00	-0.85	-1.52
0.00	0	8.00	4.00	24.00	0.00	0.00
0.00	0	1.00	2.00	12.50	0.00	0.00
0.00	0	4.00	2.00	7.10	0.00	0.00
0.00	0	123.00	10.00	0.00	-0.80	-1.49
0.00	0	99.00	24.00	0.00	0.00	0.00
0.00	0	80.00	11.00	0.00	0.00	0.00
0.00	0	241.00	17.00	0.00	0.00	0.00
0.00	0	165.00	30.00	0.00	0.00	0.00
0.00	0.71	152.00	16.00	0.00	-1.55	-1.94
0.00	0	195.00	21.00	0.00	-0.24	-1.14
0.00	0	304.00	31.00	0.00	-1.00	-1.61
0.00	0	273.00	30.00	0.00	0.00	0.00
0.00	0	219.00	24.00	0.00	0.00	0.00
0.00	0	194.00	24.00	0.00	0.00	0.00
0.00	0	62.00	14.00	0.00	0.00	0.00
0.00	1.34	1.00	1.00	0.00	0.00	0.00
0.00	6.68	4.00	1.00	0.00	0.00	0.00
0.01	0	53.00	2.00	0.00	-29.44	-18.90
0.00	7	37.00	7.00	0.00	-1.21	-1.73
0.00	4.24	93.00	5.00	0.00	-1.71	-2.04
0.01	5.67	128.00	12.00	0.00	-1.14	-1.69
0.00	10.11	45.00	12.00	0.00	0.76	-0.54
0.00	2.36	134.00	6.00	0.00	-3.28	-3.00
0.00	1.53	75.00	11.00	0.00	-0.86	-1.52
0.01	4.62	105.00	11.00	0.00	-0.96	-1.58
0.00	0	68.00	8.00	0.00	-1.52	-1.92
0.00	0	37.00	3.00	0.00	-0.55	-1.34
1.00	0	731.00	122.00	0.00	0.00	0.00
1.00	6.58	721.00	136.00	0.00	1.72	0.04
1.00	0.45	654.00	120.00	0.00	-0.74	-1.45
0.98	17.21	797.00	122.00	0.00	1.60	-0.03
0.99	7.44	815.00	142.00	0.00	-0.61	-1.37
0.99	2.22	1196.00	160.00	0.00	-0.45	-1.27
1.00	0	1000.00	194.00	0.00	1.01	-0.39
0.99	4.12	923.00	184.00	0.00	1.51	-0.08
1.00	6.1	914.00	165.00	0.00	0.85	-0.49
1.00	3.09	672.00	162.00	0.00	2.00	0.21
1.00	1.66	645.00	140.00	0.00	-1.88	-2.14
0.99	13.4	788.00	138.00	0.00	0.66	-0.60
1.00	0	4.00	1.00	0.00	0.00	0.00
1.00	0	6.00	2.00	0.00	0.00	0.00
1.00	0	6.00	1.00	0.00	0.00	0.00
1.00	0	58.00	1.00	0.00	0.00	0.00
1.00	0	50.00	2.00	0.00	0.00	0.00
0.99	5.13	3.00	6.00	0.00	0.00	0.00
0.99	0	6.00	1.00	0.00	0.66	-0.60
0.99	0	73.00	2.00	0.00	-0.77	-1.47
1.00	0	67.00	6.00	0.00	0.00	0.00
1.00	0	8.00	4.00	0.00	0.00	0.00
1.00	0	1.00	2.00	0.00	0.00	0.00
1.00	0	4.00	2.00	0.00	0.00	0.00

0.00		0.00	0.00	7.65	0.00	0.00
0.00	0	0.00	0.00	7.56	0.00	0.00
0.00	0	0.00	0.00	7.09	0.00	0.00
0.00	0	0.00	0.00	7.59	0.00	0.00
0.00	0	0.00	0.00	7.17	0.00	0.00
0.00	0	0.00	0.00	7.13	0.00	0.00
0.00	0	0.00	0.00	7.16	0.00	0.00
0.00	0	0.00	0.00	6.90	0.00	0.00
0.00	0	0.00	0.00	7.36	0.00	0.00
0.00	0	0.00	0.00	8.04	0.00	0.00
0.00	0	0.00	0.00	7.29	0.00	0.00
0.00	0	0.00	0.00	7.14	0.00	0.00
0.16	0	11.00	4.00	0.02	1.11	-0.33
0.17	0	37.00	2.00	0.02	0.00	0.00
0.15	0	12.00	2.00	0.02	0.00	0.00
0.08	0	52.00	4.00	0.02	0.00	0.00
0.07	0	51.00	2.00	0.02	0.00	0.00
0.07	0	29.00	4.00	0.02	0.00	0.00
0.08	7.07	118.00	3.00	0.02	-0.51	-1.31
0.06	0	47.00	6.00	0.02	0.00	0.00
0.04	0	18.00	5.00	0.02	0.00	0.00
0.02	0	72.00	2.00	0.03	0.00	0.00
0.02	0	50.00	3.00	0.02	0.00	0.00
0.02	0	71.00	10.00	0.02	0.00	0.00
1.00	0	16.00	1.00	0.00	0.00	0.00
1.00	0	36.00	4.00	0.00	0.00	0.00
1.00	0	24.00	4.00	0.00	0.00	0.00
1.00	0	5.00	1.00	0.00	0.00	0.00
1.00	0	97.00	2.00	0.00	0.00	0.00
1.00	0	21.00	6.00	0.00	0.00	0.00
1.00	6.24	8.00	1.00	0.00	1.26	-0.23
0.50	0	72.00	4.00	0.00	-1.94	-2.18
1.00	0	347.00	10.00	0.00	0.00	0.00
1.00	0	304.00	24.00	0.00	0.00	0.00
1.00	0	1.00	26.00	0.00	0.00	0.00
0.00	0	19.00	3.00	0.00	0.00	0.00
23:42	0	173.00	3.00	0:00	-0.85	-1.51
23:55	0	20.00	3.00	0:00	0.00	0.00
23:57	0	299.00	9.00	0:00	0.00	0.00
0:00	0	23.00	5.00	0:00	0.00	0.00
23:56	0	65.00	1.00	0:00	-0.74	-1.45
0:00	1.5	367.00	9.00	0:00	-2.22	-2.35
23:53	0	113.00	17.00	0:00	0.00	0.00
0:00	0	107.00	14.00	0:00	0.00	0.00
23:55	9.11	257.00	7.00	0:00	-0.41	-1.25
23:45	0	236.00	11.00	0:00	0.00	0.00
23:36	0	93.00	18.00	0:00	0.00	0.00
23:57	0	131.00	8.00	0:00	-0.39	-1.24
0:00	0	196.00	31.00	0:00	1.60	-0.03
0:00	0	83.00	25.00	0:00	-0.11	-1.07
0:00	0	186.00	32.00	0:00	-0.24	-1.14
0:00	0	199.00	28.00	0:00	0.00	0.00

0:00	0	355.00	26.00	0:00	0.00	0.00
0:00	0	209.00	42.00	0:00	-0.95	-1.58
0:00	0	329.00	30.00	0:00	0.00	0.00
0:00	0	366.00	55.00	0:00	-0.59	-1.36
0:00	0	178.00	47.00	0:00	0.00	0.00
0:00	0	164.00	41.00	0:00	0.00	0.00
23:32	0	124.00	38.00	0:00	0.00	0.00
0:00	0	216.00	34.00	0:00	0.00	0.00
0.00%	0	11.00	4.00	0.00%	0.00	0.00
0.00%	0	37.00	2.00	0.00%	0.00	0.00
0.00%	0	12.00	2.00	0.00%	0.00	0.00
0.00%	0	52.00	4.00	0.00%	0.00	0.00
99.62%	0	51.00	2.00	0.00%	0.00	0.00
100.00%	0	29.00	4.00	0.00%	0.00	0.00
100.00%	0	118.00	3.00	0.00%	-0.64	-1.39
100.00%	0	47.00	6.00	0.00%	0.00	0.00
99.62%	0	18.00	5.00	0.00%	-1.54	-1.94
99.62%	0	72.00	2.00	0.00%	0.00	0.00
99.24%	0	50.00	3.00	0.00%	0.00	0.00
100.00%	0	71.00	10.00	0.00%	0.00	0.00
96.67%	2.7	0.00	0.00	0.00%	0.00	0.00
99.63%	4.09	0.00	0.00	0.00%	0.00	0.00
100.00%	2.68	0.00	0.00	0.00%	0.00	0.00
100.00%	2.25	0.00	0.00	0.00%	0.00	0.00
100.00%	2.44	0.00	0.00	0.00%	0.00	0.00
100.00%	4.7	0.00	0.00	0.00%	0.00	0.00
100.00%	2.49	0.00	0.00	0.00%	0.00	0.00
100.00%	7.09	0.00	0.00	0.00%	0.00	0.00
99.63%	2.42	0.00	0.00	0.00%	0.00	0.00
98.14%	2.24	0.00	0.00	0.00%	0.00	0.00
97.40%	2.88	0.00	0.00	0.00%	0.00	0.00
99.63%	2.26	0.00	0.00	0.00%	0.00	0.00
00:00	6.45	0.00	0.00	00:00	0.00	0.00
00:00	2.09	0.00	0.00	00:00	0.00	0.00
33:48	14.14	0.00	0.00	00:00	0.00	0.00
00:00	1.81	0.00	0.00	00:00	0.00	0.00
00:00	1.64	0.00	0.00	00:00	0.00	0.00
00:00	12.8	0.00	0.00	00:00	0.00	0.00
08:36	7.91	0.00	0.00	00:00	0.00	0.00
00:00	11.84	0.00	0.00	00:00	0.00	0.00
00:00	6.34	0.00	0.00	00:00	0.00	0.00
00:00	29.54	0.00	0.00	00:00	0.00	0.00
00:00	3.77	0.00	0.00	00:00	0.00	0.00
52:05	4.59	0.00	0.00	00:00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0.13	0.00	0.00	0.00	0.00	0.00
0.00	0.08	0.00	0.00	0.00	0.00	0.00
0.97	0.08	0.00	0.00	0.00	0.00	0.00
0.00	0.05	0.00	0.00	0.00	0.00	0.00
0.00	0.08	0.00	0.00	0.00	0.00	0.00

0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0.05	0.00	0.00	0.00	0.00	0.00
0.99	0.09	0.00	0.00	0.00	0.00	0.00
189.00%	0.03	0.00	0.00	0.00%	0.00	0.00
193.00%	0.07	0.00	0.00	0.00%	0.00	0.00
194.00%	0.05	0.00	0.00	0.00%	0.00	0.00
186.00%	0.07	0.00	0.00	0.00%	0.00	0.00
184.00%	0.04	0.00	0.00	0.00%	0.00	0.00
178.00%	0.08	0.00	0.00	0.00%	0.00	0.00
190.00%	0.09	0.00	0.00	0.00%	0.00	0.00
193.00%	0.08	0.00	0.00	0.00%	0.00	0.00
204.00%	0.06	0.00	0.00	0.00%	0.00	0.00
194.00%	0.04	0.00	0.00	0.00%	0.00	0.00
189.00%	0.06	0.00	0.00	0.00%	0.00	0.00
154.00%	0.05	0.00	0.00	0.00%	0.00	0.00
10.00%	0	7.65	1.00	0.00%	0.00	0.00
10.00%	0	7.56	1.00	0.00%	0.00	0.00
10.00%	0	7.09	1.00	0.00%	0.00	0.00
10.00%	0	7.59	1.00	0.00%	0.00	0.00
10.00%	0	7.17	1.00	0.00%	0.00	0.00
24.00%	0	7.13	1.00	0.00%	0.00	0.00
60.00%	0	7.16	1.00	0.00%	0.00	0.00
61.00%	0	6.90	1.00	0.00%	0.00	0.00
61.00%	0	7.36	1.00	0.00%	0.00	0.00
61.00%	0	8.04	1.00	0.00%	0.00	0.00
62.00%	0	7.29	1.00	0.00%	0.00	0.00
39.00%	0	7.14	1.00	0.00%	0.00	0.00
179.00%	0.41	838.00	50015.00	0.00%	63.30	37.49
183.00%	0.4	803.00	44029.00	0.00%	55.57	32.78
184.00%	0.38	775.00	46011.00	0.00%	49.50	29.09
176.00%	0.29	980.00	50306.00	0.00%	29.91	17.18
174.00%	0.29	1208.00	50146.00	0.00%	23.80	13.47
154.00%	0.26	985.00	51352.00	0.00%	31.46	18.12
130.00%	0.3	1037.00	55810.00	0.00%	36.59	21.25
132.00%	0.24	978.00	60424.00	0.00%	26.64	15.19
143.00%	0.2	1263.00	59847.00	0.00%	10.17	5.18
133.00%	0.16	1653.00	59861.00	0.00%	-2.92	-2.77
127.00%	0.15	1071.00	58488.00	0.00%	-1.09	-1.66
115.00%	0.15	1114.00	54688.00	0.00%	1.79	0.09
425.00%	0	0.00	0.00	0.00%	0.00	0.00
424.00%	0	0.00	0.00	0.00%	0.00	0.00
434.00%	0	0.00	0.00	0.00%	0.00	0.00
426.00%	0	0.00	0.00	0.00%	0.00	0.00
420.00%	0	0.00	0.00	0.00%	0.00	0.00
599.00%	0	0.00	0.00	0.00%	0.00	0.00
1180.00%	0	0.00	0.00	0.00%	0.00	0.00
1203.00%	0	0.00	0.00	0.00%	0.00	0.00
1211.00%	0	0.00	0.00	0.00%	0.00	0.00
1187.00%	0	0.00	0.00	0.00%	0.00	0.00
1216.00%	0	0.00	0.00	0.00%	0.00	0.00
764.00%	0	0.00	0.00	0.00%	0.00	0.00

10.00%	0	0.00	0.00	0.00%	0.00	0.00
10.00%	0	0.00	0.00	0.00%	0.00	0.00
10.00%	0	0.00	0.00	0.00%	0.00	0.00
10.00%	0	0.00	0.00	0.00%	0.00	0.00
10.00%	0	0.00	0.00	0.00%	0.00	0.00
25.00%	0	0.00	0.00	0.00%	0.00	0.00
124.00%	0	0.00	0.00	0.00%	0.00	0.00
145.00%	0	0.00	0.00	0.00%	0.00	0.00
120.00%	0	0.00	0.00	0.00%	0.00	0.00
130.00%	0	0.00	0.00	0.00%	0.00	0.00
156.00%	0.13	0.00	0.00	0.00%	0.00	0.00
56.00%	0.05	0.00	0.00	0.00%	0.00	0.00
415.00%	0	0.00	0.00	0.00%	0.00	0.00
413.00%	0	0.00	0.00	0.00%	0.00	0.00
423.00%	0	0.00	0.00	0.00%	0.00	0.00
415.00%	0	0.00	0.00	0.00%	0.00	0.00
410.00%	0	0.00	0.00	0.00%	0.00	0.00
574.00%	0	0.00	0.00	0.00%	0.00	0.00
1056.00%	0	0.00	0.00	0.00%	0.00	0.00
1058.00%	0	0.00	0.00	0.00%	0.00	0.00
1091.00%	0	0.00	0.00	0.00%	0.00	0.00
1057.00%	0	0.00	0.00	0.00%	0.00	0.00
1060.00%	0.14	0.00	0.00	0.00%	0.00	0.00
708.00%	0	0.00	0.00	0.00%	0.00	0.00
391.00%	0	0.00	0.00	0.00%	0.00	0.00
395.00%	0	0.00	0.00	0.00%	0.00	0.00
397.00%	0	0.00	0.00	0.00%	0.00	0.00
393.00%	0	0.00	0.00	0.00%	0.00	0.00
370.00%	0	0.00	0.00	0.00%	0.00	0.00
385.00%	0	0.00	0.00	0.00%	0.00	0.00
446.00%	0	0.00	0.00	0.00%	0.00	0.00
460.00%	0	0.00	0.00	0.00%	0.00	0.00
433.00%	0	0.00	0.00	0.00%	0.00	0.00
507.00%	0	0.00	0.00	0.00%	0.00	0.00
599.00%	0.09	0.00	0.00	0.00%	0.00	0.00
807.00%	0	0.00	0.00	0.00%	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
4:19	0	0.00	0.00	0:00	0.00	0.00
7:26	0	0.00	0.00	0:00	0.00	0.00
7:26	0	0.00	0.00	0:00	0.00	0.00
7:12	0	0.00	0.00	0:00	0.00	0.00
7:40	0	0.00	0.00	0:00	0.00	0.00
7:26	0.16	0.00	0.00	0:00	0.00	0.00
7:26	0.06	0.00	0.00	0:00	0.00	0.00
19:26	0	0.00	0.00	0:00	0.00	0.00
20:09	0	0.00	0.00	0:00	0.00	0.00
20:38	0	0.00	0.00	0:00	0.00	0.00
19:40	0	0.00	0.00	0:00	0.00	0.00

14:24	0	0.00	0.00	0:00	0.00	0.00
15:50	0	0.00	0.00	0:00	0.00	0.00
3:36	0	0.00	0.00	0:00	0.00	0.00
6:57	0	0.00	0.00	0:00	0.00	0.00
0:43	0	0.00	0.00	0:00	0.00	0.00
18:00	0	0.00	0.00	0:00	0.00	0.00
16:19	0	0.00	0.00	0:00	0.00	0.00
18:14	0.07	0.00	0.00	0:00	0.00	0.00
8:09	0	0.00	0.00	0:00	0.00	0.00
9:21	0	0.00	0.00	0:00	0.00	0.00
15:36	0	0.00	0.00	0:00	0.00	0.00
15:07	0	0.00	0.00	0:00	0.00	0.00
17:02	0	0.00	0.00	0:00	0.00	0.00
5:02	0	0.00	0.00	0:00	0.00	0.00
11:16	0	0.00	0.00	0:00	0.00	0.00
1:55	0	0.00	0.00	0:00	0.00	0.00
18:43	0	0.00	0.00	0:00	0.00	0.00
3:07	0	0.00	0.00	0:00	0.00	0.00
12:28	0	0.00	0.00	0:00	0.00	0.00
13:26	0.1	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
7:40	0	0.00	0.00	0:00	0.00	0.00
19:55	0	0.00	0.00	0:00	0.00	0.00
20:52	0	0.00	0.00	0:00	0.00	0.00
16:33	0	0.00	0.00	0:00	0.00	0.00
21:50	0	0.00	0.00	0:00	0.00	0.00
20:09	0	0.00	0.00	0:00	0.00	0.00
10:19	0	0.00	0.00	0:00	0.00	0.00
5:45	0.01	0.00	0.00	0:00	0.00	0.00
6:57	0.01	0.00	0.00	0:00	0.00	0.00
13:12	0.01	0.00	0.00	0:00	0.00	0.00
12:43	0.01	0.00	0.00	0:00	0.00	0.00
14:38	0.01	0.00	0.00	0:00	0.00	0.00
21:21	0.88	0.00	0.00	0:00	0.00	0.00
15:21	1.75	0.00	0.00	0:00	0.00	0.00
5:02	1.93	0.00	0.00	0:00	0.00	0.00
2:09	1.96	0.00	0.00	0:00	0.00	0.00
5:16	1.81	0.00	0.00	0:00	0.00	0.00
16:19	1.88	0.00	0.00	0:00	0.00	0.00
3:07	0.99	0.00	0.00	0:00	0.00	0.00
14:52	0.42	0.00	0.00	0:00	0.00	0.00
13:55	0.53	0.00	0.00	0:00	0.00	0.00
13:12	1.08	0.00	0.00	0:00	0.00	0.00
13:55	0.5	0.00	0.00	0:00	0.00	0.00
14:24	0.38	0.00	0.00	0:00	0.00	0.00
18:00	0.56	0.00	0.00	0:00	0.00	0.00
8:09	0.7	0.00	0.00	0:00	0.00	0.00
5:02	0.77	0.00	0.00	0:00	0.00	0.00

4:48	0.83	0.00	0.00	0:00	0.00	0.00
11:45	0.72	0.00	0.00	0:00	0.00	0.00
10:48	0.63	0.00	0.00	0:00	0.00	0.00
14:09	0.74	0.00	0.00	0:00	0.00	0.00
7:12	0	0.00	0.00	0:00	0.00	0.00
7:12	0	0.00	0.00	0:00	0.00	0.00
7:12	0	0.00	0.00	0:00	0.00	0.00
7:12	0	0.00	0.00	0:00	0.00	0.00
6:57	0	0.00	0.00	0:00	0.00	0.00
10:48	0	0.00	0.00	0:00	0.00	0.00
19:40	0	0.00	0.00	0:00	0.00	0.00
19:40	0	0.00	0.00	0:00	0.00	0.00
20:24	0	0.00	0.00	0:00	0.00	0.00
19:55	0	0.00	0.00	0:00	0.00	0.00
19:26	0	0.00	0.00	0:00	0.00	0.00
18:14	0	0.00	0.00	0:00	0.00	0.00
7:40	0	0.00	0.00	0:00	0.00	0.00
6:43	0	0.00	0.00	0:00	0.00	0.00
6:00	0	0.00	0.00	0:00	0.00	0.00
6:43	0.01	0.00	0.00	0:00	0.00	0.00
7:26	0	0.00	0.00	0:00	0.00	0.00
6:57	1	0.00	0.00	0:00	0.00	0.00
12:28	3.09	0.00	0.00	0:00	0.00	0.00
9:07	3.54	0.00	0.00	0:00	0.00	0.00
8:38	3.2	0.00	0.00	0:00	0.00	0.00
16:04	3.09	0.00	0.00	0:00	0.00	0.00
15:21	3.48	0.00	0.00	0:00	0.00	0.00
19:55	1.85	0.00	0.00	0:00	0.00	0.00
5:45	0.43	0.00	0.00	0:00	0.00	0.00
6:43	0.43	0.00	0.00	0:00	0.00	0.00
6:57	1.39	0.00	0.00	0:00	0.00	0.00
12:00	0.61	0.00	0.00	0:00	0.00	0.00
13:40	0.6	0.00	0.00	0:00	0.00	0.00
22:19	2.95	0.00	0.00	0:00	0.00	0.00
0:43	0.1	0.00	0.00	0:00	0.00	0.00
7:40	0.68	0.00	0.00	0:00	0.00	0.00
3:36	2.53	0.00	0.00	0:00	0.00	0.00
5:16	0.49	0.00	0.00	0:00	0.00	0.00
2:38	0.5	0.00	0.00	0:00	0.00	0.00
11:31	3.1	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
2:24	0	0.00	0.00	0:00	0.00	0.00
6:00	0	0.00	0.00	0:00	0.00	0.00
12:43	0	0.00	0.00	0:00	0.00	0.00
16:04	0	0.00	0.00	0:00	0.00	0.00
12:57	0	0.00	0.00	0:00	0.00	0.00
16:19	0	0.00	0.00	0:00	0.00	0.00
12:43	0	0.00	0.00	0:00	0.00	0.00
9:07	0	0.00	0.00	0:00	0.00	0.00

3:21	0.01	0.00	0.00	0:00	0.00	0.00
4:19	0	0.00	0.00	0:00	0.00	0.00
4:33	0	0.00	0.00	0:00	0.00	0.00
9:36	0.01	0.00	0.00	0:00	0.00	0.00
11:16	0	0.00	0.00	0:00	0.00	0.00
16:04	0.11	0.00	0.00	0:00	0.00	0.00
12:00	0.29	0.00	0.00	0:00	0.00	0.00
15:21	0.24	0.00	0.00	0:00	0.00	0.00
14:38	0.07	0.00	0.00	0:00	0.00	0.00
13:12	0.31	0.00	0.00	0:00	0.00	0.00
13:55	0.18	0.00	0.00	0:00	0.00	0.00
2:38	0.13	0.00	0.00	0:00	0.00	0.00
2:52	5.42	0.00	0.00	0:00	0.00	0.00
23:16	5.41	0.00	0.00	0:00	0.00	0.00
21:21	4.65	0.00	0.00	0:00	0.00	0.00
19:40	4.36	0.00	0.00	0:00	0.00	0.00
22:33	4.36	0.00	0.00	0:00	0.00	0.00
18:00	4.29	0.00	0.00	0:00	0.00	0.00
19:26	4.63	0.00	0.00	0:00	0.00	0.00
17:02	4.53	0.00	0.00	0:00	0.00	0.00
10:19	4.22	0.00	0.00	0:00	0.00	0.00
6:00	4.25	0.00	0.00	0:00	0.00	0.00
13:40	5.98	0.00	0.00	0:00	0.00	0.00
20:52	7.88	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
7:40	0	0.00	0.00	0:00	0.00	0.00
21:50	0	0.00	0.00	0:00	0.00	0.00
21:36	0	0.00	0.00	0:00	0.00	0.00
19:12	0	0.00	0.00	0:00	0.00	0.00
20:38	0	0.00	0.00	0:00	0.00	0.00
19:12	0	0.00	0.00	0:00	0.00	0.00
10:48	0	0.00	0.00	0:00	0.00	0.00
7:40	0.01	0.00	0.00	0:00	0.00	0.00
4:19	0	0.00	0.00	0:00	0.00	0.00
2:24	0.01	0.00	0.00	0:00	0.00	0.00
0:57	0.01	0.00	0.00	0:00	0.00	0.00
3:36	0.01	0.00	0.00	0:00	0.00	0.00
8:38	1.29	0.00	0.00	0:00	0.00	0.00
20:24	2.42	0.00	0.00	0:00	0.00	0.00
18:28	2.52	0.00	0.00	0:00	0.00	0.00
14:09	2.31	0.00	0.00	0:00	0.00	0.00
7:55	2.49	0.00	0.00	0:00	0.00	0.00
17:16	2.52	0.00	0.00	0:00	0.00	0.00
21:50	1.45	0.00	0.00	0:00	0.00	0.00
16:33	2.43	0.00	0.00	0:00	0.00	0.00
16:19	2.31	0.00	0.00	0:00	0.00	0.00
16:19	2.42	0.00	0.00	0:00	0.00	0.00
16:04	2.82	0.00	0.00	0:00	0.00	0.00

16:04	2.69	0.00	0.00	0:00	0.00	0.00
1:40	3.34	0.00	0.00	0:00	0.00	0.00
1:12	2.33	0.00	0.00	0:00	0.00	0.00
1:12	4.19	0.00	0.00	0:00	0.00	0.00
1:12	4.52	0.00	0.00	0:00	0.00	0.00
1:26	3.23	0.00	0.00	0:00	0.00	0.00
1:12	4.51	0.00	0.00	0:00	0.00	0.00
12:14	5.15	0.00	0.00	0:00	0.00	0.00
6:28	0	0.00	0.00	0:00	0.00	0.00
20:09	0	0.00	0.00	0:00	0.00	0.00
22:48	0	0.00	0.00	0:00	0.00	0.00
16:19	0	0.00	0.00	0:00	0.00	0.00
18:28	0	0.00	0.00	0:00	0.00	0.00
4:04	0	0.00	0.00	0:00	0.00	0.00
1:12	0	0.00	0.00	0:00	0.00	0.00
2:09	0	0.00	0.00	0:00	0.00	0.00
16:19	0	0.00	0.00	0:00	0.00	0.00
16:33	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
21:07	0	0.00	0.00	0:00	0.00	0.00
4:19	0.35	0.00	0.00	0:00	0.00	0.00
4:19	0.35	0.00	0.00	0:00	0.00	0.00
4:33	0.36	0.00	0.00	0:00	0.00	0.00
4:19	0.36	0.00	0.00	0:00	0.00	0.00
4:33	0.33	0.00	0.00	0:00	0.00	0.00
10:33	1.67	0.00	0.00	0:00	0.00	0.00
23:02	2.78	0.00	0.00	0:00	0.00	0.00
22:04	2.94	0.00	0.00	0:00	0.00	0.00
20:52	2.98	0.00	0.00	0:00	0.00	0.00
21:21	2.76	0.00	0.00	0:00	0.00	0.00
21:36	2.85	0.00	0.00	0:00	0.00	0.00
18:00	1.55	0.00	0.00	0:00	0.00	0.00
2:09	1.65	0.00	0.00	0:00	0.00	0.00
15:50	1.29	0.00	0.00	0:00	0.00	0.00
18:14	1.43	0.00	0.00	0:00	0.00	0.00
12:00	1.32	0.00	0.00	0:00	0.00	0.00
13:55	1.41	0.00	0.00	0:00	0.00	0.00
17:31	2.64	0.00	0.00	0:00	0.00	0.00
1:55	3.41	0.00	0.00	0:00	0.00	0.00
4:04	3.38	0.00	0.00	0:00	0.00	0.00
19:26	3.53	0.00	0.00	0:00	0.00	0.00
18:57	3.79	0.00	0.00	0:00	0.00	0.00
2:38	3.64	0.00	0.00	0:00	0.00	0.00
3:07	2.8	0.00	0.00	0:00	0.00	0.00
19:55	0	0.00	0.00	0:00	0.00	0.00
13:40	0	0.00	0.00	0:00	0.00	0.00
14:38	0	0.00	0.00	0:00	0.00	0.00
5:31	0	0.00	0.00	0:00	0.00	0.00
5:45	0	0.00	0.00	0:00	0.00	0.00
10:48	0	0.00	0.00	0:00	0.00	0.00
17:45	0	0.00	0.00	0:00	0.00	0.00
10:04	0	0.00	0.00	0:00	0.00	0.00

11:31	0	0.00	0.00	0:00	0.00	0.00
18:00	0	0.00	0.00	0:00	0.00	0.00
11:02	0	0.00	0.00	0:00	0.00	0.00
23:45	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
2:38	0.01	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
8:24	0.95	0.00	0.00	0:00	0.00	0.00
7:40	1.67	0.00	0.00	0:00	0.00	0.00
7:26	2.01	0.00	0.00	0:00	0.00	0.00
3:07	1.81	0.00	0.00	0:00	0.00	0.00
8:52	1.82	0.00	0.00	0:00	0.00	0.00
7:26	1.46	0.00	0.00	0:00	0.00	0.00
12:00	1.08	0.00	0.00	0:00	0.00	0.00
17:16	2.03	0.00	0.00	0:00	0.00	0.00
11:02	1.94	0.00	0.00	0:00	0.00	0.00
12:00	1.47	0.00	0.00	0:00	0.00	0.00
2:52	2.53	0.00	0.00	0:00	0.00	0.00
3:07	2.14	0.00	0.00	0:00	0.00	0.00
2:24	4.17	0.00	0.00	0:00	0.00	0.00
10:04	1.64	0.00	0.00	0:00	0.00	0.00
2:38	1.64	0.00	0.00	0:00	0.00	0.00
8:24	1.04	0.00	0.00	0:00	0.00	0.00
9:07	1.97	0.00	0.00	0:00	0.00	0.00
3:36	2.31	0.00	0.00	0:00	0.00	0.00
11:45	3.14	0.00	0.00	0:00	0.00	0.00
1:40	0	0.00	0.00	0:00	0.00	0.00
11:16	0	0.00	0.00	0:00	0.00	0.00
20:09	0	0.00	0.00	0:00	0.00	0.00
4:04	0	0.00	0.00	0:00	0.00	0.00
7:26	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
14:38	0	0.00	0.00	0:00	0.00	0.00
10:04	0	0.00	0.00	0:00	0.00	0.00
3:50	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
11:31	0	0.00	0.00	0:00	0.00	0.00
4:04	0	0.00	0.00	0:00	0.00	0.00
2:24	0.01	0.00	0.00	0:00	0.00	0.00
2:24	0.01	0.00	0.00	0:00	0.00	0.00
2:24	0.01	0.00	0.00	0:00	0.00	0.00
2:24	0.01	0.00	0.00	0:00	0.00	0.00
2:24	0.01	0.00	0.00	0:00	0.00	0.00
4:19	1.3	0.00	0.00	0:00	0.00	0.00
7:12	2.5	0.00	0.00	0:00	0.00	0.00
7:12	2.58	0.00	0.00	0:00	0.00	0.00
7:12	2.43	0.00	0.00	0:00	0.00	0.00
7:12	2.34	0.00	0.00	0:00	0.00	0.00
7:12	2.27	0.00	0.00	0:00	0.00	0.00
7:12	1.32	0.00	0.00	0:00	0.00	0.00

23:16	2.17	0.00	0.00	0:00	0.00	0.00
8:38	0.69	0.00	0.00	0:00	0.00	0.00
17:31	0.73	0.00	0.00	0:00	0.00	0.00
1:26	0.81	0.00	0.00	0:00	0.00	0.00
5:02	1.01	0.00	0.00	0:00	0.00	0.00
22:19	3.77	0.00	0.00	0:00	0.00	0.00
7:26	5.25	0.00	0.00	0:00	0.00	0.00
2:52	2.1	0.00	0.00	0:00	0.00	0.00
20:38	4.35	0.00	0.00	0:00	0.00	0.00
19:26	5.24	0.00	0.00	0:00	0.00	0.00
4:04	5.16	0.00	0.00	0:00	0.00	0.00
20:52	3.07	0.00	0.00	0:00	0.00	0.00
8:09	0.23	0.00	0.00	0:00	0.00	0.00
5:31	0.25	0.00	0.00	0:00	0.00	0.00
21:50	0.15	0.00	0.00	0:00	0.00	0.00
4:33	0.12	0.00	0.00	0:00	0.00	0.00
3:07	0.16	0.00	0.00	0:00	0.00	0.00
0:14	0.97	0.00	0.00	0:00	0.00	0.00
0:57	0.18	0.00	0.00	0:00	0.00	0.00
16:04	0.22	0.00	0.00	0:00	0.00	0.00
19:55	0.2	0.00	0.00	0:00	0.00	0.00
15:21	0.2	0.00	0.00	0:00	0.00	0.00
12:43	0.23	0.00	0.00	0:00	0.00	0.00
13:55	0.47	0.00	0.00	0:00	0.00	0.00
21:21	0	0.00	0.00	0:00	0.00	0.00
19:40	0	0.00	0.00	0:00	0.00	0.00
13:40	0	0.00	0.00	0:00	0.00	0.00
15:50	0	0.00	0.00	0:00	0.00	0.00
16:33	0	0.00	0.00	0:00	0.00	0.00
0:43	0	0.00	0.00	0:00	0.00	0.00
6:28	0	0.00	0.00	0:00	0.00	0.00
1:55	0	0.00	0.00	0:00	0.00	0.00
15:50	0	0.00	0.00	0:00	0.00	0.00
3:21	0	0.00	0.00	0:00	0.00	0.00
5:45	0	0.00	0.00	0:00	0.00	0.00
1:40	0	0.00	0.00	0:00	0.00	0.00
0:43	0.05	0.00	0.00	0:00	0.00	0.00
0:43	0.05	0.00	0.00	0:00	0.00	0.00
1:26	0.05	0.00	0.00	0:00	0.00	0.00
0:57	0.05	0.00	0.00	0:00	0.00	0.00
1:26	0.05	0.00	0.00	0:00	0.00	0.00
5:45	0.9	0.00	0.00	0:00	0.00	0.00
15:21	1.58	0.00	0.00	0:00	0.00	0.00
8:09	1.5	0.00	0.00	0:00	0.00	0.00
0:14	1.29	0.00	0.00	0:00	0.00	0.00
13:55	1.3	0.00	0.00	0:00	0.00	0.00
9:21	1.32	0.00	0.00	0:00	0.00	0.00
22:33	0.76	0.00	0.00	0:00	0.00	0.00
4:33	6.5	0.00	0.00	0:00	0.00	0.00
10:19	7.04	0.00	0.00	0:00	0.00	0.00
6:28	7.22	0.00	0.00	0:00	0.00	0.00
13:12	7.79	0.00	0.00	0:00	0.00	0.00

14:24	7.35	0.00	0.00	0:00	0.00	0.00
13:26	7.8	0.00	0.00	0:00	0.00	0.00
22:33	8.28	0.00	0.00	0:00	0.00	0.00
4:48	7.95	0.00	0.00	0:00	0.00	0.00
4:04	7.73	0.00	0.00	0:00	0.00	0.00
6:00	8.8	0.00	0.00	0:00	0.00	0.00
3:07	9.37	0.00	0.00	0:00	0.00	0.00
10:19	9.34	0.00	0.00	0:00	0.00	0.00
23:45	0	0.00	0.00	0:00	0.00	0.00
1:12	0	0.00	0.00	0:00	0.00	0.00
0:28	0	0.00	0.00	0:00	0.00	0.00
9:50	0	0.00	0.00	0:00	0.00	0.00
5:16	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
23:45	0	0.00	0.00	0:00	0.00	0.00
22:19	0	0.00	0.00	0:00	0.00	0.00
20:09	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
1:26	0	0.00	0.00	0:00	0.00	0.00
18:43	0	0.00	0.00	0:00	0.00	0.00
11:16	0.01	0.00	0.00	0:00	0.00	0.00
15:50	0.01	0.00	0.00	0:00	0.00	0.00
12:43	0.01	0.00	0.00	0:00	0.00	0.00
15:07	0.01	0.00	0.00	0:00	0.00	0.00
14:52	0.01	0.00	0.00	0:00	0.00	0.00
4:19	1.45	0.00	0.00	0:00	0.00	0.00
19:55	3.11	0.00	0.00	0:00	0.00	0.00
9:07	3.26	0.00	0.00	0:00	0.00	0.00
9:50	3.15	0.00	0.00	0:00	0.00	0.00
10:48	3.22	0.00	0.00	0:00	0.00	0.00
17:16	3.24	0.00	0.00	0:00	0.00	0.00
6:14	1.71	0.00	0.00	0:00	0.00	0.00
13:26	13.2	0.00	0.00	0:00	0.00	0.00
8:52	7.73	0.00	0.00	0:00	0.00	0.00
6:57	14.45	0.00	0.00	0:00	0.00	0.00
13:26	8.39	0.00	0.00	0:00	0.00	0.00
9:50	10.88	0.00	0.00	0:00	0.00	0.00
21:36	12.29	0.00	0.00	0:00	0.00	0.00
22:04	18.97	0.00	0.00	0:00	0.00	0.00
11:02	15.31	0.00	0.00	0:00	0.00	0.00
17:16	12.49	0.00	0.00	0:00	0.00	0.00
18:28	11.45	0.00	0.00	0:00	0.00	0.00
19:12	13.25	0.00	0.00	0:00	0.00	0.00
22:04	11.62	0.00	0.00	0:00	0.00	0.00
11:45	0	0.00	0.00	0:00	0.00	0.00
0:57	0	0.00	0.00	0:00	0.00	0.00
21:36	0	0.00	0.00	0:00	0.00	0.00
0:28	0	0.00	0.00	0:00	0.00	0.00
0:57	0	0.00	0.00	0:00	0.00	0.00
11:02	0	0.00	0.00	0:00	0.00	0.00
5:31	0	0.00	0.00	0:00	0.00	0.00
4:19	0	0.00	0.00	0:00	0.00	0.00

5:31	0	0.00	0.00	0:00	0.00	0.00
19:40	0	0.00	0.00	0:00	0.00	0.00
2:38	0	0.00	0.00	0:00	0.00	0.00
3:50	0	0.00	0.00	0:00	0.00	0.00
8:52	0.01	0.00	0.00	0:00	0.00	0.00
23:45	0	0.00	0.00	0:00	0.00	0.00
5:31	0	0.00	0.00	0:00	0.00	0.00
22:19	0	0.00	0.00	0:00	0.00	0.00
8:09	0	0.00	0.00	0:00	0.00	0.00
23:16	0.1	0.00	0.00	0:00	0.00	0.00
22:33	0.01	0.00	0.00	0:00	0.00	0.00
8:38	0.02	0.00	0.00	0:00	0.00	0.00
2:24	0.02	0.00	0.00	0:00	0.00	0.00
1:12	0.01	0.00	0.00	0:00	0.00	0.00
11:16	0.03	0.00	0.00	0:00	0.00	0.00
12:14	0.01	0.00	0.00	0:00	0.00	0.00
2:24	4.64	0.00	0.00	0:00	0.00	0.00
13:26	5.57	0.00	0.00	0:00	0.00	0.00
0:28	7.43	0.00	0.00	0:00	0.00	0.00
5:31	4.45	0.00	0.00	0:00	0.00	0.00
13:55	5.61	0.00	0.00	0:00	0.00	0.00
6:57	5.65	0.00	0.00	0:00	0.00	0.00
12:28	5.66	0.00	0.00	0:00	0.00	0.00
4:04	4.74	0.00	0.00	0:00	0.00	0.00
3:07	5.92	0.00	0.00	0:00	0.00	0.00
10:48	5.86	0.00	0.00	0:00	0.00	0.00
9:21	5.03	0.00	0.00	0:00	0.00	0.00
22:48	5.78	0.00	0.00	0:00	0.00	0.00
0:01	2.98	0.00	0.00	0:00	0.00	0.00
0:01	1.76	0.00	0.00	0:00	0.00	0.00
0:01	1.62	0.00	0.00	0:00	0.00	0.00
0:06	4.39	0.00	0.00	0:00	0.00	0.00
0:00	2.9	0.00	0.00	0:00	0.00	0.00
0:06	10.35	0.00	0.00	0:00	0.00	0.00
0:07	3.14	0.00	0.00	0:00	0.00	0.00
0:06	1.63	0.00	0.00	0:00	0.00	0.00
0:06	1.46	0.00	0.00	0:00	0.00	0.00
0:05	1.19	0.00	0.00	0:00	0.00	0.00
0:07	0.93	0.00	0.00	0:00	0.00	0.00
0:05	1.02	0.00	0.00	0:00	0.00	0.00
0:00	3.61	0.00	0.00	0:00	0.00	0.00
0:00	2.24	0.00	0.00	0:00	0.00	0.00
0:01	0.84	0.00	0.00	0:00	0.00	0.00
0:05	2.02	0.00	0.00	0:00	0.00	0.00
0:03	0.95	0.00	0.00	0:00	0.00	0.00
0:02	3.92	0.00	0.00	0:00	0.00	0.00
0:01	3.06	0.00	0.00	0:00	0.00	0.00
0:00	2.36	0.00	0.00	0:00	0.00	0.00
0:00	2.36	0.00	0.00	0:00	0.00	0.00
0:02	1.06	0.00	0.00	0:00	0.00	0.00
0:00	1.37	0.00	0.00	0:00	0.00	0.00
0:00	1.75	0.00	0.00	0:00	0.00	0.00

12:00	6.26	0.00	0.00	0:00	0.00	0.00
11:45	5.89	0.00	0.00	0:00	0.00	0.00
12:00	5.13	0.00	0.00	0:00	0.00	0.00
12:00	6.07	0.00	0.00	0:00	0.00	0.00
13:26	5.69	0.00	0.00	0:00	0.00	0.00
20:24	10.73	0.00	0.00	0:00	0.00	0.00
3:50	6.56	0.00	0.00	0:00	0.00	0.00
2:38	6.34	0.00	0.00	0:00	0.00	0.00
2:52	5.33	0.00	0.00	0:00	0.00	0.00
2:52	5.3	0.00	0.00	0:00	0.00	0.00
3:21	7.08	0.00	0.00	0:00	0.00	0.00
21:50	8.81	0.00	0.00	0:00	0.00	0.00
4:19	1.19	0.00	0.00	0:00	0.00	0.00
4:19	2.5	0.00	0.00	0:00	0.00	0.00
2:24	1.17	0.00	0.00	0:00	0.00	0.00
8:38	2.52	0.00	0.00	0:00	0.00	0.00
4:48	1.46	0.00	0.00	0:00	0.00	0.00
4:04	1	0.00	0.00	0:00	0.00	0.00
9:50	1.84	0.00	0.00	0:00	0.00	0.00
7:40	2.58	0.00	0.00	0:00	0.00	0.00
5:31	3.71	0.00	0.00	0:00	0.00	0.00
4:33	1.87	0.00	0.00	0:00	0.00	0.00
7:12	5.34	0.00	0.00	0:00	0.00	0.00
9:50	1.61	0.00	0.00	0:00	0.00	0.00
0:00	2.51	0.00	0.00	0:00	0.00	0.00
23:51	2.02	0.00	0.00	0:00	0.00	0.00
23:58	1.16	0.00	0.00	0:00	0.00	0.00
23:52	4.13	0.00	0.00	0:00	0.00	0.00
23:53	2.69	0.00	0.00	0:00	0.00	0.00
23:53	3.23	0.00	0.00	0:00	0.00	0.00
23:54	2.21	0.00	0.00	0:00	0.00	0.00
23:35	2.24	0.00	0.00	0:00	0.00	0.00
23:40	1.66	0.00	0.00	0:00	0.00	0.00
23:48	1.24	0.00	0.00	0:00	0.00	0.00
23:41	1.48	0.00	0.00	0:00	0.00	0.00
0:00	1.31	0.00	0.00	0:00	0.00	0.00
0:00	3.6	0.00	0.00	0:00	0.00	0.00
23:58	2.28	0.00	0.00	0:00	0.00	0.00
23:52	2.49	0.00	0.00	0:00	0.00	0.00
0:00	2.8	0.00	0.00	0:00	0.00	0.00
23:55	1.73	0.00	0.00	0:00	0.00	0.00
23:56	3.31	0.00	0.00	0:00	0.00	0.00
23:58	3.5	0.00	0.00	0:00	0.00	0.00
0:00	3.52	0.00	0.00	0:00	0.00	0.00
23:58	2.28	0.00	0.00	0:00	0.00	0.00
0:00	2.49	0.00	0.00	0:00	0.00	0.00
0:00	3.01	0.00	0.00	0:00	0.00	0.00
0:00	1.91	0.00	0.00	0:00	0.00	0.00
0:00	3.48	0.00	0.00	0:00	0.00	0.00
0:00	1.68	0.00	0.00	0:00	0.00	0.00
0:00	1.96	0.00	0.00	0:00	0.00	0.00
0:00	3.68	0.00	0.00	0:00	0.00	0.00

0:00	2.41	0.00	0.00	0:00	0.00	0.00
0:00	10.48	0.00	0.00	0:00	0.00	0.00
23:48	3.35	0.00	0.00	0:00	0.00	0.00
23:51	2.93	0.00	0.00	0:00	0.00	0.00
23:57	2.41	0.00	0.00	0:00	0.00	0.00
23:54	0.88	0.00	0.00	0:00	0.00	0.00
23:45	0.76	0.00	0.00	0:00	0.00	0.00
23:40	1.37	0.00	0.00	0:00	0.00	0.00
0:00	7.28	0.00	0.00	0:00	0.00	0.00
0:00	8.16	0.00	0.00	0:00	0.00	0.00
0:00	8.56	0.00	0.00	0:00	0.00	0.00
0:00	9.22	0.00	0.00	0:00	0.00	0.00
0:00	8.53	0.00	0.00	0:00	0.00	0.00
0:00	23.85	0.00	0.00	0:00	0.00	0.00
23:53	7.52	0.00	0.00	0:00	0.00	0.00
23:43	8.26	0.00	0.00	0:00	0.00	0.00
23:43	7.27	0.00	0.00	0:00	0.00	0.00
23:43	8.78	0.00	0.00	0:00	0.00	0.00
23:24	9.81	0.00	0.00	0:00	0.00	0.00
23:43	9.63	0.00	0.00	0:00	0.00	0.00
0:00	15.24	0.00	0.00	0:00	0.00	0.00
23:51	9.74	0.00	0.00	0:00	0.00	0.00
23:58	13.3	0.00	0.00	0:00	0.00	0.00
23:52	10.07	0.00	0.00	0:00	0.00	0.00
23:52	9.99	0.00	0.00	0:00	0.00	0.00
23:53	11.69	0.00	0.00	0:00	0.00	0.00
23:54	16.4	0.00	0.00	0:00	0.00	0.00
0:00	15.1	0.00	0.00	0:00	0.00	0.00
0:00	11.8	0.00	0.00	0:00	0.00	0.00
0:00	10.48	0.00	0.00	0:00	0.00	0.00
0:00	11.76	0.00	0.00	0:00	0.00	0.00
0:00	11.47	0.00	0.00	0:00	0.00	0.00
0:00	5.32	0.00	0.00	0:00	0.00	0.00
23:58	6.74	0.00	0.00	0:00	0.00	0.00
23:52	4.34	0.00	0.00	0:00	0.00	0.00
0:00	8.19	0.00	0.00	0:00	0.00	0.00
23:55	5.14	0.00	0.00	0:00	0.00	0.00
23:56	6.99	0.00	0.00	0:00	0.00	0.00
23:58	6.9	0.00	0.00	0:00	0.00	0.00
0:00	6.06	0.00	0.00	0:00	0.00	0.00
0:00	3.52	0.00	0.00	0:00	0.00	0.00
0:00	7.23	0.00	0.00	0:00	0.00	0.00
0:00	6.64	0.00	0.00	0:00	0.00	0.00
0:00	5.41	0.00	0.00	0:00	0.00	0.00
0:00	0.03	0.00	0.00	0:00	0.00	0.00
0:00	0.03	0.00	0.00	0:00	0.00	0.00
0:00	0.03	0.00	0.00	0:00	0.00	0.00
0:00	0.06	0.00	0.00	0:00	0.00	0.00
0:00	0.01	0.00	0.00	0:00	0.00	0.00
0:00	0.07	0.00	0.00	0:00	0.00	0.00
8:10	0.07	0.00	0.00	0:00	0.00	0.00
3:10	0.07	0.00	0.00	0:00	0.00	0.00

2:38	0.07	0.00	0.00	0:00	0.00	0.00
0:00	0.06	0.00	0.00	0:00	0.00	0.00
0:00	0.07	0.00	0.00	0:00	0.00	0.00
0:00	0.06	0.00	0.00	0:00	0.00	0.00
74.97%	0.02	0.00	0.00	0.00%	0.00	0.00
72.77%	0.02	0.00	0.00	0.00%	0.00	0.00
70.52%	0.03	0.00	0.00	0.00%	0.00	0.00
59.89%	0.06	0.00	0.00	0.00%	0.00	0.00
59.36%	0.05	0.00	0.00	0.00%	0.00	0.00
56.34%	0.04	0.00	0.00	0.00%	0.00	0.00
56.56%	0.03	0.00	0.00	0.00%	0.00	0.00
61.44%	0.01	0.00	0.00	0.00%	0.00	0.00
56.77%	0.01	0.00	0.00	0.00%	0.00	0.00
62.79%	0.04	0.00	0.00	0.00%	0.00	0.00
53.30%	0.02	0.00	0.00	0.00%	0.00	0.00
46.88%	0.01	0.00	0.00	0.00%	0.00	0.00
16.02%	0.29	0.00	0.00	0.00%	0.00	0.00
22.70%	0.29	0.00	0.00	0.00%	0.00	0.00
16.20%	0.29	0.00	0.00	0.00%	0.00	0.00
19.86%	0.29	0.00	0.00	0.00%	0.00	0.00
16.50%	0.47	0.00	0.00	0.00%	0.00	0.00
12.00%	4.18	0.00	0.00	0.00%	0.00	0.00
17.38%	5.04	0.00	0.00	0.00%	0.00	0.00
20.80%	5.04	0.00	0.00	0.00%	0.00	0.00
27.14%	5.04	0.00	0.00	0.00%	0.00	0.00
25.68%	5.06	0.00	0.00	0.00%	0.00	0.00
27.01%	5.04	0.00	0.00	0.00%	0.00	0.00
28.29%	3.86	0.00	0.00	0.00%	0.00	0.00
56.65%	4.05	0.00	0.00	0.00%	0.00	0.00
50.06%	3.7	0.00	0.00	0.00%	0.00	0.00
48.36%	3.27	0.00	0.00	0.00%	0.00	0.00
39.22%	4.46	0.00	0.00	0.00%	0.00	0.00
34.06%	3.15	0.00	0.00	0.00%	0.00	0.00
38.22%	4.52	0.00	0.00	0.00%	0.00	0.00
36.05%	4.86	0.00	0.00	0.00%	0.00	0.00
29.33%	4.68	0.00	0.00	0.00%	0.00	0.00
31.22%	3.5	0.00	0.00	0.00%	0.00	0.00
36.19%	3	0.00	0.00	0.00%	0.00	0.00
35.59%	3.65	0.00	0.00	0.00%	0.00	0.00
37.04%	3.03	0.00	0.00	0.00%	0.00	0.00
83.95%	0	0.00	0.00	0.00%	0.00	0.00
69.39%	0.08	0.00	0.00	0.00%	0.00	0.00
59.83%	0.03	0.00	0.00	0.00%	0.00	0.00
81.79%	0.07	0.00	0.00	0.00%	0.00	0.00
87.39%	0.07	0.00	0.00	0.00%	0.00	0.00
87.57%	0.07	0.00	0.00	0.00%	0.00	0.00
86.94%	0.06	0.00	0.00	0.00%	0.00	0.00
83.47%	0.13	0.00	0.00	0.00%	0.00	0.00
82.44%	0.12	0.00	0.00	0.00%	0.00	0.00
60.31%	0.09	0.00	0.00	0.00%	0.00	0.00
64.12%	0.11	0.00	0.00	0.00%	0.00	0.00
76.18%	0	0.00	0.00	0.00%	0.00	0.00

83.95%	0	0.00	0.00	0.00%	0.00	0.00
69.39%	0.04	0.00	0.00	0.00%	0.00	0.00
59.83%	0.07	0.00	0.00	0.00%	0.00	0.00
81.79%	0	0.00	0.00	0.00%	0.00	0.00
87.41%	0.05	0.00	0.00	0.00%	0.00	0.00
87.52%	0.05	0.00	0.00	0.00%	0.00	0.00
86.92%	0.03	0.00	0.00	0.00%	0.00	0.00
83.37%	0	0.00	0.00	0.00%	0.00	0.00
82.38%	0.04	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
71.43%	0	0.00	0.00	0.00%	0.00	0.00
90.00%	0	0.00	0.00	0.00%	0.00	0.00
87.50%	0	0.00	0.00	0.00%	0.00	0.00
65.00%	0	0.00	0.00	0.00%	0.00	0.00
66.67%	0	0.00	0.00	0.00%	0.00	0.00
74.07%	0	0.00	0.00	0.00%	0.00	0.00
78.38%	0.09	0.00	0.00	0.00%	0.00	0.00
76.75%	0.08	0.00	0.00	0.00%	0.00	0.00
79.46%	0.04	0.00	0.00	0.00%	0.00	0.00
0.00%	0.06	0.00	0.00	0.00%	0.00	0.00
0.00%	0.1	0.00	0.00	0.00%	0.00	0.00
0.00%	0.12	0.00	0.00	0.00%	0.00	0.00
74.79%	0	0.00	0.00	0.00%	0.00	0.00
78.31%	0	0.00	0.00	0.00%	0.00	0.00
78.74%	0	0.00	0.00	0.00%	0.00	0.00
76.23%	0	0.00	0.00	0.00%	0.00	0.00
76.86%	0	0.00	0.00	0.00%	0.00	0.00
69.64%	0	0.00	0.00	0.00%	0.00	0.00
65.84%	0.07	0.00	0.00	0.00%	0.00	0.00
68.82%	0.11	0.00	0.00	0.00%	0.00	0.00
78.60%	0.11	0.00	0.00	0.00%	0.00	0.00
68.28%	0.11	0.00	0.00	0.00%	0.00	0.00
72.73%	0.16	0.00	0.00	0.00%	0.00	0.00
69.42%	0.11	0.00	0.00	0.00%	0.00	0.00
76.19%	0	0.00	0.00	0.00%	0.00	0.00
45.45%	0	0.00	0.00	0.00%	0.00	0.00
90.00%	0	0.00	0.00	0.00%	0.00	0.00
80.00%	0	0.00	0.00	0.00%	0.00	0.00
90.00%	0	0.00	0.00	0.00%	0.00	0.00
63.16%	0	0.00	0.00	0.00%	0.00	0.00
62.86%	0.47	0.00	0.00	0.00%	0.00	0.00
75.86%	0.34	0.00	0.00	0.00%	0.00	0.00
81.25%	0.31	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
87.50%	0	0.00	0.00	0.00%	0.00	0.00
75.00%	0	0.00	0.00	0.00%	0.00	0.00
64.41%	0.43	0.00	0.00	0.00%	0.00	0.00
63.03%	0.45	0.00	0.00	0.00%	0.00	0.00
55.88%	0.46	0.00	0.00	0.00%	0.00	0.00
53.56%	0.49	0.00	0.00	0.00%	0.00	0.00

58.82%	0.49	0.00	0.00	0.00%	0.00	0.00
59.57%	0.5	0.00	0.00	0.00%	0.00	0.00
62.42%	0.5	0.00	0.00	0.00%	0.00	0.00
54.40%	0.49	0.00	0.00	0.00%	0.00	0.00
65.93%	0.5	0.00	0.00	0.00%	0.00	0.00
66.58%	0.48	0.00	0.00	0.00%	0.00	0.00
70.35%	0.5	0.00	0.00	0.00%	0.00	0.00
66.42%	0.5	0.00	0.00	0.00%	0.00	0.00
81.60%	0.37	0.00	0.00	0.00%	0.00	0.00
87.50%	0.42	0.00	0.00	0.00%	0.00	0.00
88.89%	0.37	0.00	0.00	0.00%	0.00	0.00
86.53%	0.4	0.00	0.00	0.00%	0.00	0.00
88.73%	0.37	0.00	0.00	0.00%	0.00	0.00
88.70%	0.33	0.00	0.00	0.00%	0.00	0.00
88.43%	0.38	0.00	0.00	0.00%	0.00	0.00
89.52%	0.41	0.00	0.00	0.00%	0.00	0.00
84.98%	0.44	0.00	0.00	0.00%	0.00	0.00
87.84%	0.44	0.00	0.00	0.00%	0.00	0.00
89.05%	0.44	0.00	0.00	0.00%	0.00	0.00
85.07%	0.45	0.00	0.00	0.00%	0.00	0.00
81.60%	0.5	0.00	0.00	0.00%	0.00	0.00
87.50%	0.5	0.00	0.00	0.00%	0.00	0.00
88.89%	0.5	0.00	0.00	0.00%	0.00	0.00
86.53%	0.49	0.00	0.00	0.00%	0.00	0.00
88.73%	0.47	0.00	0.00	0.00%	0.00	0.00
88.70%	0.49	0.00	0.00	0.00%	0.00	0.00
88.43%	0.48	0.00	0.00	0.00%	0.00	0.00
89.52%	0.46	0.00	0.00	0.00%	0.00	0.00
84.98%	0.46	0.00	0.00	0.00%	0.00	0.00
0.00%	0.48	0.00	0.00	0.00%	0.00	0.00
0.00%	0.48	0.00	0.00	0.00%	0.00	0.00
0.00%	0.48	0.00	0.00	0.00%	0.00	0.00
0.00%	0.37	0.00	0.00	0.00%	0.00	0.00
0.00%	0.46	0.00	0.00	0.00%	0.00	0.00
0.00%	0.49	0.00	0.00	0.00%	0.00	0.00
0.00%	0.39	0.00	0.00	0.00%	0.00	0.00
0.00%	0.33	0.00	0.00	0.00%	0.00	0.00
100.00%	0.33	0.00	0.00	0.00%	0.00	0.00
93.94%	0.34	0.00	0.00	0.00%	0.00	0.00
91.67%	0.37	0.00	0.00	0.00%	0.00	0.00
100.00%	0.38	0.00	0.00	0.00%	0.00	0.00
0.00%	0.49	0.00	0.00	0.00%	0.00	0.00
0.00%	0.48	0.00	0.00	0.00%	0.00	0.00
0.00%	0.43	0.00	0.00	0.00%	0.00	0.00
96.26%	0.37	0.00	0.00	0.00%	0.00	0.00
96.88%	0.46	0.00	0.00	0.00%	0.00	0.00
96.36%	0.49	0.00	0.00	0.00%	0.00	0.00
95.93%	0.39	0.00	0.00	0.00%	0.00	0.00
96.91%	0.33	0.00	0.00	0.00%	0.00	0.00
94.44%	0.33	0.00	0.00	0.00%	0.00	0.00
96.14%	0.34	0.00	0.00	0.00%	0.00	0.00
94.56%	0.37	0.00	0.00	0.00%	0.00	0.00

89.97%	0.38	0.00	0.00	0.00%	0.00	0.00
94.10%	0	0.00	0.00	0.00%	0.00	0.00
91.50%	0	0.00	0.00	0.00%	0.00	0.00
92.61%	0	0.00	0.00	0.00%	0.00	0.00
93.05%	0.45	0.00	0.00	0.00%	0.00	0.00
94.55%	0.3	0.00	0.00	0.00%	0.00	0.00
94.68%	0.33	0.00	0.00	0.00%	0.00	0.00
89.32%	0.48	0.00	0.00	0.00%	0.00	0.00
93.91%	0.47	0.00	0.00	0.00%	0.00	0.00
92.05%	0.44	0.00	0.00	0.00%	0.00	0.00
88.44%	0.41	0.00	0.00	0.00%	0.00	0.00
91.09%	0.42	0.00	0.00	0.00%	0.00	0.00
95.88%	0.4	0.00	0.00	0.00%	0.00	0.00
93.00%	0	0.00	0.00	0.00%	0.00	0.00
95.90%	0	0.00	0.00	0.00%	0.00	0.00
94.50%	0	0.00	0.00	0.00%	0.00	0.00
95.81%	0.43	0.00	0.00	0.00%	0.00	0.00
95.39%	0.41	0.00	0.00	0.00%	0.00	0.00
93.35%	0.41	0.00	0.00	0.00%	0.00	0.00
91.90%	0.43	0.00	0.00	0.00%	0.00	0.00
94.70%	0.42	0.00	0.00	0.00%	0.00	0.00
96.16%	0.46	0.00	0.00	0.00%	0.00	0.00
95.02%	0.47	0.00	0.00	0.00%	0.00	0.00
96.14%	0.46	0.00	0.00	0.00%	0.00	0.00
95.60%	0.41	0.00	0.00	0.00%	0.00	0.00
96.12%	0.47	0.00	0.00	0.00%	0.00	0.00
94.74%	0.45	0.00	0.00	0.00%	0.00	0.00
93.23%	0.46	0.00	0.00	0.00%	0.00	0.00
90.67%	0.43	0.00	0.00	0.00%	0.00	0.00
91.89%	0.5	0.00	0.00	0.00%	0.00	0.00
93.84%	0.3	0.00	0.00	0.00%	0.00	0.00
95.78%	0.4	0.00	0.00	0.00%	0.00	0.00
97.71%	0.3	0.00	0.00	0.00%	0.00	0.00
98.46%	0.48	0.00	0.00	0.00%	0.00	0.00
97.63%	0.48	0.00	0.00	0.00%	0.00	0.00
94.95%	0.43	0.00	0.00	0.00%	0.00	0.00
96.49%	0.39	0.00	0.00	0.00%	0.00	0.00
95.19%	0	0.00	0.00	0.00%	0.00	0.00
97.23%	0.33	0.00	0.00	0.00%	0.00	0.00
96.58%	0.43	0.00	0.00	0.00%	0.00	0.00
90.67%	0.48	0.00	0.00	0.00%	0.00	0.00
91.89%	0.48	0.00	0.00	0.00%	0.00	0.00
93.84%	0.5	0.00	0.00	0.00%	0.00	0.00
95.76%	0.5	0.00	0.00	0.00%	0.00	0.00
97.71%	0.49	0.00	0.00	0.00%	0.00	0.00
98.43%	0.49	0.00	0.00	0.00%	0.00	0.00
97.61%	0.48	0.00	0.00	0.00%	0.00	0.00
94.91%	0.5	0.00	0.00	0.00%	0.00	0.00
96.48%	0.47	0.00	0.00	0.00%	0.00	0.00
0.00%	0.47	0.00	0.00	0.00%	0.00	0.00
0.00%	0.46	0.00	0.00	0.00%	0.00	0.00
0.00%	0.47	0.00	0.00	0.00%	0.00	0.00

90.91%	0.39	0.00	0.00	0.00%	0.00	0.00
94.74%	0.33	0.00	0.00	0.00%	0.00	0.00
87.50%	0.31	0.00	0.00	0.00%	0.00	0.00
72.22%	0.34	0.00	0.00	0.00%	0.00	0.00
100.00%	0.32	0.00	0.00	0.00%	0.00	0.00
90.91%	0.32	0.00	0.00	0.00%	0.00	0.00
94.83%	0.32	0.00	0.00	0.00%	0.00	0.00
92.37%	0.31	0.00	0.00	0.00%	0.00	0.00
92.98%	0.36	0.00	0.00	0.00%	0.00	0.00
0.00%	0.33	0.00	0.00	0.00%	0.00	0.00
0.00%	0.31	0.00	0.00	0.00%	0.00	0.00
0.00%	0.36	0.00	0.00	0.00%	0.00	0.00
95.14%	0.39	0.00	0.00	0.00%	0.00	0.00
96.02%	0.33	0.00	0.00	0.00%	0.00	0.00
96.55%	0.31	0.00	0.00	0.00%	0.00	0.00
94.43%	0.34	0.00	0.00	0.00%	0.00	0.00
96.56%	0.32	0.00	0.00	0.00%	0.00	0.00
97.26%	0.32	0.00	0.00	0.00%	0.00	0.00
96.88%	0.32	0.00	0.00	0.00%	0.00	0.00
96.02%	0.31	0.00	0.00	0.00%	0.00	0.00
97.26%	0.36	0.00	0.00	0.00%	0.00	0.00
96.57%	0	0.00	0.00	0.00%	0.00	0.00
97.06%	0	0.00	0.00	0.00%	0.00	0.00
94.50%	0	0.00	0.00	0.00%	0.00	0.00
94.12%	0	0.00	0.00	0.00%	0.00	0.00
83.33%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
92.31%	0	0.00	0.00	0.00%	0.00	0.00
81.48%	0.24	0.00	0.00	0.00%	0.00	0.00
88.00%	0.28	0.00	0.00	0.00%	0.00	0.00
92.86%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
90.00%	0	0.00	0.00	0.00%	0.00	0.00
97.16%	0.19	0.00	0.00	0.00%	0.00	0.00
95.94%	0.17	0.00	0.00	0.00%	0.00	0.00
91.35%	0.19	0.00	0.00	0.00%	0.00	0.00
89.20%	0.2	0.00	0.00	0.00%	0.00	0.00
97.07%	0.17	0.00	0.00	0.00%	0.00	0.00
95.55%	0.23	0.00	0.00	0.00%	0.00	0.00
96.91%	0.19	0.00	0.00	0.00%	0.00	0.00
94.98%	0.23	0.00	0.00	0.00%	0.00	0.00
96.86%	0.3	0.00	0.00	0.00%	0.00	0.00
96.25%	0.24	0.00	0.00	0.00%	0.00	0.00
97.26%	0.28	0.00	0.00	0.00%	0.00	0.00
96.39%	0.26	0.00	0.00	0.00%	0.00	0.00
85.22%	0.25	0.00	0.00	0.00%	0.00	0.00
89.53%	0.23	0.00	0.00	0.00%	0.00	0.00
91.09%	0.22	0.00	0.00	0.00%	0.00	0.00
96.13%	0.31	0.00	0.00	0.00%	0.00	0.00

97.68%	0.24	0.00	0.00	0.00%	0.00	0.00
96.90%	0.27	0.00	0.00	0.00%	0.00	0.00
96.15%	0.32	0.00	0.00	0.00%	0.00	0.00
96.45%	0.28	0.00	0.00	0.00%	0.00	0.00
97.07%	0.2	0.00	0.00	0.00%	0.00	0.00
97.05%	0.26	0.00	0.00	0.00%	0.00	0.00
97.66%	0.2	0.00	0.00	0.00%	0.00	0.00
96.40%	0.23	0.00	0.00	0.00%	0.00	0.00
85.22%	0.2	0.00	0.00	0.00%	0.00	0.00
89.53%	0.21	0.00	0.00	0.00%	0.00	0.00
91.09%	0.25	0.00	0.00	0.00%	0.00	0.00
96.13%	0.27	0.00	0.00	0.00%	0.00	0.00
97.68%	0.22	0.00	0.00	0.00%	0.00	0.00
96.90%	0.19	0.00	0.00	0.00%	0.00	0.00
96.15%	0.22	0.00	0.00	0.00%	0.00	0.00
96.45%	0.19	0.00	0.00	0.00%	0.00	0.00
97.07%	0.21	0.00	0.00	0.00%	0.00	0.00
0.00%	0.19	0.00	0.00	0.00%	0.00	0.00
0.00%	0.22	0.00	0.00	0.00%	0.00	0.00
0.00%	0.25	0.00	0.00	0.00%	0.00	0.00
14.93%	0.29	0.00	0.00	0.00%	0.00	0.00
15.90%	0.27	0.00	0.00	0.00%	0.00	0.00
24.24%	0.24	0.00	0.00	0.00%	0.00	0.00
33.06%	0.2	0.00	0.00	0.00%	0.00	0.00
28.68%	0.15	0.00	0.00	0.00%	0.00	0.00
10.14%	0.12	0.00	0.00	0.00%	0.00	0.00
7.43%	0.15	0.00	0.00	0.00%	0.00	0.00
59.44%	0.22	0.00	0.00	0.00%	0.00	0.00
7.50%	0.18	0.00	0.00	0.00%	0.00	0.00
7.64%	0.21	0.00	0.00	0.00%	0.00	0.00
7.43%	0.16	0.00	0.00	0.00%	0.00	0.00
17.57%	0.18	0.00	0.00	0.00%	0.00	0.00
0.49%	0.29	0.00	0.00	0.00%	0.00	0.00
0.49%	0.27	0.00	0.00	0.00%	0.00	0.00
0.42%	0.24	0.00	0.00	0.00%	0.00	0.00
0.49%	0.2	0.00	0.00	0.00%	0.00	0.00
0.49%	0.15	0.00	0.00	0.00%	0.00	0.00
0.42%	0.12	0.00	0.00	0.00%	0.00	0.00
0.42%	0.15	0.00	0.00	0.00%	0.00	0.00
0.63%	0.22	0.00	0.00	0.00%	0.00	0.00
0.42%	0.18	0.00	0.00	0.00%	0.00	0.00
0.49%	0	0.00	0.00	0.00%	0.00	0.00
0.49%	0	0.00	0.00	0.00%	0.00	0.00
0.42%	0	0.00	0.00	0.00%	0.00	0.00
16.25%	0.29	0.00	0.00	0.00%	0.00	0.00
12.36%	0.22	0.00	0.00	0.00%	0.00	0.00
9.44%	0.33	0.00	0.00	0.00%	0.00	0.00
22.57%	0.45	0.00	0.00	0.00%	0.00	0.00
9.65%	0	0.00	0.00	0.00%	0.00	0.00
10.97%	0.29	0.00	0.00	0.00%	0.00	0.00
8.26%	0.22	0.00	0.00	0.00%	0.00	0.00
5.69%	0.27	0.00	0.00	0.00%	0.00	0.00

5.49%	0.26	0.00	0.00	0.00%	0.00	0.00
5.97%	0	0.00	0.00	0.00%	0.00	0.00
5.07%	0	0.00	0.00	0.00%	0.00	0.00
8.26%	0	0.00	0.00	0.00%	0.00	0.00
0.83%	0.22	0.00	0.00	0.00%	0.00	0.00
0.69%	0.2	0.00	0.00	0.00%	0.00	0.00
0.49%	0.18	0.00	0.00	0.00%	0.00	0.00
0.69%	0.23	0.00	0.00	0.00%	0.00	0.00
1.53%	0.18	0.00	0.00	0.00%	0.00	0.00
0.35%	0.16	0.00	0.00	0.00%	0.00	0.00
0.35%	0.17	0.00	0.00	0.00%	0.00	0.00
0.42%	0.2	0.00	0.00	0.00%	0.00	0.00
0.42%	0.16	0.00	0.00	0.00%	0.00	0.00
0.42%	0.18	0.00	0.00	0.00%	0.00	0.00
0.49%	0.17	0.00	0.00	0.00%	0.00	0.00
0.35%	0.23	0.00	0.00	0.00%	0.00	0.00
47.71%	0.24	0.00	0.00	0.00%	0.00	0.00
22.01%	0.37	0.00	0.00	0.00%	0.00	0.00
54.79%	0	0.00	0.00	0.00%	0.00	0.00
60.35%	0	0.00	0.00	0.00%	0.00	0.00
45.21%	0	0.00	0.00	0.00%	0.00	0.00
42.85%	0.27	0.00	0.00	0.00%	0.00	0.00
44.86%	0.39	0.00	0.00	0.00%	0.00	0.00
36.94%	0.32	0.00	0.00	0.00%	0.00	0.00
34.51%	0.26	0.00	0.00	0.00%	0.00	0.00
41.46%	0	0.00	0.00	0.00%	0.00	0.00
22.50%	0	0.00	0.00	0.00%	0.00	0.00
39.24%	0.3	0.00	0.00	0.00%	0.00	0.00
1.95%	0.17	0.00	0.00	0.00%	0.00	0.00
1.55%	0.2	0.00	0.00	0.00%	0.00	0.00
1.12%	0.28	0.00	0.00	0.00%	0.00	0.00
1.27%	0.31	0.00	0.00	0.00%	0.00	0.00
1.29%	0.17	0.00	0.00	0.00%	0.00	0.00
1.64%	0.21	0.00	0.00	0.00%	0.00	0.00
1.70%	0.17	0.00	0.00	0.00%	0.00	0.00
1.69%	0.22	0.00	0.00	0.00%	0.00	0.00
1.60%	0.17	0.00	0.00	0.00%	0.00	0.00
1.86%	0.19	0.00	0.00	0.00%	0.00	0.00
2.15%	0.16	0.00	0.00	0.00%	0.00	0.00
2.04%	0.19	0.00	0.00	0.00%	0.00	0.00
38.96%	0.35	0.00	0.00	0.00%	0.00	0.00
40.40%	0.31	0.00	0.00	0.00%	0.00	0.00
37.18%	0.28	0.00	0.00	0.00%	0.00	0.00
27.18%	0.19	0.00	0.00	0.00%	0.00	0.00
25.64%	0.15	0.00	0.00	0.00%	0.00	0.00
22.74%	0.17	0.00	0.00	0.00%	0.00	0.00
27.13%	0.19	0.00	0.00	0.00%	0.00	0.00
27.41%	0.19	0.00	0.00	0.00%	0.00	0.00
28.44%	0.17	0.00	0.00	0.00%	0.00	0.00
28.48%	0.17	0.00	0.00	0.00%	0.00	0.00
28.79%	0.15	0.00	0.00	0.00%	0.00	0.00
29.18%	0.19	0.00	0.00	0.00%	0.00	0.00

0:28	0.35	0.00	0.00	0:00	0.00	0.00
0:28	0.31	0.00	0.00	0:00	0.00	0.00
0:29	0.28	0.00	0.00	0:00	0.00	0.00
0:23	0.19	0.00	0.00	0:00	0.00	0.00
0:19	0.15	0.00	0.00	0:00	0.00	0.00
0:25	0.17	0.00	0.00	0:00	0.00	0.00
0:27	0.19	0.00	0.00	0:00	0.00	0.00
0:26	0.19	0.00	0.00	0:00	0.00	0.00
0:24	0.17	0.00	0.00	0:00	0.00	0.00
0:24	0	0.00	0.00	0:00	0.00	0.00
0:22	0	0.00	0.00	0:00	0.00	0.00
0:23	0	0.00	0.00	0:00	0.00	0.00
14:50	186.15	0.00	0.00	0:00	0.00	0.00
13:21	184.7	0.00	0.00	0:00	0.00	0.00
12:53	2394.87	0.00	0.00	0:00	0.00	0.00
8:43	2693.35	0.00	0.00	0:00	0.00	0.00
11:18	2812.37	0.00	0.00	0:00	0.00	0.00
6:29	221.91	0.00	0.00	0:00	0.00	0.00
6:25	117.04	0.00	0.00	0:00	0.00	0.00
6:33	8406.57	0.00	0.00	0:00	0.00	0.00
4:37	139.05	0.00	0.00	0:00	0.00	0.00
5:11	151.53	0.00	0.00	0:00	0.00	0.00
4:51	309.45	0.00	0.00	0:00	0.00	0.00
5:22	2009.59	0.00	0.00	0:00	0.00	0.00
6:19	0.21	0.00	0.00	0:00	0.00	0.00
7:49	0.16	0.00	0.00	0:00	0.00	0.00
7:27	0.18	0.00	0.00	0:00	0.00	0.00
12:42	0.4	0.00	0.00	0:00	0.00	0.00
9:00	0.23	0.00	0.00	0:00	0.00	0.00
6:46	0.22	0.00	0.00	0:00	0.00	0.00
6:14	0.21	0.00	0.00	0:00	0.00	0.00
9:19	0.77	0.00	0.00	0:00	0.00	0.00
7:59	0.28	0.00	0.00	0:00	0.00	0.00
9:48	0.21	0.00	0.00	0:00	0.00	0.00
6:45	0.22	0.00	0.00	0:00	0.00	0.00
8:43	0.19	0.00	0.00	0:00	0.00	0.00
0:00	752.21	0.00	0.00	0:00	0.00	0.00
23:50	287.51	0.00	0.00	0:00	0.00	0.00
23:43	155.35	0.00	0.00	0:00	0.00	0.00
23:41	2001.27	0.00	0.00	0:00	0.00	0.00
23:59	149.44	0.00	0.00	0:00	0.00	0.00
23:59	155.75	0.00	0.00	0:00	0.00	0.00
0:00	116.39	0.00	0.00	0:00	0.00	0.00
0:00	74.95	0.00	0.00	0:00	0.00	0.00
0:00	86.71	0.00	0.00	0:00	0.00	0.00
23:58	117.3	0.00	0.00	0:00	0.00	0.00
23:57	112.92	0.00	0.00	0:00	0.00	0.00
23:59	108.19	0.00	0.00	0:00	0.00	0.00
0:00	0.22	0.00	0.00	0:00	0.00	0.00
0:00	0.15	0.00	0.00	0:00	0.00	0.00
23:54	0.13	0.00	0.00	0:00	0.00	0.00
23:45	0.22	0.00	0.00	0:00	0.00	0.00

0:00	0.33	0.00	0.00	0:00	0.00	0.00
0:00	0.1	0.00	0.00	0:00	0.00	0.00
0:00	0.12	0.00	0.00	0:00	0.00	0.00
0:00	0.24	0.00	0.00	0:00	0.00	0.00
0:00	0.13	0.00	0.00	0:00	0.00	0.00
23:55	0.17	0.00	0.00	0:00	0.00	0.00
23:45	0.2	0.00	0.00	0:00	0.00	0.00
0:00	0.1	0.00	0.00	0:00	0.00	0.00
100.00%	619.29	0.00	0.00	0.00%	0.00	0.00
100.00%	475.87	0.00	0.00	0.00%	0.00	0.00
98.44%	814.43	0.00	0.00	0.00%	0.00	0.00
100.00%	1077.16	0.00	0.00	0.00%	0.00	0.00
100.00%	634.23	0.00	0.00	0.00%	0.00	0.00
100.00%	500.45	0.00	0.00	0.00%	0.00	0.00
100.00%	834.66	0.00	0.00	0.00%	0.00	0.00
100.00%	586.19	0.00	0.00	0.00%	0.00	0.00
100.00%	668.27	0.00	0.00	0.00%	0.00	0.00
100.00%	600.15	0.00	0.00	0.00%	0.00	0.00
100.00%	367.04	0.00	0.00	0.00%	0.00	0.00
100.00%	407.24	0.00	0.00	0.00%	0.00	0.00
100.00%	0.14	0.00	0.00	0.00%	0.00	0.00
99.57%	0.12	0.00	0.00	0.00%	0.00	0.00
98.17%	0.11	0.00	0.00	0.00%	0.00	0.00
99.24%	0.11	0.00	0.00	0.00%	0.00	0.00
100.00%	0.11	0.00	0.00	0.00%	0.00	0.00
100.00%	0.13	0.00	0.00	0.00%	0.00	0.00
100.00%	0.13	0.00	0.00	0.00%	0.00	0.00
99.94%	0.13	0.00	0.00	0.00%	0.00	0.00
99.93%	0.13	0.00	0.00	0.00%	0.00	0.00
99.91%	0.14	0.00	0.00	0.00%	0.00	0.00
99.97%	0.14	0.00	0.00	0.00%	0.00	0.00
99.92%	0.14	0.00	0.00	0.00%	0.00	0.00
100.00%	0.49	0.00	0.00	0.00%	0.00	0.00
100.00%	0.49	0.00	0.00	0.00%	0.00	0.00
99.35%	0.48	0.00	0.00	0.00%	0.00	0.00
97.47%	0.44	0.00	0.00	0.00%	0.00	0.00
100.00%	0.44	0.00	0.00	0.00%	0.00	0.00
100.00%	0.42	0.00	0.00	0.00%	0.00	0.00
100.00%	0.44	0.00	0.00	0.00%	0.00	0.00
99.91%	0.45	0.00	0.00	0.00%	0.00	0.00
99.85%	0.45	0.00	0.00	0.00%	0.00	0.00
100.00%	0.45	0.00	0.00	0.00%	0.00	0.00
100.00%	0.45	0.00	0.00	0.00%	0.00	0.00
99.13%	0.45	0.00	0.00	0.00%	0.00	0.00
100.00%	0.14	0.00	0.00	0.00%	0.00	0.00
99.82%	0.14	0.00	0.00	0.00%	0.00	0.00
100.00%	0.14	0.00	0.00	0.00%	0.00	0.00
98.73%	0.13	0.00	0.00	0.00%	0.00	0.00
100.00%	0.11	0.00	0.00	0.00%	0.00	0.00
100.00%	0.13	0.00	0.00	0.00%	0.00	0.00
100.00%	0.14	0.00	0.00	0.00%	0.00	0.00
99.71%	0.13	0.00	0.00	0.00%	0.00	0.00

99.75%	0.13	0.00	0.00	0.00%	0.00	0.00
100.00%	0.13	0.00	0.00	0.00%	0.00	0.00
100.00%	0.12	0.00	0.00	0.00%	0.00	0.00
100.00%	0.13	0.00	0.00	0.00%	0.00	0.00
100.00%	0.49	0.00	0.00	0.00%	0.00	0.00
99.92%	0.5	0.00	0.00	0.00%	0.00	0.00
99.88%	0.5	0.00	0.00	0.00%	0.00	0.00
99.79%	0.48	0.00	0.00	0.00%	0.00	0.00
99.89%	0.5	0.00	0.00	0.00%	0.00	0.00
99.94%	0.44	0.00	0.00	0.00%	0.00	0.00
99.92%	0.44	0.00	0.00	0.00%	0.00	0.00
99.86%	0.45	0.00	0.00	0.00%	0.00	0.00
99.81%	0.39	0.00	0.00	0.00%	0.00	0.00
99.81%	0.41	0.00	0.00	0.00%	0.00	0.00
99.89%	0.4	0.00	0.00	0.00%	0.00	0.00
99.93%	0.42	0.00	0.00	0.00%	0.00	0.00
98.40%	0.44	0.00	0.00	0.00%	0.00	0.00
98.79%	0.47	0.00	0.00	0.00%	0.00	0.00
98.33%	0.46	0.00	0.00	0.00%	0.00	0.00
97.66%	0.5	0.00	0.00	0.00%	0.00	0.00
99.24%	0.48	0.00	0.00	0.00%	0.00	0.00
97.24%	0.45	0.00	0.00	0.00%	0.00	0.00
97.81%	0.44	0.00	0.00	0.00%	0.00	0.00
98.34%	0.49	0.00	0.00	0.00%	0.00	0.00
98.40%	0.47	0.00	0.00	0.00%	0.00	0.00
97.97%	0.49	0.00	0.00	0.00%	0.00	0.00
98.76%	0.45	0.00	0.00	0.00%	0.00	0.00
97.49%	0.48	0.00	0.00	0.00%	0.00	0.00
98.13%	0	0.00	0.00	0.00%	0.00	0.00
98.61%	0.08	0.00	0.00	0.00%	0.00	0.00
98.07%	0.11	0.00	0.00	0.00%	0.00	0.00
97.32%	0.11	0.00	0.00	0.00%	0.00	0.00
99.15%	0.01	0.00	0.00	0.00%	0.00	0.00
96.92%	0.01	0.00	0.00	0.00%	0.00	0.00
97.56%	0	0.00	0.00	0.00%	0.00	0.00
98.21%	0	0.00	0.00	0.00%	0.00	0.00
98.24%	0	0.00	0.00	0.00%	0.00	0.00
97.61%	0.03	0.00	0.00	0.00%	0.00	0.00
98.12%	0.04	0.00	0.00	0.00%	0.00	0.00
97.29%	0.01	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.06	0.00	0.00	0.00%	0.00	0.00
100.00%	0.1	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.06	0.00	0.00	0.00%	0.00	0.00
100.00%	0.1	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00

100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.12	0.00	0.00	0.00%	0.00	0.00
99.83%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.87%	0	0.00	0.00	0.00%	0.00	0.00
99.92%	0	0.00	0.00	0.00%	0.00	0.00
99.91%	0	0.00	0.00	0.00%	0.00	0.00
99.81%	0	0.00	0.00	0.00%	0.00	0.00
98.64%	0	0.00	0.00	0.00%	0.00	0.00
99.15%	0.07	0.00	0.00	0.00%	0.00	0.00
99.61%	0.13	0.00	0.00	0.00%	0.00	0.00
99.56%	0.09	0.00	0.00	0.00%	0.00	0.00
99.06%	0	0.00	0.00	0.00%	0.00	0.00
99.13%	0	0.00	0.00	0.00%	0.00	0.00
99.29%	0	0.00	0.00	0.00%	0.00	0.00
99.11%	0.03	0.00	0.00	0.00%	0.00	0.00
99.52%	0.03	0.00	0.00	0.00%	0.00	0.00
99.75%	0.03	0.00	0.00	0.00%	0.00	0.00
99.81%	0.02	0.00	0.00	0.00%	0.00	0.00
99.51%	0.03	0.00	0.00	0.00%	0.00	0.00
98.52%	0	0.00	0.00	0.00%	0.00	0.00
99.04%	0	0.00	0.00	0.00%	0.00	0.00
99.71%	0.08	0.00	0.00	0.00%	0.00	0.00
99.52%	0.16	0.00	0.00	0.00%	0.00	0.00
99.00%	0	0.00	0.00	0.00%	0.00	0.00
99.07%	0	0.00	0.00	0.00%	0.00	0.00
99.23%	0	0.00	0.00	0.00%	0.00	0.00
99.06%	0.03	0.00	0.00	0.00%	0.00	0.00
99.49%	0.04	0.00	0.00	0.00%	0.00	0.00
99.75%	0	0.00	0.00	0.00%	0.00	0.00
99.81%	0	0.00	0.00	0.00%	0.00	0.00
99.51%	0.09	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.04	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.11	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.05	0.00	0.00	0.00%	0.00	0.00
100.00%	0.05	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
94.12%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0.03	0.00	0.00	0.00%	0.00	0.00
100.00%	0.03	0.00	0.00	0.00%	0.00	0.00
100.00%	0.05	0.00	0.00	0.00%	0.00	0.00

100.00%	0.04	0.00	0.00	0.00%	0.00	0.00
100.00%	0.03	0.00	0.00	0.00%	0.00	0.00
100.00%	0.03	0.00	0.00	0.00%	0.00	0.00
100.00%	0.04	0.00	0.00	0.00%	0.00	0.00
2.99%	0.12	0.00	0.00	0.00%	0.00	0.00
1.67%	0.09	0.00	0.00	0.00%	0.00	0.00
0.83%	0.06	0.00	0.00	0.00%	0.00	0.00
4.24%	0.07	0.00	0.00	0.00%	0.00	0.00
2.29%	0.1	0.00	0.00	0.00%	0.00	0.00
2.01%	0.09	0.00	0.00	0.00%	0.00	0.00
2.57%	0.08	0.00	0.00	0.00%	0.00	0.00
4.24%	0.09	0.00	0.00	0.00%	0.00	0.00
5.83%	0.07	0.00	0.00	0.00%	0.00	0.00
1.81%	0.05	0.00	0.00	0.00%	0.00	0.00
3.82%	0.04	0.00	0.00	0.00%	0.00	0.00
2.92%	0.07	0.00	0.00	0.00%	0.00	0.00
3.40%	0.12	0.00	0.00	0.00%	0.00	0.00
3.06%	0.1	0.00	0.00	0.00%	0.00	0.00
2.78%	0.05	0.00	0.00	0.00%	0.00	0.00
5.97%	0.07	0.00	0.00	0.00%	0.00	0.00
2.29%	0.1	0.00	0.00	0.00%	0.00	0.00
2.43%	0.1	0.00	0.00	0.00%	0.00	0.00
4.17%	0.09	0.00	0.00	0.00%	0.00	0.00
3.33%	0.1	0.00	0.00	0.00%	0.00	0.00
2.29%	0.07	0.00	0.00	0.00%	0.00	0.00
1.81%	0.05	0.00	0.00	0.00%	0.00	0.00
3.47%	0.04	0.00	0.00	0.00%	0.00	0.00
4.65%	0.07	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
99.98%	0	0.00	0.00	100.00%	0.00	0.00
99.95%	0	0.00	0.00	100.00%	0.00	0.00
97.70%	0	0.00	0.00	100.00%	0.00	0.00
99.99%	0	0.00	0.00	100.00%	0.00	0.00
99.99%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
99.99%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
99.98%	0	0.00	0.00	100.00%	0.00	0.00
98.92%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0.24	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0.39	0.00	0.00	100.00%	0.00	0.00
100.00%	0.31	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0.24	0.00	0.00	100.00%	0.00	0.00
100.00%	0.27	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	100.00%	0.00	0.00

175.00%	0	0.00	0.00	171.00%	0.00	0.00
325.00%	0	0.00	0.00	104.00%	0.00	0.00
300.00%	0	0.00	0.00	207.00%	0.00	0.00
267.00%	0	0.00	0.00	231.00%	0.00	0.00
450.00%	0.4	0.00	0.00	443.00%	0.00	0.00
356.00%	0	0.00	0.00	418.00%	0.00	0.00
180.00%	0	0.00	0.00	419.00%	0.00	0.00
240.00%	0	0.00	0.00	427.00%	0.00	0.00
550.00%	0	0.00	0.00	547.00%	0.00	0.00
388.00%	0	0.00	0.00	426.00%	0.00	0.00
400.00%	0	0.00	0.00	466.00%	0.00	0.00
400.00%	0	0.00	0.00	411.00%	0.00	0.00
352.00%	0	0.00	0.00	171.00%	0.00	0.00
403.00%	0	0.00	0.00	104.00%	0.00	0.00
475.00%	0	0.00	0.00	207.00%	0.00	0.00
411.00%	0	0.00	0.00	231.00%	0.00	0.00
402.00%	0.4	0.00	0.00	443.00%	0.00	0.00
459.00%	0	0.00	0.00	418.00%	0.00	0.00
383.00%	0	0.00	0.00	419.00%	0.00	0.00
364.00%	0	0.00	0.00	427.00%	0.00	0.00
464.00%	0	0.00	0.00	547.00%	0.00	0.00
518.00%	0	0.00	0.00	426.00%	0.00	0.00
708.00%	0	0.00	0.00	466.00%	0.00	0.00
585.00%	0	0.00	0.00	411.00%	0.00	0.00
0.00%	0	0.00	0.00	171.00%	0.00	0.00
0.00%	0	0.00	0.00	104.00%	0.00	0.00
200.00%	0	0.00	0.00	207.00%	0.00	0.00
382.00%	0.47	0.00	0.00	231.00%	0.00	0.00
314.00%	0	0.00	0.00	443.00%	0.00	0.00
300.00%	0	0.00	0.00	418.00%	0.00	0.00
355.00%	0	0.00	0.00	419.00%	0.00	0.00
429.00%	0	0.00	0.00	427.00%	0.00	0.00
505.00%	0	0.00	0.00	547.00%	0.00	0.00
608.00%	0	0.00	0.00	426.00%	0.00	0.00
707.00%	0	0.00	0.00	466.00%	0.00	0.00
309.00%	0	0.00	0.00	411.00%	0.00	0.00
33.33%	0	0.00	0.00	7.12%	0.00	0.00
12.50%	0	0.00	0.00	6.41%	0.00	0.00
25.00%	0	0.00	0.00	3.94%	0.00	0.00
40.00%	0	0.00	0.00	3.95%	0.00	0.00
0.00%	0	0.00	0.00	1.59%	0.00	0.00
0.00%	0	0.00	0.00	2.31%	0.00	0.00
0.00%	0	0.00	0.00	1.67%	0.00	0.00
0.00%	0	0.00	0.00	1.82%	0.00	0.00
20.00%	0	0.00	0.00	0.96%	0.00	0.00
12.50%	0	0.00	0.00	2.91%	0.00	0.00
0.00%	0	0.00	0.00	1.90%	0.00	0.00
0.00%	0	0.00	0.00	0.33%	0.00	0.00
37.93%	596.05	0.00	0.00	7.12%	0.00	0.00
19.44%	238.72	0.00	0.00	6.41%	0.00	0.00
35.14%	102.73	0.00	0.00	3.94%	0.00	0.00
21.82%	188.16	0.00	0.00	3.95%	0.00	0.00

12.70%	498.37	0.00	0.00	1.59%	0.00	0.00
23.08%	191.18	0.00	0.00	2.31%	0.00	0.00
12.96%	194.2	0.00	0.00	1.67%	0.00	0.00
37.88%	268.85	0.00	0.00	1.82%	0.00	0.00
31.82%	640.69	0.00	0.00	0.96%	0.00	0.00
40.63%	209.13	0.00	0.00	2.91%	0.00	0.00
26.67%	255.62	0.00	0.00	1.90%	0.00	0.00
45.45%	141.6	0.00	0.00	0.33%	0.00	0.00
0.00%	192.1	0.00	0.00	0.00%	0.00	0.00
0.00%	362.26	0.00	0.00	0.00%	0.00	0.00
0.00%	1107.22	0.00	0.00	0.00%	0.00	0.00
0.00%	193.85	0.00	0.00	0.00%	0.00	0.00
0.00%	149.85	0.00	0.00	0.00%	0.00	0.00
0.00%	204.4	0.00	0.00	0.00%	0.00	0.00
0.00%	317.96	0.00	0.00	0.00%	0.00	0.00
0.00%	216.74	0.00	0.00	0.00%	0.00	0.00
0.00%	329.52	0.00	0.00	0.00%	0.00	0.00
0.00%	175.24	0.00	0.00	0.00%	0.00	0.00
0.00%	294.48	0.00	0.00	0.00%	0.00	0.00
0.00%	80.65	0.00	0.00	0.00%	0.00	0.00
0.00%	0	291885.00	291885.00	7.12%	0.00	0.00
0.00%	0	241231.00	241231.00	6.41%	0.00	0.00
50.00%	0.02	303041.00	303041.00	3.94%	0.00	0.00
0.00%	0.02	292289.00	317219.00	3.95%	0.00	0.00
13.33%	0.15	263106.00	292289.00	1.59%	0.00	0.00
0.00%	0.01	279103.00	263106.00	2.31%	0.00	0.00
12.50%	0.01	328288.00	279103.00	1.67%	0.00	0.00
6.00%	0	304445.00	328288.00	1.82%	0.00	0.00
15.00%	0.01	317838.00	304445.00	0.96%	0.00	0.00
26.32%	0	317799.00	317838.00	2.91%	0.00	0.00
16.67%	0.01	317219.00	317799.00	1.90%	0.00	0.00
14.29%	0.1	334133.00	334133.00	0.33%	0.00	0.00
0:00	0	291885.00	291885.00	0:00	0.00	0.00
0:00	0	241231.00	241231.00	22:35	0.00	0.00
0:00	0	303041.00	303041.00	0:00	0.00	0.00
0:00	0	292289.00	317219.00	0:00	0.00	0.00
0:00	0	263106.00	292289.00	0:00	0.00	0.00
0:00	0	279103.00	263106.00	0:00	0.00	0.00
0:00	0	328288.00	279103.00	23:18	0.00	0.00
0:00	0	304445.00	328288.00	0:00	0.00	0.00
0:00	0	317838.00	304445.00	0:00	0.00	0.00
0:00	0	317799.00	317838.00	0:00	0.00	0.00
0:00	0	317219.00	317799.00	0:00	0.00	0.00
0:00	0	334133.00	334133.00	0:00	0.00	0.00
0:00	1.49	87.00	51.00	0:00	-0.05	-1.03
12:00	1.5	54.00	52.00	2:30	-2.02	-2.23
0:00	1.1	85.00	41.00	2:18	-0.87	-1.53
7:59	1	111.00	41.00	1:44	-0.23	-1.14
0:00	3.46	208.00	48.00	1:42	-0.04	-1.02
0:00	2.46	272.00	47.00	2:32	0.25	-0.85
0:00	1.1	243.00	65.00	2:31	1.25	-0.24
0:00	1.82	252.00	58.00	1:13	0.98	-0.41

0:00	3.51	301.00	59.00	2:18	-0.01	-1.01
0:00	2.7	290.00	55.00	0:00	0.03	-0.98
0:00	2.74	191.00	68.00	0:00	-0.12	-1.07
0:00	2.35	156.00	38.00	0:00	-0.13	-1.08
0:00	1.8	87.00	51.00	0:00	-4.74	-3.88
0:00	3.08	54.00	52.00	0:42	-7.66	-5.65
0:00	3.56	85.00	41.00	1:24	-5.60	-4.41
0:00	5.17	111.00	41.00	1:15	-2.37	-2.44
0:00	3.33	208.00	48.00	5:17	0.54	-0.67
0:00	4.01	272.00	47.00	2:39	-0.51	-1.31
0:00	1.95	243.00	65.00	3:52	0.44	-0.73
0:00	1.64	252.00	58.00	1:58	0.87	-0.47
0:00	5.79	301.00	59.00	1:26	0.80	-0.51
0:00	3.93	290.00	55.00	0:00	-1.17	-1.71
0:00	8.2	191.00	68.00	0:00	-1.81	-2.10
0:00	5.25	156.00	38.00	0:00	-2.03	-2.23
0:00	0	87.00	51.00	0:00	0.00	0.00
0:00	0	54.00	52.00	0:00	0.00	0.00
0:00	0	85.00	41.00	0:00	-0.55	-1.33
0:00	4.88	111.00	41.00	0:00	-1.28	-1.78
0:00	2.01	208.00	48.00	0:00	1.14	-0.31
0:00	1.31	272.00	47.00	0:00	0.82	-0.50
0:00	3.35	243.00	65.00	0:00	0.68	-0.58
0:00	2.02	252.00	58.00	0:00	-0.02	-1.01
0:00	3.78	301.00	59.00	0:00	0.19	-0.88
0:00	5.5	290.00	55.00	0:00	-1.66	-2.01
0:00	14.01	191.00	68.00	0:00	-1.16	-1.70
0:00	1.51	156.00	38.00	0:00	0.74	-0.55
0:00	0.47	23.00	323.00	0:00	-3.02	-2.83
0:00	0.33	20.00	312.00	0:00	-0.69	-1.42
0:00	0.43	14.00	355.00	0:00	-2.15	-2.31
0:00	0.49	17.00	527.00	0:00	-4.11	-3.50
0:00	0	8.00	430.00	0:00	0.10	-0.94
0:00	0	12.00	502.00	0:00	0.26	-0.84
0:00	0	12.00	520.00	0:00	0.10	-0.94
0:00	0	12.00	720.00	0:00	0.43	-0.74
0:00	0.4	6.00	658.00	0:00	-4.34	-3.64
0:00	0.33	17.00	622.00	0:00	-1.60	-1.97
0:00	0	10.00	584.00	0:00	0.07	-0.96
0:00	0	2.00	606.00	0:00	-0.21	-1.13
0:00	0.49	23.00	323.00	0:00	-6.18	-4.76
0:00	0.4	20.00	312.00	0:00	-3.02	-2.84
0:00	0.48	14.00	355.00	0:00	-9.28	-6.64
0:00	0.41	17.00	527.00	20:38	-6.40	-4.89
0:00	0.33	8.00	430.00	10:04	-6.63	-5.03
0:00	0.42	12.00	502.00	20:24	-10.51	-7.39
0:00	0.34	12.00	520.00	16:04	-8.55	-6.20
0:00	0.49	12.00	720.00	8:52	-20.87	-13.69
0:00	0.47	6.00	658.00	6:14	-20.24	-13.30
0:00	0.49	17.00	622.00	3:21	-12.36	-8.51
0:00	0.44	10.00	584.00	9:36	-9.67	-6.88
0:00	0.5	2.00	606.00	18:57	-36.25	-23.04

0:00	0	0.00	5.00	5:19	0.00	0.00
0:00	0	0.00	3.00	4:48	0.00	0.00
0:00	0	0.00	5.00	6:00	0.00	0.00
0:00	0	0.00	8.00	5:08	0.00	0.00
0:00	0	0.00	1.00	0:00	0.00	0.00
0:00	0	0.00	1.00	1:50	0.00	0.00
0:00	0	0.00	4.00	4:48	0.00	0.00
0:00	0	0.00	13.00	5:03	0.00	0.00
0:00	0	0.00	6.00	6:19	0.00	0.00
0:00	0	0.00	1.00	6:51	0.00	0.00
0:00	0	0.00	0.00	4:48	0.00	0.00
0:00	0	0.00	4.00	10:45	0.00	0.00
0.00%	0	23.00	323.00	0.00%	0.00	0.00
0.00%	0	20.00	312.00	0.00%	0.00	0.00
0.00%	0.5	14.00	355.00	0.00%	-3.34	-3.03
500.00%	0	17.00	527.00	0.00%	0.62	-0.62
0.00%	0.34	8.00	430.00	0.00%	-3.58	-3.18
1900.00%	0	12.00	502.00	0.00%	0.14	-0.91
0.00%	0.33	12.00	520.00	0.00%	-4.68	-3.85
0.00%	0.24	12.00	720.00	0.00%	-2.13	-2.29
0.00%	0.36	6.00	658.00	0.00%	-6.32	-4.84
0.00%	0.44	17.00	622.00	0.00%	-5.97	-4.63
0.00%	0.37	10.00	584.00	0.00%	-3.71	-3.25
0.00%	0.35	2.00	606.00	0.00%	-6.40	-4.89
0.00%	841.46	0.00	11283.00	133.00%	-0.19	-1.11
0.00%	181	0.00	8788.00	833.00%	1.05	-0.36
0.00%	1086.72	0.00	12585.00	200.00%	1.45	-0.12
0.00%	892.14	0.00	13135.00	100.00%	0.80	-0.51
0.00%	1141.93	0.00	12138.00	100.00%	1.50	-0.09
100.00%	1101.58	0.00	10884.00	167.00%	1.62	-0.02
0.00%	501.11	0.00	11893.00	100.00%	1.64	-0.01
0.00%	894.09	0.00	12206.00	220.00%	-0.12	-1.07
0.00%	601.99	0.00	14884.00	120.00%	1.11	-0.32
0.00%	582.48	0.00	11635.00	150.00%	-0.98	-1.60
0.00%	657.49	0.00	12826.00	260.00%	-1.01	-1.62
0.00%	524.68	0.00	11219.00	400.00%	0.22	-0.86
0.00%	984.73	0.00	818.00	0.00%	-0.53	-1.32
0.00%	648.89	0.00	574.00	0.00%	-0.71	-1.43
0.00%	136.47	0.00	578.00	0.00%	-0.04	-1.03
0.00%	1148.96	0.00	840.00	0.00%	-0.87	-1.53
0.00%	573.25	0.00	813.00	0.00%	-0.80	-1.49
1300.00%	728.08	0.00	515.00	0.00%	-0.35	-1.21
0.00%	942.74	0.00	894.00	0.00%	-0.67	-1.41
0.00%	1014.69	0.00	857.00	0.00%	-0.46	-1.28
0.00%	424.94	0.00	796.00	0.00%	-0.80	-1.48
0.00%	423.66	0.00	798.00	0.00%	-0.76	-1.46
0.00%	618.36	0.00	755.00	0.00%	-0.51	-1.31
0.00%	479.64	0.00	902.00	0.00%	-1.18	-1.72
N/A	0	0.00	0.00		0.00	0.00
N/A	0	0.00	12.00		0.00	0.00
N/A	0	0.00	29.00		0.00	0.00
N/A	0	1.00	0.00		0.00	0.00

N/A		0	2.00	23.00		0.00	0.00
N/A		0	0.00	31.00		0.00	0.00
N/A		0	1.00	20.00		0.00	0.00
N/A		0	1.00	16.00		0.00	0.00
N/A		0	1.00	25.00		0.00	0.00
N/A		0	0.00	21.00		0.00	0.00
N/A		0	0.00	0.00		0.00	0.00
N/A		0	0.00	0.00		0.00	0.00
56.81%		0	0.00	0.00	63.82%	0.00	0.00
90.21%		0	3.00	39.00	67.22%	0.00	0.00
119.44%		0	3.00	30.00	83.82%	-0.33	-1.20
102.01%		0	3.00	0.00	81.46%	0.00	0.00
108.13%		0	4.00	30.00	74.65%	0.00	0.00
99.86%		0	1.00	44.00	72.08%	-0.18	-1.11
110.90%		0	2.00	30.00	81.39%	0.00	0.00
97.92%		0	5.00	40.00	102.64%	0.00	0.00
94.03%		0	4.00	57.00	76.46%	0.00	0.00
59.03%		0	0.00	48.00	75.49%	0.00	0.00
54.65%		0	0.00	0.00	83.82%	0.00	0.00
67.29%		0	0.00	0.00	66.11%	0.00	0.00
0.92		0	0.00	0.00	1.35	0.00	0.00
0.80		0	8.00	118.00	2.56	0.00	0.00
1.13		0	21.00	145.00	1.18	0.00	0.00
0.70		0	18.00	0.00	3.60	0.00	0.00
0.48		0	21.00	137.00	1.42	0.00	0.00
0.63		0	25.00	144.00	1.47	-0.44	-1.27
0.78		0	15.00	151.00	3.35	0.00	0.00
0.87		0	17.00	141.00	1.52	0.00	0.00
0.40		0	20.00	171.00	2.15	0.00	0.00
0.73		0	0.00	146.00	1.45	0.00	0.00
0.63		0	0.00	0.00	1.18	0.00	0.00
0.51		0	0.00	0.00	1.13	0.00	0.00
0.00		0	0.00	0.00	0.00	0.00	0.00
0.00		0	75.00	577.00	0.00	0.00	0.00
0.00	0.47	0	139.00	802.00	0.00	1.74	0.06
0.00		0	112.00	0.00	0.04	0.00	0.00
0.00		0	76.00	769.00	0.06	-0.35	-1.21
0.00		0	174.00	683.00	0.00	-0.44	-1.27
0.00		0	175.00	1081.00	0.06	0.00	0.00
0.00		0	171.00	1115.00	0.04	0.00	0.00
0.00		0	135.00	1116.00	0.05	0.00	0.00
0.00		0	0.00	888.00	0.00	0.00	0.00
0.00		0	0.00	0.00	0.00	0.00	0.00
0.00		0	0.00	0.00	0.00	0.00	0.00
0.00		0	0.00	0.00	0.00	0.00	0.00
0.00		0	11.00	113.00	0.08	0.00	0.00
0.00		0	15.00	134.00	0.10	0.00	0.00
0.00		0	16.00	0.00	0.10	-0.38	-1.23
0.00		0	21.00	128.00	0.09	0.00	0.00
0.00		0	37.00	139.00	0.03	-0.58	-1.35
0.00		0	19.00	145.00	0.05	0.00	0.00
0.00		0	24.00	177.00	0.09	0.00	0.00

0.00	0	24.00	176.00	0.08	0.00	0.00
0.00	0	0.00	153.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.07	0.00	0.00
0.00	0	0.00	0.00	0.14	0.00	0.00
0.00	0	0.00	0.00	0.13	0.00	0.00
0.00	0	0.00	0.00	0.15	0.00	0.00
0.00	0	0.00	0.00	0.17	0.00	0.00
0.00	0	0.00	0.00	0.11	0.00	0.00
0.00	0	0.00	0.00	0.10	0.00	0.00
0.00	0	0.00	0.00	0.14	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.13	0.00	0.00
0.67	0	0.00	0.00	0.17	0.00	0.00
0.00	0	0.00	0.00	0.15	0.00	0.00
0.00	0	0.00	0.00	0.11	0.00	0.00
0.00	0	0.00	0.00	0.16	0.00	0.00
0.00	0	0.00	0.00	0.16	0.00	0.00
0.00	0	0.00	0.00	0.15	0.00	0.00
0.00	0	0.00	0.00	0.15	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00%	0	54.00	60.00	0.00%	0.00	0.00
0.00%	0	39.00	42.00	9.73%	0.00	0.00
0.00%	0	35.00	39.00	11.19%	0.00	0.00
0.00%	0	113.00	77.00	12.50%	0.00	0.00
0.00%	0	89.00	124.00	15.11%	-0.37	-1.22
0.00%	0	94.00	101.00	25.52%	0.00	0.00
0.00%	0	91.00	112.00	10.73%	0.00	0.00
0.00%	0	72.00	107.00	13.64%	0.00	0.00
0.00%	0	119.00	86.00	15.69%	0.00	0.00
0.00%	0	137.00	135.00	0.00%	0.00	0.00
0.00%	0	68.00	155.00	0.00%	0.00	0.00
0.00%	0	102.00	121.00	0.00%	0.00	0.00
0:00	0	11.00	18.00	0:00	0.00	0.00
0:00	0	11.00	13.00	0:00	0.00	0.00
0:00	0	7.00	13.00	0:00	0.00	0.00
0:00	0	6.00	11.00	0:00	0.00	0.00
0:00	0	53.00	15.00	0:00	-1.55	-1.94
0:00	0	16.00	69.00	0:00	0.00	0.00
0:00	0	12.00	23.00	0:00	0.00	0.00
0:00	0	11.00	21.00	0:00	0.00	0.00
0:00	0	7.00	22.00	0:00	0.00	0.00
0:00	0	6.00	11.00	0:00	0.00	0.00
0:00	0	10.00	7.00	0:00	0.00	0.00
0:00	0	12.00	12.00	0:00	0.00	0.00

0:00	0	2.00	2.00	0:00	0.00	0.00
0:00	0	6.00	8.00	0:00	-0.54	-1.33
0:00	0	3.00	4.00	0:00	0.00	0.00
0:00	0	3.00	6.00	0:00	-1.08	-1.66
0:00	0	11.00	7.00	0:00	-0.29	-1.18
0:00	0	4.00	12.00	0:00	0.00	0.00
0:00	0	6.00	8.00	0:00	0.00	0.00
0:00	0	6.00	9.00	0:00	0.00	0.00
0:00	0	2.00	9.00	0:00	0.00	0.00
0:00	0	0.00	5.00	0:00	0.00	0.00
0:00	0	4.00	3.00	0:00	0.00	0.00
0:00	0	4.00	13.00	0:00	0.00	0.00
0.00%	0	890.00	86.00	90.00%	0.00	0.00
0.00%	0	739.00	60.00	92.86%	0.00	0.00
0.00%	0	633.00	48.00	89.74%	0.00	0.00
0.00%	0	1343.00	69.00	91.13%	0.00	0.00
100.00%	0	775.00	139.00	88.12%	0.58	-0.65
0.00%	0	1074.00	81.00	83.93%	0.00	0.00
0.00%	0	1457.00	107.00	85.05%	0.00	0.00
0.00%	0	711.00	109.00	83.72%	0.00	0.00
0.00%	0	1219.00	73.00	88.15%	0.00	0.00
0.00%	0	1698.00	139.00	88.39%	0.00	0.00
0.00%	0	648.00	146.00	88.31%	0.00	0.00
0.00%	0	1157.00	84.00	84.30%	0.00	0.00
0.00%	0	188.00	21.00	61.11%	0.00	0.00
0.00%	0	86.00	13.00	84.62%	0.00	0.00
0.00%	0	299.00	15.00	53.85%	0.00	0.00
0.00%	0	267.00	8.00	40.00%	0.00	0.00
100.00%	0	692.00	17.00	76.81%	-1.83	-2.11
0.00%	0	187.00	77.00	69.57%	0.00	0.00
0.00%	0	559.00	27.00	57.14%	0.00	0.00
0.00%	0	342.00	24.00	50.00%	0.00	0.00
0.00%	0	198.00	25.00	63.64%	0.00	0.00
0.00%	0	739.00	15.00	85.71%	0.00	0.00
0.00%	0	100.00	26.00	90.91%	0.00	0.00
0.00%	0	68.00	12.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	75.00%	0.00	0.00
0.00%	0	0.00	0.00	75.00%	0.00	0.00
100.00%	0	0.00	0.00	42.86%	0.00	0.00
100.00%	0	0.00	0.00	91.67%	0.00	0.00
0.00%	0	0.00	0.00	50.00%	0.00	0.00
0.00%	0	0.00	0.00	66.67%	0.00	0.00
0.00%	0	0.00	0.00	66.67%	0.00	0.00
0.00%	0	0.00	0.00	40.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	66.67%	0.00	0.00
0.00%	0	0.00	0.00	30.77%	0.00	0.00
0.00%	0	0.00	0.00	1035.00%	0.00	0.00
0.00%	0.08	0.00	0.00	1232.00%	0.00	0.00
0.00%	0.03	0.00	0.00	1319.00%	0.00	0.00
0.00%	0.07	0.00	0.00	966.00%	0.00	0.00

0.00%	0	32.00	49.00	0.00%	0.00	0.00
0.00%	0	87.00	39.00	0.00%	0.00	0.00
0.00%	0	47.00	91.00	0.00%	0.00	0.00
0.00%	0	43.00	48.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	85.37%	0.00	0.00
0.00%	0	0.00	0.00	90.91%	0.00	0.00
0.00%	0	0.00	0.00	92.65%	0.00	0.00
100.00%	0	0.00	0.00	96.74%	0.00	0.00
0.00%	0	0.00	0.00	86.67%	0.00	0.00
0.00%	0	0.00	0.00	81.40%	0.00	0.00
0.00%	0	0.00	0.00	91.84%	0.00	0.00
0.00%	0	0.00	0.00	82.05%	0.00	0.00
0.00%	0	0.00	0.00	95.60%	0.00	0.00
0.00%	0	0.00	0.00	94.00%	0.00	0.00
0.00%	0	0.00	0.00	89.58%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	35.00	41.00	0.00%	0.00	0.00
0.00%	0	40.00	44.00	0.00%	0.00	0.00
0.00%	0	63.00	50.00	0.00%	0.00	0.00
0.00%	0	89.00	68.00	0.00%	-0.53	-1.32
0.00%	0	39.00	92.00	0.00%	0.00	0.00
0.00%	0	35.00	45.00	0.00%	0.00	0.00
0.00%	0	45.00	43.00	0.00%	0.00	0.00
0.00%	0	32.00	49.00	0.00%	0.00	0.00
0.00%	0	87.00	39.00	0.00%	0.00	0.00
0.00%	0	47.00	91.00	0.00%	0.00	0.00
0.00%	0	43.00	48.00	0.00%	0.00	0.00
0.00	1.41	88.00	16.00	0.00	-0.09	-1.06
0.00	0	78.00	15.00	0.85	0.00	0.00
0.00	0	29.00	17.00	0.91	0.00	0.00
0.00	0	64.00	37.00	0.93	0.73	-0.56
1.00	0	108.00	30.00	0.97	0.00	0.00
0.00	0	306.00	26.00	0.87	0.00	0.00
0.00	0	90.00	40.00	0.81	0.00	0.00
0.00	0	165.00	51.00	0.92	0.00	0.00
0.00	0	160.00	42.00	0.82	0.00	0.00
0.00	0	129.00	45.00	0.96	0.00	0.00
0.00	0	142.00	46.00	0.94	0.00	0.00
0.00	0	140.00	45.00	0.90	0.00	0.00
5.00	0	113.00	126.00	5.50	0.00	0.00
0.00	0	100.00	117.00	5.20	0.00	0.00
0.00	0	238.00	253.00	1.71	1.89	0.15
4.00	0	213.00	332.00	2.13	0.00	0.00
0.00	0	209.00	248.00	4.15	0.00	0.00
0.00	0	226.00	227.00	7.65	0.00	0.00
0.00	0	285.00	238.00	1.76	0.00	0.00
0.00	0	313.00	304.00	3.93	0.00	0.00
0.00	0	297.00	326.00	3.56	0.00	0.00
0.00	0	326.00	316.00	2.80	0.00	0.00
0.00	0	314.00	347.00	3.84	0.00	0.00
0.00	0	320.00	343.00	3.11	0.00	0.00

0.00%	0	0.00	0.00	89.68%	0.00	0.00
0.00%	0	0.00	0.00	85.47%	0.00	0.00
0.00%	0	0.00	0.00	94.07%	0.00	0.00
0.00%	0	0.00	0.00	85.89%	0.00	0.00
0.00%	0	0.00	0.00	92.07%	0.00	0.00
0.00%	0	0.00	0.00	94.96%	0.00	0.00
0.00%	0	0.00	0.00	93.75%	0.00	0.00
0.00%	0	0.00	0.00	96.01%	0.00	0.00
0.00%	0	0.00	0.00	93.99%	0.00	0.00
0.00%	0	0.00	0.00	93.95%	0.00	0.00
0.00%	0	0.00	0.00	94.58%	0.00	0.00
0.00%	0	0.00	0.00	93.29%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	6.00	0.00%	0.00	0.00
85.49%	0	0.00	9.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	3.00	0.00%	0.00	0.00
0.00%	0	1.00	5.00	0.00%	0.00	0.00
0.00%	0	1.00	6.00	0.00%	0.00	0.00
0.00%	0	2.00	9.00	0.00%	0.00	0.00
0.00%	0	0.00	12.00	0.00%	0.00	0.00
0.00%	0	0.00	9.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	2.00	4:00	0.00	0.00
0:00	0	0.00	0.00	2:39	0.00	0.00
0:00	0	0.00	1.00	4:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0:00	0	0.00	0.00	0:00	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	1.00	8.00	12.50%	0.00	0.00
0.00%	0	0.00	4.00	0.00%	0.00	0.00
0.00%	0	1.00	0.00	20.00%	0.00	0.00

0.00%	0	3.00	5.00	27.27%	0.00	0.00
0.00%	0	1.00	11.00	25.00%	0.00	0.00
0.00%	0	0.00	4.00	0.00%	0.00	0.00
0.00%	0	0.00	9.00	0.00%	0.00	0.00
0.00%	0	1.00	6.00	9.09%	0.00	0.00
0.00%	0	0.00	11.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	75.00	577.00	0.13	0.00	0.00
0.00	0	139.00	802.00	0.17	-0.46	-1.28
0.00	0	112.00	0.00	0.15	0.00	0.00
0.00	0	76.00	769.00	0.11	0.00	0.00
0.00	0	174.00	683.00	0.16	0.00	0.00
0.00	0	175.00	1081.00	0.16	0.00	0.00
0.00	0	171.00	1115.00	0.15	0.00	0.00
0.00	0	135.00	1116.00	0.15	0.00	0.00
0.00	0	0.00	888.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00%	0	117.00	5.00	2340.00%	0.00	0.00
0.00%	0	42.00	3.00	1400.00%	0.00	0.00
6500.00%	0	35.00	3.00	1167.00%	3.72	1.26
0.00%	0	8.00	8.00	200.00%	0.00	0.00
0.00%	0	110.00	4.00	1833.00%	0.00	0.00
0.00%	0	81.00	6.00	2025.00%	0.00	0.00
0.00%	0	240.00	4.00	6000.00%	0.00	0.00
0.00%	0	441.00	4.00	3150.00%	0.00	0.00
0.00%	0	329.00	14.00	3656.00%	0.00	0.00
0.00%	0	641.00	9.00	5342.00%	0.00	0.00
0.00%	0	595.00	12.00	7438.00%	0.00	0.00
0.00%	0	464.00	9.00	5156.00%	0.00	0.00
0:00	0	2.00	5.00	9:36	0.00	0.00
0:00	0	1.00	3.00	7:59	0.00	0.00
0:00	0	0.00	3.00	0:00	0.00	0.00
0:00	0	2.00	8.00	12:00	0.00	0.00
0:00	0	2.00	4.00	7:59	0.00	0.00
0:00	0	2.00	6.00	12:00	0.00	0.00
0:00	0	1.00	4.00	6:00	0.00	0.00
0:00	0	2.00	4.00	3:25	0.00	0.00

0:00	0	4.00	14.00	10:39	0.00	0.00
0:00	0	3.00	9.00	6:00	0.00	0.00
0:00	0	3.00	12.00	9:00	0.00	0.00
0:00	0	2.00	9.00	5:19	0.00	0.00
0.00%	0	50.00	3.00	1667.00%	0.00	0.00
700.00%	0	388.00	10.00	3880.00%	-1.66	-2.01
0.00%	0	169.00	6.00	2817.00%	0.00	0.00
0.00%	0	157.00	4.00	2617.00%	0.00	0.00
0.00%	0	218.00	6.00	2422.00%	0.00	0.00
0.00%	0	566.00	9.00	5660.00%	0.00	0.00
0.00%	0	416.00	10.00	2971.00%	0.00	0.00
0.00%	0	217.00	14.00	2713.00%	0.00	0.00
0.00%	0	175.00	8.00	3500.00%	0.00	0.00
0.00%	0	66.00	5.00	3300.00%	0.00	0.00
0.00%	0	106.00	2.00	2650.00%	0.00	0.00
0.00%	0	534.00	12.00	4450.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	2872.00	2872.00	100.00%	0.00	0.00
100.00%	0	2797.00	2797.00	100.00%	0.00	0.00
96.43%	0.19	2807.00	3139.00	100.00%	2.68	0.63
100.00%	0	3059.00	2807.00	100.00%	0.00	0.00
100.00%	0	3384.00	3059.00	100.00%	0.00	0.00
100.00%	0	3224.00	3384.00	100.00%	0.00	0.00
95.45%	0.21	3259.00	3224.00	100.00%	2.81	0.71
100.00%	0	3336.00	3259.00	100.00%	0.00	0.00
100.00%	0	3541.00	3336.00	100.00%	0.00	0.00
100.00%	0	3139.00	3541.00	100.00%	0.00	0.00
100.00%	0	3367.00	3367.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	41.00	41.00	100.00%	0.00	0.00
0.00%	0	44.00	44.00	100.00%	0.00	0.00
0.00%	0	68.00	50.00	100.00%	0.00	0.00
100.00%	0	92.00	68.00	100.00%	0.00	0.00
0.00%	0	45.00	92.00	100.00%	0.00	0.00
0.00%	0	43.00	45.00	100.00%	0.00	0.00
0.00%	0	49.00	43.00	100.00%	0.00	0.00
0.00%	0	39.00	49.00	100.00%	0.00	0.00
0.00%	0	91.00	39.00	100.00%	0.00	0.00
0.00%	0	50.00	91.00	100.00%	0.00	0.00
0.00%	0	48.00	48.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	136.00	136.00	100.00%	0.00	0.00
0.00%	0	94.00	94.00	100.00%	0.00	0.00
0.00%	0	213.00	220.00	100.00%	0.00	0.00
100.00%	0	268.00	213.00	100.00%	0.00	0.00
0.00%	0	323.00	268.00	100.00%	0.00	0.00
0.00%	0	286.00	323.00	100.00%	0.00	0.00
0.00%	0	204.00	286.00	100.00%	0.00	0.00
0.00%	0	343.00	204.00	100.00%	0.00	0.00
0.00%	0	331.00	343.00	100.00%	0.00	0.00
100.00%	0	220.00	331.00	100.00%	0.00	0.00
0.00%	0	362.00	362.00	100.00%	0.00	0.00

0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	136.00	136.00	1.00	0.00	0.00
0.99	0.1	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
0.98	0.13	0.00	0.00	0.00	0.00	0.00
0.98	0.15	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
1.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	0.00	0.00	0.00	0.00	0.00
0.00	0	105.00	105.00	1.00	0.00	0.00
0.00	0	118.00	118.00	1.00	0.00	0.00
0.00	0	119.00	112.00	1.00	0.00	0.00
0.00	0	111.00	119.00	1.00	0.00	0.00
0.00	0	112.00	111.00	1.00	0.00	0.00
0.00	0	117.00	112.00	1.00	0.00	0.00
0.00	0	151.00	117.00	1.00	0.00	0.00
0.00	0	236.00	151.00	1.00	0.00	0.00
1.00	0	360.00	236.00	1.00	0.00	0.00
0.00	0	112.00	360.00	1.00	0.00	0.00
1.00	0	138.00	138.00	1.00	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	28679.00	28679.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00

100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.75%	0.05	0.00	0.00	0.00%	0.00	0.00
99.79%	0.05	0.00	0.00	0.00%	0.00	0.00
99.75%	0.05	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	11048.00	11048.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
98.51%	0.12	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	37.00	37.00	100.00%	0.00	0.00
0.00%	0	21.00	21.00	100.00%	0.00	0.00
0.00%	0	40.00	47.00	100.00%	0.00	0.00
100.00%	0	40.00	40.00	100.00%	0.00	0.00
0.00%	0	41.00	40.00	100.00%	0.00	0.00
0.00%	0	34.00	41.00	100.00%	0.00	0.00
0.00%	0	46.00	34.00	100.00%	0.00	0.00
100.00%	0	46.00	46.00	100.00%	0.00	0.00
0.00%	0	49.00	46.00	100.00%	0.00	0.00
0.00%	0	47.00	49.00	100.00%	0.00	0.00
0.00%	0	36.00	36.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
94.83%	0.22	11048.00	11048.00	100.00%	5.40	2.29
95.95%	0.2	13061.00	13061.00	100.00%	5.36	2.26
95.38%	0.21	14196.00	12296.00	100.00%	5.48	2.33
96.36%	0.19	12237.00	14196.00	100.00%	4.40	1.67
98.57%	0.12	13310.00	12237.00	100.00%	2.89	0.76
98.18%	0.13	13322.00	13310.00	100.00%	2.96	0.80
98.99%	0.1	13260.00	13322.00	100.00%	2.78	0.69
100.00%	0	13106.00	13260.00	100.00%	0.00	0.00
97.17%	0.17	13921.00	13106.00	100.00%	6.71	3.08
100.00%	0	12296.00	13921.00	100.00%	0.00	0.00
95.56%	0.21	12266.00	12266.00	100.00%	4.49	1.73
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	25807.00	25807.00	100.00%	0.00	0.00
99.86%	0.04	25926.00	25926.00	100.00%	0.00	0.00
99.72%	0.05	28548.00	32134.00	100.00%	0.00	0.00
99.89%	0.03	30364.00	28548.00	100.00%	0.00	0.00
99.80%	0.04	33149.00	30364.00	100.00%	0.00	0.00
99.93%	0.03	37621.00	33149.00	100.00%	0.00	0.00
99.91%	0.03	37045.00	37621.00	100.00%	0.00	0.00

0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	35.00	35.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	11048.00	11048.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
99.78%	0.05	9892.00	9892.00	100.00%	0.00	0.00
99.49%	0.07	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.85%	0.04	0.00	0.00	0.00%	0.00	0.00
99.86%	0.04	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
99.70%	0.05	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	76.00	76.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	28679.00	28679.00	100.00%	0.00	0.00
98.73%	0.11	0.00	0.00	0.00%	0.00	0.00
99.67%	0.06	0.00	0.00	0.00%	0.00	0.00

99.85%	0.04	0.00	0.00	0.00%	0.00	0.00
99.87%	0.04	0.00	0.00	0.00%	0.00	0.00
99.81%	0.04	0.00	0.00	0.00%	0.00	0.00
99.69%	0.06	0.00	0.00	0.00%	0.00	0.00
99.78%	0.05	0.00	0.00	0.00%	0.00	0.00
99.87%	0.04	0.00	0.00	0.00%	0.00	0.00
99.87%	0.04	0.00	0.00	0.00%	0.00	0.00
99.91%	0.03	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	132.00	132.00	100.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
83.33%	0.37	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	231.00	231.00	100.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
87.50%	0.33	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
100.00%	0	0.00	0.00	0.00%	0.00	0.00
300.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
0.00%	0	0.00	0.00	0.00%	0.00	0.00
1600.00%	0	277.00	30.00	923.00%	0.95	-0.42
0.00%	0	287.00	32.00	897.00%	0.00	0.00
0.00%	0	164.00	23.00	713.00%	0.00	0.00
0.00%	0	196.00	26.00	700.00%	0.00	0.00
0.00%	0	258.00	28.00	679.00%	0.00	0.00
0.00%	0	298.00	38.00	608.00%	0.00	0.00
0.00%	0	324.00	49.00	689.00%	0.00	0.00
0.00%	0	181.00	47.00	646.00%	0.00	0.00

PID	Description	Product_Description	Standard
BI-1A	BI-1 - Time to Provide Recorded Usage Records	UNEs and Resale Aggregate	(Parity)
BI-1B	BI-1 - Time to Provide Recorded Usage Records	Jointly-provided Switched Access	(Benchmark)
BI-1C-1	BI-1 - Time to Provide Recorded Usage Records	UNEs and Resale Aggregate	(Diagnostic)
BI-1C-2	BI-1 - Time to Provide Recorded Usage Records	UNEs and Resale Aggregate	(Diagnostic)
BI-2	BI-2 - Invoices Delivered within 10 Days	All	(Parity)
BI-3A	BI-3 - Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	(Parity)
BI-3B	BI-3 - Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	(Benchmark)
BI-4A	BI-4 - Billing Completeness	UNEs and Resale Aggregate	(Parity)
BI-4B	BI-4 - Billing Completeness	Reciprocal Compensation	(Benchmark)
BI-5A	BI-5 - Billing Accuracy & Claims Processing	All	(Benchmark)
BI-5B	BI-5 - Billing Accuracy & Claims Processing	All	(Benchmark)
CP-1A	CP-1 - Collocation Completion Interval (Average Days)	All	(Benchmark)
CP-1B	CP-1 - Collocation Completion Interval (Average Days)	All	(Benchmark)
CP-1C	CP-1 - Collocation Completion Interval (Average Days)	All	(Benchmark)
CP-2B	CP-2 - Collocations Completed within Scheduled Intervals (Percent)	All	(Benchmark)
CP-2C	CP-2 - Collocations Completed within Scheduled Intervals (Percent)	All	(Benchmark)
CP-3	CP-3 - Collocation Feasibility Study Interval (Average Days)	All	(Benchmark)
CP-4	CP-4 - Collocation Feasibility Study Commitments Met (Percent)	All	(Benchmark)
DA-1	DA-1 - Speed of Answer - Directory Assistance		(Parity)
DB-1A	DB-1 - Time to Update Databases	E911	(Parity)
DB-1B	DB-1 - Time to Update Databases	LIDB	(Parity)
DB-1C-1	DB-1 - Time to Update Databases	Directory Listing	(Parity)
DB-2C-1	DB-2 - Accurate Database Updates	Directory Listing	(Parity)
GA-1A	GA-1 - Gateway Availability - IMA-GUI	All	(Benchmark)
GA-1D	GA-1 - Gateway Availability - IMA-GUI	SIA	(Benchmark)
GA-2	GA-2 - Gateway Availability - IMA-EDI		(Benchmark)
GA-3	GA-3 - Gateway Availability - EB-TA		(Benchmark)
GA-4	GA-4 - System Availability - EXACT		(Benchmark)
GA-6	GA-6 - Gateway Availability - GUI - Repair		(Benchmark)
GA-7	GA-7 - Timely Outage Resolution following Software Releases		(Benchmark)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Business	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Centrex	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Centrex 21	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	DS0	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	DS1	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	E911	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Frame Relay	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	ISDN Primary	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	LIS Trunk	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	PBX	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Qwest DSL	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Residence	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	UDIT Above DS1 Level	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	UDIT DS1	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Unbundled Loop - 2 Wire Non-Loaded	(Diag)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Unbundled Loop - 4 Wire Non-Loaded	(Diag)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Unbundled Loop - ADSL Qualified	(Diagnost)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Unbundled Loop - DS1 Capable	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Unbundled Loop - XDSLi	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Unbundled Loop Analog	(Diagnostic)
MR-10	MR-10 - Customer-Related Trouble Reports (Percent)	Unbundled Loop ISDN Capable	(Diagnostic)

MR-10 MR-10 - Customer-Related Trouble Reports (Percent) UNE - P (POTS) (Diagnostic)

MR-10 MR-10 - Customer-Related Trouble Reports (Percent) UNE P (Centrex 21) (Diagnostic)

MR-10 MR-10 - Customer-Related Trouble Reports (Percent) UNE P (Centrex) (Diagnostic)

MR-11A MR-11 - LNP Trouble Reports Cleared within 24 Hours LNP (Benchmark)

MR-11B MR-11 - LNP Trouble Reports Cleared within 24 Hours LNP (Benchmark)

MR-2 MR-2 - Calls Answered within 20 Seconds - Interconnect Repair Center (Percent) (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Business (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Centrex (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Centrex 21 (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Line Sharing (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Line Splitting (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs PBX (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs Residence (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs UNE P (Centrex 21) (Parity)

MR-3A MR-3A - Out of Service Cleared within 24 Hours (Percent) - Dispatches within MSAs UNE P (Centrex) (Parity)

MR-3B MR-3B - Out of Service Cleared within 24 Hours (Percent) - Dispatches outside MSAs Business (Parity)

MR-3B MR-3B - Out of Service Cleared within 24 Hours (Percent) - Dispatches outside MSAs PBX (Parity)

MR-3B MR-3B - Out of Service Cleared within 24 Hours (Percent) - Dispatches outside MSAs Residence (Parity)

MR-3B MR-3B - Out of Service Cleared within 24 Hours (Percent) - Dispatches outside MSAs UNE - P (POTS) (Parity)

MR-3B MR-3B - Out of Service Cleared within 24 Hours (Percent) - Dispatches outside MSAs UNE P (Centrex 21) (Parity)

MR-3B MR-3B - Out of Service Cleared within 24 Hours (Percent) - Dispatches outside MSAs UNE P (Centrex) (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Business (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Centrex (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Centrex 21 (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Line Sharing (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Line Splitting (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches PBX (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Residence (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches Sub-Loop Unbundling (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches UNE - P (POTS) (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches UNE P (Centrex 21) (Parity)

MR-3C MR-3C - Out of Service Cleared within 24 Hours (Percent) - No dispatches UNE P (Centrex) (Parity)

MR-3D MR-3D - Out of Service Cleared within 24 Hours (Percent) - Interval Zone One Qwest DSL (Parity)

MR-3D MR-3D - Out of Service Cleared within 24 Hours (Percent) - Interval Zone One Unbundled Loop - 2 (Parity)

MR-3D MR-3D - Out of Service Cleared within 24 Hours (Percent) - Interval Zone One Unbundled Loop - A (Parity)

MR-3D MR-3D - Out of Service Cleared within 24 Hours (Percent) - Interval Zone One Unbundled Loop - X (Parity)

MR-3D MR-3D - Out of Service Cleared within 24 Hours (Percent) - Interval Zone One Unbundled Loop An (Parity)

MR-3D MR-3D - Out of Service Cleared within 24 Hours (Percent) - Interval Zone One Unbundled Loop ISC (Parity)

MR-3E MR-3E - Out of Service Cleared within 24 Hours (Percent) - Interval Zone Two Unbundled Loop - 2 (Parity)

MR-3E MR-3E - Out of Service Cleared within 24 Hours (Percent) - Interval Zone Two Unbundled Loop - AI (Parity)

MR-3E MR-3E - Out of Service Cleared within 24 Hours (Percent) - Interval Zone Two Unbundled Loop An (Parity)

MR-3E MR-3E - Out of Service Cleared within 24 Hours (Percent) - Interval Zone Two Unbundled Loop ISC (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Business (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Centrex (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Centrex 21 (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Line Sharing (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Line Splitting (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs PBX (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs Residence (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs UNE P (Centrex 21) (Parity)

MR-4A MR-4A - All Troubles Cleared within 48 Hours (Percent) - Dispatches within MSAs UNE P (Centrex) (Parity)

MR-4B MR-4B - All Troubles Cleared within 48 Hours (Percent) - Dispatches outside MSAs Business (Parity)

MR-4B MR-4B - All Troubles Cleared within 48 Hours (Percent) - Dispatches outside MSAs Centrex 21 (Parity)

MR-4B MR-4B - All Troubles Cleared within 48 Hours (Percent) - Dispatches outside MSAs PBX (Parity)

MR-4B MR-4B - All Troubles Cleared within 48 Hours (Percent) - Dispatches outside MSAs Residence (Parity)

MR-4B MR-4B - All Troubles Cleared within 48 Hours (Percent) - Dispatches outside MSAs UNE - P (POTS) (Parity)

MR-4B MR-4B - All Troubles Cleared within 48 Hours (Percent) - Dispatches outside MSAs UNE P (Centrex) (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Business (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Centrex (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Centrex 21 (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Line Sharing (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Line Splitting (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches PBX (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Residence (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches Sub-Loop Unbundling (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches UNE - P (POTS) (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches UNE P (Centrex 21) (Parity)

MR-4C MR-4C - All Troubles Cleared within 48 Hours (Percent) - No dispatches UNE P (Centrex) (Parity)

MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Qwest DSL (Parity)

MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop - 2 Wire (Parity)

MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop - ADSL (Parity)

MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop - XDSL (Parity)

MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop Analogue (Parity)

MR-4D MR-4D - All Troubles Cleared within 48 Hours (Percent) - Interval Zone One Unbundled Loop ISDN (Parity)

MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Qwest DSL (Parity)

MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Unbundled Loop - 2 Wire (Parity)

MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Unbundled Loop - ADSL (Parity)

MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Unbundled Loop Analogue (Parity)

MR-4E MR-4E - All Troubles Cleared within 48 Hours (Percent) - Interval Zone Two Unbundled Loop ISDN (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One DS0 (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One DS1 (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One E911 (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Enhanced Extended Local (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Enhanced Extended Local (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Enhanced Extended Local (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Frame Relay (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One ISDN Primary (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One LIS Trunk (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One UDIT Above DS1 Level (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One UDIT DS1 (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Unbundled Loop - 4 Wire (Parity)

MR-5A MR-5A - All Troubles Cleared within 4 Hours (Percent) - Interval Zone One Unbundled Loop - DS1 (Parity)

MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two DS0 (Parity)

MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two DS1 (Parity)

MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two E911 (Parity)

MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two Enhanced Extended Local (Parity)

MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two LIS Trunk (Parity)

MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two UDIT Above DS1 Level (Parity)

MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two UDIT DS1 (Parity)

MR-5B MR-5B - All Troubles Cleared within 4 Hours (Percent) - Interval Zone Two Unbundled Loop - DS1 (Parity)

MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Business (Parity)

MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Centrex (Parity)

MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Centrex 21 (Parity)

MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Line Sharing (Parity)
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Line Splitting (Parity)
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs PBX (Parity)
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs Residence (Parity)
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs UNE - P (POTS) (Parity)
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs UNE P (Centrex 21) (Parity)
MR-6A MR-6A - Mean Time to Restore (Hours:Minutes) - Dispatches within MSAs UNE P (Centrex) (Parity)
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs Business (Parity)
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs Centrex 21 (Parity)
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs PBX (Parity)
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs Residence (Parity)
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs UNE - P (POTS) (Parity)
MR-6B MR-6B - Mean Time to Restore (Hours:Minutes) - Dispatches outside MSAs UNE P (Centrex) (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Business (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Centrex (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Centrex 21 (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Line Sharing (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Line Splitting (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches PBX (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Residence (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches Sub-Loop Unbundling (Diagnostic)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches UNE - P (POTS) (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches UNE P (Centrex 21) (Parity)
MR-6C MR-6C - Mean Time to Restore (Hours:Minutes) - No dispatches UNE P (Centrex) (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Dark Fiber - IOF (Diagnostic)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Dark Fiber - Loop (Diagnostic)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One DS0 (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One DS1 (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One E911 (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Enhanced Extended Loops - [C
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Enhanced Extended Loops - [C
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Enhanced Extended Loops - [C
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Frame Relay (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One ISDN Primary (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One LIS Trunk (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Qwest DSL (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One UDIT Above DS1 Level (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One UDIT DS1 (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - 2 Wire Non
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - 4 Wire Non
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - ADSL Qual
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - DS1 Capab
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop - XDSL (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop Analog (Parity)
MR-6D MR-6D - Mean Time to Restore (Hours:Minutes) - Interval Zone One Unbundled Loop ISDN Capab
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two DS0 (Parity)
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two DS1 (Parity)
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two E911 (Parity)
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Enhanced Extended Loops - [C
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two LIS Trunk (Parity)
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Qwest DSL (Parity)
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two UDIT Above DS1 Level (Parity)

MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two UDIT DS1 (Parity)
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop - 2 Wire Non-
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop - ADSL Quali
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop - DS1 Capab
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop Analog (Pari
MR-6E MR-6E - Mean Time to Restore (Hours:Minutes) - Interval Zone Two Unbundled Loop ISDN Capabl
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Business (Parity)
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Centrex (Parity)
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Centrex 21 (Parity)
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Line Sharing (Diagnostic)
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Line Splitting (Parity)
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs PBX (Parity)
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs Residence (Parity)
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs UNE P (Centrex 21) (Pari
MR-7A MR-7A - Repair Repeat Report Rate (Percent) - Dispatches within MSAs UNE P (Centrex) (Parity)
MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs Business (Parity)
MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs PBX (Parity)
MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs Residence (Parity)
MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs UNE - P (POTS) (Parity)
MR-7B MR-7B - Repair Repeat Report Rate (Percent) - Dispatches outside MSAs UNE P (Centrex) (Parity)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Business (Parity)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Centrex (Parity)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Centrex 21 (Parity)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Line Sharing (Diagnostic)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Line Splitting (Parity)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches PBX (Parity)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches Residence (Parity)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches UNE - P (POTS) (Parity)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches UNE P (Centrex 21) (Parity)
MR-7C MR-7C - Repair Repeat Report Rate (Percent) - No dispatches UNE P (Centrex) (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Dark Fiber - Loop (Diagnostic)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One DS0 (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One DS1 (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One E911 (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Enhanced Extended Loops - DS
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Enhanced Extended Loops - DS
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Enhanced Extended Loops - DS
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Frame Relay (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One ISDN Primary (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One LIS Trunk (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Qwest DSL (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One UDIT Above DS1 Level (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One UDIT DS1 (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - 2 Wire Non-L
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - 4 Wire Non-L
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - ADSL Qualifi
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - DS1 Capable
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop - XDSL (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop Analog (Parity)
MR-7D MR-7D - Repair Repeat Report Rate (Percent) - Interval Zone One Unbundled Loop ISDN Capable
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two DS0 (Parity)

MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two DS1 (Parity)
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two E911 (Parity)
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Enhanced Extended Loops - DS
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two LIS Trunk (Parity)
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Qwest DSL (Parity)
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two UDIT Above DS1 Level (Parity)
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two UDIT DS1 (Parity)
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop - 2 Wire Non-L
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop - ADSL Qualifie
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop - DS1 Capable
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop Analog (Parity)
MR-7E MR-7E - Repair Repeat Report Rate (Percent) - Interval Zone Two Unbundled Loop ISDN Capable
MR-8 MR-8 - Trouble Rate (Percent) Basic Rate ISDN (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Business (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Centrex (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Centrex 21 (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Dark Fiber - IOF (Diagnostic)
MR-8 MR-8 - Trouble Rate (Percent) Dark Fiber - Loop (Diagnostic)
MR-8 MR-8 - Trouble Rate (Percent) DS0 (Parity)
MR-8 MR-8 - Trouble Rate (Percent) DS1 (Parity)
MR-8 MR-8 - Trouble Rate (Percent) DS3 (Parity)
MR-8 MR-8 - Trouble Rate (Percent) E911 (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Enhanced Extended Loops - DS0 Capable (Diagnostic)
MR-8 MR-8 - Trouble Rate (Percent) Enhanced Extended Loops - DS1 Capable (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Enhanced Extended Loops - DS3 Capable (Diagnostic)
MR-8 MR-8 - Trouble Rate (Percent) Frame Relay (Parity)
MR-8 MR-8 - Trouble Rate (Percent) ISDN Primary (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Line Sharing (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Line Splitting (Parity)
MR-8 MR-8 - Trouble Rate (Percent) LIS Trunk (Parity)
MR-8 MR-8 - Trouble Rate (Percent) PBX (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Qwest DSL (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Residence (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Sub-Loop Unbundling (Diagnostic)
MR-8 MR-8 - Trouble Rate (Percent) UDIT Above DS1 Level (Parity)
MR-8 MR-8 - Trouble Rate (Percent) UDIT DS1 (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - 2 Wire Non-Loaded (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - 4 Wire Non-Loaded (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - ADSL Qualified (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - DS1 Capable (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop - XDSLi (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop Analog (Parity)
MR-8 MR-8 - Trouble Rate (Percent) Unbundled Loop ISDN Capable (Parity)
MR-8 MR-8 - Trouble Rate (Percent) UNE - P (POTS) (Parity)
MR-8 MR-8 - Trouble Rate (Percent) UNE P (Centrex 21) (Parity)
MR-8 MR-8 - Trouble Rate (Percent) UNE P (Centrex) (Parity)
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs Business (Parity)
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs Centrex (Parity)
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs Centrex 21 (Parity)
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs PBX (Parity)
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs Residence (Parity)
MR-9A MR-9A - Repair Appointments Met (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)

MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs Business (Parity)
MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs Centrex 21 (Parity)
MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs PBX (Parity)
MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs Residence (Parity)
MR-9B MR-9B - Repair Appointments Met (Percent) - Dispatches outside MSAs UNE - P (POTS) (Parity)
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches Business (Parity)
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches Centrex (Parity)
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches Centrex 21 (Parity)
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches PBX (Parity)
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches Residence (Parity)
MR-9C MR-9C - Repair Appointments Met (Percent) - No dispatches UNE - P (POTS) (Parity)
NI-1A NI-1 - Trunk Blocking LIS Trunk (Benchmark)
NI-1B NI-1 - Trunk Blocking LIS Trunk (Benchmark)
NI-1C NI-1 - Trunk Blocking LIS Trunk (Diagnostic)
NI-1D NI-1 - Trunk Blocking LIS Trunk (Diagnostic)
NP-1A NP-1 - NXX Code Activation All (Parity)
NP-1B NP-1 - NXX Code Activation All (Diagnostic)
OP-13A OP-13 - Coordinated Cuts on Time (Percent) Unbundled Loop - Analog (Benchmark)
OP-13A OP-13 - Coordinated Cuts on Time (Percent) Unbundled Loop Other (Benchmark)
OP-13B OP-13 - Coordinated Cuts on Time (Percent) Unbundled Loop - Analog (Diagnostic)
OP-13B OP-13 - Coordinated Cuts on Time (Percent) Unbundled Loop Other (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Business (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Dark Fiber - IOF (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date DS0 (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Enhanced Extended Loops (EELs) (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Line Sharing (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Line Splitting (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date LIS Trunk (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Qwest DSL (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Residence (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date UDIT Above DS1 Level (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 2 Wire Non-Load (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS1 Capable (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Unbundled Loop Analog (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date Unbundled Loop ISDN Capable (Diagnostic)
OP-15A OP-15A - Interval for Pending Orders Delayed Past Due Date UNE - P (POTS) (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Business (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - IOF (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - Loop (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons DS0 (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Enhanced Extended Loops (EELs) (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Line Sharing (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Line Splitting (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons LIS Trunk (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Qwest DSL (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Residence (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Load (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog (Diagnostic)
OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable (Diagnostic)

OP-15B OP-15B - Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) (Diagnostic)
 OP-17A OP-17 - Timeliness of Disconnects associated with LNP Orders LNP (Benchmark)
 OP-17B OP-17 - Timeliness of Disconnects associated with LNP Orders LNP (Diagnostic)
 OP-2 OP-2 - Calls Answered within Twenty Seconds - Interconnect Provisioning Center (Parity)
 OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Business (Parity)
 OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Line Sharing (Benchmark)
 OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Line Splitting (Benchmark)
 OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Qwest DSL (Parity)
 OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs Residence (Parity)
 OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs UNE - P (POTS) (Parity)
 OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs UNE P (Centrex 21) (Parity)
 OP-3A OP-3A - Installation Commitments Met (Percent) - Dispatches within MSAs UNE P (Centrex) (Parity)
 OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs Business (Parity)
 OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs Qwest DSL (Parity)
 OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs Residence (Parity)
 OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs Sub-Loop Unbundling (Parity)
 OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs UNE - P (POTS) (Parity)
 OP-3B OP-3B - Installation Commitments Met (Percent) - Dispatches outside MSAs UNE P (Centrex) (Parity)
 OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Business (Parity)
 OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Line Sharing (Benchmark)
 OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Line Splitting (Benchmark)
 OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Qwest DSL (Parity)
 OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Residence (Parity)
 OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches Sub-Loop Unbundling (Diagnostic)
 OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches UNE - P (POTS) (Parity)
 OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches UNE P (Centrex 21) (Parity)
 OP-3C OP-3C - Installation Commitments Met (Percent) - No dispatches UNE P (Centrex) (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Dark Fiber - IOF (Diagnostic)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Dark Fiber - Loop (Diagnostic)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One DS1 (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One E911 (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Enhanced Extended Loops - I (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Enhanced Extended Loops - I (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Enhanced Extended Loops - I (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Enhanced Extended Loops - I (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One ISDN Primary (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One LIS Trunk (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One PBX (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Qwest DSL (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One UDIT Above DS1 Level (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One UDIT DS1 (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - 2 Wire Non (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - 4 Wire Non (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - ADSL Qual (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - DS1 Capab (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - DS3 Capab (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop - XDSLi (Benchmark)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop Analog (Benchmark)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop Conditioned (Parity)
 OP-3D OP-3D - Installation Commitments Met (Percent) - Interval Zone One Unbundled Loop ISDN Capab (Parity)
 OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Dark Fiber - Loop (Diagnostic)
 OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two DS0 (Parity)
 OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two DS1 (Parity)

OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two E911 (Parity)
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Enhanced Extended Loops - L
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Enhanced Extended Loops - L
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two ISDN Primary (Parity)
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two LIS Trunk (Parity)
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two UDIT Above DS1 Level (Parit
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two UDIT DS1 (Parity)
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop - 2 Wire Non
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop - ADSL Qual
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop - DS1 Capab
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop - DS3 Capab
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop Analog (Ben
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop Conditioned
OP-3E OP-3E - Installation Commitments Met (Percent) - Interval Zone Two Unbundled Loop ISDN Capabl
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Business (Parity)
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Line Sharing (Benchmark)
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Line Splitting (Diagnostic)
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Qwest DSL (Parity)
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs Residence (Parity)
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs UNE - P (POTS) (Parity)
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs UNE P (Centrex 21) (Parity)
OP-4A OP-4A - Installation Interval (Average Days) - Dispatches within MSAs UNE P (Centrex) (Parity)
OP-4B OP-4B - Installation Interval (Average Days) - Dispatches outside MSAs Business (Parity)
OP-4B OP-4B - Installation Interval (Average Days) - Dispatches outside MSAs Qwest DSL (Parity)
OP-4B OP-4B - Installation Interval (Average Days) - Dispatches outside MSAs Residence (Parity)
OP-4B OP-4B - Installation Interval (Average Days) - Dispatches outside MSAs Sub-Loop Unbundling (Dia
OP-4B OP-4B - Installation Interval (Average Days) - Dispatches outside MSAs UNE - P (POTS) (Parity)
OP-4B OP-4B - Installation Interval (Average Days) - Dispatches outside MSAs UNE P (Centrex) (Parity)
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches Business (Parity)
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches Line Sharing (Benchmark)
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches Line Splitting (Diagnostic)
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches Qwest DSL (Parity)
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches Residence (Parity)
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches Sub-Loop Unbundling (Diagnostic)
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches UNE - P (POTS) (Parity)
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches UNE P (Centrex 21) (Parity)
OP-4C OP-4C - Installation Interval (Average Days) - No dispatches UNE P (Centrex) (Parity)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Dark Fiber - IOF (Diagnostic)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Dark Fiber - Loop (Diagnostic)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One DS1 (Parity)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One E911 (Parity)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Enhanced Extended Loops - DS0 (
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Enhanced Extended Loops - DS1 (
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Enhanced Extended Loops - DS3 (
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One ISDN Primary (Parity)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One LIS Trunk (Parity)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One PBX (Parity)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Qwest DSL (Parity)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One UDIT Above DS1 Level (Parity)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One UDIT DS1 (Parity)
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop - 2 Wire Non-Loa
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop - 4 Wire Non-Loa

OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop - ADSL Qualified
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop - DS1 Capable (F
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop - DS3 Capable (F
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop - XDSLi (Benchn
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop Analog (Benchm
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop Conditioned (Ber
OP-4D OP-4D - Installation Interval (Average Days) - Interval Zone One Unbundled Loop ISDN Capable (F
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Dark Fiber - IOF (Diagnostic)
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Dark Fiber - Loop (Diagnostic)
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two DS0 (Parity)
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two DS1 (Parity)
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two E911 (Parity)
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Enhanced Extended Loops - DS1 (C
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Enhanced Extended Loops - DS3 (C
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two ISDN Primary (Parity)
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two LIS Trunk (Parity)
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two UDIT Above DS1 Level (Parity)
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two UDIT DS1 (Parity)
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Unbundled Loop - 2 Wire Non-Loa
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Unbundled Loop - ADSL Qualified
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Unbundled Loop - DS1 Capable (F
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Unbundled Loop - DS3 Capable (F
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Unbundled Loop Analog (Benchm
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Unbundled Loop Conditioned (Ber
OP-4E OP-4E - Installation Interval (Average Days) - Interval Zone Two Unbundled Loop ISDN Capable (P
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Business (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Dark Fiber - IOF (Diagnostic
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Dark Fiber - Loop (Diagnost
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) DS0 (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) DS1 (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) E911 (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Enhanced Extended Loops -
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Enhanced Extended Loops -
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Enhanced Extended Loops -
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) ISDN Primary (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Line Sharing (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Line Splitting (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) LIS Trunk (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) PBX (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Qwest DSL (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Residence (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Sub-Loop Unbundling (Diag
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UDIT Above DS1 Level (Par
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UDIT DS1 (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - 2 Wire No
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - 4 Wire No
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - ADSL Qu
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - DS1 Capa
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - DS3 Capa
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop - XDSLi (P
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop Analog (Pa
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) Unbundled Loop ISDN Capa

OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UNE - P (POTS) (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UNE P (Centrex 21) (Parity)
OP-5A OP-5A - New Service Installation Quality Reported to Repair (Percent) UNE P (Centrex) (Parity)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Business (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Dark Fiber - Loop (Diagnostic)
OP-5B OP-5B - New Service Provisioning Quality (Percent) DS0 (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) DS1 (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Enhanced Extended Loops - DS0 Capable (Be
OP-5B OP-5B - New Service Provisioning Quality (Percent) Enhanced Extended Loops - DS1 Capable (Be
OP-5B OP-5B - New Service Provisioning Quality (Percent) Enhanced Extended Loops - DS3 Capable (Be
OP-5B OP-5B - New Service Provisioning Quality (Percent) ISDN Primary (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Line Sharing (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Line Splitting (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) PBX (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Qwest DSL (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Residence (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Sub-Loop Unbundling (Diagnostic)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - 2 Wire Non-Loaded (Bench
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - 4 Wire Non-Loaded (Bench
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - ADSL Qualified (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - DS1 Capable (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - DS3 Capable (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop - XDSLi (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop Analog (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) Unbundled Loop ISDN Capable (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) UNE - P (POTS) (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) UNE P (Centrex 21) (Benchmark)
OP-5B OP-5B - New Service Provisioning Quality (Percent) UNE P (Centrex) (Benchmark)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Business (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Enhanced Extended Loops - DS0 Cap
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Enhanced Extended Loops - DS1 Cap
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Line Sharing (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Line Splitting (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) LIS Trunk (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Qwest DSL (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Residence (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UDIT Above DS1 Level (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UDIT DS1 (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop - 2 Wire Non-Loaded
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop - ADSL Qualified (Di
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop - DS1 Capable (Diag
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop - XDSLi (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop Analog (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) Unbundled Loop ISDN Capable (Diag
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UNE - P (POTS) (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UNE P (Centrex 21) (Diagnostic)
OP-5R OP-5R - New Service Quality Multiple Report Rate (Percent) UNE P (Centrex) (Diagnostic)
OP-5T OP-5T - New Service Installation Quality Total (Percent) Business (Diagnostic)
OP-5T OP-5T - New Service Installation Quality Total (Percent) Dark Fiber - Loop (Diagnostic)
OP-5T OP-5T - New Service Installation Quality Total (Percent) DS0 (Diagnostic)
OP-5T OP-5T - New Service Installation Quality Total (Percent) DS1 (Diagnostic)
OP-5T OP-5T - New Service Installation Quality Total (Percent) Enhanced Extended Loops - DS0 Capable

OP-5T OP-5T - New Service Installation Quality Total (Percent) Enhanced Extended Loops - DS1 Capable
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Enhanced Extended Loops - DS3 Capable
 OP-5T OP-5T - New Service Installation Quality Total (Percent) ISDN Primary (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Line Sharing (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Line Splitting (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) PBX (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Qwest DSL (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Residence (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Sub-Loop Unbundling (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Unbundled Loop - 2 Wire Non-Loaded (Di
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Unbundled Loop - 4 Wire Non-Loaded (Di
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Unbundled Loop - ADSL Qualified (Diagn
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Unbundled Loop - DS1 Capable (Diagnost
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Unbundled Loop - DS3 Capable (Diagnost
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Unbundled Loop - XDSLi (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Unbundled Loop Analog (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) Unbundled Loop ISDN Capable (Diagnosti
 OP-5T OP-5T - New Service Installation Quality Total (Percent) UNE - P (POTS) (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) UNE P (Centrex 21) (Diagnostic)
 OP-5T OP-5T - New Service Installation Quality Total (Percent) UNE P (Centrex) (Diagnostic)
 OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Busi
 OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Line
 OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Line
 OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Qwe
 OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs Res
 OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs UNE
 OP-6A-1 OP-6A-1 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches within MSAs UNE
 OP-6A-2 OP-6A-2 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches outside MSAs Qv
 OP-6A-2 OP-6A-2 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches outside MSAs Re
 OP-6A-2 OP-6A-2 - Delayed Days for Non-Facility Reasons (Average Days) - Dispatches outside MSAs UN
 OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility Reasons (Average Days) - No dispatches Business (Pa
 OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility Reasons (Average Days) - No dispatches Line Sharing
 OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility Reasons (Average Days) - No dispatches Line Splitting
 OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility Reasons (Average Days) - No dispatches Qwest DSL (F
 OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility Reasons (Average Days) - No dispatches Residence (P
 OP-6A-3 OP-6A-3 - Delayed Days for Non-Facility Reasons (Average Days) - No dispatches UNE - P (POT

 OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Enhanced

 OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One LIS Trunk
 OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One UDIT Abo
 OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Unbundlec
 OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Unbundlec
 OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Unbundlec
 OP-6A-4 OP-6A-4 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone One Unbundlec
 OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Enhanced
 OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two LIS Trunk
 OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two UDIT Abo
 OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two UDIT DS1
 OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundlec
 OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundlec

OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundled
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundled
OP-6A-5 OP-6A-5 - Delayed Days for Non-Facility Reasons (Average Days) - Interval Zone Two Unbundled
OP-6B-1 OP-6B-1 - Delayed Days for Facility Reasons (Average Days) - Dispatches within MSAs Business
OP-6B-1 OP-6B-1 - Delayed Days for Facility Reasons (Average Days) - Dispatches within MSAs Resident
OP-6B-1 OP-6B-1 - Delayed Days for Facility Reasons (Average Days) - Dispatches within MSAs UNE - P
OP-6B-2 OP-6B-2 - Delayed Days for Facility Reasons (Average Days) - Dispatches outside MSAs Resider
OP-6B-2 OP-6B-2 - Delayed Days for Facility Reasons (Average Days) - Dispatches outside MSAs UNE - F
OP-6B-4 OP-6B-4 - Delayed Days for Facility Reasons (Average Days) - Interval Zone One Unbundled Loo
OP-6B-4 OP-6B-4 - Delayed Days for Facility Reasons (Average Days) - Interval Zone One Unbundled Loo
OP-6B-4 OP-6B-4 - Delayed Days for Facility Reasons (Average Days) - Interval Zone One Unbundled Loo
OP-6B-4 OP-6B-4 - Delayed Days for Facility Reasons (Average Days) - Interval Zone One Unbundled Loo
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Dark Fiber - Lo
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two DS1 (Parity)
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Unbundled Loo
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Unbundled Loo
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Unbundled Loo
OP-6B-5 OP-6B-5 - Delayed Days for Facility Reasons (Average Days) - Interval Zone Two Unbundled Loo
OP-7 OP-7 - Coordinated Hot Cut" Interval (Hours:Minutes)" Unbundled Loop - Analog (Diagnostic)
OP-7 OP-7 - Coordinated Hot Cut" Interval (Hours:Minutes)" Unbundled Loop Other (Diagnostic)
OP-8B OP-8 - Number Portability Timeliness (Percent) LNP (Benchmark)
OP-8C OP-8 - Number Portability Timeliness (Percent) LNP (Benchmark)
OS-1 OS-1 - Speed of Answer - Operator Services (Parity)
PO-15 PO-15 - Number of Due Date Changes per Order All (Diagnostic)
PO-16 PO-16 - Timely Release Notifications (Benchmark)
PO-19 PO-19 - Stand-Alone Test Environment (SATE) Accuracy (Benchmark)
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. 13.0 (Benchmark)
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. 14.0 (Benchmark)
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 (Benchmark)
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. 16.0 (Benchmark)
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. 17.0 (Benchmark)
PO-19A PO-19 - Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI (Benchmark)
PO-19B PO-19 - Stand-Alone Test Environment (SATE) Accuracy (Benchmark)
PO-1A-1 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)
PO-1A-1(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)
PO-1A-1(b,c) PO-1 - Pre-Order/Order Response Times IMA Response/Accept (Diagnostic)
PO-1A-10 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)
PO-1A-10(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)
PO-1A-10(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)
PO-1A-2 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)
PO-1A-2(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)
PO-1A-2(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)
PO-1A-3 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)
PO-1A-3(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)
PO-1A-3(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)
PO-1A-4 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)
PO-1A-4(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)
PO-1A-4(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)
PO-1A-5 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)
PO-1A-5(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)

PO-1A-5(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)
PO-1A-6 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)
PO-1A-6(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)
PO-1A-6(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)
PO-1A-6(c) PO-1 - Pre-Order/Order Response Times IMA Accept (Diagnostic)
PO-1A-7 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Diagnostic)
PO-1A-7(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)
PO-1A-7(b) PO-1 - Pre-Order/Order Response Times IMA Response (Benchmark)
PO-1A-8 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Diagnostic)
PO-1A-8(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)
PO-1A-8(b) PO-1 - Pre-Order/Order Response Times IMA Response (Benchmark)
PO-1A-9 Total PO-1 - Pre-Order/Order Response Times IMA Aggregate (Benchmark)
PO-1A-9(a) PO-1 - Pre-Order/Order Response Times IMA Request (Diagnostic)
PO-1A-9(b) PO-1 - Pre-Order/Order Response Times IMA Response (Diagnostic)
PO-1B-1 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1B-10 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1B-2 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1B-3 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1B-4 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1B-5 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1B-6 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1B-7 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1B-8 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1B-9 PO-1 - Pre-Order/Order Response Times EDI Request/Response (Benchmark)
PO-1C-1 PO-1 - Pre-Order/Order Response Times IMA Total (Benchmark)
PO-1C-2 PO-1 - Pre-Order/Order Response Times EDI Total (Benchmark)
PO-1D-1 PO-1 - Pre-Order/Order Response Times IMA Total (Diagnostic)
PO-1D-2 PO-1 - Pre-Order/Order Response Times EDI Total (Diagnostic)
PO-20 PO-20 - (Expanded) Manual Service Order Accuracy (Phase 1) Resale & UNE-P (POTS) (Benchmark)
PO-20 PO-20 - (Expanded) Manual Service Order Accuracy (Phase 1) Unbundled Loops (Benchmark)
PO-20 PO-20 - Manual Service Order Accuracy Resale POTS and UNE-P (POTS) (Benchmark)
PO-20 PO-20 - Manual Service Order Accuracy Unbundled Loops (Analog & NL 2-wire) (Benchmark)
PO-20P2 PO-20 - (Expanded) Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) (Benchmark)
PO-20P2 PO-20 - (Expanded) Manual Service Order Accuracy (Phase 2) Unbundled Loops (Benchmark)
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) Line Sharing (Diagnostic)
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) LNP (Diagnostic)
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) Resale Aggregate W
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) Unbundled Loop Agg
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) UNE - P (POTS) (Di
PO-2A-1 PO-2A-1 - Electronic Flow-through for LSRs received via IMA GUI (Percent) UNE P (POTS AGG)
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) Line Sharing (Diagn
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) LNP (Diagnostic)
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) Resale Aggregate W
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) Unbundled Loop Agg
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) UNE - P (POTS) (Di
PO-2A-2 PO-2A-2 - Electronic Flow-through for LSRs received via IMA EDI (Percent) UNE P (POTS AGG)
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) Line Shari
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) LNP (Ber
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) Resale A
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) Unbundle
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) UNE - P (
PO-2B-1 PO-2B-1 - Electronic Flow-through for All Eligible LSRs received via IMA GUI (Percent) UNE P (P

PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) Line Shari
 PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) LNP (Ber
 PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) Resale Ag
 PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) Unbundled
 PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) UNE - P (I
 PO-2B-2 PO-2B-2 - Electronic Flow-through for All Eligible LSRs received via IMA EDI (Percent) UNE P (P
 PO-3A-1 PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)
 PO-3A-2 PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)
 PO-3B-1 PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)
 PO-3B-2 PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)
 PO-3C PO-3 - LSR Rejection Notice Interval Product Aggregate (Benchmark)
 PO-4A-1 PO-4 - LSRs Rejected Product Aggregate (Diagnostic)
 PO-4A-2 PO-4 - LSRs Rejected Product Aggregate (Diagnostic)
 PO-4B-1 PO-4 - LSRs Rejected Product Aggregate (Diagnostic)
 PO-4B-2 PO-4 - LSRs Rejected Product Aggregate (Diagnostic)
 PO-4C PO-4 - LSRs Rejected Product Aggregate (Diagnostic)
 PO-5A-1(a) PO-5A-1 - FOCs On Time for Fully Electronic LSRs Received via IMA GUI (Percent) Resale Ag
 PO-5A-1(b) PO-5A-1 - FOCs On Time for Fully Electronic LSRs Received via IMA GUI (Percent) Unbundle
 PO-5A-1(c) PO-5A-1 - FOCs On Time for Fully Electronic LSRs Received via IMA GUI (Percent) LNP (Ber
 PO-5A-2(a) PO-5A-2 - FOCs On Time for Fully Electronic LSRs Received via IMA EDI (Percent) Resale Ag
 PO-5A-2(b) PO-5A-2 - FOCs On Time for Fully Electronic LSRs Received via IMA EDI (Percent) Unbundled
 PO-5A-2(c) PO-5A-2 - FOCs On Time for Fully Electronic LSRs Received via IMA EDI (Percent) LNP (Ber
 PO-5B-1(a) PO-5B-1 - FOCs On Time for Electronic/Manual LSRs Received via IMA GUI (Percent) Resale
 PO-5B-1(b) PO-5B-1 - FOCs On Time for Electronic/Manual LSRs Received via IMA GUI (Percent) Unbund
 PO-5B-1(b) PO-5B-1 - FOCs On Time for Electronic/Manual LSRs Received via IMA GUI (Percent) Unbund
 PO-5B-1(c) PO-5B-1 - FOCs On Time for Electronic/Manual LSRs Received via IMA GUI (Percent) LNP (E
 PO-5B-2(a) PO-5B-2 - FOCs On Time for Electronic/Manual LSRs Received via IMA EDI (Percent) Resale
 PO-5B-2(b) PO-5B-2 - FOCs On Time for Electronic/Manual LSRs Received via IMA EDI (Percent) Unbund
 PO-5B-2(b) PO-5B-2 - FOCs On Time for Electronic/Manual LSRs Received via IMA EDI (Percent) Unbund
 PO-5B-2(c) PO-5B-2 - FOCs On Time for Electronic/Manual LSRs Received via IMA EDI (Percent) LNP (E
 PO-5C-(a) PO-5C - FOCs on Time for Manual (Percent) Resale Aggregate (Benchmark)
 PO-5C-(b) PO-5C - FOCs on Time for Manual (Percent) Unbundled Loop AGG-EELs (Benchmark)
 PO-5C-(b) PO-5C - FOCs on Time for Manual (Percent) Unbundled Loop Aggregate (Benchmark)
 PO-5C-(c) PO-5C - FOCs on Time for Manual (Percent) LNP (Benchmark)
 PO-5D PO-5D - FOCs on Time (Percent) LIS Trunk (Benchmark)
 PO-6A PO-6 - Work Completion Notification Timeliness All (Benchmark)
 PO-6B PO-6 - Work Completion Notification Timeliness All (Benchmark)
 PO-7A,C PO-7 - Billing Completion Notification Timeliness All (Parity)
 PO-7B,C PO-7 - Billing Completion Notification Timeliness All (Parity)
 PO-8A PO-8 - Jeopardy Notice Interval Non-Designed Services (Parity)
 PO-8B PO-8 - Jeopardy Notice Interval Unbundled Loops and Number Portability (Parity)
 PO-8D PO-8 - Jeopardy Notice Interval UNE - P (POTS) (Parity)
 PO-9A PO-9 - Timely Jeopardy Notices Non-Designed Services (Parity)
 PO-9B PO-9 - Timely Jeopardy Notices Unbundled Loops and Number Portability (Parity)
 PO-9C PO-9 - Timely Jeopardy Notices LIS Trunk (Parity)
 PO-9D PO-9 - Timely Jeopardy Notices UNE - P (POTS) (Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Diagnostic)

(Diagnostic)

(Parity)

(Parity)

(Parity)

(Parity)

(Diagnostic)

(Parity)

(Diagnostic)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Diagnostic)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Parity)

(Diagnostic)	
(Benchmark)	98.25%
(Diagnostic)	
(Parity)	
(Parity)	
(Benchmark)	95.00%
(Benchmark)	95.00%
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Diagnostic)	
(Parity)	
(Parity)	
(Benchmark)	95.00%
(Benchmark)	95.00%
(Parity)	
(Parity)	
(Diagnostic)	
(Parity)	
(Parity)	
(Parity)	
(Diagnostic)	
(Diagnostic)	
(Parity)	
(Parity)	
(Diagnostic)	90.00%
(Benchmark)	90.00%
(Diagnostic)	90.00%
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Benchmark)	90.00%
(Parity)	
(Benchmark)	90.00%
(Parity)	
(Parity)	
(Benchmark)	90.00%
(Benchmark)	90.00%
(Benchmark)	90.00%
(Parity)	
(Diagnostic)	
(Parity)	
(Parity)	

(Parity)	
(Benchmark)	90.00%
(Diagnostic)	90.00%
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Benchmark)	90.00%
(Benchmark)	90.00%
(Parity)	
(Parity)	
(Benchmark)	90.00%
(Benchmark)	90.00%
(Parity)	
(Parity)	
(Benchmark)	3.3
(Diagnostic)	3.3
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Diagnostic)	
(Parity)	
(Parity)	
(Benchmark)	3.3
(Diagnostic)	3.3
(Parity)	
(Parity)	
(Diagnostic)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Diagnostic)	
(Diagnostic)	
(Parity)	
(Parity)	
(Diagnostic)	
(Benchmark)	6
(Diagnostic)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Benchmark)	6
(Parity)	

(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Diagnostic)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Parity)	
(Diagnostic)	
(Diagnostic)	
(Benchmark)	95.00%
(Benchmark)	95.00%
(Parity)	
(Diagnostic)	
(Benchmark)	92.50%
(Benchmark)	95.00%
(Benchmark)	
(Benchmark)	95.00%
(Benchmark)	95.00%
(Benchmark)	95.00%
(Benchmark)	95.00%
(Benchmark)	
(Benchmark)	
(Benchmark)	10
(Diagnostic)	
(Diagnostic)	
(Benchmark)	30
(Diagnostic)	
(Diagnostic)	
(Benchmark)	25
(Diagnostic)	
(Diagnostic)	
(Benchmark)	25
(Diagnostic)	
(Diagnostic)	
(Benchmark)	10
(Diagnostic)	
(Diagnostic)	
(Benchmark)	12.5
(Diagnostic)	

(Diagnostic)	
(Benchmark)	10
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Benchmark)	20
(Diagnostic)	
(Diagnostic)	
(Benchmark)	20
(Benchmark)	25
(Diagnostic)	
(Diagnostic)	
(Benchmark)	10
(Benchmark)	30
(Benchmark)	25
(Benchmark)	25
(Benchmark)	10
(Benchmark)	12.5
(Benchmark)	10
(Benchmark)	20
(Benchmark)	20
(Benchmark)	25
(Benchmark)	0.50%
(Benchmark)	0.50%
(Diagnostic)	
(Diagnostic)	
(Benchmark)	97.00%
(Benchmark)	97.00%
(Benchmark)	95.00%
(Benchmark)	95.00%
(Benchmark)	96.00%
(Benchmark)	96.00%
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Diagnostic)	
(Benchmark)	95.00%
(Benchmark)	95.00%
(Benchmark)	85.00%
(Benchmark)	95.00%
(Benchmark)	95.00%

