1.0 Unbundled Loops, Line Sharing and Line Splitting Service Interval Table:

(a) Established Service Intervals 2/4 Wire Analog (Voice Grade):

a)	1-8 lines	5 business days
b)	9-16 lines	6 business days
c)	17-24 lines	7 business days
d)	25 or more	ICB

(b) Established Service Intervals for 2/4 Wire Non-Loaded Loops, Basic Rate ISDN Capable Loops, and ADSL Compatible Loops that do not require conditioning:

a)	1-8 lines	5 business days
b)	9-16 lines	6 business days
c)	17-24 lines	7 business days
d)	25 or more	ICB

(c) Established Service Intervals for xDSL-I/ BRI ISDN Capable Loops that do not require conditioning:

a)	1-8 lines	10 business days
b)	9-16 lines	ICB
c)	17-24 lines	ICB

(d) Established Service Intervals for existing DS-1 Capable Loops, DS1 Capable Feeder Loop, 2-Wire Analog Distribution Loop:

а) 1 – 24 lines	9 business days
b) 25 or More	ICB

(e) Established Service Intervals for existing DS3 Capable Loops:

a)	1-3 lines	7 business days	
b)	4 or more	ICB	

(f) Established Service Intervals for Line Sharing and Line Splitting that do not require conditioning:

a)	1-8 lines	5 business days (3 business days, effective July 1, 2001)
b)	9-16 lines	6 business days
c)	17-24 lines	7 business days
d)	25 or More	ICB

(g) Conditioned Loops for 2/4 Wire Non-Loaded Loops, ADSL Compatible, Basic Rate ISDN Capable, xDSL-I Capable Loops, Line Sharing and Line Splitting:

a) 1-8 lines 1	5 business days
----------------	-----------------

b) 9 or more ICB				
	1 \	^	100	
	ı'n۱	U or more		
	1 ())		ICD	

(h) Established Repair Intervals for Basic 2-wire Analog Loops, Line Sharing and Line Splitting:

24 Hours OSS
48 Hours AS

(i) Established Repair Intervals for 4-wire Analog Loops, 2/4 Wire Non-Loaded Loops, Basic Rate ISDN Capable Loops, and ADSL Compatible Loops:

(j) Quick Loop

a)	1 to 8 Lines	Three (3) Business Days
b)	9 to 16 Lines	Three (3) Business Days
c)	17 to 24 Lines	Three (3) Business Days
d)	25 or more Lines	ICB

2.0 Unbundled Dedicated Interoffice Transport (UDIT) Service Interval Table:

5		Installation	Repair
Product	Services Ordered	Commitments	Commitments
UDIT, EUDIT, UCCRE			
DS0	1 to 8	High Density: Five (5) Business Days	4 hrs. High Density
		Low Density: Six (6) Business Days	4 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs. High Density
		Low Density: Seven (7) Business Days	4 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	4 hrs. High Density 4 hrs. Low Density
	25 or more	ICB	ICB
DS1	1 to 8	High Density: Five (5) Business Days	4 hrs High Density
		Low Density: Eight (8) Business Days	4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
	17 to 24	High Density: Seven (7) Business Days	4 hrs High Density
		Low Density: Ten (10) Business Days	4 hrs Low Density
	25 or more	ICB	4 hrs
DS3	1 to 3 Circuits	High Density: Seven (7) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
000 11"	4 or more Circuits	ICB	4 hrs
OC3 and Higher UDIT AND EUDIT Facility	1 or more Circuits Single Band Width	ICB UDIT Interval + 3 days	4 hrs

3.0 Unbundled Local Switching Service Interval Table:

B. J. d	0	Installation	Repair
Product	Services Ordered	Commitments	Commitments
Unbundled Switching		1111 5 11 5 (5)	241 1111
Unbundled Switching – Line Side Analog With Line Class Code (LCC) already supported in requested	1 to 8	High Density: Five (5) Business Days	24 hrs. High Density
switch.		Low Density: Six (6) Business Days	24 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days	24 hrs. High Density
		Low Density: Seven (7) Business Days	24 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days	24 hrs. High Density
		Low Density: Eight (8) Business Days	24 hrs. Low Density
	25 or more	ICB	24 hrs.
Unbundled Switching – Line Side Analog – Existing – Vertical	1 to 19	Two (2) Business Days	24 hrs. OOS 48 hrs. AS
Feature(s) (Features change without inward line activity and not impacting	20 to 39	Four (4) Business Days	24 hrs. OOS 48 hrs. AS
the design of the circuit.)	40 or more	ICB	24 hrs. OOS 48 hrs. AS
Unbundled Switching – Line Side Analog New Line Class Code (LCC) ordered through customized routing		ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. With a US WEST standard configuration and Line	1 to 3 Lines	High Density: Seven (7) Business Days	24 hrs. High Density
Class Code (LCC) already supported in the requested switch		Low Density: ICB	24 hrs. Low Density
·	4 or more	ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. With non-standard configuration and Line Class Code	1 to 3 Lines	High Density: Seventeen (17) Business Days	24 hrs. High Density
(LCC) already supported in the requested switch		(includes 10 days for complex translations.)	24 hrs. Low Density
		Low Density: ICB	
	4 or more	ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. Non supported Line		ICB	24 hrs.

Class Code (LCC) ordered through			
Customized Routing			
Unbundled Switching – DS1 Trunk Port	1 to 8 Ports	High Density: Five (5) Business Days	24 hrs. High Density
		Low Density: Six (6) Business Days	24 hrs. Low Density
	9 to 16 Ports	High Density: Six (6) Business Days	24 hrs. High Density
		Low Density: Seven (7) Business Days	24 hrs. Low Density
	17 to 24 Ports	High Density: Seven (7) Business Days	24 hrs. High Density
		Low Density: Eight (8) Business Days	24 hrs. Low Density
	25 or more Ports	ICB	24 hrs.
Unbundled Switching – Message Trunk Groups	High Density	Seven (7) Business Days	24 hrs.
Translation questionnaire	1 to 24		
required	25 to 48	Eight (8) Business Days	24 hrs.
Routing to trunks is ordered	49 to 72	Ten (10) Business Days	24 hrs.
separately as Customized Routing	73 to 96	Twelve (12) Business Days	24 hrs.
DS1 trunk port & UDIT in place.	97 to 120	Fourteen (14) Business Days	24 hrs.
	121 to 144	Fifteen (15) Business Days	24 hrs.
	145 to 168	Sixteen (16) Business Days	24 hrs.
	169 to 240	Eighteen (18) Business Days	24 hrs.
	241 or more	ICB	24 hrs.
	Low Density 1 to 24	Eighteen (18) Business Days	24 hrs.
	25 to 72	Nineteen (19) Business Days	24 hrs.
	73 to 120	Twenty (20) Business Days	24 hrs.
	121 or more	ICB	24 hrs.
Unbundled Switching – Two Way and DID Equivalent Group (add/change/increase)	1 to 8 Trunks	High Density: Five (5) Business Days	24 hrs. High Density
DS1 trunk port in place		Low Density: Six (6) Business Days	24 hrs. Low Density
	9 to 16 Trunks	High Density: Six (6) Business Days	24 hrs. High Density

		Low Density: Seven (7)	24 hrs. Low
		Business Days	Density
	17 to 24 Trunks	High Density: Seven (7)	24 hrs. High
		Business Days	Density
		Low Density: Eight (8)	24 hrs. Low
		Business Days	Density
	25 or more Trunks	ICB	24 hrs.
Unbundled Switching – PRI-ISDN	1 to 8	High Density: Five (5)	4 hrs. High
Capable Trunk-Side		Business Days	Density
DS1 Trunk port in place			
		Low Density: Six (6)	4 hrs. Low
		Business Days	Density
	9 to 16	High Density: Six (6)	4 hrs. High
		Business Days	Density
		Low Donaity Cover (7)	4 bro Low
		Low Density: Seven (7)	4 hrs. Low
	17 to 24	Business Days	Density
	17 10 24	High Density: Seven (7)	4 hrs. High
		Business Days	Density
		Low Density: Eight (8)	4 hrs. Low
		Business Days	Density
	25 or more	ICB	4 hrs.
Unbundled Packet Switching	Design changes –	New service request –	24 hrs
g	8 business days	10 business days	211110
	Non-design	To business days	
	changes – 5		
	business days		
	Service changes –		
	5 business days		

4.0 Unbundled Dark Fiber Interval Table:

Product	Activity/ Features	Services Ordered	FOC Guidelines	Installation Guidelines	Repair Guidelines
Dark Fiber					
Initial Records			N/A	Ten (10)	N/A
Inquiry (IRI)				Business Days	
(simple & complex)					
Field Verification			N/A	Twenty (20)	N/A
And Quote				Business Days	
Preparation					
(FVOP)					
Provisioning (non-			N/A	Twenty (20)	
FVOP requests)				Business Days	
OC3 and Higher			N/A	ICB	

5.0 Unbundled Network Elements Platform (UNE-P) Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
UNE-P POTS 'New'- Soft Dial Tone (SDT) [Where available] Facility Check indicates "AVAILABLE (SDT)" and DISPATCH "NO"		Two (2) Business Days (regardless of the time of day the request is received)	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence Flow Through, Fully Electronic	1 to 39 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
(N, T Orders) Facility Check indicates "AVAILABLE" and DISPATCH "NO"	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Business Flow Through, Fully Electronic	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
(N, T Orders) Facility Check indicates "AVAILABLE" and DISPATCH "NO"	20-39 Lines	Four (4) Business Days or next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence Simple CO Features, or Number	1 to 39 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
Changes without inward line activity, or Hunting changes without inward line activity	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Business Simple CO Features, or Number	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
Changes without inward line activity, or Hunting changes	20-39 Lines	Four (4) Business Days	24 hrs OOS 48 hrs AS
without inward line activity	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'- Suspend/Restore	Customers with service placed on "vacation"	Next Business Day	24 hrs OOS 48 hrs AS
	Treatment for Non- payment issues	Same Business Day as payment receipt validated	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence New Installs, Address Changes, Changes with inward line activity Facility Check indicates "AVAILABLE DISP. REQ" and DISPATCH "YES"	1 to 39 Lines	Next available due date as indicated by Appointment Scheduler Note: Appointment Scheduler minimum default interval is 3 (Three) Business Days.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS

UNE-P POTS 'New'-Business	4 to 40 Lin	Most evelleble divisidate as	04 h = 000
	1 to 19 Lines	Next available due date as	24 hrs OOS
New Installs, Address Changes,		indicated by Appointment	48 hrs AS
Changes with inward line activity		Scheduler	
Facility Check indicates		Note: Appointment Scheduler	
"AVAILABLE DISP. REQ" and		minimum default interval is 3	
DISPATCH "YES"		(Three) Business Days.	
	20-39 Lines	Four (4) Business Days or	24 hrs OOS
		next available due date	48 hrs AS
		thereafter as indicated by	
		Appointment Scheduler.	
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-	1-10	Two (2) Business Days	
 Directory Listings Changes 	LISTINGS		
(R Orders)	11 to 20 Listings	Five (5) Business Days	
	21-50 Listings	Ten (10) Business Days	
	51-100 Listings	Thirty (30) Business Days	
	Over 100 Listings	Sixty (60) Business Days	
	Add Voice Mail to	Three (3) Business Days	
Voice Mail Voice Mail	POTS line	, ,	
Conversions to UNE-P POTS-	1 to 39 Lines	Three (3) Business days	24 hrs OOS
POTS Residence to UNE-P			48 hrs AS
- Conversion as Specified	40 or more lines	ICB	24 hrs OOS
- Simple CO Features			48 hrs AS
Conversions to UNE-P POTS-	1 to 39 Lines	Same Business Day if	24 hrs OOS
UNE-P to UNE-P POTS		received before 12:00 p.m., or,	48 hrs AS
Residence		Next Business Day if received	
- Conversion as Is		later than 12:00 p.m.	
	40 or more Lines	ICB	24 hrs OOS
			48 hrs AS
Conversions to UNE-P POTS-	1 to 19 Lines	Three (3) Business days	24 hrs OOS
POTS Business to UNE-P			48 hrs AS
- Conversion As Specified	20 to 39 Lines	Four (4) Business Days	24 hrs OOS
- Simple CO Features			48 hrs AS
·	40 or more Line	ICB	24 hrs OOS
			48 hrs AS
Conversions to UNE-P POTS-	1 to 39 Lines	Same Business Day if	24 hrs OOS
UNE-P to UNE-P POTS		received before 12:00 p.m., or,	48 hrs AS
Business		Next Business Day if received	
- Conversion As Is		later than 12:00 p.m.	
_	40 or more Lines	ICB	24 hrs OOS
			48 hrs AS
UNE-P Line Splitting –	1 to 8 Lines	High Density: Five (5)	24 hrs OOS
UNE-P POTS to UNE-P POTS		Business Days	48 hrs AS
with Line Splitting		,	
- Conversion As Specified		Low Density: Six (6) business	
		Days	
	i e e e e e e e e e e e e e e e e e e e	1 / -	

	9 to 16 Lines	High Density: Six (6) Business	24 hrs OOS
		days	48 hrs AS
		Low Density: (9) Business	
	17 to 24 Lines	Days High Density: (7) Business	24 hrs OOS
	17 10 24 LINES	Days	48 hrs AS
	25-39 Lines	ICB	24 hrs OOS
	20 00 211100		48 hrs AS
	40 or more Lines or	ICB High Density: Five (5)	24 hrs OOS
	if Conditioning is	Business Days	48 hrs AS
	required	-	
UNE-P Line Splitting –	1 to 8 Lines	High Density: Six (5) Business	24 hrs OOS
POTS Residence or POTS		days	48 hrs AS
Business with Line Sharing to		Law Danita Civ (C) Duning	
UNE-P POTS with Line Splitting		Low Density: Six (6) Business	
- Conversion as Specified	9 to 16 Lines	Days High Density: Six (6) Business	24 hrs OOS
	3 to 10 Lines	days	48 hrs AS
			.01110710
		Low Density: Nine (9)	
		Business Days	
	17 to 24 Lines	High Density: Seven (7)	24 hrs OOS
		Business Days	48 hrs AS
		Low Density: Ten (10)	
	25-39 Lines	Business Days ICB	24 hrs OOS
	20 00 LING		48 hrs AS
	40 or more Lines	ICB	24 hrs OOS
			48 hrs AS
UNE-P PBX 'New'-	1 to 8 Trunks	Five (5) Business Days	4 hrs
	9 to 16 Trunks	Six (6) Business Days	4 hrs
	4= 1 0 1 = 1		
	17 to 24 Trunks	Seven (7) Business Days	4 hrs
	25 or more Trunks	ICB	4 hrs
Conversions to UNE-P PBX –	1 to 8 Trunks	Five (5) Business Days	4 hrs
Conversion As Specified or	. to o riumo	(a) Dadillodo Dayo	. 1110
Conversion As Is	9 to 16 Trunks	Six (6) Business Days	4 hrs
	17 to 24 Trunks	Seven (7) Business Days	4 hrs
INE P DOC (1)	25 or more Trunks	ICB	4 hrs
UNE-P DSS 'New'-	1 to 3	Nine (9) Business Days	4 hrs
T1 Facility	4 or more	ICB	4 hrs
UNE-P DSS 'New'-	1 to 3 Lines	Twelve (12) Business Days	4 hrs
Trunks	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs

	10 to 12 Lines	Twenty four (24) Business	4 hrs
	10 10 12 200	Days	1 10
	13 or more Lines	ICB	4 hrs
Conversions to UNE-P DSS-	1 to 3	Nine (9) Business Days	4 hrs
T1 Facility	4 or more	ICB	4 hrs
Conversions to UNE-P DSS-	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
Trunks	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P ISDN BRI 'New'-	1 to 10 Lines	Thirteen (13) Business Days	24 hrs
New Installs, Address Changes, Change to add Loop (N2Q)	11 or more Lines	ICB	24 hrs
UNE-P ISDN BRI 'New'-	1 to 10 Lines	Three (3) Business Days	24 hrs
Add or Change Feature(s), Add Primary Directory Number (PDN) to established Loop (N2Q), Add Call Appearance	11 or more Lines	ICB	24 hrs
Conversion to UNE-P ISDN	1 to 10 Lines	Three (3) Business Days	24 hrs
BRI-	11 or more Lines	ICB	24 hrs
Conversion As Is			
Conversion to UNE-P ISDN BRI- Conversion As Specified	1 to 10 Lines	Three (3) Business Days if a Loop is not involved (or) Thirteen (13) Business Days if a Loop is added or changed	24 hrs
	11 or more Lines	ICB	24 hrs
UNE-P ISDN PRI 'New'-	1 to 3	Nine (9) Business Days	4 hrs
T1 Facility	4 or more	ICB	4 hrs
UNE-P ISDN PRI 'New'-	1 to 3 Lines	Twelve (12) Business Days	4 hrs
Trunks	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
Conversion to UNE-P ISDN PRI-	1 to 3	Nine (9) Business Days	4 hrs
T1 Facility	4 or more	ICB	4 hrs
Conversion to UNE-P ISDN PRI-	1 to 3 Lines	Twelve (12) Business Days	4 hrs
Trunks			

	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P Centrex 21 - Non Designed-	1 to 10 Lines	Five (5) Business Days	24 hrs OOS 48 hrs AS
Conversions as Specified	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex 21 - Non Designed- New Installations	1 to 10 Lines [Facility check indicates "Available Dispatch Required" and Dispatch "Yes".]	Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P	1 to 10 Lines - No	Twenty (20) Business Days	24 hrs OOS
Centron	Optional Features		48 hrs AS
[Centron is MN only] Common Block Configuration	1 to 10 Lines - w/ Optional Features	ICB	24 hrs OOS 48 hrs AS
Required - Establish Common Block	(i.e., ARS, DFIs, SMDR, UCD, etc.)		401113740
	11-21 Lines – No Optional Features	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	11 to 21 Lines – w/Optional Features (i.e., ARS, DFIs, SMDR, UCD, etc.)	ICB	24 hrs OOS 48 hrs AS
	22 or more Lines with or without Optional Features	ICB	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron	1 to 10 Lines	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
[Centron is MN only] Common Block Configuration Required - Feature Additions requiring	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
Common Block activity per Common Block			

Une-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Line Class Codes (LCCs)/ CAT/NCOS/DPAT additions/changes requiring Common Block work.	Per Common Block (must be existing Line Class Codes(LCCs)/ CAT/NCOS/DPAT)	Five (5) Business Days	24 hrs OOS 48 hrs AS
	If new LCC/CAT/NCOS or DPAT	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Centrex Management System (CMS)	New Common Blocks & Cust ID's (lines installed at the same time the Common Block is installed)	Twenty (20) Business Days (after the initial Common Block & associated lines are installed)	N/A
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Designed Services subsequent to initial Common Block installation	Tie Lines/DFI/FX	Thirteen (13) Business Days (may be longer due to facility due date requirements)	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only]	Additional/New Station Lines to be added to CMS	Five (5) Business Days after line is installed	N/A
No Common Block	Additions	Five (5) Business Days	N/A
Configuration Required - Centrex Management System (CMS) Network Access Registers (NARs)	Change from Non Blocked to Blocked Service	ICB	N/A

Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required - Station Lines (subsequent to the establishment of the Common Block) Includes:	1 to 10 Lines per location	Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	11 to 20 Lines per location	Ten (10) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	21 or more Lines per location	ICB	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
[Centron is MN only] No Common Block Configuration Required Line Feature changes/additions/ Removals	20 or more Lines	ICB	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Designed Services subsequent to initial Common Block installation	Tie Lines/DFI/FX	Thirteen (13) Business Days (may be longer due to facility due date requirements)	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block	Subsequent to Common Block Installation	Twenty (20) Business Days (may be longer if the activation of ARS is tied to a Private Line facility installation)	24 hrs OOS 48 hrs AS
Configuration Required Automatic Route Selection (ARS)	Changes to Patterns: 1 to 25 changes 26 to 50 changes 51 or more changes	Business Days: Five (5) days Ten (10) days Twenty (20) days	24 hrs OOS 48 hrs AS
	Adding new Patterns	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
Une-P Centrex Plus / UNE-P Centron [Centron is MN only]	Per Request	Thirteen (13) Business Days	24 hrs OOS 48 hrs AS

No Common Block			
Configuration Required			
Uniform Call Distribution (UCD)			
Une-P Centrex Plus / UNE-P Centron [Centron is MN only]	Blocks (No limit on amount of numbers.)	Five (5) Business Days	N/A
No Common Block Configuration Required Additional Numbers subsequent to initial Common Block installation	of Hamboroly		
NOTE: Additional numbers are "chipped" into the Common Block at the time of request.			

6.0 Enhanced Extended Loop Service Interval Table (EEL):

			Repair
Product	Services Ordered	Installation Commitments	Commitments
Enhanced Extended Loop	1 to 8	High Density: Five (5)	4 hrs High
(EEL)-		Business Days	Density
DS0 or Voice Grade			
Equivalent		Low Density: Six (6) Business	4 hrs Low
		Days	Density
	9 to 16	High Density: Six (6) Business	4 hrs High
		Days	Density
		Low Donoity Coven (7)	4 bro Low
		Low Density: Seven (7) Business Days	4 hrs Low Density
	17 to 24	High Density: Seven (7)	4 hrs High
	17 10 24	Business Days	Density
		Daoine Days	Donoity
		Low Density: Eight (8)	4 hrs Low
		Business Days	Density
	25 or more	ICB	4 hrs
Enhanced Extended Loop	1 to 8	High Density: Five (5)	4 hrs High
(EEL) –		Business Days	Density
DS1			
		Low Density: Eight (8)	4 hrs Low
		Business Days	Density
	9 to 16	High Density: Six (6) Business	4 hrs High
		Days	Density
		Low Density: Nine (9)	4 hrs Low
		Business Days	Density
	17 to 24	High Density: Seven (7)	4 hrs High
	17 10 24	Business Days	Density
			_ 5.15.1,
		Low Density: Ten (10)	4 hrs Low
		Business Days	Density
	25 or more	ICB	4 hrs
Enhanced Extended Loop	1 to 3 Circuits	High Density: Seven (7)	4 hrs High
(EEL) –		Business Days	Density
DS3			
		Low Density: Nine (9)	4 hrs Low
		Business Days	Density
	4 or more Circuits	ICB	4 hrs

Enhanced Extended Loop	ICB	24 hrs OOS
Conversions (EEL-C) –		48 hrs AS
Private Line (PLTS)		
- Conversion as is		

* Installation Guidelines apply where facilities/network capacity is in place. Where facilities/network capacity are not in place, intervals are handled on an Individual Case Basis (ICB).