WUTC DOCKET: UG-181053 EXHIBIT: SJR-6 ADMIT ☑ W/D ☐ REJECT ☐

BEFORE THE WASHINGTON UTILITIES & TRANSPORTATION COMMISSION

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION,

Complainant,

v.

NORTHWEST NATURAL GAS COMPANY,

Respondent.

DOCKET UG-181053

SCOTT J. RUBIN ON BEHALF OF PUBLIC COUNSEL

EXHIBIT SJR-6

Penetration of Gas-Using Appliances by Company New Residential Customers, 2008-2018

JULY 3, 2019

Penetration of gas-using appliances by Company new residential customers, 2008 to 2018

		Water	Water			
Year became	No. of	heating -	heating -	Space		Clothes
customer	Customers	tank	tankless	heating	Cooking	Dryer
2008	1,520	66.5%	1.9%	87.8%	36.8%	4.2%
2009	1,044	64.1%	3.8%	84.9%	39.5%	2.9%
2010	1,027	74.2%	4.0%	89.7%	43.6%	5.2%
2011	955	72.3%	4.2%	73.8%	45.5%	4.8%
2012	1,179	76.6%	5.8%	81.1%	43.9%	5.2%
2013	1,757	81.5%	5.5%	81.4%	57.5%	3.9%
2014	1,527	80.4%	10.6%	93.7%	71.6%	5.0%
2015	1,920	64.3%	20.7%	87.7%	59.0%	5.3%
2016	2,212	63.8%	22.6%	95.0%	69.6%	5.3%
2017	2,386	23.1%	52.9%	95.7%	72.1%	3.7%
2018	2,645	<u>10.4</u> %	<u>59.5</u> %	<u>91.8</u> %	<u>75.9</u> %	<u>4.7</u> %
	18,172	55.9%	23.2%	88.9%	59.9%	4.6%

Source: Company response to WUTC DR 139, analysis of data