

Supplement 1 to Exhibit 4

Energy Efficiency Measures Sorted by Program and Fuel Type

Measures Effective During: 2011

Commercial/Industrial

Electric

Schedule E250

CI Retrofit

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Compressors

	Commercial Existing only			
Air compressors		Custom		0.00

Device Controllers

	Commercial Existing only			
PC Power Manager	Software; networked or local; big fix cost	Custom	0.00	
PC Power Manager	Software; networked or local; verdiem cost	Custom	0.00	

Process Improvement

	Commercial Existing only			
C/I Process Improvement	Performance based, capped at a dollar amount that varies with facility energy use	Custom		0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

CI New Construction

Commercial New only

New Building Commissioning	Commissioning of energy related systems and verification of compliance. See SoS for savings calculation tool.	Calculated	0.00	0.00
Whole Building Prescriptive	Office See SoS for savings calculation tool.	Calculated	0.00	0.00
Whole Building Prescriptive	Retail See SoS for savings calculation tool.	Calculated	1.00	0.00
Whole Building Prescriptive	Schools See SoS for savings calculation tool.	Calculated	0.00	0.00

Device Controllers

Commercial New only

PC Power Manager	Software; networked or local; big fix cost	Custom	0.00	
PC Power Manager	Software; networked or local; verdiem cost	Custom	0.00	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Electric

Schedule E253

CI RCM

Measure Heading

Measure Category

Additional details, comments, equipment applications

Savings Type

kWh Savings Therm Savings

Resource Conservation Manager

Commercial or Industrial Existing or New

Multiple Behavioral and installed measures

Placeholder for RCM

0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Electric

Schedule E255

Small Business Lighting

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Commercial Lighting

	Commercial Existing only			
Small Business Lighting		Calculated		0.00

Lamps

	Commercial Existing only			
CI Deemed	< 26 watt CFL	Calculated	155.00	0.00
CI Deemed	< 26 Watt reflector or specialty lamp	Calculated	155.00	0.00
CI Deemed	26 Watt to 39 Watt CFL	Calculated	166.00	0.00
CI Deemed	26 Watt to 39 Watt reflector or specialty lamp	Calculated	166.00	0.00
CI Deemed	Equal to or greater than 40 Watt CFL (including specialty)	Calculated	233.00	0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Traffic Signals

Municipalities Existing only

Ball	12" green	PSE Deemed	464.00	0.00
Arrow	12" green	RTF Deemed	194.00	0.00
Ball	12" red	RTF Deemed	584.00	0.00
Arrow	12" red	RTF Deemed	808.00	0.00
Ball	8" green	RTF Deemed	215.00	0.00
Ball	8" red	RTF Deemed	289.00	0.00
Module	Any yellow	PSE Deemed	30.00	0.00
Pedestrian	Crossing signal, red large	RTF Deemed	851.00	0.00
Pedestrian	Crossing signal, red small	RTF Deemed	498.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Electric

Schedule E262

CI rebates---all

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Aerator				
	Commercial or Industrial Existing or New			
Hospitality	0.5gpm aerators, annual savings	PSE Deemed	124.00	0.00
Clothes Washers				
	Commercial or Industrial Existing or New			
High-Efficiency, high use, MF laundries	CEE Qualified, PSE electric WH/PSE elect dryer	PSE Deemed	2,167.00	0.00
High-Efficiency, high use, MF laundries	CEE Qualified, PSE gas for WH/PSE elect for dryer	PSE Deemed	479.00	0.00
Device Controllers				
	Commercial or Industrial Existing or New			
CoolerMisers	Refrigerator beverage cooler controller	RTF Deemed	1,160.00	0.00
PC Power Manager	Software; networked or local; installed on enterprise servers	RTF Deemed	115.00	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Dishwashers				
	Commercial or Industrial	Existing or New		
Single Tank Conveyor, PSE provides electricity	High Temperature, elec WH, elec booster	PSE Deemed	18,972.00	0.00
Door Type, PSE provides electricity	High Temperature, elec WH, elec booster	PSE Deemed	13,950.00	0.00
Multi Tank Conveyor, PSE provides electricity	High Temperature, elec WH, elec booster	PSE Deemed	33,685.00	0.00
Under Counter, PSE provides electricity	High Temperature, elec WH, gas booster	PSE Deemed	4,689.00	0.00
Multi Tank Conveyor, PSE provides electricity	High Temperature, elec WH, gas booster	PSE Deemed	17,225.00	0.00
Door Type, PSE provides electricity	High Temperature, elec WH, gas booster	PSE Deemed	8,948.00	0.00
Under Counter, PSE provides electricity	High Temperature, elect WH, elec booster	PSE Deemed	7,369.00	0.00
Single Tank Conveyor, PSE provides electricity	High Temperature, elect WH, gas booster	PSE Deemed	12,701.00	0.00
Door Type, PSE provides electricity	High Temperature, gas WH, elec booster	PSE Deemed	5,197.00	
Single Tank Conveyor, PSE provides electricity	High Temperature, gas WH, elec booster	PSE Deemed	7,998.00	
Multi Tank Conveyor, PSE provides electricity	High Temperature, gas WH, elec booster	PSE Deemed	12,249.00	
Under Counter, PSE provides electricity	High Temperature, gas WH, elec booster	PSE Deemed	2,680.00	0.00
Multi Tank Conveyor, PSE provides electricity	Low Temperature, elec WH	PSE Deemed	17,225.00	0.00
Single Tank Conveyor, PSE provides electricity	Low Temperature, elec WH	PSE Deemed	11,228.00	0.00
Door Type, PSE provides electricity	Low Temperature, elec WH	PSE Deemed	11,969.00	0.00
Under Counter, PSE provides electricity	Low Temperature, elec WH	PSE Deemed	1,196.00	0.00
Under Counter, PSE provides electricity	Low Temperature, elect WH	PSE Deemed	1,195.00	0.00
Single Tank Conveyor, PSE provides electricity	Low Temperature, elect WH	PSE Deemed	11,228.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Electric

Schedule E262

CI rebates---all

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Drives

	Commercial or Industrial	Existing or New		
variable speed	On fan motors		Calculated	0.00
variable speed	On pump motors		Calculated	0.00

Holding Cabinet

	Commercial or Industrial	Existing or New		
Hot Food, Energy Star® qualified	<18 cubic feet, >12 (3/4 size)		PSE Deemed	1,971.00 0.00
Hot Food, Energy Star® qualified	> 20 cubic feet (full size)		RTF Deemed	1,752.00 0.00
Hot Food, Energy Star® qualified	12 to 20 cubic feet (3/4 size)		RTF Deemed	1,314.00 0.00
Hot Food, Energy Star® qualified	18 cubic feet and larger (full size)		PSE Deemed	2,928.00 0.00
Hot Food, Energy Star® qualified	7 to <12 cubic feet (1/2 size)		RTF Deemed	876.00 0.00
Hot Food, Energy Star® qualified	7 to 12 cubic feet (1/2 size)		PSE Deemed	1,314.00 0.00

HVAC General

	Commercial or Industrial	Existing or New		
High Efficiency Commercial Air Conditioners	Per ton		Calculated	
High Efficiency Commercial Heat Pump	Per ton		Calculated	

HVAC Occupancy Controls

	Commercial or Industrial	Existing or New		
Hospitality	Full Service		PSE Deemed	500.00
Hospitality	Limited Service		PSE Deemed	250.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Ice Makers

Commercial or Industrial Existing or New

Air cooled remote condensing unit, various sizes	Check business calculator tool for specific savings, cost and incentive values	Calculated	0.00	
Air cooled ice making head, various sizes	Check business calculator tool for specific savings, cost and incentive values	Calculated	0.00	
Water cooled self contained unit, various sizes	Check business calculator tool for specific savings, cost and incentive values	Calculated	0.00	
Water cooled ice making heads, various sizes	Check business calculator tool for specific savings, cost and incentive values	Calculated	0.00	

Lamps

Commercial or Industrial Existing or New

CI Deemed	< 26 Watt	PSE Deemed	155.00	0.00
T8 Lamps	26 to 28 Watts	PSE Deemed	15.00	0.00
CI Deemed	26 Watt to 39 Watt CFL	PSE Deemed	166.00	0.00
CI Deemed	Ceramic Metal Halide 22-28 watts	PSE Deemed	172.00	0.00
Integral LED Lamps and Recessed Down Lighting	Decorative	PSE Deemed	155.00	0.00
CI Deemed	Equal to or greater than 40 Watt CFL	PSE Deemed	233.00	0.00
T8 Lamps	Less than or equal to 25 Watts	PSE Deemed	26.00	0.00
Integral LED Lamps and Recessed Down Lighting	MR 16	PSE Deemed	177.00	0.00
Integral LED Lamps and Recessed Down Lighting	Omnidirectional	PSE Deemed	291.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 20	PSE Deemed	175.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 30	PSE Deemed	229.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40	PSE Deemed	235.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Electric

Schedule E262

CI rebates---all

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lighting Systems

	Commercial or Industrial	Existing or New				
Comprehensive Projects - Tier 2			Comprehensive projects, encompassing indoor and outdoor fixtures and lamps, whole systems	Calculated	0.00	0.00

Ovens

	Commercial or Industrial	Existing or New				
Electric			Existing electric combination oven	PSE Deemed	18,432.00	
Electric			Existing electric convection oven	PSE Deemed	2,262.00	

Restroom Lighting Controls

	Commercial or Industrial	Existing or New				
Hospitality			Restrooms	Calculated	0.00	

Signs

	Commercial or Industrial	Existing or New				
LED Exit			Retrofit CFL to LED--Retrofit applications only (considered standard for new construction)	Calculated	0.00	0.00
LED Exit			Retrofit incandescent fixture to LED	Calculated	0.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Spray Heads

	Commercial or Industrial	Existing or New			
Pre-Rinse Electric	0.6 gpm xn if 1.6 gpm prev xn'd		PSE Deemed	2,613.00	
Pre-Rinse Electric	0.6 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	5,511.00	
Pre-Rinse Electric	0.6 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	8,457.00	
Pre-Rinse Electric	0.6 gpm xn if head not prev supplied		PSE Deemed	11,355.00	
Pre-Rinse Electric	1.0 gpm xn if 1.6 gpm prev xn'd		PSE Deemed	1,140.00	
Pre-Rinse Electric	1.0 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	4,038.00	
Pre-Rinse Electric	1.0 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	6,984.00	
Pre-Rinse Electric	1.0 gpm xn if head not prev supplied		PSE Deemed	9,882.00	
Pre-Rinse Electric	1.6 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	2,898.00	
Pre-Rinse Electric	1.6 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	5,844.00	
Pre-Rinse Electric	1.6 gpm xn if head not prev supplied		PSE Deemed	8,742.00	

Steamers

	Commercial or Industrial	Existing or New			
Connectionless	3 pan		PSE Deemed	8,023.00	
Connectionless	3 pan		PSE Deemed	8,023.00	0.00
Connectionless	4 pan		PSE Deemed	10,697.00	0.00
Connectionless	4 pan		PSE Deemed	10,697.00	
Connectionless	5 pan		PSE Deemed	13,371.00	0.00
Connectionless	5 pan		PSE Deemed	13,371.00	
Connectionless	6 pan		PSE Deemed	16,046.00	0.00
Connectionless	6 pan		PSE Deemed	16,046.00	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Thermostat

Commercial or Industrial Existing or New

7-day Programmable	Replacing non-programmable	Calculated	0.00	0.00
Portable Classroom, 365-day Programmable	The addition of lighting controls to 365-day thermostat	PSE Deemed	315.00	
Portable Classroom, 365-day Programmable	The addition of lighting controls to 365-day thermostat	PSE Deemed	315.00	
Portable Classroom, 365-day Programmable	The addition of occupancy based damper controls to 365-day thermostat	PSE Deemed	765.00	
Portable Classroom, 365-day Programmable	The addition of occupancy based damper controls to 365-day thermostat	PSE Deemed	765.00	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Gas

Schedule G205

CI Retrofit

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Process Improvement

Commercial or Industrial Existing only

C/I Process Improvement Performance based, capped at a dollar amount that varies with facility energy use Calculated 0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Gas

Schedule G208

CI RCM

Measure Heading

Measure Category

Additional details, comments, equipment applications

Savings Type

kWh Savings Therm Savings

Resource Conservation Manager

Commercial or Industrial Existing or New

Multiple Behavioral and installed measures

placeholder for RCM program

0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Gas

Schedule **G262**

CI rebates---all

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Aerator				
	Commercial or Industrial Existing or New			
Hospitality	0.5 gpm aerators, annual savings	PSE Deemed		5.30
Boilers				
	Commercial or Industrial Existing or New			
Full svc restaurant boiler, at least 92% efficient	670 MBH; Check business calculator tool at indicated link for per-unit savings, costs and incentive amount.	Calculated		0.00
Full svc restaurant boiler, at least 92% efficient	Check business calculator tool at indicated link for per-unit savings, costs and incentive amount.	Calculated		0.00
Clothes Washers				
	Commercial or Industrial Existing or New			
High-Efficiency, high use, MF laundries	PSE gas water heat, PSE gas and PSE electric for dryer	PSE Deemed		105.00
High-Efficiency, high use, MF laundries	PSE gas water heat, PSE gas/no PSE electric for dryer	PSE Deemed		105.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Dishwashers

Commercial or Industrial Existing or New

Single Tank Conveyor, PSE provides gas	High temp, elec WH, gas booster	PSE Deemed		254.00
Single Tank Conveyor, PSE provides gas	High temp, gas WH, elec booster	PSE Deemed		508.00
Door Type, PSE provides gas	High temp, gas WH, elect. Booster	PSE Deemed		405.00
Door Type, PSE provides gas	High temp, gas WH, gas Booster	PSE Deemed		608.00
Single Tank Conveyor, PSE provides gas	High temp, gas WH, gas booster	PSE Deemed		762.00
Under Counter, PSE provides gas	High Temperature, elec WH, gas booster	PSE Deemed		109.00
Multi Tank Conveyor, PSE provides gas	High temperature, elec WH, gas booster	PSE Deemed		496.00
Door Type, PSE provides gas	High temperature, elec WH, gas booster	PSE Deemed		203.00
Under Counter, PSE provides gas	High Temperature, gas building hot water, elec booster	PSE Deemed		217.00
Multi Tank Conveyor, PSE provides gas	High temperature, gas WH, elec booster	PSE Deemed		993.00
Under Counter, PSE provides gas	High Temperature, gas WH, gas booster	PSE Deemed		326.00
Multi Tank Conveyor, PSE provides gas	High temperature, gas WH, gas booster	PSE Deemed		1,489.00
Door Type, PSE provides gas	Low temp, gas WH	PSE Deemed		554.00
Single Tank Conveyor, PSE provides gas	Low temp, gas WH	PSE Deemed		520.00
Multi Tank Conveyor, PSE provides gas	Low temperature, gas WH	PSE Deemed		798.00
Under Counter, PSE provides gas	Low Temperature, gas WH	PSE Deemed		55.00

Ovens

Commercial or Industrial Existing or New

Natural gas	Existing gas convection oven	PSE Deemed		323.00
Natural gas	Existing gas double rack oven	PSE Deemed		2,104.00
Natural gas	Existing gas single rack oven	PSE Deemed		1,034.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Spray Heads

	Commercial or Industrial	Existing or New		
Pre-Rinse Gas	0.6 gpm xn if 1.6 gpm prev xn'd		PSE Deemed	147.00
Pre-Rinse Gas	0.6 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	310.00
Pre-Rinse Gas	0.6 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	476.00
Pre-Rinse Gas	0.6 gpm xn if head not prev supplied		PSE Deemed	639.00
Pre-Rinse Gas	1.0 gpm xn if 1.6 gpm prev xn'd		PSE Deemed	64.00
Pre-Rinse Gas	1.0 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	227.00
Pre-Rinse Gas	1.0 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	393.00
Pre-Rinse Gas	1.0 gpm xn if head not prev supplied		PSE Deemed	557.00
Pre-Rinse Gas	1.6 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	163.00
Pre-Rinse Gas	1.6 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	329.00
Pre-Rinse Gas	1.6 gpm xn if head not prev supplied		PSE Deemed	492.00

Steamers

	Commercial or Industrial	Existing or New		
Connectionless	3 pan		PSE Deemed	340.00
Connectionless	3 pan		PSE Deemed	340.00
Connectionless	4 pan		PSE Deemed	306.00
Connectionless	4 pan		PSE Deemed	306.00
Connectionless	5 pan		PSE Deemed	276.00
Connectionless	5 pan		PSE Deemed	276.00
Connectionless	6 pan		PSE Deemed	244.00
Connectionless	6 pan		PSE Deemed	244.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Water Heater

Commercial or Industrial Existing or New

Full svc restaurant water heater, > 75,000 btu/hr and at least 92% efficient	199 MBH	Calculated		0.00
Full svc restaurant water heater, > 75,000 btu/hr and at least 92% efficient	399 MBH	Calculated		0.00
Full svc restaurant water heater, > 75,000 btu/hr and at least 92% efficient	Check business calculator tool at indicated link for per-unit savings, costs and incentive amount	Calculated		0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Duct Sealing

Manufactured Home Existing or New

with other measures	Unconditioned spaces; Combination of savings values from FAF-no AC & heat pump	PSE Deemed	590.00	
---------------------	--	------------	--------	--

Single Family Existing or New

with other measures	Unconditioned spaces; Combination of savings values from FAF-no AC & heat pump	PSE Deemed	1,379.00	
---------------------	--	------------	----------	--

Heat Pumps

Single Family Existing or New

Ductless	1 ton or greater, inverter driven compressor, at least one indoor unit	RTF Deemed	3,500.00	0.00
----------	--	------------	----------	------

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Floor	R-11 to R-30	PSE Deemed	0.76	
Attic	R-11 to R-38	PSE Deemed	1.18	
Attic	R-19 to R-38	PSE Deemed	0.61	
Attic	R5 (max) - R19 (min)	PSE Deemed	2.19	
Tapered Rigid Board	R-5 max to R-38 min	PSE Deemed	2.30	0.00
Single Family Existing or New				
Duct	R-0 to R-11	PSE Deemed	4.65	
Duct	R-0 to R-11	PSE Deemed	4.65	
Floor	R-0 to R-19	PSE Deemed	2.09	
Floor	R-0 to R-25	PSE Deemed	2.53	
Floor	R-0 to R-30	PSE Deemed	2.53	
Attic	R-0 to R-38	PSE Deemed	2.61	
Attic	R-01 to R-38	PSE Deemed	2.61	
Attic	R-02 to R-38	PSE Deemed	2.61	
Attic	R-03 to R-38	PSE Deemed	2.61	
Attic	R-04 to R-38	PSE Deemed	2.61	
Attic	R-05 to R-38	PSE Deemed	2.61	
Attic	R-06 to R-38	PSE Deemed	1.38	
Attic	R-07 to R-38	PSE Deemed	1.38	
Attic	R-08 to R-38	PSE Deemed	1.38	
Attic	R-09 to R-38	PSE Deemed	1.38	
Attic	R-10 to R-38	PSE Deemed	1.38	
Floor	R-11 to R-30	PSE Deemed	0.92	
Attic	R-11 to R-38	PSE Deemed	1.38	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Attic	R19 (max) - R38 (min)	PSE Deemed	0.76	
Attic	R5 (max) - R19 (min)	PSE Deemed	1.85	
Attic	R8 (max) - R30 (min)	PSE Deemed	1.38	

Lamps

		Manufactured Home	Existing or New		
CFL Energy Star®	No maximum amount			RTF Deemed	37.00
		Multi Family	Existing or New		
CFL Energy Star®	No maximum amount			RTF Deemed	37.00
		Single Family	Existing or New		
CFL Energy Star®	No maximum amount			RTF Deemed	37.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201

Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Low Income Health and Safety				
	Manufactured Home Existing or New			
Door sweeps	Non-tariff funded health and safety	PSE Deemed	150.00	
Weather Stripping	Non-tariff funded health and safety	PSE Deemed	70.00	0.00
	Multi Family Existing or New			
Door sweeps	Non-tariff funded health and safety	PSE Deemed	150.00	
Weather Stripping	Non-tariff funded health and safety	PSE Deemed	70.00	0.00
	Single Family Existing or New			
Weather Stripping	Non-tariff funded health and safety	PSE Deemed	70.00	0.00
Door Sweeps	Non-tariff funded health and safety program	PSE Deemed	150.00	
Pipe Wrap				
	Manufactured Home Existing or New			
Water heater	Min 3 feet	RTF Deemed	20.00	
	Multi Family Existing or New			
Water heater	Min 3 feet	RTF Deemed	20.00	
	Single Family Existing or New			
Water heater	Min 3 feet	RTF Deemed	20.00	
Pool Heat				
	Multi Family Existing or New			
Solar powered	Deemed measure based on average of custom grants	PSE Deemed	27,000.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Refrigerators				
	Manufactured Home Existing or New			
Replacements	not an incremental value	PSE Deemed	812.00	0.00
	Multi Family Existing or New			
Replacements	not an incremental value	PSE Deemed	812.00	0.00
	Single Family Existing or New			
Replacements	not an incremental value	PSE Deemed	812.00	0.00
Showerheads				
	Manufactured Home Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed	175.00	
	Multi Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed	114.00	
	Single Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed	175.00	
Structure Sealing				
	Manufactured Home Existing or New			
structure	CFM per 50Pa	RTF Deemed	1.61	
	Single Family Existing or New			
structure	CFM per 50Pa	RTF Deemed	0.90	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Thermostat				
Programmable	Manufactured Home Existing or New Replacing non-programmable	RTF Deemed	436.00	
	Single Family Existing or New			
Programmable		RTF Deemed	436.00	
Water Heater				
High Efficiency storage	Manufactured Home Existing or New Domestic, with 45-55 gallon rated capacity with EF of 0.95 or better	RTF Deemed	131.00	0.00
	Multi Family Existing or New			
High efficiency storage	Domestic, with 45-55 gallon rated capacity with EF of 0.95 or better	RTF Deemed	131.00	
High Efficiency storage	Single Family Existing or New Domestic, with 45-55 gallon rated capacity with EF of 0.95 or better	RTF Deemed	131.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherziation

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Windows

		Manufactured Home Existing or New		
Various configurations	Early double pane to double pane U .30		PSE Deemed	15.79 0.00
Various configurations	Single pane to double pane U.30		PSE Deemed	22.45 0.00
		Multi Family Existing or New		
Various configurations	Double pane (U .65) to triple pane (U .22		PSE Deemed	10.65 0.00
Various configurations	Early double-pane to double pane U .30		PSE Deemed	9.84 0.00
Various configurations	Single pane (U 1.2) to triple pane (U 0.22)		PSE Deemed	24.00
Various configurations	Single-pane (U 1.25) to double-pane U-value 0.30		PSE Deemed	23.74
		Single Family Existing or New		
Various configurations	Early double pane to double pane U .30		PSE Deemed	18.00 0.00
Various configurations	Single pane to double pane U .30		PSE Deemed	25.09 0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Clothes Washers

Single Family Existing only

Energy Star®	2010 Clothes Washers Tier 1 MEF 2.0+ (EWH/PropDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		61.00	0.00
Energy Star®	2010 Clothes Washers Tier 1 MEF 2.0+ (PropWH/EDryer)--placeholder to match res tracking dbase "Propane" value is the same as "gas" value		77.00	0.00
Energy Star®	2010 Clothes Washers Tier 1 MEF 2.0+ (PropWH/PropDryer)--placeholder to match res tracking dbase "Propane" value is the same as "gas" value		19.00	0.00
Energy Star®	2010 Clothes Washers Tier 2 MEF 2.2+ (EWH/PropDryer)--placeholder to match res tracking dbase "Propane" value is the same as "gas" value		79.00	0.00
Energy Star®	2010 Clothes Washers Tier 2 MEF 2.2+ (PropWH/EDryer)--placeholder to match res tracking dbase "Propane" value is the same as "gas" value		106.00	0.00
Energy Star®	2010 Clothes Washers Tier 2 MEF 2.2+ (PropWH/PropDryer)--placeholder to match res tracking dbase "Propane" value is the same as "gas" value		26.00	0.00
Energy Star®	2010 Clothes Washers Tier 3 MEF 2.46+ (EWH/PropDryer)--placeholder to match res tracking dbase "Propane" value is the same as "gas" value		88.00	0.00
Energy Star®	2010 Clothes Washers Tier 3 MEF 2.46+ (PropWH/EDryer)--placeholder to match res tracking dbase "Propane" value is the same as "gas" value		124.00	0.00
Energy Star®	2010 Clothes Washers Tier 3 MEF 2.46+ (PropWH/PropDryer)--placeholder to match res tracking dbase "Propane" value is the same as "gas" value		32.00	0.00
Energy Star®	MEF 2.2 - 2.45, WF =< 4.5, Electric WH, Gas Dryer	RTF Deemed	84.00	0.00
Energy Star®	MEF 2.2 - 2.45, WF =< 4.5, Gas WH, Electric Dryer	RTF Deemed	81.00	0.00
Energy Star®	MEF 2.2 - 2.45, WF =< 4.5, Gas WH, Gas Dryer	RTF Deemed	16.00	0.00
Energy Star®	MEF 2.2 - 2.45, WF =< 4.5; Electric WH & Dryer	RTF Deemed	149.00	0.00
Energy Star®	MEF 2.46 - 2.69, WF =< 4.0, Electric WH, Gas Dryer	RTF Deemed	108.00	0.00
Energy Star®	MEF 2.46 - 2.69, WF =< 4.0, Gas WH, Electric Dryer	RTF Deemed	130.00	0.00
Energy Star®	MEF 2.46 - 2.69, WF =< 4.0, Gas WH, Gas Dryer	RTF Deemed	20.00	0.00
Energy Star®	MEF 2.46 - 2.69, WF =< 4.0; Electric WH & Dryer	RTF Deemed	219.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Energy Star®	MEF 2.7 or greater, WF =< 4.0, Electric WH, Gas Dryer	RTF Deemed	114.00	0.00
Energy Star®	MEF 2.7 or greater, WF =< 4.0, Gas WH, Electric Dryer	RTF Deemed	145.00	0.00
Energy Star®	MEF 2.7 or greater, WF =< 4.0, Gas WH, Gas Dryer	RTF Deemed	20.00	0.00
Energy Star®	MEF 2.7 or greater, WF =< 4.0; Electric WH & Dryer	RTF Deemed	240.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Duct Sealing				
	Single Family Existing only			
Weatherization--Manufactured Homes	Elect Forced Air Furnace with Central AC with New Non-Energy Star	RTF Deemed	1,190.00	
Weatherization--Manufactured Homes	Elect Forced Air Furnace with Central AC with New Non-Energy Star	RTF Deemed	1,190.00	
Weatherization--Manufactured Homes	Electric Forced Air Furnace with New Non-Energy Star Central Air Conditioning	RTF Deemed	444.00	
Weatherization--Manufactured Homes	Electric Forced Air Furnace with New Non-Energy Star Central Air Conditioning	RTF Deemed	444.00	
Weatherization--Manufactured Homes	Electric Forced Air Furnace without Central Air Conditioning	RTF Deemed	434.00	
Weatherization--Manufactured Homes	Electric Forced Air Furnace without Central Air Conditioning	RTF Deemed	1,158.00	
Weatherization--Manufactured Homes	Electric Forced Air Furnace without Central Air Conditioning	RTF Deemed	434.00	
Weatherization--Manufactured Homes	Electric Forced Air Furnace without Central Air Conditioning	RTF Deemed	1,158.00	
Weatherization--Quality Assured--site built homes	Forced Air Furnace	RTF Deemed	1,559.00	0.00
Weatherization--Quality Assured--site built homes	Heat Pump	RTF Deemed	1,056.00	0.00
Weatherization--Manufactured Homes	Level 1, UCONS	PSE Deemed	600.00	0.00
Weatherization--Manufactured Homes	Level 2, UCONS	PSE Deemed	800.00	0.00
Weatherization--Manufactured Homes	Level 3, UCONS	PSE Deemed	1,000.00	0.00
Weatherization--Manufactured Homes	New Non-Energy Star Heat Pump	RTF Deemed	728.00	
Weatherization--Manufactured Homes	New Non-Energy Star Heat Pump	RTF Deemed	297.00	
Weatherization--Manufactured Homes	New Non-Energy Star Heat Pump	RTF Deemed	728.00	
Weatherization--Manufactured Homes	New Non-Energy Star Heat Pump	RTF Deemed	297.00	
Weatherization--Manufactured Homes	Wiegthed average of 6th Power Plan	PSE Deemed	1,048.00	0.00
Weatherization--Quality Assured--site built homes	Zonal	RTF Deemed	1,379.00	0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Equipment Adjustment

Single Family Existing only

Water Heater temperature adjustment	W/H temp adjusted at least 10 degrees fahrenheit	PSE Deemed	313.00	0.00
-------------------------------------	--	------------	--------	------

Freezer

Single Family Existing only

Energy Star®	greater than or equal to 7.75 cu ft	RTF Deemed	42.00	0.00
Decommissioning	Working condition, >= 10 cu ft.	RTF Deemed	555.00	0.00

Heat Pumps

Single Family Existing only

Forced air furnace to heat pump conversion	Convert electric FAF without central AC to HSPF 8.5/SEER 14 HP or better	PSE Deemed	5,176.00	0.00
Forced air furnace to heat pump conversion	Convert electric FAF without central AC to HSPF 8.5/SEER 14 HP or better	PSE Deemed	5,176.00	0.00
Ductless	Ductless Heat Pump	RTF Deemed	3,500.00	0.00
Ductless	Ductless Heat Pump using inverter technology	RTF Deemed	3,500.00	0.00
9.0 HSPF, 14 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	554.00	
8.5 HSPF, 14 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	408.00	
Geothermal heat pump	Upgrade to Energy Star geothermal heat pump from air source heat pump	PSE Deemed	4,037.00	0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Insulation

Single Family Existing only

Attic	Electric WX Between R0 and R10 to R38 Zonal	PSE Deemed	2.53	0.00
Wall	Electric WX R-0 to R-11 FAF	PSE Deemed	1.80	0.00
Wall	Electric WX R-0 to R-11 HP	PSE Deemed	0.85	0.00
Wall	Electric WX R-0 to R-11 Zonal	PSE Deemed	1.33	0.00
Wall	Electric WX R-0 to R-13 FAF	PSE Deemed	1.80	0.00
Wall	Electric WX R-0 to R-13 HP	PSE Deemed	0.85	0.00
Wall	Electric WX R-0 to R-13 Zonal	PSE Deemed	1.33	0.00
Floor	Electric WX R-0 to R-30 FAF	PSE Deemed	3.32	0.00
Floor	Electric WX R-0 to R-30 FAF	PSE Deemed	3.32	0.00
Floor	Electric WX R-0 to R-30 HP	PSE Deemed	1.55	0.00
Floor	Electric WX R-0 to R-30 HP	PSE Deemed	1.55	0.00
Floor	Electric WX R-0 to R-30 Zonal	PSE Deemed	2.45	0.00
Floor	Electric WX R-0 to R-30 Zonal	PSE Deemed	2.45	0.00
Attic	Electric WX R0 to R38 FAF	PSE Deemed	3.41	0.00
Attic	Electric WX R0 to R38 FAF	PSE Deemed	3.41	0.00
Attic	Electric WX R0 to R38 Zonal	PSE Deemed	2.53	0.00
Floor	Electric WX R-11 to R-30 FAF	PSE Deemed	1.22	0.00
Floor	Electric WX R-11 to R-30 FAF	PSE Deemed	1.22	0.00
Floor	Electric WX R-11 to R-30 HP	PSE Deemed	0.56	0.00
Floor	Electric WX R-11 to R-30 HP	PSE Deemed	0.56	0.00
Floor	Electric WX R-11 to R-30 Zonal	PSE Deemed	0.89	0.00
Floor	Electric WX R-11 to R-30 Zonal	PSE Deemed	0.89	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Attic	Electric WX R11 to R38 FAF	PSE Deemed	1.81	0.00
Attic	Electric WX R11 to R38 FAF	PSE Deemed	1.81	0.00
Attic	Electric WX R11 to R38 Zonal	PSE Deemed	1.34	0.00
Attic	Electric WX R11 to R38 Zonal	PSE Deemed	1.34	0.00
Attic	Electric WX R-19 to R-38 FAF	RTF Deemed	1.01	
Attic	Electric WX R-19 to R-38 HP	RTF Deemed	0.45	
Attic	Electric WX R-19 to R-38 Zonal	RTF Deemed	0.74	
Attic	Electric WX R0 to R38 HP	PSE Deemed	1.59	0.00
Attic	Electric WX R0 to R38 HP	PSE Deemed	1.59	0.00
Attic	Electric WX R11 to R38 HP	PSE Deemed	0.84	0.00
Attic	Electric WX R11 to R38 HP	PSE Deemed	0.84	0.00
Duct	R0 to R11 Electric Weatherization	PSE Deemed	790.00	

Lamps

Single Family Existing only

CFL Energy Star®	CFL daylight bulbs	RTF Deemed	25.00	0.00
CFL Energy Star®	CFL specialty bulbs	RTF Deemed	19.00	0.00
CFL Energy Star®	Direct install; HomePrint	RTF Deemed	37.00	0.00
CFL Energy Star®	Electric manufactured homes direct install	RTF Deemed	37.00	
CFL Energy Star®	Retail	RTF Deemed	24.00	0.00
CFL Energy Star®	T2 Spiral bulb	RTF Deemed	23.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lighting Fixtures

Single Family Existing only

CFL Energy Star®	Any exterior application	RTF Deemed	102.00	
CFL Energy Star®	Any interior fixture	RTF Deemed	69.00	

Performance Evaluation

Single Family Existing only

HomePrint Reports	Home Performance with Energy Star rebate (incentive only--paid to contractor)	PSE Deemed		0.00
-------------------	---	------------	--	------

Refrigerators

Single Family Existing only

Energy Star®	Refrigerator, bottom freezer, ice	RTF Deemed	156.00	0.00
Energy Star®	Refrigerator, bottom freezer, no ice	RTF Deemed	101.00	0.00
Energy Star®	Refrigerator, CEE Tier 2	RTF Deemed	65.00	0.00
Energy Star®	Refrigerator, CEE Tier 3	RTF Deemed	86.00	0.00
Energy Star®	Refrigerator, side by side, ice	RTF Deemed	120.00	0.00
Energy Star®	Refrigerator, side by side, no ice	RTF Deemed	110.00	0.00
Energy Star®	Refrigerator, top freezer, ice	RTF Deemed	84.00	0.00
Energy Star®	Refrigerator, top freezer, no ice	RTF Deemed	84.00	0.00
Replacement	Replacing refrigerators manufactured prior to 1993		755.00	0.00
Decommissioning	Working condition, >= 10 cu ft	RTF Deemed	482.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E214 Single Family Residential Existing

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Showerheads

Single Family Existing only

2.0 gpm or less	1.50 GPM, Any Shower, Any WH, Retail, PSE Electric Service territory	RTF Deemed	128.00	
2.0 gpm or less	1.50 GPM, Any Shower, Electric WH, Retail	RTF Deemed	196.00	
2.0 gpm or less	1.75 GPM, Any Shower, Any WH, Retail, PSE Electric Service territory	RTF Deemed	103.00	
2.0 gpm or less	1.75 GPM, Any Shower, Electric WH, Retail	RTF Deemed	158.00	
2.0 gpm or less	2.0 GPM, Any Shower, Any WH, Retail, PSE Electric Service territory	RTF Deemed	81.00	
2.0 gpm or less	2.0 GPM, Any Shower, Electric WH, Retail	RTF Deemed	123.00	
2.0 gpm or less	Electric water heat, any showerhead, MH Weatherization	RTF Deemed	116.00	
2.0 gpm or less	HomePrint 2.0 or less gpm, maximum 2 per structure	PSE Deemed	136.00	
2.0 gpm or less	Manufactured Homes 2.0 or less gpm, maximum 2 per structure	PSE Deemed	136.00	
2.0 gpm or less	Showerhead, Retail, mail by request	PSE Deemed	136.00	

Water Heater

Single Family Existing only

Storage	0.94 EF or greater with 50 gal rated capacity	PSE Deemed	125.00	
Heat Pump	Energy Star Heat Pump Water Heater, EF 2.0 with 50 gallon rated capacity	PSE Deemed	2,001.00	0.00
Heat Pump	Energy Star Heat Pump Water Heater, EF 2.0 with 50 gallon rated capacity	PSE Deemed	2,001.00	0.00
Heat Recovery	Waste water heat recovery - pre heat domestic hot water tank with gravity film heat recovery device with heat transfer surface area of >= 3.85 sf	PSE Deemed	373.00	0.00

Windows

Single Family Existing only

Single-pane to double pane	U-factor of 0.30 or better	PSE Deemed	20.83	0.00
----------------------------	----------------------------	------------	-------	------

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E215 le Family Residential New Construc

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Clothes Washers				
Single Family New only				
Energy Star®	MEF 2.2 - 2.45, Gas Water Heater & Electric Dryer	RTF Deemed	81.00	
Energy Star®	MEF 2.46 - 2.69, Gas Water Heater & Electric Dryer	RTF Deemed	130.00	
Energy Star®	MEF 2.7 or Higher, Gas Water Heater & Electric Dryer	RTF Deemed	145.00	
ES Home Bonus				
Single Family New only				
No savings; only for new construction builders	Placeholder created to enable link to res tracking dbase		0.00	0.00
Heat Pumps				
Single Family New only				
New 8.5 HSPF, 14 SEER	Incremental improvement over code (7.7 HSPF)	PSE Deemed	408.00	
New 9.0 HSPF, 14 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	755.00	
Lamps				
Single Family New only				
CFL Energy Star®	Any residential, any interior application, direct installation	RTF Deemed	34.00	
CFL Energy Star®	Any residential, any interior or exterior application	RTF Deemed	33.00	
Lighting Fixtures				
Single Family New only				
CFL Energy Star®	any application	RTF Deemed	74.00	
CFL Energy Star®	any interior application	RTF Deemed	69.00	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Manufactured Homes

Single Family New only

Eco Rated	Electric forced air furnace, Heating zone 1, Cooling zone n/a	RTF Deemed	5,691.00	
Eco Rated	Electric forced air furnace, Heating zone 1, Cooling zone n/a	RTF Deemed	5,691.00	
Energy Star®	Electric forced air furnace, Heating zone 1, Cooling zone n/a	RTF Deemed	5,420.00	
Energy Star®	Electric forced air furnace, Heating zone 1, Cooling zone n/a	RTF Deemed	5,420.00	
Energy Star®	Electric forced air furnace, Heating zone 2, Cooling zone n/a	RTF Deemed	6,847.00	
Energy Star®	Electric forced air furnace, Heating zone 2, Cooling zone n/a	RTF Deemed	6,847.00	
Eco Rated	Electric forced air furnace, Heating zone 2, Cooling zone n/a	RTF Deemed	7,438.00	
Eco Rated	Electric forced air furnace, Heating zone 2, Cooling zone n/a	RTF Deemed	7,438.00	
Energy Star®	Heat pump, Heating zone 1, Cooling zone 1	RTF Deemed	3,128.00	
Eco Rated	Heat pump, Heating zone 1, Cooling zone 1	RTF Deemed	3,411.00	
Energy Star®	Heat pump, Heating zone 1, Cooling zone 1	RTF Deemed	3,128.00	
Eco Rated	Heat pump, Heating zone 1, Cooling zone 1	RTF Deemed	3,411.00	
Eco Rated	Heat pump, Heating zone 2, Cooling zone 2	RTF Deemed	4,997.00	
Energy Star®	Heat pump, Heating zone 2, Cooling zone 2	RTF Deemed	4,390.00	
Eco Rated	Heat pump, Heating zone 2, Cooling zone 2	RTF Deemed	4,997.00	
Energy Star®	Heat pump, Heating zone 2, Cooling zone 2	RTF Deemed	4,390.00	

Refrigerators

Single Family New only

Energy Star®	Energy Star refrigerator CEE Tier 2 Any	RTF Deemed	65.00	0.00
Energy Star®	Energy Star refrigerator CEE Tier 2 Any	RTF Deemed	65.00	0.00
Energy Star®	Energy Star refrigerator CEE Tier 3 Any	RTF Deemed	86.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E215 le Family Residential New Construc

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
test (not an actual measure)				
		Single Family	New only	
Database test	test for revision	PSE Deemed	2,222.00	0.00
Database test	test for revision	PSE Deemed	333.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E217

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Clothes Washers

Multi Family Existing only

Energy Star®	MEF 2.2 or Higher and WF 4.5 or below; Electric Water Heater & Dryer	RTF Deemed	149.00	
Energy Star®	MEF 2.46 or Higher and WF 6.0 or higher; Electric Water Heater & Dryer	RTF Deemed	219.00	

Insulation

Multi Family Existing only

Floor	R-0 to R-30	PSE Deemed	2.23	0.00
Floor	R-0 to R-30	PSE Deemed	2.23	0.00
Attic	R-0 to R-38	PSE Deemed	2.30	0.00
Attic	R-0 to R-38	PSE Deemed	2.30	0.00
Attic	R-11 to R-38	PSE Deemed	1.18	0.00
Attic	R-11 to R-38	PSE Deemed	1.18	0.00
Attic	R-19 to R-38	PSE Deemed	0.61	0.00
Attic	R-19 to R-38	PSE Deemed	0.61	0.00
Wall	Upgrade R0 to R13	PSE Deemed	1.25	
Wall	Upgrade R0 to R13	PSE Deemed	1.25	

Lamps

Multi Family Existing only

CFL Energy Star®	Kitchen only	RTF Deemed	59.00	0.00
CFL Energy Star®	Tenant controlled, any interior or exterior application	RTF Deemed	37.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E217

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lighting Fixtures

Multi Family Existing only

CFL Energy Star®	Any fixture, tenant-controlled	RTF Deemed	74.00	
CFL Energy Star®	Any interior application	RTF Deemed	61.00	
CFL Energy Star®	GU-24 pin-type socket	PSE Deemed	74.00	
CFL Energy Star®	Socket Lock-It®	PSE Deemed	37.00	

Refrigerators

Multi Family Existing only

Energy Star® or High Efficiency	Any Style w/ or w/o Icemaker	RTF Deemed	44.00	
---------------------------------	------------------------------	------------	-------	--

Showerheads

Multi Family Existing only

2.0 gpm or less	Electric water heat, any showerhead	PSE Deemed	114.00	
1.75 gpm or less	upgraded from base of 2.5 GPM	PSE Deemed	114.00	
1.5 gpm or less	upgraded from base of 2.5 GPM	RTF Deemed	307.00	

Water Heater

Multi Family Existing only

Storage	0.95 EF or greater with 50 gal rated capacity	RTF Deemed	131.00	
---------	---	------------	--------	--

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Windows

Multi Family Existing only

High Efficiency	Double pane metal frame to high efficiency double, U-factor 0.30	PSE Deemed	9.64	0.00
High Efficiency	Double pane metal frame to high efficiency double, U-factor 0.30	PSE Deemed	9.64	0.00
High Efficiency	Double-pane to triple pane U 0.25	PSE Deemed	10.64	0.00
High Efficiency	Double-pane to triple pane U 0.25	PSE Deemed	10.64	0.00
High Efficiency	Single pane to double, U-factor 0.30	PSE Deemed	23.74	0.00
High Efficiency	Single pane to double, U-factor 0.30	PSE Deemed	23.74	0.00
High Efficiency	Single-pane to triple pane U 0.25	PSE Deemed	23.97	0.00
High Efficiency	Single-pane to triple pane U 0.25	PSE Deemed	23.97	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E218

Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Clothes Washers

Multi Family New only

Energy Star®	MEF 2.2 or Higher and WF 4.5 or below; Electric Water Heater & Dryer	RTF Deemed	149.00	
Energy Star®	MEF 2.46 or Higher; Electric Water Heater & Dryer	RTF Deemed	219.00	

Common Area Ventilation

Multi Family New only

Garage CO Demand Ventilation	With VFD fan control	Calculated	1,437.27	
Garage CO Demand Ventilation	With VFD fan control	Calculated	2,196.00	0.00

Heat Pumps

Multi Family New only

Package Terminal	20% adjustment <<Only when combined with windows!>>	PSE Deemed	-147.00	0.00
Common Area	Air to Air to WSEC (Tier 1)	PSE Deemed	1.37	
Package Terminal	WA State Electrical Code standard	PSE Deemed	737.00	0.00
Package Terminal	WA State Electrical Code standard, thru-wall unit, low/mid-rise	PSE Deemed	592.00	
Package Terminal	WA State Electrical Code standard, thru-wall unit, townhome	PSE Deemed	1,209.00	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E218

Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Heat Recovery

Multi Family New only

Common Area	Electric resistance no cooling	Calculated	0.50	
Common Area	Electric resistance no mechanical cooling, high-rise	PSE Deemed	1.32	
Common Area	Electric resistance no mechanical cooling, low-rise	PSE Deemed	0.86	
Common Area	Electric resistance with cooling	Calculated	0.23	
Common Area	kWh adjustment to heat recovery - Hydronic with cooling	Calculated	-0.13	
Common Area	kWh adjustment to heat recovery - Hydronic without cooling	Calculated	-0.12	
Common Area	Water source heat pump	Calculated	-0.01	

Lighting Fixtures

Multi Family New only

CFL Energy Star®	Any interior application	RTF Deemed	61.00	
CFL Energy Star®	Pin Based Light Fixtures	RTF Deemed	69.00	0.00

Lighting Systems

Multi Family New only

Stairwell	Bi-level greater than 3, less than 10 floors	PSE Deemed	203.00	0.00
Stairwell	Bi-level, greater than or equal to 10 floors	PSE Deemed	379.00	0.00
Corridor	Lighting reduction, at least 10% below WSEC.	Calculated	0.07	0.00
Garage	Lighting reduction. Additional 1% up to 20% allowed.	PSE Deemed	0.02	0.00

Refrigerators

Multi Family New only

Energy Star® or High Efficiency	Any Style w/ or w/o Icemaker	RTF Deemed	44.00	
---------------------------------	------------------------------	------------	-------	--

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E218 Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Showerheads				
	Multi Family New only			
2.0 gpm or less	Electric water heat, any showerhead	RTF Deemed	114.00	
Water Heater				
	Multi Family New only			
Heat recovery	Drain water heat recovery, DWH tank with model G3-60, single unit coil with heat transfer surface area of 3.85 sf or greater	RTF Deemed	373.00	
Windows				
	Multi Family New only			
U-.30 or better	kWh Adjustment <<ONLY for XN of windows with gas space heat!>>	PSE Deemed	0.02	
U-.30 or better	kWh Adjustment <<ONLY for XN of windows with gas space heat!>>	PSE Deemed	-0.20	
U-.30 or better	U-value 0.30 or better. Electric space heat	PSE Deemed	2.31	
U-.30 or better	U-value 0.30 or better. Electric space heat, hi-rise only	PSE Deemed	1.76	
U-.30 or better	Windows 20% Adjustment for electric space heat	PSE Deemed	-0.46	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E249

Pilot programs, electric

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Combined Power System				
	All structure types Existing or New			
Freewatt Plus	Micro-Combined Heat and Power System	PSE Deemed	5,280.00	0.00
Heat Pumps				
	All structure types Existing or New			
Sizing and Lockout Controls	Residential electric pilot	PSE Deemed	1,447.00	0.00
Sizing and Lockout Controls	Residential electric pilot	PSE Deemed	1,092.00	0.00
HVAC General				
	All structure types Existing or New			
Air Handler Motor Upgrade	Heat Pump Air Handler/Furnace Fan Motor Upgrade	PSE Deemed	667.00	0.00
Lamps				
	All structure types Existing or New			
LED lamps	Medium screw base	PSE Deemed	34.00	0.00
Lighting Fixtures				
	All structure types Existing or New			
IC& WAC Rated CFL Fixtures	Fixture upgrade	PSE Deemed	61.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E-RES All Residential Electric Schedules

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Lamps

All residential types Existing or New

Project Porchlight P/O Rock the Bulb; leave a light bulb on a customer's porch PSE Deemed 15.00 0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule E216

Fuel Conversion

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Fuel Conversion				
	Single Family Existing only			
Space and Water Heating	Base board heat, 19-20k kWh current usage	PSE Deemed	12,000.00	0.00
Space Heating Only	Base board heat, 19-20k kWh current usage	PSE Deemed	8,500.00	0.00
Space and Water Heating	Base board heat, 20-22.5k kWh current usage	PSE Deemed	13,750.00	0.00
Space Heating Only	Base board heat, 20-22.5k kWh current usage	PSE Deemed	10,250.00	0.00
Space Heating Only	Base board heat, 22.5-25k kWh current usage	PSE Deemed	12,750.00	0.00
Space and Water Heating	Base board heat, 22.5-25k kWh current usage	PSE Deemed	16,250.00	0.00
Space and Water Heating	Base board heat, 25+ k kWh current usage	PSE Deemed	17,500.00	0.00
Space Heating Only	Base board heat, 25+ k kWh current usage	PSE Deemed	14,000.00	0.00
Water Heating Only	Energy Star Gas water heater	PSE Deemed	3,500.00	0.00
Water Heating Only	Energy Star Tankless Gas water heater	PSE Deemed	3,500.00	0.00
Space and Water Heating	Forced air heat, 19-20k kWh current usage	PSE Deemed	12,000.00	0.00
Space and Water Heating	Forced air heat, 20-22.5k kWh current usage	PSE Deemed	13,750.00	0.00
Space Heating Only	Forced air heat, 19-20k kWh current usage	PSE Deemed	8,500.00	0.00
Space Heating Only	Forced air heat, 20-22.5k kWh current usage	PSE Deemed	10,250.00	0.00
Space and Water Heating	Forced air heat, 22.5-25k kWh current usage	PSE Deemed	16,250.00	0.00
Space Heating Only	Forced air heat, 22.5-25k kWh current usage	PSE Deemed	12,750.00	0.00
Space and Water Heating	Forced air heat, 25+ k kWh current usage	PSE Deemed	17,500.00	0.00
Space Heating Only	Forced air heat, 25+ k kWh current usage	PSE Deemed	14,000.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G203** Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Boilers				
	Multi Family Existing or New			
Water heating	Greater than or equal to 89% AFUE	PSE Deemed		1,100.00
Space heating	Greater than or equal to 89% AFUE	PSE Deemed		845.00
Duct Sealing				
	Manufactured Home Existing or New			
with other measures	Unconditioned spaces; Combination of savings values from FAF-no AC & heat pump	PSE Deemed		16.10
	Single Family Existing or New			
with other measures	Unconditioned spaces	PSE Deemed		37.60
Furnace				
	Manufactured Home Existing or New			
AFUE 0.90	Efficiency 90 plus	PSE Deemed		89.00
	Multi Family Existing or New			
AFUE 0.90	Efficiency 90 plus	PSE Deemed		66.00
	Single Family Existing or New			
AFUE 0.90	Efficiency 90 plus	PSE Deemed		89.00
AFUE 0.90	Efficiency 90 plus	PSE Deemed		89.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G203** Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Insulation

Manufactured Home Existing or New

Wall	R0 - R13	PSE Deemed		0.06
Floor	R0 - R19	PSE Deemed		0.08
Floor	R0 - R25	PSE Deemed		0.08
Floor	R0 - R30	PSE Deemed		0.09
Attic	R0 - R38	PSE Deemed		0.10
Attic	R1 - R38	PSE Deemed		0.10
Attic	R10 - R38	PSE Deemed		0.05
Attic	R11 - R38	PSE Deemed		0.05
Attic	R2 - R38	PSE Deemed		0.10
Attic	R3 - R38	PSE Deemed		0.10
Attic	R4 - R38	PSE Deemed		0.10
Attic	R5 - R38	PSE Deemed		0.10
Attic	R5 (max) - R19 (min)	PSE Deemed		0.07
Attic	R6 - R38	PSE Deemed		0.05
Attic	R7 - R38	PSE Deemed		0.05
Attic	R8 - R38	PSE Deemed		0.05
Attic	R9 - R38	PSE Deemed		0.05

Multi Family Existing or New

Duct	R0 - R11	PSE Deemed		0.20
Wall	R0 - R13	PSE Deemed		0.05
Floor	R0 - R19	PSE Deemed		0.08

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G203** **Low Income Weatherization--Gas**

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Floor	R0 - R25	PSE Deemed		0.09
Floor	R0 - R30	PSE Deemed		0.09
Attic	R0 - R38	PSE Deemed		0.10
Attic	R1 - R38	PSE Deemed		0.10
Attic	R10 - R38	PSE Deemed		0.05
Attic	R11 - R38	PSE Deemed		0.05
Attic	R2 - R38	PSE Deemed		0.10
Attic	R3 - R38	PSE Deemed		0.10
Attic	R4 - R38	PSE Deemed		0.10
Attic	R5 - R38	PSE Deemed		0.10
Attic	R5 (max) - R19 (min)	PSE Deemed		0.09
Attic	R5 (max) - R19 (min)	PSE Deemed		0.09
Tapered Rigid Board	R-5 max to R-38 min	PSE Deemed		0.10
Attic	R6 - R38	PSE Deemed		0.05
Attic	R7 - R38	PSE Deemed		0.05
Attic	R8 - R38	PSE Deemed		0.05
Attic	R9 - R38	PSE Deemed		0.05
Single Family Existing or New				
Duct	R0 - R11	PSE Deemed		0.20
Wall	R0 - R13	PSE Deemed		0.08
Floor	R0 - R19	PSE Deemed		0.12
Floor	R0 - R25	PSE Deemed		0.14
Floor	R0 - R30	PSE Deemed		0.14
Attic	R0 - R38	PSE Deemed		0.15

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Attic	R1 - R38	PSE Deemed		0.15
Attic	R10 - R38	PSE Deemed		0.08
Attic	R11 - R38	PSE Deemed		0.08
Attic	R2 - R38	PSE Deemed		0.15
Attic	R3 - R38	PSE Deemed		0.15
Attic	R4 - R38	PSE Deemed		0.15
Attic	R5 - R38	PSE Deemed		0.15
Attic	R5 (max) - R19 (min)	PSE Deemed		0.10
Attic	R6 - R38	PSE Deemed		0.08
Attic	R7 - R38	PSE Deemed		0.08
Attic	R8 - R38	PSE Deemed		0.08
Attic	R9 - R38	PSE Deemed		0.08

Low Income Health and Safety

	Manufactured Home	Existing or New		
Weather Stripping	Non-tariff funded health and safety		PSE Deemed	3.00
Door Sweeps	Non-tariff funded health and safety		PSE Deemed	4.00
	Multi Family	Existing or New		
Weather Stripping	Non-tariff funded health and safety		PSE Deemed	3.00
Door Sweeps	Non-tariff funded health and safety		PSE Deemed	4.00
	Single Family	Existing or New		
Door Sweeps	Non-tariff funded health and safety		PSE Deemed	4.00
Weather Stripping	Non-tariff funded health and safety		PSE Deemed	3.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G203** Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Pipe Wrap				
	Manufactured Home Existing or New			
Water Heater	Min 3 feet	PSE Deemed		0.90
	Multi Family Existing or New			
Water Heater	Min 3 feet	PSE Deemed		0.90
	Single Family Existing or New			
Water Heater	Min 3 feet	PSE Deemed		0.90
Showerheads				
	Manufactured Home Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed		8.00
2.0 gpm or less	any water heat, any shower	PSE Deemed		8.00
	Multi Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed		5.10
	Single Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed		8.00
Structure Sealing				
	Manufactured Home Existing or New			
structure	CFM per 50Pa	PSE Deemed		0.07
	Single Family Existing or New			
structure	CFM per 50Pa	PSE Deemed		0.04
structure	CFM per 50Pa	PSE Deemed		0.04

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G203** Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Water Heater				
Manufactured Home Existing or New				
High efficiency storage	0.67 EF or equivalent	PSE Deemed		24.00
Tankless	Energy Star condensing water heater greater than or equal to 0.90 EF or equivalent	PSE Deemed		93.00
Multi Family Existing or New				
High efficiency storage	0.67 EF or equivalent	PSE Deemed		24.00
Tankless	Energy Star condensing water heater greater than or equal to 0.90 EF or equivalent	PSE Deemed		93.00
Single Family Existing or New				
High efficiency storage	0.67 EF or equivalent	PSE Deemed		24.00
Tankless	Energy Star condensing water heater greater than or equal to 0.90 EF or equivalent	PSE Deemed		93.00
Windows				
Multi Family Existing or New				
Singel pane to double	Single pane to double pane U .30	PSE Deemed		1.01
Single Family Existing or New				
Singel pane to double	Single pane to double pane U .30	PSE Deemed		1.25

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G214** Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Boilers

Single Family Existing only

Energy Star®	At least 95% AFUE	PSE Deemed		119.00
--------------	-------------------	------------	--	--------

Clothes Washers

Single Family Existing only

Energy Star®	MEF 2.2 to 2.45, WF =< 4.5, Electric WH, gas dryer	PSE Deemed		2.50
Energy Star®	MEF 2.2 to 2.45, WF =< 4.5, Gas WH, electric dryer	PSE Deemed		2.00
Energy Star®	MEF 2.2 to 2.45, WF =< 4.5, Gas WH, gas dryer	PSE Deemed		5.60
Energy Star®	MEF 2.2 to 2.45, WF =< 4.5, Gas WH, gas dryer	PSE Deemed		3.00
Energy Star®	MEF 2.46 or higher, gas water heater, gas dryer	PSE Deemed		5.60
Energy Star®	MEF 2.46 to 2.69, WF =< 4.0, Electric WH, gas dryer	PSE Deemed		4.20
Energy Star®	MEF 2.46 to 2.69, WF =< 4.0, Gas WH, electric dryer	PSE Deemed		4.00
Energy Star®	MEF 2.46 to 2.69, WF =< 4.0, Gas WH, gas dryer	PSE Deemed		5.00
Energy Star®	MEF 2.46 to 2.69, WF =< 4.0, Gas WH, gas dryer	PSE Deemed		8.30
Energy Star®	MEF 2.7 or higher, WF =< 4.0, Electric WH, gas dryer	PSE Deemed		4.80
Energy Star®	MEF 2.7 or higher, WF =< 4.0, Gas WH, electric dryer	PSE Deemed		4.00
Energy Star®	MEF 2.7 or higher, WF =< 4.0, Gas WH, gas dryer	PSE Deemed		9.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule G214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Duct Sealing

Single Family Existing only

Weatherization--Manufactured Homes	Level 1, UCONS	PSE Deemed		25.60
Weatherization--Manufactured Homes	Level 2, UCONS	PSE Deemed		34.10
Weatherization--Manufactured Homes	Level 3, UCONS	PSE Deemed		42.70
Weatherization--Quality Assured--site built homes	majority of ducts are outside the conditioned space; primary heat source is PSE	RTF Deemed		59.00
HomePrint	Quality Assured	RTF Deemed		59.00

Equipment Adjustment

Single Family Existing only

Water Heater temperature adjustment	W/H temp adjusted at least 10 degrees fahrenheit	PSE Deemed		9.10
-------------------------------------	--	------------	--	------

Furnace

Single Family Existing only

Energy Star®	Efficiency 90 plus	PSE Deemed		89.00
Energy Star®	Efficiency greater than or equal to 95 AFUE	PSE Deemed		119.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G214** **Single Family Residential Existing**

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Insulation

Single Family Existing only

Floor	From R11 to R30	PSE Deemed		0.05
Duct	R-0 to R-11	PSE Deemed		32.00
Wall	R-0 to R-13	PSE Deemed		0.08
Wall	R-0 to R-13	PSE Deemed	0.00	0.08
Floor	R-0 to R-30	PSE Deemed		0.14
Floor	R-0 to R-30	PSE Deemed		0.12
Floor	R-0 to R-30	PSE Deemed	0.00	0.14
Attic	R-0 to R-38	PSE Deemed		0.15
Attic	R-0 to R-38	PSE Deemed	0.00	0.15
Attic	R-11 or less to R-38	PSE Deemed		0.08
Floor	R-11 to R-30	PSE Deemed	0.00	0.05
Attic	R-11 to R-38	PSE Deemed	0.00	0.08
Attic	R-19 to R-38	PSE Deemed		0.04

Performance Evaluation

Single Family Existing only

HomePrint Reports	Home Performance with Energy Star rebate (incentive only--paid to contractor)	RTF Deemed		0.00
-------------------	---	------------	--	------

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G214** Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Showerheads

Single Family Existing only

2.0 gpm or less	1.5 GPM Retail showerheads, Any Shower, Gas WH	RTF Deemed		8.00
2.0 gpm or less	1.75 GPM Retail showerheads, Any Shower, Gas WH	RTF Deemed		7.00
2.0 gpm or less	2.0 GPM Retail showerheads, Any Shower, Gas WH	RTF Deemed		5.00
2.0 gpm or less	HomePrint showerheads (maximum of two units per structure)	PSE Deemed		6.00
2.0 gpm or less	Manufactured homes (maximum of two units per structure)	PSE Deemed		6.00
2.0 gpm or less	Retail showerheads, mail by (maximum of two units per structure)	PSE Deemed		6.00

Water Heater

Single Family Existing only

Tankless	(Tier 1) 0.82 EF or higher	PSE Deemed		74.00
Tankless	(Tier 2) 0.90 EF or higher	PSE Deemed		93.00
Efficient	0.65 EF or greater	PSE Deemed		30.00
Efficient	0.65 EF or greater	PSE Deemed		30.00
Efficient	0.67 EF or greater	PSE Deemed		24.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G215** le Family Residential New Construc

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Duct Sealing				
	Single Family New only			
Inside the conditioned space	With performance testing	PSE Deemed		31.00
ES Home Bonus				
	Single Family New only			
No savings; only for new construction builders	Placeholder created to enable link to res tracking dbase		0.00	0.00
Furnace				
	Single Family New only			
Energy Star®	Natural Gas EF 90	PSE Deemed		83.00
Manufactured Homes				
	Single Family New only			
Eco Rated	Gas Furnace, Heating zone 1	PSE Deemed		245.00
Energy Star®	Gas Furnace, Heating zone 1	PSE Deemed		200.00
Water Heater				
	Single Family New only			
High efficiency storage	0.62 EF	PSE Deemed		15.00
High efficiency storage	0.62 EF to 0.67 EF	PSE Deemed		24.00
Tankless	0.80 EF or higher	PSE Deemed		74.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G217**

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Pool Heat				
	Multi Family Existing only			
Solar powered	Custom engineering calculation	Custom		800.00
Showerheads				
	Multi Family Existing only			
1.75 gpm or less	High efficiency	PSE Deemed		5.00
1.75 gpm or less	High efficiency	PSE Deemed		5.00
1.5 gpm or less	upgraded from base of 2.5 GPM	RTF Deemed		13.00
Water Heater				
	Multi Family Existing only			
Tankless	0.82 EF or higher	PSE Deemed		74.00
Windows				
	Multi Family Existing only			
High Efficiency	U-value 1.2 to 0.25	PSE Deemed		1.02
High Efficiency	U-value 1.2 to 0.30	PSE Deemed		1.01
High Efficiency	U-value 1.2 to 0.30	PSE Deemed		1.01

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G218** Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Boilers

Multi Family New only

Condensing Boiler	With external tank	PSE Deemed		0.02
Condensing Boiler	With external tank	Calculated		0.02
Condensing Boiler	Without external tank	Calculated		0.02

Heat Recovery

Multi Family New only

Common Area	Therm adjustment to heat recovery - Hydronic with cooling	Calculated		0.03
Common Area	Therm adjustment to heat recovery - Hydronic without cooling	Calculated		0.03
Common Area	Therm adjustment to heat recovery - WSHP	Calculated		0.01
Common Area	using condensing boiler with external tank	Calculated		0.01

HVAC General

Multi Family New only

Hydronic heating	using condensing boiler with external tank			0.01
Hydronic heating	using condensing water heater			0.01

Showerheads

Multi Family New only

2.0 gpm or less	Any water heat, any showerhead	PSE Deemed		5.00
2.0 gpm or less	Any water heat, any showerhead, boiler, EF.93	PSE Deemed		4.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule G218 Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Water Heater

Multi Family New only

Heat recovery	Common area, high-rise buildings	PSE Deemed		0.06
Heat recovery	Common area, high-rise buildings	PSE Deemed		0.06
Heat recovery	Common area, low-rise buildings	PSE Deemed		0.04
Heat recovery	Common area, low-rise buildings	PSE Deemed		0.04
High efficient	Fully condensing, efficiency greater than or equal to 93%	PSE Deemed		0.02

Windows

Multi Family New only

U-.30 or better	U-value 0.40 to 0.33 or less Gas Space Heat	PSE Deemed		0.11
-----------------	---	------------	--	------

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule G249

Pilot programs, gas

Measure Heading

Measure Category

Additional details, comments, equipment applications

Savings Type

kWh Savings Therm Savings

Fireplace

All structure types Existing or New

High Efficiency

Natural gas residential pilot

PSE Deemed

72.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2010. A separate report, indicating measures retired in 2010 is included in this Annual Report as Exhibit 2a..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.