

Supplement 2 to Exhibit 4

Retired Measures Sorted by Program and Fuel Type

Measures Effective as of: December 31, 2011

Commercial/Industrial

Electric

Schedule E250

CI Retrofit

Measure Heading

Measure Category

Additional details, comments, equipment applications

Savings Type

Retired Date

Reason Retired

Compressors

Commercial Existing only

Air compressors

Custom

12/13/2011

Custom measures not tracked in Measure Metrics database

Process Improvement

Commercial Existing only

C/I Process Improvement

Performance based, capped at a dollar amount that varies with facility energy use

Custom

12/13/2011

custom measures not tracked in Measure Metrics database

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

CI New Construction

Commercial New only

Whole Building Prescriptive	Office See SoS for savings calculation tool.	Calculated	9/1/2011	<i>measures no longer cost effective</i>
Whole Building Prescriptive	Retail See SoS for savings calculation tool.	Calculated	9/1/2011	<i>measures no longer cost effective</i>
Whole Building Prescriptive	Schools See SoS for savings calculation tool.	Calculated	9/1/2011	<i>measures no longer cost effective</i>

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Commercial/Industrial

Electric

Schedule E253

CI RCM

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type Retired Date Reason Retired

Resource Conservation Manager

Commercial or Industrial Existing or New

Multiple Behavioral and installed measures Placeholder for RCM 12/13/2011 RCM grants not tracked in Measure Metrics database

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Holding Cabinet

Commercial or Industrial Existing or New

Hot Food, Energy Star® qualified	<18 cubic feet, >12 (3/4 size)	PSE Deemed	6/7/2011	RTF value needs to be updated
Hot Food, Energy Star® qualified	18 cubic feet and larger (full size)	PSE Deemed	6/7/2011	RTF value needs to be updated
Hot Food, Energy Star® qualified	7 to 12 cubic feet (1/2 size)	PSE Deemed	6/7/2011	RTF value needs to be updated

Steamers

Commercial or Industrial Existing or New

Connectionless	3 pan	PSE Deemed	9/21/2011	need to update incentive amt to match Exhibit 4
Connectionless	4 pan	PSE Deemed	9/21/2011	need to update incentive amt to match Exhibit 4
Connectionless	5 pan	PSE Deemed	9/21/2011	need to update incentive amt to match Exhibit 4
Connectionless	6 pan	PSE Deemed	9/21/2011	need to update incentive amt to match Exhibit 4

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Commercial/Industrial

Gas

Schedule G205

CI Retrofit

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
Process Improvement				
	Commercial or Industrial	Existing only		
C/I Process Improvement	Performance based, capped at a dollar amount that varies with facility energy use	Calculated	12/13/2011	custom measure not tracked in Measure Metrics database

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Commercial/Industrial

Gas

Schedule G208

CI RCM

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Resource Conservation Manager

Commercial or Industrial Existing or New

Multiple Behavioral and installed measures	placeholder for RCM program		12/13/2011	RCM grants not tracked in Measure Metrics database
--	-----------------------------	--	------------	--

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Electric

Schedule E201

Low Income Weatherization

Measure Heading

Measure Category

Additional details, comments, equipment applications

Savings Type

Retired Date

Reason Retired

Insulation

Manufactured Home Existing or New

Wall R2 - R11 PSE Deemed 12/31/2011 need to update CE values

Single Family Existing or New

Duct R-0 to R-11 PSE Deemed 9/21/2011 incorrect incentive amount noted in Exhibit 4

Lighting Fixtures

Single Family Existing or New

CFL Energy Star® indoor RTF Deemed 12/31/2011 Savings revised to align with RTF value

CFL Energy Star® outdoor RTF Deemed 12/31/2011 Savings revised to align with RTF value

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Electric

Schedule E214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Duct Sealing

		Single Family	Existing only		
Weatherization--Manufactured Homes	Elect Forced Air Furnace with Central AC with New Non-Energy Star	RTF Deemed	11/2/2011	No longer offering this measure	
Weatherization--Manufactured Homes	Elect Forced Air Furnace with Central AC with New Non-Energy Star	RTF Deemed	9/21/2011	incentive amount incorrectly noted in Exhibit 4	
Weatherization--Manufactured Homes	Electric Forced Air Furnace with New Non-Energy Star Central Air Conditioning	RTF Deemed	9/21/2011	incentive amount incorrectly noted in Exhibit 4	
Weatherization--Manufactured Homes	Electric Forced Air Furnace with New Non-Energy Star Central Air Conditioning	RTF Deemed	11/2/2011	No longer offering this measure	
Weatherization--Manufactured Homes	Electric Forced Air Furnace without Central Air Conditioning	RTF Deemed	9/21/2011	incentive amount incorrectly noted in Exhibit 4	
Weatherization--Manufactured Homes	Electric Forced Air Furnace without Central Air Conditioning	RTF Deemed	11/2/2011	No longer offering this measure	
Weatherization--Manufactured Homes	Electric Forced Air Furnace without Central Air Conditioning	RTF Deemed	11/2/2011	No longer offering this measure	
Weatherization--Manufactured Homes	Electric Forced Air Furnace without Central Air Conditioning	RTF Deemed	9/21/2011	incentive amount incorrectly noted in Exhibit 4	
Weatherization--Manufactured Homes	New Non-Energy Star Heat Pump	RTF Deemed	9/21/2011	incentive amount incorrectly noted in Exhibit 4	
Weatherization--Manufactured Homes	New Non-Energy Star Heat Pump	RTF Deemed	9/21/2011	incentive amount incorrectly noted in Exhibit 4	
Weatherization--Manufactured Homes	New Non-Energy Star Heat Pump	RTF Deemed	11/2/2011	No longer offering this measure	
Weatherization--Manufactured Homes	New Non-Energy Star Heat Pump	RTF Deemed	11/2/2011	No longer offering this measure	
Weatherization--Manufactured Homes	Wiegthed average of 6th Power Plan	PSE Deemed	11/2/2011	No longer offering this measure	

Equipment Adjustment

		Single Family	Existing only		
Water Heater temperature adjustment	W/H temp adjusted at least 10 degrees fahrenheit	PSE Deemed	9/23/2011	Measure no longer offered	

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" ocured at the beginning of the year and required no correction action.

Residential

Electric

Schedule E214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
Heat Pumps				
		Single Family	Existing only	
Forced air furnace to heat pump conversion	Convert electric FAF without central AC to HSPF 8.5/SEER 14 HP or better	PSE Deemed	8/1/2011	Incentive amount adjustment
Ductless	Ductless Heat Pump	RTF Deemed	8/1/2011	need to revise incentive amount

Insulation

		Single Family	Existing only	
Attic	Electric WX Between R0 and R10 to R38 Zonal	PSE Deemed	8/1/2011	Adjusted incentive
Wall	Electric WX R-0 to R-11 FAF	PSE Deemed	8/1/2011	Incentive amount adjustment
Wall	Electric WX R-0 to R-11 HP	PSE Deemed	8/1/2011	Incentive amount adjustment
Wall	Electric WX R-0 to R-11 Zonal	PSE Deemed	8/1/2011	Incentive amount adjustment
Floor	Electric WX R-0 to R-30 FAF	PSE Deemed	8/1/2011	Incentive amount adjustment
Floor	Electric WX R-0 to R-30 HP	PSE Deemed	8/1/2011	Incentive amount adjustment
Floor	Electric WX R-0 to R-30 Zonal	PSE Deemed	8/1/2011	Incentive amount adjustment
Attic	Electric WX R0 to R38 FAF	PSE Deemed	8/1/2011	Adjusted incentive
Attic	Electric WX R-19 to R-38 FAF	RTF Deemed	8/1/2011	Adjusted incentive
Attic	Electric WX R-19 to R-38 HP	RTF Deemed	8/1/2011	Adjusted incentive
Attic	Electric WX R-19 to R-38 Zonal	RTF Deemed	8/1/2011	Adjusted incentive
Attic	Electric WX R0 to R38 HP	PSE Deemed	8/1/2011	Adjusted incentive
Duct	R0 to R11 Electric Weatherization	PSE Deemed	1/1/2011	Updated PSE deemed figure available

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Electric

Schedule E214

Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
Performance Evaluation				
		Single Family	Existing only	
HomePrint Reports	Home Performance with Energy Star rebate (incentive only--paid to contractor)	PSE Deemed	9/23/2011	measure replaced by HomePrint assessments

Refrigerators

		Single Family	Existing only	
Energy Star®	Refrigerator, bottom freezer, ice	RTF Deemed	9/21/2011	measure, as designated, not used
Energy Star®	Refrigerator, bottom freezer, no ice	RTF Deemed	9/21/2011	measure, as designated, not used
Energy Star®	Refrigerator, side by side, ice	RTF Deemed	9/21/2011	measure, as designated, not used
Energy Star®	Refrigerator, side by side, no ice	RTF Deemed	9/21/2011	measure, as designated, not used
Energy Star®	Refrigerator, top freezer, ice	RTF Deemed	9/21/2011	measure, as designated, not used
Energy Star®	Refrigerator, top freezer, no ice	RTF Deemed	9/21/2011	measure, as designated, not used

Showerheads

		Single Family	Existing only	
2.0 gpm or less	Electric water heat, any showerhead, MH Weatherization	RTF Deemed	3/17/2011	No longer offering this measure

Water Heater

		Single Family	Existing only	
Heat Pump	Energy Star Heat Pump Water Heater, EF 2.0 with 50 gallon rated capacity	PSE Deemed	8/1/2011	revised incentive amount

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Manufactured Homes

Single Family New only

Energy Star®	Electric forced air furnace, Heating zone 1, Cooling zone n/a	RTF Deemed	9/21/2011	need to correct Exhibit 4 incentive amount
Eco Rated	Electric forced air furnace, Heating zone 1, Cooling zone n/a	RTF Deemed	9/21/2011	need to correct incentive amt in Exhibit 4
Energy Star®	Electric forced air furnace, Heating zone 2, Cooling zone n/a	RTF Deemed	9/21/2011	need to correct Exhibit 4 incentive amount
Eco Rated	Electric forced air furnace, Heating zone 2, Cooling zone n/a	RTF Deemed	9/21/2011	need to correct incentive amt in Exhibit 4
Eco Rated	Heat pump, Heating zone 1, Cooling zone 1	RTF Deemed	9/21/2011	need to correct incentive amt in Exhibit 4
Energy Star®	Heat pump, Heating zone 1, Cooling zone 1	RTF Deemed	9/21/2011	need to correct Exhibit 4 incentive amount
Energy Star®	Heat pump, Heating zone 2, Cooling zone 2	RTF Deemed	9/21/2011	need to correct Exhibit 4 incentive amount
Eco Rated	Heat pump, Heating zone 2, Cooling zone 2	RTF Deemed	9/21/2011	need to correct incentive amt in Exhibit 4

Refrigerators

Single Family New only

Energy Star®	Energy Star refrigerator CEE Tier 2 Any	RTF Deemed	9/21/2011	incentive amount not reflected in Exhibit 4
Energy Star®	Energy Star refrigerator CEE Tier 3 Any	RTF Deemed	9/21/2011	incentive amount not reflected in Exhibit 4

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Insulation

Multi Family Existing only

Floor	R-0 to R-30	PSE Deemed	8/9/2011	Incentive amount adjustment
Attic	R-0 to R-38	PSE Deemed	8/9/2011	Incentive amount adjustment
Attic	R-11 to R-38	PSE Deemed	8/9/2011	Incentive amount adjustment
Attic	R-19 to R-38	PSE Deemed	8/9/2011	Incentive amount adjustment
Wall	Upgrade R0 to R13	PSE Deemed	8/9/2011	Incentive amount adjustment

Showerheads

Multi Family Existing only

2.0 gpm or less	Electric water heat, any showerhead	PSE Deemed	8/3/2011	No longer offering this measure
1.75 gpm or less	upgraded from base of 2.5 GPM	PSE Deemed	8/3/2011	No longer offering this measure

Windows

Multi Family Existing only

High Efficiency	Double pane metal frame to high efficiency double, U-factor 0.30	PSE Deemed	8/9/2011	Incentive amount adjustment
High Efficiency	Double-pane to triple pane U 0.25	PSE Deemed	8/9/2011	Incentive amount adjustment
High Efficiency	Single pane to double, U-factor 0.30	PSE Deemed	8/9/2011	Incentive amount adjustment
High Efficiency	Single-pane to triple pane U 0.25	PSE Deemed	8/9/2011	Incentive amount adjustment

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Electric

Schedule E218

Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Clothes Washers

Multi Family New only

Energy Star®	MEF 2.0 or Higher and WF 6.0 or below; Electric Water Heater & Dryer	RTF Deemed	1/1/2011	RTF value needs to be updated
Energy Star®	MEF 2.2 or Higher and WF 4.5 or below; Electric Water Heater & Dryer	RTF Deemed	1/1/2011	RTF value needs to be updated
Energy Star®	MEF 2.46 or Higher; Electric Water Heater & Dryer	RTF Deemed	1/1/2011	RTF value needs to be updated

Common Area Ventilation

Multi Family New only

Garage CO Demand Ventilation	With VFD fan control	Calculated	3/1/2011	re-evaluated due to 2009 energy code implementation
------------------------------	----------------------	------------	----------	---

Windows

Multi Family New only

U-.30 or better	U-value 0.30 or better. Electric space heat	PSE Deemed	3/1/2011	updated due to 2009 energy code changes
-----------------	---	------------	----------	---

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Electric

Schedule E249

Pilot programs, electric

Measure Heading

Measure Category

Additional details, comments, equipment applications

Savings Type

Retired Date

Reason Retired

Heat Pumps

All structure types Existing or New

Sizing and Lockout Controls

Residential electric pilot

PSE Deemed

9/2/2011

new incentive amount created

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Gas

Schedule G203 Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
Furnace				
		Single Family	Existing or New	
AFUE 0.90	Efficiency 90 plus	PSE Deemed	9/21/2011	old incentive value
Insulation				
		Multi Family	Existing or New	
Attic	R5 (max) - R19 (min)	PSE Deemed	9/21/2011	need to correct incentive amount in Exhibit 4
Showerheads				
		Manufactured Home	Existing or New	
2.0 gpm or less	any water heat, any shower	PSE Deemed	9/21/2011	Incentive amount figure was transposed
Structure Sealing				
		Single Family	Existing or New	
structure	CFM per 50Pa	PSE Deemed	9/21/2011	incorrect incentive amt noted in Exhibit 4

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Gas

Schedule G214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Clothes Washers

Single Family Existing only

Energy Star®	MEF 2.2 to 2.45, WF =< 4.5, Gas WH, gas dryer	PSE Deemed	3/17/2011	incorrect value entered in database
Energy Star®	MEF 2.46 to 2.69, WF =< 4.0, Gas WH, gas dryer	PSE Deemed	3/17/2011	incorrect value entered in database

Equipment Adjustment

Single Family Existing only

Water Heater temperature adjustment	W/H temp adjusted at least 10 degrees fahrenheit	PSE Deemed	9/23/2011	measure no longer offered
-------------------------------------	--	------------	-----------	---------------------------

Furnace

Single Family Existing only

Energy Star®	Efficiency greater than or equal to 95 AFUE	PSE Deemed	2/7/2011	Incorrectly entered as furnace; actually boiler
--------------	---	------------	----------	---

Insulation

Single Family Existing only

Floor	From R11 to R30	PSE Deemed	8/1/2011	Incentive amount adjustment
Wall	R-0 to R-13	PSE Deemed	8/1/2011	Incentive amount adjustment
Floor	R-0 to R-30	PSE Deemed	8/1/2011	Incentive amount adjustment
Floor	R-0 to R-30	PSE Deemed	2/8/2011	User entered incorrect value when implementing measure
Attic	R-0 to R-38	PSE Deemed	8/1/2011	Incentive amount adjustment
Attic	R-11 or less to R-38	PSE Deemed	8/1/2011	Incentive amount adjustment
Attic	R-19 to R-38	PSE Deemed	8/1/2011	Incentive amount adjustment

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Gas

Schedule G214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Performance Evaluation

	Single Family	Existing only			
HomePrint Reports	Home Performance with Energy Star rebate (incentive only--paid to contractor)	RTF Deemed	9/23/2011	<i>measure replaced by HomePrint assessment</i>	

Water Heater

	Single Family	Existing only			
Efficient	0.65 EF or greater	PSE Deemed	9/21/2011	<i>incorrect incentive amount noted in Exhibit 4</i>	

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Gas

Schedule **G217**

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Furnace

Multi Family Existing only

Energy Star®	Natural Gas	PSE Deemed	9/21/2011	<i>incorrect incentive amount indicated</i>
--------------	-------------	------------	-----------	---

Insulation

Multi Family Existing only

Floor	R-0 to R-19	PSE Deemed	8/9/2011	<i>Incentive amount adjustment</i>
Floor	R-0 to R-30	PSE Deemed	8/9/2011	<i>Incentive amount adjustment</i>
Attic	R-0 to R-38	PSE Deemed	8/9/2011	<i>Incentive amount adjustment</i>
Floor	R-11 to R-30	PSE Deemed	8/9/2011	<i>Incentive amount adjustment</i>
Attic	R-11 to R-38	PSE Deemed	8/9/2011	<i>Incentive amount adjustment</i>
Attic	R-19 to R-38	PSE Deemed	8/9/2011	<i>Incentive amount adjustment</i>

Pipe Wrap

Multi Family Existing only

Water heater	Min 3 feet	PSE Deemed	9/21/2011	<i>measure not offered in Exhibit 4</i>
--------------	------------	------------	-----------	---

Showerheads

Multi Family Existing only

1.75 gpm or less	High efficiency	PSE Deemed	12/31/2011	<i>updated measure costs</i>
1.75 gpm or less	High efficiency	PSE Deemed	8/3/2011	<i>No longer offering this measure</i>

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Gas

Schedule G217

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Water Heater

Multi Family Existing only

High efficient	Tier 2: .575 upgrade to .67	PSE Deemed	1/1/2011	Measure no longer cost effective
----------------	-----------------------------	------------	----------	----------------------------------

Windows

Multi Family Existing only

High Efficiency	U-value 1.2 to 0.30	PSE Deemed	8/9/2011	Incentive amount adjustment
-----------------	---------------------	------------	----------	-----------------------------

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Gas

Schedule G218 Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Boilers

Multi Family New only

Condensing Boiler	With external tank	Calculated	3/1/2011	modified measure for energy codes
-------------------	--------------------	------------	----------	-----------------------------------

Water Heater

Multi Family New only

Heat recovery	Common area, high-rise buildings	PSE Deemed	9/21/2011	needed range of incentives
Heat recovery	Common area, low-rise buildings	PSE Deemed	9/21/2011	needed range of incentives

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the applicable EES tracking system, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.