

Qwest Corporation
1600 7th Avenue, Room 3206
Seattle, Washington 98191
(206) 345-1568
Facsimile (206) 343-4040

Mark S. Reynolds
Senior Director – Regulatory
Policy and Law



June 22, 2005

Ms. Carole Washburn
Executive Secretary
Washington Utilities and Transportation Commission
1300 S. Evergreen Park Drive SW
PO Box 47250
Olympia, WA 98504-7250

RECEIVED
05 JUN 24 11:11:36
WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION
OFFICE OF THE EXECUTIVE SECRETARY
1300 S. EVERGREEN PARK DRIVE SW
OLYMPIA, WA 98504-7250

Dear Ms. Washburn:

Attached are the June payments for the Performance Assurance Plan ("PAP") based upon April 2005 performance.

If you have any questions, please feel free to call me at 503-242-5089.

Sincerely,

A handwritten signature in cursive script that reads "Ron L. Trullinger".

For Mark S. Reynolds
Senior Director – Regulatory

Attachment

Qwest PAP State Supplemental Payment Report
Month: Apr 2005
State: WA

	Washington Tier II Fund
Gross Tier 2 Payment from Summary	17,100.00
Plus or Minus Adjustments	-
Interest (if Applicable)	-
Net Tier 2 Payment	<u>17,100.00</u>

Qwest PAP State Summary Payment Report

Month: **Apr 2005**

State: **WA**

PID	Measure Description	Gross Tier 1 Payment	Gross Tier 2 Payment	Total Gross Tier 1 & 2 Payments
GA-1	Gateway Avail - IMA-GUI	-	-	-
GA-2	Gateway Avail - IMA-EDI	-	-	-
GA-3	Gateway Avail - EB-TA	-	-	-
GA-4	Gateway Avail - EXACT	-	-	-
GA-6	Gateway Avail - GUI Repair	-	-	-
GA-7	Timely Outage Resolution	-	-	-
PO-1	Pre-Order/Order Response Times	-	-	-
PO-2	Electronic Flow Through	42	1,500	1,542
PO-3	LSR Rejection Notice Interval	-	-	-
PO-5	Firm Order Commit (FOCs) on Time	-	-	-
PO-6	Wrk Compltn Notification Timeliness	81	-	81
PO-7	Billing Compl Notification Timeliness	-	-	-
PO-8	Jeopardy Notice Interval	-	-	-
PO-9	Timely Jeopardy Notice	3	-	3
PO-16	Release Notifications on Time	-	-	-
PO-20	Manual Service Order Accuracy	-	-	-
OP-2	Calls Ans w/in 20 Sec - Provisioning	-	-	-
OP-3	Install Commit Met	14,925	1,200	16,125
OP-4	Installation Interval	487	-	487
OP-5	New Service Installation	438	-	438
OP-6	Delayed Days	-	1,800	1,800
OP-8	Number Portability Timeliness	-	-	-
OP-13	Coordinated Cuts on Time	274	600	874
OP-17	Timelines of Disconnects - LNP	-	-	-
MR-2	Calls Ans w/in 20 Sec - Repair Cntr	-	-	-
MR-3	Out of Svc Cleared w/in 24 Hours	-	-	-
MR-5	Troubles Cleared w/in 4 Hours	3,002	-	3,002
MR-6	Mean Time to Restore	196	-	196
MR-7	Repair Repeat Reports	5,930	600	6,530
MR-8	Trouble Rate	3,307	11,400	14,707
MR-11	LNP Trouble Cleared w/in 24 Hours	-	-	-
BI-1	Time to Provide Usage Records	-	-	-
BI-3	Billing Accuracy - Adj for Errors	35,733	-	35,733
BI-4	Billing Completeness	926	-	926
NI-1	Trunking Blocking	-	-	-
NP-1	NXX Code Activation	-	-	-
CP-1	Collocation Completion Interval	-	-	-
CP-3	Colocation Feasibility Study Interval	-	-	-
Total		65,344	17,100	82,444

Qwest PAP State Aggregate PID-Product Report

Month: Apr 2005

State: WA

PID	Product	Measure Description	Gross Tier 1 Payment	Gross Tier 2 Payment	Total Gross Tier 1 & 2 Payments
GA-1	ALL_PROD	Gateway Availability - IMA-GUI (All)(Percent)	-	-	-
GA-1	SIA	Gateway Availability - IMA-GUI (SIA)(Percent)	-	-	-
GA-2	DEFAULT	Gateway Availability - IMA-EDI ()(Percent)	-	-	-
GA-3	DEFAULT	Gateway Availability - EB-TA ()(Percent)	-	-	-
GA-4	DEFAULT	System Availability - EXACT ()(Percent)	-	-	-
GA-6	DEFAULT	Gateway Availability - GUI - Repair ()(Percent)	-	-	-
GA-7	DEFAULT	Timely Outage Resolution following Software Releases ()(Percent)	-	-	-
PO-1A	IMAGUIAZ	Pre-Order Response Times (Aggregate) (IMAGUIAZ-AGG)(Avg Sec)	-	-	-
PO-1B	IMAEADIAZ	Pre-Order Response Times (Aggregate) (IMAEADIAZ-AGG)(Avg Sec)	-	-	-
PO-2B-1	LNP	Electronic Flow-through for All Eligible LSRs Received via IMA (LNP)(Percent)	-	-	-
PO-2B-1	RES2_AGG	Electronic Flow-through for All Eligible LSRs Received via IMA (Resale Aggregate W/O UNE-P)	17	500	517
PO-2B-1	UBL_AGG	Electronic Flow-through for All Eligible LSRs Received via IMA (Unbundled Loop Aggregate)	-	-	-
PO-2B-1	UNEPPOTSA	Electronic Flow-through for All Eligible LSRs Received via IMA (UNE P (POTS AGG))(Percent)	-	1,000	1,000
PO-2B-2	LNP	Electronic Flow-through for All Eligible LSRs Received via EDI (LNP)(Percent)	25	-	25
PO-2B-2	RES2_AGG	Electronic Flow-through for All Eligible LSRs Received via EDI (Resale Aggregate W/O UNE-P)	-	-	-
PO-2B-2	UBL_AGG	Electronic Flow-through for All Eligible LSRs Received via EDI (Unbundled Loop Aggregate)	-	-	-
PO-2B-2	UNEPPOTSA	Electronic Flow-through for All Eligible LSRs Received via EDI (UNE P (POTS AGG))(Percent)	-	-	-
PO-3A-1	CRM_AGG	LSR Rejection Notice Interval for IMA - Rejected Manually (Product Aggregate)(Hours:Minute)	-	-	-
PO-3B-1	CRM_AGG	LSR Rejection Notice Interval for EDI - Rejected Manually (Product Aggregate)(Hours:Minute)	-	-	-
PO-3C	CRM_AGG	LSR Rejection Notice Interval for Manual and IIS (Product Aggregate)(Hours:Minutes)	-	-	-
PO-5A-1	LNP	FOCs On Time for Fully Electronic LSRs Received Via IMA (LNP)(Percent)	-	-	-
PO-5A-1	RES_AGG	FOCs On Time for Fully Electronic LSRs Received Via IMA (Resale Aggregate)(Percent)	-	-	-
PO-5A-1	UBL_AGGLS	FOCs On Time for Fully Electronic LSRs Received Via IMA (Unbundled Loop Aggregate)(Percent)	-	-	-
PO-5A-2	LNP	FOCs On Time for Fully Electronic LSRs Received Via EDI (LNP)(Percent)	-	-	-
PO-5A-2	RES_AGG	FOCs On Time for Fully Electronic LSRs Received Via EDI (Resale Aggregate)(Percent)	-	-	-
PO-5A-2	UBL_AGGLS	FOCs On Time for Fully Electronic LSRs Received Via EDI (Unbundled Loop Aggregate)(Percent)	-	-	-
PO-5B-1	LNP	FOCs On Time For Electronic/Manual LSRs Received Via IMA (LNP)(Percent)	-	-	-
PO-5B-1	RES_AGG	FOCs On Time For Electronic/Manual LSRs Received Via IMA (Resale Aggregate)(Percent)	-	-	-
PO-5B-1	UBLAGGEELS	FOCs On Time For Electronic/Manual LSRs Received Via IMA (Unbundled Loop AGG-EELs)(Per	-	-	-
PO-5B-2	LNP	FOCs On Time For Electronic/Manual LSRs Received Via EDI (LNP)(Percent)	-	-	-
PO-5B-2	RES_AGG	FOCs On Time For Electronic/Manual LSRs Received Via EDI (Resale Aggregate)(Percent)	-	-	-
PO-5B-2	UBLAGGEELS	FOCs On Time For Electronic/Manual LSRs Received Via EDI (Unbundled Loop AGG-EELs)(Per	-	-	-
PO-5C	LNP	FOCs on Time for Manual (LNP)(Percent)	-	-	-
PO-5C	RES_AGG	FOCs on Time for Manual (Resale Aggregate)(Percent)	-	-	-
PO-5C	UBLAGGEELS	FOCs on Time for Manual (Unbundled Loop AGG-EELs)(Percent)	-	-	-
PO-5D	LIS	Firm Order Confirmations (FOCs) On Time (LIS Trunk)(Percent)	-	-	-
PO-6A	ALL_PROD	Notices Made Available via IMA - GUI (All)(Hours:Minutes)	81	-	81
PO-6B	ALL_PROD	Notices Transmitted via IMA - EDI (All)(Hours:Minutes)	-	-	-
PO-7A	ALL_PROD	Notices Made Available via IMA - GUI / Billing System Posting Completions (All)(Percent)	-	-	-
PO-7B	ALL_PROD	Notices Transmitted via IMA - EDI / Billing System Posting Completions (All)(Percent)	-	-	-
PO-8	JEOP_AGG	Jeopardy Notice Interval (Unbundled Loops and Number Portability)(Average Days)	-	-	-
PO-9	JEOP_AGG	Timely Jeopardy Notices (Unbundled Loops and Number Portability)(Percent)	3	-	3
PO-9	NON_DESIGN	Timely Jeopardy Notices (Non-Designed Services)(Percent)	-	-	-
PO-16	DEFAULT	Timely Release Notifications ()(Percent)	-	-	-
PO-20	RSL_POTUNE	Manual Service Order Accuracy (Phase 2) (Resale & UNE-P (POTS))(Percent)	-	-	-
PO-20	UBLANL2WNL	Manual Service Order Accuracy (Phase 2) (Unbundled Loops)(Percent)	-	-	-
OP-2	DEFAULT	Calls Answered within Twenty Seconds - Interconnect Provisioning Center ()(Percent)	-	-	-
OP-3A	BUS	Installation Commitments Met (Business)(Percent)	-	-	-

Qwest PAP State Aggregate PID-Product Report

Month: Apr 2005

State: WA

PID	Product	Measure Description	Gross Tier 1 Payment	Gross Tier 2 Payment	Total Gross Tier 1 & 2 Payments
OP-3A	LINE_SHARE	Installation Commitments Met (Line Sharing)(Percent)	-	-	-
OP-3A	LINE_SPLIT	Installation Commitments Met (Line Splitting)(Percent)	-	-	-
OP-3A	MBIT	Installation Commitments Met (Qwest DSL)(Percent)	5,000	-	5,000
OP-3A	RES	Installation Commitments Met (Residence)(Percent)	-	-	-
OP-3A	UNE_P_POTS	Installation Commitments Met (UNE - P (POTS))(Percent)	-	-	-
OP-3B	MBIT	Installation Commitments Met (Qwest DSL)(Percent)	-	-	-
OP-3B	RES	Installation Commitments Met (Residence)(Percent)	-	-	-
OP-3B	UNE_P_POTS	Installation Commitments Met (UNE - P (POTS))(Percent)	-	-	-
OP-3C	BUS	Installation Commitments Met (Business)(Percent)	-	-	-
OP-3C	LINE_SHARE	Installation Commitments Met (Line Sharing)(Percent)	-	-	-
OP-3C	LINE_SPLIT	Installation Commitments Met (Line Splitting)(Percent)	-	-	-
OP-3C	MBIT	Installation Commitments Met (Qwest DSL)(Percent)	5,000	300	5,300
OP-3C	RES	Installation Commitments Met (Residence)(Percent)	-	-	-
OP-3C	UNE_P_POTS	Installation Commitments Met (UNE - P (POTS))(Percent)	-	-	-
OP-3D	EEL_DS1	Installation Commitments Met (Enhanced Extended Loops - DS1 Capable)(Percent)	600	900	1,500
OP-3D	EEL_DS3	Installation Commitments Met (Enhanced Extended Loops - DS3 Capable)(Percent)	-	-	-
OP-3D	LIS TRUNK	Installation Commitments Met (LIS Trunk)(Percent)	-	-	-
OP-3D	UBL_ADSL	Installation Commitments Met (Unbundled Loop - ADSL Qualified)(Percent)	-	-	-
OP-3D	UBL_2W_NL	Installation Commitments Met (Unbundled Loop - 2 Wire Non-Loaded)(Percent)	-	-	-
OP-3D	UBL_ANAAGG	Installation Commitments Met (Unbundled Loop Analog)(Percent)	3,150	-	3,150
OP-3D	UBL_COND	Installation Commitments Met (Unbundled Loop Conditioned)(Percent)	375	-	375
OP-3D	UBL_DS1	Installation Commitments Met (Unbundled Loop - DS1 Capable)(Percent)	-	-	-
OP-3D	UBL_ISDN	Installation Commitments Met (Unbundled Loop ISDN Capable)(Percent)	-	-	-
OP-3D	UBL_XDSL	Installation Commitments Met (Unbundled Loop - XDSL)(Percent)	-	-	-
OP-3D	UDIT_DS1	Installation Commitments Met (UDIT DS1)(Percent)	-	-	-
OP-3E	EEL_DS1	Installation Commitments Met (Enhanced Extended Loops - DS1 Capable)(Percent)	-	-	-
OP-3E	ISDN PRI	Installation Commitments Met (ISDN Primary)(Percent)	-	-	-
OP-3E	LIS TRUNK	Installation Commitments Met (LIS Trunk)(Percent)	-	-	-
OP-3E	UBL_ADSL	Installation Commitments Met (Unbundled Loop - ADSL Qualified)(Percent)	-	-	-
OP-3E	UBL_2W_NL	Installation Commitments Met (Unbundled Loop - 2 Wire Non-Loaded)(Percent)	-	-	-
OP-3E	UBL_ANAAGG	Installation Commitments Met (Unbundled Loop Analog)(Percent)	675	-	675
OP-3E	UBL_COND	Installation Commitments Met (Unbundled Loop Conditioned)(Percent)	125	-	125
OP-3E	UBL_DS1	Installation Commitments Met (Unbundled Loop - DS1 Capable)(Percent)	-	-	-
OP-3E	UBL_ISDN	Installation Commitments Met (Unbundled Loop ISDN Capable)(Percent)	-	-	-
OP-3X	LIS TRUNK	Installation Commitments Met (LIS Trunk)(Percent)	-	-	-
OP-3X	UBL_DS1	Installation Commitments Met (Unbundled Loop - DS1 Capable)(Percent)	-	-	-
OP-3X	UDIT_DS1	Installation Commitments Met (UDIT DS1)(Percent)	-	-	-
OP-4A	BUS	Installation Interval (Business)(Average Days)	-	-	-
OP-4A	LINE_SHARE	Installation Interval (Line Sharing)(Average Days)	-	-	-
OP-4A	LINE_SPLIT	Installation Interval (Line Splitting)(Average Days)	-	-	-
OP-4A	MBIT	Installation Interval (Qwest DSL)(Average Days)	11	-	11
OP-4A	RES	Installation Interval (Residence)(Average Days)	-	-	-
OP-4A	UNE_P_POTS	Installation Interval (UNE - P (POTS))(Average Days)	-	-	-
OP-4B	RES	Installation Interval (Residence)(Average Days)	-	-	-
OP-4C	BUS	Installation Interval (Business)(Average Days)	-	-	-
OP-4C	LINE_SHARE	Installation Interval (Line Sharing)(Average Days)	-	-	-
OP-4C	LINE_SPLIT	Installation Interval (Line Splitting)(Average Days)	-	-	-
OP-4C	MBIT	Installation Interval (Qwest DSL)(Average Days)	-	-	-

Qwest PAP State Aggregate PID-Product Report

Month: Apr 2005

State: WA

PID	Product	Measure Description	Gross Tier 1 Payment	Gross Tier 2 Payment	Total Gross Tier 1 & 2 Payments
OP-4C	RES	Installation Interval (Residence)(Average Days)	-	-	-
OP-4C	UNE_P_POTS	Installation Interval (UNE - P (POTS))(Average Days)	-	-	-
OP-4D	EEL_DS1	Installation Interval (Enhanced Extended Loops - DS1 Capable)(Average Days)	433	-	433
OP-4D	LIS TRUNK	Installation Interval (LIS Trunk)(Average Days)	1	-	1
OP-4D	UBL ADSL	Installation Interval (Unbundled Loop - ADSL Qualified)(Average Days)	-	-	-
OP-4D	UBL_2W_NL	Installation Interval (Unbundled Loop - 2 Wire Non-Loaded)(Average Days)	-	-	-
OP-4D	UBL_ANAAGG	Installation Interval (Unbundled Loop Analog)(Average Days)	42	-	42
OP-4D	UBL_COND	Installation Interval (Unbundled Loop Conditioned)(Average Days)	-	-	-
OP-4D	UBL_DS1	Installation Interval (Unbundled Loop - DS1 Capable)(Average Days)	-	-	-
OP-4D	UBL_ISDN	Installation Interval (Unbundled Loop ISDN Capable)(Average Days)	-	-	-
OP-4D	UBL_XDSL	Installation Interval (Unbundled Loop - XDSL)(Average Days)	-	-	-
OP-4D	UDIT_DS1	Installation Interval (UDIT DS1)(Average Days)	-	-	-
OP-4E	EEL_DS1	Installation Interval (Enhanced Extended Loops - DS1 Capable)(Average Days)	-	-	-
OP-4E	ISDN PRI	Installation Interval (ISDN Primary)(Average Days)	-	-	-
OP-4E	LIS TRUNK	Installation Interval (LIS Trunk)(Average Days)	-	-	-
OP-4E	UBL ADSL	Installation Interval (Unbundled Loop - ADSL Qualified)(Average Days)	-	-	-
OP-4E	UBL_2W_NL	Installation Interval (Unbundled Loop - 2 Wire Non-Loaded)(Average Days)	-	-	-
OP-4E	UBL_ANAAGG	Installation Interval (Unbundled Loop Analog)(Average Days)	-	-	-
OP-4E	UBL_COND	Installation Interval (Unbundled Loop Conditioned)(Average Days)	-	-	-
OP-4E	UBL_DS1	Installation Interval (Unbundled Loop - DS1 Capable)(Average Days)	-	-	-
OP-4E	UBL_ISDN	Installation Interval (Unbundled Loop ISDN Capable)(Average Days)	-	-	-
OP-4X	LIS TRUNK	Installation Interval (LIS Trunk)(Average Days)	-	-	-
OP-4X	UDIT_DS1	Installation Interval (UDIT DS1)(Average Days)	-	-	-
OP-5A	BUS	New Service Installation Quality Reported to Repair (Business)(Percent)	-	-	-
OP-5A	E911	New Service Installation Quality Reported to Repair (E911)(Percent)	-	-	-
OP-5A	EEL_DS1	New Service Installation Quality Reported to Repair (Enhanced Extended Loops - DS1 Capable)	-	-	-
OP-5A	ISDN PRI	New Service Installation Quality Reported to Repair (ISDN Primary)(Percent)	-	-	-
OP-5A	LINE_SHARE	New Service Installation Quality Reported to Repair (Line Sharing)(Percent)	-	-	-
OP-5A	LINE_SPLIT	New Service Installation Quality Reported to Repair (Line Splitting)(Percent)	-	-	-
OP-5A	LIS	New Service Installation Quality Reported to Repair (LIS Trunk)(Percent)	-	-	-
OP-5A	MBIT	New Service Installation Quality Reported to Repair (Qwest DSL)(Percent)	-	-	-
OP-5A	RES	New Service Installation Quality Reported to Repair (Residence)(Percent)	-	-	-
OP-5A	UBL ADSL	New Service Installation Quality Reported to Repair (Unbundled Loop - ADSL Qualified)(Perc	-	-	-
OP-5A	UBL_2W_NL	New Service Installation Quality Reported to Repair (Unbundled Loop - 2 Wire Non-Loaded)(P	-	-	-
OP-5A	UBL_ANAAGG	New Service Installation Quality Reported to Repair (Unbundled Loop Analog)(Percent)	-	-	-
OP-5A	UBL_DS1	New Service Installation Quality Reported to Repair (Unbundled Loop - DS1 Capable)(Percent	-	-	-
OP-5A	UBL_ISDN	New Service Installation Quality Reported to Repair (Unbundled Loop ISDN Capable)(Percent)	-	-	-
OP-5A	UBL_XDSL	New Service Installation Quality Reported to Repair (Unbundled Loop - XDSL)(Percent)	-	-	-
OP-5A	UNE_P_POTS	New Service Installation Quality Reported to Repair (UNE - P (POTS))(Percent)	438	-	438
OP-5B	BUS	New Service Provisioning Quality (Business)(Percent)	-	-	-
OP-5B	E911	New Service Provisioning Quality (E911)(Percent)	-	-	-
OP-5B	EEL_DS1	New Service Provisioning Quality (Enhanced Extended Loops - DS1 Capable)(Percent)	-	-	-
OP-5B	ISDN PRI	New Service Provisioning Quality (ISDN Primary)(Percent)	-	-	-
OP-5B	LINE_SHARE	New Service Provisioning Quality (Line Sharing)(Percent)	-	-	-
OP-5B	LINE_SPLIT	New Service Provisioning Quality (Line Splitting)(Percent)	-	-	-
OP-5B	LIS	New Service Provisioning Quality (LIS Trunk)(Percent)	-	-	-
OP-5B	MBIT	New Service Provisioning Quality (Qwest DSL)(Percent)	-	-	-
OP-5B	RES	New Service Provisioning Quality (Residence)(Percent)	-	-	-

Qwest PAP State Aggregate PID-Product Report

Month: Apr 2005

State: WA

PID	Product	Measure Description	Gross Tier 1 Payment	Gross Tier 2 Payment	Total Gross Tier 1 & 2 Payments
OP-5B	UBL ADSL	New Service Provisioning Quality (Unbundled Loop - ADSL Qualified)(Percent)	-	-	-
OP-5B	UBL_2W_NL	New Service Provisioning Quality (Unbundled Loop - 2 Wire Non-Loaded)(Percent)	-	-	-
OP-5B	UBL_ANAAGG	New Service Provisioning Quality (Unbundled Loop Analog)(Percent)	-	-	-
OP-5B	UBL_DS1	New Service Provisioning Quality (Unbundled Loop - DS1 Capable)(Percent)	-	-	-
OP-5B	UBL_ISDN	New Service Provisioning Quality (Unbundled Loop ISDN Capable)(Percent)	-	-	-
OP-5B	UBL_XDSL1	New Service Provisioning Quality (Unbundled Loop - XDSL)(Percent)	-	-	-
OP-5B	UNE_P_POTS	New Service Provisioning Quality (UNE - P (POTS))(Percent)	-	-	-
OP-6-1	MBIT	Delayed Days (Qwest DSL)(Average Days)	-	-	-
OP-6-1	RES	Delayed Days (Residence)(Average Days)	-	-	-
OP-6-3	MBIT	Delayed Days (Qwest DSL)(Average Days)	-	-	-
OP-6-3	RES	Delayed Days (Residence)(Average Days)	-	-	-
OP-6-4	UBL_2W_NL	Delayed Days (Unbundled Loop - 2 Wire Non-Loaded)(Average Days)	-	-	-
OP-6-4	UBL_ANAAGG	Delayed Days (Unbundled Loop Analog)(Average Days)	-	1,800	1,800
OP-6-4	UBL_DS1	Delayed Days (Unbundled Loop - DS1 Capable)(Average Days)	-	-	-
OP-6-5	ISDN PRI	Delayed Days (ISDN Primary)(Average Days)	-	-	-
OP-6-5	UBL_ANAAGG	Delayed Days (Unbundled Loop Analog)(Average Days)	-	-	-
OP-6-5	UBL_DS1	Delayed Days (Unbundled Loop - DS1 Capable)(Average Days)	-	-	-
OP-6-5	UBL_ISDN	Delayed Days (Unbundled Loop ISDN Capable)(Average Days)	-	-	-
OP-6-5	UBL_DS1	Delayed Days (Unbundled Loop - DS1 Capable)(Average Days)	-	-	-
OP-6-X	UBL_DS1	Delayed Days (Unbundled Loop - DS1 Capable)(Average Days)	-	-	-
OP-6A-4	EEL_DS1	Delayed Days for Non-Facility Reasons (Enhanced Extended Loops - DS1 Capable)(Average Day	-	-	-
OP-8	LNP	Number Portability Timeliness (LNP)(Percent)	-	-	-
OP-8C	LNP	Percentage of LNP Triggers Set Prior to the Frame Due Time (LNP)(Percent)	-	-	-
OP-13A	UBL_ANALOG	Coordinated Cuts Completed on Time (Unbundled Loop - Analog)(Percent)	-	-	-
OP-13A	UBL_OTHER	Coordinated Cuts Completed on Time (Unbundled Loop Other)(Percent)	-	-	-
OP-17A	LNP	Timeliness of Disconnects associated with LNP Orders (LNP)(Percent)	274	600	874
MR-2	DEFAULT	Calls Answered within 20 seconds - Interconnect Repair Center ()(Percent)	-	-	-
MR-3A	BUS	Out of Service Cleared within 24 hours (Business)(Percent)	-	-	-
MR-3A	CTX 21	Out of Service Cleared within 24 hours (Centrex 21)(Percent)	-	-	-
MR-3A	LINE_SHARE	Out of Service Cleared within 24 hours (Line Sharing)(Percent)	-	-	-
MR-3A	LINE_SPLIT	Out of Service Cleared within 24 hours (Line Splitting)(Percent)	-	-	-
MR-3A	RES	Out of Service Cleared within 24 hours (Residence)(Percent)	-	-	-
MR-3A	UNE_P_POTS	Out of Service Cleared within 24 hours (UNE - P (POTS))(Percent)	-	-	-
MR-3B	RES	Out of Service Cleared within 24 hours (Residence)(Percent)	-	-	-
MR-3C	LINE_SHARE	Out of Service Cleared within 24 hours (Line Sharing)(Percent)	-	-	-
MR-3C	LINE_SPLIT	Out of Service Cleared within 24 hours (Line Splitting)(Percent)	-	-	-
MR-3D	MBIT	Out of Service Cleared within 24 hours (Qwest DSL)(Percent)	-	-	-
MR-3D	UBL ADSL	Out of Service Cleared within 24 hours (Unbundled Loop - ADSL Qualified)(Percent)	-	-	-
MR-3D	UBL_2W_NL	Out of Service Cleared within 24 hours (Unbundled Loop - 2 Wire Non-Loaded)(Percent)	-	-	-
MR-3D	UBL_ANAAGG	Out of Service Cleared within 24 hours (Unbundled Loop Analog)(Percent)	-	-	-
MR-3D	UBL_ISDN	Out of Service Cleared within 24 hours (Unbundled Loop ISDN Capable)(Percent)	-	-	-
MR-3E	UBL_2W_NL	Out of Service Cleared within 24 hours (Unbundled Loop - 2 Wire Non-Loaded)(Percent)	-	-	-
MR-3E	UBL_ANAAGG	Out of Service Cleared within 24 hours (Unbundled Loop Analog)(Percent)	-	-	-
MR-3E	UBL_ISDN	Out of Service Cleared within 24 hours (Unbundled Loop ISDN Capable)(Percent)	-	-	-
MR-3E	DS1	All Troubles Cleared within 4 hours (DS1)(Percent)	-	-	-
MR-5A	EEL_DS1	All Troubles Cleared within 4 hours (Enhanced Extended Loops - DS1 Capable)(Percent)	-	-	-
MR-5A	UBL_DS1	All Troubles Cleared within 4 hours (Unbundled Loop - DS1 Capable)(Percent)	1,699	-	1,699
MR-5A	UDIT_ABV_1	All Troubles Cleared within 4 hours (UDIT Above DS1 Level)(Percent)	-	-	-
MR-5B	DS1	All Troubles Cleared within 4 hours (DS1)(Percent)	-	-	-

Qwest PAP State Aggregate PID-Product Report

Month: Apr 2005

State: WA

PID	Product	Measure Description	Gross Tier 1 Payment	Gross Tier 2 Payment	Total Gross Tier 1 & 2 Payments
MR-5B	EEL_DS1	All Troubles Cleared within 4 hours (Enhanced Extended Loops - DS1 Capable)(Percent)	263	-	263
MR-5B	ISDN PRI	All Troubles Cleared within 4 hours (ISDN Primary)(Percent)	-	-	-
MR-5B	LIS	All Troubles Cleared within 4 hours (LIS Trunk)(Percent)	-	-	-
MR-5B	UBL_DS1	All Troubles Cleared within 4 hours (Unbundled Loop - DS1 Capable)(Percent)	-	-	-
MR-5X	DS1	All Troubles Cleared within 4 hours (DS1)(Percent)	-	-	-
MR-5X	LIS	All Troubles Cleared within 4 hours (LIS Trunk)(Percent)	-	-	-
MR-5X	UBL_DS1	All Troubles Cleared within 4 hours (LIS Trunk)(Percent)	-	-	-
MR-5X	UDIT_ABV_1	All Troubles Cleared within 4 hours (Unbundled Loop - DS1 Capable)(Percent)	1,040	-	1,040
MR-6A	BUS	All Troubles Cleared within 4 hours (UDIT Above DS1 Level)(Percent)	-	-	-
MR-6A	CTX 21	Mean Time to Restore (Business)(Hours:Minutes)	-	-	-
MR-6A	CTX 21	Mean Time to Restore (Centrex 21)(Hours:Minutes)	-	-	-
MR-6A	LINE_SHARE	Mean Time to Restore (Line Sharing)(Hours:Minutes)	-	-	-
MR-6A	LINE_SPLIT	Mean Time to Restore (Line Splitting)(Hours:Minutes)	-	-	-
MR-6A	RES	Mean Time to Restore (Residence)(Hours:Minutes)	-	-	-
MR-6A	UNE_P_POTS	Mean Time to Restore (Residence)(Hours:Minutes)	-	-	-
MR-6B	RES	Mean Time to Restore (UNE - P (POTS))(Hours:Minutes)	-	-	-
MR-6B	UNE_P_POTS	Mean Time to Restore (UNE - P (POTS))(Hours:Minutes)	-	-	-
MR-6C	BUS	Mean Time to Restore (Business)(Hours:Minutes)	-	-	-
MR-6C	LINE_SHARE	Mean Time to Restore (Business)(Hours:Minutes)	-	-	-
MR-6C	LINE_SPLIT	Mean Time to Restore (Line Sharing)(Hours:Minutes)	-	-	-
MR-6C	LINE_SPLIT	Mean Time to Restore (Line Splitting)(Hours:Minutes)	-	-	-
MR-6D	EEL_DS1	Mean Time to Restore (Enhanced Extended Loops - DS1 Capable)(Hours:Minutes)	-	-	-
MR-6E	EEL_DS1	Mean Time to Restore (Enhanced Extended Loops - DS1 Capable)(Hours:Minutes)	196	-	196
MR-7A	BUS	Repair Repeat Report Rate (Business)(Percent)	91	-	91
MR-7A	CTX	Repair Repeat Report Rate (Centrex)(Percent)	-	-	-
MR-7A	CTX 21	Repair Repeat Report Rate (Centrex 21)(Percent)	-	-	-
MR-7A	LINE_SPLIT	Repair Repeat Report Rate (Line Splitting)(Percent)	-	-	-
MR-7A	RES	Repair Repeat Report Rate (Residence)(Percent)	-	-	-
MR-7A	UNE_P_POTS	Repair Repeat Report Rate (UNE - P (POTS))(Percent)	-	-	-
MR-7B	BUS	Repair Repeat Report Rate (Business)(Percent)	-	-	-
MR-7B	CTX 21	Repair Repeat Report Rate (Centrex 21)(Percent)	-	-	-
MR-7B	RES	Repair Repeat Report Rate (Residence)(Percent)	-	-	-
MR-7B	UNE_P_POTS	Repair Repeat Report Rate (UNE - P (POTS))(Percent)	-	-	-
MR-7C	BUS	Repair Repeat Report Rate (Business)(Percent)	61	-	61
MR-7C	LINE_SPLIT	Repair Repeat Report Rate (Line Splitting)(Percent)	-	-	-
MR-7C	PBX	Repair Repeat Report Rate (PBX)(Percent)	-	-	-
MR-7C	RES	Repair Repeat Report Rate (Residence)(Percent)	-	-	-
MR-7C	UNE_P_POTS	Repair Repeat Report Rate (UNE - P (POTS))(Percent)	-	-	-
MR-7D	DS1	Repair Repeat Report Rate (DS1)(Percent)	-	-	-
MR-7D	EEL_DS1	Repair Repeat Report Rate (Enhanced Extended Loops - DS1 Capable)(Percent)	-	-	-
MR-7D	LIS	Repair Repeat Report Rate (LIS Trunk)(Percent)	-	-	-
MR-7D	MBIT	Repair Repeat Report Rate (qwest DSL)(Percent)	-	-	-
MR-7D	UBL_2W_NL	Repair Repeat Report Rate (Unbundled Loop - 2 Wire Non-Loaded)(Percent)	-	-	-
MR-7D	UBL_4W_NL	Repair Repeat Report Rate (Unbundled Loop - 4 Wire Non-Loaded)(Percent)	-	-	-
MR-7D	UBL_ANAAGG	Repair Repeat Report Rate (Unbundled Loop Analog)(Percent)	-	-	-
MR-7D	UBL_DS1	Repair Repeat Report Rate (Unbundled Loop - DS1 Capable)(Percent)	483	-	483
MR-7D	UBL_ISDN	Repair Repeat Report Rate (Unbundled Loop ISDN Capable)(Percent)	-	-	-
MR-7D	UBL_XDSL1	Repair Repeat Report Rate (Unbundled Loop - XDSL1)(Percent)	-	-	-
MR-7D	UDIT_ABV_1	Repair Repeat Report Rate (UDIT Above DS1 Level)(Percent)	-	-	-
MR-7E	EEL_DS1	Repair Repeat Report Rate (Enhanced Extended Loops - DS1 Capable)(Percent)	295	600	895

Qwest PAP State Aggregate PID-Product Report

Month: Apr 2005

State: WA

PID	Product	Measure Description	Gross Tier 1 Payment	Gross Tier 2 Payment	Total Gross Tier 1 & 2 Payments
MR-7E	LIS	Repair Repeat Report Rate (LIS Trunk)(Percent)	-	-	-
MR-7E	UBL_ADSDL	Repair Repeat Report Rate (Unbundled Loop - ADSL Qualified)(Percent)	5,000	-	5,000
MR-7E	UBL_2W_NL	Repair Repeat Report Rate (Unbundled Loop - 2 Wire Non-Loaded)(Percent)	-	-	-
MR-7E	UBL_ANAAGG	Repair Repeat Report Rate (Unbundled Loop Analog)(Percent)	-	-	-
MR-7E	UBL_DS1	Repair Repeat Report Rate (Unbundled Loop - DS1 Capable)(Percent)	-	-	-
MR-7E	UBL_ISDN	Repair Repeat Report Rate (Unbundled Loop ISDN Capable)(Percent)	-	-	-
MR-7X	DS1	Repair Repeat Report Rate (DS1)(Percent)	-	-	-
MR-7X	LIS	Repair Repeat Report Rate (LIS Trunk)(Percent)	-	-	-
MR-7X	UBL_DS1	Repair Repeat Report Rate (Unbundled Loop - DS1 Capable)(Percent)	-	-	-
MR-7X	UDIT_ABV_1	Repair Repeat Report Rate (UDIT Above DS1 Level)(Percent)	-	-	-
MR-8	BUS	Trouble Rate (Business)(Percent)	150	-	150
MR-8	CTX	Trouble Rate (Centrex)(Percent)	-	-	-
MR-8	CTX 21	Trouble Rate (Centrex 21)(Percent)	-	-	-
MR-8	DS0	Trouble Rate (DS0)(Percent)	-	-	-
MR-8	DS1	Trouble Rate (DS1)(Percent)	722	1,500	2,222
MR-8	E911	Trouble Rate (E911)(Percent)	-	-	-
MR-8	EEL_DS1	Trouble Rate (Enhanced Extended Loops - DS1 Capable)(Percent)	-	-	-
MR-8	FRAMERELAY	Trouble Rate (Frame Relay)(Percent)	-	2,400	2,400
MR-8	ISDN BRS	Trouble Rate (Basic Rate ISDN)(Percent)	-	-	-
MR-8	ISDN PRI	Trouble Rate (ISDN Primary)(Percent)	-	-	-
MR-8	LINE_SHARE	Trouble Rate (Line Sharing)(Percent)	200	300	500
MR-8	LINE_SPLIT	Trouble Rate (Line Splitting)(Percent)	-	-	-
MR-8	LIS	Trouble Rate (LIS Trunk)(Percent)	-	-	-
MR-8	MBIT	Trouble Rate (Qwest DSL)(Percent)	165	-	165
MR-8	PBX	Trouble Rate (PBX)(Percent)	-	-	-
MR-8	RES	Trouble Rate (Residence)(Percent)	-	7,200	7,200
MR-8	UBL_ADSDL	Trouble Rate (Unbundled Loop - ADSL Qualified)(Percent)	-	-	-
MR-8	UBL_2W_NL	Trouble Rate (Unbundled Loop - 2 Wire Non-Loaded)(Percent)	-	-	-
MR-8	UBL_4W_NL	Trouble Rate (Unbundled Loop - 4 Wire Non-Loaded)(Percent)	-	-	-
MR-8	UBL_ANAAGG	Trouble Rate (Unbundled Loop Analog)(Percent)	-	-	-
MR-8	UBL_DS1	Trouble Rate (Unbundled Loop - DS1 Capable)(Percent)	-	-	-
MR-8	UBL_ISDN	Trouble Rate (Unbundled Loop ISDN Capable)(Percent)	-	-	-
MR-8	UBL_XDSL	Trouble Rate (Unbundled Loop - XDSL)(Percent)	-	-	-
MR-8	UDIT_ABV_1	Trouble Rate (UDIT Above DS1 Level)(Percent)	-	-	-
MR-8	UDIT_DS1	Trouble Rate (UDIT DS1)(Percent)	2,070	-	2,070
MR-8	UNE_P_CTX	Trouble Rate (UNE P (Centrex))(Percent)	-	-	-
MR-8	UNE_P_POTS	Trouble Rate (UNE - P (POTS))(Percent)	-	-	-
MR-11B	LNP	LNP Trouble Reports Cleared within 48 Hours - All Volumes (LNP)(Percent)	-	-	-
BI-1A	UNE_RESAGG	Time to Provide Usage Records (UNEs and Resale Aggregate)(Average Days)	-	-	-
BI-1B	JPSA	Time to Provide Usage Records (Jointly-provided Switched Access)(Percent)	-	-	-
BI-3A	UNE_RESAGG	Billing Accuracy - Adjustments for Errors (UNEs and Resale Aggregate)(Percent)	-	-	-
BI-3B	RECIP_COMP	Billing Accuracy - Adjustments for Errors (Jointly-provided Switched Access)(Percent)	-	-	-
BI-4A	UNE_RESAGG	Billing Completeness (UNEs and Resale Aggregate)(Percent)	35,733	-	35,733
BI-4B	RECIP_COMP	Billing Completeness (Reciprocal Compensation)(Percent)	926	-	926
NI-1A	LIS	Trunk Blockage to Qwest Tandem Offices (LIS Trunk)(Percent)	-	-	-
NI-1B	LIS	Trunk Blockage to Qwest End Offices (LIS Trunk)(Percent)	-	-	-
NP-1A	ALL_PROD	NXX Code Activation (All)(Percent)	-	-	-
CP-1	C4WLK02	Collocation Completion Interval	-	-	-

Qwest PAP State Aggregate PID-Product Report

Month: Apr 2005

State: WA

PID	Product	Measure Description	Gross Tier 1 Payment	Gross Tier 2 Payment	Total Gross Tier 1 & 2 Payments
CP-1	C4WLK03	Collocation Completion Interval	-	-	-
CP-1	C4WLK04	Collocation Completion Interval	-	-	-
CP-1	C5WLC02	Collocation Completion Interval	-	-	-
CP-1	C5WLC03	Collocation Completion Interval	-	-	-
CP-1	C5WLC06	Collocation Completion Interval	-	-	-
CP-1	C5WLC07	Collocation Completion Interval	-	-	-
CP-1	C5WLC09	Collocation Completion Interval	-	-	-
CP-1	C5WLC10	Collocation Completion Interval	-	-	-
CP-1	C5WLC11	Collocation Completion Interval	-	-	-
CP-3	C5WLC17	Collocation Feasibility Study Interval	-	-	-
CP-3	C5WLC18	Collocation Feasibility Study Interval	-	-	-
CP-3	C5WLC19	Collocation Feasibility Study Interval	-	-	-
CP-3	C5WLP18	Collocation Feasibility Study Interval	-	-	-
CP-3	C5WLP19	Collocation Feasibility Study Interval	-	-	-
CP-3	C5WLP20	Collocation Feasibility Study Interval	-	-	-
CP-3	C5WLP21	Collocation Feasibility Study Interval	-	-	-
Total			65,344	17,100	82,444