# BEFORE THE WASHINGTON STATE UTILITIES AND TRANSPORTATION COMMISSION

TO
AY-
RAIL GRADE CROSSING AND
AT

#### **BACKGROUND**

- On September 20, 2007, the Washington State Department of Transportation (WSDOT) filed a petition with the Utilities and Transportation Commission (Commission) seeking approval to relocate a railroad-highway grade crossing at Peterson Road in Skagit County. Relocating the crossing is part of a larger project by WSDOT to widen State Route 20 (SR-20) and install a new traffic signal approximately 60 feet from the crossing. The project includes relocating and upgrading the warning devices at the crossing to include crossing gates. WSDOT will interconnect the new traffic signal and the railroad crossing warning devices to clear the tracks when a train approaches.
- WSDOT also proposes reconstructing two additional crossings associated with this project to upgrade safety at the crossings (see Dockets TR-071914, Avon-Allen Road, and TR-071915, Pulver Road). The tracks of the BNSF Railway Company (BNSF) cross the road at each location. The Peterson Road grade crossing is located within WSDOT limited access right-of-way for SR-20. WSDOT is therefore the designated road authority for this project. After completion of the project, the portion of Peterson Road encompassing the grade crossing will revert to Skagit County.
- On September 27, 2007, BNSF consented to entry of an Order by the Commission without further notice or hearing.

- Peterson Road is currently a two-lane road with one lane in each direction. WSDOT will increase the number of southbound lanes to two. WSDOT estimates average daily vehicle traffic over the crossing at 6,800, which includes commercial motor vehicles. The posted speed limit is 35 miles per hour.
- The railroad tracks are branch tracks off the main BNSF line, with two trains using the crossing each day. Current speed limit for the trains is 10 miles per hour, although WSDOT states the speed may increase to 20 miles per hour in the near future.
- 6 Current warning devices at the crossing include cantilever-mounted flashing light signals on the southbound approach and a shoulder-mounted signal on the northbound approach.
- WSDOT will move the crossing approximately 1,100 feet west of its current location. WSDOT plans to install shoulder-mounted signals with gates on the northbound approach and cantilever-mounted signals with gates on the southbound approach. Both approaches will include constant warning train detection circuitry. The signals will interconnect with the new highway traffic signal to clear vehicles from the tracks when a train approaches. When the signals are in preemption mode, right turns from SR-20 into the crossing will be prohibited with a "R3-1a" Activated Blank-Out warning sign, and left turns will be prohibited by a red turn arrow. WSDOT will also upgrade the crossing surface with concrete materials.
- 8 The proposed upgrades are in the interest of improving safety and convenience for roadway users.

#### FINDINGS AND CONCLUSIONS

- 9 (1) The Washington Utilities and Transportation Commission is an agency of the State of Washington having jurisdiction over public railroad-highway grade crossings within the state of Washington. *Chapter 81.53 RCW*.
- 10 (2) The proposed relocation of a crossing involves a public railroad-highway grade crossing, as defined in RCW 81.53.010.
- 11 (3) RCW 81.53.261 requires that the Commission grant approval prior to relocating or reconstructing a public railroad-highway grade crossing within the state of Washington.

12 (4) Commission Staff investigated the petition and recommends that it be granted with the conditions identified below.

13 (5) After examination of the petition filed by the Washington State Department of Transportation on September 20, 2007, and giving consideration to all relevant matters and for good cause shown, the Commission grants the petition.

## ORDER

### THE COMMISSION ORDERS:

- The petition of the Washington State Department of Transportation to relocate a railroadhighway grade crossing at Peterson Road and the Respondent's tracks in Skagit County is granted, as follows:
  - (1) The modifications must conform to those described in the petition.
  - (2) Traffic control devices must comply with all applicable standards specified in the U.S. Department of Transportation *Manual on Uniform Traffic Control Devices*.
  - (3) Traffic control devices and instrument housing must be installed in such a manner as to provide required clearances from both the roadway and railroad tracks.
  - (4) Upon completion of the reconstruction project authorized herein, Petitioner must notify the Commission.

The Commissioners, having determined that this filing complies with the requirements of RCW 81.53.261, directed the Secretary to enter this Order.

DATED at Olympia, Washington and effective March 10, 2008.

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION