RECEIVED ELECTRONICALLY 2-20-08 HARD COPIES RECEIVED

Qwest Corporation 1600 7th Avenue, Room 3206 Seattle, Washington 98191 Office (206) 345-1568 Facsimile (206) 343-4040

Mark S. Reynolds Senior Director – Regulatory Public Policy



February 20, 2008

Ms. Carole Washburn,
Executive Secretary
Washington Utilities and
Transportation Commission
1300 S. Evergreen Park Drive S.W.
Olympia, Washington 98504

Re: Yakima Rate Center Numbering Waiver

UT-080213

Dear Ms. Washburn:

Attached for filing please find a redacted and un-redacted copy of the customer letter pertaining to the Numbering Waiver Request submitted by Qwest Communications on January 31, 2008. This new letter from the customer was requested by Ms. Rebecca Beaton on February 12, 2008.


Thank you for your attention to this matter. Should you have any questions or concerns about this request, please contact Kevin D. Manwarren at (303) 896-1016 or kevin.manwarren@qwest.com. We would appreciate being copied on any correspondence with PA/NeuStar.

for Mark S. Reynolds

Very truly yours,

Attachments

Redacted





February 19, 2008

Attention:
Jeff Nygren
Customer Consultant II


State Safety Valve Numbering Requests

1. Date of request

1-08-2008


2. Location of service and reason for the specific request.

has run out of TNs in the following locations and





Attachment A

Redacted



3. Quantity of TNs customer requires and (if applicable) any existing TNs that will be returned.





4. Date customer wants TNs available for service and the date they will actually be used. :

We need these TNs as soon as possible. Our customers are waiting to utilize them, so they will be used as soon we receive them.

5. If required by the customer: Specific TN range requirements, and why those ranges are needed.

We do not require any specific TN ranges.

6. If required by the customer: Specific NXX requirements/restrictions, and the reason for the specific request

Blocks cannot begin with 0,1,8, or 9 (i.e. 509-NXX-0, 509-NXX-1, etc.) due to our internal dialing plan.

Sincerely,

