# Unbundled Network Elements (UNEs) - Resale Forbearance Amendment to the Interconnection Agreement between Qwest Corporation dba CenturyLink QC and MCImetro Access Transmission Services LLC for the State of Washington

This is an Amendment ("Amendment") to the Interconnection Agreement between Qwest Corporation dba CenturyLink QC ("CenturyLink"), a Colorado corporation, and MCImetro Access Transmission Services LLC ("CLEC"). CenturyLink and CLEC shall be known jointly as the "Parties".

# **RECITALS**

WHEREAS, the Parties entered into an Interconnection Agreement ("Agreement") for service in the state of Washington which was approved by the Commission on October 11, 2006; and

WHEREAS, on July 12, 2019, the Federal Communications Commission (the, "FCC" or "Commission") released Order FCC 19-66, a Report and Order on Remand and Memorandum Opinion and Order in WC Docket Nos. 18-141, et al (the "UNE Transport Order"), which became effective upon release; and

WHEREAS, on August 2, 2019, the FCC released Order FCC 19-72, a Memorandum Opinion and Order in WC Docket 18-141 (the "UNE Analog Loop and Resale Forbearance Order"), which became effective upon release (together, with the UNE Transport Order, collectively referred to as the "Forbearance Orders"); and

WHEREAS, the Parties agree that the Forbearance Orders are changes in Applicable Law that, pursuant to the terms of the Agreement, must be incorporated through an amendment to the Agreement; and

WHEREAS, in order to implement the terms of the Forbearance Orders and consistent with the terms of the Agreement regarding changes in Applicable Law, the Parties desire to amend the Agreement further under the terms and conditions contained herein.

### **AGREEMENT**

NOW THEREFORE, in consideration of the mutual terms, covenants and conditions contained in this Amendment and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the Parties agree as follows:

# **Amendment Terms**

The Agreement is hereby amended by adding terms and conditions for Unbundled Network Elements (UNEs) and Resale as set forth in Attachment 1 and Exhibit A to this Amendment, attached hereto and incorporated herein by this reference. Any capitalized terms not defined specifically in this Amendment are as defined in the Agreement.

### **Effective Date**

This Amendment shall be deemed effective upon approval by the Commission, or by being permitted to go into effect by operation of law; however, the Parties may agree to implement the

provisions of this Amendment upon execution. To accommodate this need, CLEC must generate, if necessary, an updated Customer Questionnaire. The Parties agree that so long as CenturyLink implements the billing changes and the true-up as set forth below, the CLEC's bills shall be deemed accurate and adjusted without error.

## **Further Amendments**

Except as modified herein, the provisions of the Agreement shall remain in full force and effect. The provisions of this Amendment, including the provisions of this sentence, may not be amended, modified or supplemented, and waivers or consents to departures from the provisions of this Amendment may not be given without the written consent thereto by both Parties' authorized representative. No waiver by any Party of any default, misrepresentation, or breach of warranty or covenant hereunder, whether intentional or not, will be deemed to extend to any prior or subsequent default, misrepresentation, or breach of warranty or covenant hereunder or affect in any way any rights arising by virtue of any prior or subsequent such occurrence.

# **Entire Agreement**

The Agreement as amended (including the documents referred to herein) constitutes the full and entire understanding and agreement between the Parties with regard to the subjects of the Agreement as amended and supersedes any prior understandings, agreements, or representations by or between the Parties, written or oral, to the extent they relate in any way to the subjects of the Agreement as amended.

The Parties intending to be legally bound have executed this Amendment as of the dates set forth below, in multiple counterparts, each of which is deemed an original, but all of which shall constitute one and the same instrument.

**Qwest Corporation dba CenturyLink QC** 

W. 1 1 0 0 . 1

Daniel J Higgins Daniel J Higgins (Apr 29, 2021 11:42 EDT)	Kimberly J. Povrse  Kimberly J. Povrse  Kimberly J. Povrse
- Signature	Signature
Daniel J. Higgins	Kimberly J. Povirk
Name Printed/Typed	Name Printed/Typed

AVP – Carrier Management

Title

Apr 29, 2021

Sr. Dir. Bus. Ops Wholesale Sales

Title

Apr 29, 2021

Apr 29, 2021

Date Date

MCImetro Access Transmission Services LLC

### ATTACHMENT 1

- 1. Resale Provisions Pursuant to the Forbearance Orders, CLEC's ability to order new services and retain existing services from CenturyLink for resale pursuant to Sections 6, including Directory Listings and Directory Assistance that pertain to Resale, of the Agreement are altered as follows:
  - a. Effective Date to February 2, 2020 During the time period from the Effective Date of this Amendment until February 2, 2020, CLEC may order any services for resale pursuant to the applicable terms and conditions of the Agreement. In addition, CLEC may make changes in existing resold services, also pursuant to the applicable terms of the Agreement, until February 2, 2020.
  - b. February 2, 2020 to August 2, 2022 After February 2, 2020, CLEC cannot order any services for resale from CenturyLink pursuant to the applicable provisions of the Agreement. Any orders for new services for resale will be pursuant solely to the terms of the applicable Tariff for the service including any ICB agreements entered into under the applicable Tariffs.
    - i. For any services procured for resale under the terms of the Agreement ("Existing Resale Services") on February 2, 2020 or prior, CenturyLink will continue to provide such Existing Resale Services pursuant to the terms of the Agreement, including any discounts delineated in Exhibit A of the Agreement.
    - ii. CLEC cannot make any changes to such Existing Resale Services, as they will be treated in a "grandfathered" status, with continued receipt or disconnection of the Existing Resale Services the only options under the Agreement available to CLEC. If CLEC issues an order to change such services, it will be treated as new services for resale and will be provided solely under the Tariffs, rather than under the Agreement.
    - iii. CLEC agrees that it will no longer submit any orders for resale services under the Agreement from CenturyLink after February 2, 2020. CLEC agrees that it is the CLEC's responsibility to ensure that no further orders for resold services under the Agreement are submitted after February 2, 2020. If resold services are ordered after February 2, 2020 CLEC agrees that the Agreement is no longer in effect and resold services are being ordered per the applicable tariff at the full rates in the tariff.
      - In order to ensure compliance with these provisions, the Parties agree that CenturyLink, on no more than quarterly basis, may conduct an audit of CLEC's order activity after February 2, 2020, in order to identify any mistaken instances of attempting to order resold services under the terms of the Agreement.
      - 2. Should such instances occur, the Parties further agree that CenturyLink may issue a bill using the effective date of the changes that the applicable service was originally ordered ("Resale True-Up Bill") removing the discount for such services and billing under the Tariffs at full tariffed prices. CLEC agrees

not to contest such Resale True-Up Bills unless such billing is not consistent with the applicable Tariff.

- c. After August 2, 2022 The Parties agree that CenturyLink will no longer provide any Existing Resold Services under the terms of the Agreement after August 2, 2022. CLEC is solely responsible for either disconnecting such Existing Resold Services prior to August 2, 2022 or ordering them as new services under the applicable Tariffs.
- 2. UNE Analog Loops Pursuant to the terms of the Forbearance Orders, the terms and conditions under which CLEC may order and maintain Analog Unbundled Loops, as defined in Section 9.2.2 provided in the Agreement and Two-Wire/Four-Wire Unbundled Distribution Loop, as provided in Section 9.3.2.1.1 of the Agreement (together, referred to as "Analog Unbundled Loops") are altered as follows:
  - a. Effective Date to February 2, 2020 During the time period from the Effective Date of this Amendment until February 2, 2020, CLEC may order Analog Unbundled Loops pursuant to the applicable terms and conditions of the Agreement. In addition, CLEC may make changes in existing Analog Unbundled Loop arrangements, also pursuant to the applicable terms of the Agreement.
  - **b.** February 2, 2020 to August 2, 2022 After February 2, 2020, CLEC cannot order any Analog Unbundled Loops from CenturyLink pursuant to the applicable provisions of the Agreement.
    - i. For any Unbundled Analog Loops procured under the terms of the Agreement ("Existing Analog Loops") on February 2, 2020 or prior, CenturyLink will continue to provide such Existing Analog Loops pursuant to the terms of the agreement, including the applicable rates delineated in Exhibit A of the Agreement.
    - ii. CLEC cannot make any changes to such Existing Analog Loops, as they will be treated in a "grandfathered" status, with continued receipt or disconnection of the Existing Analog Loops the only options under the Agreement available to CLEC. If CLEC issues an order to change such services, it will be treated as a conversion to Special Access services being provided solely under the Tariffs, rather than under the Agreement.
    - iii. CLEC agrees that it will no longer submit any orders for Unbundled Analog Loops under the Agreement from CenturyLink after February 2, 2020. CLEC agrees that it is the responsibility of the CLEC to ensure that no further orders for such Analog Unbundled Loops under the Agreement are submitted after February 2, 2020.
      - In order to ensure compliance with these provisions, the Parties agree that CenturyLink, on a no more than quarterly basis, may conduct an audit of CLEC's order activity after February 2, 2020, in order to identify any mistaken instances of attempting to order Analog Unbundled Loops under the terms of the Agreement.
      - 2. Should such instances occur, the Parties further agree that CenturyLink will request CLEC to disconnect such services and order them as new by ordering the Special Access service under

the applicable Tariff, changing the applicable rate charged, and CenturyLink may issue a bill using the effective date of the changes that the applicable Unbundled Analog Loop was originally ordered ("Analog Loop True-Up Bill"). CLEC agrees not to contest such Analog Loop True-Up Bills unless such billing is not consistent with the applicable Tariff.

- iv. CLEC agrees that any provisions in the Agreement that provide for Line Splitting or Loop Splitting are also removed and may no longer be ordered, as they all involve an order of an Unbundled Analog Loop. Any existing arrangements will be maintained during the time period of this section.
- c. After August 2, 2022 The Parties agree that CenturyLink will no longer provide any Unbundled Analog Loops under the terms of the Agreement after August 2, 2022, including any arrangements for Line Splitting or Loop Splitting. CLEC is solely responsible for either disconnecting such Analog Unbundled Loops prior to August 2, 2022 or converting them to a service under the applicable Tariffs. For any Analog Unbundled Loops in place as of August 2, 2022, CLEC agrees that CenturyLink will convert any such Analog Unbundled Loops to the appropriate Special Access service under the applicable Tariff, and CLEC is then responsible for such services under that Tariff. In addition, should any charges be necessary as part of that conversion, CLEC agrees that it is responsible for payment of such charges and will not dispute application of such charges necessary for the conversion. As Line Splitting and Loop Splitting are not available service under CenturyLink's Tariffs, CLEC must convert to alternative arrangements that meet its needs, as such arrangements will otherwise be terminated after August 2, 2022.
- d. Alternative Analog Unbundled Loops Commercial Arrangements The Parties understand and agree that the Forbearance Orders specifically permit alternative commercial arrangements for the provision of UNEs that are impacted by the Forbearance Orders. Nothing in this Amendment either requires CenturyLink to enter into such alternative arrangements or prohibits the Parties from reaching an agreement on terms and conditions of such alternative arrangements. The Parties agree that nothing in such alternative arrangement would ever be intended to change any of the obligations under this Agreement, rather to be in parallel to the terms and conditions of the Agreement.
- **e. UNE Combinations** Any UNE Combinations provided under the Agreement that might include UNE Analog Loop are also treated as UNE Analog Loops under this Agreement.
- 3. UNE Transport Pursuant to the terms of the Forbearance Orders, the terms and conditions under which CLEC may order and maintain Unbundled Dedicated Interoffice Transport ("UDIT"), as provided in Section 9.6.1.1 of the Agreement and Enhanced Extended Loop ("EEL"), as provided in Section 9.23.3.7 of the Agreement (together, referred to as "UNE Transport") are altered as follows:
  - a. Effective Date to January 12, 2020 During the time period from the Effective Date of this Amendment until January 12, 2020, CLEC may order UNE Transport pursuant to the applicable terms and conditions of the Agreement. In addition,

- CLEC may make changes in existing UNE Transport arrangements, also pursuant to the applicable terms of the Agreement.
- b. January 12, 2020 to July 12, 2022 After January 12, 2020, CLEC cannot order any UNE Transport from CenturyLink pursuant to the applicable provisions of the Agreement that has each endpoint in one of the Serving Wire Centers listed on the Wholesale website: <a href="http://www.centurylink.com/wholesale/clecs/nta.html#UNE-F">http://www.centurylink.com/wholesale/clecs/nta.html#UNE-F</a> to this Amendment ("Forbearance UNE Transport"). For any UNE Transport that does not meet the definition of Forbearance UNE Transport, such UNE Transport will continue to be available and provided under the terms of the Agreement, including the terms under which it may be withdrawn.
  - i. For any Forbearance UNE Transport procured under the terms of the Agreement ("Existing Forbearance UNE Transport") on January 12, 2020 or prior, CenturyLink will continue to provide such Existing Forbearance UNE Transport pursuant to the terms of the Agreement, including the applicable rates delineated in Exhibit A of the Agreement.
  - ii. CLEC cannot make any changes to such Existing UNE Transport, as they will be treated in a "grandfathered" status, with continued receipt or disconnection of the Existing UNE Transport the only options under the Agreement available to CLEC. If CLEC issues an order to change such services, it will be treated as a conversion to Special Access services being provided solely under the Tariffs, rather than under the Agreement.
  - iii. CLEC agrees that it will no longer submit any orders for Forbearance UNE Transport under the Agreement from CenturyLink after January 12, 2020. CLEC agrees that it is the CLEC's responsibility to ensure that no further orders for such Forbearance UNE Transport under the Agreement are submitted after January 12, 2020.
    - In order to ensure compliance with these provisions, the Parties agree that CenturyLink, on a no more than quarterly basis, may conduct an audit of CLEC's order activity after January 12, 2020, in order to identify any mistaken instances of attempting to order Forbearance UNE Transport under the terms of the Agreement.
    - 2. Should such instances occur, the Parties further agree that CenturyLink will convert such services to the Special Access service under the applicable Tariff, changing the applicable rate charged as needed, and issue a bill to make the effective date of the charges be the date the applicable Forbearance UNE Transport was originally ordered ("UNE Transport True-Up Bill"). CLEC agrees not to contest such UNE Transport True-Up Bills unless such billing is not consistent with the applicable Tariff.
- c. After July 12, 2022 The Parties agree that CenturyLink will no longer provide any Forbearance UNE Transport under the terms of the Agreement after July 12, 2022. CLEC is solely responsible for either disconnecting such Forbearance UNE Transport prior to July 12, 2022 or converting to Special Access service under the applicable Tariffs. For any Forbearance UNE Transport in place as of July 12, 2022, CLEC agrees that CenturyLink will convert any such Forbearance

- UNE Transport to the appropriate Special Access service under the applicable Tariff, and CLEC is then responsible for such services under that Tariff. In addition, should any charges be necessary as part of that conversion, CLEC agrees that it is responsible for payment of such charges and will not dispute application of such charges necessary for the conversion.
- d. Alternative UNE Transport Commercial Arrangements The Parties understand and agree that the Forbearance Orders specifically permit alternative commercial arrangements for the provision of UNEs that are impacted by the Forbearance Orders. Nothing in this Amendment either requires CenturyLink to enter into such alternative arrangements or prohibits the parties from reaching an agreement on terms and conditions of such alternative arrangements. The Parties agree that nothing in such alternative arrangement would ever be intended to change any of the obligations under this Agreement, rather to be in parallel to the terms and conditions of the Agreement.

Select the a ontract belo change		st docket				EAS / Loc Reciprocal C	cal Traffic ompensation				
An	nendment					Bill an	d Keep			Notes	
						Recurring	Recurring	Non-	Z	<b>S D</b>	z
						,	Per Mile	Recurring	REC	REC per Mile	NRC
6.0 Resale						Wholesale Discount Percentage		Wholesale Discount Percentage			
6.1	6.1.1	le Discoun General	t Rates			14.74%		50.00%	A, H, I		A, H, I
	6.1.2		Services and Dire	ectory Assistance		7.97%		50.00%			A, H, I
	6.1.3		ess Line (PAL) S			14.74%		50.00%			A, H, I
									, ,		, ,
6.2			Charge (CTC)								
	6.2.1		OTS Service								
		6.2.1.1	Residential / B	_							
			6.2.1.1.1	First Line 6.2.1.1.1.1	Installation, Manual			\$21.24			E, H, I
	+				Intentionally Left Blank			Ψ21.24			∟, II, I
	1				Installation, Mechanized			\$5.82			E, H, I
			6.2.1.1.2	Each Additional							
					Installation, Manual			\$7.83			E, H, I
	1		1		Intentionally Left Blank						
_	622	OTO for D	sivete Lie - T		Installation, Mechanized			\$5.28		-	E, H, I
	6.2.2	6.2.2.1	rivate Line Transp First Circuit	port Services							
	+	U.Z.Z. I	6.2.2.1.1	First Circuit (Ma	nual)			\$44.19			C. H,
			6.2.2.1.2	First Circuit (Me				\$36.98			C. H,
		6.2.2.2		uit, per Circuit, Sa							
			6.2.2.2.1		it, per Circuit, same CSR (Manual)			\$26.15			C. H,
			6.2.2.2.2		it, per Circuit, same CSR (Mechanized)			\$26.15			C. H,
	6.2.3		dvanced Commui	nications Services	(Frame Relay, ATM Cell Relay, or Transpare	ent					
					· (	I		1			
			ce), per Circuit		, ( , , , , , , , , , , , , , , , , , ,						
		6.2.3.1 6.2.3.2	ce), per Circuit  Each Circuit, M  Each Circuit, M					\$27.64 \$31.68			C. H, I
9.0 Unbund	dled Netw	6.2.3.1	Each Circuit, M Each Circuit, M								
		6.2.3.1 6.2.3.2 ork Elemen	Each Circuit, M Each Circuit, M								
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen	Each Circuit, M Each Circuit, M nts (UNEs)					\$31.68			
		6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo	Each Circuit, M Each Circuit, M nts (UNEs)	/lanual							
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen	Each Circuit, M Each Circuit, M nts (UNEs)	/lanual		\$11.26		\$31.68	F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo	Each Circuit, M Each Circuit, M Ints (UNEs)  Dops  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2	Manual Grade Loop		\$13.63		\$31.68	F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo	Each Circuit, M Each Circuit, M Ints (UNEs)  Opps 2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3	Srade Loop Zone 1 Zone 2 Zone 3		\$13.63 \$16.92		\$31.68	F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo	Each Circuit, M Each Circuit, M Ints (UNEs) Ops 2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4	Frade Loop Zone 1 Zone 2 Zone 3 Zone 4		\$13.63 \$16.92 \$28.23		\$31.68	F, H, I F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo 9.2.1.1	Each Circuit, M Each Circuit, M  This (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5	Frade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5		\$13.63 \$16.92		\$31.68	F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo	pops 2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G	Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when		\$13.63 \$16.92 \$28.23 \$67.77		\$31.68	F, H, I F, H, I F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo 9.2.1.1	Each Circuit, M Each Circuit, M  This (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5	Frade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5		\$13.63 \$16.92 \$28.23		\$31.68	F, H, I F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo 9.2.1.1	Each Circuit, M Each Circuit, M Each Circuit, M  Ints (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1	Frade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Frade Loop when 1 Zone 1 Zone 2 Zone 3		\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73		\$31.68	F, H, I F, H, I F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo 9.2.1.1	pps 2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1	Frade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Frade Loop when 1 Zone 1 Zone 2 Zone 3 Zone 4		\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04		\$31.68	F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemer ed Loops Analog Loo 9.2.1.1	pps 2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2	Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when of Zone 1 Zone 2 Zone 3 Zone 1 Zone 3 Zone 4 Zone 5		\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73		\$31.68	F, H, I F, H, I F, H, I F, H, I F, H, I F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemen ed Loops Analog Loo 9.2.1.1	pops 2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G	Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when a Zone 1 Zone 2 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when a Zone 4 Zone 5 Grade Loop		\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58		\$31.68	F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemer ed Loops Analog Loo 9.2.1.1	Each Circuit, M Each Circuit, M Each Circuit, M  This (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1	Frade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when 1 Zone 2 Zone 3 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when 1 Zone 5 Grade Loop when 1 Zone 1 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1		\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58		\$31.68	F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemer ed Loops Analog Loo 9.2.1.1	Each Circuit, M Each Circuit, M Each Circuit, M  Ints (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 -Wire Voice G 9.2.1.3.1 9.2.1.3.1	Frade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Frade Loop when 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Frade Loop Zone 1 Zone 5 Frade Loop Zone 1 Zone 5		\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58		\$31.68	F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemer ed Loops Analog Loo 9.2.1.1	Each Circuit, M Each Circuit, M Each Circuit, M  This (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1	Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 3 Zone 4 Zone 5 Grade Loop Zone 4 Zone 5 Grade Loop		\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58		\$31.68	F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemer ed Loops Analog Loo 9.2.1.1	ps 2-Wire Voice G 9.2.1.1.1 9.2.1.2.2 9.2.1.2.1 9.2.1.2.4 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.3 9.2.1.3.4 9.2.1.3.3 9.2.1.3.4 9.2.1.3.3 9.2.1.3.4 9.2.1.3.3 9.2.1.3.3 9.2.1.3.3 9.2.1.3.3 9.2.1.3.3	Frade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Frade Loop when 1 Zone 2 Zone 3 Zone 4 Zone 5 Frade Loop Loop 2 Zone 3 Zone 4 Zone 5 Frade Loop Zone 5 Frade Loop Zone 1 Zone 5 Frade Loop		\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69		\$31.68	F, H, I F, H, I		
	Unbundl	6.2.3.1 6.2.3.2 ork Elemented Loops Analog Loop 9.2.1.1  9.2.1.2  9.2.1.3	Each Circuit, M Each Circuit, M Each Circuit, M  Ints (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3	Aranual  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop when of the control of t		\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68	F, H, I F, H, I		С. Н,
	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M  Ints (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.5 1.3.1 9.2.1.3.5 1.3.2 9.2.1.3.5 1.3.3 9.2.1.3.4 9.2.1.3.5 1.3.4 9.2.1.3.5 1.3.5 1.3.5 1.3.5 1.3.5 1.3.5 1.3.5 1.3.6	Annual  Srade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Srade Loop when 1  Zone 2  Zone 3  Zone 4  Zone 5  Srade Loop  Zone 1  Zone 5  Zone 4  Zone 5  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 1  Zone 5  Zone 1  Zone 1  Zone 1  Zone 2  Zone 3  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 5  Zone 1  Zone 1  Zone 1  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 4  Zone 5  Zone 5  Zone 5  Zone 5  Zone 6  Zone 7  Zone 8  Zone 8  Zone 8  Zone 8  Zone 9  Zon	ordered with Port	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 \$ee 9.2.1,		\$31.68	F, H, I F, H, I		
<u>'</u>	9.2.1	6.2.3.1 6.2.3.2 ork Elemented Loops Analog Loop 9.2.1.1  9.2.1.2  9.2.1.3	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Part (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Discoorg is not required.	Annual  Srade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Srade Loop when 1  Zone 2  Zone 3  Zone 4  Zone 5  Srade Loop  Zone 1  Zone 5  Zone 4  Zone 5  Zone 1  Zone 5  Zone 4  Zone 5  Zone 1  Zone 5  Zone 1  Zone 5  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 1  Zone 5  Zone 1  Zone 1  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 3  Zone 4  Zone 5  Zone 5  Zone 1  Zone 1  Zone 1  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 4  Zone 5  Zone 5  Zone 5  Zone 5  Zone 6  Zone 7  Zone 8  Zone 8  Zone 8  Zone 8  Zone 9  Zon	ordered with Port	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68	F, H, I F, H, I		С. Н,
	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M  Ints (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1 9.2.1.2.1 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.5 1.3.1 9.2.1.3.5 1.3.2 9.2.1.3.5 1.3.3 9.2.1.3.4 9.2.1.3.5 1.3.4 9.2.1.3.5 1.3.5 1.3.5 1.3.5 1.3.5 1.3.5 1.3.5 1.3.6	Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop when a  Zone 2  Zone 3  Zone 4  Zone 3  Zone 4  Zone 5  Grade Loop when a  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 5  Frade Loop  Zone 1  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Innection Charges  On	ordered with Port	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68	F, H, I F, H, I		Н, І
<u>'</u>	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Part (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.3 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Discoorg is not required.	Annual  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop when 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 5  Frade Loop  Zone 1  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 2  Zone 3	ordered with Port  for 2 & 4-Wire Analog Loops where  Installation or Change, Manual Disconnection, Manual	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4	F, H, I F, H, I		C. H,
	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Part (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Discoorg is not required.	Annual  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop when 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 3  Zone 4  Zone 5  Zone 6  Zone 6  Zone 6  Zone 7	ordered with Port  for 2 & 4-Wire Analog Loops where  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4 \$45.70 \$26.51 \$37.53	F, H, I F, H, I		C. H,  H, I  C, H, C, H, C, H,
	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Part (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Disco g is not required.  Basic Installation 9.2.4.1.1	Frade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Frade Loop when 1 Zone 2 Zone 3 Zone 4 Zone 2 Zone 3 Zone 4 Zone 5 Frade Loop Zone 1 Zone 5 Frade Loop Zone 1 Zone 5 Frade Loop  Zone 1 Zone 5 Frade Loop  Zone 1 Zone 5 Frade Loop  Zone 3 Zone 4 Zone 5 Frade Loop  Zone 3 Zone 4 Zone 5 Frade Loop  Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Frade Loop  Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Frade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Zone 6 Zone 7 Zo	ordered with Port  for 2 & 4-Wire Analog Loops where  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4	F, H, I F, H, I		C. H,  H, I  C, H, C, H, C, H,
	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Part (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Discoorg is not required.	Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when a Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop when a Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 1 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 2 Zone 3 Zone 4 Zone 5 Grade Loop Zone 1 Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Zone 4 Zone 5 Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Zone 4 Zone 5 Zone 1 Zone 2 Zone 3 Zone 4 Zone 3 Zone 4 Zone 5 Zone 6 Zone 6 Zone 6 Zone 6 Zone 7 Z	ordered with Port  for 2 & 4-Wire Analog Loops where  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I		C. H, I
	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Part (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Disco g is not required.  Basic Installation 9.2.4.1.1	Annual  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop when of the company of th	ordered with Port  for 2 & 4-Wire Analog Loops where  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Manual	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4 \$45.70 \$26.51 \$37.53 \$14.41 \$34.78	F, H, I F, H, I		C. H,  C, H,  C, H,  C, H,  C, H,
	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Part (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Disco g is not required.  Basic Installation 9.2.4.1.1	Annual  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop when 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 2  Zone 3	ordered with Port  For 2 & 4-Wire Analog Loops where  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4 \$45.70 \$26.51 \$37.53 \$14.41 \$34.78 \$16.33	F, H, I F, H, I		C. H, I
	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Part (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Disco g is not required.  Basic Installation 9.2.4.1.1	Annual  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop when 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zon	ordered with Port  for 2 & 4-Wire Analog Loops where  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized Installation or Change, Manual	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4 \$45.70 \$26.51 \$37.53 \$14.41 \$34.78	F, H, I F, H, I		C. H,  C, H,  C, H,  C, H,  C, H,  C, H,  C, H,
<u>'</u>	9.2.1	ed Loops Analog Loo 9.2.1.2  9.2.1.3  Loop Insta conditionin	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Ints (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Disco g is not required.  Basic Installation 9.2.4.1.1	Annual  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop when 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zon	ordered with Port  for 2 & 4-Wire Analog Loops where  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4 \$45.70 \$26.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78	F, H, I F, H, I		C. H,  C, H,
	9.2.1	ed Loops Analog Loo 9.2.1.1  9.2.1.2  Loop Insta conditionin 9.2.4.1	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Ints (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Disco g is not required.  Basic Installation 9.2.4.1.1	Annual  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop when a  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop when a  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 3  Zone 4  Zone 3  Zone 4  Zone 5  Grade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 4  Zone 5  Zone 4  Zone 5  Zone 4  Zone 5  Zone 1  Zone 5  Zone 1  Zone 2  Zone 4  Zone 5  Zone 1  Zone 5  Zone 4  Zone 5  Zone 1  Zone 5  Zone 1  Zone 2  Zone 1  Zone 2  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 1  Zone 2  Zone 1  Zone 2  Zone 1  Zone 2  Zone 3  Zone 4  Zone 2  Zone 3  Zone 4  Zone 5  Zone 1  Zone 2  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Zone 1  Zone 2  Zone 1  Zone 2  Zone 1  Zone 2  Zone 3  Zone 2  Zone 3  Zone 4  Zone 2  Zone 1  Zone 2  Zone 3  Zone	Installation or Change, Manual Disconnection, Manual Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Mechanized Installation or Change, Mechanized Disconnection, Mechanized Disconnection, Mechanized Disconnection, Manual Disconnection, Manual Disconnection, Mechanized	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4 \$45.70 \$26.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78 \$13.99	F, H, I F, H, I		C. H, C, H, C, H, C, H, C, H, C, H, C, H,
	9.2.1	ed Loops Analog Loo 9.2.1.1  9.2.1.2  Loop Insta conditionin 9.2.4.1	Each Circuit, M Each Circuit, M Each Circuit, M Each Circuit, M  Ints (UNEs)  2-Wire Voice G 9.2.1.1.1 9.2.1.1.2 9.2.1.1.4 9.2.1.1.5 2-Wire Voice G 9.2.1.2.1 9.2.1.2.1 9.2.1.2.2 9.2.1.2.3 9.2.1.2.4 9.2.1.2.5 4-Wire Voice G 9.2.1.3.1 9.2.1.3.2 9.2.1.3.3 9.2.1.3.4 9.2.1.3.5 Illation and Discoorg is not required.  Basic Installation 9.2.4.1.1  Basic Installation 9.2.4.1.2	Annual  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop when 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 5  Frade Loop  Zone 1  Zone 2  Zone 3  Zone 4  Zone 2	ordered with Port  for 2 & 4-Wire Analog Loops where  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized  Installation or Change, Manual Disconnection, Manual Installation or Change, Mechanized Disconnection, Manual Installation or Change, Mechanized Disconnection, Mechanized	\$13.63 \$16.92 \$28.23 \$67.77 \$11.07 \$13.44 \$16.73 \$28.04 \$67.58 \$21.38 \$26.29 \$32.69 \$54.66 \$131.66 See 9.2.1, 9.2.2, 9.2.3.1,		\$31.68 See 9.2.4 See 9.2.4 \$45.70 \$26.51 \$37.53 \$14.41 \$34.78 \$16.33 \$34.78	F, H, I F, H, I		C. H,  C, H,

			9.2.4.2.1.3	Installation or Change, Mechanized			\$109.82			C, F
			9.2.4.2.1.4	Disconnection, Mechanized			\$16.33			C, F
		9.2.4.2.2	Each Addition	al						
			9.2.4.2.2.1	Installation or Change, Manual			\$66.37			C, F
			9.2.4.2.2.2	Disconnection, Manual			\$16.33			C,
			9.2.4.2.2.3	Installation or Change, Mechanized			\$66.37			C,
			9.2.4.2.2.4	Disconnection, Mechanized			\$16.33			C,
	9.2.4.3	Coordinated In	nstallation with C	Cooperative Testing / Project Coordinated			·			
		9.2.4.3.1	First	,						
			9.2.4.3.1.1	Installation or Change, Manual			\$171.07			C,
			9.2.4.3.1.2	Disconnection, Manual			\$26.51			C,
			9.2.4.3.1.3	Installation or Change, Mechanized			\$162.81			C,
			9.2.4.3.1.4	Disconnection, Mechanized			\$9.06			Η,
		9.2.4.3.2	Each Addition	·			ψ0.00			,
		J.Z.4.J.Z	9.2.4.3.2.1	Installation or Change, Manual			\$119.35			C,
+ +			9.2.4.3.2.2	Disconnection, Manual			\$16.33			C,
			9.2.4.3.2.3	Installation or Change, Mechanized			\$85.03			H,
+ +			9.2.4.3.2.4	Disconnection, Mechanized			\$9.06			H,
	0.0.4.4	0		·			\$9.06			н,
	9.2.4.4		istaliation withou	ut Cooperative Testing / Project Coordinated						
		Installation								
		9.2.4.4.1	First							
			9.2.4.4.1.1	Installation			\$59.81			Η,
			9.2.4.4.1.2	Disconnection			\$0.00			Η,
		9.2.4.4.2	Each Addition	al						
			9.2.4.4.2.1	Installation			\$53.32			Η,
			9.2.4.4.2.2	Disconnection	1		\$0.00			Η,
	9.2.4.5	Basic Installati	ion with Coopera			<u> </u>				
	5.20	9.2.4.5.1	First	<u> </u>		<u> </u>				
+ +			9.2.4.5.1.1	Installation or Change, Manual	1	+	\$111.29		1	E,
+ +			9.2.4.5.1.2	Disconnection, Manual	+		\$30.30			Ε,
+ +			9.2.4.5.1.3	Installation or Change, Mechanized	+	<del></del>	\$88.49		+ -	Ε,
+ +			9.2.4.5.1.4	Disconnection, Mechanized	+	<del> </del>	\$16.89		+	Ε,
+ +		9.2.4.5.2	Each Addition		+	+	φ10.09		+	_ ⊏,
+		5.∠.4.5.∠			+		¢54.00		_	_
+			9.2.4.5.2.1	Installation or Change, Manual	+ +		\$54.28		+ -	E,
+			9.2.4.5.2.2	Disconnection, Manual	+		\$16.89		+	E,
+		-	9.2.4.5.2.3	Installation or Change, Mechanized			\$54.28			Ε,
			9.2.4.5.2.4	Disconnection, Mechanized			\$16.89			E,
9.	9.3.1 2-Wire Ar 9.3.1.1	nalog Loop First								
9.		First 9.3.1.1.1		Change, Manual			\$65.99			C,
9.		First 9.3.1.1.1 9.3.1.1.2	Disconnection	, Manual			\$16.81			C,
9.		First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3	Disconnection Installation or	, Manual Change, Mechanized			\$16.81 \$58.94			C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4	Disconnection Installation or Disconnection	, Manual Change, Mechanized			\$16.81			C,
9.		First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additional	Disconnection Installation or Disconnection	ı, Manual Change, Mechanized ı, Mechanized			\$16.81 \$58.94 \$5.42			C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additional 9.3.1.2.1	Disconnection Installation or Disconnection al Installation or	i, Manual Change, Mechanized i, Mechanized Change, Manual			\$16.81 \$58.94 \$5.42 \$21.83			C, C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2	Disconnection Installation or Disconnection  Installation or Disconnection	ı, Manual Change, Mechanized ,, Mechanized Change, Manual ı, Manual			\$16.81 \$58.94 \$5.42 \$21.83 \$16.81			C, C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3	Disconnection Installation or Disconnection al Installation or Disconnection Installation or	n, Manual Change, Mechanized n, Mechanized Change, Manual n, Manual Change, Mechanized			\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78			C, C, C, C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.2 9.3.1.2.4	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Installation or Disconnection	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized			\$16.81 \$58.94 \$5.42 \$21.83 \$16.81			C, C, C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribution	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Uniconnection Uniconnection Uniconnection Uniconnection Uniconnection	n, Manual Change, Mechanized n, Mechanized Change, Manual n, Manual Change, Mechanized			\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78			C, C, C, C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.2 9.3.1.2.4	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Installation or Disconnection	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized	\$6.67		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I		C, C, C, C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribution 9.3.1.3.1 9.3.1.3.2	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Union Loop, First Zone 1 Zone 2	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized	\$8.27		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I		C, C, C, C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection ution Loop, First Zone 1 Zone 2 Zone 3	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized	\$8.27 \$10.69		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I		C, C, C, C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribution 9.3.1.3.1 9.3.1.3.2	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Union Loop, First Zone 1 Zone 2	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized	\$8.27		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I		C, C, C, C, C,
9.	9.3.1.1	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection ution Loop, First Zone 1 Zone 2 Zone 3	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized	\$8.27 \$10.69		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I		C, C, C, C, C,
	9.3.1.2	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.3 9.3.1.2.4 2-Wire Distribu 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3	Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C,
9.4 S	9.3.1.1 9.3.1.2 9.3.1.3 Shared Services	First 9.3.1.1.1 9.3.1.1.2 9.3.1.1.3 9.3.1.1.4 Each Additiona 9.3.1.2.1 9.3.1.2.2 9.3.1.2.2 9.3.1.2.4 2-Wire Distribt 9.3.1.3.1 9.3.1.3.2 9.3.1.3.3 9.3.1.3.4 9.3.1.3.5	Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C,
9.4 \$	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services  9.4.1 Intentiona	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.2  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.5	Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C,
9.4 \$	9.3.1.1 9.3.1.2 9.3.1.3 Shared Services	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.2  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.5	Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4	n, Manual Change, Mechanized n, Mechanized  Change, Manual n, Manual Change, Mechanized n, Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C,
9.4 \$	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services  9.4.1 Intentiona	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribu  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5	Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4	i, Manual Change, Mechanized i, Mechanized Change, Manual i, Manual Change, Mechanized i, Mechanized i, Mechanized i, Each Additional	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C, C, C, C,
9.4 \$	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services  9.4.1 Intentiona  9.4.2 Line Shar	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Installation or Disconnection Ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	i, Manual Change, Mechanized i, Mechanized Change, Manual i, Manual Change, Mechanized i, Mechanized i, Mechanized iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78	F, H, I F, H, I F, H, I		C, C
9.4 \$	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services  9.4.1 Intentiona  9.4.2 Line Shar	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.4  2-Wire Distribu  9.3.1.3.1  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5  ally Left Blank  ing  Basic Installati	Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42	F, H, I F, H, I F, H, I		C, C, C, C, C, H, H,
9.4 \$	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services  9.4.1 Intentiona  9.4.2 Line Shar	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5	Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	n, Manual Change, Mechanized n, Mechanized Change, Manual n, Manual Change, Mechanized n, Mechanized & Each Additional  ine Splitting anual n, Manual	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42	F, H, I F, H, I F, H, I		C, C, C, C, C, H,
9.4 \$	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services  9.4.1 Intentiona  9.4.2 Line Shar	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5	Disconnection Installation or Jone 1 Zone 2 Zone 3 Zone 4 Zone 5	n, Manual Change, Mechanized n, Mechanized Change, Manual n, Manual Change, Mechanized n, Mechanized & Each Additional  iine Splitting anual n, Manual echanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70	F, H, I F, H, I F, H, I		C, C, C, C, H, H, H, H, H, H,
9.4 S 9.9 9.9	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services  9.4.1 Intentiona  9.4.2 Line Shar	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.5  sally Left Blank ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Installation or Disconnection Use I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 5 I Zone 1 I Zone 5 I Zone 1 I Zone 1 I Zone 3 I Zone 4 I Zone 5 I Zone 1 I Zone 5 I Zone 1 I Zone 1 I Zone 3 I Zone 4 I Zone 5 I Zone 5 I Zone 1 I Zone 5 I Zone 1 I Zone 1 I Zone 3 I Zone 4 I Zone 5 I Zone 5 I Zone 5 I Zone 1 I Zone 1 I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 5 I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 3 I Zone 4 I Zone 5 I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 3 I Zone 4 I Zone 5 I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 3 I Zone 4 I Zone 5 I Zone 6 I Zone 6 I Zone 7 I Zone	n, Manual Change, Mechanized n, Mechanized Change, Manual n, Manual Change, Mechanized n, Mechanized & Each Additional  iine Splitting anual n, Manual echanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I		C, C, C, C, H, H, H, H, H, H,
9.4 S 9.9 9.9	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services 9.4.1 Intentiona 9.4.2 Line Shar 9.4.2.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.3  9.3.1.2.4  2-Wire Distribu  9.3.1.3.1  9.3.1.3.2  9.3.1.3.4  9.3.1.3.5  ally Left Blank  ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  tting	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Installation or Disconnection Use I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 5 I Zone 1 I Zone 5 I Zone 1 I Zone 1 I Zone 3 I Zone 4 I Zone 5 I Zone 1 I Zone 5 I Zone 1 I Zone 1 I Zone 3 I Zone 4 I Zone 5 I Zone 5 I Zone 1 I Zone 5 I Zone 1 I Zone 1 I Zone 3 I Zone 4 I Zone 5 I Zone 5 I Zone 5 I Zone 1 I Zone 1 I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 5 I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 3 I Zone 4 I Zone 5 I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 3 I Zone 4 I Zone 5 I Zone 1 I Zone 2 I Zone 3 I Zone 4 I Zone 5 I Zone 3 I Zone 4 I Zone 5 I Zone 6 I Zone 6 I Zone 7 I Zone	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53	F, H, I F, H, I F, H, I		C, C, C, C, C, H,
9.4 S 9.9 9.9	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  Shared Services 9.4.1 Intentiona 9.4.2.1  9.4.2.1  9.4.2.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.5  solutions  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Basic Installati	Disconnection Installation or Installation or Installation, M Disconnection Installation, M Disconnection Installation, M Disconnection	in, Manual Change, Mechanized In, Mechanized Change, Manual In, Manual Change, Mechanized In, Mechanized In, Mechanized In, Mechanized In, Mechanized In Mec	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I		C, C, C, C, C, C, H,
9.4 S 9.9 9.9	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  Shared Services 9.4.1 Intentiona 9.4.2.1  9.4.2.1  9.4.2.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5  sally Left Blank ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  tting  Basic Installati  9.4.2.1.4	Disconnection Installation or Installation or Installation, M Disconnection Installation, M Disconnection	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I		C, C, C, C, C, H,
9.4 S 9.9 9.9	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  Shared Services 9.4.1 Intentiona 9.4.2.1  9.4.2.1  9.4.2.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.5  ally Left Blank  ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Basic Installati  9.4.3.1.1  9.4.3.1.2	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Installation or Disconnection Use I Zone 1 Zone 2 Zone 3 Zone 4 Zone 5  Ion Charge for L Installation, M Disconnection	ine Splitting anual , Manual  change, Mechanized , Mechanized  change, Manual , Manual  change, Mechanized & Each Additional  ine Splitting anual , Manual echanized , Mechanized oop Splitting anual , Manual	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I		C, C, C, C, C, H,
9.4 S 9.9 9.9	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  Shared Services 9.4.1 Intentiona 9.4.2.1  9.4.2.1  9.4.2.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.2  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.5  sally Left Blank ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Basic Installati  9.4.2.1.4  ttting  Basic Installati  9.4.3.1.1  9.4.3.1.1	Disconnection Installation or Zone 1 Zone 2 Zone 3 Zone 4 Zone 5	n, Manual Change, Mechanized n, Mechanized Change, Manual n, Manual Change, Mechanized n, Mechanized & Each Additional  ine Splitting anual n, Manual echanized oop Splitting anual n, Manual echanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I		C, C, C, C, C, C, H,
9.4 S 9.9 9.9	9.3.1.1  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  Shared Services 9.4.1 Intentiona 9.4.2.1  9.4.2.1  9.4.2.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.5  ally Left Blank  ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Basic Installati  9.4.3.1.1  9.4.3.1.2	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Installation or Disconnection ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4 Zone 5  Installation, M Disconnection Installation, M	n, Manual Change, Mechanized n, Mechanized Change, Manual n, Manual Change, Mechanized n, Mechanized & Each Additional  ine Splitting anual n, Manual echanized oop Splitting anual n, Manual echanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I		C, C, C, C, C, C, H,
9.4 S 9.9 9.	9.3.1.1  9.3.1.2  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services  9.4.1 Intentiona 9.4.2.1  9.4.2.1  9.4.3 Loop Split 9.4.3.1  Junction Split 9.4.3.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5  sally Left Blank ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Basic Installati  9.4.3.1.1  9.4.3.1.2  9.4.3.1.3  9.4.3.1.4	Disconnection Installation or Installation or Disconnection Installation or Installation I	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I		C, C, C, C, C, C, H,
9.4 S 9.9 9.	9.3.1.1  9.3.1.2  9.3.1.2  9.3.1.3  9.3.1.3  Shared Services 9.4.1 Intentiona 9.4.2 Line Shar 9.4.2.1  9.4.3.1  9.4.3.1  Junta Loop Split 9.4.3.1  Junta Loop Split 9.4.3.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5  ally Left Blank ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Basic Installati  9.4.3.1.1  9.4.3.1.2  9.4.3.1.3  9.4.3.1.4	Disconnection Installation or Disconnection Installation, M Disconnection	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02 \$48.37		\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I F, H, I		C, C, C, C, C, C, H,
9.4 S 9.9 9.	9.3.1.1  9.3.1.2  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  Shared Services 9.4.1 Intentiona 9.4.2 Line Shar 9.4.2.1  9.4.3.1  9.4.3.1  Junty of the properties of	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additions  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5  ally Left Blank ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Basic Installati  9.4.3.1.1  9.4.3.1.2  9.4.3.1.3  9.4.3.1.4  tted Interoffice T  [ (Recurring Fixec    Over 0 to 8 Miller   Control of the control of	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation or Disconnection Installation Loop, First Zone 1 Zone 2 Zone 3 Zone 4 Zone 5  Installation, M Disconnection	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02 \$48.37	\$0.10	\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I F, H, I	A, H, I	C, C, C, C, C, C, H,
9.4 S 9.9 9.	9.3.1.1  9.3.1.2  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  1.1  9.4.1 Intentiona 9.4.2 Line Shar 9.4.2.1  9.4.2.1  9.4.3.1  9.4.3.1  9.4.3.1  9.6.1.1  9.6.1.2	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.5  state of the blank ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  tting  Basic Installati  9.4.2.1.4  tting  Basic Installati  9.4.2.1.4  tting  Constant of the blank ing  Basic Installati  9.4.2.1.1  9.4.3.1.3  9.4.3.1.4	Disconnection Installation or Disconnection al Installation or Disconnection Installation or Disconnection Installation or Disconnection Ution Loop, First Zone 1 Zone 2 Zone 3 Zone 4 Zone 5  Installation, M Disconnection	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02 \$48.37 \$16.59 \$16.59	\$0.07	\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I F, H, I A, H, I	A, H, I	C, C, C, C, C, C, H,
9.4 S 9.9 9.	9.3.1.1  9.3.1.2  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  1. Intentiona 9.4.2 Line Shar 9.4.2.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1  9.6.1.1  9.6.1.2  9.6.1.3	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.5  solutions  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Company and the control of the con	Disconnection Installation or Disconnection Installation, M Disconnection Installation Installation Installation Installation Installation Installation Installation Installation Installa	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02 \$48.37 \$48.37 \$16.59 \$16.59 \$16.59 \$16.58	\$0.07 \$0.07	\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I F, H, I A, H, I A, H, I	A, H, I A, H, I	C, C, C, C, C, C, H,
9.4 S 9.9 9.	9.3.1.1  9.3.1.2  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  9.3.1.3  9.4.1 Intentiona 9.4.2.1  9.4.2.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.5  state of the blank ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  tting  Basic Installati  9.4.2.1.4  tting  Basic Installati  9.4.2.1.4  tting  Constant of the blank ing  Basic Installati  9.4.2.1.1  9.4.3.1.3  9.4.3.1.4	Disconnection Installation or Disconnection Installation, M Disconnection Installation Installation Installation Installation Installation Installation Installation Installation Installa	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02 \$48.37 \$16.59 \$16.59	\$0.07	\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I F, H, I A, H, I	A, H, I	C, C
9.4 S 9.9 9.	9.3.1.1  9.3.1.2  9.3.1.2  9.3.1.3  9.3	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.2  9.3.1.3.3  9.3.1.3.4  9.3.1.3.5  sally Left Blank sing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  tting  Basic Installati  9.4.2.1.1  9.4.3.1.2  9.4.3.1.3  9.4.3.1.4  sted Interoffice T  (Recurring Fixed Over 0 to 8 Mi Over 8 to 25 N Over 50 Over 50 Miles Installation, Mi	Disconnection Installation or Inst	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02 \$48.37 \$48.37 \$16.59 \$16.59 \$16.59 \$16.58	\$0.07 \$0.07	\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$44.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I F, H, I A, H, I A, H, I	A, H, I A, H, I	C, C, C, C, C, C, C, H,
9.4 S 9.9 9.	9.3.1.1  9.3.1.2  9.3.1.2  9.3.1.3  9.3.1.3  9.3.1.3  9.3.1.3  9.4.1 Intentiona 9.4.2.1  9.4.2.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1  9.4.3.1	First  9.3.1.1.1  9.3.1.1.2  9.3.1.1.3  9.3.1.1.4  Each Additiona  9.3.1.2.1  9.3.1.2.2  9.3.1.2.3  9.3.1.2.4  2-Wire Distribut  9.3.1.3.1  9.3.1.3.5  sally Left Blank ing  Basic Installati  9.4.2.1.1  9.4.2.1.2  9.4.2.1.3  9.4.2.1.4  ttting  Basic Installati  9.4.3.1.1  9.4.3.1.2  9.4.3.1.3  19.4.3.1.4  sally Left Blank ing  Cover 0 to 8 Miles  Over 8 to 25 Nover 25 to 50  Over 50 Miles	Disconnection Installation or Inst	in Manual Change, Mechanized In Mechanized Change, Manual In Manual Change, Mechanized In Mechanized	\$8.27 \$10.69 \$19.02 \$48.37 \$48.37 \$16.59 \$16.59 \$16.59 \$16.58	\$0.07 \$0.07	\$16.81 \$58.94 \$5.42 \$21.83 \$16.81 \$14.78 \$5.42 \$45.70 \$26.51 \$37.53 \$14.41 \$45.70 \$26.51 \$37.53 \$14.41	F, H, I F, H, I F, H, I F, H, I A, H, I A, H, I	A, H, I A, H, I	C, C

9	9.6.1 9.6.2 DS1 U 9.6.2	JDIT (Recurring	ection, Mechanized								
			Fixed & ner Mile		1		+	\$74.23			C, I
						\$33.12	\$0.51		A, H, I	A, H, I	
##	9.6.2.		25 Miles			\$33.12	\$0.65		A, H, I	A, H, I	<u> </u>
+ +	9.6.2.		o 50 Miles			\$33.13	\$2.30		A, H, I	A, H, I	
1	9.6.2.					\$33.13	\$2.70		A, H, I	A, H, I	
	9.6.2.	5 Installation	n, Manual					\$260.80	, ,		C, I
	9.6.2.	6 Disconne	ection, Manual					\$91.37			C, I
	9.6.2.	7 Installation	n, Mechanized					\$244.14			C, I
	9.6.2.	8 Disconne	ction, Mechanized					\$74.74			C, I
9	9.6.3 DS3 I	JDIT (Recurring	Fixed & per Mile)								
	9.6.3.					\$224.72	\$10.60		A, H, I	A, H, I	
	9.6.3.					\$225.41	\$11.55		A, H, I	A, H, I	
	9.6.3.		o 50 Miles			\$231.08	\$30.34		A, H, I	A, H, I	
	9.6.3.					\$233.13	\$34.70		A, H, I	A, H, I	
	9.6.3.		on, Manual					\$260.80			C,
$\perp$	9.6.3.		ction, Manual					\$91.37			C,
$\bot$	9.6.3.		on, Mechanized					\$244.14			C,
	9.6.3.	8 Disconne	ction, Mechanized					\$74.74			C,
<del> </del>											
	JNE Combinat										
9		nced Extended I									-
+	9.23.2		o, DS0 2-Wire								1
+		9.23.2.1.		Loop Installation							1
+			9.23.2.1.1.1	First	II. A. H. A			0000.55			-
+				9.23.2.1.1.1.1	Installation, Manual			\$226.09			C,
+				9.23.2.1.1.1.2	Disconnection, Manual			\$73.38			C,
+				9.23.2.1.1.1.3	Installation, Mechanized			\$213.16			C,
$\perp$				9.23.2.1.1.1.4	Disconnection, Mechanized			\$60.45			C,
$\perp \perp \perp$			9.23.2.1.1.2	Each Additional							1
+				9.23.2.1.1.2.1	Installation, Manual			\$156.43			C,
+				9.23.2.1.1.2.2	Disconnection, Manual			\$46.29			C,
+				9.23.2.1.1.2.3	Installation, Mechanized			\$156.43			C,
+				9.23.2.1.1.2.4	Disconnection, Mechanized			\$46.29			C,
		9.23.2.1.		og Loop (see rates in	9.2.1.1)						_
			9.23.2.1.2.1	Zone 1		\$11.26			H, I , 12		
			9.23.2.1.2.2	Zone 2		\$13.63			H, I , 12		_
			9.23.2.1.2.3	Zone 3		\$16.92			H, I , 12		
			9.23.2.1.2.4	Zone 4		\$28.23			H, I , 12		
			9.23.2.1.2.5	Zone 5		\$67.77			H, I , 12		_
+	9.23.2		o, DS0 4-Wire								
+		9.23.2.2.		Loop Installation							1
$\bot$			9.23.2.2.1.1	First							1
				9.23.2.2.1.1.1	Installation, Manual			\$226.09			C,
				9.23.2.2.1.1.2	Disconnection, Manual			\$73.38			C,
				9.23.2.2.1.1.3	Installation, Mechanized			\$213.16			C,
				9.23.2.2.1.1.4	Disconnection, Mechanized			\$60.45			C,
			9.23.2.2.1.2	Each Additional							
				9.23.2.2.1.2.1	Installation, Manual			\$156.43			C,
$\perp \perp \downarrow$				9.23.2.2.1.2.2	Disconnection, Manual			\$46.29			C,
$\perp$				9.23.2.2.1.2.3	Installation, Mechanized			\$156.43			C,
+				9.23.2.2.1.2.4	Disconnection, Mechanized			\$46.29			C,
$\bot$		9.23.2.2.		og Loop (see rates in	9.2.1.3)						<u> </u>
$\perp$			9.23.2.2.2.1	Zone 1		\$21.38			H, I , 12		_
$\perp$			9.23.2.2.2.2	Zone 2		\$26.29			H, I , 12		1
$\perp$			9.23.2.2.2.3	Zone 3		\$32.69			H, I , 12		
$\perp$			9.23.2.2.2.4	Zone 4		\$54.66			H, I , 12		1
$\perp$			9.23.2.2.2.5	Zone 5		\$131.66			H, I , 12		<u> </u>
	9.23.2		rrangement								
		9.23.2.6.						\$135.13			H.
		9.23.2.6.		ty			I	\$153.38			H.
$\perp$	9.23.2		<del> </del>								
		9.23.2.8.				\$175.23			A, H, I		
			9.23.2.8.1.1	Installation, Man			I	\$202.05			C,
			9.23.2.8.1.2	Disconnection, N				\$74.96			C,
			9.23.2.8.1.3	Installation, Med				\$189.11			C,
$\perp$			9.23.2.8.1.4	Disconnection, N	Mechanized			\$62.03			C,
		9.23.2.8.				\$170.08			A, H, I		
			9.23.2.8.2.1	Installation, Man				\$202.05			C,
			9.23.2.8.2.2	Disconnection, N				\$74.96			C,
			9.23.2.8.2.3	Installation, Med				\$189.11			C,
			9.23.2.8.2.4					\$62.03			C,
	9.23.2			nce (uses rates from	9.6.7)						
		9.23.2.9.		de Channelization		\$11.23			C, H, I		
		9.23.2.9.	2 DS1 / DS0 L	ow Side Channelizat	ion	\$6.41			C, H, I		
		  bination (LMC		on (LMC)							
		Mux DS0 2-Wir	e Analog	<b>'</b>							
		Mux DS0 2-Wir	e Analog /ire Loop Installation	1							

### Exhibit A Washington

$\overline{}$		1		9.25.1.1.1.2	Disconnection, Manual		\$32.79						
-				_	· · · · · · · · · · · · · · · · · · ·				E, H,,				
+		-		9.25.1.1.1.3	Installation, Mechanized		\$107.93		E, H,,				
			0.05.4.4.0	9.25.1.1.1.4	Disconnection, Mechanized		\$23.56		E, H,,				
			9.25.1.1.2	Each Additiona					<del></del>				
	_			9.25.1.1.2.1	Installation, Manual		\$89.66		E, H,				
				9.25.1.1.2.2	Disconnection, Manual		\$14.61		E, H,				
		<u> </u>		9.25.1.1.2.3	Installation, Mechanized		\$86.70		E, H,				
				9.25.1.1.2.4	Disconnection, Mechanized		\$13.06		E, H,				
		9.25.1.2		Loop (see rates	in 9.2.1.1)								
			9.25.1.2.1	Zone 1		\$11.26		H, I, 12					
			9.25.1.2.2	Zone 2		\$13.63		H, I, 12					
			9.25.1.2.3	Zone 3		\$16.92		H, I, 12					
			9.25.1.2.4	Zone 4		\$28.23		H, I, 12					
			9.25.1.2.5	Zone 5		\$67.77		H, I, 12					
	9.25.2	Loop Mux [	DS0 4-Wire Anal	log									
		9.25.2.1	LMC 4-Wire Lo										
			9.25.2.1.1	First									
_		1	0.20.2	9.25.2.1.1.1	Installation, Manual		\$126.75		E, H				
_	_	1		9.25.2.1.1.2	Disconnection, Manual		\$32.79		E, H				
		1	+	9.25.2.1.1.3	Installation, Mechanized		\$107.93		E, H				
+-	+	+	+	9.25.2.1.1.4	Disconnection, Mechanized		\$23.56		E, H				
+-	+	1	9.25.2.1.2	Each Additiona	,		φ23.30		— <del>—</del> =, п				
+	-	-	9.25.2.1.2	9.25.2.1.2.1	Installation, Manual		\$89.66						
	_								E, H				
				9.25.2.1.2.2	Disconnection, Manual		\$14.61		E, H				
				9.25.2.1.2.3	Installation, Mechanized		\$86.70		E, H				
				9.25.2.1.2.4	Disconnection, Mechanized		\$13.06		E, H				
+-		9.25.2.2		Loop (see rates	in 9.2.1.3)								
			9.25.2.2.1	Zone 1		\$21.38		H, I, 12					
			9.25.2.2.2	Zone 2		\$26.29		H, I, 12					
			9.25.2.2.3	Zone 3		\$32.69		H, I, 12					
			9.25.2.2.4	Zone 4		\$54.66		H, I, 12					
			9.25.2.2.5	Zone 5		\$131.66		H, I, 12					
	10.3.2	Premium /	Privacy Listings		·	General	General	H, I	H,				
			, ,			Exchange	Exchange	·					
						Tariff Rate,	Tariff Rate,						
						Less	Less						
						Wholesale	Wholesale						
						Discount	Discount						
ES:		-				Discount	Discount		-				
IA	Conorio	Cost Docket	LIT 060360						_				
c		JT-003013, P							_				
E													
<u> </u>	Docket UT-003013, Part D   Docket UT-023003												
F				: /4b - "FOO"	"C"\ TCC 10 C	C - D		Oninina					
Н					or "Commission") released Order FCC 19-6	•							
					Transport Order"), and on August 2, 2019, r								
					nd Resale Forbearance Order") which altered								
	network elements. As a result, any rate with this footnote attached to it only applies to UNEs and Resold services according to the terms of the UNE/Resale												
				ement. Any rate	with this footnote is no longer applicable in a	any way after August 2, 2022	again consistent with	the terms					
	of the above referenced amendment.												
	or the ab												
		s in this table	apply solely to	The rates in this table apply solely to services ordered for UNE/Resale on or before February 2, 2020. Any new services for UNE/Resale incorrectly ordered after February 2, 2020 will not have the discounts or rates applicable in this table, but instead will be subject to the applicable tariff, price list or catalog rates.									
I	The rates												
1	The rates												
I I	The rates												
1	The rates	ruary 2, 202	0 will not have th		tes applicable in this table, but instead will b								