

**Performance Results
Washington
August 2004 - July 2005
Qwest's Performance Assurance Plans (PAPs)**

Combined	Month	CLEC Numerator	CLEC Denominator	CLEC Result
BI-1A Time to Provide Usage Records UNEs and Resale Aggregate Parity	July 2005	83640677	46982795	18:43
	June 2005	87454917	50284683	17:45
	May 2005	81948703	48965405	16:04
	April 2005	90108629	48807284	20:24
	March 2005	98874099	53894234	19:55
	February 2005	85483188	46213570	20:24
	January 2005	781578290	52054954	0:14
	December 2004	100153135	53134114	21:07
	November 2004	92151225	49094957	21:07
	October 2004	89131775	48329358	20:09
	September 2004	98272654	52619910	20:52
	August 2004	102507752	52643667	22:48
	BI-1B Time to Provide Usage Records Jointly-provided Switched Access Benchmark	July 2005	19001960	19001973
June 2005		18102094	18102122	0:00
May 2005		4363795	4363828	0:00
April 2005		837808	837809	0:00
March 2005		820609	820614	0:00
February 2005		666082	666082	0:00
January 2005		686266	686266	0:00
December 2004		674208	674213	0:00
November 2004		615371	615371	0:00
October 2004		636778	636785	0:00
September 2004		661403	661404	0:00
August 2004		1008666	1008676	0:00
BI-1C-1 Time to Provide Usage Records [CAT11] UNEs and Resale Aggregate Parity		July 2005	46946156	24019053
	June 2005	46497666	24285992	21:50
	May 2005	47077048	25519616	20:09
	April 2005	48816378	24459132	0:00
	March 2005	53368452	26868884	23:45
	February 2005	45739211	22887858	0:00
	January 2005	739736598	28057053	8:52
	December 2004	53246142	26391306	0:28
	November 2004	49204081	24769632	23:45
	October 2004	49064985	24896695	23:16
	September 2004	53407409	26610019	0:14
	August 2004	60000760	27046328	5:16
	BI-1C-2 Time to Provide Usage Records [CAT10] UNEs and Resale Aggregate Parity	July 2005	36694521	22963742
June 2005		40957251	25998691	13:55
May 2005		34871655	23445789	11:45
April 2005		41292251	24348152	16:48
March 2005		45505647	27025350	16:19
February 2005		39743977	23325712	16:48
January 2005		41841692	23997901	17:45
December 2004		46906993	26742808	18:00

	November 2004	42947144	24325325	18:28
	October 2004	40066790	23432663	17:02
	September 2004	44865245	26009891	17:16
	August 2004	42506992	25597339	15:50
BI-2 Invoices Delivered within 10 Days All Diagnostic	July 2005	930	935	99.47%
	June 2005	917	918	99.89%
	May 2005	791	792	99.87%
	April 2005	854	855	99.88%
	March 2005	910	913	99.67%
	February 2005	770	771	99.87%
	January 2005	771	773	99.74%
	December 2004	843	844	99.88%
	November 2004	662	663	99.85%
	October 2004	812	812	100.00%
	September 2004	759	759	100.00%
	August 2004	737	738	99.86%
	BI-3A Billing Accuracy - Adjustments for Errors UNEs and Resale Aggregate Parity	July 2005	5965596	5966672
June 2005		7039191	7055897	99.76%
May 2005		7262399	7263633	99.98%
April 2005		5041745	6429641	78.41%
March 2005		4425656	5710968	77.49%
February 2005		5862385	5869707	99.88%
January 2005		6847698	6953903	98.47%
December 2004		6716481	8635483	77.78%
November 2004		5721170	5771219	99.13%
October 2004		5513972	5517554	99.94%
September 2004		5507007	5539685	99.41%
August 2004		5672605	5684831	99.78%
BI-3B Billing Accuracy - Adjustments for Errors Reciprocal Compensation Diagnostic		July 2005	62400	62400
	June 2005	64649	64649	100.00%
	May 2005	75286	75286	100.00%
	April 2005	78206	78206	100.00%
	March 2005	51265	59136	86.69%
	February 2005	62373	63578	98.11%
	January 2005	60081	60081	100.00%
	December 2004	58247	58247	100.00%
	November 2004	64631	64631	100.00%
	October 2004	62060	62062	100.00%
	September 2004	62947	62947	100.00%
	August 2004	65512	65512	100.00%
	BI-4A Billing Completeness UNEs and Resale Aggregate Parity	July 2005	34249	34415
June 2005		30796	30899	99.67%
May 2005		33308	33412	99.69%
April 2005		31651	31751	99.69%
March 2005		31364	31429	99.79%
February 2005		31536	31567	99.90%
January 2005		26008	26139	99.50%
December 2004		31270	31413	99.54%
November 2004		35689	35736	99.87%
October 2004		38707	38788	99.79%
September 2004		32935	32980	99.86%
August 2004		33449	33481	99.90%

BI-4B Billing Completeness Reciprocal Compensation Diagnostic	July 2005	62400	62400	100.00%
	June 2005	64649	64649	100.00%
	May 2005	75286	75286	100.00%
	April 2005	78206	78206	100.00%
	March 2005	59136	59136	100.00%
	February 2005	63578	63578	100.00%
	January 2005	60081	60081	100.00%
	December 2004	58247	58247	100.00%
	November 2004	64631	64631	100.00%
	October 2004	62062	62062	100.00%
	September 2004	62947	62947	100.00%
	August 2004	65512	65512	100.00%
BI-5A Billing Accuracy & Claims Processing - Acknowledgment All Benchmark	July 2005	192	193	99.48%
	June 2005	278	302	92.05%
	May 2005	153	157	97.45%
	April 2005	184	193	95.34%
	March 2005	212	215	98.60%
	February 2005	293	321	91.28%
	January 2005	294	294	100.00%
	December 2004	208	210	99.05%
	November 2004	204	204	100.00%
	October 2004	233	239	97.49%
	September 2004	265	271	97.79%
	August 2004	237	237	100.00%
BI-5B Billing Accuracy & Claims Processing - Resolution All Benchmark	July 2005	241	252	95.63%
	June 2005	325	335	97.01%
	May 2005	211	232	90.95%
	April 2005	227	234	97.01%
	March 2005	219	219	100.00%
	February 2005	269	275	97.82%
	January 2005	187	188	99.47%
	December 2004	146	161	90.68%
	November 2004	189	190	99.47%
	October 2004	306	308	99.35%
	September 2004	199	204	97.55%
	August 2004	234	235	99.57%
CP-1A Scheduled Interval 90 Calendar Days or Less All Benchmark	July 2005	973	14	69.5
	June 2005	314	5	62.8
	May 2005	302	4	75.5
	April 2005	191	3	63.67
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	69	1	69
	December 2004	75	1	75
	November 2004	54	1	54
	October 2004	144	2	72
	September 2004	0	0	0
	August 2004	316	4	79
CP-1B Scheduled Interval 91 to 120 Calendar Days All Benchmark	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	503	5	100.6
	April 2005	0	0	0

	March 2005	71	1	71
	February 2005	0	0	0
	January 2005	71	1	71
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	257	3	85.67
CP-1C Scheduled Interval 121 to 150	July 2005	0	0	0
Calendar Days All Benchmark	June 2005	0	0	0
	May 2005	722	6	120.33
	April 2005	698	6	116.33
	March 2005	64	1	64
	February 2005	257	3	85.67
	January 2005	0	0	0
	December 2004	123	1	123
	November 2004	134	2	67
	October 2004	251	2	125.5
	September 2004	168	2	84
	August 2004	509	5	101.8
CP-2B Non-Forecasted & Late Forecasted	July 2005	14	14	100.00%
Collocations All Benchmark	June 2005	5	5	100.00%
	May 2005	9	9	100.00%
	April 2005	3	3	100.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	2	2	100.00%
	September 2004	0	0	0.00%
	August 2004	7	7	100.00%
CP-2C Collocations with Intervals Longer	July 2005	3	3	100.00%
than 120 Days All Benchmark	June 2005	0	0	0.00%
	May 2005	6	6	100.00%
	April 2005	7	7	100.00%
	March 2005	1	1	100.00%
	February 2005	4	4	100.00%
	January 2005	3	3	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	October 2004	2	2	100.00%
	September 2004	5	5	100.00%
	August 2004	5	5	100.00%
CP-3 Collocation Feasibility Study Interval	July 2005	71	8	8.88
All Benchmark	June 2005	19	2	9.5
	May 2005	236	25	9.44
	April 2005	106	13	8.15
	March 2005	10	1	10
	February 2005	64	7	9.14
	January 2005	105	11	9.55
	December 2004	31	4	7.75

	November 2004	45	5	9
	October 2004	36	4	9
	September 2004	8	1	8
	August 2004	21	3	7
CP-4 Collocation Feasibility Study	July 2005	8	8	100.00%
Commitments Met All Benchmark	June 2005	2	2	100.00%
	May 2005	25	25	100.00%
	April 2005	13	13	100.00%
	March 2005	5	5	100.00%
	February 2005	9	9	100.00%
	January 2005	11	11	100.00%
	December 2004	4	4	100.00%
	November 2004	6	6	100.00%
	October 2004	4	4	100.00%
	September 2004	1	1	100.00%
	August 2004	3	3	100.00%
DA-1 Speed of Answer - Directory Assistance Diagnostic	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
DB-1A Time to Update Databases E911 Diagnostic	July 2005	0	144188	0:27
	June 2005	0	151816	0:49
	May 2005	0	144195	0:46
	April 2005	0	143995	0:37
	March 2005	0	137418	0:25
	February 2005	0	171935	0:31
	January 2005	0	288079	1:06
	December 2004	0	197074	0:24
	November 2004	0	213857	0:20
	October 2004	0	191506	0:33
	September 2004	0	155470	0:32
	August 2004	0	161721	0:37
DB-1B Time to Update Databases LIDB Diagnostic	July 2005	7138765	6897206	0:57
	June 2005	0	0	0:00
	May 2005	4740550	4579868	0:57
	April 2005	5344238	5199546	0:43
	March 2005	5425077	5262607	0:43
	February 2005	4448444	4277374	0:57
	January 2005	4310690	4145982	0:57
	December 2004	5305844	5077119	1:12
	November 2004	4582329	4438879	0:43
	October 2004	5093661	4919094	0:57
	September 2004	6366056	6194011	0:43
	August 2004	4928663	4765476	0:43

DB-1C-1 Time to Update Databases Directory Listing Diagnostic	July 2005	77902.76	5104346	0:28
	June 2005	79600.93	435856	4:19
	May 2005	63746.77	283984	5:16
	April 2005	63880.94	295497	5:16
	March 2005	95793.21	339270	6:43
	February 2005	86576.31	262370	7:55
	January 2005	52165.35	254458	5:02
	December 2004	51211.96	279505	4:19
	November 2004	50742.94	275126	4:19
	October 2004	56329.32	317211	4:19
	September 2004	59239.19	333148	4:19
	August 2004	62147.85	349379	4:19
	DB-2C-1 Accurate Database Updates Directory Listing Diagnostic	July 2005	4346830	4350916
June 2005		358067	362893	98.67%
May 2005		231430	235787	98.15%
April 2005		240173	244687	98.16%
March 2005		275492	280321	98.28%
February 2005		215910	219490	98.37%
January 2005		206916	210277	98.40%
December 2004		228735	232072	98.56%
November 2004		224400	227669	98.56%
October 2004		263762	267712	98.52%
September 2004		269030	273632	98.32%
August 2004		281372	286032	98.37%
GA-1 Gateway Availability - IMA-GUI All Diagnostic		July 2005	28931	28980
	June 2005	28770	28800	99.90%
	May 2005	29096	29160	99.78%
	April 2005	28066	28140	99.74%
	March 2005	29834	29880	99.85%
	February 2005	26588	26640	99.80%
	January 2005	28955	28980	99.91%
	December 2004	29744	29880	99.54%
	November 2004	28800	28800	100.00%
	October 2004	28365	28500	99.53%
	September 2004	28800	28800	100.00%
	August 2004	29092	29160	99.77%
	GA-1 Gateway Availability - IMA-GUI SIA Diagnostic	July 2005	28980	28980
June 2005		28800	28800	100.00%
May 2005		29160	29160	100.00%
April 2005		28620	28620	100.00%
March 2005		29880	29880	100.00%
February 2005		26640	26640	100.00%
January 2005		28980	28980	100.00%
December 2004		29880	29880	100.00%
November 2004		28800	28800	100.00%
October 2004		28980	28980	100.00%
September 2004		28800	28800	100.00%
August 2004		29160	29160	100.00%
GA-2 Gateway Availability - IMA-EDI Diagnostic		July 2005	28802	28980
	June 2005	28770	28800	99.90%
	May 2005	29160	29160	100.00%
	April 2005	28140	28140	100.00%

	March 2005	29834	29880	99.85%
	February 2005	26640	26640	100.00%
	January 2005	28971	28980	99.97%
	December 2004	29744	29880	99.54%
	November 2004	28800	28800	100.00%
	October 2004	28421	28500	99.72%
	September 2004	28673	28800	99.56%
	August 2004	29114	29160	99.84%
GA-3 Gateway Availability - EB-TA Diagnostic	July 2005	41824	41850	99.94%
	June 2005	41340	41340	100.00%
	May 2005	42900	42900	100.00%
	April 2005	41700	41700	100.00%
	March 2005	43200	43200	100.00%
	February 2005	38880	38880	100.00%
	January 2005	42840	42840	100.00%
	December 2004	42660	42660	100.00%
	November 2004	41501	41760	99.38%
	October 2004	42720	42720	100.00%
	September 2004	41760	41760	100.00%
	August 2004	42853	42900	99.89%
GA-4 System Availability - EXACT Diagnostic	July 2005	21600	21600	100.00%
	June 2005	21960	21960	100.00%
	May 2005	21960	21960	100.00%
	April 2005	21600	21600	100.00%
	March 2005	22860	22860	100.00%
	February 2005	20160	20160	100.00%
	January 2005	21600	21600	100.00%
	December 2004	22860	22860	100.00%
	November 2004	21960	21960	100.00%
	October 2004	21600	21600	100.00%
	September 2004	21960	21960	100.00%
	August 2004	21960	21960	100.00%
GA-6 Gateway Availability - GUI - Repair Diagnostic	July 2005	37714	37740	99.93%
	June 2005	37410	37410	100.00%
	May 2005	38850	38850	100.00%
	April 2005	37650	37650	100.00%
	March 2005	38647	38655	99.98%
	February 2005	35108	35160	99.85%
	January 2005	38730	38730	100.00%
	December 2004	38542	38595	99.86%
	November 2004	37723	37770	99.88%
	October 2004	38604	38610	99.98%
	September 2004	37770	37770	100.00%
	August 2004	38455	38850	98.98%
GA-7 Timely Outage Resolution following Software Releases Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%

	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Business Parity	July 2005	4	10	40.00%
	June 2005	6	15	40.00%
	May 2005	2	14	14.29%
	April 2005	7	15	46.67%
	March 2005	9	28	32.14%
	February 2005	10	24	41.67%
	January 2005	8	24	33.33%
	December 2004	13	40	32.50%
	November 2004	10	30	33.33%
	October 2004	9	23	39.13%
	September 2004	14	21	66.67%
	August 2004	9	27	33.33%
MR-10 Customer and Non-Qwest Related Trouble Reports Centrex Parity	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	1	1	100.00%
	March 2005	0	2	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	3	33.33%
	August 2004	0	2	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Centrex 21 Parity	July 2005	2	7	28.57%
	June 2005	2	5	40.00%
	May 2005	1	4	25.00%
	April 2005	0	2	0.00%
	March 2005	4	9	44.44%
	February 2005	2	6	33.33%
	January 2005	5	8	62.50%
	December 2004	3	6	50.00%
	November 2004	1	3	33.33%
	October 2004	0	3	0.00%
	September 2004	0	3	0.00%
	August 2004	1	1	100.00%
MR-10 Customer and Non-Qwest Related Trouble Reports DS0 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	1	2	50.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	3	0.00%
	November 2004	2	2	100.00%
	October 2004	0	0	0.00%
	September 2004	1	3	33.33%
	August 2004	1	6	16.67%

MR-10 Customer and Non-Qwest Related Trouble Reports DS1 Parity	July 2005	0	1	0.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	1	9	11.11%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	1	2	50.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	1	1	100.00%
	August 2004	0	2	0.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports E911 Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		1	3	33.33%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	0	0.00%
October 2004		1	1	100.00%
September 2004		0	1	0.00%
August 2004		0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports ISDN Primary Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	2	2	100.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports LIS Trunk Parity	July 2005	13	27
June 2005		18	29	62.07%
May 2005		13	21	61.90%
April 2005		7	13	53.85%
March 2005		13	23	56.52%
February 2005		17	22	77.27%
January 2005		8	22	36.36%
December 2004		4	12	33.33%
November 2004		7	15	46.67%
October 2004		6	14	42.86%
September 2004		7	16	43.75%
August 2004		14	27	51.85%
MR-10 Customer and Non-Qwest Related Trouble Reports PBX Parity		July 2005	3	6
	June 2005	2	3	66.67%
	May 2005	1	4	25.00%
	April 2005	2	2	100.00%

	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	2	3	66.67%
	December 2004	0	1	0.00%
	November 2004	1	1	100.00%
	October 2004	1	4	25.00%
	September 2004	1	1	100.00%
	August 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Qwest DSL Parity	July 2005	14	27	51.85%
	June 2005	22	27	81.48%
	May 2005	23	35	65.71%
	April 2005	19	28	67.86%
	March 2005	15	25	60.00%
	February 2005	9	14	64.29%
	January 2005	11	22	50.00%
	December 2004	3	7	42.86%
	November 2004	10	18	55.56%
	October 2004	13	19	68.42%
	September 2004	3	3	100.00%
	August 2004	7	8	87.50%
MR-10 Customer and Non-Qwest Related Trouble Reports Residence Parity	July 2005	57	117	48.72%
	June 2005	68	145	46.90%
	May 2005	60	120	50.00%
	April 2005	41	101	40.59%
	March 2005	54	131	41.22%
	February 2005	40	91	43.96%
	January 2005	64	130	49.23%
	December 2004	50	111	45.05%
	November 2004	43	108	39.81%
	October 2004	39	110	35.45%
	September 2004	49	103	47.57%
	August 2004	52	113	46.02%
MR-10 Customer and Non-Qwest Related Trouble Reports UDIT Above DS1 Level Parity	July 2005	0	0	0.00%
	June 2005	4	8	50.00%
	May 2005	2	3	66.67%
	April 2005	2	5	40.00%
	March 2005	4	8	50.00%
	February 2005	0	2	0.00%
	January 2005	1	1	100.00%
	December 2004	1	2	50.00%
	November 2004	1	5	20.00%
	October 2004	1	3	33.33%
	September 2004	1	2	50.00%
	August 2004	0	1	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports UDIT DS1 Parity	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	1	0.00%

	November 2004	0	0	0.00%
	October 2004	1	3	33.33%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	6	16	37.50%
	June 2005	5	15	33.33%
	May 2005	24	61	39.34%
	April 2005	22	62	35.48%
	March 2005	23	62	37.10%
	February 2005	18	49	36.73%
	January 2005	18	57	31.58%
	December 2004	26	82	31.71%
	November 2004	27	61	44.26%
	October 2004	14	51	27.45%
	September 2004	19	56	33.93%
	August 2004	20	50	40.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - 4 Wire Non-Loaded Parity	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	2	0.00%
	August 2004	1	2	50.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - ADSL Qualified Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	2	0.00%
	March 2005	0	4	0.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	0	1	0.00%
	November 2004	2	2	100.00%
	October 2004	1	2	50.00%
	September 2004	0	0	0.00%
	August 2004	4	5	80.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - DS1 Capable Parity	July 2005	19	115	16.52%
	June 2005	17	115	14.78%
	May 2005	28	138	20.29%
	April 2005	20	107	18.69%
	March 2005	29	136	21.32%
	February 2005	39	134	29.10%
	January 2005	22	118	18.64%
	December 2004	16	104	15.38%
	November 2004	18	114	15.79%
	October 2004	19	109	17.43%
September 2004	19	105	18.10%	
August 2004	23	145	15.86%	

MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - DS3 Capable Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - XDSL Parity	July 2005	23	39	58.97%
	June 2005	18	44	40.91%
	May 2005	1	5	20.00%
	April 2005	0	0	0.00%
	March 2005	1	3	33.33%
	February 2005	1	4	25.00%
	January 2005	0	7	0.00%
	December 2004	0	4	0.00%
	November 2004	1	2	50.00%
	October 2004	2	5	40.00%
	September 2004	1	4	25.00%
	August 2004	0	3	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop Analog Parity	July 2005	147	435	33.79%
	June 2005	102	320	31.88%
	May 2005	117	393	29.77%
	April 2005	99	311	31.83%
	March 2005	98	327	29.97%
	February 2005	71	260	27.31%
	January 2005	139	375	37.07%
	December 2004	111	332	33.43%
	November 2004	123	358	34.36%
	October 2004	121	338	35.80%
	September 2004	110	357	30.81%
	August 2004	124	401	30.92%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop ISDN Capable Parity	July 2005	12	36	33.33%
	June 2005	7	42	16.67%
	May 2005	4	34	11.76%
	April 2005	4	23	17.39%
	March 2005	13	45	28.89%
	February 2005	3	31	9.68%
	January 2005	11	35	31.43%
	December 2004	8	42	19.05%
	November 2004	3	22	13.64%
	October 2004	11	36	30.56%
	September 2004	5	19	26.32%
	August 2004	5	30	16.67%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE - P (POTS) Parity	July 2005	13	37	35.14%
	June 2005	15	46	32.61%
	May 2005	15	36	41.67%
	April 2005	26	52	50.00%

	March 2005	20	52	38.46%
	February 2005	26	69	37.68%
	January 2005	51	128	39.84%
	December 2004	506	1276	39.66%
	November 2004	465	1179	39.44%
	October 2004	507	1308	38.76%
	September 2004	522	1342	38.90%
	August 2004	599	1536	39.00%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex 21) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	2	0.00%
	December 2004	6	16	37.50%
	November 2004	0	6	0.00%
	October 2004	3	9	33.33%
	September 2004	3	7	42.86%
	August 2004	4	11	36.36%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	9	22	40.91%
	December 2004	19	40	47.50%
	November 2004	16	41	39.02%
	October 2004	17	32	53.13%
	September 2004	22	46	47.83%
	August 2004	19	40	47.50%
MR-11A LNP Trouble Reports Cleared within 4 Hours LNP Benchmark	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-2 Calls Answered within 20 seconds - Interconnect Repair Center All Diagnostic	July 2005	11580	13799	83.92%
	June 2005	12475	14472	86.20%
	May 2005	10995	12227	89.92%
	April 2005	10818	12115	89.29%
	March 2005	10851	11952	90.79%
	February 2005	9923	10805	91.84%
	January 2005	10338	11243	91.95%
	December 2004	10104	11386	88.74%

	November 2004	17899	21424	83.55%
	October 2004	11357	13653	83.18%
	September 2004	12190	13763	88.57%
	August 2004	13532	15332	88.26%
MR-3A Out of Service Cleared within 24 Hours Business Parity	July 2005	2	2	100.00%
	June 2005	4	4	100.00%
	May 2005	5	7	71.43%
	April 2005	4	4	100.00%
	March 2005	7	9	77.78%
	February 2005	6	7	85.71%
	January 2005	5	6	83.33%
	December 2004	11	13	84.62%
	November 2004	9	10	90.00%
	October 2004	8	8	100.00%
	September 2004	2	3	66.67%
	August 2004	8	9	88.89%
	MR-3A Out of Service Cleared within 24 Hours Centrex Parity	July 2005	0	0
June 2005		1	1	100.00%
May 2005		0	1	0.00%
April 2005		0	0	0.00%
March 2005		1	2	50.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		1	1	100.00%
August 2004		1	1	100.00%
MR-3A Out of Service Cleared within 24 Hours Centrex 21 Parity		July 2005	2	2
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	2	2	100.00%
	March 2005	4	4	100.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
	August 2004	0	0	0.00%
	MR-3A Out of Service Cleared within 24 Hours Line Sharing Parity	July 2005	0	0
June 2005		3	5	60.00%
May 2005		3	4	75.00%
April 2005		3	4	75.00%
March 2005		2	2	100.00%
February 2005		3	4	75.00%
January 2005		5	9	55.56%
December 2004		5	8	62.50%
November 2004		6	10	60.00%
October 2004		10	16	62.50%
September 2004	4	14	28.57%	
August 2004	4	5	80.00%	

MR-3A Out of Service Cleared within 24 Hours Line Splitting Parity	July 2005	3	3	100.00%
	June 2005	4	4	100.00%
	May 2005	0	0	0.00%
	April 2005	1	3	33.33%
	March 2005	9	13	69.23%
	February 2005	4	4	100.00%
	January 2005	0	2	0.00%
	December 2004	3	4	75.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
	September 2004	4	6	66.67%
	August 2004	3	5	60.00%
	MR-3A Out of Service Cleared within 24 Hours PBX Parity	July 2005	1	1
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		2	2	100.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-3A Out of Service Cleared within 24 Hours Residence Parity		July 2005	28	39
	June 2005	37	46	80.43%
	May 2005	35	41	85.37%
	April 2005	32	38	84.21%
	March 2005	50	53	94.34%
	February 2005	34	36	94.44%
	January 2005	37	43	86.05%
	December 2004	28	42	66.67%
	November 2004	31	43	72.09%
	October 2004	47	52	90.38%
	September 2004	32	35	91.43%
	August 2004	27	38	71.05%
	MR-3A Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	July 2005	14	14
June 2005		11	11	100.00%
May 2005		11	11	100.00%
April 2005		11	12	91.67%
March 2005		20	20	100.00%
February 2005		19	21	90.48%
January 2005		31	31	100.00%
December 2004		353	394	89.59%
November 2004		329	357	92.16%
October 2004		362	390	92.82%
September 2004		372	412	90.29%
August 2004		368	429	85.78%
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex 21) Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%

	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	4	5	80.00%
	November 2004	4	4	100.00%
	October 2004	2	2	100.00%
	September 2004	1	1	100.00%
	August 2004	3	3	100.00%
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	6	6	100.00%
	December 2004	15	15	100.00%
	November 2004	10	11	90.91%
	October 2004	8	9	88.89%
	September 2004	12	12	100.00%
	August 2004	10	11	90.91%
MR-3B Out of Service Cleared within 24 Hours Business Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	August 2004	1	1	100.00%
MR-3B Out of Service Cleared within 24 Hours PBX Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Residence Parity	July 2005	4	6	66.67%
	June 2005	9	13	69.23%
	May 2005	4	6	66.67%
	April 2005	10	11	90.91%
	March 2005	4	6	66.67%
	February 2005	9	10	90.00%
	January 2005	9	9	100.00%
	December 2004	7	7	100.00%

	November 2004	6	6	100.00%
	October 2004	5	6	83.33%
	September 2004	1	3	33.33%
	August 2004	4	5	80.00%
MR-3B Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	July 2005	0	0	0.00%
	June 2005	12	12	100.00%
	May 2005	2	3	66.67%
	April 2005	5	5	100.00%
	March 2005	2	2	100.00%
	February 2005	5	5	100.00%
	January 2005	12	14	85.71%
	December 2004	71	74	95.95%
	November 2004	59	68	86.76%
	October 2004	81	86	94.19%
	September 2004	78	83	93.98%
	August 2004	107	122	87.70%
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Business Parity	July 2005	0	0	0.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	3	3	100.00%
	January 2005	3	3	100.00%
	December 2004	2	2	100.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	August 2004	2	2	100.00%
MR-3C Out of Service Cleared within 24 Hours Centrex Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	August 2004	0	0	0.00%

MR-3C Out of Service Cleared within 24 Hours Line Sharing Parity	July 2005	1	2	50.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	6	6	100.00%
	March 2005	2	2	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
	September 2004	10	10	100.00%
	August 2004	13	14	92.86%
	MR-3C Out of Service Cleared within 24 Hours Line Splitting Parity	July 2005	1	1
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		4	4	100.00%
March 2005		1	1	100.00%
February 2005		1	1	100.00%
January 2005		1	1	100.00%
December 2004		1	1	100.00%
November 2004		3	3	100.00%
October 2004		2	2	100.00%
September 2004		0	0	0.00%
August 2004		2	2	100.00%
MR-3C Out of Service Cleared within 24 Hours PBX Parity		July 2005	2	2
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-3C Out of Service Cleared within 24 Hours Residence Parity	July 2005	5	5
June 2005		9	9	100.00%
May 2005		5	5	100.00%
April 2005		2	2	100.00%
March 2005		3	3	100.00%
February 2005		3	3	100.00%
January 2005		2	2	100.00%
December 2004		4	4	100.00%
November 2004		7	7	100.00%
October 2004		4	4	100.00%
September 2004		7	8	87.50%
August 2004		8	8	100.00%
MR-3C Out of Service Cleared within 24 Hours UNE - P (POTS) Parity		July 2005	2	2
	June 2005	3	3	100.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%

	March 2005	1	1	100.00%
	February 2005	3	3	100.00%
	January 2005	7	7	100.00%
	December 2004	67	68	98.53%
	November 2004	61	62	98.39%
	October 2004	76	77	98.70%
	September 2004	92	94	97.87%
	August 2004	91	105	86.67%
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	2	2	100.00%
	August 2004	3	3	100.00%
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex) Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	3	3	100.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
	September 2004	2	2	100.00%
	August 2004	3	3	100.00%
MR-3D Out of Service Cleared within 24 Hours Qwest DSL Parity	July 2005	0	2	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	5	5	100.00%
	June 2005	6	6	100.00%
	May 2005	20	20	100.00%
	April 2005	24	24	100.00%
	March 2005	32	32	100.00%
	February 2005	20	20	100.00%
	January 2005	27	27	100.00%
	December 2004	34	35	97.14%

	November 2004	20	20	100.00%
	October 2004	20	20	100.00%
	September 2004	25	25	100.00%
	August 2004	21	21	100.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity	July 2005	12	12	100.00%
	June 2005	14	14	100.00%
	May 2005	4	4	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	7	7	100.00%
	December 2004	3	3	100.00%
	November 2004	1	1	100.00%
	October 2004	2	2	100.00%
	September 2004	3	3	100.00%
	August 2004	3	3	100.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity	July 2005	188	201	93.53%
	June 2005	140	154	90.91%
	May 2005	164	186	88.17%
	April 2005	128	132	96.97%
	March 2005	136	141	96.45%
	February 2005	108	111	97.30%
	January 2005	159	166	95.78%
	December 2004	141	147	95.92%
	November 2004	168	168	100.00%
	October 2004	149	157	94.90%
	September 2004	167	176	94.89%
	August 2004	171	199	85.93%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity	July 2005	13	13	100.00%
	June 2005	21	21	100.00%
	May 2005	18	18	100.00%
	April 2005	11	11	100.00%
	March 2005	16	16	100.00%
	February 2005	15	15	100.00%
	January 2005	13	14	92.86%
	December 2004	13	14	92.86%
	November 2004	9	10	90.00%
	October 2004	14	15	93.33%
	September 2004	6	6	100.00%
	August 2004	8	8	100.00%

MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	3	3	100.00%
	June 2005	2	2	100.00%
	May 2005	1	1	100.00%
	April 2005	7	7	100.00%
	March 2005	3	3	100.00%
	February 2005	4	4	100.00%
	January 2005	4	4	100.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
	October 2004	6	6	100.00%
	September 2004	2	2	100.00%
	August 2004	4	4	100.00%
	MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		3	3	100.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity		July 2005	41	43
	June 2005	21	21	100.00%
	May 2005	15	15	100.00%
	April 2005	22	23	95.65%
	March 2005	18	18	100.00%
	February 2005	11	11	100.00%
	January 2005	11	12	91.67%
	December 2004	13	13	100.00%
	November 2004	22	23	95.65%
	October 2004	19	19	100.00%
	September 2004	12	12	100.00%
	August 2004	9	9	100.00%
	MR-3E Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity	July 2005	9	9
June 2005		8	8	100.00%
May 2005		3	3	100.00%
April 2005		3	3	100.00%
March 2005		7	7	100.00%
February 2005		3	3	100.00%
January 2005		3	4	75.00%
December 2004		6	7	85.71%
November 2004		5	5	100.00%
October 2004		5	5	100.00%
September 2004		6	6	100.00%
August 2004		6	6	100.00%
MR-4A All Troubles Cleared within 48 Hours Business Parity		July 2005	4	4
	June 2005	4	4	100.00%
	May 2005	8	8	100.00%
	April 2005	6	6	100.00%

	March 2005	11	11	100.00%
	February 2005	10	10	100.00%
	January 2005	6	6	100.00%
	December 2004	21	21	100.00%
	November 2004	12	12	100.00%
	October 2004	11	11	100.00%
	September 2004	4	4	100.00%
	August 2004	11	11	100.00%
MR-4A All Troubles Cleared within 48 Hours Centrex Parity	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	August 2004	1	1	100.00%
MR-4A All Troubles Cleared within 48 Hours Centrex 21 Parity	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	2	2	100.00%
	March 2005	4	4	100.00%
	February 2005	4	4	100.00%
	January 2005	2	2	100.00%
	December 2004	3	3	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
	August 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours Line Sharing Parity	July 2005	0	0	0.00%
	June 2005	5	5	100.00%
	May 2005	4	4	100.00%
	April 2005	4	4	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	7	9	77.78%
	December 2004	7	8	87.50%
	November 2004	9	10	90.00%
	October 2004	13	16	81.25%
	September 2004	14	14	100.00%
	August 2004	5	5	100.00%
MR-4A All Troubles Cleared within 48 Hours Line Splitting Parity	July 2005	3	3	100.00%
	June 2005	6	6	100.00%
	May 2005	2	2	100.00%
	April 2005	3	3	100.00%
	March 2005	12	13	92.31%
	February 2005	6	6	100.00%
	January 2005	2	2	100.00%
	December 2004	4	5	80.00%

	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
	September 2004	8	8	100.00%
	August 2004	4	5	80.00%
MR-4A All Troubles Cleared within 48 Hours Residence Parity	July 2005	40	40	100.00%
	June 2005	48	49	97.96%
	May 2005	42	42	100.00%
	April 2005	40	40	100.00%
	March 2005	55	55	100.00%
	February 2005	36	36	100.00%
	January 2005	48	49	97.96%
	December 2004	44	45	97.78%
	November 2004	45	45	100.00%
	October 2004	56	56	100.00%
	September 2004	39	39	100.00%
	August 2004	42	44	95.45%
MR-4A All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	July 2005	16	16	100.00%
	June 2005	12	12	100.00%
	May 2005	13	14	92.86%
	April 2005	14	14	100.00%
	March 2005	23	23	100.00%
	February 2005	26	26	100.00%
	January 2005	42	42	100.00%
	December 2004	518	522	99.23%
	November 2004	459	462	99.35%
	October 2004	501	507	98.82%
	September 2004	506	510	99.22%
	August 2004	523	542	96.49%
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex 21) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	7	7	100.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
	September 2004	1	1	100.00%
	August 2004	3	3	100.00%
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	6	6	100.00%
	December 2004	15	15	100.00%
	November 2004	15	15	100.00%
	October 2004	11	11	100.00%
	September 2004	17	17	100.00%
	August 2004	12	13	92.31%

MR-4B All Troubles Cleared within 48 Hours Business Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	5	5	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
	August 2004	1	1	100.00%
	MR-4B All Troubles Cleared within 48 Hours PBX Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		2	2	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		1	1	100.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Residence Parity		July 2005	6	6
	June 2005	12	13	92.31%
	May 2005	6	6	100.00%
	April 2005	11	11	100.00%
	March 2005	7	7	100.00%
	February 2005	11	11	100.00%
	January 2005	11	11	100.00%
	December 2004	9	10	90.00%
	November 2004	7	7	100.00%
	October 2004	6	6	100.00%
	September 2004	3	4	75.00%
	August 2004	5	6	83.33%
	MR-4B All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	July 2005	2	2
June 2005		13	13	100.00%
May 2005		4	4	100.00%
April 2005		7	7	100.00%
March 2005		5	5	100.00%
February 2005		8	8	100.00%
January 2005		14	15	93.33%
December 2004		101	102	99.02%
November 2004		108	109	99.08%
October 2004		120	120	100.00%
September 2004		116	117	99.15%
August 2004		158	162	97.53%
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex) Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%

	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Business Parity	July 2005	2	2	100.00%
	June 2005	5	5	100.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	2	2	100.00%
	September 2004	1	1	100.00%
	August 2004	6	6	100.00%
MR-4C All Troubles Cleared within 48 Hours Centrex Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	August 2004	1	1	100.00%
MR-4C All Troubles Cleared within 48 Hours Line Sharing Parity	July 2005	3	3	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	6	6	100.00%
	March 2005	2	2	100.00%
	February 2005	2	2	100.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
	September 2004	10	10	100.00%
	August 2004	15	15	100.00%
MR-4C All Troubles Cleared within 48 Hours Line Splitting Parity	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	4	4	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	2	2	100.00%
	December 2004	3	3	100.00%

	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
	September 2004	0	0	0.00%
	August 2004	3	3	100.00%
MR-4C All Troubles Cleared within 48 Hours PBX Parity	July 2005	2	2	100.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Residence Parity	July 2005	11	11	100.00%
	June 2005	12	12	100.00%
	May 2005	10	10	100.00%
	April 2005	5	5	100.00%
	March 2005	11	11	100.00%
	February 2005	4	4	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	10	10	100.00%
	October 2004	6	6	100.00%
	September 2004	10	10	100.00%
	August 2004	10	10	100.00%
MR-4C All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	July 2005	6	6	100.00%
	June 2005	6	6	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	4	4	100.00%
	February 2005	7	7	100.00%
	January 2005	18	18	100.00%
	December 2004	127	127	100.00%
	November 2004	124	124	100.00%
	October 2004	158	158	100.00%
	September 2004	180	180	100.00%
	August 2004	215	224	95.98%
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	3	3	100.00%
	November 2004	2	2	100.00%
	October 2004	3	3	100.00%
	September 2004	3	3	100.00%
	August 2004	4	4	100.00%

MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex) Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	9	9	100.00%
	October 2004	4	4	100.00%
	September 2004	6	6	100.00%
	August 2004	7	7	100.00%
	MR-4D All Troubles Cleared within 48 Hours Qwest DSL Parity	July 2005	8	8
June 2005		5	5	100.00%
May 2005		11	11	100.00%
April 2005		9	9	100.00%
March 2005		10	10	100.00%
February 2005		5	5	100.00%
January 2005		8	8	100.00%
December 2004		4	4	100.00%
November 2004		6	7	85.71%
October 2004		5	5	100.00%
September 2004		0	0	0.00%
August 2004		1	1	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity		July 2005	7	7
	June 2005	8	8	100.00%
	May 2005	36	36	100.00%
	April 2005	33	33	100.00%
	March 2005	35	35	100.00%
	February 2005	27	27	100.00%
	January 2005	35	35	100.00%
	December 2004	53	53	100.00%
	November 2004	28	28	100.00%
	October 2004	30	30	100.00%
	September 2004	35	35	100.00%
	August 2004	26	26	100.00%
	MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		2	2	100.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
October 2004		1	1	100.00%
September 2004		0	0	0.00%
August 2004		1	1	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity		July 2005	15	15
	June 2005	26	26	100.00%
	May 2005	4	4	100.00%
	April 2005	0	0	0.00%

	March 2005	2	2	100.00%
	February 2005	3	3	100.00%
	January 2005	7	7	100.00%
	December 2004	4	4	100.00%
	November 2004	1	1	100.00%
	October 2004	3	3	100.00%
	September 2004	3	3	100.00%
	August 2004	3	3	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity	July 2005	244	245	99.59%
	June 2005	194	194	100.00%
	May 2005	235	253	92.89%
	April 2005	182	182	100.00%
	March 2005	202	202	100.00%
	February 2005	174	174	100.00%
	January 2005	218	220	99.09%
	December 2004	204	204	100.00%
	November 2004	209	209	100.00%
	October 2004	194	195	99.49%
	September 2004	228	229	99.56%
	August 2004	244	258	94.57%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity	July 2005	15	15	100.00%
	June 2005	26	26	100.00%
	May 2005	25	25	100.00%
	April 2005	15	15	100.00%
	March 2005	24	24	100.00%
	February 2005	21	21	100.00%
	January 2005	20	20	100.00%
	December 2004	24	24	100.00%
	November 2004	14	14	100.00%
	October 2004	17	17	100.00%
	September 2004	7	7	100.00%
	August 2004	17	17	100.00%
MR-4E All Troubles Cleared within 48 Hours Qwest DSL Parity	July 2005	4	5	80.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	3	3	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	3	3	100.00%
	June 2005	2	2	100.00%
	May 2005	1	1	100.00%
	April 2005	7	7	100.00%
	March 2005	4	4	100.00%
	February 2005	4	4	100.00%
	January 2005	4	4	100.00%
	December 2004	3	3	100.00%

	November 2004	6	6	100.00%
	October 2004	7	7	100.00%
	September 2004	2	2	100.00%
	August 2004	4	4	100.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	4	4	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity	July 2005	43	43	100.00%
	June 2005	24	24	100.00%
	May 2005	23	23	100.00%
	April 2005	30	30	100.00%
	March 2005	27	27	100.00%
	February 2005	15	15	100.00%
	January 2005	16	16	100.00%
	December 2004	17	17	100.00%
	November 2004	26	26	100.00%
	October 2004	22	22	100.00%
	September 2004	18	18	100.00%
	August 2004	19	19	100.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity	July 2005	9	9	100.00%
	June 2005	9	9	100.00%
	May 2005	5	5	100.00%
	April 2005	4	4	100.00%
	March 2005	8	8	100.00%
	February 2005	7	7	100.00%
	January 2005	4	4	100.00%
	December 2004	9	10	90.00%
	November 2004	5	5	100.00%
	October 2004	8	8	100.00%
	September 2004	7	7	100.00%
	August 2004	8	8	100.00%
MR-5A All Troubles Cleared within 4 Hours DS0 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	3	3	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
	August 2004	3	5	60.00%

MR-5A All Troubles Cleared within 4 Hours DS1 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	1	1	100.00%
	MR-5A All Troubles Cleared within 4 Hours E911 Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		1	1	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		1	1	100.00%
August 2004		0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS0 Capable Diagnostic		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	2	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity	July 2005	38	49
June 2005		32	41	78.05%
May 2005		40	59	67.80%
April 2005		36	47	76.60%
March 2005		33	42	78.57%
February 2005		29	40	72.50%
January 2005		33	46	71.74%
December 2004		38	49	77.55%
November 2004		33	47	70.21%
October 2004		36	47	76.60%
September 2004		27	32	84.38%
August 2004		31	46	67.39%
MR-5A All Troubles Cleared within 4 Hours LIS Trunk Parity		July 2005	10	10
	June 2005	8	9	88.89%
	May 2005	6	6	100.00%
	April 2005	3	3	100.00%

	March 2005	4	5	80.00%
	February 2005	4	4	100.00%
	January 2005	11	11	100.00%
	December 2004	3	4	75.00%
	November 2004	2	3	66.67%
	October 2004	7	7	100.00%
	September 2004	8	8	100.00%
	August 2004	9	9	100.00%
MR-5A All Troubles Cleared within 4 Hours	July 2005	0	0	0.00%
UDIT Above DS1 Level Parity	June 2005	3	4	75.00%
	May 2005	1	1	100.00%
	April 2005	2	2	100.00%
	March 2005	3	4	75.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	2	3	66.67%
	October 2004	2	2	100.00%
	September 2004	1	1	100.00%
	August 2004	1	1	100.00%
MR-5A All Troubles Cleared within 4 Hours	July 2005	1	1	100.00%
UDIT DS1 Parity	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours	July 2005	1	1	100.00%
Unbundled Loop - 4 Wire Non-Loaded Parity	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	2	50.00%
	August 2004	1	1	100.00%
MR-5A All Troubles Cleared within 4 Hours	July 2005	50	72	69.44%
Unbundled Loop - DS1 Capable Parity	June 2005	57	85	67.06%
	May 2005	58	88	65.91%
	April 2005	42	79	53.16%
	March 2005	65	96	67.71%
	February 2005	53	77	68.83%
	January 2005	63	91	69.23%
	December 2004	56	74	75.68%

	November 2004	57	84	67.86%
	October 2004	51	78	65.38%
	September 2004	51	76	67.11%
	August 2004	55	98	56.12%
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-5B All Troubles Cleared within 4 Hours DS0 Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		1	1	100.00%
April 2005		1	1	100.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours DS1 Parity		July 2005	1	1
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	6	7	85.71%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	1	1	100.00%
	MR-5B All Troubles Cleared within 4 Hours E911 Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		1	1	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004	0	0	0.00%	
August 2004	0	0	0.00%	

MR-5B All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity	July 2005	0	5	0.00%
	June 2005	9	12	75.00%
	May 2005	15	19	78.95%
	April 2005	0	5	0.00%
	March 2005	16	20	80.00%
	February 2005	11	15	73.33%
	January 2005	10	15	66.67%
	December 2004	2	2	100.00%
	November 2004	6	7	85.71%
	October 2004	11	14	78.57%
	September 2004	6	12	50.00%
	August 2004	10	15	66.67%
	MR-5B All Troubles Cleared within 4 Hours LIS Trunk Parity	July 2005	4	4
June 2005		2	2	100.00%
May 2005		2	2	100.00%
April 2005		2	3	66.67%
March 2005		5	5	100.00%
February 2005		0	1	0.00%
January 2005		3	3	100.00%
December 2004		2	4	50.00%
November 2004		5	5	100.00%
October 2004		0	1	0.00%
September 2004		1	1	100.00%
August 2004		4	4	100.00%
MR-5B All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-5B All Troubles Cleared within 4 Hours UDIT DS1 Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
October 2004		1	1	100.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity		July 2005	16	24
	June 2005	8	13	61.54%
	May 2005	10	22	45.45%
	April 2005	5	8	62.50%

	March 2005	10	11	90.91%
	February 2005	6	18	33.33%
	January 2005	4	5	80.00%
	December 2004	8	14	57.14%
	November 2004	6	12	50.00%
	October 2004	6	12	50.00%
	September 2004	6	10	60.00%
	August 2004	14	24	58.33%
MR-6A Mean Time to Restore Business Parity	July 2005	2.28125	4	13:41
	June 2005	1.97361111	4	11:50
	May 2005	5.11875	8	15:21
	April 2005	2.30972222	6	9:14
	March 2005	6.78819444	11	14:49
	February 2005	5.77083333	10	13:51
	January 2005	3.21111111	6	12:51
	December 2004	12.8826389	21	14:43
	November 2004	5.78958333	12	11:35
	October 2004	4.80625	11	10:29
	September 2004	2.11319444	4	12:41
	August 2004	5.29513889	11	11:33
MR-6A Mean Time to Restore Centrex Parity	July 2005	0	0	0:00
	June 2005	0.92986111	1	22:19
	May 2005	1.84027778	1	20:10
	April 2005	0	0	0:00
	March 2005	1.1375	2	13:39
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.23958333	1	5:45
	August 2004	0.21736111	1	5:13
MR-6A Mean Time to Restore Centrex 21 Parity	July 2005	0.76805556	2	9:13
	June 2005	0	0	0:00
	May 2005	1.28055556	3	10:15
	April 2005	1.71111111	2	20:32
	March 2005	1.27430556	4	7:39
	February 2005	0.67291667	4	4:02
	January 2005	2.75	2	9:00
	December 2004	0.91805556	3	7:21
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.25833333	2	3:06
	August 2004	0	0	0:00
MR-6A Mean Time to Restore Line Sharing Parity	July 2005	0	0	0:00
	June 2005	4.49444444	5	21:34
	May 2005	3.87430556	4	23:15
	April 2005	2.74097222	4	16:27
	March 2005	1.13611111	2	13:38
	February 2005	3.60902778	4	21:39
	January 2005	10.7513889	9	4:40
	December 2004	8.16111111	8	0:29

	November 2004	10.8125	10	1:57
	October 2004	15.9819444	16	23:58
	September 2004	15.53125	14	2:37
	August 2004	4.89722222	5	23:30
MR-6A Mean Time to Restore Line Splitting Parity	July 2005	2.52638889	3	20:13
	June 2005	4.16319444	6	16:39
	May 2005	1.05972222	2	12:43
	April 2005	2.42638889	3	19:25
	March 2005	11.9645833	13	22:05
	February 2005	4.77222222	6	19:05
	January 2005	2.26875	2	3:13
	December 2004	3.49166667	5	16:46
	November 2004	1.90763889	4	11:27
	October 2004	1.87708333	3	15:01
	September 2004	6.24305556	8	18:44
	August 2004	4.36805556	5	20:58
MR-6A Mean Time to Restore PBX Parity	July 2005	0.03194444	1	0:46
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.44930556	2	5:23
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6A Mean Time to Restore Residence Parity	July 2005	31.9590278	40	19:11
	June 2005	32.7895833	49	16:04
	May 2005	23.0465278	42	13:10
	April 2005	25.4625	40	15:17
	March 2005	25.4604167	55	11:07
	February 2005	24.3673611	36	16:15
	January 2005	34.5034722	49	16:54
	December 2004	37.2381944	45	19:52
	November 2004	35.6215278	45	19:00
	October 2004	36.9145833	56	15:49
	September 2004	26.4909722	39	16:18
	August 2004	34.2236111	44	18:40
MR-6A Mean Time to Restore UNE - P (POTS) Parity	July 2005	6.64930556	16	9:58
	June 2005	6.08888889	12	12:11
	May 2005	9.95833333	14	17:04
	April 2005	7.55902778	14	12:57
	March 2005	12.0236111	23	12:33
	February 2005	13.1625	26	12:09
	January 2005	19.0645833	42	10:54
	December 2004	294.780556	522	13:33
	November 2004	251.170833	462	13:03
	October 2004	268.029861	507	12:41
	September 2004	283.652778	510	13:21
	August 2004	350.374306	542	15:31

MR-6A Mean Time to Restore UNE P (Centrex 21) Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.24375	1	5:51
	December 2004	4.80972222	7	16:29
	November 2004	1.82152778	4	10:56
	October 2004	0.38888889	3	3:07
	September 2004	0.79375	1	19:03
	August 2004	0.55416667	3	4:26
	MR-6A Mean Time to Restore UNE P (Centrex) Parity	July 2005	0	0
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0.80555556	6	3:13
December 2004		2.67777778	15	4:17
November 2004		4.54305556	15	7:16
October 2004		4.19583333	11	9:09
September 2004		8.66527778	17	12:14
August 2004		10.1395833	13	18:43
MR-6B Mean Time to Restore Business Parity		July 2005	0	0
	June 2005	0	0	0:00
	May 2005	0.28472222	2	3:25
	April 2005	0.12638889	1	3:02
	March 2005	0.87569444	1	21:01
	February 2005	0.13819444	1	3:19
	January 2005	1.58263889	5	7:36
	December 2004	0.05	1	1:12
	November 2004	0.58888889	3	4:43
	October 2004	0	0	0:00
	September 2004	0.22152778	2	2:39
	August 2004	0.12430556	1	2:59
	MR-6B Mean Time to Restore Centrex 21 Parity	July 2005	0.825	1
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0.05	1	1:12
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
September 2004		0	0	0:00
August 2004		0	0	0:00
MR-6B Mean Time to Restore PBX Parity		July 2005	0	0
	June 2005	0	0	0:00
	May 2005	0.68194444	2	8:11
	April 2005	0	0	0:00

	March 2005	0	0	0:00
	February 2005	0.09861111	1	2:22
	January 2005	0	0	0:00
	December 2004	0.26597222	1	6:23
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6B Mean Time to Restore Residence Parity	July 2005	5.94861111	6	23:48
	June 2005	9.88472222	13	18:15
	May 2005	3.09930556	6	12:24
	April 2005	7.55694444	11	16:29
	March 2005	3.3	7	11:19
	February 2005	6.17430556	11	13:28
	January 2005	4.73055556	11	10:19
	December 2004	7.20069444	10	17:17
	November 2004	3.17638889	7	10:53
	October 2004	3.44444444	6	13:47
	September 2004	7.73402778	4	22:24
	August 2004	4.70902778	6	18:50
MR-6B Mean Time to Restore UNE - P (POTS) Parity	July 2005	0.59444444	2	7:08
	June 2005	4.74652778	13	8:46
	May 2005	1.56180556	4	9:22
	April 2005	2.38333333	7	8:10
	March 2005	0.82847222	5	3:59
	February 2005	2.54375	8	7:38
	January 2005	9.60138889	15	15:22
	December 2004	44.7097222	102	10:31
	November 2004	43.5625	109	9:36
	October 2004	47.0208333	120	9:24
	September 2004	56.6854167	117	11:38
	August 2004	87.2076389	162	12:55
MR-6B Mean Time to Restore UNE P (Centrex) Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.125	1	3:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6C Mean Time to Restore Business Parity	July 2005	0.02777778	2	0:20
	June 2005	0.75277778	5	3:37
	May 2005	0.02013889	2	0:14
	April 2005	0.03611111	1	0:52
	March 2005	0.26875	7	0:55
	February 2005	0.16319444	3	1:18
	January 2005	0.30833333	5	1:29
	December 2004	0.4375	5	2:06

	November 2004	0.74375	4	4:28
	October 2004	0.08402778	2	1:00
	September 2004	0.25833333	1	6:12
	August 2004	0.43125	6	1:43
MR-6C Mean Time to Restore Centrex 21 Parity	July 2005	0.09861111	1	2:22
	June 2005	0.8125	2	9:45
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.08472222	1	2:02
	December 2004	0	0	0:00
	November 2004	0.00277778	1	0:04
	October 2004	0.05347222	3	0:26
	September 2004	0.025	1	0:36
	August 2004	0	0	0:00
	MR-6C Mean Time to Restore Line Sharing Parity	July 2005	1.42847222	3
June 2005		0	0	0:00
May 2005		0.23680556	3	1:54
April 2005		0.9125	6	3:39
March 2005		0.19166667	2	2:18
February 2005		0.10694444	2	1:17
January 2005		0.06319444	2	0:45
December 2004		0.54375	2	6:31
November 2004		0	0	0:00
October 2004		2.11875	8	6:21
September 2004		1.05416667	10	2:32
August 2004		2.80833333	15	4:30
MR-6C Mean Time to Restore Line Splitting Parity		July 2005	0.06041667	1
	June 2005	0	0	0:00
	May 2005	0.00486111	4	0:02
	April 2005	0.58541667	4	3:31
	March 2005	0.23680556	1	5:41
	February 2005	0.86458333	2	10:22
	January 2005	0.20486111	2	2:27
	December 2004	0.12361111	3	0:59
	November 2004	0.32569444	4	1:57
	October 2004	0.59097222	3	4:44
	September 2004	0	0	0:00
	August 2004	0.60833333	3	4:52
	MR-6C Mean Time to Restore PBX Parity	July 2005	0.08263889	2
June 2005		0.03194444	1	0:46
May 2005		0.03611111	1	0:52
April 2005		0	0	0:00
March 2005		0.0125	1	0:18
February 2005		0	0	0:00
January 2005		0.02013889	1	0:29
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0.04097222	1	0:59
September 2004	0	0	0:00	
August 2004	0	0	0:00	

MR-6C Mean Time to Restore Residence Parity	July 2005	0.925	11	2:01
	June 2005	0.97847222	12	1:57
	May 2005	1.16041667	10	2:47
	April 2005	0.64513889	5	3:06
	March 2005	0.57847222	11	1:16
	February 2005	0.94513889	4	5:40
	January 2005	0.51944444	5	2:30
	December 2004	1.96319444	5	9:25
	November 2004	3.18125	10	7:38
	October 2004	2.04236111	6	8:10
	September 2004	4.00902778	10	9:37
	August 2004	2.31944444	10	5:34
	MR-6C Mean Time to Restore UNE - P (POTS) Parity	July 2005	0.70486111	6
June 2005		0.07222222	6	0:17
May 2005		0.07083333	3	0:34
April 2005		0.28125	5	1:21
March 2005		0.22222222	4	1:20
February 2005		0.41527778	7	1:25
January 2005		1.42986111	18	1:54
December 2004		20.3486111	127	3:51
November 2004		19.6958333	124	3:49
October 2004		20.5069444	158	3:07
September 2004		29.9055556	180	3:59
August 2004		60.4986111	224	6:29
MR-6C Mean Time to Restore UNE P (Centrex 21) Parity		July 2005	0	0
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.1875	3	1:30
	November 2004	0.00763889	2	0:05
	October 2004	0.33888889	3	2:43
	September 2004	0.15	3	1:12
	August 2004	0.2375	4	1:25
	MR-6C Mean Time to Restore UNE P (Centrex) Parity	July 2005	0	0
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0.31736111	5	1:31
December 2004		1.42986111	5	6:52
November 2004		1.47916667	9	3:57
October 2004		0.45486111	4	2:44
September 2004		0.42638889	6	1:42
August 2004		0.55902778	7	1:55
MR-6D Mean Time to Restore Dark Fiber - Loop Parity		July 2005	0	0
	June 2005	0	0	0:00
	May 2005	0.00555556	1	0:08
	April 2005	0	0	0:00

	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.85486111	1	20:31
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6D Mean Time to Restore DS0 Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.14513889	3	1:10
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.22638889	2	2:43
	August 2004	1.26805556	5	6:05
MR-6D Mean Time to Restore DS1 Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.02430556	1	0:35
	March 2005	0.26875	1	6:27
	February 2005	0.25486111	1	6:07
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.01944444	1	0:28
	September 2004	0	0	0:00
	August 2004	0.04027778	1	0:58
MR-6D Mean Time to Restore E911 Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.02569444	1	0:37
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.05277778	1	1:16
	August 2004	0	0	0:00
MR-6D Mean Time to Restore Enhanced Extended Loops - DS0 Capable Diagnostic	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00

	November 2004	0	0	0:00
	October 2004	0.12152778	2	1:28
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6D Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity	July 2005	6.39722222	49	3:08
	June 2005	4.88472222	41	2:52
	May 2005	11.3541667	59	4:37
	April 2005	7.08541667	47	3:37
	March 2005	5.58055556	42	3:11
	February 2005	5.59861111	40	3:22
	January 2005	6.35416667	46	3:19
	December 2004	9.73333333	49	4:46
	November 2004	5.58472222	47	2:51
	October 2004	5.89027778	47	3:00
	September 2004	3.67916667	32	2:46
	August 2004	6.57083333	46	3:26
	MR-6D Mean Time to Restore LIS Trunk Parity	July 2005	0.56736111	10
June 2005		0.56944444	9	1:31
May 2005		0.16458333	6	0:39
April 2005		0.15277778	3	1:13
March 2005		0.39861111	5	1:55
February 2005		0.14166667	4	0:51
January 2005		0.57013889	11	1:15
December 2004		0.46388889	4	2:47
November 2004		0.40208333	3	3:13
October 2004		0.36111111	7	1:14
September 2004		0.34305556	8	1:02
August 2004		0.38125	9	1:01
MR-6D Mean Time to Restore Qwest DSL Parity		July 2005	5.55763889	8
	June 2005	0.95486111	5	4:35
	May 2005	3.49444444	11	7:37
	April 2005	2.75069444	9	7:20
	March 2005	1.95833333	10	4:42
	February 2005	0.24930556	5	1:12
	January 2005	3.12986111	8	9:23
	December 2004	0.08958333	4	0:32
	November 2004	8.41458333	7	4:51
	October 2004	1.16944444	5	5:37
	September 2004	0	0	0:00
	August 2004	0.05555556	1	1:20
	MR-6D Mean Time to Restore UDIT Above DS1 Level Parity	July 2005	0	0
June 2005		0.8875	4	5:19
May 2005		0.0625	1	1:30
April 2005		0.15555556	2	1:52
March 2005		0.45486111	4	2:44
February 2005		0.10138889	1	2:26
January 2005		0	0	0:00
December 2004		0.07777778	1	1:52
November 2004		0.47152778	3	3:46
October 2004		0.13888889	2	1:40
September 2004		0.06805556	1	1:38
August 2004		0.05277778	1	1:16

MR-6D Mean Time to Restore UDIT DS1 Parity	July 2005	0.09791667	1	2:21
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.05486111	1	1:19
	September 2004	0	0	0:00
	August 2004	0	0	0:00
	MR-6D Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	1.00069444	7
June 2005		0.60625	8	1:49
May 2005		5.98819444	36	4:00
April 2005		5.38055556	33	3:55
March 2005		3.92638889	35	2:42
February 2005		5.20763889	27	4:38
January 2005		6.18055556	35	4:14
December 2004		8.56527778	53	3:53
November 2004		3.74236111	28	3:12
October 2004		3.41875	30	2:44
September 2004		4.30972222	35	2:57
August 2004		2.23125	26	2:04
MR-6D Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Parity		July 2005	0.14027778	1
	June 2005	0	0	0:00
	May 2005	0.1125	1	2:42
	April 2005	0	0	0:00
	March 2005	0.14513889	2	1:44
	February 2005	0.17430556	1	4:11
	January 2005	0	0	0:00
	December 2004	0.08888889	1	2:08
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.45277778	2	5:26
	August 2004	0.05694444	1	1:22
	MR-6D Mean Time to Restore Unbundled Loop - ADSL Qualified Parity	July 2005	0	0
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0.175	2	2:06
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0.0875	1	2:06
November 2004		0	0	0:00
October 2004		0.14097222	1	3:23
September 2004		0	0	0:00
August 2004		0.15069444	1	3:37
MR-6D Mean Time to Restore Unbundled Loop - DS1 Capable Parity		July 2005	11.8166667	72
	June 2005	14.2756944	85	4:02
	May 2005	23.8013889	88	6:29
	April 2005	18.4291667	79	5:36

	March 2005	15.9270833	96	3:59
	February 2005	11.5826389	77	3:37
	January 2005	17.3597222	91	4:35
	December 2004	10.5416667	74	3:25
	November 2004	13.0888889	84	3:44
	October 2004	13.0555556	78	4:01
	September 2004	14.5756944	76	4:36
	August 2004	21.9145833	98	5:22
MR-6D Mean Time to Restore Unbundled Loop - DS3 Capable Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.03055556	1	0:44
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6D Mean Time to Restore Unbundled Loop - XDSLi Parity	July 2005	2.33888889	15	3:45
	June 2005	4.13333333	26	3:49
	May 2005	0.80625	4	4:50
	April 2005	0	0	0:00
	March 2005	0.28472222	2	3:25
	February 2005	0.56666667	3	4:32
	January 2005	0.68263889	7	2:20
	December 2004	0.28125	4	1:41
	November 2004	0.05486111	1	1:19
	October 2004	0.28055556	3	2:15
	September 2004	0.46319444	3	3:42
	August 2004	0.20138889	3	1:37
MR-6D Mean Time to Restore Unbundled Loop Analog Parity	July 2005	118.3	245	11:35
	June 2005	84.9222222	194	10:30
	May 2005	150.4375	253	14:16
	April 2005	78.2451389	182	10:19
	March 2005	68.3395833	202	8:07
	February 2005	50.1590278	174	6:55
	January 2005	101.20625	220	11:02
	December 2004	60.8770833	204	7:10
	November 2004	64.4368056	209	7:24
	October 2004	75.6236111	195	9:18
	September 2004	88.4013889	229	9:16
	August 2004	131.250694	258	12:13
MR-6D Mean Time to Restore Unbundled Loop ISDN Capable Parity	July 2005	3.06319444	15	4:54
	June 2005	4.21666667	26	3:54
	May 2005	3.8875	25	3:44
	April 2005	2.52291667	15	4:02
	March 2005	3.53541667	24	3:32
	February 2005	3.77916667	21	4:19
	January 2005	5.64236111	20	6:46
	December 2004	4.61388889	24	4:37

	November 2004	3.47361111	14	5:57
	October 2004	2.775	17	3:55
	September 2004	1.06597222	7	3:39
	August 2004	2.50069444	17	3:32
MR-6E Mean Time to Restore DS0 Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.11597222	1	2:47
	April 2005	0.0125	1	0:18
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6E Mean Time to Restore DS1 Parity	July 2005	0.09444444	1	2:16
	June 2005	0.03958333	2	0:28
	May 2005	0	0	0:00
	April 2005	0.63263889	7	2:10
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.09305556	1	2:14
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0.04652778	1	1:07
MR-6E Mean Time to Restore E911 Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.025	1	0:36
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.02708333	1	0:39
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6E Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity	July 2005	1.29652778	5	6:13
	June 2005	1.3375	12	2:40
	May 2005	2.47916667	19	3:08
	April 2005	1.58888889	5	7:38
	March 2005	2.49722222	20	3:00
	February 2005	2.3625	15	3:47
	January 2005	2.49097222	15	3:59
	December 2004	0.04166667	2	0:30
	November 2004	0.73402778	7	2:31
	October 2004	1.93541667	14	3:19
	September 2004	2.34375	12	4:41
	August 2004	2.50486111	15	4:00

MR-6E Mean Time to Restore ISDN Primary Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.16805556	2	2:01
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
	MR-6E Mean Time to Restore LIS Trunk Parity	July 2005	0.17291667	4
June 2005		0.14166667	2	1:42
May 2005		0.04305556	2	0:31
April 2005		0.40833333	3	3:16
March 2005		0.37222222	5	1:47
February 2005		0.42638889	1	10:14
January 2005		0.04861111	3	0:23
December 2004		0.87083333	4	5:13
November 2004		0.49652778	5	2:23
October 2004		0.70069444	1	16:49
September 2004		0.14166667	1	3:24
August 2004		0.17291667	4	1:02
MR-6E Mean Time to Restore Qwest DSL Parity		July 2005	4.36458333	5
	June 2005	0	0	0:00
	May 2005	1.9	1	21:36
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.15763889	3	1:16
	December 2004	0	0	0:00
	November 2004	0.00069444	1	0:01
	October 2004	0.80555556	1	19:20
	September 2004	0	0	0:00
	August 2004	0	0	0:00
	MR-6E Mean Time to Restore UDIT DS1 Parity	July 2005	0	0
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0.03333333	1	0:48
November 2004		0	0	0:00
October 2004		0.09097222	1	2:11
September 2004		0	0	0:00
August 2004		0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity		July 2005	0.35763889	3
	June 2005	0.18819444	2	2:16
	May 2005	0.36875	1	8:51
	April 2005	1.00069444	7	3:26

	March 2005	0.30972222	4	1:52
	February 2005	0.44513889	4	2:40
	January 2005	0.83958333	4	5:02
	December 2004	0.35138889	3	2:49
	November 2004	1.27430556	6	5:06
	October 2004	0.94513889	7	3:14
	September 2004	0.125	2	1:30
	August 2004	0.18611111	4	1:07
MR-6E Mean Time to Restore Unbundled Loop - ADSL Qualified Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0.25486111	4	1:32
	February 2005	0	0	0:00
	January 2005	0.0375	1	0:54
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - DS1 Capable Parity	July 2005	3.08888889	24	3:05
	June 2005	1.99305556	13	3:41
	May 2005	4.98472222	22	5:26
	April 2005	1.33055556	8	4:00
	March 2005	1.23958333	11	2:42
	February 2005	5.49444444	18	7:20
	January 2005	0.50347222	5	2:25
	December 2004	2.61388889	14	4:29
	November 2004	2.29375	12	4:35
	October 2004	4.19930556	12	8:24
	September 2004	2.45625	10	5:54
	August 2004	4.16319444	24	4:10
MR-6E Mean Time to Restore Unbundled Loop Analog Parity	July 2005	17.1777778	43	9:35
	June 2005	5.14861111	24	5:09
	May 2005	8.41180556	23	8:47
	April 2005	9.45833333	30	7:34
	March 2005	8.48472222	27	7:33
	February 2005	5.53333333	15	8:51
	January 2005	9.95763889	16	14:56
	December 2004	3.55625	17	5:01
	November 2004	5.66875	26	5:14
	October 2004	5.73194444	22	6:15
	September 2004	5.35625	18	7:09
	August 2004	3.10277778	19	3:55
MR-6E Mean Time to Restore Unbundled Loop ISDN Capable Parity	July 2005	1.54791667	9	4:08
	June 2005	1.6125	9	4:18
	May 2005	1.17222222	5	5:38
	April 2005	0.64444444	4	3:52
	March 2005	1.31388889	8	3:57
	February 2005	2.46388889	7	8:27
	January 2005	2.22222222	4	13:20
	December 2004	7.84652778	10	18:50

	November 2004	0.79513889	5	3:49
	October 2004	1.01597222	8	3:03
	September 2004	0.75277778	7	2:35
	August 2004	1.64444444	8	4:56
MR-7A Repair Repeat Report Rate Business Parity	July 2005	0	0	0.00%
	June 2005	1	4	25.00%
	May 2005	0	8	0.00%
	April 2005	0	6	0.00%
	March 2005	2	11	18.18%
	February 2005	0	10	0.00%
	January 2005	1	6	16.67%
	December 2004	1	21	4.76%
	November 2004	1	12	8.33%
	October 2004	2	12	16.67%
	September 2004	0	4	0.00%
	August 2004	0	11	0.00%
MR-7A Repair Repeat Report Rate Centrex Parity	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	1	0.00%
	August 2004	0	1	0.00%
MR-7A Repair Repeat Report Rate Centrex 21 Parity	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	1	3	33.33%
	April 2005	0	2	0.00%
	March 2005	0	4	0.00%
	February 2005	2	4	50.00%
	January 2005	0	2	0.00%
	December 2004	1	3	33.33%
	November 2004	0	1	0.00%
	October 2004	0	0	0.00%
	September 2004	0	2	0.00%
	August 2004	0	0	0.00%
MR-7A Repair Repeat Report Rate Line Sharing Parity	July 2005	0	0	0.00%
	June 2005	0	5	0.00%
	May 2005	2	5	40.00%
	April 2005	1	5	20.00%
	March 2005	0	2	0.00%
	February 2005	1	4	25.00%
	January 2005	2	9	22.22%
	December 2004	2	9	22.22%
	November 2004	1	10	10.00%
	October 2004	2	16	12.50%
	September 2004	1	16	6.25%
	August 2004	2	6	33.33%

MR-7A Repair Repeat Report Rate Line Splitting Parity	July 2005	0	0	0.00%
	June 2005	0	6	0.00%
	May 2005	0	2	0.00%
	April 2005	0	3	0.00%
	March 2005	1	13	7.69%
	February 2005	0	6	0.00%
	January 2005	1	2	50.00%
	December 2004	0	5	0.00%
	November 2004	0	4	0.00%
	October 2004	0	3	0.00%
	September 2004	0	8	0.00%
	August 2004	1	7	14.29%
MR-7A Repair Repeat Report Rate PBX Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	2	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-7A Repair Repeat Report Rate Residence Parity	July 2005	0	0	0.00%
	June 2005	1	52	1.92%
	May 2005	2	44	4.55%
	April 2005	1	44	2.27%
	March 2005	3	58	5.17%
	February 2005	0	36	0.00%
	January 2005	3	50	6.00%
	December 2004	2	46	4.35%
	November 2004	1	47	2.13%
	October 2004	6	59	10.17%
	September 2004	5	40	12.50%
	August 2004	2	45	4.44%
MR-7A Repair Repeat Report Rate UNE - P (POTS) Parity	July 2005	0	0	0.00%
	June 2005	2	12	16.67%
	May 2005	2	14	14.29%
	April 2005	2	14	14.29%
	March 2005	1	23	4.35%
	February 2005	4	27	14.81%
	January 2005	4	44	9.09%
	December 2004	50	538	9.29%
	November 2004	38	478	7.95%
	October 2004	38	520	7.31%
	September 2004	40	520	7.69%
	August 2004	49	548	8.94%
MR-7A Repair Repeat Report Rate UNE P (Centrex 21) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%

	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	1	7	14.29%
	November 2004	0	4	0.00%
	October 2004	0	3	0.00%
	September 2004	0	1	0.00%
	August 2004	1	3	33.33%
MR-7A Repair Repeat Report Rate UNE P (Centrex) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	7	0.00%
	December 2004	0	16	0.00%
	November 2004	2	16	12.50%
	October 2004	0	11	0.00%
	September 2004	0	18	0.00%
	August 2004	0	14	0.00%
MR-7B Repair Repeat Report Rate Business Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	2	0.00%
	April 2005	0	1	0.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	1	5	20.00%
	December 2004	0	1	0.00%
	November 2004	0	4	0.00%
	October 2004	0	0	0.00%
	September 2004	0	2	0.00%
	August 2004	0	1	0.00%
MR-7B Repair Repeat Report Rate Centrex 21 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Residence Parity	July 2005	0	0	0.00%
	June 2005	1	13	7.69%
	May 2005	2	6	33.33%
	April 2005	1	11	9.09%
	March 2005	0	8	0.00%
	February 2005	1	11	9.09%
	January 2005	1	11	9.09%
	December 2004	0	10	0.00%

	November 2004	1	8	12.50%
	October 2004	1	6	16.67%
	September 2004	0	4	0.00%
	August 2004	0	6	0.00%
MR-7B Repair Repeat Report Rate UNE - P (POTS) Parity	July 2005	0	0	0.00%
	June 2005	2	13	15.38%
	May 2005	1	4	25.00%
	April 2005	0	7	0.00%
	March 2005	0	5	0.00%
	February 2005	0	9	0.00%
	January 2005	0	15	0.00%
	December 2004	8	105	7.62%
	November 2004	10	111	9.01%
	October 2004	9	123	7.32%
	September 2004	16	119	13.45%
	August 2004	16	165	9.70%
MR-7B Repair Repeat Report Rate UNE P (Centrex) Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-7C Repair Repeat Report Rate Business Parity	July 2005	0	0	0.00%
	June 2005	0	5	0.00%
	May 2005	0	2	0.00%
	April 2005	0	1	0.00%
	March 2005	1	7	14.29%
	February 2005	0	3	0.00%
	January 2005	1	5	20.00%
	December 2004	0	5	0.00%
	November 2004	2	4	50.00%
	October 2004	0	2	0.00%
	September 2004	0	1	0.00%
	August 2004	0	6	0.00%
MR-7C Repair Repeat Report Rate Centrex 21 Parity	July 2005	0	0	0.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	3	0.00%
	September 2004	1	1	100.00%
	August 2004	0	0	0.00%

MR-7C Repair Repeat Report Rate Line Sharing Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	3	0.00%
	April 2005	2	6	33.33%
	March 2005	1	2	50.00%
	February 2005	1	2	50.00%
	January 2005	0	2	0.00%
	December 2004	0	2	0.00%
	November 2004	0	0	0.00%
	October 2004	1	9	11.11%
	September 2004	5	11	45.45%
	August 2004	6	16	37.50%
	MR-7C Repair Repeat Report Rate Line Splitting Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	4	0.00%
April 2005		0	4	0.00%
March 2005		1	1	100.00%
February 2005		0	2	0.00%
January 2005		1	2	50.00%
December 2004		0	3	0.00%
November 2004		0	4	0.00%
October 2004		0	4	0.00%
September 2004		0	0	0.00%
August 2004		0	3	0.00%
MR-7C Repair Repeat Report Rate PBX Parity		July 2005	0	0
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-7C Repair Repeat Report Rate Residence Parity	July 2005	0	0
June 2005		2	12	16.67%
May 2005		0	10	0.00%
April 2005		0	5	0.00%
March 2005		3	11	27.27%
February 2005		1	4	25.00%
January 2005		1	5	20.00%
December 2004		0	5	0.00%
November 2004		2	10	20.00%
October 2004		0	6	0.00%
September 2004		1	10	10.00%
August 2004		1	10	10.00%
MR-7C Repair Repeat Report Rate UNE - P (POTS) Parity		July 2005	0	0
	June 2005	1	6	16.67%
	May 2005	0	3	0.00%
	April 2005	1	5	20.00%

	March 2005	1	4	25.00%
	February 2005	1	7	14.29%
	January 2005	1	18	5.56%
	December 2004	15	127	11.81%
	November 2004	13	125	10.40%
	October 2004	24	158	15.19%
	September 2004	25	181	13.81%
	August 2004	37	224	16.52%
MR-7C Repair Repeat Report Rate UNE P (Centrex 21) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	3	33.33%
	November 2004	1	2	50.00%
	October 2004	1	3	33.33%
	September 2004	1	3	33.33%
	August 2004	0	4	0.00%
MR-7C Repair Repeat Report Rate UNE P (Centrex) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	5	20.00%
	December 2004	2	5	40.00%
	November 2004	0	9	0.00%
	October 2004	0	4	0.00%
	September 2004	1	6	16.67%
	August 2004	1	7	14.29%
MR-7D Repair Repeat Report Rate DS0 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	3	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	2	0.00%
	August 2004	3	5	60.00%
MR-7D Repair Repeat Report Rate DS1 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%

	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
	August 2004	0	1	0.00%
MR-7D Repair Repeat Report Rate	July 2005	0	0	0.00%
Enhanced Extended Loops - DS0 Capable Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	2	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate	July 2005	0	0	0.00%
Enhanced Extended Loops - DS1 Capable Parity	June 2005	6	41	14.63%
	May 2005	4	59	6.78%
	April 2005	10	46	21.74%
	March 2005	4	42	9.52%
	February 2005	12	40	30.00%
	January 2005	11	46	23.91%
	December 2004	6	49	12.24%
	November 2004	8	47	17.02%
	October 2004	15	47	31.91%
	September 2004	1	32	3.13%
	August 2004	5	46	10.87%
MR-7D Repair Repeat Report Rate	July 2005	0	0	0.00%
Enhanced Extended Loops - DS3 Capable Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	1	0.00%
	August 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate ISDN Primary Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%

MR-7D Repair Repeat Report Rate LIS Trunk Parity	July 2005	0	0	0.00%
	June 2005	1	9	11.11%
	May 2005	0	6	0.00%
	April 2005	0	3	0.00%
	March 2005	0	5	0.00%
	February 2005	0	4	0.00%
	January 2005	1	11	9.09%
	December 2004	0	4	0.00%
	November 2004	0	3	0.00%
	October 2004	0	7	0.00%
	September 2004	0	8	0.00%
	August 2004	0	9	0.00%
	MR-7D Repair Repeat Report Rate Qwest DSL Parity	July 2005	0	0
June 2005		1	5	20.00%
May 2005		0	11	0.00%
April 2005		1	10	10.00%
March 2005		1	10	10.00%
February 2005		1	5	20.00%
January 2005		1	8	12.50%
December 2004		1	4	25.00%
November 2004		1	7	14.29%
October 2004		0	5	0.00%
September 2004		0	0	0.00%
August 2004		0	1	0.00%
MR-7D Repair Repeat Report Rate UDIT Above DS1 Level Parity		July 2005	0	0
	June 2005	0	4	0.00%
	May 2005	1	1	100.00%
	April 2005	0	2	0.00%
	March 2005	0	4	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	3	0.00%
	October 2004	1	2	50.00%
	September 2004	0	1	0.00%
	August 2004	0	1	0.00%
	MR-7D Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	0	0
June 2005		0	8	0.00%
May 2005		0	36	0.00%
April 2005		2	33	6.06%
March 2005		1	35	2.86%
February 2005		1	27	3.70%
January 2005		4	35	11.43%
December 2004		6	53	11.32%
November 2004		1	28	3.57%
October 2004		0	30	0.00%
September 2004		3	35	8.57%
August 2004		3	26	11.54%
MR-7D Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%

	March 2005	0	2	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	2	0.00%
	August 2004	0	1	0.00%
MR-7D Repair Repeat Report Rate	July 2005	0	0	0.00%
Unbundled Loop - ADSL Qualified Parity	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
	August 2004	0	1	0.00%
MR-7D Repair Repeat Report Rate	July 2005	0	0	0.00%
Unbundled Loop - DS1 Capable Parity	June 2005	8	85	9.41%
	May 2005	15	88	17.05%
	April 2005	14	80	17.50%
	March 2005	14	96	14.58%
	February 2005	9	77	11.69%
	January 2005	12	91	13.19%
	December 2004	12	74	16.22%
	November 2004	12	84	14.29%
	October 2004	17	78	21.79%
	September 2004	14	76	18.42%
	August 2004	18	98	18.37%
MR-7D Repair Repeat Report Rate	July 2005	0	0	0.00%
Unbundled Loop Analog Parity	June 2005	9	194	4.64%
	May 2005	17	253	6.72%
	April 2005	14	182	7.69%
	March 2005	13	202	6.44%
	February 2005	16	174	9.20%
	January 2005	14	220	6.36%
	December 2004	13	204	6.37%
	November 2004	22	209	10.53%
	October 2004	12	195	6.15%
	September 2004	10	229	4.37%
	August 2004	20	258	7.75%
MR-7D Repair Repeat Report Rate	July 2005	0	0	0.00%
Unbundled Loop ISDN Capable Parity	June 2005	5	26	19.23%
	May 2005	3	25	12.00%
	April 2005	2	15	13.33%
	March 2005	0	24	0.00%
	February 2005	4	21	19.05%
	January 2005	2	20	10.00%
	December 2004	2	24	8.33%

	November 2004	2	14	14.29%
	October 2004	1	17	5.88%
	September 2004	1	7	14.29%
	August 2004	0	17	0.00%
MR-7E Repair Repeat Report Rate DS0 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate DS1 Parity	July 2005	0	0	0.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	1	8	12.50%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	1	0.00%
MR-7E Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity	July 2005	0	0	0.00%
	June 2005	4	12	33.33%
	May 2005	2	19	10.53%
	April 2005	1	5	20.00%
	March 2005	6	20	30.00%
	February 2005	5	15	33.33%
	January 2005	1	15	6.67%
	December 2004	0	2	0.00%
	November 2004	0	7	0.00%
	October 2004	3	14	21.43%
	September 2004	0	12	0.00%
	August 2004	0	15	0.00%
MR-7E Repair Repeat Report Rate ISDN Primary Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%

MR-7E Repair Repeat Report Rate LIS Trunk Parity	July 2005	0	0	0.00%
	June 2005	0	2	0.00%
	May 2005	0	2	0.00%
	April 2005	0	3	0.00%
	March 2005	1	5	20.00%
	February 2005	0	1	0.00%
	January 2005	0	3	0.00%
	December 2004	0	4	0.00%
	November 2004	0	5	0.00%
	October 2004	0	1	0.00%
	September 2004	0	1	0.00%
	August 2004	0	4	0.00%
	MR-7E Repair Repeat Report Rate Qwest DSL Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	1	0.00%
April 2005		0	1	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		2	3	66.67%
December 2004		0	0	0.00%
November 2004		0	1	0.00%
October 2004		0	1	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-7E Repair Repeat Report Rate UDIT Above DS1 Level Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-7E Repair Repeat Report Rate UDIT DS1 Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	0	0.00%
October 2004		0	1	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-7E Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity		July 2005	0	0
	June 2005	0	2	0.00%
	May 2005	0	1	0.00%
	April 2005	0	7	0.00%

	March 2005	0	4	0.00%
	February 2005	0	4	0.00%
	January 2005	0	4	0.00%
	December 2004	0	3	0.00%
	November 2004	0	6	0.00%
	October 2004	2	7	28.57%
	September 2004	0	2	0.00%
	August 2004	0	4	0.00%
MR-7E Repair Repeat Report Rate	July 2005	0	0	0.00%
Unbundled Loop - ADSL Qualified Parity	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	2	4	50.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate	July 2005	0	0	0.00%
Unbundled Loop - DS1 Capable Parity	June 2005	0	13	0.00%
	May 2005	4	22	18.18%
	April 2005	1	8	12.50%
	March 2005	0	11	0.00%
	February 2005	5	18	27.78%
	January 2005	1	5	20.00%
	December 2004	1	14	7.14%
	November 2004	0	12	0.00%
	October 2004	2	12	16.67%
	September 2004	1	10	10.00%
	August 2004	4	24	16.67%
MR-7E Repair Repeat Report Rate	July 2005	0	0	0.00%
Unbundled Loop Analog Parity	June 2005	0	24	0.00%
	May 2005	1	23	4.35%
	April 2005	0	30	0.00%
	March 2005	0	27	0.00%
	February 2005	1	15	6.67%
	January 2005	3	16	18.75%
	December 2004	1	17	5.88%
	November 2004	0	26	0.00%
	October 2004	2	22	9.09%
	September 2004	1	18	5.56%
	August 2004	1	19	5.26%
MR-7E Repair Repeat Report Rate	July 2005	0	0	0.00%
Unbundled Loop ISDN Capable Parity	June 2005	0	9	0.00%
	May 2005	0	5	0.00%
	April 2005	0	4	0.00%
	March 2005	1	8	12.50%
	February 2005	1	7	14.29%
	January 2005	2	4	50.00%
	December 2004	1	10	10.00%

	November 2004	1	5	20.00%
	October 2004	1	8	12.50%
	September 2004	0	7	0.00%
	August 2004	1	8	12.50%
MR-8 Trouble Rate Basic Rate ISDN Parity	July 2005	0	11	0.00%
	June 2005	0	11	0.00%
	May 2005	0	11	0.00%
	April 2005	0	12	0.00%
	March 2005	0	12	0.00%
	February 2005	0	12	0.00%
	January 2005	0	12	0.00%
	December 2004	0	12	0.00%
	November 2004	0	12	0.00%
	October 2004	0	14	0.00%
	September 2004	0	16	0.00%
	August 2004	0	19	0.00%
MR-8 Trouble Rate Business Parity	July 2005	6	2393	0.25%
	June 2005	9	2398	0.38%
	May 2005	12	2377	0.50%
	April 2005	8	2366	0.34%
	March 2005	19	2554	0.74%
	February 2005	14	3173	0.44%
	January 2005	16	3315	0.48%
	December 2004	27	4276	0.63%
	November 2004	20	4193	0.48%
	October 2004	14	3400	0.41%
	September 2004	7	3434	0.20%
	August 2004	18	3488	0.52%
MR-8 Trouble Rate Centrex Parity	July 2005	0	437	0.00%
	June 2005	1	437	0.23%
	May 2005	1	445	0.22%
	April 2005	0	445	0.00%
	March 2005	2	450	0.44%
	February 2005	0	456	0.00%
	January 2005	0	457	0.00%
	December 2004	0	464	0.00%
	November 2004	0	849	0.00%
	October 2004	0	849	0.00%
	September 2004	2	872	0.23%
	August 2004	2	876	0.23%
MR-8 Trouble Rate Centrex 21 Parity	July 2005	5	845	0.59%
	June 2005	3	740	0.41%
	May 2005	3	663	0.45%
	April 2005	2	646	0.31%
	March 2005	5	649	0.77%
	February 2005	4	650	0.62%
	January 2005	3	596	0.50%
	December 2004	3	488	0.61%
	November 2004	2	457	0.44%
	October 2004	3	287	1.05%
	September 2004	3	287	1.05%
	August 2004	0	247	0.00%

MR-8 Trouble Rate DS0 Parity	July 2005	0	694	0.00%	
	June 2005	0	770	0.00%	
	May 2005	1	844	0.12%	
	April 2005	1	843	0.12%	
	March 2005	0	844	0.00%	
	February 2005	0	845	0.00%	
	January 2005	0	508	0.00%	
	December 2004	3	509	0.59%	
	November 2004	0	513	0.00%	
	October 2004	0	528	0.00%	
	September 2004	2	604	0.33%	
	August 2004	5	612	0.82%	
	MR-8 Trouble Rate DS1 Parity	July 2005	1	77	1.30%
		June 2005	2	79	2.53%
May 2005		0	79	0.00%	
April 2005		8	77	10.39%	
March 2005		1	82	1.22%	
February 2005		1	81	1.23%	
January 2005		0	84	0.00%	
December 2004		1	83	1.20%	
November 2004		0	86	0.00%	
October 2004		1	89	1.12%	
September 2004		0	113	0.00%	
August 2004		2	109	1.83%	
MR-8 Trouble Rate DS3 Parity		July 2005	0	8	0.00%
		June 2005	1	8	12.50%
	May 2005	0	0	0.00%	
	April 2005	0	0	0.00%	
	March 2005	0	1	0.00%	
	February 2005	0	0	0.00%	
	January 2005	0	0	0.00%	
	December 2004	0	0	0.00%	
	November 2004	0	0	0.00%	
	October 2004	0	0	0.00%	
	September 2004	0	0	0.00%	
	August 2004	0	0	0.00%	
	MR-8 Trouble Rate E911 Parity	July 2005	0	675	0.00%
		June 2005	0	684	0.00%
May 2005		2	638	0.31%	
April 2005		0	632	0.00%	
March 2005		0	632	0.00%	
February 2005		0	634	0.00%	
January 2005		0	634	0.00%	
December 2004		1	634	0.16%	
November 2004		0	634	0.00%	
October 2004		0	630	0.00%	
September 2004		1	620	0.16%	
August 2004		0	614	0.00%	
MR-8 Trouble Rate Enhanced Extended Loops - DS0 Capable Diagnostic		July 2005	0	26	0.00%
		June 2005	0	24	0.00%
	May 2005	0	24	0.00%	
	April 2005	0	24	0.00%	

	March 2005	0	24	0.00%
	February 2005	0	19	0.00%
	January 2005	0	19	0.00%
	December 2004	0	19	0.00%
	November 2004	0	19	0.00%
	October 2004	2	19	10.53%
	September 2004	0	11	0.00%
	August 2004	0	11	0.00%
MR-8 Trouble Rate Enhanced Extended Loops - DS1 Capable Parity	July 2005	54	2553	2.12%
	June 2005	53	2444	2.17%
	May 2005	78	2365	3.30%
	April 2005	52	2265	2.30%
	March 2005	62	2184	2.84%
	February 2005	55	2116	2.60%
	January 2005	61	2018	3.02%
	December 2004	51	1937	2.63%
	November 2004	54	1853	2.91%
	October 2004	61	1786	3.42%
	September 2004	44	1660	2.65%
	August 2004	61	1579	3.86%
MR-8 Trouble Rate Frame Relay Parity	July 2005	0	7	0.00%
	June 2005	0	7	0.00%
	May 2005	0	7	0.00%
	April 2005	0	13	0.00%
	March 2005	0	13	0.00%
	February 2005	0	15	0.00%
	January 2005	0	13	0.00%
	December 2004	0	14	0.00%
	November 2004	0	13	0.00%
	October 2004	0	12	0.00%
	September 2004	0	11	0.00%
	August 2004	1	11	9.09%
MR-8 Trouble Rate ISDN Primary Parity	July 2005	0	168	0.00%
	June 2005	0	168	0.00%
	May 2005	0	168	0.00%
	April 2005	2	168	1.19%
	March 2005	0	168	0.00%
	February 2005	0	96	0.00%
	January 2005	0	96	0.00%
	December 2004	0	120	0.00%
	November 2004	0	120	0.00%
	October 2004	0	133	0.00%
	September 2004	0	157	0.00%
	August 2004	0	156	0.00%
MR-8 Trouble Rate Line Sharing Parity	July 2005	4	6808	0.06%
	June 2005	5	7096	0.07%
	May 2005	8	7346	0.11%
	April 2005	11	7635	0.14%
	March 2005	4	7955	0.05%
	February 2005	6	8212	0.07%
	January 2005	11	8513	0.13%
	December 2004	11	9006	0.12%

	November 2004	10	9495	0.11%
	October 2004	25	9987	0.25%
	September 2004	27	10302	0.26%
	August 2004	22	10454	0.21%
MR-8 Trouble Rate Line Splitting Parity	July 2005	4	722	0.55%
	June 2005	6	739	0.81%
	May 2005	6	735	0.82%
	April 2005	7	734	0.95%
	March 2005	14	716	1.96%
	February 2005	8	698	1.15%
	January 2005	4	692	0.58%
	December 2004	8	671	1.19%
	November 2004	8	672	1.19%
	October 2004	7	654	1.07%
	September 2004	8	623	1.28%
	August 2004	10	593	1.69%
MR-8 Trouble Rate LIS Trunk Parity	July 2005	14	168789	0.01%
	June 2005	11	170661	0.01%
	May 2005	8	174115	0.00%
	April 2005	6	176395	0.00%
	March 2005	10	184555	0.01%
	February 2005	5	188633	0.00%
	January 2005	14	188607	0.01%
	December 2004	8	187744	0.00%
	November 2004	8	188752	0.00%
	October 2004	8	186784	0.00%
	September 2004	9	198768	0.00%
	August 2004	13	199730	0.01%
MR-8 Trouble Rate PBX Parity	July 2005	3	782	0.38%
	June 2005	1	777	0.13%
	May 2005	3	771	0.39%
	April 2005	0	762	0.00%
	March 2005	1	772	0.13%
	February 2005	1	809	0.12%
	January 2005	1	828	0.12%
	December 2004	1	823	0.12%
	November 2004	0	830	0.00%
	October 2004	3	824	0.36%
	September 2004	0	841	0.00%
	August 2004	0	868	0.00%
MR-8 Trouble Rate Qwest DSL Parity	July 2005	13	1412	0.92%
	June 2005	5	1360	0.37%
	May 2005	12	1293	0.93%
	April 2005	9	1232	0.73%
	March 2005	10	1185	0.84%
	February 2005	5	1152	0.43%
	January 2005	11	1121	0.98%
	December 2004	4	1076	0.37%
	November 2004	8	1042	0.77%
	October 2004	6	1014	0.59%
	September 2004	0	971	0.00%
	August 2004	1	933	0.11%

MR-8 Trouble Rate Residence Parity	July 2005	60	2983	2.01%
	June 2005	77	3139	2.45%
	May 2005	60	3173	1.89%
	April 2005	60	2902	2.07%
	March 2005	77	3158	2.44%
	February 2005	51	2925	1.74%
	January 2005	66	2883	2.29%
	December 2004	61	3118	1.96%
	November 2004	65	3201	2.03%
	October 2004	71	3144	2.26%
	September 2004	54	3068	1.76%
	August 2004	61	3288	1.86%
	MR-8 Trouble Rate UDIT Above DS1 Level Parity	July 2005	0	160
June 2005		4	156	2.56%
May 2005		1	156	0.64%
April 2005		3	153	1.96%
March 2005		4	156	2.56%
February 2005		2	159	1.26%
January 2005		0	157	0.00%
December 2004		1	159	0.63%
November 2004		4	164	2.44%
October 2004		2	162	1.23%
September 2004		1	165	0.61%
August 2004		1	160	0.63%
MR-8 Trouble Rate UDIT DS1 Parity		July 2005	1	182
	June 2005	0	175	0.00%
	May 2005	0	166	0.00%
	April 2005	0	169	0.00%
	March 2005	0	167	0.00%
	February 2005	0	169	0.00%
	January 2005	0	168	0.00%
	December 2004	1	169	0.59%
	November 2004	0	174	0.00%
	October 2004	2	176	1.14%
	September 2004	0	173	0.00%
	August 2004	0	171	0.00%
	MR-8 Trouble Rate Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	10	2843
June 2005		10	2876	0.35%
May 2005		37	8300	0.45%
April 2005		40	8117	0.49%
March 2005		39	7964	0.49%
February 2005		31	7814	0.40%
January 2005		39	7694	0.51%
December 2004		56	7604	0.74%
November 2004		34	7522	0.45%
October 2004		37	7330	0.50%
September 2004		37	7147	0.52%
August 2004		30	6894	0.44%
MR-8 Trouble Rate Unbundled Loop - 4 Wire Non-Loaded Parity		July 2005	1	188
	June 2005	0	189	0.00%
	May 2005	1	190	0.53%
	April 2005	0	191	0.00%

	March 2005	2	191	1.05%
	February 2005	1	192	0.52%
	January 2005	0	192	0.00%
	December 2004	1	194	0.52%
	November 2004	0	196	0.00%
	October 2004	0	198	0.00%
	September 2004	2	198	1.01%
	August 2004	1	199	0.50%
MR-8 Trouble Rate Unbundled Loop - ADSL Qualified Parity	July 2005	0	274	0.00%
	June 2005	0	277	0.00%
	May 2005	0	289	0.00%
	April 2005	2	293	0.68%
	March 2005	4	298	1.34%
	February 2005	0	305	0.00%
	January 2005	1	314	0.32%
	December 2004	1	326	0.31%
	November 2004	0	338	0.00%
	October 2004	1	344	0.29%
	September 2004	0	355	0.00%
	August 2004	1	362	0.28%
MR-8 Trouble Rate Unbundled Loop - DS1 Capable Parity	July 2005	96	6048	1.59%
	June 2005	98	5993	1.64%
	May 2005	110	5941	1.85%
	April 2005	87	5885	1.48%
	March 2005	107	5814	1.84%
	February 2005	95	5759	1.65%
	January 2005	96	5735	1.67%
	December 2004	88	5717	1.54%
	November 2004	96	5658	1.70%
	October 2004	90	5581	1.61%
	September 2004	86	5492	1.57%
	August 2004	122	5389	2.26%
MR-8 Trouble Rate Unbundled Loop - DS3 Capable Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	8	12.50%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-8 Trouble Rate Unbundled Loop - XDSLi Parity	July 2005	16	5872	0.27%
	June 2005	26	5685	0.46%
	May 2005	4	169	2.37%
	April 2005	0	167	0.00%
	March 2005	2	173	1.16%
	February 2005	3	175	1.71%
	January 2005	7	173	4.05%
	December 2004	4	165	2.42%

	November 2004	1	165	0.61%
	October 2004	3	167	1.80%
	September 2004	3	165	1.82%
	August 2004	3	165	1.82%
MR-8 Trouble Rate Unbundled Loop Analog Parity	July 2005	288	65425	0.44%
	June 2005	218	59363	0.37%
	May 2005	276	56492	0.49%
	April 2005	212	56532	0.38%
	March 2005	229	56611	0.40%
	February 2005	189	56504	0.33%
	January 2005	236	56409	0.42%
	December 2004	221	56364	0.39%
	November 2004	235	56317	0.42%
	October 2004	217	56233	0.39%
	September 2004	247	56025	0.44%
	August 2004	277	55690	0.50%
MR-8 Trouble Rate Unbundled Loop ISDN Capable Parity	July 2005	24	2355	1.02%
	June 2005	35	2380	1.47%
	May 2005	30	2407	1.25%
	April 2005	19	2410	0.79%
	March 2005	32	2461	1.30%
	February 2005	28	2506	1.12%
	January 2005	24	2523	0.95%
	December 2004	34	2546	1.34%
	November 2004	19	2583	0.74%
	October 2004	25	2620	0.95%
	September 2004	14	2659	0.53%
	August 2004	25	2682	0.93%
MR-8 Trouble Rate UNE - P (POTS) Parity	July 2005	24	4656	0.52%
	June 2005	31	4867	0.64%
	May 2005	21	5063	0.41%
	April 2005	26	5340	0.49%
	March 2005	32	5640	0.57%
	February 2005	43	5942	0.72%
	January 2005	77	11621	0.66%
	December 2004	770	94278	0.82%
	November 2004	714	95164	0.75%
	October 2004	801	97753	0.82%
	September 2004	820	98624	0.83%
	August 2004	937	100685	0.93%
MR-8 Trouble Rate UNE P (Centrex 21) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	145	1.38%
	December 2004	10	1211	0.83%
	November 2004	6	1232	0.49%
	October 2004	6	1362	0.44%
September 2004	4	1355	0.30%	
August 2004	7	1409	0.50%	

MR-8 Trouble Rate UNE P (Centrex) Parity	July 2005	0	1	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	1	0.00%
	March 2005	0	1	0.00%
	February 2005	0	3	0.00%
	January 2005	13	2255	0.58%
	December 2004	21	5919	0.35%
	November 2004	25	6075	0.41%
	October 2004	15	6372	0.24%
	September 2004	24	6535	0.37%
	August 2004	21	6707	0.31%
	MR-9A Repair Appointments Met Business Parity	July 2005	4	4
June 2005		4	4	100.00%
May 2005		7	8	87.50%
April 2005		5	6	83.33%
March 2005		7	11	63.64%
February 2005		8	10	80.00%
January 2005		6	6	100.00%
December 2004		17	21	80.95%
November 2004		10	12	83.33%
October 2004		11	12	91.67%
September 2004		4	4	100.00%
August 2004		11	11	100.00%
MR-9A Repair Appointments Met Centrex Parity		July 2005	0	0
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	August 2004	1	1	100.00%
	MR-9A Repair Appointments Met Centrex 21 Parity	July 2005	3	3
June 2005		1	1	100.00%
May 2005		2	3	66.67%
April 2005		2	2	100.00%
March 2005		3	4	75.00%
February 2005		4	4	100.00%
January 2005		1	2	50.00%
December 2004		3	3	100.00%
November 2004		1	1	100.00%
October 2004		0	0	0.00%
September 2004		2	2	100.00%
August 2004		0	0	0.00%
MR-9A Repair Appointments Met Residence Parity		July 2005	42	42
	June 2005	51	52	98.08%
	May 2005	44	44	100.00%
	April 2005	43	44	97.73%

	March 2005	58	58	100.00%
	February 2005	35	36	97.22%
	January 2005	48	50	96.00%
	December 2004	45	46	97.83%
	November 2004	46	47	97.87%
	October 2004	56	59	94.92%
	September 2004	40	40	100.00%
	August 2004	43	45	95.56%
MR-9A Repair Appointments Met UNE - P (POTS) Parity	July 2005	15	16	93.75%
	June 2005	11	12	91.67%
	May 2005	9	14	64.29%
	April 2005	9	14	64.29%
	March 2005	18	23	78.26%
	February 2005	24	27	88.89%
	January 2005	38	44	86.36%
	December 2004	420	538	78.07%
	November 2004	377	478	78.87%
	October 2004	428	520	82.31%
	September 2004	415	520	79.81%
	August 2004	411	548	75.00%
MR-9B Repair Appointments Met Business Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	5	5	100.00%
	December 2004	1	1	100.00%
	November 2004	4	4	100.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
	August 2004	1	1	100.00%
MR-9B Repair Appointments Met Centrex 21 Parity	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-9B Repair Appointments Met PBX Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%

	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-9B Repair Appointments Met Residence Parity	July 2005	7	7	100.00%
	June 2005	12	13	92.31%
	May 2005	6	6	100.00%
	April 2005	11	11	100.00%
	March 2005	8	8	100.00%
	February 2005	11	11	100.00%
	January 2005	10	11	90.91%
	December 2004	10	10	100.00%
	November 2004	7	8	87.50%
	October 2004	6	6	100.00%
	September 2004	4	4	100.00%
	August 2004	6	6	100.00%
MR-9B Repair Appointments Met UNE - P (POTS) Parity	July 2005	2	2	100.00%
	June 2005	10	13	76.92%
	May 2005	3	4	75.00%
	April 2005	5	7	71.43%
	March 2005	3	5	60.00%
	February 2005	6	9	66.67%
	January 2005	10	15	66.67%
	December 2004	81	105	77.14%
	November 2004	73	111	65.77%
	October 2004	96	123	78.05%
	September 2004	78	119	65.55%
	August 2004	102	165	61.82%
MR-9C Repair Appointments Met Business Parity	July 2005	2	2	100.00%
	June 2005	5	5	100.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	2	2	100.00%
	September 2004	1	1	100.00%
	August 2004	6	6	100.00%
MR-9C Repair Appointments Met Centrex 21 Parity	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	3	3	100.00%
	September 2004	1	1	100.00%
	August 2004	0	0	0.00%

MR-9C Repair Appointments Met Residence Parity	July 2005	11	11	100.00%
	June 2005	12	12	100.00%
	May 2005	10	10	100.00%
	April 2005	5	5	100.00%
	March 2005	11	11	100.00%
	February 2005	4	4	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	10	10	100.00%
	October 2004	6	6	100.00%
	September 2004	10	10	100.00%
	August 2004	10	10	100.00%
	MR-9C Repair Appointments Met UNE - P (POTS) Parity	July 2005	6	6
June 2005		6	6	100.00%
May 2005		3	3	100.00%
April 2005		5	5	100.00%
March 2005		4	4	100.00%
February 2005		7	7	100.00%
January 2005		18	18	100.00%
December 2004		125	127	98.43%
November 2004		122	125	97.60%
October 2004		154	158	97.47%
September 2004		177	181	97.79%
August 2004		216	224	96.43%
NI-1A Trunk Blockage to Qwest Tandem Offices LIS Trunk Parity		July 2005	1	23184
	June 2005	1	23064	0.00%
	May 2005	2	22560	0.01%
	April 2005	2	23928	0.01%
	March 2005	2	26448	0.01%
	February 2005	1	27024	0.00%
	January 2005	7	27624	0.03%
	December 2004	2	28320	0.01%
	November 2004	2	29712	0.01%
	October 2004	1	28080	0.00%
	September 2004	5	29592	0.02%
	August 2004	1	28872	0.00%
	NI-1B Trunk Blockage to Qwest End Offices LIS Trunk Parity	July 2005	0	11328
June 2005		1	15336	0.01%
May 2005		2	16176	0.01%
April 2005		1	16224	0.01%
March 2005		2	16392	0.01%
February 2005		2	15960	0.01%
January 2005		2	15552	0.01%
December 2004		0	16248	0.00%
November 2004		1	17028	0.01%
October 2004		1	17148	0.00%
September 2004		0	18012	0.00%
August 2004		0	18540	0.00%
NI-1C Trunk Blockage to Qwest Tandem Offices LIS Trunk Diagnostic		July 2005	50	23448
	June 2005	5	23304	0.02%
	May 2005	19	23448	0.08%
	April 2005	5	24048	0.02%

	March 2005	9	26520	0.03%
	February 2005	2	27168	0.01%
	January 2005	32	28200	0.11%
	December 2004	11	28656	0.04%
	November 2004	4	29736	0.01%
	October 2004	17	28416	0.06%
	September 2004	67	29928	0.23%
	August 2004	3	28920	0.01%
NI-1D Trunk Blockage to Qwest End Offices	July 2005	3	11436	0.03%
LIS Trunk Diagnostic	June 2005	9	15372	0.06%
	May 2005	9	16284	0.05%
	April 2005	10	16332	0.06%
	March 2005	12	16428	0.07%
	February 2005	51	16764	0.31%
	January 2005	168	16716	1.00%
	December 2004	109	16764	0.65%
	November 2004	79	17316	0.46%
	October 2004	70	17484	0.40%
	September 2004	41	18420	0.22%
	August 2004	91	18900	0.48%
OP-13A Coordinated Cuts Completed on Time Unbundled Loop - Analog Benchmark	July 2005	253	254	99.61%
	June 2005	269	271	99.26%
	May 2005	228	230	99.13%
	April 2005	222	222	100.00%
	March 2005	220	220	100.00%
	February 2005	183	183	100.00%
	January 2005	186	187	99.47%
	December 2004	215	215	100.00%
	November 2004	244	246	99.19%
	October 2004	246	248	99.19%
	September 2004	254	254	100.00%
	August 2004	245	246	99.59%
OP-13A Coordinated Cuts Completed on Time Unbundled Loop Other Benchmark	July 2005	15	17	88.24%
	June 2005	12	14	85.71%
	May 2005	11	12	91.67%
	April 2005	17	20	85.00%
	March 2005	25	25	100.00%
	February 2005	33	34	97.06%
	January 2005	17	19	89.47%
	December 2004	21	21	100.00%
	November 2004	21	33	63.64%
	October 2004	28	29	96.55%
	September 2004	32	35	91.43%
	August 2004	46	47	97.87%
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop - Analog Diagnostic	July 2005	1	254	0.39%
	June 2005	0	271	0.00%
	May 2005	2	230	0.87%
	April 2005	0	222	0.00%
	March 2005	0	220	0.00%
	February 2005	0	183	0.00%
	January 2005	0	187	0.00%
	December 2004	0	215	0.00%

	November 2004	0	246	0.00%
	October 2004	0	248	0.00%
	September 2004	0	254	0.00%
	August 2004	0	246	0.00%
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop Other Diagnostic	July 2005	0	17	0.00%
	June 2005	0	14	0.00%
	May 2005	1	12	8.33%
	April 2005	0	20	0.00%
	March 2005	0	25	0.00%
	February 2005	0	34	0.00%
	January 2005	0	19	0.00%
	December 2004	0	21	0.00%
	November 2004	12	33	36.36%
	October 2004	0	29	0.00%
	September 2004	1	35	2.86%
	August 2004	0	47	0.00%
OP-15A Interval for Pending Orders Delayed Past Due Date Business Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	9	2	12:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - IOF Diagnostic	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	32	1	0:00
	August 2004	11	1	0:00
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop Diagnostic	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	71	1	0:00
	January 2005	51	1	0:00
	December 2004	29	1	0:00
	November 2004	7	1	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00

OP-15A Interval for Pending Orders	July 2005	793	3	7:55
Delayed Past Due Date Enhanced Extended Loops (EELs) Diagnostic	June 2005	751	2	12:00
	May 2005	723	3	0:00
	April 2005	1315	4	18:00
	March 2005	1241	7	6:57
	February 2005	1145	5	0:00
	January 2005	1059	4	18:00
	December 2004	900	5	0:00
	November 2004	818	3	16:04
	October 2004	905	6	19:55
	September 2004	695	6	19:55
August 2004	587	6	19:55	
OP-15A Interval for Pending Orders	July 2005	0	0	0:00
Delayed Past Due Date ISDN Primary Parity	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	36	4	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
August 2004	0	0	0:00	
OP-15A Interval for Pending Orders	July 2005	0	0	0:00
Delayed Past Due Date Line Sharing Parity	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	188	1	0:00
	March 2005	167	1	0:00
	February 2005	144	1	0:00
	January 2005	124	1	0:00
	December 2004	102	1	0:00
	November 2004	80	2	0:00
	October 2004	59	1	0:00
	September 2004	45	2	12:00
August 2004	47	5	9:36	
OP-15A Interval for Pending Orders	July 2005	58	1	0:00
Delayed Past Due Date Qwest DSL Parity	June 2005	38	2	0:00
	May 2005	16	1	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	1	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	4	1	0:00
	September 2004	0	0	0:00
August 2004	0	0	0:00	
OP-15A Interval for Pending Orders	July 2005	9	2	12:00
Delayed Past Due Date Residence Parity	June 2005	6	1	0:00
	May 2005	28	2	0:00
	April 2005	33	3	0:00

	March 2005	99	1	0:00
	February 2005	254	4	12:00
	January 2005	200	3	16:04
	December 2004	177	5	9:36
	November 2004	152	6	7:55
	October 2004	232	13	20:24
	September 2004	127	10	16:48
	August 2004	130	9	10:33
OP-15A Interval for Pending Orders	July 2005	0	0	0:00
Delayed Past Due Date UDIT Above DS1	June 2005	0	0	0:00
Level Parity	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	65	1	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
OP-15A Interval for Pending Orders	July 2005	4331	23	7:12
Delayed Past Due Date Unbundled Loop - 2	June 2005	4247	23	15:36
Wire Non-Loaded Parity	May 2005	3801	21	0:00
	April 2005	3516	23	20:52
	March 2005	3114	21	6:57
	February 2005	2706	23	15:36
	January 2005	2402	21	9:07
	December 2004	2481	20	1:12
	November 2004	3049	23	13:40
	October 2004	2688	22	4:19
	September 2004	2442	24	18:00
	August 2004	2797	23	14:38
OP-15A Interval for Pending Orders	July 2005	462	4	12:00
Delayed Past Due Date Unbundled Loop -	June 2005	422	5	9:36
DS1 Capable Parity	May 2005	362	4	12:00
	April 2005	294	2	0:00
	March 2005	340	4	0:00
	February 2005	262	3	7:55
	January 2005	203	4	18:00
	December 2004	154	4	12:00
	November 2004	131	2	12:00
	October 2004	134	3	16:04
	September 2004	118	4	12:00
	August 2004	429	9	16:04
OP-15A Interval for Pending Orders	July 2005	853	16	7:26
Delayed Past Due Date Unbundled Loop	June 2005	829	29	14:09
Analog Parity	May 2005	919	18	1:26
	April 2005	728	20	9:36
	March 2005	655	40	9:07
	February 2005	530	13	18:28
	January 2005	503	20	3:36
	December 2004	309	11	2:09

	November 2004	605	23	7:12
	October 2004	346	23	0:57
	September 2004	317	31	5:31
	August 2004	116	6	7:55
OP-15A Interval for Pending Orders	July 2005	12	2	0:00
Delayed Past Due Date Unbundled Loop	June 2005	0	1	0:00
ISDN Capable Parity	May 2005	1	1	0:00
	April 2005	0	0	0:00
	March 2005	5	2	12:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	2	1	0:00
	November 2004	12	1	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	71	2	12:00
OP-15A Interval for Pending Orders	July 2005	0	0	0:00
Delayed Past Due Date UNE - P (POTS)	June 2005	0	0	0:00
Parity	May 2005	117	1	0:00
	April 2005	418	3	7:55
	March 2005	355	3	7:55
	February 2005	286	3	7:55
	January 2005	226	3	7:55
	December 2004	1311	23	0:00
	November 2004	1395	44	16:48
	October 2004	1619	72	11:45
	September 2004	1835	98	17:16
	August 2004	1685	106	21:36
OP-15B Count of Pending Orders Delayed for Facilities Reasons Business Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	2	2	1
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - IOF Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	1	1	1
	August 2004	1	1	1

OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - Loop Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	1	0
	January 2005	0	1	0
	December 2004	0	1	0
	November 2004	0	1	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Enhanced Extended Loops (EELs) Diagnostic	July 2005	2	3
June 2005		2	2	1
May 2005		3	3	1
April 2005		4	4	1
March 2005		4	7	1
February 2005		4	5	1
January 2005		4	4	1
December 2004		4	5	1
November 2004		3	3	1
October 2004		3	6	1
September 2004		2	6	0
August 2004		3	6	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons ISDN Primary Parity		July 2005	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	4	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Sharing Parity	July 2005	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		1	1	1
March 2005		1	1	1
February 2005		1	1	1
January 2005		1	1	1
December 2004		1	1	1
November 2004		2	2	1
October 2004		1	1	1
September 2004		1	2	1
August 2004		2	5	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons LIS Trunk Diagnostic		July 2005	0	1
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	2	0

	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	8	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Qwest DSL Parity	July 2005	0	1	0
	June 2005	1	2	1
	May 2005	0	1	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	1	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	1	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Residence Diagnostic	July 2005	1	2	1
	June 2005	0	1	0
	May 2005	2	2	1
	April 2005	1	3	0
	March 2005	0	1	0
	February 2005	0	4	0
	January 2005	1	3	0
	December 2004	0	5	0
	November 2004	0	6	0
	October 2004	1	13	0
	September 2004	0	10	0
	August 2004	0	9	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	1	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Loaded Diagnostic	July 2005	21	23	1
	June 2005	21	23	1
	May 2005	20	21	1
	April 2005	20	23	1
	March 2005	20	21	1
	February 2005	19	23	1
	January 2005	20	21	1
	December 2004	14	20	1

	November 2004	20	23	1
	October 2004	20	22	1
	September 2004	22	24	1
	August 2004	21	23	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable Diagnostic	July 2005	3	4	1
	June 2005	2	5	0
	May 2005	3	4	1
	April 2005	2	2	1
	March 2005	3	4	1
	February 2005	3	3	1
	January 2005	3	4	1
	December 2004	3	4	1
	November 2004	1	2	1
	October 2004	2	3	1
	September 2004	2	4	1
	August 2004	5	9	1
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog Diagnostic	July 2005	4	16
June 2005		6	29	0
May 2005		9	18	1
April 2005		10	20	1
March 2005		8	40	0
February 2005		11	13	1
January 2005		7	20	0
December 2004		6	11	1
November 2004		15	23	1
October 2004		10	23	0
September 2004		5	31	0
August 2004		4	6	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable Diagnostic		July 2005	1	2
	June 2005	1	1	1
	May 2005	1	1	1
	April 2005	0	0	0
	March 2005	1	2	1
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	1	0
	November 2004	0	1	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	2	2	1
	OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) Diagnostic	July 2005	0	0
June 2005		0	0	0
May 2005		0	1	0
April 2005		0	3	0
March 2005		0	3	0
February 2005		0	3	0
January 2005		0	3	0
December 2004		2	23	0
November 2004		5	44	0
October 2004		5	72	0
September 2004		2	98	0
August 2004		4	106	0

OP-17A Timeliness of Disconnects associated with LNP Orders LNP Benchmark	July 2005	10153	10156	99.97%
	June 2005	6006	6006	100.00%
	May 2005	3089	3089	100.00%
	April 2005	3969	3969	100.00%
	March 2005	26477	26477	100.00%
	February 2005	10931	10931	100.00%
	January 2005	2515	2525	99.60%
	December 2004	1515	1515	100.00%
	November 2004	10584	10588	99.96%
	October 2004	6792	6792	100.00%
	September 2004	3030	3030	100.00%
	August 2004	4775	4818	99.11%
	OP-17B Timeliness of Disconnects associated with LNP Orders LNP Diagnostic	July 2005	10156	10156
June 2005		6006	6006	100.00%
May 2005		3089	3089	100.00%
April 2005		3969	3969	100.00%
March 2005		26477	26477	100.00%
February 2005		10931	10931	100.00%
January 2005		2525	2525	100.00%
December 2004		1515	1515	100.00%
November 2004		10588	10588	100.00%
October 2004		6792	6792	100.00%
September 2004		3030	3030	100.00%
August 2004		4818	4818	100.00%
OP-2 Calls Answered within Twenty Seconds - Interconnect Provisioning Center Diagnostic		July 2005	14605	16158
	June 2005	16208	17274	93.83%
	May 2005	15096	15718	96.04%
	April 2005	15645	16242	96.32%
	March 2005	16918	17384	97.32%
	February 2005	14794	15195	97.36%
	January 2005	16301	16499	98.80%
	December 2004	18047	18709	96.46%
	November 2004	19611	20249	96.85%
	October 2004	22199	22648	98.02%
	September 2004	22116	22726	97.32%
	August 2004	23357	24370	95.84%
	OP-3A Installation Commitments Met Business Parity	July 2005	4	4
June 2005		6	6	100.00%
May 2005		4	4	100.00%
April 2005		6	6	100.00%
March 2005		1	2	50.00%
February 2005		7	7	100.00%
January 2005		2	2	100.00%
December 2004		7	7	100.00%
November 2004		10	10	100.00%
October 2004		1	1	100.00%
September 2004		4	4	100.00%
August 2004		9	9	100.00%
OP-3A Installation Commitments Met Line Sharing Benchmark		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%

	March 2005	5	5	100.00%
	February 2005	9	9	100.00%
	January 2005	7	7	100.00%
	December 2004	3	3	100.00%
	November 2004	4	4	100.00%
	October 2004	9	10	90.00%
	September 2004	55	57	96.49%
	August 2004	60	60	100.00%
OP-3A Installation Commitments Met Line Splitting Benchmark	July 2005	5	5	100.00%
	June 2005	4	4	100.00%
	May 2005	7	7	100.00%
	April 2005	10	10	100.00%
	March 2005	8	9	88.89%
	February 2005	4	5	80.00%
	January 2005	6	6	100.00%
	December 2004	4	5	80.00%
	November 2004	2	2	100.00%
	October 2004	4	4	100.00%
	September 2004	4	4	100.00%
	August 2004	7	7	100.00%
OP-3A Installation Commitments Met Qwest DSL Parity	July 2005	34	35	97.14%
	June 2005	33	34	97.06%
	May 2005	40	40	100.00%
	April 2005	29	31	93.55%
	March 2005	35	36	97.22%
	February 2005	23	24	95.83%
	January 2005	29	29	100.00%
	December 2004	37	38	97.37%
	November 2004	31	32	96.88%
	October 2004	40	41	97.56%
	September 2004	45	46	97.83%
	August 2004	33	33	100.00%
OP-3A Installation Commitments Met Residence Parity	July 2005	519	523	99.24%
	June 2005	595	603	98.67%
	May 2005	541	545	99.27%
	April 2005	515	518	99.42%
	March 2005	610	615	99.19%
	February 2005	277	282	98.23%
	January 2005	464	468	99.15%
	December 2004	391	396	98.74%
	November 2004	530	542	97.79%
	October 2004	561	570	98.42%
	September 2004	495	502	98.61%
	August 2004	484	488	99.18%
OP-3A Installation Commitments Met UNE - P (POTS) Parity	July 2005	1	1	100.00%
	June 2005	7	7	100.00%
	May 2005	6	6	100.00%
	April 2005	4	4	100.00%
	March 2005	5	5	100.00%
	February 2005	6	6	100.00%
	January 2005	27	29	93.10%
	December 2004	471	482	97.72%

	November 2004	661	677	97.64%	
	October 2004	551	557	98.92%	
	September 2004	685	709	96.61%	
	August 2004	733	760	96.45%	
OP-3A Installation Commitments Met UNE P (Centrex 21) Parity	July 2005	0	0	0.00%	
	June 2005	0	0	0.00%	
	May 2005	0	0	0.00%	
	April 2005	0	0	0.00%	
	March 2005	0	0	0.00%	
	February 2005	0	0	0.00%	
	January 2005	0	0	0.00%	
	December 2004	0	0	0.00%	
	November 2004	1	1	100.00%	
	October 2004	2	2	100.00%	
	September 2004	0	0	0.00%	
	August 2004	2	2	100.00%	
	OP-3A Installation Commitments Met UNE P (Centrex) Parity	July 2005	0	0	0.00%
		June 2005	0	0	0.00%
May 2005		0	0	0.00%	
April 2005		0	0	0.00%	
March 2005		0	0	0.00%	
February 2005		0	0	0.00%	
January 2005		2	2	100.00%	
December 2004		2	2	100.00%	
November 2004		5	6	83.33%	
October 2004		1	2	50.00%	
September 2004		4	4	100.00%	
August 2004		4	4	100.00%	
OP-3B Installation Commitments Met Business Parity		July 2005	1	1	100.00%
		June 2005	1	1	100.00%
	May 2005	1	1	100.00%	
	April 2005	0	0	0.00%	
	March 2005	1	1	100.00%	
	February 2005	1	1	100.00%	
	January 2005	1	1	100.00%	
	December 2004	1	1	100.00%	
	November 2004	0	0	0.00%	
	October 2004	1	1	100.00%	
	September 2004	1	1	100.00%	
	August 2004	1	1	100.00%	
	OP-3B Installation Commitments Met Qwest DSL Parity	July 2005	7	7	100.00%
		June 2005	3	3	100.00%
May 2005		0	0	0.00%	
April 2005		2	2	100.00%	
March 2005		3	3	100.00%	
February 2005		4	4	100.00%	
January 2005		0	0	0.00%	
December 2004		2	2	100.00%	
November 2004		2	2	100.00%	
October 2004		10	11	90.91%	
September 2004	2	2	100.00%		
August 2004	1	1	100.00%		

OP-3B Installation Commitments Met Residence Parity	July 2005	53	53	100.00%
	June 2005	45	45	100.00%
	May 2005	55	55	100.00%
	April 2005	55	55	100.00%
	March 2005	62	64	96.88%
	February 2005	18	18	100.00%
	January 2005	40	40	100.00%
	December 2004	38	38	100.00%
	November 2004	36	37	97.30%
	October 2004	57	57	100.00%
	September 2004	10	11	90.91%
	August 2004	10	11	90.91%
	OP-3B Installation Commitments Met Sub-Loop Unbundling Diagnostic	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		1	1	100.00%
August 2004		0	0	0.00%
OP-3B Installation Commitments Met UNE - P (POTS) Parity		July 2005	0	0
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	11	12	91.67%
	December 2004	61	63	96.83%
	November 2004	81	83	97.59%
	October 2004	72	73	98.63%
	September 2004	93	96	96.88%
	August 2004	102	106	96.23%
	OP-3B Installation Commitments Met UNE P (Centrex) Diagnostic	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
OP-3C Installation Commitments Met Business Parity		July 2005	11	11
	June 2005	5	5	100%
	May 2005	10	10	100%
	April 2005	8	8	100%

	March 2005	9	9	100%
	February 2005	10	10	100%
	January 2005	8	8	100%
	December 2004	20	20	100%
	November 2004	10	10	100%
	October 2004	6	6	100%
	September 2004	5	5	100%
	August 2004	11	11	100%
OP-3C Installation Commitments Met Line	July 2005	1	1	100%
Sharing Benchmark	June 2005	4	4	100%
	May 2005	1	1	100%
	April 2005	2	2	100%
	March 2005	2	2	100%
	February 2005	4	4	100%
	January 2005	5	5	100%
	December 2004	9	9	100%
	November 2004	8	8	100%
	October 2004	88	89	99%
	September 2004	474	475	100%
	August 2004	434	434	100%
OP-3C Installation Commitments Met Line	July 2005	30	30	100%
Splitting Benchmark	June 2005	29	29	100%
	May 2005	41	41	100%
	April 2005	43	43	100%
	March 2005	58	58	100%
	February 2005	47	47	100%
	January 2005	45	45	100%
	December 2004	46	46	100%
	November 2004	60	60	100%
	October 2004	51	51	100%
	September 2004	60	60	100%
	August 2004	51	51	100%
OP-3C Installation Commitments Met	July 2005	56	56	100%
Qwest DSL Parity	June 2005	57	57	100%
	May 2005	60	60	100%
	April 2005	58	59	98%
	March 2005	60	60	100%
	February 2005	30	30	100%
	January 2005	45	45	100%
	December 2004	25	25	100%
	November 2004	21	21	100%
	October 2004	18	18	100%
	September 2004	5	5	100%
	August 2004	61	65	94%
OP-3C Installation Commitments Met	July 2005	1340	1340	100%
Residence Parity	June 2005	1510	1512	100%
	May 2005	1517	1517	100%
	April 2005	991	992	100%
	March 2005	1297	1298	100%
	February 2005	988	989	100%
	January 2005	881	881	100%
	December 2004	1004	1004	100%

	November 2004	1217	1218	100%
	October 2004	1371	1372	100%
	September 2004	898	898	100%
	August 2004	619	622	100%
OP-3C Installation Commitments Met Sub-Loop Unbundling Diagnostic	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	0	0	0%
	August 2004	2	2	100%
	OP-3C Installation Commitments Met UNE - P (POTS) Parity	July 2005	3	3
June 2005		6	6	100%
May 2005		3	3	100%
April 2005		10	10	100%
March 2005		12	12	100%
February 2005		40	40	100%
January 2005		108	108	100%
December 2004		3631	3639	100%
November 2004		5082	5084	100%
October 2004		5753	5754	100%
September 2004		3963	3968	100%
August 2004		5295	5315	100%
OP-3C Installation Commitments Met UNE P (Centrex) Parity		July 2005	0	0
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	1	1	100%
	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	0	0	0%
	August 2004	4	4	100%
	OP-3D Installation Commitments Met DS1 Parity	July 2005	0	0
June 2005		0	0	0%
May 2005		0	0	0%
April 2005		0	0	0%
March 2005		0	0	0%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		1	1	100%
October 2004		0	0	0%
September 2004	0	0	0%	
August 2004	0	0	0%	

OP-3D Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark	July 2005	1	1	100%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	1	5	20%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	8	8	100%
	September 2004	0	0	0%
	August 2004	2	2	100%
	OP-3D Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity	July 2005	117	120
June 2005		84	91	92%
May 2005		91	95	96%
April 2005		64	75	85%
March 2005		91	99	92%
February 2005		85	91	93%
January 2005		82	84	98%
December 2004		88	91	97%
November 2004		56	59	95%
October 2004		95	96	99%
September 2004		74	83	89%
August 2004		45	47	96%
OP-3D Installation Commitments Met Enhanced Extended Loops - DS3 Capable Benchmark		July 2005	0	0
	June 2005	1	1	100%
	May 2005	0	0	0%
	April 2005	1	1	100%
	March 2005	1	1	100%
	February 2005	1	1	100%
	January 2005	1	1	100%
	December 2004	1	1	100%
	November 2004	2	2	100%
	October 2004	0	0	0%
	September 2004	1	1	100%
	August 2004	0	0	0%
	OP-3D Installation Commitments Met LIS Trunk Parity	July 2005	10	10
June 2005		33	35	94%
May 2005		18	22	82%
April 2005		10	10	100%
March 2005		17	18	94%
February 2005		32	32	100%
January 2005		16	16	100%
December 2004		21	25	84%
November 2004		16	23	70%
October 2004		11	11	100%
September 2004		10	10	100%
August 2004		15	16	94%
OP-3D Installation Commitments Met PBX Parity		July 2005	0	0
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%

	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	1	1	100%
	October 2004	0	0	0%
	September 2004	0	0	0%
	August 2004	0	0	0%
OP-3D Installation Commitments Met	July 2005	0	0	0%
Qwest DSL Parity	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	1	1	100%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	2	2	100%
	August 2004	0	0	0%
OP-3D Installation Commitments Met UDIT	July 2005	0	0	0%
Above DS1 Level Parity	June 2005	1	1	100%
	May 2005	1	1	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	3	3	100%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	1	1	100%
	September 2004	5	5	100%
	August 2004	3	3	100%
OP-3D Installation Commitments Met UDIT	July 2005	0	0	0%
DS1 Parity	June 2005	1	1	100%
	May 2005	0	0	0%
	April 2005	3	3	100%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	1	1	100%
	December 2004	2	2	100%
	November 2004	1	1	100%
	October 2004	2	2	100%
	September 2004	2	2	100%
	August 2004	0	0	0%
OP-3D Installation Commitments Met	July 2005	332	336	99%
Unbundled Loop - 2 Wire Non-Loaded Parity	June 2005	329	335	98%
	May 2005	329	335	98%
	April 2005	330	332	99%
	March 2005	340	344	99%
	February 2005	294	296	99%
	January 2005	290	297	98%
	December 2004	314	318	99%

	November 2004	410	417	98%
	October 2004	402	410	98%
	September 2004	363	376	97%
	August 2004	294	301	98%
OP-3D Installation Commitments Met	July 2005	14	14	100.00%
Unbundled Loop - ADSL Qualified Parity	June 2005	12	13	92.31%
	May 2005	14	14	100.00%
	April 2005	6	6	100.00%
	March 2005	4	4	100.00%
	February 2005	6	6	100.00%
	January 2005	5	5	100.00%
	December 2004	18	18	100.00%
	November 2004	10	11	90.91%
	October 2004	26	28	92.86%
	September 2004	20	23	86.96%
	August 2004	18	19	94.74%
OP-3D Installation Commitments Met	July 2005	96	103	93.20%
Unbundled Loop - DS1 Capable Parity	June 2005	123	129	95.35%
	May 2005	103	110	93.64%
	April 2005	117	123	95.12%
	March 2005	118	128	92.19%
	February 2005	101	110	91.82%
	January 2005	81	83	97.59%
	December 2004	105	112	93.75%
	November 2004	122	126	96.83%
	October 2004	110	123	89.43%
	September 2004	128	145	88.28%
	August 2004	126	146	86.30%
OP-3D Installation Commitments Met	July 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Parity	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-3D Installation Commitments Met	July 2005	4	4	100.00%
Unbundled Loop - XDSLi Benchmark	June 2005	9	10	90.00%
	May 2005	3	3	100.00%
	April 2005	4	4	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	4	5	80.00%
	November 2004	4	4	100.00%
	October 2004	9	9	100.00%
	September 2004	5	6	83.33%
	August 2004	4	4	100.00%

OP-3D Installation Commitments Met Unbundled Loop Analog Parity	July 2005	6749	6798	99.28%
	June 2005	3131	3150	99.40%
	May 2005	1371	1389	98.70%
	April 2005	1139	1171	97.27%
	March 2005	1355	1364	99.34%
	February 2005	1230	1266	97.16%
	January 2005	1060	1085	97.70%
	December 2004	1183	1228	96.34%
	November 2004	1141	1199	95.16%
	October 2004	1268	1307	97.02%
	September 2004	1207	1265	95.42%
	August 2004	1282	1314	97.56%
	OP-3D Installation Commitments Met Unbundled Loop Conditioned Benchmark	July 2005	11	13
June 2005		12	14	85.71%
May 2005		6	6	100.00%
April 2005		4	5	80.00%
March 2005		3	5	60.00%
February 2005		4	6	66.67%
January 2005		9	10	90.00%
December 2004		10	12	83.33%
November 2004		6	9	66.67%
October 2004		17	20	85.00%
September 2004		13	18	72.22%
August 2004		17	17	100.00%
OP-3D Installation Commitments Met Unbundled Loop ISDN Capable Parity		July 2005	36	39
	June 2005	24	27	88.89%
	May 2005	32	32	100.00%
	April 2005	26	26	100.00%
	March 2005	40	40	100.00%
	February 2005	25	26	96.15%
	January 2005	30	32	93.75%
	December 2004	29	29	100.00%
	November 2004	35	35	100.00%
	October 2004	37	38	97.37%
	September 2004	35	37	94.59%
	August 2004	28	29	96.55%
	OP-3E Installation Commitments Met Dark Fiber - Loop Diagnostic	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	1	0.00%
OP-3E Installation Commitments Met DS0 Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%

	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	9	9	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-3E Installation Commitments Met DS1 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-3E Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity	July 2005	7	8	87.50%
	June 2005	7	9	77.78%
	May 2005	13	13	100.00%
	April 2005	6	6	100.00%
	March 2005	10	10	100.00%
	February 2005	14	15	93.33%
	January 2005	14	15	93.33%
	December 2004	14	16	87.50%
	November 2004	18	18	100.00%
	October 2004	14	17	82.35%
	September 2004	12	15	80.00%
	August 2004	15	16	93.75%
OP-3E Installation Commitments Met ISDN Primary Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	4	0.00%
	April 2005	0	1	0.00%
	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-3E Installation Commitments Met LIS Trunk Parity	July 2005	6	6	100.00%
	June 2005	5	7	71.43%
	May 2005	13	13	100.00%
	April 2005	8	8	100.00%
	March 2005	14	14	100.00%
	February 2005	21	21	100.00%
	January 2005	3	3	100.00%
	December 2004	10	13	76.92%

	November 2004	5	6	83.33%
	October 2004	1	1	100.00%
	September 2004	8	8	100.00%
	August 2004	7	7	100.00%
OP-3E Installation Commitments Met PBX Parity	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	1	2	50.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-3E Installation Commitments Met UDIT Above DS1 Level Parity	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	1	1	100.00%
OP-3E Installation Commitments Met UDIT DS1 Parity	July 2005	1	1	100.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	3	66.67%
	September 2004	0	1	0.00%
	August 2004	1	1	100.00%
OP-3E Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	20	21	95.24%
	June 2005	21	21	100.00%
	May 2005	26	26	100.00%
	April 2005	12	12	100.00%
	March 2005	26	26	100.00%
	February 2005	17	17	100.00%
	January 2005	13	13	100.00%
	December 2004	16	16	100.00%
	November 2004	21	21	100.00%
	October 2004	26	26	100.00%
	September 2004	18	21	85.71%
	August 2004	21	21	100.00%

OP-3E Installation Commitments Met Unbundled Loop - ADSL Qualified Parity	July 2005	11	11	100.00%
	June 2005	16	16	100.00%
	May 2005	6	6	100.00%
	April 2005	17	17	100.00%
	March 2005	14	14	100.00%
	February 2005	9	9	100.00%
	January 2005	42	42	100.00%
	December 2004	13	13	100.00%
	November 2004	27	28	96.43%
	October 2004	18	19	94.74%
	September 2004	12	15	80.00%
	August 2004	4	4	100.00%
	OP-3E Installation Commitments Met Unbundled Loop - DS1 Capable Parity	July 2005	11	11
June 2005		2	4	50.00%
May 2005		17	21	80.95%
April 2005		13	14	92.86%
March 2005		22	23	95.65%
February 2005		15	15	100.00%
January 2005		11	12	91.67%
December 2004		7	8	87.50%
November 2004		26	27	96.30%
October 2004		17	21	80.95%
September 2004		9	10	90.00%
August 2004		13	15	86.67%
OP-3E Installation Commitments Met Unbundled Loop - DS3 Capable Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	OP-3E Installation Commitments Met Unbundled Loop Analog Parity	July 2005	641	646
June 2005		674	681	98.97%
May 2005		38	42	90.48%
April 2005		56	61	91.80%
March 2005		45	47	95.74%
February 2005		99	100	99.00%
January 2005		97	98	98.98%
December 2004		84	84	100.00%
November 2004		127	127	100.00%
October 2004		88	91	96.70%
September 2004		68	71	95.77%
August 2004		79	83	95.18%
OP-3E Installation Commitments Met Unbundled Loop Conditioned Benchmark		July 2005	0	0
	June 2005	1	2	50.00%
	May 2005	1	2	50.00%
	April 2005	1	2	50.00%

	March 2005	0	1	0.00%
	February 2005	2	2	100.00%
	January 2005	4	4	100.00%
	December 2004	1	1	100.00%
	November 2004	10	10	100.00%
	October 2004	0	0	0.00%
	September 2004	3	5	60.00%
	August 2004	1	2	50.00%
OP-3E Installation Commitments Met	July 2005	15	15	100.00%
Unbundled Loop ISDN Capable Parity	June 2005	19	19	100.00%
	May 2005	16	17	94.12%
	April 2005	3	3	100.00%
	March 2005	8	8	100.00%
	February 2005	7	7	100.00%
	January 2005	11	11	100.00%
	December 2004	11	11	100.00%
	November 2004	14	14	100.00%
	October 2004	13	14	92.86%
	September 2004	16	17	94.12%
	August 2004	15	16	93.75%
OP-4A Installation Interval Business Parity	July 2005	13	3	4
	June 2005	18	6	3
	May 2005	12	4	3
	April 2005	15	5	3
	March 2005	21	1	21
	February 2005	16	6	3
	January 2005	18	2	9
	December 2004	16	5	3
	November 2004	22	7	3
	October 2004	4	1	4
	September 2004	16	4	4
	August 2004	32	7	5
OP-4A Installation Interval Line Sharing Benchmark	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	3	1	3
	March 2005	12	4	3
	February 2005	27	9	3
	January 2005	21	7	3
	December 2004	9	3	3
	November 2004	6	2	3
	October 2004	31	10	3
	September 2004	161	55	3
	August 2004	173	58	3
OP-4A Installation Interval Line Splitting Benchmark	July 2005	15	5	3
	June 2005	12	4	3
	May 2005	21	7	3
	April 2005	26	9	3
	March 2005	25	8	3
	February 2005	13	4	3
	January 2005	18	6	3
	December 2004	12	4	3

	November 2004	6	2	3
	October 2004	12	4	3
	September 2004	9	3	3
	August 2004	18	6	3
OP-4A Installation Interval Qwest DSL Parity	July 2005	64	15	4
	June 2005	34	5	7
	May 2005	26	6	4
	April 2005	24	3	8
	March 2005	41	8	5
	February 2005	34	7	5
	January 2005	45	10	5
	December 2004	56	9	6
	November 2004	34	5	7
	October 2004	64	10	6
	September 2004	122	25	5
	August 2004	64	12	5
OP-4A Installation Interval Residence Parity	July 2005	1753	434	4
	June 2005	1768	499	4
	May 2005	1440	429	3
	April 2005	1373	407	3
	March 2005	1785	517	3
	February 2005	525	173	3
	January 2005	1273	347	4
	December 2004	1174	328	4
	November 2004	1757	435	4
	October 2004	2084	485	4
	September 2004	1996	461	4
	August 2004	1962	435	5
OP-4A Installation Interval UNE - P (POTS) Parity	July 2005	3	1	3
	June 2005	16	5	3
	May 2005	18	6	3
	April 2005	13	4	3
	March 2005	15	5	3
	February 2005	7	2	4
	January 2005	67	19	4
	December 2004	919	244	4
	November 2004	1378	353	4
	October 2004	1519	354	4
	September 2004	2591	498	5
	August 2004	2572	471	5
OP-4A Installation Interval UNE P (Centrex) Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	3	1	3
	December 2004	6	2	3
	November 2004	9	4	2
	October 2004	6	2	3
	September 2004	9	4	2
	August 2004	4	4	1

OP-4B Installation Interval Business Parity	July 2005	3	1	3
	June 2005	3	1	3
	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	3	1	3
	February 2005	3	1	3
	January 2005	3	1	3
	December 2004	4	1	4
	November 2004	0	0	0
	October 2004	3	1	3
	September 2004	3	1	3
	August 2004	3	1	3
	OP-4B Installation Interval Qwest DSL Parity	July 2005	6	1
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		6	1	6
November 2004		10	2	5
October 2004		0	0	0
September 2004		5	1	5
August 2004		0	0	0
OP-4B Installation Interval Residence Parity		July 2005	151	47
	June 2005	115	36	3
	May 2005	138	45	3
	April 2005	145	46	3
	March 2005	176	54	3
	February 2005	44	15	3
	January 2005	103	28	4
	December 2004	116	34	3
	November 2004	68	23	3
	October 2004	176	50	4
	September 2004	46	11	4
	August 2004	30	9	3
	OP-4B Installation Interval Sub-Loop Unbundling Diagnostic	July 2005	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		9	1	9
August 2004		0	0	0
OP-4B Installation Interval UNE - P (POTS) Parity		July 2005	0	0
	June 2005	6	2	3
	May 2005	0	0	0
	April 2005	0	0	0

	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	40	7	6
	December 2004	98	29	3
	November 2004	94	25	4
	October 2004	118	35	3
	September 2004	148	37	4
	August 2004	122	37	3
OP-4C Installation Interval Business Parity	July 2005	13	6	2
	June 2005	8	3	3
	May 2005	14	5	3
	April 2005	21	7	3
	March 2005	16	7	2
	February 2005	16	7	2
	January 2005	6	3	2
	December 2004	46	17	3
	November 2004	12	4	3
	October 2004	10	4	3
	September 2004	7	3	2
	August 2004	21	9	2
OP-4C Installation Interval Line Sharing Benchmark	July 2005	3	1	3
	June 2005	12	4	3
	May 2005	3	1	3
	April 2005	6	2	3
	March 2005	6	2	3
	February 2005	12	4	3
	January 2005	9	3	3
	December 2004	24	8	3
	November 2004	15	5	3
	October 2004	249	82	3
	September 2004	1410	468	3
	August 2004	1292	431	3
OP-4C Installation Interval Line Splitting Benchmark	July 2005	90	30	3
	June 2005	81	29	3
	May 2005	122	41	3
	April 2005	122	41	3
	March 2005	167	56	3
	February 2005	134	45	3
	January 2005	125	41	3
	December 2004	137	46	3
	November 2004	165	55	3
	October 2004	149	50	3
	September 2004	175	59	3
	August 2004	151	51	3
OP-4C Installation Interval Qwest DSL Parity	July 2005	162	38	4
	June 2005	170	35	5
	May 2005	220	45	5
	April 2005	173	38	5
	March 2005	207	45	5
	February 2005	79	19	4
	January 2005	139	30	5
	December 2004	87	18	5

	November 2004	50	12	4
	October 2004	39	8	5
	September 2004	19	5	4
	August 2004	272	61	4
OP-4C Installation Interval Residence Parity	July 2005	2145	721	3
	June 2005	2137	718	3
	May 2005	2236	754	3
	April 2005	1559	525	3
	March 2005	1956	655	3
	February 2005	1291	424	3
	January 2005	1325	448	3
	December 2004	1614	545	3
	November 2004	1775	597	3
	October 2004	1995	666	3
	September 2004	1408	485	3
	August 2004	869	287	3
OP-4C Installation Interval Sub-Loop Unbundling Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	8	2	4
OP-4C Installation Interval UNE - P (POTS) Parity	July 2005	5	2	3
	June 2005	12	4	3
	May 2005	3	1	3
	April 2005	15	5	3
	March 2005	12	4	3
	February 2005	69	23	3
	January 2005	153	52	3
	December 2004	5942	1988	3
	November 2004	5745	1926	3
	October 2004	10892	3645	3
	September 2004	7331	2458	3
	August 2004	9290	3095	3
OP-4C Installation Interval UNE P (Centrex 21) Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	3	1	3
	November 2004	0	0	0
	October 2004	9	3	3
	September 2004	0	0	0
	August 2004	0	1	0

OP-4C Installation Interval UNE P (Centrex) Parity	July 2005	0	0	0	
	June 2005	0	0	0	
	May 2005	0	0	0	
	April 2005	0	0	0	
	March 2005	0	0	0	
	February 2005	0	0	0	
	January 2005	0	0	0	
	December 2004	0	1	0	
	November 2004	0	0	0	
	October 2004	0	0	0	
	September 2004	0	0	0	
	August 2004	0	3	0	
	OP-4D Installation Interval DS1 Parity	July 2005	0	0	0
		June 2005	0	0	0
May 2005		10	1	10	
April 2005		0	0	0	
March 2005		0	0	0	
February 2005		0	0	0	
January 2005		0	0	0	
December 2004		0	0	0	
November 2004		10	1	10	
October 2004		0	0	0	
September 2004		0	0	0	
August 2004		0	0	0	
OP-4D Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic		July 2005	3	1	3
		June 2005	0	0	0
	May 2005	0	0	0	
	April 2005	0	0	0	
	March 2005	40	5	8	
	February 2005	0	0	0	
	January 2005	0	0	0	
	December 2004	0	0	0	
	November 2004	0	0	0	
	October 2004	30	7	4.29	
	September 2004	0	0	0	
	August 2004	16	2	8	
	OP-4D Installation Interval Enhanced Extended Loops - DS1 Capable Parity	July 2005	357	68	5.25
		June 2005	404	80	5.05
May 2005		376	77	4.88	
April 2005		317	61	5.2	
March 2005		393	76	5.17	
February 2005		309	64	4.83	
January 2005		317	67	4.73	
December 2004		353	66	5.35	
November 2004		275	51	5.39	
October 2004		492	89	5.53	
September 2004		476	84	5.67	
August 2004		200	37	5.41	
OP-4D Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic		July 2005	0	0	0
		June 2005	4	1	4
	May 2005	0	0	0	
	April 2005	0	0	0	

	March 2005	1	1	1
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	10	1	10
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	7	1	7
OP-4D Installation Interval LIS Trunk Parity	July 2005	68	8	8.5
	June 2005	428	32	13.38
	May 2005	189	13	14.54
	April 2005	100	7	14.29
	March 2005	213	15	14.2
	February 2005	272	20	13.6
	January 2005	166	11	15.09
	December 2004	305	20	15.25
	November 2004	65	5	13
	October 2004	115	10	11.5
	September 2004	70	7	10
	August 2004	169	10	16.9
OP-4D Installation Interval PBX Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	6	1	6
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-4D Installation Interval Qwest DSL Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	5	1	5
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	8	2	4
	August 2004	0	0	0
OP-4D Installation Interval UDIT Above DS1 Level Parity	July 2005	0	0	0
	June 2005	10	2	5
	May 2005	7	1	7
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	12	2	6
	January 2005	0	0	0
	December 2004	0	0	0

	November 2004	16	2	8
	October 2004	8	1	8
	September 2004	44	4	11
	August 2004	10	1	10
OP-4D Installation Interval UDIT DS1 Parity	July 2005	5	1	5
	June 2005	10	2	5
	May 2005	0	0	0
	April 2005	5	1	5
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	4	1	4
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	4	1	4
	September 2004	8	2	4
	August 2004	5	1	5
OP-4D Installation Interval Unbundled Loop 2 Wire Non-Loaded Parity	July 2005	1260	313	4.03
	June 2005	1326	320	4.14
	May 2005	1247	315	3.96
	April 2005	1150	309	3.72
	March 2005	1212	317	3.82
	February 2005	1083	279	3.88
	January 2005	1033	263	3.93
	December 2004	1082	279	3.88
	November 2004	1440	371	3.88
	October 2004	1550	387	4.01
	September 2004	1521	355	4.28
	August 2004	1127	275	4.1
OP-4D Installation Interval Unbundled Loop ADSL Qualified Parity	July 2005	64	13	4.92
	June 2005	61	13	4.69
	May 2005	56	13	4.31
	April 2005	25	6	4.17
	March 2005	12	3	4
	February 2005	26	6	4.33
	January 2005	20	4	5
	December 2004	70	15	4.67
	November 2004	31	7	4.43
	October 2004	118	27	4.37
	September 2004	142	23	6.17
	August 2004	88	18	4.89
OP-4D Installation Interval Unbundled Loop DS1 Capable Parity	July 2005	431	86	5.01
	June 2005	508	106	4.79
	May 2005	428	95	4.51
	April 2005	454	99	4.59
	March 2005	520	103	5.05
	February 2005	392	80	4.9
	January 2005	276	63	4.38
	December 2004	400	84	4.76
	November 2004	381	85	4.48
	October 2004	514	103	4.99
	September 2004	629	111	5.67
	August 2004	488	102	4.78

OP-4D Installation Interval Unbundled Loop DS3 Capable Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	5	1	5
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	7	1	7
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	5	1	5
	September 2004	0	0	0
	August 2004	0	0	0
	OP-4D Installation Interval Unbundled Loop XDSLi Benchmark	July 2005	18	4
June 2005		44	9	4.89
May 2005		8	2	4
April 2005		10	2	5
March 2005		19	5	3.8
February 2005		21	5	4.2
January 2005		35	9	3.89
December 2004		16	4	4
November 2004		16	4	4
October 2004		34	8	4.25
September 2004		26	5	5.2
August 2004		0	0	0
OP-4D Installation Interval Unbundled Loop Analog Parity		July 2005	4153	832
	June 2005	4640	927	5.01
	May 2005	4090	819	4.99
	April 2005	3716	732	5.08
	March 2005	4474	892	5.02
	February 2005	4614	916	5.04
	January 2005	2989	591	5.06
	December 2004	3438	669	5.14
	November 2004	3460	671	5.16
	October 2004	3527	701	5.03
	September 2004	4063	791	5.14
	August 2004	4041	794	5.09
	OP-4D Installation Interval Unbundled Loop Conditioned Benchmark	July 2005	119	13
June 2005		178	13	13.69
May 2005		49	6	8.17
April 2005		32	4	8
March 2005		64	5	12.8
February 2005		32	5	6.4
January 2005		69	7	9.86
December 2004		114	10	11.4
November 2004		48	6	8
October 2004		222	16	13.88
September 2004		150	15	10
August 2004		141	14	10.07
OP-4D Installation Interval Unbundled Loop ISDN Capable Parity		July 2005	165	39
	June 2005	119	27	4.41
	May 2005	144	31	4.65
	April 2005	99	26	3.81

	March 2005	160	39	4.1
	February 2005	110	25	4.4
	January 2005	124	30	4.13
	December 2004	105	26	4.04
	November 2004	131	32	4.09
	October 2004	156	37	4.22
	September 2004	168	36	4.67
	August 2004	120	28	4.29
OP-4E Installation Interval Dark Fiber - IOF Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	5	1	5
	November 2004	0	0	0
	October 2004	19	1	19
	September 2004	0	0	0
	August 2004	0	0	0
OP-4E Installation Interval Dark Fiber - Loop Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	40	2	20
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	24	1	24
OP-4E Installation Interval DS0 Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	36	9	4
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-4E Installation Interval DS1 Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	9	1	9
	January 2005	0	0	0
	December 2004	0	0	0

	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-4E Installation Interval Enhanced Extended Loops - DS1 Capable Parity	July 2005	23	5	4.6
	June 2005	35	6	5.83
	May 2005	65	12	5.42
	April 2005	25	5	5
	March 2005	19	4	4.75
	February 2005	96	13	7.38
	January 2005	70	12	5.83
	December 2004	58	7	8.29
	November 2004	108	17	6.35
	October 2004	85	13	6.54
	September 2004	87	15	5.8
	August 2004	93	14	6.64
OP-4E Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	8	1	8
	August 2004	0	0	0
OP-4E Installation Interval ISDN Primary Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	56	4	14
	April 2005	6	1	6
	March 2005	54	6	9
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-4E Installation Interval LIS Trunk Parity	July 2005	56	4	14
	June 2005	108	6	18
	May 2005	179	11	16.27
	April 2005	89	7	12.71
	March 2005	199	11	18.09
	February 2005	224	13	17.23
	January 2005	46	3	15.33
	December 2004	239	10	23.9
	November 2004	57	4	14.25
	October 2004	12	1	12
	September 2004	111	6	18.5
	August 2004	96	6	16

OP-4E Installation Interval PBX Parity	July 2005	5	1	5
	June 2005	0	0	0
	May 2005	8	2	4
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
	OP-4E Installation Interval UDIT Above DS1 Level Parity	July 2005	18	2
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		56	4	14
November 2004		0	0	0
October 2004		0	0	0
September 2004		9	1	9
August 2004		9	1	9
OP-4E Installation Interval UDIT DS1 Parity		July 2005	10	2
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	4	1	4
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	21	2	10.5
	September 2004	6	1	6
	August 2004	6	1	6
	OP-4E Installation Interval Unbundled Loop 2 Wire Non-Loaded Parity	July 2005	112	20
June 2005		84	21	4
May 2005		99	23	4.3
April 2005		40	10	4
March 2005		104	25	4.16
February 2005		71	17	4.18
January 2005		53	13	4.08
December 2004		59	14	4.21
November 2004		79	20	3.95
October 2004		106	26	4.08
September 2004		104	21	4.95
August 2004		81	20	4.05
OP-4E Installation Interval Unbundled Loop ADSL Qualified Parity		July 2005	39	8
	June 2005	63	13	4.85
	May 2005	27	6	4.5
	April 2005	81	17	4.76

	March 2005	51	12	4.25
	February 2005	45	9	5
	January 2005	66	17	3.88
	December 2004	40	8	5
	November 2004	91	20	4.55
	October 2004	78	16	4.88
	September 2004	74	11	6.73
	August 2004	16	4	4
OP-4E Installation Interval Unbundled Loop	July 2005	30	6	5
DS1 Capable Parity	June 2005	16	3	5.33
	May 2005	78	16	4.88
	April 2005	50	11	4.55
	March 2005	87	22	3.95
	February 2005	68	14	4.86
	January 2005	30	6	5
	December 2004	39	7	5.57
	November 2004	71	15	4.73
	October 2004	90	18	5
	September 2004	21	5	4.2
	August 2004	38	8	4.75
OP-4E Installation Interval Unbundled Loop	July 2005	0	0	0
DS3 Capable Parity	June 2005	0	0	0
	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	7	1	7
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-4E Installation Interval Unbundled Loop	July 2005	253	48	5.27
Analog Parity	June 2005	522	98	5.33
	May 2005	124	27	4.59
	April 2005	210	42	5
	March 2005	257	47	5.47
	February 2005	387	78	4.96
	January 2005	309	64	4.83
	December 2004	204	42	4.86
	November 2004	468	92	5.09
	October 2004	418	85	4.92
	September 2004	322	62	5.19
	August 2004	346	66	5.24
OP-4E Installation Interval Unbundled Loop	July 2005	0	0	0
Conditioned Benchmark	June 2005	8	1	8
	May 2005	16	2	8
	April 2005	24	2	12
	March 2005	15	1	15
	February 2005	10	1	10
	January 2005	48	3	16
	December 2004	14	1	14

	November 2004	96	10	9.6
	October 2004	0	0	0
	September 2004	57	5	11.4
	August 2004	21	2	10.5
OP-4E Installation Interval Unbundled Loop ISDN Capable Parity	July 2005	66	15	4.4
	June 2005	81	18	4.5
	May 2005	84	17	4.94
	April 2005	13	3	4.33
	March 2005	34	7	4.86
	February 2005	30	7	4.29
	January 2005	48	11	4.36
	December 2004	48	11	4.36
	November 2004	64	13	4.92
	October 2004	67	14	4.79
	September 2004	83	17	4.88
	August 2004	84	16	5.25
OP-5A New Service Installation Quality Reported to Repair Business Parity	July 2005	0	0	0.00%
	June 2005	12	12	100.00%
	May 2005	14	15	93.33%
	April 2005	14	14	100.00%
	March 2005	12	12	100.00%
	February 2005	14	18	77.78%
	January 2005	11	11	100.00%
	December 2004	25	28	89.29%
	November 2004	19	20	95.00%
	October 2004	8	8	100.00%
	September 2004	9	10	90.00%
	August 2004	21	22	95.45%
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - Loop Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	August 2004	2	2	100.00%
OP-5A New Service Installation Quality Reported to Repair DS0 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	9	9	100.00%
	October 2004	0	0	0.00%
September 2004	0	0	0.00%	
August 2004	0	0	0.00%	

OP-5A New Service Installation Quality Reported to Repair DS1 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS0 Capable Diagnostic	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		5	5	100.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		6	8	75.00%
September 2004		0	0	0.00%
August 2004		2	2	100.00%
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS1 Capable Parity		July 2005	0	0
	June 2005	104	110	94.55%
	May 2005	112	118	94.92%
	April 2005	87	93	93.55%
	March 2005	107	116	92.24%
	February 2005	100	110	90.91%
	January 2005	97	103	94.17%
	December 2004	109	114	95.61%
	November 2004	85	87	97.70%
	October 2004	113	126	89.68%
	September 2004	96	108	88.89%
	August 2004	64	68	94.12%
	OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS3 Capable Diagnostic	July 2005	0	0
June 2005		1	1	100.00%
May 2005		0	0	0.00%
April 2005		1	1	100.00%
March 2005		1	1	100.00%
February 2005		2	2	100.00%
January 2005		1	1	100.00%
December 2004		1	1	100.00%
November 2004		2	2	100.00%
October 2004		1	1	100.00%
September 2004		2	2	100.00%
August 2004		1	1	100.00%
OP-5A New Service Installation Quality Reported to Repair ISDN Primary Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	0	1	0.00%

	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5A New Service Installation Quality	July 2005	0	0	0.00%
Reported to Repair Line Sharing Parity	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	6	7	85.71%
	February 2005	13	13	100.00%
	January 2005	12	13	92.31%
	December 2004	11	13	84.62%
	November 2004	13	13	100.00%
	October 2004	101	104	97.12%
	September 2004	524	540	97.04%
	August 2004	493	502	98.21%
OP-5A New Service Installation Quality	July 2005	0	0	0.00%
Reported to Repair Line Splitting Parity	June 2005	32	33	96.97%
	May 2005	47	49	95.92%
	April 2005	47	54	87.04%
	March 2005	63	69	91.30%
	February 2005	52	55	94.55%
	January 2005	48	51	94.12%
	December 2004	48	51	94.12%
	November 2004	59	65	90.77%
	October 2004	55	56	98.21%
	September 2004	63	65	96.92%
	August 2004	56	59	94.92%
OP-5A New Service Installation Quality	July 2005	0	0	0.00%
Reported to Repair LIS Trunk Parity	June 2005	43	44	97.73%
	May 2005	35	35	100.00%
	April 2005	18	19	94.74%
	March 2005	43	43	100.00%
	February 2005	54	54	100.00%
	January 2005	19	19	100.00%
	December 2004	39	39	100.00%
	November 2004	29	30	96.67%
	October 2004	14	14	100.00%
	September 2004	18	18	100.00%
	August 2004	24	25	96.00%
OP-5A New Service Installation Quality	July 2005	0	0	0.00%
Reported to Repair PBX Parity	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%

	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Qwest DSL Parity	July 2005	0	0	0.00%
	June 2005	89	94	94.68%
	May 2005	90	100	90.00%
	April 2005	85	92	92.39%
	March 2005	92	100	92.00%
	February 2005	51	58	87.93%
	January 2005	67	74	90.54%
	December 2004	58	65	89.23%
	November 2004	51	55	92.73%
	October 2004	66	70	94.29%
	September 2004	54	55	98.18%
	August 2004	97	99	97.98%
	OP-5A New Service Installation Quality Reported to Repair Residence Parity	July 2005	0	0
June 2005		2066	2159	95.69%
May 2005		2038	2116	96.31%
April 2005		1475	1565	94.25%
March 2005		1885	1978	95.30%
February 2005		1217	1290	94.34%
January 2005		1325	1390	95.32%
December 2004		1373	1439	95.41%
November 2004		1716	1797	95.49%
October 2004		1899	1999	95.00%
September 2004		1352	1410	95.89%
August 2004		1064	1121	94.92%
OP-5A New Service Installation Quality Reported to Repair Sub-Loop Unbundling Diagnostic		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	August 2004	2	2	100.00%
	OP-5A New Service Installation Quality Reported to Repair UDIT Above DS1 Level Parity	July 2005	0	0
June 2005		3	3	100.00%
May 2005		3	3	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		2	3	66.67%
January 2005		1	1	100.00%
December 2004		4	4	100.00%
November 2004		1	2	50.00%
October 2004		2	2	100.00%
September 2004		6	6	100.00%
August 2004		4	4	100.00%

OP-5A New Service Installation Quality Reported to Repair UDIT DS1 Parity	July 2005	0	0	0.00%
	June 2005	9	9	100.00%
	May 2005	0	0	0.00%
	April 2005	3	3	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	1	1	100.00%
	October 2004	4	5	80.00%
	September 2004	3	3	100.00%
	August 2004	3	3	100.00%
	OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	0	0
June 2005		356	364	97.80%
May 2005		363	368	98.64%
April 2005		339	348	97.41%
March 2005		364	374	97.33%
February 2005		311	318	97.80%
January 2005		305	315	96.83%
December 2004		337	347	97.12%
November 2004		430	441	97.51%
October 2004		428	444	96.40%
September 2004		394	408	96.57%
August 2004		320	329	97.26%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - ADSL Qualified Parity		July 2005	0	0
	June 2005	30	30	100.00%
	May 2005	19	20	95.00%
	April 2005	21	23	91.30%
	March 2005	19	19	100.00%
	February 2005	15	16	93.75%
	January 2005	45	47	95.74%
	December 2004	31	31	100.00%
	November 2004	40	41	97.56%
	October 2004	48	51	94.12%
	September 2004	35	40	87.50%
	August 2004	23	25	92.00%
	OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS1 Capable Parity	July 2005	0	0
June 2005		127	134	94.78%
May 2005		125	132	94.70%
April 2005		127	137	92.70%
March 2005		142	152	93.42%
February 2005		118	125	94.40%
January 2005		94	97	96.91%
December 2004		115	120	95.83%
November 2004		146	154	94.81%
October 2004		138	145	95.17%
September 2004		146	155	94.19%
August 2004		146	161	90.68%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS3 Capable Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%

	March 2005	0	0	0.00%
	February 2005	2	2	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5A New Service Installation Quality	July 2005	0	0	0.00%
Reported to Repair Unbundled Loop - XDSL	June 2005	10	10	100.00%
Parity	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	10	10	100.00%
	September 2004	4	6	66.67%
	August 2004	0	0	0.00%
OP-5A New Service Installation Quality	July 2005	0	0	0%
Reported to Repair Unbundled Loop Analog	June 2005	3788	3836	99%
Parity	May 2005	1403	1431	98%
	April 2005	1211	1232	98%
	March 2005	1398	1412	99%
	February 2005	1348	1368	99%
	January 2005	1170	1184	99%
	December 2004	1285	1312	98%
	November 2004	1298	1330	98%
	October 2004	1362	1398	97%
	September 2004	1304	1336	98%
	August 2004	1360	1398	97%
OP-5A New Service Installation Quality	July 2005	0	0	0%
Reported to Repair Unbundled Loop ISDN	June 2005	44	48	92%
Capable Parity	May 2005	44	50	88%
	April 2005	31	31	100%
	March 2005	45	49	92%
	February 2005	33	34	97%
	January 2005	50	50	100%
	December 2004	38	40	95%
	November 2004	56	59	95%
	October 2004	51	54	94%
	September 2004	55	58	95%
	August 2004	46	46	100%
OP-5A New Service Installation Quality	July 2005	0	0	0%
Reported to Repair UNE - P (POTS) Parity	June 2005	14	15	93%
	May 2005	9	9	100%
	April 2005	15	15	100%
	March 2005	15	17	88%
	February 2005	46	46	100%
	January 2005	139	149	93%
	December 2004	4045	4186	97%

	November 2004	5663	5848	97%	
	October 2004	6205	6386	97%	
	September 2004	4630	4777	97%	
	August 2004	5978	6182	97%	
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex 21) Parity	July 2005	0	0	0%	
	June 2005	0	0	0%	
	May 2005	0	0	0%	
	April 2005	0	0	0%	
	March 2005	0	0	0%	
	February 2005	0	0	0%	
	January 2005	0	0	0%	
	December 2004	1	1	100%	
	November 2004	1	1	100%	
	October 2004	10	10	100%	
	September 2004	0	0	0%	
	August 2004	3	3	100%	
	OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex) Parity	July 2005	0	0	0%
		June 2005	0	0	0%
May 2005		0	0	0%	
April 2005		0	0	0%	
March 2005		0	0	0%	
February 2005		0	0	0%	
January 2005		1	2	50%	
December 2004		3	3	100%	
November 2004		6	6	100%	
October 2004		2	2	100%	
September 2004		4	4	100%	
August 2004		5	8	63%	
OP-5B New Service Provisioning Quality Business Benchmark		July 2005	0	0	0%
		June 2005	12	12	100%
	May 2005	15	15	100%	
	April 2005	14	14	100%	
	March 2005	12	12	100%	
	February 2005	18	18	100%	
	January 2005	11	11	100%	
	December 2004	27	28	96%	
	November 2004	20	20	100%	
	October 2004	8	8	100%	
	September 2004	10	10	100%	
	August 2004	21	22	95%	
	OP-5B New Service Provisioning Quality Dark Fiber - Loop Diagnostic	July 2005	0	0	0%
		June 2005	0	0	0%
May 2005		1	1	100%	
April 2005		0	0	0%	
March 2005		0	0	0%	
February 2005		0	0	0%	
January 2005		0	0	0%	
December 2004		0	0	0%	
November 2004		3	3	100%	
October 2004		0	0	0%	
September 2004	1	1	100%		
August 2004	2	2	100%		

OP-5B New Service Provisioning Quality DS0 Diagnostic	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	9	9	100%
	October 2004	0	0	0%
	September 2004	0	0	0%
	August 2004	0	0	0%
	OP-5B New Service Provisioning Quality DS1 Benchmark	July 2005	0	0
June 2005		0	0	0%
May 2005		1	1	100%
April 2005		0	0	0%
March 2005		0	0	0%
February 2005		1	1	100%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		1	1	100%
October 2004		0	0	0%
September 2004		0	0	0%
August 2004		0	0	0%
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS0 Capable Benchmark		July 2005	0	0
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	5	5	100%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	8	8	100%
	September 2004	0	0	0%
	August 2004	2	2	100%
	OP-5B New Service Provisioning Quality ISDN Primary Benchmark	July 2005	0	0
June 2005		0	0	0%
May 2005		4	4	100%
April 2005		1	1	100%
March 2005		6	6	100%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		0	0	0%
October 2004		0	0	0%
September 2004		0	0	0%
August 2004		0	0	0%
OP-5B New Service Provisioning Quality Line Splitting Benchmark		July 2005	0	0
	June 2005	33	33	100%
	May 2005	49	49	100%
	April 2005	54	54	100%

	March 2005	69	69	100%
	February 2005	55	55	100%
	January 2005	51	51	100%
	December 2004	51	51	100%
	November 2004	65	65	100%
	October 2004	56	56	100%
	September 2004	65	65	100%
	August 2004	59	59	100%
OP-5B New Service Provisioning Quality	July 2005	0	0	0%
Qwest DSL Benchmark	June 2005	94	94	100%
	May 2005	100	100	100%
	April 2005	89	92	97%
	March 2005	98	100	98%
	February 2005	55	58	95%
	January 2005	71	74	96%
	December 2004	62	65	95%
	November 2004	53	55	96%
	October 2004	69	70	99%
	September 2004	54	55	98%
	August 2004	98	99	99%
OP-5B New Service Provisioning Quality	July 2005	0	0	0%
Residence Benchmark	June 2005	2154	2159	100%
	May 2005	2114	2116	100%
	April 2005	1560	1565	100%
	March 2005	1976	1978	100%
	February 2005	1290	1290	100%
	January 2005	1388	1390	100%
	December 2004	1435	1439	100%
	November 2004	1795	1797	100%
	October 2004	1995	1999	100%
	September 2004	1409	1410	100%
	August 2004	1120	1121	100%
OP-5B New Service Provisioning Quality	July 2005	0	0	0%
Sub-Loop Unbundling Diagnostic	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	1	1	100%
	August 2004	2	2	100%
OP-5B New Service Provisioning Quality	July 2005	0	0	0%
Unbundled Loop - 4 Wire Non-Loaded	June 2005	0	0	0%
Diagnostic	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%

	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	0	0	0%
	August 2004	1	1	100%
OP-5B New Service Provisioning Quality	July 2005	0	0	0%
Unbundled Loop - DS3 Capable Benchmark	June 2005	0	0	0%
	May 2005	2	2	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	2	2	100%
	January 2005	0	0	0%
	December 2004	1	1	100%
	November 2004	1	1	100%
	October 2004	1	1	100%
	September 2004	0	0	0%
	August 2004	0	0	0%
OP-5B New Service Provisioning Quality	July 2005	0	0	0%
UNE - P (POTS) Benchmark	June 2005	15	15	100%
	May 2005	9	9	100%
	April 2005	15	15	100%
	March 2005	17	17	100%
	February 2005	46	46	100%
	January 2005	147	149	99%
	December 2004	4172	4186	100%
	November 2004	5839	5848	100%
	October 2004	6378	6386	100%
	September 2004	4768	4777	100%
	August 2004	6163	6182	100%
OP-5B New Service Provisioning Quality	July 2005	0	0	0%
UNE P (Centrex 21) Diagnostic	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	1	1	100%
	November 2004	1	1	100%
	October 2004	10	10	100%
	September 2004	0	0	0%
	August 2004	3	3	100%
OP-5B New Service Provisioning Quality	July 2005	0	0	0%
UNE P (Centrex) Diagnostic	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	2	2	100%
	December 2004	3	3	100%
	November 2004	6	6	100%
	October 2004	2	2	100%
	September 2004	4	4	100%
	August 2004	8	8	100%

OP-5R New Service Quality Multiple Report	July 2005	0	0	0%
Rate Enhanced Extended Loops - DS0	June 2005	0	0	0%
Capable Diagnostic	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	2	0%
	September 2004	0	0	0%
	August 2004	0	0	0%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0%
Rate Enhanced Extended Loops - DS1	June 2005	0	6	0%
Capable Diagnostic	May 2005	0	6	0%
	April 2005	1	7	14%
	March 2005	1	11	9%
	February 2005	1	10	10%
	January 2005	1	8	13%
	December 2004	0	5	0%
	November 2004	0	2	0%
	October 2004	0	13	0%
	September 2004	3	15	20%
	August 2004	0	4	0%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0%
Rate ISDN Primary Diagnostic	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	1	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	0	0	0%
	August 2004	0	0	0%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0.00%
Rate Line Sharing Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	2	3	66.67%
	December 2004	0	2	0.00%
	November 2004	0	0	0.00%
	October 2004	1	5	20.00%
	September 2004	3	19	15.79%
	August 2004	5	15	33.33%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0.00%
Rate Line Splitting Diagnostic	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	6	0.00%

	March 2005	1	7	14.29%
	February 2005	0	2	0.00%
	January 2005	2	5	40.00%
	December 2004	0	3	0.00%
	November 2004	0	6	0.00%
	October 2004	0	0	0.00%
	September 2004	0	2	0.00%
	August 2004	0	1	0.00%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0.00%
Rate LIS Trunk Diagnostic	June 2005	0	1	0.00%
	May 2005	0	0	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	1	0.00%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0.00%
Rate Qwest DSL Diagnostic	June 2005	0	7	0.00%
	May 2005	1	12	8.33%
	April 2005	2	11	18.18%
	March 2005	1	11	9.09%
	February 2005	3	13	23.08%
	January 2005	2	11	18.18%
	December 2004	3	13	23.08%
	November 2004	0	6	0.00%
	October 2004	0	5	0.00%
	September 2004	0	2	0.00%
	August 2004	0	3	0.00%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0.00%
Rate Residence Diagnostic	June 2005	4	78	5.13%
	May 2005	3	67	4.48%
	April 2005	3	78	3.85%
	March 2005	3	76	3.95%
	February 2005	3	62	4.84%
	January 2005	4	54	7.41%
	December 2004	0	61	0.00%
	November 2004	5	62	8.06%
	October 2004	4	87	4.60%
	September 2004	4	54	7.41%
	August 2004	4	43	9.30%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0.00%
Rate UDIT Above DS1 Level Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%

	November 2004	0	1	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate UDIT DS1 Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	OP-5R New Service Quality Multiple Report Rate Unbundled Loop - 2 Wire Non-Loaded Diagnostic	July 2005	0	0
June 2005		1	9	11.11%
May 2005		0	5	0.00%
April 2005		0	9	0.00%
March 2005		0	10	0.00%
February 2005		0	7	0.00%
January 2005		0	10	0.00%
December 2004		0	11	0.00%
November 2004		0	11	0.00%
October 2004		2	18	11.11%
September 2004		1	15	6.67%
August 2004		0	9	0.00%
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - ADSL Qualified Diagnostic		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	1	2	50.00%
	January 2005	0	2	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	3	0.00%
	September 2004	0	5	0.00%
	August 2004	0	2	0.00%
	OP-5R New Service Quality Multiple Report Rate Unbundled Loop - DS1 Capable Diagnostic	July 2005	0	0
June 2005		1	8	12.50%
May 2005		0	7	0.00%
April 2005		4	14	28.57%
March 2005		2	12	16.67%
February 2005		1	8	12.50%
January 2005		0	3	0.00%
December 2004		1	6	16.67%
November 2004		1	10	10.00%
October 2004		0	8	0.00%
September 2004	1	11	9.09%	
August 2004	3	19	15.79%	

OP-5R New Service Quality Multiple Report Rate Unbundled Loop - XDSLi Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	3	33.33%
	August 2004	0	0	0.00%
	OP-5R New Service Quality Multiple Report Rate Unbundled Loop Analog Diagnostic	July 2005	0	0
June 2005		4	52	7.69%
May 2005		0	29	0.00%
April 2005		1	22	4.55%
March 2005		0	14	0.00%
February 2005		2	24	8.33%
January 2005		1	17	5.88%
December 2004		2	29	6.90%
November 2004		3	36	8.33%
October 2004		4	41	9.76%
September 2004		0	32	0.00%
August 2004		1	40	2.50%
OP-5R New Service Quality Multiple Report Rate Unbundled Loop ISDN Capable Diagnostic		July 2005	0	0
	June 2005	0	4	0.00%
	May 2005	0	6	0.00%
	April 2005	0	0	0.00%
	March 2005	0	4	0.00%
	February 2005	1	2	50.00%
	January 2005	0	0	0.00%
	December 2004	0	2	0.00%
	November 2004	0	4	0.00%
	October 2004	0	3	0.00%
	September 2004	0	3	0.00%
	August 2004	0	0	0.00%
	OP-5R New Service Quality Multiple Report Rate UNE - P (POTS) Diagnostic	July 2005	0	0
June 2005		1	2	50.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	2	0.00%
February 2005		0	0	0.00%
January 2005		4	15	26.67%
December 2004		26	176	14.77%
November 2004		13	206	6.31%
October 2004		17	209	8.13%
September 2004		22	178	12.36%
August 2004		36	266	13.53%
OP-5R New Service Quality Multiple Report Rate UNE P (Centrex) Diagnostic		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%

	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	1	4	25.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Business Diagnostic	June 2005	12	12	100.00%
	May 2005	14	15	93.33%
	April 2005	14	14	100.00%
	March 2005	12	12	100.00%
	February 2005	14	18	77.78%
	January 2005	11	11	100.00%
	December 2004	24	28	85.71%
	November 2004	19	20	95.00%
	October 2004	8	8	100.00%
	September 2004	9	10	90.00%
	August 2004	20	22	90.91%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Dark Fiber - Loop Diagnostic	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	August 2004	2	2	100.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total DS0 Parity	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	9	9	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Enhanced Extended Loops - DS0 Capable Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	5	5	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%

	November 2004	0	0	0.00%
	October 2004	6	8	75.00%
	September 2004	0	0	0.00%
	August 2004	2	2	100.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Enhanced Extended Loops - DS1	June 2005	104	110	94.55%
Capable Diagnostic	May 2005	112	118	94.92%
	April 2005	87	93	93.55%
	March 2005	106	116	91.38%
	February 2005	100	110	90.91%
	January 2005	96	103	93.20%
	December 2004	109	114	95.61%
	November 2004	85	87	97.70%
	October 2004	113	126	89.68%
	September 2004	96	108	88.89%
	August 2004	64	68	94.12%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Enhanced Extended Loops - DS3	June 2005	1	1	100.00%
Capable Diagnostic	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
	September 2004	2	2	100.00%
	August 2004	1	1	100.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total ISDN Primary Diagnostic	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	0	1	0.00%
	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Line Sharing Diagnostic	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	6	7	85.71%
	February 2005	13	13	100.00%
	January 2005	12	13	92.31%
	December 2004	11	13	84.62%
	November 2004	13	13	100.00%
	October 2004	101	104	97.12%
	September 2004	524	540	97.04%
	August 2004	493	502	98.21%

OP-5T New Service Installation Quality Total Line Splitting Diagnostic	July 2005	0	0	0.00%
	June 2005	32	33	96.97%
	May 2005	47	49	95.92%
	April 2005	47	54	87.04%
	March 2005	63	69	91.30%
	February 2005	52	55	94.55%
	January 2005	48	51	94.12%
	December 2004	48	51	94.12%
	November 2004	59	65	90.77%
	October 2004	55	56	98.21%
	September 2004	63	65	96.92%
	August 2004	56	59	94.92%
	OP-5T New Service Installation Quality Total Qwest DSL Diagnostic	July 2005	0	0
June 2005		89	94	94.68%
May 2005		90	100	90.00%
April 2005		83	92	90.22%
March 2005		90	100	90.00%
February 2005		48	58	82.76%
January 2005		65	74	87.84%
December 2004		55	65	84.62%
November 2004		49	55	89.09%
October 2004		65	70	92.86%
September 2004		53	55	96.36%
August 2004		96	99	96.97%
OP-5T New Service Installation Quality Total Residence Diagnostic		July 2005	0	0
	June 2005	2062	2159	95.51%
	May 2005	2037	2116	96.27%
	April 2005	1471	1565	93.99%
	March 2005	1883	1978	95.20%
	February 2005	1217	1290	94.34%
	January 2005	1324	1390	95.25%
	December 2004	1369	1439	95.14%
	November 2004	1716	1797	95.49%
	October 2004	1895	1999	94.80%
	September 2004	1351	1410	95.82%
	August 2004	1063	1121	94.83%
	OP-5T New Service Installation Quality Total Sub-Loop Unbundling Diagnostic	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		1	1	100.00%
August 2004		2	2	100.00%
OP-5T New Service Installation Quality Total Unbundled Loop - 2 Wire Non-Loaded Diagnostic		July 2005	0	0
	June 2005	356	364	97.80%
	May 2005	363	368	98.64%
	April 2005	339	348	97.41%

	March 2005	364	374	97.33%
	February 2005	311	318	97.80%
	January 2005	305	315	96.83%
	December 2004	336	347	96.83%
	November 2004	430	441	97.51%
	October 2004	428	444	96.40%
	September 2004	394	408	96.57%
	August 2004	320	329	97.26%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Unbundled Loop - 4 Wire Non-Loaded Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	1	1	100.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Unbundled Loop - ADSL Qualified Diagnostic	June 2005	30	30	100.00%
	May 2005	19	20	95.00%
	April 2005	21	23	91.30%
	March 2005	19	19	100.00%
	February 2005	15	16	93.75%
	January 2005	45	47	95.74%
	December 2004	31	31	100.00%
	November 2004	40	41	97.56%
	October 2004	48	51	94.12%
	September 2004	35	40	87.50%
	August 2004	23	25	92.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Unbundled Loop - DS1 Capable Diagnostic	June 2005	127	134	94.78%
	May 2005	125	132	94.70%
	April 2005	127	137	92.70%
	March 2005	142	152	93.42%
	February 2005	118	125	94.40%
	January 2005	94	97	96.91%
	December 2004	115	120	95.83%
	November 2004	146	154	94.81%
	October 2004	137	145	94.48%
	September 2004	146	155	94.19%
	August 2004	146	161	90.68%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Unbundled Loop - XDSLi Diagnostic	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%

	November 2004	4	4	100.00%
	October 2004	10	10	100.00%
	September 2004	4	6	66.67%
	August 2004	0	0	0.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Unbundled Loop Analog Diagnostic	June 2005	3788	3836	98.75%
	May 2005	1393	1431	97.34%
	April 2005	1211	1232	98.30%
	March 2005	1398	1412	99.01%
	February 2005	1345	1368	98.32%
	January 2005	1164	1184	98.31%
	December 2004	1285	1312	97.94%
	November 2004	1296	1330	97.44%
	October 2004	1360	1398	97.28%
	September 2004	1304	1336	97.60%
	August 2004	1360	1398	97.28%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Unbundled Loop ISDN Capable Diagnostic	June 2005	44	48	91.67%
	May 2005	44	50	88.00%
	April 2005	31	31	100.00%
	March 2005	45	49	91.84%
	February 2005	33	34	97.06%
	January 2005	50	50	100.00%
	December 2004	38	40	95.00%
	November 2004	56	59	94.92%
	October 2004	51	54	94.44%
	September 2004	55	58	94.83%
	August 2004	46	46	100.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total UNE - P (POTS) Diagnostic	June 2005	14	15	93.33%
	May 2005	9	9	100.00%
	April 2005	15	15	100.00%
	March 2005	15	17	88.24%
	February 2005	46	46	100.00%
	January 2005	138	149	92.62%
	December 2004	4032	4186	96.32%
	November 2004	5655	5848	96.70%
	October 2004	6197	6386	97.04%
	September 2004	4623	4777	96.78%
	August 2004	5962	6182	96.44%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total UNE P (Centrex 21) Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	10	10	100.00%
	September 2004	0	0	0.00%
	August 2004	3	3	100.00%

OP-5T New Service Installation Quality Total UNE P (Centrex) Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
	October 2004	2	2	100.00%
	September 2004	4	4	100.00%
	August 2004	5	8	62.50%
OP-6A-1 Delayed Days for Non-Facility Reasons Line Splitting Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	1	1	1
	February 2005	1	1	1
	January 2005	0	0	0
	December 2004	2	1	2
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-6A-1 Delayed Days for Non-Facility Reasons Qwest DSL Parity	July 2005	1	1	1
	June 2005	9	2	4.5
	May 2005	0	0	0
	April 2005	2	2	1
	March 2005	1	1	1
	February 2005	1	1	1
	January 2005	0	0	0
	December 2004	4	1	4
	November 2004	1	1	1
	October 2004	0	0	0
	September 2004	1	1	1
	August 2004	0	0	0
OP-6A-1 Delayed Days for Non-Facility Reasons Residence Parity	July 2005	12	3	4
	June 2005	11	6	1.83
	May 2005	3	3	1
	April 2005	5	3	1.67
	March 2005	15	3	5
	February 2005	6	2	3
	January 2005	3	3	1
	December 2004	5	2	2.5
	November 2004	25	9	2.78
	October 2004	22	9	2.44
	September 2004	14	7	2
	August 2004	12	3	4
OP-6A-1 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0

	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	4	2	2
	December 2004	48	10	4.8
	November 2004	15	9	1.67
	October 2004	14	7	2
	September 2004	36	19	1.89
	August 2004	31	19	1.63
OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex) Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	2	1	2
	October 2004	1	1	1
OP-6A-2 Delayed Days for Non-Facility Reasons Residence Parity	September 2004	0	0	0
	August 2004	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	10	2	5
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	4	1	4
OP-6A-2 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
OP-6A-3 Delayed Days for Non-Facility Reasons Qwest DSL Parity	January 2005	1	1	1
	December 2004	0	0	0
	November 2004	9	2	4.5
	October 2004	1	1	1
	September 2004	5	1	5
	August 2004	2	2	1
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	1	1	1
March 2005	0	0	0	
February 2005	0	0	0	
January 2005	0	0	0	
December 2004	0	0	0	

	November 2004	0	0	0	
	October 2004	0	0	0	
	September 2004	0	0	0	
	August 2004	4	4	1	
OP-6A-3 Delayed Days for Non-Facility Reasons Residence Parity	July 2005	0	0	0	
	June 2005	1	1	1	
	May 2005	0	0	0	
	April 2005	2	1	2	
	March 2005	7	1	7	
	February 2005	12	3	4	
	January 2005	1	1	1	
	December 2004	0	0	0	
	November 2004	4	1	4	
	October 2004	2	1	2	
	September 2004	0	0	0	
	August 2004	12	3	4	
	OP-6A-3 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	July 2005	0	0	0
		June 2005	0	0	0
May 2005		0	0	0	
April 2005		0	0	0	
March 2005		0	0	0	
February 2005		0	0	0	
January 2005		0	0	0	
December 2004		24	8	3	
November 2004		17	3	5.67	
October 2004		7	1	7	
September 2004		18	5	3.6	
August 2004		27	20	1.35	
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS0 Capable Diagnostic		July 2005	0	0	0
		June 2005	0	0	0
	May 2005	0	0	0	
	April 2005	0	0	0	
	March 2005	12	4	3	
	February 2005	0	0	0	
	January 2005	0	0	0	
	December 2004	0	0	0	
	November 2004	0	0	0	
	October 2004	0	0	0	
	September 2004	0	0	0	
	August 2004	0	0	0	
	OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity	July 2005	4	2	2
		June 2005	14	6	2.33
May 2005		2	1	2	
April 2005		17	6	2.83	
March 2005		7	3	2.33	
February 2005		2	1	2	
January 2005		9	2	4.5	
December 2004		2	1	2	
November 2004		4	1	4	
October 2004		33	2	16.5	
September 2004	49	8	6.13		
August 2004	0	0	0		

OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS3 Capable Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	13	1	13
	September 2004	0	0	0
	August 2004	0	0	0
	OP-6A-4 Delayed Days for Non-Facility Reasons LIS Trunk Parity	July 2005	0	0
June 2005		6	2	3
May 2005		24	4	6
April 2005		0	0	0
March 2005		67	8	8.38
February 2005		0	0	0
January 2005		0	0	0
December 2004		67	4	16.75
November 2004		79	7	11.29
October 2004		0	0	0
September 2004		0	0	0
August 2004		11	1	11
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity		July 2005	10	2
	June 2005	21	6	3.5
	May 2005	15	5	3
	April 2005	4	1	4
	March 2005	17	3	5.67
	February 2005	7	2	3.5
	January 2005	24	4	6
	December 2004	26	4	6.5
	November 2004	20	5	4
	October 2004	39	8	4.88
	September 2004	65	13	5
	August 2004	23	7	3.29
	OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity	July 2005	0	0
June 2005		1	1	1
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		2	1	2
October 2004		0	0	0
September 2004		29	3	9.67
August 2004		0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity		July 2005	8	1
	June 2005	35	5	7
	May 2005	7	2	3.5
	April 2005	5	2	2.5

	March 2005	42	5	8.4
	February 2005	18	5	3.6
	January 2005	4	1	4
	December 2004	5	3	1.67
	November 2004	10	2	5
	October 2004	40	8	5
	September 2004	53	12	4.42
	August 2004	9	9	1
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity	July 2005	187	38	4.92
	June 2005	81	17	4.76
	May 2005	83	18	4.61
	April 2005	233	30	7.77
	March 2005	60	10	6
	February 2005	168	24	7
	January 2005	91	21	4.33
	December 2004	277	39	7.1
	November 2004	188	39	4.82
	October 2004	169	35	4.83
	September 2004	304	57	5.33
	August 2004	104	24	4.33
OP-6A-5 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity	July 2005	1	1	1
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	9	2	4.5
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	10	2	5
	August 2004	9	1	9
OP-6A-5 Delayed Days for Non-Facility Reasons ISDN Primary Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	44	4	11
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons LIS Trunk Parity	July 2005	0	0	0
	June 2005	10	2	5
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	51	3	17

	November 2004	2	1	2
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons PBX Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	1	1	1
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Diagnostic	July 2005	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		5	1	5
October 2004		1	1	1
September 2004		0	0	0
August 2004		0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity		July 2005	0	0
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	1	1	1
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	1	1	1
	December 2004	7	1	7
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	2	1	2
	August 2004	3	2	1.5
	OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity	July 2005	13	2
June 2005		8	4	2
May 2005		2	2	1
April 2005		28	4	7
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004	23	3	7.67	
August 2004	14	3	4.67	

OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	11	1	11
	April 2005	4	1	4
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	5	1	5
	September 2004	13	1	13
	August 2004	9	1	9
	OP-6B-1 Delayed Days for Facility Reasons Business Parity	July 2005	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		16	1	16
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
August 2004		0	0	0
OP-6B-1 Delayed Days for Facility Reasons Residence Parity		July 2005	4	1
	June 2005	14	2	7
	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	9	2	4.5
	February 2005	10	3	3.33
	January 2005	1	1	1
	December 2004	16	4	4
	November 2004	15	3	5
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	2	1	2
	OP-6B-1 Delayed Days for Facility Reasons UNE - P (POTS) Parity	July 2005	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		22	3	7.33
November 2004		45	9	5
October 2004		2	1	2
September 2004		70	7	10
August 2004		76	8	9.5
OP-6B-2 Delayed Days for Facility Reasons Residence Parity		July 2005	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0

	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	2	1	2
	October 2004	0	0	0
	September 2004	2	1	2
	August 2004	1	1	1
OP-6B-2 Delayed Days for Facility Reasons	July 2005	0	0	0
UNE - P (POTS) Parity	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	10	2	5
	November 2004	2	1	2
	October 2004	0	0	0
	September 2004	7	2	3.5
	August 2004	12	2	6
OP-6B-4 Delayed Days for Facility Reasons	July 2005	11	3	3.67
Unbundled Loop - 2 Wire Non-Loaded Parity	June 2005	20	2	10
	May 2005	9	1	9
	April 2005	5	2	2.5
	March 2005	18	2	9
	February 2005	3	1	3
	January 2005	14	3	4.67
	December 2004	11	2	5.5
	November 2004	18	3	6
	October 2004	0	0	0
	September 2004	21	3	7
	August 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	July 2005	0	0	0
Unbundled Loop - ADSL Qualified Parity	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	2	1	2
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	3	2	1.5
	September 2004	5	1	5
	August 2004	2	1	2
OP-6B-4 Delayed Days for Facility Reasons	July 2005	34	6	5.67
Unbundled Loop - DS1 Capable Parity	June 2005	1	1	1
	May 2005	13	5	2.6
	April 2005	7	4	1.75
	March 2005	8	5	1.6
	February 2005	20	4	5
	January 2005	1	1	1
	December 2004	18	4	4.5

	November 2004	8	2	4
	October 2004	26	5	5.2
	September 2004	62	5	12.4
	August 2004	35	11	3.18
OP-6B-4 Delayed Days for Facility Reasons	July 2005	111	12	9.25
Unbundled Loop Analog Parity	June 2005	16	2	8
	May 2005	0	0	0
	April 2005	6	2	3
	March 2005	0	0	0
	February 2005	117	13	9
	January 2005	16	5	3.2
	December 2004	77	6	12.83
	November 2004	91	21	4.33
	October 2004	17	4	4.25
	September 2004	9	1	9
	August 2004	73	8	9.13
OP-6B-5 Delayed Days for Facility Reasons	July 2005	0	0	0
Dark Fiber - Loop Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	4	1	4
OP-6B-5 Delayed Days for Facility Reasons	July 2005	0	0	0
DS1 Parity	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	4	1	4
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	July 2005	0	0	0
ISDN Primary Parity	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	1	1	1
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0

OP-6B-5 Delayed Days for Facility Reasons	July 2005	0	0	0
Unbundled Loop - 2 Wire Non-Loaded Parity	June 2005	0	0	0
	May 2005	6	1	6
	April 2005	0	0	0
	March 2005	10	1	10
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	18	2	9
	August 2004	0	0	0
	OP-6B-5 Delayed Days for Facility Reasons	July 2005	0	0
Unbundled Loop - DS1 Capable Parity	June 2005	1	1	1
	May 2005	5	4	1.25
	April 2005	0	0	0
	March 2005	1	1	1
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	1	1	1
	October 2004	7	4	1.75
	September 2004	0	0	0
	August 2004	0	0	0
	OP-6B-5 Delayed Days for Facility Reasons	July 2005	20	3
Unbundled Loop Analog Parity	June 2005	57	3	19
	May 2005	6	2	3
	April 2005	7	1	7
	March 2005	36	2	18
	February 2005	3	1	3
	January 2005	4	1	4
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	3	3	1
	September 2004	0	0	0
	August 2004	3	1	3
	OP-6B-5 Delayed Days for Facility Reasons	July 2005	0	0
Unbundled Loop ISDN Capable Parity	June 2005	3	1	3
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	2	1	2
	August 2004	0	0	0
	OP-7 OP-7 - Coordinated Hot Cut" Interval -	July 2005	1.62291667	663
Unbundled Loops" Unbundled Loop - Analog Diagnostic	June 2005	1.67291667	805	0:03
	May 2005	1.59236111	755	0:03
	April 2005	1.19861111	532	0:03

	March 2005	1.10694444	564	0:03
	February 2005	1.0375	475	0:03
	January 2005	1.12638889	494	0:03
	December 2004	1.01805556	535	0:03
	November 2004	1.22847222	629	0:03
	October 2004	1.43402778	663	0:03
	September 2004	1.10138889	593	0:03
	August 2004	1.44513889	626	0:03
OP-7 OP-7 - Coordinated Hot Cut" Interval -	July 2005	0	0	0:00
Unbundled Loops" Unbundled Loop Other	June 2005	0	0	0:00
Diagnostic	May 2005	1.59236111	755	0:03
	April 2005	0.00763889	5	0:02
	March 2005	0.02152778	7	0:04
	February 2005	0.03333333	12	0:04
	January 2005	0.03958333	7	0:08
	December 2004	0.01736111	8	0:03
	November 2004	0.00763889	5	0:02
	October 2004	0.05416667	10	0:08
	September 2004	0.03541667	12	0:04
	August 2004	0.09930556	20	0:07
OP-8B Number Portability Timeliness LNP	July 2005	602	602	100.00%
Benchmark	June 2005	692	693	99.86%
	May 2005	691	692	99.86%
	April 2005	473	474	99.79%
	March 2005	382	382	100.00%
	February 2005	352	352	100.00%
	January 2005	343	343	100.00%
	December 2004	107	109	98.17%
	November 2004	493	496	99.40%
	October 2004	553	557	99.28%
	September 2004	467	468	99.79%
	August 2004	513	516	99.42%
OP-8C Percentage of LNP Triggers Set	July 2005	9449	9468	99.80%
Prior to the Frame Due Time LNP	June 2005	5177	5180	99.94%
Benchmark	May 2005	2090	2105	99.29%
	April 2005	3243	3247	99.88%
	March 2005	5691	5695	99.93%
	February 2005	2277	2287	99.56%
	January 2005	1681	1686	99.70%
	December 2004	1112	1117	99.55%
	November 2004	2910	2915	99.83%
	October 2004	1657	1667	99.40%
	September 2004	2345	2364	99.20%
	August 2004	4024	4050	99.36%
OS-1 Speed of Answer - Operator Services	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0

	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	0	0
PO-16 Timely Release Notifications	July 2005	6	6	1
Diagnostic	June 2005	4	4	1
	May 2005	3	3	1
	April 2005	1	1	1
	March 2005	1	1	1
	February 2005	1	2	0.5
	January 2005	3	3	1
	December 2004	1	1	1
	November 2004	3	3	1
	October 2004	1	1	1
	September 2004	7	7	1
	August 2004	1	2	0.5
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) EDI Request/Response	July 2005	15776	3712	6:00
Diagnostic	June 2005	20820.66	3899	8:09
	May 2005	17922.34	4247	5:16
	April 2005	18258.38	4207	8:09
	March 2005	17004.12	3918	8:09
	February 2005	15016.5	3550	5:31
	January 2005	14963.57	3827	21:50
	December 2004	16470.89	3931	4:33
	November 2004	16111.13	3901	3:07
	October 2004	17439.49	4349	0:14
	September 2004	19929.32	4933	0:57
	August 2004	19028.95	5185	16:04
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Aggregate	July 2005	4964.46	2559	22:33
Diagnostic	June 2005	6000.93	2691	5:31
	May 2005	4756.35	2571	20:24
	April 2005	4270.08	2224	22:04
	March 2005	4774.14	2526	21:21
	February 2005	4450.58	2306	22:19
	January 2005	5057.58	2607	22:33
	December 2004	4419.36	2376	20:38
	November 2004	4920.16	2674	20:09
	October 2004	4555.02	2559	18:43
	September 2004	4691.1	2469	21:36
	August 2004	4875.18	2526	22:19
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Request	July 2005	255.9	2559	2:24
Diagnostic	June 2005	269.1	2691	2:24
	May 2005	257.1	2571	2:24
	April 2005	222.4	2224	2:24
	March 2005	252.6	2526	2:24
	February 2005	230.6	2306	2:24
	January 2005	260.7	2607	2:24
	December 2004	237.6	2376	2:24
	November 2004	267.4	2674	2:24
	October 2004	614.16	2559	5:45
	September 2004	1481.4	2469	14:24
	August 2004	1540.86	2526	14:38

PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Response/Accept Diagnostic	July 2005	4708.56	2559	20:09
	June 2005	5731.83	2691	3:07
	May 2005	4499.25	2571	18:00
	April 2005	4047.68	2224	19:40
	March 2005	4521.54	2526	18:57
	February 2005	4219.98	2306	19:55
	January 2005	4796.88	2607	20:09
	December 2004	4181.76	2376	18:14
	November 2004	4652.76	2674	17:45
	October 2004	3940.86	2559	12:57
	September 2004	3209.7	2469	7:12
	August 2004	3334.32	2526	7:40
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) EDI Request/Response Diagnostic	July 2005	3706.04	755	21:50
	June 2005	4269.97	816	5:31
	May 2005	3604.72	778	15:07
	April 2005	2905.81	548	7:12
	March 2005	2417.68	494	21:21
	February 2005	2130.54	442	19:40
	January 2005	2164.94	474	13:40
	December 2004	2306.8	495	15:50
	November 2004	2244.71	479	16:33
	October 2004	3164.32	629	0:43
	September 2004	4850.63	921	6:28
	August 2004	4933.12	972	1:55
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Aggregate Diagnostic	July 2005	2453.51	587	4:19
	June 2005	2433.5	577	5:16
	May 2005	2305.15	553	4:04
	April 2005	1954.55	462	5:31
	March 2005	2460.91	579	6:00
	February 2005	2210.82	522	5:45
	January 2005	2394.06	552	8:09
	December 2004	2181.51	512	6:14
	November 2004	2590.06	616	4:48
	October 2004	3204.54	535	23:45
	September 2004	5001.18	424	19:12
	August 2004	5256.39	437	0:43
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Request Diagnostic	July 2005	59.83	587	2:24
	June 2005	59.04	577	2:24
	May 2005	56.54	553	2:24
	April 2005	47.02	462	2:24
	March 2005	59.52	579	2:24
	February 2005	53.56	522	2:24
	January 2005	56.42	552	2:24
	December 2004	52.77	512	2:24
	November 2004	63.37	616	2:24
	October 2004	131.68	535	6:00
	September 2004	525.6	424	5:45
	August 2004	631.65	437	10:48
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Response Diagnostic	July 2005	2393.68	587	1:55
	June 2005	2374.46	577	2:52
	May 2005	2248.61	553	1:40
	April 2005	1907.53	462	3:07

	March 2005	2401.39	579	3:36
	February 2005	2157.26	522	3:07
	January 2005	2337.64	552	5:31
	December 2004	2128.74	513	3:36
	November 2004	2526.69	616	2:24
	October 2004	3072.86	535	17:45
	September 2004	4475.58	424	13:26
	August 2004	4624.74	437	13:55
PO-1A-2 Pre-Order Response Times (Service Availability) EDI Request/Response Diagnostic	July 2005	24183.52	4961	20:52
	June 2005	25899.35	5214	23:16
	May 2005	26742.95	5268	1:55
	April 2005	22168.43	4351	2:24
	March 2005	22006.26	4376	0:43
	February 2005	19862.58	3951	0:43
	January 2005	21604.04	4268	1:26
	December 2004	21619.99	4286	0:57
	November 2004	21417.76	4230	1:26
	October 2004	24461.56	4666	5:45
	September 2004	31344.26	5562	15:21
	August 2004	31648.58	5923	8:09
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Aggregate Diagnostic	July 2005	16755.08	4915	9:50
	June 2005	16343.06	4968	6:57
	May 2005	19226.59	4868	22:48
	April 2005	15861.14	4168	19:26
	March 2005	19290.26	4933	21:50
	February 2005	17234.2	4367	22:48
	January 2005	19309.17	4869	23:16
	December 2004	17145.87	4368	22:19
	November 2004	18857.95	5090	16:48
	October 2004	18751.77	4875	20:24
	September 2004	21395.79	4801	11:02
	August 2004	22209.79	4831	14:24
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Request Diagnostic	July 2005	496.86	4915	2:24
	June 2005	506.94	4968	2:24
	May 2005	496.78	4868	2:24
	April 2005	425.44	4168	2:24
	March 2005	503.04	4933	2:24
	February 2005	448.3	4367	2:24
	January 2005	495.34	4869	2:24
	December 2004	444.8	4368	2:24
	November 2004	527.74	5090	2:24
	October 2004	888.99	4875	4:19
	September 2004	1482.44	4801	7:26
	August 2004	1477.21	4831	7:26
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Response Diagnostic	July 2005	16258.22	4915	7:26
	June 2005	15836.12	4968	4:33
	May 2005	18729.81	4868	20:24
	April 2005	15435.7	4168	16:48
	March 2005	18787.22	4933	19:26
	February 2005	16785.9	4367	20:09
	January 2005	18813.83	4869	20:38
	December 2004	16701.07	4368	19:40

	November 2004	18330.21	5090	14:24
	October 2004	17862.78	4875	15:50
	September 2004	19913.35	4801	3:36
	August 2004	20732.58	4831	6:57
PO-1A-3 Pre-Order Response Times (Facility Check) EDI Request/Response Diagnostic	July 2005	3602.2	581	4:48
	June 2005	3432	600	17:16
	May 2005	2907.59	569	2:38
	April 2005	1659	316	6:00
	March 2005	1235.22	238	4:33
	February 2005	1178.31	217	10:19
	January 2005	1233.18	234	6:28
	December 2004	1343.1	242	13:12
	November 2004	1332.8	238	14:24
	October 2004	1706.92	307	13:26
	September 2004	2667.06	449	22:33
	August 2004	2901.6	468	4:48
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Aggregate Diagnostic	July 2005	5596.64	1064	6:14
	June 2005	6153	1172	6:00
	May 2005	5569.49	1069	5:02
	April 2005	4708.62	909	4:19
	March 2005	5708.46	1069	8:09
	February 2005	4964.19	921	9:21
	January 2005	6085.05	1077	15:36
	December 2004	5646.89	1003	15:07
	November 2004	6458.01	1131	17:02
	October 2004	7310.94	1014	5:02
	September 2004	12169.67	1061	11:16
	August 2004	12454.48	1031	1:55
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Request Diagnostic	July 2005	106.4	1064	2:24
	June 2005	117.2	1172	2:24
	May 2005	106.9	1069	2:24
	April 2005	90.9	909	2:24
	March 2005	106.9	1069	2:24
	February 2005	92.1	921	2:24
	January 2005	107.7	1077	2:24
	December 2004	100.3	1003	2:24
	November 2004	113.1	1131	2:24
	October 2004	324.48	1014	7:40
	September 2004	880.63	1061	19:55
	August 2004	896.97	1031	20:52
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Response Diagnostic	July 2005	5490.24	1064	3:50
	June 2005	6035.8	1172	3:36
	May 2005	5462.59	1069	2:38
	April 2005	4617.72	909	1:55
	March 2005	5601.56	1069	5:45
	February 2005	4872.09	921	6:57
	January 2005	5977.35	1077	13:12
	December 2004	5546.59	1003	12:43
	November 2004	6344.91	1131	14:38
	October 2004	6986.46	1014	21:21
	September 2004	11289.04	1061	15:21
	August 2004	11557.51	1031	5:02

PO-1A-4 Pre-Order Response Times (Address Validation) EDI Request/Response Diagnostic	July 2005	18809.77	6125	1:40
	June 2005	20823.37	6385	6:14
	May 2005	19331.23	6551	22:48
	April 2005	17616.42	5738	1:40
	March 2005	18297.07	6120	23:45
	February 2005	16749.93	5491	1:12
	January 2005	17520.63	5806	0:28
	December 2004	20399.14	5987	9:50
	November 2004	18722.33	5808	5:16
	October 2004	12873.91	6089	2:38
	September 2004	14446.29	7243	23:45
	August 2004	14758.4	7650	22:19
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Aggregate Diagnostic	July 2005	27178.04	7867	10:48
	June 2005	27367.4	7729	12:57
	May 2005	27674.97	7631	15:07
	April 2005	24759.34	6835	14:52
	March 2005	30682.41	8478	14:52
	February 2005	26830.99	7496	13:55
	January 2005	30628.34	8620	13:12
	December 2004	27704.91	7731	13:55
	November 2004	32268.89	8960	14:24
	October 2004	39404.03	8298	18:00
	September 2004	52916.96	8347	8:09
	August 2004	52490.48	8458	5:02
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Request Diagnostic	July 2005	2280.21	7867	6:57
	June 2005	2361.94	7729	7:26
	May 2005	2319.45	7631	7:12
	April 2005	2086.31	6835	7:26
	March 2005	2544.4	8478	7:12
	February 2005	2269.19	7496	7:12
	January 2005	2616.85	8620	7:12
	December 2004	2347.38	7731	7:12
	November 2004	2611.23	8960	6:57
	October 2004	3765.88	8298	10:48
	September 2004	6818.33	8347	19:40
	August 2004	6954.17	8458	19:40
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Response Diagnostic	July 2005	24897.83	7867	3:50
	June 2005	25005.46	7729	5:45
	May 2005	25355.52	7631	7:40
	April 2005	22673.03	6835	7:40
	March 2005	28138.01	8478	7:40
	February 2005	24561.8	7496	6:43
	January 2005	28011.49	8620	6:00
	December 2004	25357.53	7731	6:43
	November 2004	29657.66	8960	7:26
	October 2004	35638.15	8298	6:57
	September 2004	46098.63	8347	12:28
	August 2004	45536.31	8458	9:07
PO-1A-5 Pre-Order Response Times (Get CSR) EDI Request/Response Diagnostic	July 2005	5170.94	1248	3:21
	June 2005	5154.6	1306	22:48
	May 2005	4614.67	1276	14:52
	April 2005	3417.65	976	12:00

	March 2005	3426.4	988	11:16
	February 2005	3225.57	881	15:50
	January 2005	3361.74	951	12:43
	December 2004	3560.24	981	15:07
	November 2004	3456.41	956	14:52
	October 2004	5280.86	1262	4:19
	September 2004	8855.73	1832	19:55
	August 2004	8476.29	1935	9:07
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Aggregate Diagnostic	July 2005	3605.04	1059	9:36
	June 2005	3858.45	1161	7:40
	May 2005	3524.34	1082	6:14
	April 2005	2943.6	917	5:02
	March 2005	3508.41	1083	5:45
	February 2005	3026.58	922	6:43
	January 2005	3633.59	1105	6:57
	December 2004	3484.66	996	12:00
	November 2004	4034.59	1129	13:40
	October 2004	6351.8	1072	22:19
	September 2004	13196.91	1097	0:43
	August 2004	13178.14	1070	7:40
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Request Diagnostic	July 2005	101.73	1059	2:24
	June 2005	118.74	1161	2:24
	May 2005	109.76	1082	2:24
	April 2005	93.33	917	2:24
	March 2005	110.44	1083	2:24
	February 2005	94.04	922	2:24
	January 2005	112.83	1105	2:24
	December 2004	101.53	996	2:24
	November 2004	115.37	1129	2:24
	October 2004	270.28	1072	6:00
	September 2004	585.32	1097	12:43
	August 2004	720.93	1070	16:04
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Response Diagnostic	July 2005	3503.31	1059	7:26
	June 2005	3739.71	1161	5:16
	May 2005	3414.58	1082	3:50
	April 2005	2850.27	917	2:38
	March 2005	3397.97	1083	3:21
	February 2005	2932.54	922	4:19
	January 2005	3520.76	1105	4:33
	December 2004	3383.13	996	9:36
	November 2004	3919.22	1129	11:16
	October 2004	6081.52	1072	16:04
	September 2004	12611.59	1097	12:00
	August 2004	12457.21	1070	15:21
PO-1A-6 Pre-Order Response Times (TN Reservation) EDI Request/Response Diagnostic	July 2005	5877.81	1887	2:38
	June 2005	9008.88	1971	13:40
	May 2005	7429.7	2143	11:16
	April 2005	7622.34	2150	13:12
	March 2005	6828.9	1916	13:26
	February 2005	5874.86	1745	8:52
	January 2005	6341.9	1930	6:57
	December 2004	6917.93	1944	13:26

	November 2004	6594.61	1934	9:50
	October 2004	8677.91	2226	21:36
	September 2004	12794.64	2598	22:04
	August 2004	14959.29	2740	11:02
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Accept Diagnostic	July 2005	986.1	1647	14:24
	June 2005	1270.12	1762	17:16
	May 2005	1088.3	1661	15:50
	April 2005	952.54	1454	15:50
	March 2005	1162.82	1692	16:33
	February 2005	1007.71	1472	16:19
	January 2005	1161.28	1709	16:19
	December 2004	1041.27	1553	16:04
	November 2004	1192.15	1767	16:04
	October 2004	1799.88	1678	1:40
	September 2004	88.13	1695	1:12
	August 2004	86.28	1687	1:12
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Aggregate Diagnostic	July 2005	5612.51	1647	9:50
	June 2005	8748.59	1762	23:16
	May 2005	6330.81	1661	19:26
	April 2005	5537.5	1454	19:26
	March 2005	6974.84	1692	2:52
	February 2005	5846.11	1472	23:16
	January 2005	6652.96	1709	21:21
	December 2004	5939.38	1553	19:40
	November 2004	6958.72	1767	22:33
	October 2004	9647.21	1678	18:00
	September 2004	13236.15	1695	19:26
	August 2004	19759.81	1687	17:02
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Request Diagnostic	July 2005	164	1647	2:24
	June 2005	195.76	1762	2:38
	May 2005	182.61	1661	2:38
	April 2005	162.7	1454	2:38
	March 2005	187.73	1692	2:38
	February 2005	164.04	1472	2:38
	January 2005	190.37	1709	2:38
	December 2004	172.48	1553	2:38
	November 2004	197.09	1767	2:38
	October 2004	529.21	1678	7:40
	September 2004	1544.12	1695	21:50
	August 2004	1512.39	1687	21:36
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Response Diagnostic	July 2005	4462.41	1647	17:02
	June 2005	7282.71	1762	3:07
	May 2005	5059.9	1661	1:12
	April 2005	4422.26	1454	0:57
	March 2005	5624.29	1692	7:40
	February 2005	4674.36	1472	4:19
	January 2005	5301.31	1709	2:24
	December 2004	4725.63	1553	0:57
	November 2004	5569.48	1767	3:36
	October 2004	7318.12	1678	8:38
September 2004	11603.9	1695	20:24	
August 2004	18161.14	1687	18:28	

PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) EDI Request/Response Diagnostic	July 2005	18612.79	2646	0:43
	June 2005	23075.72	2738	10:19
	May 2005	21036.09	2689	19:40
	April 2005	24245.39	3138	17:31
	March 2005	54932.83	7335	11:45
	February 2005	58590.94	6482	0:57
	January 2005	60665.05	6820	21:36
	December 2004	66033.29	7317	0:28
	November 2004	63942.81	7071	0:57
	October 2004	140542.5	16607	11:02
	September 2004	166109.5	20194	5:31
August 2004	164797.5	20154	4:19	
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Aggregate Diagnostic	July 2005	39656.02	6506	24:00
	June 2005	42108.39	6458	28:48
	May 2005	40693.68	6324	19:12
	April 2005	39988.81	5700	28:48
	March 2005	42733.64	6812	28:48
	February 2005	46567.26	5940	09:36
	January 2005	52845.38	6650	48:00
	December 2004	45550.48	5931	19:12
	November 2004	55205.73	7108	28:48
	October 2004	52715.05	6452	04:48
	September 2004	54875.26	6066	12:00
August 2004	59267.31	6518	09:36	
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Request Diagnostic	July 2005	1290.27	6506	48:00
	June 2005	1163.7	6458	19:12
	May 2005	1135.77	6324	19:12
	April 2005	1026.06	5700	19:12
	March 2005	1221.55	6812	19:12
	February 2005	1066.99	5940	19:12
	January 2005	1231.27	6650	33:36
	December 2004	1096.31	5931	19:12
	November 2004	1315.45	7108	33:36
	October 2004	2854.38	6452	33:36
	September 2004	5834.28	6066	02:24
August 2004	6002.01	6518	04:48	
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Response Diagnostic	July 2005	38365.75	6506	21:36
	June 2005	40944.69	6458	8:09
	May 2005	39557.91	6324	6:14
	April 2005	38962.75	5700	20:09
	March 2005	41512.09	6812	2:09
	February 2005	45500.27	5940	15:50
	January 2005	51614.11	6650	18:14
	December 2004	44454.17	5931	12:00
	November 2004	53890.28	7108	13:55
	October 2004	49860.67	6452	17:31
	September 2004	49040.98	6066	1:55
August 2004	53265.3	6518	4:04	
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) EDI Request/Response Diagnostic	July 2005	6390.34	937	19:40
	June 2005	6850.83	969	1:40
	May 2005	5586	950	21:07
	April 2005	4281.98	617	22:33

	March 2005	4619.41	493	8:52
	February 2005	3991.56	444	23:45
	January 2005	4869.48	476	5:31
	December 2004	4393.56	492	22:19
	November 2004	4464.52	478	8:09
	October 2004	5651.1	630	23:16
	September 2004	10053.86	919	22:33
	August 2004	10069.92	972	8:38
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Aggregate Diagnostic	July 2005	3326.05	559	22:48
	June 2005	2818.61	541	5:02
	May 2005	2890.83	557	4:33
	April 2005	2817.85	485	19:26
	March 2005	5324.49	603	19:55
	February 2005	3815.28	504	13:40
	January 2005	6164.41	581	14:38
	December 2004	4147.92	504	5:31
	November 2004	4944	600	5:45
	October 2004	5747.5	550	10:48
	September 2004	10288.26	549	17:45
	August 2004	9687.8	590	10:04
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Request Diagnostic	July 2005	61.49	559	2:38
	June 2005	59.51	541	2:38
	May 2005	61.27	557	2:38
	April 2005	53.35	485	2:38
	March 2005	66.33	603	2:38
	February 2005	55.44	504	2:38
	January 2005	63.91	581	2:38
	December 2004	55.44	504	2:38
	November 2004	66	600	2:38
	October 2004	192.5	550	8:24
	September 2004	724.68	549	7:40
	August 2004	772.9	590	7:26
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Response Diagnostic	July 2005	3264.56	559	20:09
	June 2005	2759.1	541	2:24
	May 2005	2829.56	557	1:55
	April 2005	2764.5	485	16:48
	March 2005	5258.16	603	17:16
	February 2005	3759.84	504	11:02
	January 2005	6100.5	581	12:00
	December 2004	4092.48	504	2:52
	November 2004	4878	600	3:07
	October 2004	5555	550	2:24
	September 2004	9563.58	549	10:04
	August 2004	8914.9	590	2:38
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) EDI Request/Response Diagnostic	July 2005	6989.82	927	12:57
	June 2005	8270.76	984	9:50
	May 2005	8442.43	1011	8:24
	April 2005	6926.73	760	2:38
	March 2005	3976.19	491	2:24
	February 2005	3740.17	437	13:26
	January 2005	3775.29	471	0:28
	December 2004	4514.51	489	5:31

	November 2004	4083.63	476	13:55
	October 2004	5741.46	618	6:57
	September 2004	8697.15	914	12:28
	August 2004	8821.76	962	4:04
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Aggregate Diagnostic	July 2005	4858.85	778	6:00
	June 2005	5175.83	786	14:09
	May 2005	5704.3	772	9:21
	April 2005	4420.12	643	20:52
	March 2005	5459.33	772	1:40
	February 2005	5308.04	711	11:16
	January 2005	5955.02	760	20:09
	December 2004	5095.19	711	4:04
	November 2004	5658.56	774	7:26
	October 2004	7317.81	803	2:38
	September 2004	9091.51	783	14:38
	August 2004	8781.45	769	10:04
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Request Diagnostic	July 2005	78.7	778	2:24
	June 2005	79.63	786	2:24
	May 2005	78.47	772	2:24
	April 2005	65.36	643	2:24
	March 2005	78.99	772	2:24
	February 2005	72.26	711	2:24
	January 2005	77.11	760	2:24
	December 2004	72.24	711	2:24
	November 2004	78.51	774	2:24
	October 2004	148.17	803	4:19
	September 2004	237.43	783	7:12
	August 2004	231.65	769	7:12
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Response Diagnostic	July 2005	4780.15	778	3:21
	June 2005	5096.2	786	11:31
	May 2005	5625.83	772	6:57
	April 2005	4354.76	643	18:28
	March 2005	5380.34	772	23:16
	February 2005	5235.78	711	8:38
	January 2005	5877.91	760	17:31
	December 2004	5022.95	711	1:26
	November 2004	5580.05	774	5:02
	October 2004	7169.64	803	22:19
	September 2004	8854.08	783	7:26
	August 2004	8549.8	769	2:52
PO-1C Pre-Order Response Times (Timeout) EDI Total Diagnostic	July 2005	15	23794	0:00
	June 2005	40	24922	0:02
	May 2005	5	25487	0:00
	April 2005	9	22810	0:00
	March 2005	9	26378	0:00
	February 2005	12	23652	0:00
	January 2005	18	25275	0:01
	December 2004	107	26271	0:05
	November 2004	66	25637	0:03
	October 2004	69	37452	0:02
September 2004	52	45617	0:01	
August 2004	3	46964	0:00	

PO-1C Pre-Order Response Times (Timeout) IMA Total Diagnostic	July 2005	131	27672	0:06
	June 2005	76	27921	0:03
	May 2005	35	27123	0:01
	April 2005	17	23814	0:01
	March 2005	21	28568	0:01
	February 2005	17	25178	0:01
	January 2005	31	28561	0:01
	December 2004	107	25792	0:06
	November 2004	6	29855	0:00
	October 2004	132	27970	0:06
	September 2004	134	27430	0:07
	August 2004	133	28050	0:06
	PO-1D Pre-Order Response Times (Rejected Query) EDI Total Diagnostic	July 2005	15086.79	7083
June 2005		18007.22	7441	10:04
May 2005		15460.48	7616	0:43
April 2005		14914.35	7205	1:40
March 2005		18591.04	8528	4:19
February 2005		16602.88	7616	4:19
January 2005		17161.2	8172	2:24
December 2004		20071.8	8505	8:38
November 2004		18154.4	8252	4:48
October 2004		15539.37	7161	4:04
September 2004		19019.72	7892	9:50
August 2004		19432.32	8376	7:40
PO-1D Pre-Order Response Times (Rejected Query) IMA Total Diagnostic		July 2005	4293.5	8587
	June 2005	3784.5	7569	12:00
	May 2005	3823.96	7804	11:45
	April 2005	3415.47	6697	12:14
	March 2005	3855.5	7711	12:00
	February 2005	3255.56	6644	11:45
	January 2005	4117	8234	12:00
	December 2004	3956.5	7913	12:00
	November 2004	5064.64	9044	13:26
	October 2004	22113.15	7759	20:24
	September 2004	43106.64	8354	3:50
	August 2004	40690.93	7963	2:38
	PO-20 Manual Service Order Accuracy Resale & UNE-P (POTS) Benchmark	July 2005	0	0
June 2005		2084	2086	99.90%
May 2005		2052	2056	99.81%
April 2005		1517	1520	99.80%
March 2005		1928	1929	99.95%
February 2005		1228	1235	99.43%
January 2005		1303	1304	99.92%
December 2004		2195	2206	99.50%
November 2004		2666	2678	99.55%
October 2004		2740	2752	99.56%
September 2004		2266	2275	99.60%
August 2004		1980	2014	98.31%
PO-20 Manual Service Order Accuracy Unbundled Loops Benchmark		July 2005	0	0
	June 2005	1079	1080	99.91%
	May 2005	966	969	99.69%
	April 2005	731	733	99.73%

	March 2005	868	868	100.00%
	February 2005	784	785	99.87%
	January 2005	946	951	99.47%
	December 2004	1170	1170	100.00%
	November 2004	1050	1053	99.72%
	October 2004	942	944	99.79%
	September 2004	913	914	99.89%
	August 2004	983	983	100.00%
PO-20P2 Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) Benchmark	July 2005	0	0	0.00%
	June 2005	2084	2086	99.90%
	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1228	1235	99.43%
	January 2005	1303	1304	99.92%
	December 2004	2194	2206	99.46%
	November 2004	2665	2678	99.51%
	October 2004	2740	2752	99.56%
	September 2004	2266	2275	99.60%
	August 2004	0	0	0.00%
PO-20P2 Manual Service Order Accuracy (Phase 2) Unbundled Loops Benchmark	July 2005	0	0	0.00%
	June 2005	1079	1080	99.91%
	May 2005	966	969	99.69%
	April 2005	731	733	99.73%
	March 2005	868	868	100.00%
	February 2005	784	785	99.87%
	January 2005	946	951	99.47%
	December 2004	1170	1170	100.00%
	November 2004	1050	1053	99.72%
	October 2004	942	944	99.79%
	September 2004	913	914	99.89%
	August 2004	0	0	0.00%
PO-20P3 Manual Service Order Accuracy (Phase 3) Resale & UNE-P (POTS) Benchmark	July 2005	0	0	0.00%
	June 2005	2084	2086	99.90%
	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1227	1235	99.35%
	January 2005	1303	1304	99.92%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
PO-20P3 Manual Service Order Accuracy (Phase 3) Unbundled Loops Benchmark	July 2005	0	0	0.00%
	June 2005	1079	1080	99.91%
	May 2005	966	969	99.69%
	April 2005	731	733	99.73%
	March 2005	868	868	100.00%
	February 2005	784	785	99.87%
	January 2005	946	951	99.47%
	December 2004	0	0	0.00%

	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Line Sharing Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
	September 2004	31	91	34.07%
	August 2004	11	83	13.25%
	PO-2A-1 Electronic Flow-through for LSRs Received via IMA LNP Diagnostic	July 2005	592	810
June 2005		681	941	72.37%
May 2005		766	957	80.04%
April 2005		657	883	74.41%
March 2005		644	859	74.97%
February 2005		465	639	72.77%
January 2005		397	563	70.52%
December 2004		330	551	59.89%
November 2004		314	529	59.36%
October 2004		289	513	56.34%
September 2004		349	617	56.56%
August 2004		400	651	61.44%
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Diagnostic		July 2005	349	2565
	June 2005	456	3076	14.82%
	May 2005	537	2981	18.01%
	April 2005	478	2390	20.00%
	March 2005	455	2840	16.02%
	February 2005	434	1912	22.70%
	January 2005	338	2086	16.20%
	December 2004	418	2105	19.86%
	November 2004	370	2242	16.50%
	October 2004	336	2799	12.00%
	September 2004	390	2244	17.38%
	August 2004	358	1721	20.80%
	PO-2A-1 Electronic Flow-through for LSRs Received via IMA Unbundled Loop Aggregate Diagnostic	July 2005	598	1143
June 2005		767	1347	56.94%
May 2005		727	1175	61.87%
April 2005		733	1112	65.92%
March 2005		618	1091	56.65%
February 2005		455	909	50.06%
January 2005		590	1220	48.36%
December 2004		431	1099	39.22%
November 2004		393	1154	34.06%
October 2004		501	1311	38.22%
September 2004	496	1376	36.05%	
August 2004	398	1357	29.33%	

PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE - P (POTS) Diagnostic	July 2005	13	16	81.25%
	June 2005	21	28	75.00%
	May 2005	8	15	53.33%
	April 2005	8	11	72.73%
	March 2005	68	81	83.95%
	February 2005	34	49	69.39%
	January 2005	137	229	59.83%
	December 2004	4020	4915	81.79%
	November 2004	6191	7084	87.39%
	October 2004	5622	6420	87.57%
	September 2004	4933	5674	86.94%
	August 2004	4874	5839	83.47%
PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE P (POTS AGG) Diagnostic	July 2005	13	16	81.25%
	June 2005	21	28	75.00%
	May 2005	8	15	53.33%
	April 2005	8	11	72.73%
	March 2005	68	81	83.95%
	February 2005	34	49	69.39%
	January 2005	137	229	59.83%
	December 2004	4024	4920	81.79%
	November 2004	6198	7091	87.41%
	October 2004	5638	6442	87.52%
	September 2004	4938	5681	86.92%
	August 2004	4882	5856	83.37%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Line Sharing Diagnostic	July 2005	3	6	50.00%
	June 2005	4	4	100.00%
	May 2005	6	6	100.00%
	April 2005	7	9	77.78%
	March 2005	10	14	71.43%
	February 2005	18	20	90.00%
	January 2005	21	24	87.50%
	December 2004	13	20	65.00%
	November 2004	14	21	66.67%
	October 2004	40	54	74.07%
	September 2004	678	865	78.38%
	August 2004	581	757	76.75%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI LNP Diagnostic	July 2005	871	1124	77.49%
	June 2005	726	991	73.26%
	May 2005	678	904	75.00%
	April 2005	771	1005	76.72%
	March 2005	783	1047	74.79%
	February 2005	603	770	78.31%
	January 2005	700	889	78.74%
	December 2004	526	690	76.23%
	November 2004	505	657	76.86%
	October 2004	390	560	69.64%
	September 2004	372	565	65.84%
	August 2004	362	526	68.82%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Diagnostic	July 2005	19	22	86.36%
	June 2005	17	21	80.95%
	May 2005	19	20	95.00%
	April 2005	16	18	88.89%

	March 2005	16	21	76.19%
	February 2005	5	11	45.45%
	January 2005	18	20	90.00%
	December 2004	16	20	80.00%
	November 2004	18	20	90.00%
	October 2004	12	19	63.16%
	September 2004	22	35	62.86%
	August 2004	22	29	75.86%
PO-2A-2 Electronic Flow-through for LSRs	July 2005	8124	9154	88.75%
Received via EDI Unbundled Loop Aggregate	June 2005	3325	3932	84.56%
Diagnostic	May 2005	1154	1611	71.63%
	April 2005	897	1347	66.59%
	March 2005	1026	1593	64.41%
	February 2005	873	1385	63.03%
	January 2005	813	1455	55.88%
	December 2004	677	1264	53.56%
	November 2004	827	1406	58.82%
	October 2004	924	1551	59.57%
	September 2004	847	1357	62.42%
	August 2004	625	1149	54.40%
PO-2A-2 Electronic Flow-through for LSRs	July 2005	129	135	95.56%
Received via EDI UNE - P (POTS)	June 2005	201	215	93.49%
Diagnostic	May 2005	172	191	90.05%
	April 2005	175	187	93.58%
	March 2005	173	212	81.60%
	February 2005	231	264	87.50%
	January 2005	368	414	88.89%
	December 2004	4369	5049	86.53%
	November 2004	5227	5891	88.73%
	October 2004	6162	6947	88.70%
	September 2004	5794	6552	88.43%
	August 2004	7984	8919	89.52%
PO-2A-2 Electronic Flow-through for LSRs	July 2005	129	135	95.56%
Received via EDI UNE P (POTS AGG)	June 2005	201	215	93.49%
Diagnostic	May 2005	172	191	90.05%
	April 2005	175	187	93.58%
	March 2005	173	212	81.60%
	February 2005	231	264	87.50%
	January 2005	368	414	88.89%
	December 2004	4369	5049	86.53%
	November 2004	5227	5891	88.73%
	October 2004	6162	6947	88.70%
	September 2004	5794	6552	88.43%
	August 2004	7984	8919	89.52%
PO-2B-1 Electronic Flow-through for All	July 2005	0	0	0.00%
Eligible LSRs Received via IMA Line Sharing	June 2005	0	0	0.00%
Diagnostic	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%

	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
	September 2004	31	33	93.94%
	August 2004	11	12	91.67%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA LNP Benchmark	July 2005	592	608	97.37%
	June 2005	681	713	95.51%
	May 2005	766	789	97.08%
	April 2005	657	688	95.49%
	March 2005	644	669	96.26%
	February 2005	465	480	96.88%
	January 2005	397	412	96.36%
	December 2004	330	344	95.93%
	November 2004	314	324	96.91%
	October 2004	289	306	94.44%
	September 2004	349	363	96.14%
	August 2004	400	423	94.56%
	PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Benchmark	July 2005	349	360
June 2005		456	469	97.23%
May 2005		537	555	96.76%
April 2005		478	504	94.84%
March 2005		455	489	93.05%
February 2005		434	459	94.55%
January 2005		338	357	94.68%
December 2004		418	468	89.32%
November 2004		370	394	93.91%
October 2004		336	365	92.05%
September 2004		390	441	88.44%
August 2004		358	393	91.09%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Unbundled Loop Aggregate Benchmark		July 2005	598	637
	June 2005	767	814	94.23%
	May 2005	727	759	95.78%
	April 2005	733	770	95.19%
	March 2005	618	645	95.81%
	February 2005	455	477	95.39%
	January 2005	590	632	93.35%
	December 2004	431	469	91.90%
	November 2004	393	415	94.70%
	October 2004	501	521	96.16%
	September 2004	496	522	95.02%
	August 2004	398	414	96.14%
	PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE - P (POTS) Benchmark	July 2005	13	13
June 2005		21	21	100.00%
May 2005		8	9	88.89%
April 2005		8	10	80.00%
March 2005		68	75	90.67%
February 2005		34	37	91.89%
January 2005		137	146	93.84%
December 2004		4020	4197	95.78%
November 2004		6191	6336	97.71%
October 2004		5622	5710	98.46%
September 2004	4933	5053	97.63%	
August 2004	4874	5133	94.95%	

PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE P (POTS AGG) Benchmark	July 2005	13	13	100.00%
	June 2005	21	21	100.00%
	May 2005	8	9	88.89%
	April 2005	8	10	80.00%
	March 2005	68	75	90.67%
	February 2005	34	37	91.89%
	January 2005	137	146	93.84%
	December 2004	4024	4202	95.76%
	November 2004	6198	6343	97.71%
	October 2004	5638	5728	98.43%
	September 2004	4938	5059	97.61%
August 2004	4882	5144	94.91%	
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Line Sharing Diagnostic	July 2005	3	4	75.00%
	June 2005	4	4	100.00%
	May 2005	6	6	100.00%
	April 2005	7	8	87.50%
	March 2005	10	11	90.91%
	February 2005	18	19	94.74%
	January 2005	21	24	87.50%
	December 2004	13	18	72.22%
	November 2004	14	14	100.00%
	October 2004	40	44	90.91%
	September 2004	678	715	94.83%
August 2004	581	629	92.37%	
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI LNP Benchmark	July 2005	871	891	97.76%
	June 2005	726	750	96.80%
	May 2005	678	703	96.44%
	April 2005	771	790	97.59%
	March 2005	783	823	95.14%
	February 2005	603	628	96.02%
	January 2005	700	725	96.55%
	December 2004	526	557	94.43%
	November 2004	505	523	96.56%
	October 2004	390	401	97.26%
	September 2004	372	384	96.88%
August 2004	362	377	96.02%	
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Benchmark	July 2005	19	19	100.00%
	June 2005	17	17	100.00%
	May 2005	19	19	100.00%
	April 2005	16	16	100.00%
	March 2005	16	17	94.12%
	February 2005	5	6	83.33%
	January 2005	18	18	100.00%
	December 2004	16	16	100.00%
	November 2004	18	18	100.00%
	October 2004	12	13	92.31%
	September 2004	22	27	81.48%
August 2004	22	25	88.00%	
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Unbundled Loop Aggregate Benchmark	July 2005	8124	8154	99.63%
	June 2005	3325	3368	98.72%
	May 2005	1154	1181	97.71%
	April 2005	897	928	96.66%

	March 2005	1026	1056	97.16%
	February 2005	875	912	95.94%
	January 2005	813	890	91.35%
	December 2004	677	759	89.20%
	November 2004	827	852	97.07%
	October 2004	924	967	95.55%
	September 2004	847	874	96.91%
	August 2004	625	658	94.98%
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE - P (POTS) Benchmark	July 2005	129	131	98.47%
	June 2005	201	204	98.53%
	May 2005	172	183	93.99%
	April 2005	175	180	97.22%
	March 2005	173	203	85.22%
	February 2005	231	258	89.53%
	January 2005	368	404	91.09%
	December 2004	4369	4545	96.13%
	November 2004	5227	5351	97.68%
	October 2004	6162	6359	96.90%
	September 2004	5794	6026	96.15%
	August 2004	7984	8278	96.45%
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE P (POTS AGG) Benchmark	July 2005	129	131	98.47%
	June 2005	201	204	98.53%
	May 2005	172	183	93.99%
	April 2005	175	180	97.22%
	March 2005	173	203	85.22%
	February 2005	231	258	89.53%
	January 2005	368	404	91.09%
	December 2004	4369	4545	96.13%
	November 2004	5227	5351	97.68%
	October 2004	6162	6359	96.90%
	September 2004	5794	6026	96.15%
	August 2004	7984	8278	96.45%
PO-3A-1 LSR Rejection Notice Interval for IMA - Rejected Manually Product Aggregate Benchmark	July 2005	44.7284722	243	4:25
	June 2005	34.3173611	216	3:49
	May 2005	32.9416667	207	3:49
	April 2005	28.5229167	188	3:38
	March 2005	31.1104167	208	3:35
	February 2005	18.4083333	116	3:49
	January 2005	28.8340278	119	5:49
	December 2004	60.1284722	182	7:56
	November 2004	64.2368056	224	6:53
	October 2004	21.0805556	208	2:26
	September 2004	17.6555556	238	1:47
	August 2004	144.4	243	14:16
PO-3A-2 LSR Rejection Notice Interval for IMA - Auto-Rejected Product Aggregate Benchmark	July 2005	129.577083	28103	0:07
	June 2005	137.304861	29146	0:07
	May 2005	130.118056	27205	0:07
	April 2005	127.692361	28630	0:06
	March 2005	153.705556	30652	0:07
	February 2005	126.618056	26199	0:07
	January 2005	118.690972	26888	0:06
	December 2004	127.504167	26855	0:07

	November 2004	114.728472	24341	0:07
	October 2004	82.30625	19892	0:06
	September 2004	110.729167	25710	0:06
	August 2004	162.738889	27270	0:09
PO-3B-1 LSR Rejection Notice Interval for EDI - Rejected Manually Product Aggregate Benchmark	July 2005	25.4048611	161	3:47
	June 2005	28.0256944	224	3:00
	May 2005	25.7145833	164	3:46
	April 2005	30.9451389	193	3:51
	March 2005	37.9659722	234	3:54
	February 2005	21.6784722	175	2:58
	January 2005	16.6423611	176	2:16
	December 2004	50.5638889	224	5:25
	November 2004	24.0520833	249	2:19
	October 2004	29.5770833	269	2:38
	September 2004	23.2458333	282	1:59
	August 2004	20.0826389	352	1:22
PO-3B-2 LSR Rejection Notice Interval for EDI - Auto-Rejected Product Aggregate Benchmark	July 2005	135.501389	28367	0:07
	June 2005	274.109028	50733	0:08
	May 2005	170.9625	30033	0:08
	April 2005	143.799306	30970	0:07
	March 2005	353.136111	42085	0:12
	February 2005	186.691667	28016	0:10
	January 2005	117.523611	25795	0:07
	December 2004	206.889583	30816	0:10
	November 2004	0	51824	0:22
	October 2004	75.7395833	23462	0:05
	September 2004	101.429167	27122	0:05
	August 2004	123.135417	32022	0:06
PO-3C LSR Rejection Notice Interval for Manual and IIS Product Aggregate Benchmark	July 2005	2.70486111	6	10:49
	June 2005	7.45	13	13:45
	May 2005	1.30625	4	7:50
	April 2005	8.10833333	11	17:41
	March 2005	4.77152778	10	11:27
	February 2005	3.30069444	15	5:17
	January 2005	7.675	14	13:09
	December 2004	16.2888889	27	14:29
	November 2004	21.7138889	48	10:51
	October 2004	18.8458333	44	10:17
	September 2004	22.44375	50	10:46
	August 2004	38.0875	103	8:52
PO-4A-1 LSRs Rejected for IMA - Rejected Manually Product Aggregate Diagnostic	July 2005	1493	70658	2.11%
	June 2005	1579	77293	2.04%
	May 2005	1626	71541	2.27%
	April 2005	1632	72125	2.26%
	March 2005	1536	78680	1.95%
	February 2005	1006	64848	1.55%
	January 2005	808	72321	1.12%
	December 2004	1251	98819	1.27%
	November 2004	1223	94947	1.29%
	October 2004	1437	87491	1.64%
September 2004	1612	94752	1.70%	
August 2004	1682	99501	1.69%	

PO-4A-2 LSRs Rejected for IMA - Auto-Rejected Product Aggregate Diagnostic	July 2005	28103	70658	39.77%
	June 2005	29146	77293	37.71%
	May 2005	27205	71541	38.03%
	April 2005	28630	72125	39.69%
	March 2005	30652	78680	38.96%
	February 2005	26199	64848	40.40%
	January 2005	26888	72321	37.18%
	December 2004	26855	98819	27.18%
	November 2004	24341	94947	25.64%
	October 2004	19892	87491	22.74%
	September 2004	25710	94752	27.13%
	August 2004	27270	99501	27.41%
PO-4B-1 LSRs Rejected for EDI - Rejected Manually Product Aggregate Diagnostic	July 2005	956	69230	1.38%
	June 2005	1266	113225	1.12%
	May 2005	1077	71032	1.52%
	April 2005	1130	55967	2.02%
	March 2005	1368	68028	2.01%
	February 2005	1004	50317	2.00%
	January 2005	989	48047	2.06%
	December 2004	1367	84804	1.61%
	November 2004	1471	109923	1.34%
	October 2004	1546	86723	1.78%
	September 2004	1924	101346	1.90%
	August 2004	2165	117080	1.85%
PO-4B-2 LSRs Rejected for EDI - Auto-Rejected Product Aggregate Diagnostic	July 2005	28367	69230	9:50
	June 2005	50733	113225	44.81%
	May 2005	30033	71032	42.28%
	April 2005	30970	55967	55.34%
	March 2005	42085	68028	61.86%
	February 2005	28016	50317	55.68%
	January 2005	25795	48047	53.69%
	December 2004	30816	84804	36.34%
	November 2004	51824	109923	47.15%
	October 2004	23462	86723	27.05%
	September 2004	27122	101346	26.76%
	August 2004	32022	117080	27.35%
PO-4C LSRs Received via Facsimile Product Aggregate Diagnostic	July 2005	6	16	37.50%
	June 2005	13	26	50.00%
	May 2005	4	23	17.39%
	April 2005	11	33	33.33%
	March 2005	10	38	26.32%
	February 2005	15	46	32.61%
	January 2005	14	45	31.11%
	December 2004	27	51	52.94%
	November 2004	48	128	37.50%
	October 2004	44	156	28.21%
	September 2004	50	192	26.04%
	August 2004	103	265	38.87%
PO-5A-1(a) FOCs On Time for Fully Electronic LSRs Received Via IMA Resale Aggregate Benchmark	July 2005	337	337	100.00%
	June 2005	446	446	100.00%
	May 2005	516	516	100.00%
	April 2005	467	467	100.00%

	March 2005	466	466	100.00%
	February 2005	433	436	99.31%
	January 2005	439	444	98.87%
	December 2004	4187	4243	98.68%
	November 2004	6351	6352	99.98%
	October 2004	5770	5771	99.98%
	September 2004	5190	5190	100.00%
	August 2004	5071	5071	100.00%
PO-5A-1(b) FOCs On Time for Fully Electronic LSRs Received Via IMA Unbundled Loop Aggregate Benchmark	July 2005	412	412	100.00%
	June 2005	559	559	100.00%
	May 2005	542	542	100.00%
	April 2005	551	551	100.00%
	March 2005	442	442	100.00%
	February 2005	327	327	100.00%
	January 2005	510	512	99.61%
	December 2004	383	387	98.97%
	November 2004	352	352	100.00%
	October 2004	452	452	100.00%
	September 2004	384	384	100.00%
	August 2004	350	350	100.00%
PO-5A-1(c) FOCs On Time for Fully Electronic LSRs Received Via IMA LNP Benchmark	July 2005	579	579	100.00%
	June 2005	666	666	100.00%
	May 2005	752	752	100.00%
	April 2005	641	641	100.00%
	March 2005	609	609	100.00%
	February 2005	455	455	100.00%
	January 2005	378	384	98.44%
	December 2004	317	317	100.00%
	November 2004	301	301	100.00%
	October 2004	278	278	100.00%
	September 2004	333	333	100.00%
	August 2004	390	390	100.00%
PO-5A-2(a) FOCs On Time for Fully Electronic LSRs Received Via EDI Resale Aggregate Benchmark	July 2005	148	148	100.00%
	June 2005	216	216	100.00%
	May 2005	190	190	100.00%
	April 2005	191	191	100.00%
	March 2005	189	189	100.00%
	February 2005	234	235	99.57%
	January 2005	376	383	98.17%
	December 2004	4297	4330	99.24%
	November 2004	5175	5175	100.00%
	October 2004	6084	6084	100.00%
	September 2004	5745	5745	100.00%
	August 2004	7909	7914	99.94%
PO-5A-2(b) FOCs On Time for Fully Electronic LSRs Received Via EDI Unbundled Loop Aggregate Benchmark	July 2005	7750	7750	100.00%
	June 2005	2918	2942	99.18%
	May 2005	800	800	100.00%
	April 2005	532	532	100.00%
	March 2005	689	689	100.00%
	February 2005	618	618	100.00%
	January 2005	612	616	99.35%
	December 2004	500	513	97.47%

	November 2004	564	564	100.00%
	October 2004	642	642	100.00%
	September 2004	1292	1292	100.00%
	August 2004	1128	1129	99.91%
PO-5A-2(c) FOCs On Time for Fully Electronic LSRs Received Via EDI LNP Benchmark	July 2005	821	821	100.00%
	June 2005	656	656	100.00%
	May 2005	620	620	100.00%
	April 2005	711	711	100.00%
	March 2005	722	722	100.00%
	February 2005	553	554	99.82%
	January 2005	647	647	100.00%
	December 2004	466	472	98.73%
	November 2004	467	467	100.00%
	October 2004	357	357	100.00%
	September 2004	348	348	100.00%
	August 2004	341	342	99.71%
PO-5B-1(a) FOCs On Time For Electronic/Manual LSRs Received Via IMA Resale Aggregate Benchmark	July 2005	2036	2040	99.80%
	June 2005	2505	2508	99.88%
	May 2005	2227	2231	99.82%
	April 2005	1740	1740	100.00%
	March 2005	2239	2239	100.00%
	February 2005	1324	1325	99.92%
	January 2005	1723	1725	99.88%
	December 2004	2404	2409	99.79%
	November 2004	2693	2696	99.89%
	October 2004	3095	3097	99.94%
	September 2004	2446	2448	99.92%
	August 2004	2201	2204	99.86%
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop AGG-EELs Benchmark	July 2005	774	792	97.73%
	June 2005	748	758	98.68%
	May 2005	638	650	98.15%
	April 2005	549	554	99.10%
	March 2005	676	687	98.40%
	February 2005	573	580	98.79%
	January 2005	707	719	98.33%
	December 2004	710	727	97.66%
	November 2004	780	786	99.24%
	October 2004	847	871	97.24%
	September 2004	1072	1096	97.81%
	August 2004	1067	1085	98.34%
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop Aggregate Benchmark	July 2005	628	646	97.21%
	June 2005	685	695	98.56%
	May 2005	545	557	97.85%
	April 2005	481	486	98.97%
	March 2005	577	588	98.13%
	February 2005	495	502	98.61%
	January 2005	611	623	98.07%
	December 2004	618	635	97.32%
	November 2004	696	702	99.15%
	October 2004	755	779	96.92%
September 2004	959	983	97.56%	
August 2004	990	1008	98.21%	

PO-5B-1(c) FOCs On Time For Electronic/Manual LSRs Received Via IMA LNP Benchmark	July 2005	208	208	100.00%
	June 2005	232	232	100.00%
	May 2005	174	174	100.00%
	April 2005	205	205	100.00%
	March 2005	189	189	100.00%
	February 2005	154	154	100.00%
	January 2005	152	152	100.00%
	December 2004	195	195	100.00%
	November 2004	194	194	100.00%
	October 2004	201	201	100.00%
	September 2004	238	238	100.00%
	August 2004	235	235	100.00%
PO-5B-2(a) FOCs On Time For Electronic/Manual LSRs Received Via EDI Resale Aggregate Benchmark	July 2005	8	8	100.00%
	June 2005	17	17	100.00%
	May 2005	20	20	100.00%
	April 2005	13	13	100.00%
	March 2005	44	44	100.00%
	February 2005	38	38	100.00%
	January 2005	48	48	100.00%
	December 2004	585	586	99.83%
	November 2004	629	629	100.00%
	October 2004	746	746	100.00%
	September 2004	722	722	100.00%
	August 2004	896	896	100.00%
PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop AGG-EELs Benchmark	July 2005	1264	1269	99.61%
	June 2005	892	898	99.33%
	May 2005	721	724	99.59%
	April 2005	730	733	99.59%
	March 2005	796	807	98.64%
	February 2005	699	705	99.15%
	January 2005	758	761	99.61%
	December 2004	677	680	99.56%
	November 2004	736	743	99.06%
	October 2004	799	806	99.13%
	September 2004	842	848	99.29%
	August 2004	668	674	99.11%
PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop Aggregate Benchmark	July 2005	1208	1213	99.59%
	June 2005	831	837	99.28%
	May 2005	662	665	99.55%
	April 2005	687	690	99.57%
	March 2005	731	742	98.52%
	February 2005	622	628	99.04%
	January 2005	699	701	99.71%
	December 2004	628	631	99.52%
	November 2004	691	698	99.00%
	October 2004	747	754	99.07%
	September 2004	778	784	99.23%
	August 2004	631	637	99.06%
PO-5B-2(c) FOCs On Time For Electronic/Manual LSRs Received Via EDI LNP Benchmark	July 2005	231	231	100.00%
	June 2005	241	241	100.00%
	May 2005	209	209	100.00%
	April 2005	219	219	100.00%

	March 2005	236	236	100.00%
	February 2005	154	154	100.00%
	January 2005	174	174	100.00%
	December 2004	154	154	100.00%
	November 2004	142	142	100.00%
	October 2004	160	160	100.00%
	September 2004	181	181	100.00%
	August 2004	146	146	100.00%
PO-5C-(a) FOCs on Time for Manual Resale Aggregate Benchmark	July 2005	3	4	75.00%
	June 2005	4	4	100.00%
	May 2005	12	13	92.31%
	April 2005	11	11	100.00%
	March 2005	16	17	94.12%
	February 2005	16	16	100.00%
	January 2005	20	20	100.00%
	December 2004	11	11	100.00%
	November 2004	15	15	100.00%
	October 2004	9	11	81.82%
	September 2004	17	19	89.47%
	August 2004	24	24	100.00%
PO-5C-(b) FOCs on Time for Manual Unbundled Loop AGG-EELs Benchmark	July 2005	2	2	100.00%
	June 2005	3	3	100.00%
	May 2005	1	1	100.00%
	April 2005	8	8	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	2	2	100.00%
	December 2004	4	4	100.00%
	November 2004	4	5	80.00%
	October 2004	3	3	100.00%
	September 2004	1	1	100.00%
	August 2004	4	4	100.00%
PO-5C-(b) FOCs on Time for Manual Unbundled Loop Aggregate Benchmark	July 2005	2	2	100.00%
	June 2005	3	3	100.00%
	May 2005	1	1	100.00%
	April 2005	8	8	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	2	2	100.00%
	December 2004	4	4	100.00%
	November 2004	4	5	80.00%
	October 2004	3	3	100.00%
	September 2004	1	1	100.00%
	August 2004	4	4	100.00%
PO-5C-(c) FOCs on Time for Manual LNP Benchmark	July 2005	1	1	100.00%
	June 2005	6	6	100.00%
	May 2005	5	5	100.00%
	April 2005	3	3	100.00%
	March 2005	4	4	100.00%
	February 2005	6	6	100.00%
	January 2005	5	5	100.00%
	December 2004	6	9	66.67%

	November 2004	59	59	100.00%
	October 2004	96	96	100.00%
	September 2004	122	122	100.00%
	August 2004	133	133	100.00%
PO-5D Firm Order Confirmations (FOCs) On Time LIS Trunk Benchmark	July 2005	73	73	100.00%
	June 2005	71	71	100.00%
	May 2005	82	82	100.00%
	April 2005	70	70	100.00%
	March 2005	51	51	100.00%
	February 2005	124	124	100.00%
	January 2005	70	70	100.00%
	December 2004	90	90	100.00%
	November 2004	55	55	100.00%
	October 2004	58	58	100.00%
	September 2004	41	41	100.00%
	August 2004	92	92	100.00%
PO-6A Notices Made Available via IMA - GUI All Benchmark	July 2005	308.036111	3617	8.54%
	June 2005	119.15	4461	2.64%
	May 2005	100.011111	4242	2.36%
	April 2005	50.23125	3541	1.39%
	March 2005	113.625	3814	2.99%
	February 2005	47.375	2807	1.67%
	January 2005	39.1388889	4571	0.83%
	December 2004	306.898611	7295	4.24%
	November 2004	199.957639	8794	2.29%
	October 2004	170.560417	8609	2.01%
	September 2004	203.593056	7914	2.57%
	August 2004	320.360417	7580	4.24%
PO-6B Notices Transmitted via IMA - EDI All Benchmark	July 2005	0	7834	7.22%
	June 2005	52.20625	4139	1.25%
	May 2005	23.9798611	1927	1.25%
	April 2005	15.8069444	1971	0.83%
	March 2005	73.0291667	2138	3.40%
	February 2005	57.0166667	1848	3.06%
	January 2005	74.7972222	2673	2.78%
	December 2004	297.7875	4998	5.97%
	November 2004	150.780556	6491	2.29%
	October 2004	149.458333	6127	2.43%
	September 2004	322.086806	7745	4.17%
	August 2004	340.147917	10235	3.33%
PO-7A,C Notices Made Available via IMA - GUI / Billing System Posting Completions All Parity	July 2005	4834	4834	100.00%
	June 2005	5807	5824	99.71%
	May 2005	5303	5303	100.00%
	April 2005	4533	4533	100.00%
	March 2005	5350	5350	100.00%
	February 2005	3658	3658	100.00%
	January 2005	4216	4217	99.98%
	December 2004	9341	9346	99.95%
	November 2004	12044	12328	97.70%
	October 2004	9469	9470	99.99%
	September 2004	9998	9999	99.99%
	August 2004	9488	9488	100.00%

PO-7B,C Notices Transmitted via IMA - EDI / Billing System Posting Completions All Parity	July 2005	222	222	100.00%
	June 2005	380	380	100.00%
	May 2005	333	333	100.00%
	April 2005	386	386	100.00%
	March 2005	274	274	100.00%
	February 2005	237	237	100.00%
	January 2005	321	321	100.00%
	December 2004	154	154	100.00%
	November 2004	227	227	100.00%
	October 2004	265	265	100.00%
	September 2004	408	408	100.00%
	August 2004	427	427	100.00%
PO-8A Jeopardy Notice Interval Non-Designed Services Parity	July 2005	12	4	0:00
	June 2005	18	9	0:00
	May 2005	22	3	7:55
	April 2005	14	6	7:55
	March 2005	14	8	18:00
	February 2005	13	4	6:00
	January 2005	18	6	0:00
	December 2004	24	9	16:04
	November 2004	36	8	12:00
	October 2004	32	9	13:26
	September 2004	9	5	19:12
	August 2004	12	5	9:36
PO-8B Jeopardy Notice Interval Unbundled Loops and Number Portability Parity	July 2005	621	112	12:57
	June 2005	492	112	9:21
	May 2005	328	83	22:48
	April 2005	310	70	10:19
	March 2005	306	87	12:28
	February 2005	270	67	0:43
	January 2005	337	71	18:00
	December 2004	341	83	2:38
	November 2004	382	95	0:28
	October 2004	578	126	14:09
	September 2004	337	88	19:55
	August 2004	379	104	15:21
PO-8D Jeopardy Notice Interval UNE - P (POTS) Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	2	1	0:00
	December 2004	65	17	19:40
	November 2004	69	22	3:21
	October 2004	45	15	0:00
	September 2004	110	31	13:12
	August 2004	73	17	6:57
PO-9A Timely Jeopardy Notices Non-Designed Services Parity	July 2005	1	5	20.00%
	June 2005	4	11	36.36%
	May 2005	0	4	0.00%
	April 2005	0	7	0.00%

	March 2005	3	9	33.33%
	February 2005	1	8	12.50%
	January 2005	1	4	25.00%
	December 2004	2	5	40.00%
	November 2004	0	9	0.00%
	October 2004	0	11	0.00%
	September 2004	0	8	0.00%
	August 2004	0	22	0.00%
PO-9B Timely Jeopardy Notices Unbundled Loops and Number Portability Parity	July 2005	16	57	28.07%
	June 2005	10	40	25.00%
	May 2005	15	38	39.47%
	April 2005	5	47	10.64%
	March 2005	11	29	37.93%
	February 2005	7	36	19.44%
	January 2005	13	37	35.14%
	December 2004	12	55	21.82%
	November 2004	8	63	12.70%
	October 2004	15	65	23.08%
	September 2004	14	108	12.96%
	August 2004	25	66	37.88%
PO-9C Timely Jeopardy Notices LIS Trunk Parity	July 2005	0	1	0.00%
	June 2005	0	2	0.00%
	May 2005	0	3	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	1	0.00%
PO-9D Timely Jeopardy Notices UNE - P (POTS) Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	0	15	0.00%
	November 2004	2	15	13.33%
	October 2004	0	7	0.00%
	September 2004	4	32	12.50%
	August 2004	3	50	6.00%
MR-10 Customer and Non-Qwest Related Trouble Reports DS3 Parity	July 2005	0	0	0.00%
	June 2005	1	2	50.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%

	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-11B LNP Trouble Reports Cleared within 48 Hours - All Volumes LNP Parity	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	2	2	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	3	4	75.00%
	December 2004	0	0	0.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	1	1	100.00%
	MR-3C Out of Service Cleared within 24 Hours Centrex 21 Parity	July 2005	0	0
June 2005		1	1	100.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		1	1	100.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Centrex 21 Parity		July 2005	1	1
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-4C All Troubles Cleared within 48 Hours Centrex 21 Parity	July 2005	1	1
June 2005		2	2	100.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		1	1	100.00%
December 2004		0	0	0.00%
November 2004		1	1	100.00%
October 2004		3	3	100.00%
September 2004	1	1	100.00%	
August 2004	0	0	0.00%	

MR-5A All Troubles Cleared within 4 Hours DS3 Parity	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS3 Capable Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		1	1	100.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		1	1	100.00%
August 2004		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours ISDN Primary Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	2	2	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-6D Mean Time to Restore Dark Fiber - IOF Parity	July 2005	0	0
June 2005		0.10347222	1	2:29
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
September 2004		0	0	0:00
August 2004		0	0	0:00
MR-6D Mean Time to Restore DS3 Parity		July 2005	0	0
	June 2005	0.0125	1	0:18
	May 2005	0	0	0:00
	April 2005	0	0	0:00

	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-6D Mean Time to Restore Enhanced Extended Loops - DS3 Capable Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0.05625	1	1:21
	January 2005	0	0	0:00
	December 2004	0.07847222	1	1:53
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.075	1	1:48
	August 2004	0	0	0:00
MR-6E Mean Time to Restore UDIT Above DS1 Level Parity	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.17361111	1	4:10
	March 2005	0	0	0:00
	February 2005	0.05347222	1	1:17
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0.01666667	1	0:24
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
MR-7B Repair Repeat Report Rate PBX Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	2	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Dark Fiber - Loop Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
January 2005	0	1	0.00%	
December 2004	0	0	0.00%	

	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate E911 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	1	0.00%
	August 2004	0	0	0.00%
	MR-7D Repair Repeat Report Rate Unbundled Loop - DS3 Capable Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	1	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-7D Repair Repeat Report Rate Unbundled Loop - XDSLi Parity		July 2005	0	0
	June 2005	2	26	7.69%
	May 2005	0	4	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	1	3	33.33%
	January 2005	3	7	42.86%
	December 2004	0	4	0.00%
	November 2004	0	1	0.00%
	October 2004	1	3	33.33%
	September 2004	0	3	0.00%
	August 2004	0	0	0.00%
	MR-7E Repair Repeat Report Rate E911 Parity	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	1	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004	0	0	0.00%	
August 2004	0	0	0.00%	

MR-8 Trouble Rate Dark Fiber - IOF Diagnostic	July 2005	0	36	0.00%
	June 2005	1	36	2.78%
	May 2005	0	36	0.00%
	April 2005	0	32	0.00%
	March 2005	0	32	0.00%
	February 2005	0	32	0.00%
	January 2005	0	32	0.00%
	December 2004	0	29	0.00%
	November 2004	0	29	0.00%
	October 2004	0	29	0.00%
	September 2004	0	45	0.00%
	August 2004	0	45	0.00%
	MR-8 Trouble Rate Dark Fiber - Loop Diagnostic	July 2005	0	33
June 2005		0	31	0.00%
May 2005		1	32	3.13%
April 2005		0	32	0.00%
March 2005		0	32	0.00%
February 2005		0	32	0.00%
January 2005		1	32	3.13%
December 2004		0	32	0.00%
November 2004		0	33	0.00%
October 2004		0	28	0.00%
September 2004		0	28	0.00%
August 2004		0	27	0.00%
MR-8 Trouble Rate Enhanced Extended Loops - DS3 Capable Diagnostic		July 2005	0	52
	June 2005	0	52	0.00%
	May 2005	0	52	0.00%
	April 2005	0	52	0.00%
	March 2005	0	50	0.00%
	February 2005	1	50	2.00%
	January 2005	0	48	0.00%
	December 2004	1	48	2.08%
	November 2004	0	46	0.00%
	October 2004	0	44	0.00%
	September 2004	1	42	2.38%
	August 2004	0	39	0.00%
	MR-8 Trouble Rate Sub-Loop Unbundling Diagnostic	July 2005	0	16
June 2005		0	17	0.00%
May 2005		0	17	0.00%
April 2005		0	17	0.00%
March 2005		0	21	0.00%
February 2005		0	21	0.00%
January 2005		0	21	0.00%
December 2004		0	21	0.00%
November 2004		0	22	0.00%
October 2004		0	22	0.00%
September 2004		0	21	0.00%
August 2004		0	26	0.00%
OP-3C Installation Commitments Met UNE P (Centrex 21) Parity		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%

	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
	September 2004	0	0	0.00%
	August 2004	1	1	100.00%
OP-3D Installation Commitments Met Dark	July 2005	0	0	0.00%
Fiber - IOF Diagnostic	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	3	3	100.00%
OP-3D Installation Commitments Met Dark	July 2005	0	0	0.00%
Fiber - Loop Diagnostic	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	1	1	100.00%
OP-4D Installation Interval Dark Fiber - IOF	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	71	4	17.75
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	31	2	15.5
	December 2004	18	1	18
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	80	4	20
OP-4D Installation Interval Dark Fiber -	July 2005	40	2	20
Loop Diagnostic	June 2005	0	0	0
	May 2005	19	1	19
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0

	November 2004	20	1	20
	October 2004	0	0	0
	September 2004	0	0	0
	August 2004	0	1	0
OP-5A New Service Installation Quality	July 2005	0	0	0.00%
Reported to Repair Dark Fiber - IOF	June 2005	0	0	0.00%
Diagnostic	May 2005	4	4	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	4	4	100.00%
OP-5A New Service Installation Quality	July 2005	0	0	0.00%
Reported to Repair E911 Parity	June 2005	32	32	100.00%
	May 2005	10	10	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	5	5	100.00%
	September 2004	2	2	100.00%
	August 2004	7	7	100.00%
OP-5B New Service Provisioning Quality	July 2005	0	0	0.00%
Enhanced Extended Loops - DS1 Capable	June 2005	110	110	100.00%
Benchmark	May 2005	118	118	100.00%
	April 2005	93	93	100.00%
	March 2005	115	116	99.14%
	February 2005	110	110	100.00%
	January 2005	102	103	99.03%
	December 2004	114	114	100.00%
	November 2004	87	87	100.00%
	October 2004	126	126	100.00%
	September 2004	108	108	100.00%
	August 2004	68	68	100.00%
OP-5B New Service Provisioning Quality	July 2005	0	0	0.00%
Enhanced Extended Loops - DS3 Capable	June 2005	1	1	100.00%
Benchmark	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
	September 2004	2	2	100.00%
	August 2004	1	1	100.00%

OP-5B New Service Provisioning Quality Line Sharing Benchmark	July 2005	0	0	0.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	7	7	100.00%
	February 2005	13	13	100.00%
	January 2005	13	13	100.00%
	December 2004	13	13	100.00%
	November 2004	13	13	100.00%
	October 2004	104	104	100.00%
	September 2004	540	540	100.00%
	August 2004	502	502	100.00%
OP-5B New Service Provisioning Quality PBX Benchmark	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5B New Service Provisioning Quality Unbundled Loop - 2 Wire Non-Loaded Benchmark	July 2005	0	0	0.00%
	June 2005	364	364	100.00%
	May 2005	368	368	100.00%
	April 2005	348	348	100.00%
	March 2005	374	374	100.00%
	February 2005	318	318	100.00%
	January 2005	315	315	100.00%
	December 2004	346	347	99.71%
	November 2004	441	441	100.00%
	October 2004	444	444	100.00%
	September 2004	408	408	100.00%
	August 2004	329	329	100.00%
OP-5B New Service Provisioning Quality Unbundled Loop - ADSL Qualified Benchmark	July 2005	0	0	0.00%
	June 2005	30	30	100.00%
	May 2005	20	20	100.00%
	April 2005	23	23	100.00%
	March 2005	19	19	100.00%
	February 2005	16	16	100.00%
	January 2005	47	47	100.00%
	December 2004	31	31	100.00%
	November 2004	41	41	100.00%
	October 2004	51	51	100.00%
	September 2004	40	40	100.00%
	August 2004	25	25	100.00%
OP-5B New Service Provisioning Quality Unbundled Loop - DS1 Capable Benchmark	July 2005	0	0	0.00%
	June 2005	134	134	100.00%
	May 2005	132	132	100.00%
	April 2005	137	137	100.00%

	March 2005	152	152	100.00%
	February 2005	125	125	100.00%
	January 2005	97	97	100.00%
	December 2004	120	120	100.00%
	November 2004	154	154	100.00%
	October 2004	144	145	99.31%
	September 2004	155	155	100.00%
	August 2004	161	161	100.00%
OP-5B New Service Provisioning Quality	July 2005	0	0	0.00%
Unbundled Loop - XDSLi Benchmark	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	10	10	100.00%
	September 2004	6	6	100.00%
	August 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	July 2005	0	0	0.00%
Unbundled Loop Analog Benchmark	June 2005	3836	3836	100.00%
	May 2005	1421	1431	99.30%
	April 2005	1232	1232	100.00%
	March 2005	1412	1412	100.00%
	February 2005	1365	1368	99.78%
	January 2005	1178	1184	99.49%
	December 2004	1312	1312	100.00%
	November 2004	1328	1330	99.85%
	October 2004	1396	1398	99.86%
	September 2004	1336	1336	100.00%
	August 2004	1398	1398	100.00%
OP-5B New Service Provisioning Quality	July 2005	0	0	0.00%
Unbundled Loop ISDN Capable Benchmark	June 2005	48	48	100.00%
	May 2005	50	50	100.00%
	April 2005	31	31	100.00%
	March 2005	49	49	100.00%
	February 2005	34	34	100.00%
	January 2005	50	50	100.00%
	December 2004	40	40	100.00%
	November 2004	59	59	100.00%
	October 2004	54	54	100.00%
	September 2004	58	58	100.00%
	August 2004	46	46	100.00%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0.00%
Rate Business Diagnostic	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	6	33.33%
	January 2005	0	0	0.00%
	December 2004	2	6	33.33%

	November 2004	0	2	0.00%
	October 2004	0	0	0.00%
	September 2004	0	1	0.00%
	August 2004	0	2	0.00%
OP-5R New Service Quality Multiple Report	July 2005	0	0	0.00%
Rate Dark Fiber - Loop Diagnostic	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total DS1 Diagnostic	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total PBX Diagnostic	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
OP-5T New Service Installation Quality	July 2005	0	0	0.00%
Total Unbundled Loop - DS3 Capable	June 2005	0	0	0.00%
Diagnostic	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	2	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%

OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity	July 2005	3	1	3
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	6	1	6
	January 2005	1	1	1
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	13	2	6.5
	August 2004	0	0	0
	OP-6B-3 Delayed Days for Facility Reasons Residence Parity	July 2005	0	0
June 2005		2	1	2
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
August 2004		0	0	0
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity		July 2005	19	3
	June 2005	3	2	1.5
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	1	1	1
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	16	3	5.33
	September 2004	5	1	5
	August 2004	5	1	5
	PO-15 Number of Due Date Changes per Order All Diagnostic	July 2005	614	10229
June 2005		717	7040	0.1
May 2005		622	4633	0.13
April 2005		539	3693	0.15
March 2005		718	4509	0.16
February 2005		600	3629	0.17
January 2005		537	3655	0.15
December 2004		619	7842	0.08
November 2004		751	10118	0.07
October 2004		751	11382	0.07
September 2004		747	9170	0.08
August 2004		583	10280	0.06
PO-19 Stand-Alone Test Environment (SATE) Accuracy Diagnostic		July 2005	611	613
	June 2005	611	613	99.67%
	May 2005	604	613	98.53%
	April 2005	611	613	99.67%

	March 2005	872	883	98.75%
	February 2005	600	602	99.67%
	January 2005	601	602	99.83%
	December 2004	600	600	100.00%
	November 2004	861	863	99.77%
	October 2004	861	861	100.00%
	September 2004	860	864	99.54%
	August 2004	585	585	100.00%
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 16.0 Diagnostic	July 2005	278	279	99.64%
	June 2005	278	279	99.64%
	May 2005	278	279	99.64%
	April 2005	278	279	99.64%
	March 2005	278	279	99.64%
	February 2005	277	278	99.64%
	January 2005	278	278	100.00%
	December 2004	276	276	100.00%
	November 2004	275	276	99.64%
	October 2004	276	276	100.00%
	September 2004	274	276	99.28%
August 2004	0	0	0.00%	
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 17.0 Diagnostic	July 2005	278	279	99.64%
	June 2005	278	279	99.64%
	May 2005	271	279	97.13%
	April 2005	278	279	99.64%
	March 2005	278	279	99.64%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
August 2004	0	0	0.00%	
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI Diagnostic	July 2005	55	55	100.00%
	June 2005	55	55	100.00%
	May 2005	55	55	100.00%
	April 2005	55	55	100.00%
	March 2005	55	55	100.00%
	February 2005	55	55	100.00%
	January 2005	54	55	98.18%
	December 2004	55	55	100.00%
	November 2004	55	55	100.00%
	October 2004	53	53	100.00%
	September 2004	54	56	96.43%
August 2004	53	53	100.00%	
PO-19A Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 Benchmark	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	261	270	96.67%
	February 2005	268	269	99.63%
	January 2005	269	269	100.00%
December 2004	269	269	100.00%	

	November 2004	269	269	100.00%
	October 2004	269	269	100.00%
	September 2004	269	269	100.00%
	August 2004	269	269	100.00%
PO-19B Stand-Alone Test Environment (SATE) Accuracy Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	182	186	97.85%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	194	200	97.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
PO-20P4 Manual Service Order Accuracy (Phase 4) Resale & UNE-P (POTS) Diagnostic	July 2005	0	0	0.00%
	June 2005	2080	2086	99.71%
	May 2005	1999	2056	97.23%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
PO-20P4 Manual Service Order Accuracy (Phase 4) Unbundled Loops Diagnostic	July 2005	0	0	0.00%
	June 2005	1070	1080	99.07%
	May 2005	814	969	84.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Basic Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%

MR-10 Customer and Non-Qwest Related Trouble Reports Frame Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	1	2	50.00%
	MR-3A Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-3B Out of Service Cleared within 24 Hours Centrex Diagnostic	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Centrex 21 Parity		July 2005	1	1
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%

	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Line Sharing Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Line Splitting Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%

	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Qwest DSL Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - XDSL Parity	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours PBX Parity	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	2	100.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%

MR-4B All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-4B All Troubles Cleared within 48 Hours Centrex Diagnostic	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Line Sharing Diagnostic		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
	MR-4B All Troubles Cleared within 48 Hours Line Splitting Diagnostic	July 2005	0	0
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
August 2004		0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic		July 2005	0	0
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%

	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours Frame Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	1	1	100.00%
MR-5A All Troubles Cleared within 4 Hours ISDN Primary Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%

	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	July 2005	0	0	0.00%
DS3 Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	July 2005	0	0	0.00%
Frame Relay Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	July 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded	June 2005	0	0	0.00%
Diagnostic	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	July 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	August 2004	0	0	0.00%

MR-6A Mean Time to Restore Basic Rate ISDN Diagnostic	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
	MR-6B Mean Time to Restore Basic Rate ISDN Diagnostic	July 2005	0	0
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
September 2004		0	0	0:00
August 2004		0	0	0:00
MR-6B Mean Time to Restore Centrex Diagnostic		July 2005	0	0
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	August 2004	0	0	0:00
	MR-6B Mean Time to Restore Line Sharing Diagnostic	July 2005	0	0
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
September 2004		0	0	0:00
August 2004		0	0	0:00
MR-6B Mean Time to Restore Line Splitting Diagnostic		July 2005	0	0
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00

MR-6E Mean Time to Restore Unbundled Loop - DS3 Capable Diagnostic	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - XDSLi Parity	0.16319444	1	3:55
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
	0	0	0:00
MR-7A Repair Repeat Report Rate Basic Rate ISDN Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
MR-7B Repair Repeat Report Rate Basic Rate ISDN Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
MR-7B Repair Repeat Report Rate Centrex Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%

MR-7D Repair Repeat Report Rate UDIT	0	0	0.00%
DS1 Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	1	0.00%
	0	0	0.00%
	0	0	0.00%
MR-7E Repair Repeat Report Rate DS3	0	0	0.00%
Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
MR-7E Repair Repeat Report Rate Frame	0	0	0.00%
Relay Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
MR-7E Repair Repeat Report Rate	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded	0	0	0.00%
Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
MR-7E Repair Repeat Report Rate	0	0	0.00%
Unbundled Loop - DS3 Capable Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%

OP-15A Interval for Pending Orders
Delayed Past Due Date Centrex 21
Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-15A Interval for Pending Orders
Delayed Past Due Date DS0 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
12 1 12
0 0 0
0 0 0

OP-15A Interval for Pending Orders
Delayed Past Due Date DS1 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-15A Interval for Pending Orders
Delayed Past Due Date DS3 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-15A Interval for Pending Orders
Delayed Past Due Date Frame Relay
Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0

OP-15B Count of Pending Orders Delayed
for Facilities Reasons Basic Rate ISDN
Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-15B Count of Pending Orders Delayed
for Facilities Reasons Centrex Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-15B Count of Pending Orders Delayed
for Facilities Reasons Centrex 21 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-15B Count of Pending Orders Delayed
for Facilities Reasons DS0 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 1 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-15B Count of Pending Orders Delayed
for Facilities Reasons DS1 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0

OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex) Diagnostic	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
OP-3A Installation Commitments Met Basic Rate ISDN Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
OP-3A Installation Commitments Met Centrex Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
OP-3A Installation Commitments Met Centrex 21 Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
OP-3A Installation Commitments Met DS0 Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%

OP-4B Installation Interval PBX Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-4B Installation Interval UNE P (Centrex
21) Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-4B Installation Interval UNE P (Centrex)
Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-4C Installation Interval Centrex
Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-4C Installation Interval Centrex 21
Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0

OP-4D Installation Interval Unbundled Loop
4 Wire Non-Loaded Diagnostic

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
3	1	3

OP-4E Installation Interval Basic Rate ISDN
Diagnostic

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

OP-4E Installation Interval DS3 Diagnostic

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

OP-4E Installation Interval Frame Relay
Diagnostic

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

OP-4E Installation Interval Qwest DSL
Diagnostic

0	0	0
0	0	0
0	0	0
0	0	0

	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
<hr/>	0	0	0.00%
OP-5A New Service Installation Quality	0	0	0.00%
Reported to Repair Centrex 21 Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
<hr/>	0	0	0.00%
OP-5A New Service Installation Quality	0	0	0.00%
Reported to Repair DS3 Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
<hr/>	0	0	0.00%
OP-5A New Service Installation Quality	0	0	0.00%
Reported to Repair Frame Relay Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
<hr/>	0	0	0.00%
OP-5A New Service Installation Quality	0	0	0.00%
Reported to Repair Unbundled Loop - 4 Wire	0	0	0.00%
Non-Loaded Diagnostic	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	1	1	100.00%

<hr/>				
OP-5B	New Service Provisioning Quality	0	0	0.00%
Basic Rate ISDN	Diagnostic	0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
<hr/>				
OP-5B	New Service Provisioning Quality	0	0	0.00%
Centrex	Diagnostic	0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
<hr/>				
OP-5B	New Service Provisioning Quality	0	0	0.00%
Centrex 21	Diagnostic	0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
<hr/>				
OP-5B	New Service Provisioning Quality	0	0	0.00%
DS3	Diagnostic	0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%
<hr/>				
OP-5B	New Service Provisioning Quality	0	0	0.00%
Frame Relay	Diagnostic	0	0	0.00%
		0	0	0.00%
		0	0	0.00%
		0	0	0.00%

OP-6A-2 Delayed Days for Non-Facility
Reasons Business Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-2 Delayed Days for Non-Facility
Reasons Centrex 21 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-2 Delayed Days for Non-Facility
Reasons Line Sharing Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-2 Delayed Days for Non-Facility
Reasons Line Splitting Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-2 Delayed Days for Non-Facility
Reasons Qwest DSL Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-3 Delayed Days for Non-Facility
Reasons UNE P (Centrex) Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-4 Delayed Days for Non-Facility
Reasons Basic Rate ISDN Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-4 Delayed Days for Non-Facility
Reasons DS0 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-4 Delayed Days for Non-Facility
Reasons DS1 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-4 Delayed Days for Non-Facility
Reasons DS3 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-5 Delayed Days for Non-Facility
Reasons Basic Rate ISDN Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-5 Delayed Days for Non-Facility
Reasons DS0 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-5 Delayed Days for Non-Facility
Reasons DS1 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-5 Delayed Days for Non-Facility
Reasons DS3 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6A-5 Delayed Days for Non-Facility
Reasons Frame Relay Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-1 Delayed Days for Facility Reasons
Line Splitting Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-1 Delayed Days for Facility Reasons
Qwest DSL Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-1 Delayed Days for Facility Reasons
UNE P (Centrex 21) Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-1 Delayed Days for Facility Reasons
UNE P (Centrex) Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-2 Delayed Days for Facility Reasons
Business Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-3 Delayed Days for Facility Reasons
Qwest DSL Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-3 Delayed Days for Facility Reasons
UNE - P (POTS) Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-4 Delayed Days for Facility Reasons
Basic Rate ISDN Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-4 Delayed Days for Facility Reasons
DS0 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-4 Delayed Days for Facility Reasons
DS1 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-5 Delayed Days for Facility Reasons
DS0 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-5 Delayed Days for Facility Reasons
DS3 Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-5 Delayed Days for Facility Reasons
Frame Relay Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-5 Delayed Days for Facility Reasons
PBX Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0
0 0 0

OP-6B-5 Delayed Days for Facility Reasons
Qwest DSL Diagnostic

0 0 0
0 0 0
0 0 0
0 0 0

	0	0	0
	0	0	0
	30	4	7.5
	1	1	1
<hr/> OP-6B-5 Delayed Days for Facility Reasons	0	0	0
Unbundled Loop - DS3 Capable Diagnostic	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
	0	0	0
<hr/> PO-19 Stand-Alone Test Environment	0	0	0.00%
(SATE) Accuracy Rel. 14.0 Benchmark	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	0	0	0.00%
	262	263	99.62%
	263	263	100.00%
	263	263	100.00%
<hr/>	263	263	100.00%
<hr/>	0		
<hr/>	0		

_____0

_____0

_____0

_____0

_____0

0

0

0

Standard Deviation	Qwest Numerator	Qwest Denominator	Q Result	Modified Z	Parity
0.81	16046575.00	5692031.00	19:40	-746.70	-454.96
0.94	18036172.00	6427183.00	19:26	-799.41	-487.01
0.71	16523070.00	5949178.00	18:43	-800.59	-487.73
0.82	21266998.00	8043295.00	7:12	-868.37	-528.93
0.84	25606179.00	6441867.00	11:16	-978.07	-595.62
0.8	19818671.00	7388506.00	5:02	-777.88	-473.92
41.46	23774729.00	6176426.00	11:45	6610.12	4017.67
1.01	26400929.00	6808773.00	9:50	-967.11	-588.96
0.92	23808403.00	7746236.00	8:38	-841.06	-512.33
1.05	26755739.00	7082972.00	15:36	-890.55	-542.41
0.78	27754291.00	7326834.00	10:48	-873.71	-532.18
1.42	31005335.00	8599076.00	14:38	-918.21	-559.23
0.0008	0.00	0.00	0:00	0.00	-0.16
0.0012	0.00	0.00	0:00	0.00	-0.16
0.0027	0.00	0.00	0:00	0.00	-0.16
0.0011	0.00	0.00	0:00	0.00	-0.16
0.0025	0.00	0.00	0:00	0.00	-0.16
0	0.00	0.00	0:00	0.00	-0.16
0	0.00	0.00	0:00	0.00	-0.16
0.0027	0.00	0.00	0:00	0.00	-0.16
0	0.00	0.00	0:00	0.00	-0.16
0.0033	0.00	0.00	0:00	0.00	-0.16
0.0012	0.00	0.00	0:00	0.00	-0.16
0.0031	0.00	0.00	0:00	0.00	-0.16
0.83	16046575.00	5692031.00	19:40	-591.61	-360.68
0.81	18036172.00	6427183.00	19:26	-630.84	-384.52
0.74	16523070.00	5949178.00	18:43	-645.12	-393.21
0.81	21266998.00	8043295.00	7:12	-737.46	-449.34
0.82	25606179.00	6441867.00	11:16	-837.78	-510.34
0.79	19818671.00	7388506.00	5:02	-654.58	-398.95
53.93	23774729.00	6176426.00	11:45	12517.13	7608.87
0.92	26400929.00	6808773.00	9:50	-830.95	-506.18
0.78	23808403.00	7746236.00	8:38	-734.86	-447.76
1.19	26755739.00	7082972.00	15:36	-781.24	-475.96
0.82	27754291.00	7326834.00	10:48	-749.65	-456.75
1.84	31005335.00	8599076.00	14:38	-721.59	-439.69
0.75	16046575.00	5692031.00	19:40	-831.97	-506.80
1.02	18036172.00	6427183.00	19:26	-876.91	-534.12
0.63	16523070.00	5949178.00	18:43	-884.98	-539.03
0.79	21266998.00	8043295.00	7:12	-906.44	-552.08
0.83	25606179.00	6441867.00	11:16	-1009.69	-614.84
0.77	19818671.00	7388506.00	5:02	-815.49	-496.79
1.1	23774729.00	6176426.00	11:45	-941.26	-573.24
1.08	26400929.00	6808773.00	9:50	-989.91	-602.82

1.03	23808403.00	7746236.00	8:38	-851.22	-518.51
0.86	26755739.00	7082972.00	15:36	-896.14	-545.81
0.72	27754291.00	7326834.00	10:48	-893.76	-544.37
0.66	31005335.00	8599076.00	14:38	-1004.92	-611.95
0.0729	0.00	0.00	0.00%	0.00	0.00
0.033	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0342	0.00	0.00	0.00%	0.00	0.00
0.0572	0.00	0.00	0.00%	0.00	0.00
0.036	0.00	0.00	0.00%	0.00	0.00
0.0508	0.00	0.00	0.00%	0.00	0.00
0.0344	0.00	0.00	0.00%	0.00	0.00
0.0388	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0368	0.00	0.00	0.00%	0.00	0.00
0.0134	77125030.00	77661037.00	99.31%	-191.11	-117.19
0.0486	80816186.00	81532574.00	99.12%	-175.27	-107.56
0.013	79610225.00	80136688.00	99.34%	-204.44	-125.29
0.4114	79484901.00	81186829.00	99.46%	7026.49	4270.81
0.4176	79018695.00	79913969.00	98.83%	4585.74	2786.93
0.0353	78803570.00	79952333.00	98.77%	-234.40	-143.51
0.1226	78671496.00	79784446.00	98.89%	100.01	59.80
0.4157	78882398.00	79556521.00	99.34%	7455.05	4531.35
0.0927	80189840.00	79403348.00	98.99%	-32.94	-21.03
0.0255	80818583.00	81007257.00	99.24%	-182.12	-111.72
0.0766	80269537.00	81438580.00	98.87%	-116.34	-71.73
0.0463	80734689.00	81670634.00	98.85%	-201.64	-123.59
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.3397	0.00	0.00	0.00%	0.00	0.26
0.1363	0.00	0.00	0.00%	0.00	-0.10
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0043	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0693	172381.00	173421.00	99.40%	-2.58	-2.57
0.0576	165315.00	166174.00	99.48%	-4.13	-3.51
0	167952.00	168942.00	99.41%	-6.01	-4.65
0.056	174786.00	196833.00	99.47%	-4.89	-3.98
0.0454	165516.00	175721.00	99.21%	-10.73	-7.52
0.0313	170002.00	166836.00	99.30%	-11.79	-8.17
0.0706	172856.00	171202.00	99.09%	-6.51	-4.96
0.0673	167321.00	174446.00	99.38%	-3.46	-3.10
0.0362	181393.00	168369.00	99.55%	-8.29	-6.04
0.0456	201957.00	182220.00	99.56%	-6.35	-4.86
0.0369	195712.00	202854.00	99.43%	-9.67	-6.88
0.0309	194394.00	195719.00	99.32%	-11.99	-8.29

0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0718	0.00	0.00	0.00%	0.00	-0.14
0.2705	0.00	0.00	0.00%	0.00	0.09
0.1576	0.00	0.00	0.00%	0.00	-0.08
0.2108	0.00	0.00	0.00%	0.00	-0.01
0.1173	0.00	0.00	0.00%	0.00	-0.11
0.2822	0.00	0.00	0.00%	0.00	0.12
0	0.00	0.00	0.00%	0.00	-0.16
0.0971	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0.1564	0.00	0.00	0.00%	0.00	-0.08
0.1471	0.00	0.00	0.00%	0.00	-0.09
0	0.00	0.00	0.00%	0.00	-0.16
0.2043	0.00	0.00	0.00%	0.00	-0.02
0.1702	0.00	0.00	0.00%	0.00	-0.06
0.2869	0.00	0.00	0.00%	0.00	0.13
0.1704	0.00	0.00	0.00%	0.00	-0.06
0	0.00	0.00	0.00%	0.00	-0.16
0.1461	0.00	0.00	0.00%	0.00	-0.09
0.0727	0.00	0.00	0.00%	0.00	-0.14
0.2907	0.00	0.00	0.00%	0.00	0.14
0.0724	0.00	0.00	0.00%	0.00	-0.14
0.0803	0.00	0.00	0.00%	0.00	-0.14
0.1546	0.00	0.00	0.00%	0.00	-0.08
0.0651	0.00	0.00	0.00%	0.00	-0.14
6.9	0.00	0.00	0	0.00	-0.68
2.17	0.00	0.00	0	0.00	-0.91
8.35	0.00	0.00	0	0.00	-0.48
9.02	0.00	0.00	0	0.00	-0.88
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	-0.70
0	0.00	0.00	0	0.00	-0.50
0	0.00	0.00	0	0.00	-1.20
16.97	0.00	0.00	0	0.00	-0.60
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	-0.37
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
9.58	0.00	0.00	0	0.00	-0.49
0	0.00	0.00	0	0.00	0.00

0	0.00	0.00	0	0.00	-1.23
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	-1.23
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.15	0.00	0.00	0	0.00	-0.86
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
19.34	0.00	0.00	0	0.00	-0.59
23.75	0.00	0.00	0	0.00	-0.67
0	0.00	0.00	0	0.00	-1.72
7.23	0.00	0.00	0	0.00	-1.29
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	-0.54
33.94	0.00	0.00	0	0.00	-1.66
2.12	0.00	0.00	0	0.00	-0.49
0	0.00	0.00	0	0.00	-1.32
6.87	0.00	0.00	0	0.00	-0.96
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
1.36	0.00	0.00	0	0.00	-0.34
0.71	0.00	0.00	0	0.00	-0.15
0.87	0.00	0.00	0	0.00	-0.17
1.28	0.00	0.00	0	0.00	-0.55
0	0.00	0.00	0	0.00	0.00
0.38	0.00	0.00	0	0.00	-0.26
0.82	0.00	0.00	0	0.00	-0.14
1.5	0.00	0.00	0	0.00	-0.68

2.24	0.00	0.00	0	0.00	-0.30
1.15	0.00	0.00	0	0.00	-0.30
0	0.00	0.00	0	0.00	-0.60
1	0.00	0.00	0	0.00	-0.90
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	8.10	1.00	2:24	0.00	0.00
0	8.20	1.00	4:48	0.00	0.00
0	7.10	1.00	2:24	0.00	0.00
0	7.51	1.00	12:14	0.00	0.00
0	7.70	1.00	16:48	0.00	0.00
0	7.12	1.00	2:52	0.00	0.00
0	7.81	1.00	19:26	0.00	0.00
0	6.98	1.00	23:31	0.00	0.00
0	7.12	1.00	2:52	0.00	0.00
0	7.84	1.00	20:09	0.00	0.00
0	7.47	1.00	11:16	0.00	0.00
0	7.18	1.00	4:19	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.038194444	0.00	0.00	0	0.00	0.00
0.036111111	0.00	0.00	0	0.00	0.00
0.010416667	0.00	0.00	0	0.00	0.00
0.080555556	0.00	0.00	0	0.00	0.00
0.011805556	0.00	0.00	0	0.00	0.00
0.009722222	0.00	0.00	0	0.00	0.00
0.011111111	0.00	0.00	0	0.00	0.00
0.013194444	0.00	0.00	0	0.00	0.00
0.013888889	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.17	0.00	0.00	0	0.00	0.00
0.22	0.00	0.00	0	0.00	0.00
0.29	0.00	0.00	0	0.00	0.00
0.29	0.00	0.00	0	0.00	0.00
0.28	0.00	0.00	0	0.00	0.00
0.27	0.00	0.00	0	0.00	0.00
0.29	0.00	0.00	0	0.00	0.00
0.27	0.00	0.00	0	0.00	0.00
0.29	0.00	0.00	0	0.00	0.00

0.12	0.00	0.00	0	0.00	0.00
0.39	0.00	0.00	0	0.00	0.00
0.42	0.00	0.00	0	0.00	0.00
0.41	0.00	0.00	0	0.00	0.00
0.45	0.00	0.00	0	0.00	0.00
0.47	0.00	0.00	0	0.00	0.00
0.4	0.00	0.00	0	0.00	0.00
0.39	0.00	0.00	0	0.00	0.00
0.39	0.00	0.00	0	0.00	0.00
0.38	0.00	0.00	0	0.00	0.00
0.38	0.00	0.00	0	0.00	0.00
0.38	0.00	0.00	0	0.00	0.00
0.0306	0.00	0.00	0.00%	0.00	0.00
0.1146	0.00	0.00	0.00%	0.00	0.00
0.1347	0.00	0.00	0.00%	0.00	0.00
0.1346	0.00	0.00	0.00%	0.00	0.00
0.1301	0.00	0.00	0.00%	0.00	0.00
0.1267	0.00	0.00	0.00%	0.00	0.00
0.1254	0.00	0.00	0.00%	0.00	0.00
0.119	0.00	0.00	0.00%	0.00	0.00
0.119	0.00	0.00	0.00%	0.00	0.00
0.1206	0.00	0.00	0.00%	0.00	0.00
0.1286	0.00	0.00	0.00%	0.00	0.00
0.1266	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.01
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.01
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.01
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.02

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4899	1177.00	3256.00	36.15%	0.25	-0.84
0.4899	1334.00	3404.00	39.19%	0.06	-0.95
0.3499	1322.00	3376.00	39.16%	-1.90	-2.16
0.4989	1188.00	3510.00	39.04%	0.60	-0.64
0.467	1203.00	3043.00	38.24%	-0.66	-1.40
0.493	1084.00	3146.00	40.64%	0.10	-0.93
0.4714	1335.00	2667.00	38.63%	-0.53	-1.32
0.4684	1248.00	3456.00	38.66%	-0.80	-1.48
0.4714	1293.00	3228.00	40.39%	-0.78	-1.48
0.488	1302.00	3201.00	38.24%	0.09	-0.94
0.4714	1350.00	3405.00	38.46%	2.65	0.56
0.4714	1442.00	3847.00	37.48%	-0.44	-1.27
0	0.00	0.00	0.00%	0.00	0.00
0	58.00	172.00	33.72%	-0.71	-1.43
0	43.00	149.00	28.86%	-0.63	-1.39
0	54.00	178.00	34.18%	1.38	-0.42
0	51.00	158.00	32.90%	-0.98	-1.60
0	0.00	155.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	44.00	0.00	29.33%	0.00	0.00
0	60.00	150.00	33.90%	0.00	0.00
0.4714	51.00	177.00	28.65%	0.18	-0.90
0	75.00	214.00	35.05%	-1.03	-1.63
0.4518	89.00	251.00	35.46%	-0.38	-1.23
0.4899	112.00	265.00	42.26%	-0.10	-1.06
0.433	96.00	251.00	38.25%	-0.54	-1.33
0	86.00	291.00	32.82%	-0.98	-1.60
0.4969	106.00	262.00	36.68%	0.48	-0.72
0.4714	76.00	289.00	33.48%	-0.01	-1.00
0.4841	83.00	227.00	29.86%	1.99	0.11
0.5	93.00	278.00	38.75%	0.56	-0.68
0.4714	112.00	240.00	34.78%	-0.05	-1.03
0	110.00	322.00	36.30%	-1.30	-1.79
0	101.00	303.00	34.71%	-1.26	-1.76
0	131.00	329.00	39.82%	1.23	-0.49
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	188.00	557.00	33.75%	-0.71	-1.43
0.5	244.00	511.00	42.66%	0.21	-0.90
0	214.00	572.00	39.56%	1.23	-0.48
0	212.00	541.00	48.18%	1.04	-0.57
0	0.00	440.00	0.00%	0.00	0.00
0	180.00	0.00	41.00%	-1.44	-1.87
0	175.00	439.00	42.68%	1.63	-0.18
0	169.00	410.00	39.58%	0.00	0.00
0.4714	192.00	427.00	37.57%	-0.15	-1.09
0.3727	220.00	540.00	40.74%	-1.19	-1.73

0	85.00	346.00	24.57%	-0.57	-1.35
0	100.00	335.00	29.85%	-0.92	-1.56
0	0.00	0.00	0.00%	0.00	0.00
0.3143	93.00	387.00	28.62%	-1.15	-1.70
0	82.00	325.00	23.70%	-0.56	-1.34
0	73.00	346.00	24.01%	-0.56	-1.34
0	0.00	304.00	0.00%	0.00	0.00
0.5	71.00	0.00	21.13%	1.00	-0.52
0	46.00	336.00	13.98%	0.00	0.00
0	71.00	329.00	19.35%	-0.49	-1.30
0	69.00	367.00	17.83%	2.14	-0.18
0	110.00	457.00	24.07%	-0.79	-1.48
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	100.00%	0.00	0.00
0	1.00	1.00	20.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	3.00	66.67%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	42.00	53.00	56.76%	-1.60	-1.97
0	0.00	74.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	26.00	0.00	46.43%	0.00	0.00
0	30.00	56.00	42.25%	0.00	0.00
0	30.00	71.00	56.60%	0.00	0.00
0	38.00	65.00	58.46%	1.17	-0.41
0.4997	7.00	10.00	70.00%	-1.29	-1.78
0.4852	16.00	32.00	50.00%	0.94	-0.44
0.4856	0.00	15.00	0.00%	0.00	1.41
0.4985	5.00	18.00	50.00%	0.18	-0.93
0.4957	8.00	10.00	47.06%	0.59	-0.67
0.4191	1.00	17.00	10.00%	5.88	1.18
0.481	7.00	10.00	53.85%	-1.00	-1.61
0.4714	2.00	13.00	22.22%	0.61	-0.73
0.4989	9.00	9.00	69.23%	-1.29	-1.78
0.4949	7.00	13.00	53.85%	-0.57	-1.35
0.4961	10.00	13.00	55.56%	-0.69	-1.42
0.4997	4.00	11.00	36.36%	0.90	-0.51
0.5	34.00	83.00	40.96%	0.43	-0.76
0.4714	50.00	130.00	38.46%	0.99	-0.47
0.433	37.00	84.00	44.05%	-0.75	-1.46
0	35.00	114.00	40.23%	1.70	-0.13

0	42.00	87.00	43.30%	-0.87	-1.53
0	32.00	97.00	35.96%	-0.75	-1.45
0.4714	33.00	89.00	32.67%	1.24	-0.35
0	37.00	101.00	39.78%	-0.81	-1.49
0	43.00	93.00	34.96%	1.36	-0.43
0.433	32.00	123.00	36.36%	-0.46	-1.28
0	49.00	88.00	42.98%	1.15	-0.52
0	42.00	136.00	30.88%	0.00	0.00
0.4997	12784.00	17534.00	72.91%	-2.46	-2.50
0.3884	12863.00	17684.00	72.74%	1.02	-0.39
0.4747	13093.00	18242.00	71.77%	-0.80	-1.48
0.467	12837.00	15137.00	72.15%	-0.51	-1.31
0.4899	14342.00	17793.00	78.61%	-2.27	-2.38
0.4792	14073.00	18245.00	87.48%	-2.62	-2.59
0.5	14150.00	16088.00	85.38%	-4.70	-3.85
0.4949	13312.00	16572.00	83.39%	-2.88	-2.75
0.4969	11967.00	15964.00	84.13%	-3.32	-3.02
0.4648	13383.00	14224.00	79.30%	-1.17	-1.71
0	11638.00	16876.00	76.88%	0.95	-0.54
0.3307	12637.00	16305.00	77.50%	0.68	-0.65
0.4998	8662.00	26062.00	33.24%	3.55	1.10
0.499	8570.00	24823.00	34.52%	3.12	0.86
0.5	9075.00	24811.00	36.58%	3.05	0.82
0.4911	8067.00	27498.00	37.07%	0.73	-0.55
0.4922	8548.00	21759.00	35.44%	1.38	-0.17
0.4963	7614.00	24121.00	38.67%	1.03	-0.37
0.4999	11191.00	19688.00	40.33%	2.06	0.24
0.4975	10423.00	27749.00	38.73%	1.36	-0.18
0.4895	9855.00	26915.00	39.13%	0.15	-0.91
0.4784	10115.00	25188.00	37.59%	-0.46	-1.28
0.4994	9945.00	26911.00	36.17%	2.40	0.44
0.4984	11333.00	32112.00	35.29%	2.38	0.42
0	0.00	0.00	0.00%	0.00	0.00
0.5	1.00	7.00	14.29%	1.97	-0.19
0.4714	4.00	9.00	44.44%	0.67	-0.71
0.4899	3.00	7.00	27.27%	0.53	-0.75
0.5	3.00	11.00	37.50%	0.52	-0.85
0	5.00	8.00	55.56%	-1.43	-1.87
0	3.00	9.00	37.50%	1.22	-0.53
0.5	5.00	8.00	55.56%	-0.14	-1.09
0.4	2.00	9.00	16.67%	0.17	-0.95
0.4714	6.00	12.00	50.00%	-0.52	-1.31
0.5	3.00	12.00	42.86%	0.18	-1.00
0	4.00	16.00	25.00%	-0.56	-1.34
0	85.00	346.00	24.57%	-0.57	-1.35
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	387.00	0.00%	0.00	0.00
0	82.00	0.00	23.70%	1.79	-0.28
0	0.00	346.00	0.00%	0.00	0.00
0	89.00	0.00	24.18%	1.77	-0.29
0	71.00	368.00	21.13%	-0.52	-1.31

0	46.00	336.00	13.98%	0.00	0.00
0.4714	71.00	329.00	19.35%	0.61	-0.67
0	69.00	367.00	17.83%	0.00	0.00
0	110.00	457.00	24.07%	0.00	0.00
0.4841	40.00	98.00	40.82%	-0.25	-1.15
0.4714	30.00	99.00	30.30%	0.24	-0.86
0.4885	36.00	99.00	36.36%	0.38	-0.78
0.4785	62.00	153.00	43.66%	-1.08	-1.66
0.4831	32.00	142.00	31.68%	0.72	-0.57
0.4821	39.00	101.00	32.23%	0.57	-0.66
0.4648	43.00	121.00	41.75%	-1.25	-1.76
0.4653	32.00	103.00	24.62%	1.17	-0.32
0.4967	33.00	130.00	31.13%	1.76	0.02
0.4463	34.00	106.00	26.15%	0.18	-0.89
0.4735	49.00	130.00	32.03%	0.26	-0.84
0.4899	55.00	171.00	32.16%	1.04	-0.38
0	85.00	346.00	24.57%	-0.57	-1.35
0	0.00	0.00	0.00%	0.00	0.00
0	99.00	364.00	27.20%	-0.61	-1.37
0	0.00	387.00	0.00%	0.00	0.00
0	82.00	0.00	23.70%	-0.79	-1.48
0	73.00	346.00	24.01%	-0.56	-1.34
0	0.00	304.00	0.00%	0.00	0.00
0	71.00	0.00	21.13%	-0.52	-1.31
0	46.00	336.00	13.98%	0.00	0.00
0	71.00	329.00	19.35%	0.00	0.00
0	69.00	367.00	17.83%	-0.66	-1.40
0.5	110.00	457.00	24.07%	0.86	-0.58
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	13093.00	18242.00	71.77%	0.63	-0.78
0	12837.00	15145.00	72.15%	-2.28	-2.38
0	14342.00	17793.00	78.61%	-3.83	-3.33
0	14073.00	18245.00	87.48%	0.38	-0.91
0.5	14151.00	16088.00	85.38%	-1.42	-1.86
0	13313.00	16574.00	83.39%	-2.24	-2.36
0	11972.00	15965.00	84.13%	0.61	-0.77
0.5	13388.00	14231.00	79.30%	-1.02	-1.62
0	11641.00	16883.00	76.86%	0.00	0.00
0.4	12640.00	16310.00	77.50%	0.13	-0.97
0.3714	85.00	346.00	24.57%	-1.74	-2.06
0.3549	100.00	335.00	29.85%	-3.05	-2.85
0.4022	99.00	364.00	27.20%	-1.55	-1.94
0.3898	93.00	387.00	28.62%	-1.97	-2.20
0.4096	82.00	325.00	23.70%	-0.55	-1.34
0.4542	73.00	346.00	24.01%	1.15	-0.32
0.3895	89.00	304.00	24.18%	-1.22	-1.74
0.3608	71.00	368.00	21.13%	-1.25	-1.76
0.3646	46.00	336.00	13.98%	0.48	-0.71
0.3794	71.00	329.00	19.35%	-0.44	-1.27
0.385	69.00	367.00	17.83%	0.06	-0.96
0.3653	110.00	457.00	24.07%	-2.01	-2.22

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	4.00	9.00	44.44%	-0.85	-1.52
0	0.00	7.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	16.67%	0.00	0.00
0	6.00	12.00	50.00%	0.00	0.00
0	3.00	12.00	42.86%	0.00	0.00
0	4.00	16.00	25.00%	0.00	0.00
0.4919	1.00	3.00	33.33%	0.91	-0.55
0.4917	1.00	3.00	33.33%	0.27	-0.91
0.4	1.00	5.00	20.00%	0.00	-1.00
0	0.00	5.00	0.00%	0.00	0.00
0.4714	1.00	0.00	33.33%	0.00	-1.00
0.433	1.00	3.00	33.33%	-0.23	-1.14
0	1.00	3.00	25.00%	-0.92	-1.56
0	0.00	4.00	0.00%	0.00	0.00
0.5	2.00	5.00	33.33%	0.43	-0.88
0.4899	1.00	6.00	33.33%	0.19	-1.02
0.433	1.00	3.00	20.00%	0.19	-0.99
0	0.00	0.00	0.00%	0.00	0.00
0.473	9839.00	29318.00	33.56%	0.10	-0.93
0.466	9904.00	28227.00	35.09%	-1.20	-1.73
0.4573	10397.00	28187.00	36.89%	-2.90	-2.76
0.4658	9255.00	31008.00	37.32%	-1.99	-2.21
0.4581	9751.00	24802.00	35.76%	-2.17	-2.32
0.4455	8698.00	27267.00	38.91%	-3.81	-3.32
0.483	12526.00	22355.00	40.14%	-1.21	-1.73
0.4718	11671.00	31205.00	38.72%	-1.97	-2.20
0.4749	11148.00	30143.00	39.27%	-1.89	-2.15
0.4794	11417.00	28389.00	37.66%	-0.70	-1.43
0.4617	11295.00	30316.00	36.43%	-2.19	-2.33
0.4622	12775.00	35959.00	35.53%	-1.92	-2.16
0.4714	40.00	98.00	40.82%	-0.78	-1.47
0.3727	30.00	99.00	30.30%	-1.61	-1.98
0.3222	36.00	99.00	36.36%	-2.57	-2.56
0.379	62.00	152.00	43.66%	-2.36	-2.43
0.4532	32.00	142.00	31.68%	-0.34	-1.20
0.2957	39.00	101.00	32.23%	-2.40	-2.46
0.4642	43.00	121.00	41.75%	-1.07	-1.65
0.3927	29.00	103.00	22.83%	-0.51	-1.31
0.3432	33.00	127.00	31.13%	-1.61	-1.98
0.4606	34.00	106.00	26.15%	0.53	-0.68
0.4403	48.00	130.00	31.58%	-0.47	-1.28
0.3727	55.00	171.00	32.16%	-1.68	-2.02
0.4774	9839.00	29318.00	33.56%	0.20	-0.87
0.4688	9904.00	28227.00	35.09%	-0.35	-1.21
0.493	10397.00	28187.00	36.89%	0.59	-0.64
0.5	9255.00	31008.00	37.32%	1.89	0.13

0.4865	9751.00	24802.00	35.76%	0.41	-0.75
0.4846	8698.00	27267.00	38.91%	-0.21	-1.13
0.4896	12526.00	22355.00	40.14%	-0.07	-1.04
0.4892	11671.00	31205.00	38.72%	0.67	-0.59
0.4887	11148.00	30143.00	39.27%	0.12	-0.93
0.4872	11417.00	28389.00	37.66%	0.80	-0.51
0.4875	11295.00	30316.00	36.43%	1.84	0.12
0.4877	12775.00	35959.00	35.53%	2.78	0.69
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	291.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	83.00	0.00	29.86%	-0.92	-1.56
0.4841	93.00	278.00	38.75%	-0.10	-1.06
0	112.00	240.00	34.78%	-1.77	-2.08
0.4714	110.00	322.00	36.30%	-0.18	-1.11
0.4949	101.00	303.00	34.71%	0.45	-0.74
0.481	131.00	329.00	39.82%	-0.23	-1.14
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	178.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4917	66.00	0.00	31.58%	0.90	-0.47
0.4994	60.00	209.00	28.71%	2.41	0.38
0.4878	44.00	209.00	29.33%	1.21	-0.29
0.499	60.00	150.00	33.90%	2.11	0.23
0.4995	51.00	177.00	28.65%	2.56	0.47
0.4994	75.00	214.00	35.05%	1.52	-0.10
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2077.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	816.00	0.00	64.92%	1.36	3.00
0	0.00	1257.00	0.00%	0.00	0.00
0	949.00	0.00	60.87%	0.00	0.00
0	960.00	1559.00	56.37%	0.00	0.00
0	1085.00	1703.00	52.24%	0.00	0.00
0	1035.00	2070.00	50.00%	0.00	0.00
0.3674	364192.00	444187.00	81.99%	-5.80	0.00
0.3449	374120.00	457190.00	81.83%	-13.43	0.00
0.301	336733.00	408419.00	82.45%	-21.41	0.00
0.3092	317198.00	550489.00	82.11%	-20.32	0.00
0.2892	315383.00	386322.00	81.68%	-25.36	0.00
0.2738	302532.00	386135.00	81.34%	-27.61	0.00
0.2721	359961.00	371933.00	83.18%	-24.54	0.00
0.3161	360438.00	432733.00	86.03%	-8.24	0.00

0.3708	361912.00	418959.00	80.61%	-10.61	0.00
0.374	421259.00	448953.00	80.10%	-8.91	0.00
0.3181	456267.00	525922.00	82.88%	-17.50	0.00
0.3219	509074.00	629893.00	80.82%	-23.11	0.00
0	881.00	1032.00	85.37%	-0.58	-1.36
0	859.00	988.00	86.94%	-0.77	-1.47
0.4518	888.00	1052.00	84.41%	0.94	-0.47
0	848.00	1007.00	89.17%	-0.70	-1.42
0.4157	895.00	951.00	91.70%	1.51	-0.22
0.3499	683.00	976.00	92.05%	0.62	-0.64
0.3727	917.00	742.00	84.83%	0.10	-0.90
0.3608	839.00	1081.00	85.79%	0.12	-0.89
0.3	785.00	978.00	87.61%	-0.23	-1.14
0	955.00	896.00	89.34%	-0.97	-1.59
0.4714	843.00	1069.00	83.71%	0.80	-0.58
0.3143	897.00	1132.00	79.24%	-0.71	-1.43
0	0.00	0.00	0.00%	0.00	0.00
0	47.00	55.00	85.45%	-0.41	-1.25
0	43.00	50.00	86.00%	2.45	-0.12
0	0.00	69.00	0.00%	0.00	0.00
0.5	45.00	0.00	97.83%	4.54	0.10
0	0.00	46.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	57.00	0.00	96.61%	0.00	0.00
0	53.00	59.00	89.83%	0.00	0.00
0	64.00	59.00	92.75%	-0.28	-1.17
0	58.00	64.00	90.63%	-0.32	-1.19
0	78.00	92.00	84.78%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0	68.00	89.00	76.40%	-0.95	-1.58
0	75.00	88.00	82.42%	-0.65	-1.39
0	90.00	91.00	93.75%	-0.51	-1.31
0	68.00	96.00	87.18%	-0.38	-1.23
0.5	72.00	78.00	84.71%	1.35	-0.39
0	68.00	85.00	93.15%	-0.38	-1.23
0	90.00	73.00	86.54%	0.00	0.00
0	92.00	104.00	92.93%	0.00	0.00
0	74.00	99.00	84.09%	-0.61	-1.37
0	80.00	95.00	84.21%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4899	7414.00	8935.00	82.98%	1.37	-0.28
0.433	7269.00	9238.00	78.69%	0.18	-0.86
0.433	6737.00	9768.00	85.79%	0.62	-0.65
0	7906.00	7853.00	89.50%	-0.48	-1.29
0.433	6071.00	8834.00	88.43%	0.84	-0.55
0.4969	7568.00	6865.00	78.37%	1.66	-0.09
0.4841	7316.00	9657.00	77.83%	1.04	-0.41
0.4899	7059.00	9400.00	82.53%	1.88	0.01
0.4841	8167.00	8553.00	84.99%	2.52	0.33
0.4518	7630.00	9609.00	78.11%	4.48	1.36
0.4	8433.00	12240.00	68.90%	-0.54	-1.33

0	13.00	19.00	68.42%	-1.09	-1.66
0	17.00	34.00	50.00%	-1.89	-2.15
0	0.00	0.00	0.00%	0.00	0.00
0.4714	10.00	12.00	76.92%	1.62	-0.24
0.4615	19.00	13.00	67.86%	-0.09	-1.05
0	1.00	28.00	50.00%	-1.15	-1.70
0	13.00	2.00	54.17%	1.48	-0.24
0.433	39.00	24.00	57.35%	-0.69	-1.42
0	30.00	68.00	63.83%	-1.45	-1.88
0	14.00	47.00	66.67%	-1.15	-1.70
0.4714	3.00	21.00	25.00%	-1.92	-2.17
0.4899	3.00	3.00	100.00%	0.00	-0.40
0	8.00	8.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	12.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	23.00	0.00	92.00%	0.00	0.00
0	18.00	25.00	94.74%	-0.32	-1.19
0	11.00	19.00	91.67%	0.00	0.00
0	20.00	23.00	86.96%	0.00	0.00
0.45	8195.00	9797.00	83.65%	2.00	0.14
0.3967	6555.00	7947.00	82.48%	0.36	-0.76
0.3534	6381.00	8186.00	77.95%	-1.14	-1.69
0.3646	5889.00	8761.00	85.32%	0.19	-0.86
0.2311	7011.00	6902.00	89.22%	-1.20	-1.73
0.2291	5388.00	7858.00	88.00%	-1.19	-1.72
0.3465	6651.00	6123.00	77.55%	-1.33	-1.81
0.4714	6477.00	8576.00	76.91%	1.57	-0.08
0.4485	6274.00	8422.00	81.94%	1.67	-0.03
0.2948	7212.00	7657.00	84.45%	-1.18	-1.72
0.2799	6787.00	8540.00	77.47%	-1.97	-2.20
0.4535	7536.00	11108.00	67.84%	-0.42	-1.26
0	9076.00	10829.00	83.81%	-1.64	-2.00
0	7414.00	8935.00	82.98%	-1.50	-1.91
0	7269.00	9238.00	78.69%	-1.73	-2.05
0.2764	6737.00	9768.00	85.79%	-0.58	-1.35
0	7906.00	7853.00	89.50%	-1.53	-1.93
0.2935	6071.00	8834.00	88.43%	-0.29	-1.18
0	7568.00	6865.00	78.37%	-2.92	-2.78
0.3053	7316.00	9657.00	77.83%	-5.51	-4.35
0.2688	7059.00	9400.00	82.53%	-4.69	-3.85
0.2581	8167.00	8553.00	84.99%	-4.24	-3.58
0.2961	7630.00	9609.00	78.11%	-5.86	-4.56
0.3492	8433.00	12240.00	68.90%	-7.43	-5.51
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	88.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	72.00	0.00	84.71%	-0.42	-1.26
0.4	68.00	85.00	93.15%	1.13	-0.47
0	90.00	73.00	86.54%	-0.77	-1.47
0	92.00	104.00	92.93%	-0.39	-1.23
0	74.00	99.00	84.09%	-0.43	-1.26
0	80.00	95.00	84.21%	-0.74	-1.45
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	69.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	65.00	0.00	84.42%	-1.01	-1.62
0	62.00	77.00	72.09%	-2.22	-2.35
0.2875	57.00	86.00	96.61%	0.96	-0.57
0.3143	53.00	59.00	89.83%	0.09	-0.95
0	64.00	59.00	92.75%	-0.89	-1.54
0.2875	58.00	64.00	90.63%	-0.03	-1.02
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	200.00	231.00	86.58%	-0.55	-1.34
0	169.00	238.00	95.48%	-0.22	-1.13
0	0.00	177.00	0.00%	0.00	0.00
0	127.00	0.00	86.39%	-0.40	-1.24
0.5	186.00	147.00	87.74%	1.62	-0.30
0	0.00	212.00	0.00%	0.00	0.00
0	201.00	0.00	92.20%	-0.50	-1.30
0	194.00	218.00	90.65%	0.00	0.00
0	207.00	214.00	86.97%	-0.39	-1.23
0	230.00	272.00	84.56%	-0.43	-1.26
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	0.00	8.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	0.00	100.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	4.00	3.00	100.00%	0.00	0.00
0	5.00	4.00	83.33%	0.00	0.00
0	7.00	6.00	87.50%	0.00	0.00
0	10.00	12.00	83.33%	0.00	0.00
0.4714	1456.00	1909.00	76.27%	0.55	-0.67
0.4615	2049.00	2435.00	84.15%	1.47	-0.18
0.4714	1593.00	2027.00	78.59%	0.71	-0.59
0.2875	1471.00	1958.00	86.12%	-0.46	-1.28
0.4714	1778.00	1708.00	88.11%	1.62	-0.18
0.3	1108.00	2018.00	82.20%	-0.64	-1.39
0	1470.00	1348.00	76.40%	-1.66	-2.01
0	1576.00	1924.00	83.25%	-1.18	-1.72

0	1436.00	1893.00	80.27%	-1.21	-1.74
0.3727	1752.00	1789.00	84.23%	0.06	-0.92
0.4714	1556.00	2080.00	79.47%	1.98	-0.04
0.4	1876.00	2632.00	71.28%	-0.43	-1.26
0	0.00	0.00	0.00%	0.00	0.00
0	2263.00	2674.00	84.63%	-1.47	-1.90
0.4714	1793.00	2258.00	79.41%	0.55	-0.69
0	1640.00	2196.00	87.00%	-0.86	-1.52
0	1957.00	1885.00	88.55%	-0.51	-1.31
0	1235.00	2210.00	82.61%	-1.02	-1.62
0.3499	1656.00	1495.00	77.53%	-0.73	-1.44
0.1972	1742.00	2136.00	83.95%	-2.76	-2.68
0.3389	1637.00	2075.00	81.56%	-1.09	-1.66
0.234	1946.00	2007.00	84.83%	-2.37	-2.44
0.2379	1763.00	2294.00	80.28%	-3.08	-2.87
0.3284	2106.00	2904.00	72.52%	-3.68	-3.24
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	7.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	66.67%	-0.61	-1.37
0	0.00	3.00	0.00%	0.00	0.00
0	8.00	0.00	88.89%	0.00	0.00
0	2.00	9.00	66.67%	0.00	0.00
0	5.00	3.00	71.43%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	176.00	180.00	97.78%	-0.21	-1.13
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	238.00	0.00%	0.00	0.00
0	169.00	0.00	98.83%	-0.11	-1.07
0	148.00	171.00	99.33%	-0.14	-1.09
0	192.00	149.00	98.97%	-0.18	-1.11
0	190.00	194.00	97.94%	-0.20	-1.12
0	190.00	194.00	97.94%	-0.25	-1.15
0	211.00	194.00	96.35%	0.00	0.00
0	233.00	219.00	97.90%	-0.15	-1.09
0	249.00	264.00	94.32%	-0.35	-1.21
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	27.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	17.00	0.00	100.00%	0.00	0.00
0	26.00	17.00	100.00%	0.00	0.00
0	27.00	26.00	100.00%	0.00	0.00
0	37.00	40.00	92.50%	0.00	0.00

0.5	1394.00	1439.00	96.87%	3.81	0.14
0	0.00	0.00	0.00%	0.00	0.00
0	1166.00	1198.00	97.33%	-0.23	-1.14
0	1070.00	2077.00	98.89%	-0.26	-1.16
0	1450.00	1082.00	98.77%	-0.16	-1.10
0	1120.00	1468.00	98.77%	-0.16	-1.10
0	1232.00	1134.00	98.01%	-0.14	-1.09
0	1486.00	1257.00	95.99%	-0.29	-1.18
0	1515.00	1548.00	97.18%	0.00	0.00
0	1655.00	1559.00	97.18%	-0.48	-1.29
0	1968.00	1703.00	94.75%	-0.74	-1.45
0.2575	1936.00	2070.00	93.53%	0.10	-0.89
0	47.00	48.00	97.92%	-0.14	-1.09
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	70.00	323.00	98.59%	-0.23	-1.14
0	100.00	71.00	96.15%	-0.20	-1.12
0	105.00	104.00	86.78%	-0.39	-1.24
0	247.00	121.00	98.41%	-0.13	-1.08
0	200.00	251.00	96.62%	-0.19	-1.11
0	194.00	207.00	98.98%	-0.17	-1.11
0	227.00	196.00	97.84%	-0.21	-1.13
0	311.00	232.00	96.28%	0.00	0.00
0	344.00	359.00	95.82%	-0.29	-1.18
0	30.00	30.00	100.00%	0.00	0.00
0	54.00	54.00	100.00%	0.00	0.00
0	21.00	21.00	100.00%	0.00	0.00
0	0.00	36.00	0.00%	0.00	0.00
0	26.00	0.00	100.00%	0.00	0.00
0	0.00	26.00	0.00%	0.00	0.00
0	26.00	0.00	96.30%	-0.19	-1.12
0	0.00	27.00	0.00%	0.00	0.00
0	42.00	0.00	100.00%	0.00	0.00
0	29.00	42.00	100.00%	0.00	0.00
0	36.00	29.00	100.00%	0.00	0.00
0	46.00	46.00	100.00%	0.00	0.00
0	1223.00	1267.00	96.53%	-0.42	-1.26
0	1227.00	1250.00	98.16%	-0.41	-1.25
0	1003.00	1033.00	97.10%	-0.39	-1.23
0	925.00	1839.00	98.93%	-0.15	-1.09
0	1281.00	935.00	98.77%	-0.19	-1.12
0	972.00	1297.00	98.68%	-0.20	-1.12
0	1040.00	985.00	97.84%	-0.21	-1.13
0	1296.00	1063.00	95.72%	-0.42	-1.26
0	1325.00	1354.00	97.07%	-0.46	-1.28
0	1444.00	1365.00	97.30%	-0.33	-1.20
0.3307	1735.00	1484.00	94.34%	0.84	-0.54
0	1687.00	1806.00	93.41%	-0.75	-1.46
0	1394.00	1439.00	96.87%	-0.25	-1.15
0	1403.00	1430.00	98.11%	-0.24	-1.15
0	1166.00	1198.00	97.33%	-0.23	-1.14
0	1070.00	2077.00	98.89%	-0.11	-1.06

0	1450.00	1082.00	98.77%	-0.11	-1.07
0	1120.00	1468.00	98.77%	-0.19	-1.12
0	1232.00	1134.00	98.01%	-0.38	-1.23
0.1204	1486.00	1257.00	95.99%	-1.04	-1.63
0.126	1515.00	1548.00	97.18%	-0.56	-1.34
0.1132	1655.00	1559.00	97.18%	-0.79	-1.48
0.1443	1968.00	1703.00	94.75%	-1.33	-1.81
0.3399	1936.00	2070.00	93.53%	2.79	0.50
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	35.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	29.00	0.00	100.00%	0.00	0.00
0	25.00	29.00	100.00%	0.00	0.00
0	34.00	25.00	97.14%	-0.24	-1.14
0	25.00	25.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	27.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	38.00	0.00	100.00%	0.00	0.00
0	29.00	38.00	100.00%	0.00	0.00
0	17.00	29.00	100.00%	0.00	0.00
0	26.00	17.00	100.00%	0.00	0.00
0	27.00	26.00	100.00%	0.00	0.00
0	37.00	40.00	92.50%	-0.48	-1.29
0	59.00	66.00	89.39%	4.04	0.53
0	0.00	0.00	0.00%	0.00	0.00
0	71.00	82.00	86.59%	-0.39	-1.24
0	76.00	304.00	95.00%	-0.23	-1.14
0	0.00	80.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	238.00	0.00	94.07%	3.98	0.15
0	0.00	253.00	0.00%	0.00	0.00
0	209.00	0.00	92.07%	0.00	0.00
0	226.00	227.00	94.96%	0.00	0.00
0	285.00	238.00	93.75%	0.00	0.00
0	313.00	326.00	96.01%	0.00	0.00
0	48.00	49.00	97.96%	-0.31	-1.19
0	58.00	59.00	98.31%	-0.31	-1.19
0	59.00	60.00	98.33%	-0.50	-1.31
0	70.00	88.00	98.59%	-0.51	-1.31
0	60.00	71.00	98.36%	-0.59	-1.36
0	75.00	61.00	100.00%	0.00	0.00
0	53.00	75.00	98.15%	-0.58	-1.35
0.1666	89.00	54.00	100.00%	0.00	-0.33

0	62.00	89.00	100.00%	0.00	0.00
0	83.00	62.00	97.65%	-0.62	-1.38
0	87.00	85.00	98.86%	-0.47	-1.29
0	103.00	106.00	97.17%	-0.71	-1.43
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	76.00	304.00	95.00%	-0.23	-1.14
0	0.00	80.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	213.00	0.00	85.89%	-0.40	-1.25
0	209.00	248.00	91.67%	0.00	0.00
0	226.00	228.00	94.96%	0.00	0.00
0	285.00	238.00	93.75%	0.00	0.00
0	313.00	326.00	96.01%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	4.00	4.00	100.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	2.00	0.00	100.00%	0.00	0.00
0	1.00	2.00	100.00%	0.00	0.00
0	3.00	1.00	100.00%	0.00	0.00
0	4.00	3.00	100.00%	0.00	0.00
0	3.00	4.00	100.00%	0.00	0.00
0	2.00	3.00	100.00%	0.00	0.00
0	3.00	2.00	75.00%	-0.76	-1.46
0	0.00	0.00	0.00%	0.00	0.00
0.246	10303.00	12096.00	85.18%	-3.31	-3.01
0.2875	8618.00	10165.00	84.78%	-2.10	-2.28
0.3229	8295.00	10293.00	80.59%	-2.59	-2.58
0.1714	7664.00	11556.00	87.19%	-3.34	-3.03
0.1849	9156.00	8790.00	90.67%	-2.34	-2.43
0.1622	7058.00	10098.00	89.77%	-2.60	-2.58
0.201	8657.00	7862.00	80.41%	-4.95	-4.01
0.1979	8549.00	10766.00	79.96%	-4.80	-3.92
0	8308.00	10691.00	84.41%	-5.52	-4.36
0.2199	9604.00	9842.00	86.66%	-3.02	-2.83
0.2203	9322.00	11083.00	80.67%	-4.74	-3.88
0.3477	10099.00	14024.00	72.01%	-4.34	-3.64
0	48.00	49.00	97.96%	-0.46	-1.28
0	58.00	59.00	98.31%	-0.52	-1.31
0	59.00	60.00	98.33%	-0.48	-1.29
0	70.00	88.00	98.59%	-0.37	-1.22
0	60.00	71.00	98.36%	-0.46	-1.28
0	75.00	61.00	100.00%	0.00	0.00
0.2575	53.00	75.00	98.15%	1.31	-0.51
0.2575	89.00	54.00	100.00%	0.00	-0.05
0.3	62.00	89.00	100.00%	0.00	-0.05
0.2494	83.00	62.00	97.65%	1.02	-0.55
0	87.00	85.00	98.86%	-0.25	-1.15
0	103.00	106.00	97.17%	-0.47	-1.28

0	8.00	9.00	88.89%	-0.53	-1.32
0	10.00	10.00	100.00%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	8.00	16.00	88.89%	-0.70	-1.43
0	8.00	9.00	100.00%	0.00	0.00
0	7.00	8.00	100.00%	0.00	0.00
0	6.00	7.00	100.00%	0.00	0.00
0	9.00	6.00	100.00%	0.00	0.00
0	11.00	9.00	100.00%	0.00	0.00
0	11.00	11.00	100.00%	0.00	0.00
0	16.00	11.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	33.00	0.00%	0.00	0.00
0	7.00	0.00	87.50%	-0.56	-1.34
0	0.00	8.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	17.00	0.00	89.47%	0.00	0.00
0	17.00	19.00	89.47%	0.00	0.00
0	31.00	19.00	93.94%	0.00	0.00
0	34.00	37.00	91.89%	0.00	0.00
0.2106	1820.00	2325.00	78.28%	-2.69	-2.64
0	2462.00	2874.00	85.66%	-1.87	-2.14
0	1933.00	2401.00	80.51%	-1.90	-2.15
0.2039	1783.00	2485.00	87.83%	-1.14	-1.69
0	2157.00	2030.00	89.35%	-1.46	-1.89
0	1368.00	2414.00	83.82%	-1.45	-1.88
0.2764	1799.00	1632.00	78.77%	-1.09	-1.66
0	1995.00	2284.00	85.55%	-1.48	-1.90
0.2039	1903.00	2332.00	83.57%	-1.56	-1.95
0	2164.00	2277.00	85.77%	-1.77	-2.08
0	2039.00	2523.00	82.05%	-1.62	-1.98
0	2376.00	3190.00	74.48%	-1.75	-2.07
0	8.00	9.00	88.89%	-0.75	-1.46
0	10.00	10.00	100.00%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	8.00	16.00	88.89%	-0.53	-1.32
0	8.00	9.00	100.00%	0.00	0.00
0	7.00	8.00	100.00%	0.00	0.00
0.433	6.00	7.00	100.00%	0.00	-0.49
0.3499	9.00	6.00	100.00%	0.00	-0.54
0	11.00	9.00	100.00%	0.00	0.00
0	11.00	11.00	100.00%	0.00	0.00
0	16.00	11.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	1203.00	1229.00	97.88%	-0.29	-1.18
0	1173.00	1209.00	97.02%	-0.35	-1.21
0	1187.00	1239.00	95.80%	-0.59	-1.36
0	1147.00	1224.00	98.45%	-0.31	-1.19

0	1159.00	1165.00	97.97%	-0.48	-1.29
0	900.00	1183.00	97.51%	-0.50	-1.31
0	1254.00	923.00	96.39%	-0.47	-1.29
0	1155.00	1301.00	96.17%	-0.91	-1.55
0	1060.00	1201.00	97.79%	-0.52	-1.32
0	1206.00	1084.00	97.42%	-0.54	-1.33
0	1191.00	1238.00	97.30%	-0.33	-1.20
0	1245.00	1343.00	92.70%	-0.93	-1.56
0	0.00	0.00	0.00%	0.00	0.00
0	66.00	68.00	97.06%	-0.17	-1.11
0	58.00	60.00	96.67%	-0.18	-1.11
0	0.00	75.00	0.00%	0.00	0.00
0	54.00	0.00	98.18%	-0.19	-1.11
0	0.00	55.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	66.00	0.00	98.51%	0.00	0.00
0	61.00	67.00	96.83%	0.00	0.00
0	74.00	63.00	98.67%	-0.12	-1.07
0	71.00	73.00	97.26%	-0.17	-1.10
0	96.00	100.00	96.00%	-0.29	-1.17
0	0.00	0.00	0.00%	0.00	0.00
0	97.00	104.00	93.27%	-0.46	-1.28
0	115.00	109.00	96.64%	-0.26	-1.16
0	112.00	119.00	100.00%	0.00	0.00
0	98.00	112.00	98.00%	-0.28	-1.17
0	114.00	100.00	96.61%	-0.26	-1.16
0	91.00	118.00	100.00%	0.00	0.00
0	128.00	91.00	97.71%	0.00	0.00
0	118.00	131.00	97.52%	0.00	0.00
0	108.00	121.00	99.08%	-0.13	-1.08
0	107.00	111.00	96.40%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	11022.00	11424.00	96.48%	-0.43	-1.26
0	10944.00	11612.00	94.25%	-0.49	-1.30
0	9813.00	12206.00	97.46%	-0.32	-1.20
0	11076.00	10069.00	98.17%	-0.19	-1.12
0	8544.00	11283.00	97.22%	-0.34	-1.21
0.4157	11987.00	8788.00	95.25%	2.46	0.10
0.3307	11505.00	12585.00	94.78%	0.93	-0.50
0.3	10548.00	12138.00	96.91%	1.26	-0.38
0.3903	11495.00	10884.00	96.65%	3.42	0.46
0	11673.00	11893.00	95.63%	-0.80	-1.49
0	13117.00	14884.00	88.13%	-0.82	-1.50
0	757.00	831.00	91.10%	-0.54	-1.33
0	804.00	902.00	89.14%	-0.85	-1.52
0	721.00	830.00	86.87%	-0.55	-1.33
0	555.00	857.00	88.66%	-0.62	-1.38
0.2665	737.00	626.00	90.10%	-0.26	-1.16
0	481.00	818.00	83.80%	-1.07	-1.65
0	518.00	574.00	89.62%	-0.48	-1.29
0.4	651.00	578.00	80.07%	0.00	-0.96

0	447.00	813.00	86.80%	-0.78	-1.47
0	774.00	515.00	86.58%	-0.68	-1.41
0	706.00	894.00	82.38%	-1.30	-1.79
0.4	0.00	0.00	0.00%	0.00	0.00
0	11589.00	12044.00	96.22%	-1.25	-1.76
0.1414	9849.00	10215.00	96.42%	-0.58	-1.35
0	9757.00	10373.00	94.06%	-1.63	-1.99
0	8666.00	10982.00	97.33%	-1.05	-1.64
0	9917.00	8904.00	98.19%	-1.00	-1.61
0	7644.00	10100.00	97.19%	-1.02	-1.62
0.1414	10733.00	7865.00	95.12%	-0.92	-1.56
0.1474	10350.00	11284.00	94.63%	-0.93	-1.57
0	9488.00	10937.00	96.82%	-1.21	-1.74
0	10289.00	9800.00	96.56%	-1.41	-1.86
0	10482.00	10655.00	95.45%	-1.36	-1.83
0.2083	11872.00	13541.00	87.67%	-1.57	-1.95
0	12792.00	13273.00	96.38%	-0.78	-1.47
0	11022.00	11424.00	96.48%	-0.66	-1.40
0.2575	10944.00	11612.00	94.25%	0.22	-0.81
0	9813.00	12206.00	97.46%	-0.60	-1.37
0	11076.00	10069.00	98.17%	-0.65	-1.40
0	8544.00	11283.00	97.22%	-0.86	-1.52
0	11987.00	8788.00	95.25%	-1.45	-1.88
0.0872	11505.00	12585.00	94.78%	-4.48	-3.72
0.0803	10548.00	12138.00	96.91%	-2.97	-2.80
0.1081	11495.00	10884.00	96.65%	-2.65	-2.61
0.0882	11673.00	11893.00	95.63%	-3.88	-3.36
0.1839	13117.00	14884.00	88.13%	-5.91	-4.60
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	109.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	114.00	0.00	96.61%	-0.19	-1.11
0	91.00	118.00	100.00%	0.00	0.00
0	128.00	91.00	97.71%	-0.30	-1.18
0	118.00	131.00	97.52%	-0.27	-1.17
0	108.00	121.00	99.08%	-0.10	-1.06
0	107.00	111.00	96.40%	-0.33	-1.20
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	75.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	79.00	0.00	95.18%	-0.53	-1.32
0	90.00	83.00	95.74%	-0.76	-1.46
0	66.00	94.00	98.51%	-0.43	-1.26
0	61.00	67.00	96.83%	-0.55	-1.34
0	74.00	63.00	98.67%	-0.43	-1.26
0.2665	71.00	73.00	97.26%	1.01	-0.55

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	287.00	296.00	96.96%	-0.25	-1.15
0	209.00	288.00	98.12%	-0.14	-1.08
0	240.00	213.00	98.77%	-0.11	-1.07
0	187.00	243.00	96.39%	-0.19	-1.12
0	261.00	194.00	95.60%	-0.48	-1.29
0	221.00	273.00	98.22%	-0.13	-1.08
0	267.00	225.00	98.16%	-0.24	-1.14
0	264.00	272.00	98.14%	0.00	0.00
0	274.00	269.00	95.14%	-0.32	-1.19
0	334.00	350.00	95.43%	-0.22	-1.13
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	4.00	4.00	100.00%	0.00	0.00
0	0.00	9.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	0.00	100.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	5.00	3.00	100.00%	0.00	0.00
0	6.00	5.00	100.00%	0.00	0.00
0	8.00	6.00	88.89%	0.00	0.00
0	12.00	12.00	100.00%	0.00	0.00
0	2371.00	2533.00	93.60%	-0.64	-1.39
0.2665	3000.00	3126.00	95.97%	0.67	-0.60
0	2552.00	2715.00	94.00%	-0.62	-1.38
0	2184.00	2569.00	96.51%	-0.63	-1.38
0	2549.00	2263.00	97.18%	-0.45	-1.27
0	1787.00	2623.00	95.92%	-0.68	-1.41
0	2467.00	1863.00	93.87%	-0.85	-1.51
0.3	2489.00	2628.00	95.84%	0.92	-0.50
0	2321.00	2597.00	95.99%	-0.54	-1.33
0	2573.00	2418.00	96.62%	-0.46	-1.28
0.433	2419.00	2663.00	94.16%	1.63	-0.27
0.3727	3006.00	3295.00	91.23%	0.68	-0.61
0	2666.00	2843.00	93.77%	-0.36	-1.22
0	3294.00	3425.00	96.18%	-0.72	-1.44
0	2839.00	3011.00	94.29%	-0.49	-1.30
0	2393.00	2857.00	96.65%	-0.49	-1.30
0	2789.00	2476.00	97.31%	-0.37	-1.23
0	1974.00	2866.00	95.96%	-0.58	-1.35
0.2494	2728.00	2057.00	94.04%	0.11	-0.88
0.0985	2710.00	2901.00	96.03%	-1.52	-1.92
0.0953	2588.00	2822.00	96.21%	-1.54	-1.94
0	2837.00	2690.00	96.76%	-1.96	-2.19
0.0921	2693.00	2932.00	94.26%	-2.23	-2.35
0.1552	3340.00	3645.00	91.63%	-2.65	-2.61
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	9.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	66.67%	-0.61	-1.37
0	0.00	3.00	0.00%	0.00	0.00
0	11.00	0.00	100.00%	0.00	0.00
0	2.00	11.00	66.67%	0.00	0.00
0	7.00	3.00	77.78%	0.00	0.00
0	6.00	6.00	100.00%	0.00	0.00
0	419.00	419.00	100.00%	0.00	0.00
0	486.00	488.00	99.59%	-0.14	-1.09
0	422.00	425.00	99.29%	-0.12	-1.07
0	420.00	593.00	100.00%	0.00	0.00
0	458.00	420.00	100.00%	0.00	0.00
0	381.00	458.00	100.00%	0.00	0.00
0	458.00	381.00	100.00%	0.00	0.00
0	473.00	458.00	100.00%	0.00	0.00
0	466.00	473.00	100.00%	0.00	0.00
0	530.00	466.00	99.62%	-0.09	-1.05
0	593.00	532.00	100.00%	0.00	0.00
0	626.00	627.00	99.84%	-0.10	-1.06
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	36.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	25.00	0.00	100.00%	0.00	0.00
0	40.00	25.00	100.00%	0.00	0.00
0	36.00	40.00	100.00%	0.00	0.00
0	56.00	57.00	98.25%	-0.13	-1.08
0	2772.00	2774.00	99.93%	-0.05	-1.03
0	0.00	0.00	0.00%	0.00	0.00
0	2650.00	2663.00	99.51%	-0.12	-1.07
0	2537.00	4196.00	99.96%	-0.05	-1.03
0	2917.00	2538.00	99.93%	-0.04	-1.02
0	2375.00	2919.00	99.87%	-0.05	-1.03
0	2633.00	2378.00	99.89%	-0.05	-1.03
0	2943.00	2636.00	99.93%	-0.04	-1.02
0	3139.00	2945.00	99.84%	0.00	0.00
0	3604.00	3144.00	99.72%	-0.15	-1.09
0	4176.00	3614.00	99.52%	-0.22	-1.13
0	4093.00	4133.00	99.03%	-0.38	-1.23
0	3532.00	3605.00	97.98%	-0.14	-1.09
0	0.00	0.00	0.00%	0.00	0.00
0	3892.00	3960.00	98.28%	-0.26	-1.16
0	4007.00	2222.00	98.28%	-0.26	-1.16
0	2676.00	4077.00	96.43%	-0.19	-1.12
0	1125.00	2775.00	95.02%	-0.32	-1.20
0	1374.00	1184.00	87.35%	-0.54	-1.33
0	1457.00	1573.00	96.04%	-0.35	-1.21

0	1437.00	1517.00	93.55%	-0.52	-1.32
0	2125.00	1536.00	93.49%	-0.46	-1.28
0	1938.00	2273.00	87.22%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	34.00	34.00	100.00%	0.00	0.00
0	55.00	55.00	100.00%	0.00	0.00
0	25.00	25.00	100.00%	0.00	0.00
0	0.00	40.00	0.00%	0.00	0.00
0	27.00	0.00	100.00%	0.00	0.00
0	0.00	27.00	0.00%	0.00	0.00
0	29.00	0.00	96.67%	-0.18	-1.11
0	0.00	30.00	0.00%	0.00	0.00
0	44.00	0.00	100.00%	0.00	0.00
0	30.00	44.00	100.00%	0.00	0.00
0	40.00	30.00	100.00%	0.00	0.00
0	57.00	57.00	100.00%	0.00	0.00
0	2353.00	2355.00	99.92%	-0.10	-1.06
0	2448.00	2452.00	99.84%	-0.14	-1.08
0	2228.00	2238.00	99.55%	-0.21	-1.13
0	2117.00	3603.00	99.95%	-0.05	-1.03
0	2459.00	2118.00	99.92%	-0.09	-1.06
0	1994.00	2461.00	99.85%	-0.08	-1.05
0	2175.00	1997.00	99.86%	-0.08	-1.05
0	2470.00	2178.00	99.92%	-0.06	-1.04
0	2673.00	2472.00	99.81%	-0.14	-1.08
0	3074.00	2678.00	99.74%	-0.12	-1.08
0	3583.00	3082.00	99.44%	-0.24	-1.14
0	3467.00	3506.00	98.89%	-0.33	-1.20
0	2772.00	2774.00	99.93%	-0.07	-1.04
0	2934.00	2940.00	99.80%	-0.11	-1.07
0	2650.00	2663.00	99.51%	-0.12	-1.07
0	2537.00	4196.00	99.96%	-0.04	-1.03
0	2917.00	2538.00	99.93%	-0.05	-1.03
0	2375.00	2919.00	99.87%	-0.09	-1.06
0	2633.00	2378.00	99.89%	-0.14	-1.09
0	2943.00	2636.00	99.93%	-0.29	-1.17
0	3139.00	2945.00	99.84%	-0.44	-1.27
0	3604.00	3144.00	99.72%	-0.65	-1.39
0	4176.00	3614.00	99.52%	-0.91	-1.55
0.1964	4093.00	4133.00	99.03%	4.54	1.03
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	62.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	38.00	0.00	100.00%	0.00	0.00
0	59.00	38.00	100.00%	0.00	0.00
0	53.00	59.00	100.00%	0.00	0.00
0	62.00	53.00	100.00%	0.00	0.00
0	61.00	61.00	100.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	36.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	53.00	0.00	100.00%	0.00	0.00
0	45.00	53.00	100.00%	0.00	0.00
0	25.00	45.00	100.00%	0.00	0.00
0	40.00	25.00	100.00%	0.00	0.00
0	36.00	40.00	100.00%	0.00	0.00
0	56.00	57.00	98.25%	-0.33	-1.20
0	3066.00	3197.00	95.90%	-0.58	-1.35
0	3450.00	3559.00	96.94%	-0.40	-1.24
0	3589.00	3726.00	96.32%	-0.65	-1.39
0	3483.00	2383.00	96.46%	-0.57	-1.35
0	2617.00	3611.00	94.37%	-0.77	-1.47
0	1301.00	2773.00	90.47%	-0.72	-1.44
0	1480.00	1438.00	91.58%	-0.86	-1.52
0	1677.00	1616.00	89.11%	-0.70	-1.42
0.3499	1439.00	1882.00	91.54%	0.55	-0.67
0	2186.00	1572.00	90.74%	-0.71	-1.43
0	2037.00	2409.00	85.48%	0.00	0.00
0	2291.00	2552.00	89.77%	-0.34	-1.21
0	48.00	49.00	97.96%	-0.36	-1.22
0	59.00	59.00	100.00%	0.00	0.00
0	60.00	60.00	100.00%	0.00	0.00
0	71.00	88.00	100.00%	0.00	0.00
0	61.00	71.00	100.00%	0.00	0.00
0	75.00	61.00	100.00%	0.00	0.00
0	53.00	75.00	98.15%	-0.63	-1.38
0	89.00	54.00	100.00%	0.00	0.00
0	62.00	89.00	100.00%	0.00	0.00
0	84.00	62.00	98.82%	-0.51	-1.31
0	88.00	85.00	100.00%	0.00	0.00
0	104.00	106.00	98.11%	-0.63	-1.39
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3483.00	2388.00	96.46%	-0.27	-1.16
0	0.00	3611.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1677.00	0.00	89.11%	-0.35	-1.21
0	1441.00	1882.00	91.55%	0.00	0.00
0	2188.00	1574.00	90.75%	-0.32	-1.19
0	2042.00	2411.00	85.51%	0.00	0.00
0	2293.00	2554.00	89.78%	-0.34	-1.21
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	4.00	4.00	100.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00

0	2.00	0.00	100.00%	0.00	0.00
0	1.00	2.00	100.00%	0.00	0.00
0	3.00	1.00	100.00%	0.00	0.00
0	4.00	3.00	100.00%	0.00	0.00
0	3.00	4.00	100.00%	0.00	0.00
0	2.00	3.00	100.00%	0.00	0.00
0	4.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0638	15185.00	15668.00	96.92%	-2.40	-2.46
0	13518.00	13925.00	97.08%	-2.40	-2.46
0.2571	13249.00	13927.00	95.13%	1.65	-0.04
0	12008.00	15836.00	97.90%	-1.96	-2.19
0	13572.00	12265.00	98.49%	-1.75	-2.06
0	10607.00	13780.00	97.74%	-1.99	-2.21
0.0949	14267.00	10852.00	95.96%	-2.34	-2.42
0	14020.00	14868.00	95.67%	-3.02	-2.84
0	13201.00	14655.00	97.49%	-2.30	-2.40
0.0714	14640.00	13541.00	97.30%	-1.87	-2.14
0.0659	15287.00	15046.00	96.53%	-2.49	-2.51
0.2265	16632.00	18435.00	90.22%	-2.34	-2.42
0	48.00	49.00	97.96%	-0.49	-1.30
0	59.00	59.00	100.00%	0.00	0.00
0	60.00	60.00	100.00%	0.00	0.00
0	71.00	88.00	100.00%	0.00	0.00
0	61.00	71.00	100.00%	0.00	0.00
0	75.00	61.00	100.00%	0.00	0.00
0	53.00	75.00	98.15%	-0.52	-1.32
0	89.00	54.00	100.00%	0.00	0.00
0	62.00	89.00	100.00%	0.00	0.00
0	84.00	62.00	98.82%	-0.41	-1.25
0	88.00	85.00	100.00%	0.00	0.00
0	104.00	106.00	98.11%	-0.53	-1.32
0.4	1484.00	1553.00	95.56%	1.69	-0.26
0	0.00	0.00	0.00%	0.00	0.00
0	1327.00	1422.00	93.32%	-0.27	-1.16
0	0.00	1115.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	639.00	0.00	79.68%	-0.87	-1.53
0	0.00	802.00	0.00%	0.00	0.00
0	606.00	0.00	88.73%	-0.36	-1.22
0	988.00	683.00	91.40%	-0.31	-1.19
0	949.00	1081.00	85.11%	0.00	0.00
0	945.00	1116.00	84.68%	0.00	0.00
0	9.00	9.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	9.00	16.00	100.00%	0.00	0.00
0	8.00	9.00	100.00%	0.00	0.00
0	7.00	8.00	100.00%	0.00	0.00
0	6.00	7.00	100.00%	0.00	0.00
0	9.00	6.00	100.00%	0.00	0.00

0	11.00	9.00	100.00%	0.00	0.00
0	11.00	11.00	100.00%	0.00	0.00
0	16.00	11.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1115.00	0.00%	0.00	0.00
0	1061.00	0.00	94.06%	-0.50	-1.31
0	0.00	1128.00	0.00%	0.00	0.00
0	639.00	0.00	79.68%	-0.50	-1.31
0	0.00	802.00	0.00%	0.00	0.00
0	606.00	0.00	88.73%	0.00	0.00
0	988.00	683.00	91.40%	0.00	0.00
0	949.00	1081.00	85.11%	0.00	0.00
0	945.00	1116.00	84.68%	0.00	0.00
0	3045.00	3222.00	94.51%	-1.57	-1.95
0	3732.00	3864.00	96.58%	-0.92	-1.56
0	3184.00	3359.00	94.79%	-1.12	-1.68
0	2735.00	3423.00	97.05%	-0.95	-1.58
0	3210.00	2818.00	97.63%	-0.81	-1.49
0	2286.00	3288.00	96.42%	-0.74	-1.45
0	3081.00	2371.00	94.68%	-0.95	-1.57
0	3138.00	3254.00	96.55%	-0.78	-1.47
0	3074.00	3250.00	96.76%	-0.93	-1.57
0	3296.00	3177.00	97.14%	-0.80	-1.49
0	3255.00	3393.00	95.09%	-0.96	-1.58
0	3918.00	4227.00	92.69%	-1.22	-1.74
0	9.00	9.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	9.00	16.00	100.00%	0.00	0.00
0	8.00	9.00	100.00%	0.00	0.00
0	7.00	8.00	100.00%	0.00	0.00
0	6.00	7.00	100.00%	0.00	0.00
0.3	9.00	6.00	100.00%	0.00	-0.61
0	11.00	9.00	100.00%	0.00	0.00
0	11.00	11.00	100.00%	0.00	0.00
0	16.00	11.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	211.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	138.00	0.00	85.71%	-0.70	-1.43
0	116.00	161.00	89.23%	0.00	0.00
0	140.00	130.00	82.84%	0.00	0.00
0	187.00	169.00	88.63%	-0.50	-1.31
0.4899	177.00	217.00	81.57%	1.23	-0.34

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	75.00	141.00	76.53%	-0.55	-1.33
0	111.00	98.00	83.46%	2.24	-0.16
0	97.00	133.00	82.20%	2.14	-0.18
0	0.00	118.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	125.00	0.00	86.81%	0.00	0.00
0	127.00	144.00	84.11%	-0.43	-1.26
0	115.00	151.00	81.56%	0.00	0.00
0	129.00	171.00	75.44%	-0.57	-1.35
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	100.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4172	107.00	144.00	74.31%	-0.45	-1.27
0.4139	99.00	126.00	78.57%	0.07	-0.95
0.4673	115.00	147.00	78.23%	1.64	-0.06
0.4234	75.00	141.00	76.53%	-0.01	-1.01
0.4103	111.00	98.00	83.46%	0.74	-0.56
0.4465	97.00	133.00	82.20%	1.39	-0.22
0.4503	111.00	118.00	76.55%	0.67	-0.60
0.4172	107.00	145.00	78.10%	0.08	-0.95
0.4573	125.00	137.00	86.81%	2.92	0.50
0.4234	127.00	144.00	84.11%	1.23	-0.30
0.3631	115.00	151.00	81.56%	-0.37	-1.23
0.4688	129.00	171.00	75.44%	1.13	-0.34
0	3.00	3.00	100.00%	0.00	0.00
0.3143	11.00	11.00	100.00%	0.00	-0.56
0	10.00	10.00	100.00%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00

0.4	7.00	3.00	100.00%	0.00	-0.52
0	8.00	7.00	100.00%	0.00	0.00
0	3.00	8.00	100.00%	0.00	0.00
0.433	2.00	3.00	100.00%	0.00	-0.79
0.4714	3.00	2.00	75.00%	0.25	-0.97
0	4.00	4.00	100.00%	0.00	0.00
0	3.00	4.00	100.00%	0.00	0.00
0	7.00	7.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.433	2.00	2.00	100.00%	0.00	-0.79
0	2.00	2.00	100.00%	0.00	0.00
0	7.00	3.00	100.00%	0.00	0.00
0.433	4.00	7.00	100.00%	0.00	-0.63
0	1.00	4.00	100.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0.4714	5.00	3.00	62.50%	-0.13	-1.08
0	4.00	8.00	80.00%	-0.60	-1.36
0	3.00	5.00	100.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	107.00	144.00	74.31%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	141.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	125.00	0.00	86.81%	0.00	0.00
0	127.00	144.00	84.11%	-0.43	-1.26
0	115.00	151.00	81.56%	0.00	0.00
0	129.00	171.00	75.44%	0.00	0.00
0	107.00	144.00	74.31%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0	115.00	147.00	78.23%	-0.53	-1.32
0	0.00	141.00	0.00%	0.00	0.00
0	111.00	0.00	83.46%	-0.62	-1.38
0	97.00	133.00	82.20%	2.14	-0.18
0	0.00	118.00	0.00%	0.00	0.00
0	107.00	0.00	78.10%	-0.53	-1.32
0	125.00	137.00	86.81%	0.00	0.00
0	127.00	144.00	84.11%	0.00	0.00
0.5	115.00	151.00	81.56%	1.14	-0.46
0	129.00	171.00	75.44%	-0.57	-1.35
0.4606	107.00	144.00	74.31%	0.77	-0.57
0.47	99.00	126.00	78.57%	2.00	0.12
0.474	115.00	147.00	78.23%	2.22	0.24
0.499	75.00	141.00	76.53%	3.65	0.97
0.4676	111.00	98.00	83.46%	3.17	0.67
0.4632	97.00	133.00	82.20%	2.39	0.29
0.4615	111.00	118.00	76.55%	1.29	-0.25
0.429	107.00	145.00	78.10%	0.41	-0.76

0.467	125.00	137.00	86.81%	4.08	1.03
0.4757	127.00	144.00	84.11%	3.67	0.91
0.4698	115.00	151.00	81.56%	2.62	0.43
0.4962	129.00	171.00	75.44%	3.54	0.97
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	0.00	62.50%	0.00	0.00
0	4.00	8.00	80.00%	0.00	0.00
0	3.00	5.00	100.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	138.00	162.00	85.19%	-0.42	-1.25
0	110.00	108.00	85.94%	-0.40	-1.24
0	0.00	128.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	83.00	0.00	79.05%	0.00	0.00
0	72.00	105.00	80.90%	0.00	0.00
0	92.00	89.00	85.19%	0.00	0.00
0	84.00	103.00	81.55%	0.00	0.00
0	77.00	117.00	65.81%	-0.72	-1.44
0	79.00	109.00	72.48%	-0.86	-1.53
0	0.00	0.00	0.00%	0.00	0.00
0.3499	107.00	177.00	79.85%	-0.38	-1.23
0	0.00	134.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	101.00	0.00	78.91%	-0.52	-1.31
0	117.00	128.00	84.17%	0.00	0.00
0	116.00	139.00	80.00%	0.00	0.00
0	149.00	145.00	84.18%	0.00	0.00
0	132.00	176.00	75.00%	-0.58	-1.35
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	100.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	1.00	0.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	77.00	117.00	65.81%	3.04	0.74
0.433	79.00	109.00	72.48%	-0.19	-1.11
0.4077	88.00	118.00	74.58%	-0.41	-1.25
0	107.00	177.00	79.85%	4.37	1.19
0.4	115.00	134.00	87.79%	0.99	-0.44
0.4422	98.00	131.00	86.73%	1.44	-0.22
0.4714	102.00	113.00	76.12%	0.81	-0.52
0	101.00	134.00	78.91%	-0.73	-1.44
0.3499	117.00	128.00	84.17%	-0.11	-1.07
0.4103	116.00	139.00	80.00%	0.13	-0.91
0.5	149.00	145.00	84.18%	3.14	0.59
0.4714	132.00	176.00	75.00%	0.72	-0.57
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	5.00	100.00%	0.00	0.00
0	5.00	5.00	100.00%	0.00	0.00
0.4714	2.00	5.00	100.00%	0.00	-0.71
0	2.00	2.00	100.00%	0.00	0.00
0	1.00	2.00	100.00%	0.00	-0.59
0	3.00	1.00	100.00%	0.00	0.00
0.5	3.00	3.00	60.00%	0.30	-0.92
0	0.00	5.00	0.00%	0.00	0.00
0	2.00	0.00	100.00%	0.00	-0.37
0	3.00	2.00	60.00%	-0.75	-1.45
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	-0.59
0	0.00	1.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	50.00%	-0.82	-1.50
0	1.00	2.00	100.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	177.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	101.00	0.00	78.91%	-0.52	-1.31
0	117.00	128.00	84.17%	0.00	0.00
0	116.00	139.00	80.00%	-0.50	-1.30
0	149.00	145.00	84.18%	0.00	0.00
0	132.00	176.00	75.00%	0.00	0.00
0.4714	77.00	117.00	65.81%	-0.08	-1.05
0.4865	79.00	109.00	72.48%	0.83	-0.51
0.4979	88.00	118.00	74.58%	2.88	0.59
0.4841	107.00	177.00	79.85%	1.19	-0.34

0.2875	115.00	134.00	87.79%	-0.30	-1.18
0.4714	98.00	131.00	86.73%	6.20	1.79
0.4	102.00	113.00	76.12%	-0.20	-1.12
0.4949	101.00	134.00	78.91%	1.90	0.04
0.5	117.00	128.00	84.17%	3.11	0.57
0.5	116.00	139.00	80.00%	2.50	0.33
0.4899	149.00	145.00	84.18%	2.04	0.07
0.493	132.00	176.00	75.00%	1.77	0.01
0.563888889	0.00	1229.00	16:14	-0.41	-1.25
0.379166667	0.00	1209.00	15:25	-0.47	-1.29
0.636805556	0.00	1239.00	15:51	-0.09	-1.05
0.303472222	0.00	1224.00	13:03	-0.73	-1.44
0.594444444	0.00	1165.00	12:21	0.64	-0.57
0.568055556	0.00	1183.00	12:37	0.27	-0.71
0.390972222	0.00	923.00	15:31	-0.42	-1.25
0.429861111	0.00	1301.00	16:07	-0.28	-1.17
0.542361111	0.00	1201.00	13:42	-0.48	-1.29
0.345833333	0.00	1084.00	13:29	-0.73	-1.44
0.479166667	0.00	1238.00	14:55	-0.33	-1.20
0.461805556	0.00	1343.00	18:41	-1.20	-1.73
0	0.00	0.00	0:00	0.00	0.00
0	35.80	68.00	12:38	0.48	-0.34
0	37.42	60.00	14:58	1.16	0.17
0	0.00	75.00	0:00	0.00	0.00
0.654166667	21.75	0.00	9:29	0.48	-0.49
0	0.00	55.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	31.41	0.00	11:15	0.00	0.00
0	29.92	67.00	11:24	0.00	0.00
0	32.11	63.00	10:16	-0.45	-1.27
0	40.87	73.00	13:26	-0.57	-1.35
0.334027778	68.53	100.00	16:27	-0.83	-1.51
0	0.00	0.00	0:00	0.00	0.00
0.353472222	81.21	104.00	18:44	-0.73	-1.44
0.01875	74.97	109.00	15:07	0.51	-0.59
0.311805556	50.80	119.00	10:53	-0.72	-1.44
0.124305556	53.25	112.00	12:47	-1.22	-1.74
0.849305556	73.38	100.00	14:56	1.97	-0.09
0.490277778	48.87	118.00	12:53	-0.94	-1.57
0	75.91	91.00	13:54	0.00	0.00
0	71.14	131.00	14:07	0.00	0.00
0.002083333	61.71	121.00	13:35	-1.22	-1.74
0	74.31	111.00	16:04	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.425694444	0.00	11424.00	18:39	0.38	-0.60
0.571527778	0.00	11612.00	19:42	0.42	-0.60
0.395833333	0.00	12206.00	16:57	-0.05	-1.03
0.584027778	0.00	10069.00	15:19	-0.19	-1.11
0.125694444	0.00	11283.00	16:08	0.63	-0.38
0.754861111	0.00	8788.00	20:07	1.54	-0.12
0.619444444	0.00	12585.00	19:33	0.77	-0.51

0.793055556	0.00	12138.00	17:55	1.66	-0.09
0.765277778	0.00	10884.00	17:18	1.69	-0.02
0.347916667	0.00	11893.00	19:32	1.48	-0.01
0.620833333	0.00	14884.00	0:38	-0.12	-1.07
0.144444444	0.00	831.00	7:54	-0.26	-1.16
0.310416667	0.00	902.00	5:31	-0.95	-1.58
0.488888889	0.00	830.00	7:31	-0.70	-1.43
0.631944444	0.00	857.00	7:40	-0.53	-1.32
0.684027778	0.00	626.00	8:28	-0.53	-1.32
0.450694444	0.00	818.00	13:31	-0.71	-1.43
0.094444444	0.00	574.00	4:14	-0.04	-1.03
0.797916667	0.00	578.00	14:27	-0.87	-1.53
0.397916667	0.00	813.00	10:09	-0.80	-1.49
0.505555556	0.00	515.00	11:22	-0.35	-1.21
0.654861111	0.00	894.00	8:25	-0.67	-1.41
0.704861111	0.00	796.00	12:27	-0.46	-1.28
0	0.67	8.00	2:00	-0.93	-1.57
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	13.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	16.80	0.00	13:54	0.00	0.00
0.111805556	5.84	29.00	7:00	-0.25	-1.15
0	6.61	20.00	12:12	0.00	0.00
0	13.66	25.00	13:07	0.00	0.00
0.371527778	0.00	12044.00	19:00	0.07	-0.92
0.482638889	0.00	10215.00	19:02	-1.18	-1.72
0.470833333	0.00	10373.00	20:10	-2.68	-2.63
0.401388889	0.00	10982.00	17:28	-0.67	-1.41
0.375694444	0.00	8904.00	15:40	-2.65	-2.61
0.414583333	0.00	10100.00	16:33	-0.10	-1.06
0.493055556	0.00	7865.00	20:39	-1.57	-1.95
0.676388889	0.00	11284.00	19:55	-0.02	-1.01
0.35625	0.00	10937.00	18:23	0.27	-0.74
0.390972222	0.00	9800.00	17:45	-0.90	-1.55
0.415277778	0.00	10655.00	20:03	-1.28	-1.78
0.470138889	0.00	13541.00	1:13	-2.00	-2.21
0.279861111	0.00	13273.00	18:45	-2.34	-2.42
0.305555556	0.00	11424.00	18:39	-1.29	-1.79
0.697916667	0.00	11612.00	19:42	-0.58	-1.36
0.297222222	0.00	12206.00	16:57	-0.75	-1.46
0.334027778	0.00	10069.00	15:19	-1.04	-1.63
0.45625	0.00	11283.00	16:08	-1.15	-1.70
0.346527778	0.00	8788.00	20:07	-3.58	-3.18
0.465972222	0.00	12585.00	19:33	-7.37	-5.48
0.457638889	0.00	12138.00	17:55	-6.70	-5.08
0.456944444	0.00	10884.00	17:18	-6.44	-4.92
0.452777778	0.00	11893.00	19:32	-7.66	-5.66
0.602083333	0.00	14884.00	0:38	-9.63	-6.86

0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	109.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	73.38	0.00	14:56	-0.70	-1.43
0.608333333	48.87	118.00	12:53	0.92	-0.52
0.277083333	75.91	91.00	13:54	-0.47	-1.29
0.022222222	71.14	131.00	14:07	-1.13	-1.69
0	61.71	121.00	13:35	0.45	-0.83
0.022222222	74.31	111.00	16:04	-1.17	-1.71
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	75.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.045833333	46.37	0.00	13:24	-1.82	-2.11
0.106944444	60.25	83.00	15:23	-2.71	-2.65
0.350694444	31.41	94.00	11:15	-1.16	-1.71
0.372916667	29.92	67.00	11:24	-0.45	-1.27
0.390277778	32.11	63.00	10:16	0.73	-0.55
0.788888889	40.87	73.00	13:26	1.23	-0.32
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.022916667	148.12	296.00	12:01	-0.89	-1.54
0	90.75	288.00	10:13	-0.63	-1.38
0	105.72	213.00	10:26	0.91	-0.47
0	107.56	243.00	13:18	-0.76	-1.46
0.395833333	157.10	194.00	13:49	-0.92	-1.56
0	110.15	273.00	11:45	-0.86	-1.52
0.114583333	116.71	225.00	10:18	-0.74	-1.45
0	156.83	272.00	14:00	0.00	0.00
0.040972222	163.26	269.00	13:36	-0.93	-1.56
0	195.55	350.00	13:25	-0.69	-1.42
0	4.68	10.00	11:14	0.62	-0.57
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	13.00	0:00	0.00	0.00
0	8.28	0.00	8:39	-0.93	-1.57
0	0.00	23.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	3.78	0.00	8:15	0.00	0.00
0	9.88	11.00	15:48	0.00	0.00
0	3.21	15.00	5:56	0.00	0.00
0	10.81	19.00	13:39	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.389583333	1.41	4.00	8:26	-0.03	-1.02
0	0.00	9.00	0:00	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0	1.54	0.00	7:24	-0.82	-1.50
0	0.00	5.00	0:00	0.00	0.00
0	0.14	0.00	1:07	6.02	1.26
0	2.04	3.00	9:48	0.00	0.00
0	2.52	5.00	10:04	0.00	0.00
0	6.91	6.00	18:26	0.00	0.00
0	3.26	12.00	6:32	0.00	0.00
0.484722222	0.00	2533.00	20:05	0.54	-0.60
0.555555556	0.00	3126.00	17:01	0.25	-0.73
0.498611111	0.00	2715.00	19:06	-0.94	-1.57
0.376388889	0.00	2569.00	15:44	0.17	-0.81
0.470833333	0.00	2263.00	14:36	-0.63	-1.38
0.41875	0.00	2623.00	17:35	-0.90	-1.54
0.374305556	0.00	1863.00	19:59	-1.91	-2.16
0.572916667	0.00	2628.00	17:17	0.00	-1.00
0.38125	0.00	2597.00	17:44	-1.19	-1.73
0.458333333	0.00	2418.00	16:27	-0.48	-1.29
2.013888889	0.00	2663.00	19:07	3.16	0.41
0.803472222	0.00	3295.00	22:41	-0.38	-1.23
0.296527778	0.00	2843.00	19:47	-0.97	-1.59
0.329861111	0.00	3425.00	16:35	-1.63	-1.99
0.425	0.00	3011.00	18:24	-1.04	-1.63
0.324305556	0.00	2857.00	15:16	-1.28	-1.78
0.107638889	0.00	2476.00	14:15	-1.67	-2.02
0.349305556	0.00	2866.00	17:11	-1.79	-2.09
0.835416667	0.00	2057.00	19:24	-0.94	-1.57
0.473611111	0.00	2901.00	16:51	-4.27	-3.59
0.413194444	0.00	2822.00	16:59	-5.00	-4.04
0.35	0.00	2690.00	16:14	-3.86	-3.35
0.576388889	0.00	2932.00	18:34	-4.25	-3.59
0.556944444	0.00	3645.00	21:48	-4.56	-3.77
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	9.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	3.24	0.00	1:54	-0.60	-1.36
0	0.00	3.00	0:00	0.00	0.00
0	2.53	0.00	5:31	0.00	0.00
0	3.31	11.00	2:28	0.00	0.00
0	7.86	3.00	20:58	0.00	0.00
0	1.95	6.00	7:48	0.00	0.00
0.014583333	52.14	419.00	2:59	-0.70	-1.42
0.131944444	55.67	488.00	2:44	0.32	-0.65
0.0125	198.51	425.00	11:13	-0.09	-1.05
0	39.57	593.00	2:16	-0.31	-1.19
0.085416667	48.88	420.00	2:34	-0.88	-1.53
0.063194444	42.20	458.00	2:40	-0.49	-1.30
0.044444444	44.64	381.00	2:20	-0.42	-1.25
0.088888889	55.47	458.00	2:49	-0.30	-1.18

0.315972222	71.12	473.00	3:40	0.25	-0.78
0.022222222	71.54	466.00	3:14	-0.33	-1.20
0	90.35	532.00	3:39	0.41	-0.35
0.110416667	105.07	627.00	4:01	-0.74	-1.45
0	7.44	41.00	4:21	-0.26	-1.16
0.507638889	4.83	48.00	2:25	2.43	0.03
0	0.00	0.00	0:00	0.00	0.00
0	0.00	62.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	7.30	0.00	3:26	-0.24	-1.15
0	0.00	51.00	0:00	0.00	0.00
0	7.14	0.00	2:54	-0.57	-1.35
0.027777778	8.55	59.00	3:52	-1.01	-1.61
0	11.13	53.00	4:18	-0.59	-1.36
0	10.44	61.00	4:06	0.00	0.00
0.709722222	0.00	2774.00	4:30	1.77	-0.05
0	0.00	0.00	0:00	0.00	0.00
0.108333333	0.00	2663.00	6:05	-0.09	-1.06
0.205555556	367.76	4196.00	3:29	0.07	-0.85
0.066666667	0.00	2538.00	3:52	-0.36	-1.22
0.024305556	354.98	2919.00	3:35	-0.53	-1.32
0.018055556	394.38	2378.00	3:35	-0.62	-1.38
0.361805556	0.00	2636.00	4:23	0.42	-0.63
0	0.00	2945.00	4:40	0.00	0.00
0.333333333	0.00	3144.00	5:06	0.37	-0.65
0.090277778	0.00	3614.00	6:04	-1.22	-1.74
0.292361111	0.00	4133.00	6:20	-0.64	-1.39
0	0.00	3605.00	4:57	-0.25	-1.15
0	0.00	0.00	0:00	0.00	0.00
0.000694444	0.00	3960.00	3:34	-0.59	-1.36
0.086111111	0.00	2222.00	3:19	0.02	-0.61
0	0.00	4077.00	6:55	-0.04	-1.03
0.000694444	0.00	2775.00	12:43	-0.08	-1.05
0.097916667	0.00	1184.00	21:14	-0.56	-1.34
0.032638889	0.00	1573.00	12:38	-0.39	-1.23
0.099305556	0.00	1517.00	18:03	-0.46	-1.28
0.197222222	0.00	1536.00	13:52	-0.47	-1.28
0	0.00	2273.00	12:50	0.00	0.00
0.322916667	0.00	2517.00	21:32	-0.44	-1.26
0.019444444	2.89	34.00	2:02	-0.35	-1.21
0	2.93	55.00	1:17	-0.21	-1.13
0	0.86	25.00	0:49	0.04	-0.71
0	0.00	40.00	0:00	0.00	0.00
0	0.95	0.00	0:51	-0.70	-1.43
0	0.00	27.00	0:00	0.00	0.00
0	4.61	0.00	3:41	-0.24	-1.14
0	0.00	30.00	0:00	0.00	0.00
0	2.96	0.00	1:37	0.00	0.00
0	1.73	44.00	1:23	-0.22	-1.14
0	2.13	30.00	1:17	0.00	0.00
0	2.86	57.00	1:12	0.00	0.00

0.22222222	0.00	2355.00	4:47	-1.32	-1.80
0.07222222	0.00	2452.00	4:46	-1.28	-1.78
0.21527777	0.00	2238.00	5:07	-0.20	-1.12
0.125	328.19	3603.00	3:43	-0.23	-1.14
0.07777777	0.00	2118.00	4:07	-1.49	-1.91
0.30486111	312.78	2461.00	3:46	0.60	-0.56
0.125	349.74	1997.00	3:51	-0.45	-1.27
0.41111111	0.00	2178.00	4:41	1.42	-0.19
0.40902777	0.00	2472.00	4:50	1.07	-0.32
0.625	0.00	2678.00	5:25	0.71	-0.42
0.40555555	0.00	3082.00	6:28	1.05	-0.33
0.28958333	0.00	3506.00	6:45	-0.32	-1.20
0.17013888	0.00	2774.00	4:30	-0.61	-1.37
0.01111111	0.00	2940.00	4:26	-1.37	-1.83
0.01875	0.00	2663.00	6:05	-0.12	-1.07
0.05486111	367.76	4196.00	3:29	-0.82	-1.50
0.08333333	0.00	2538.00	3:52	-0.82	-1.50
0.06041666	354.98	2919.00	3:35	-0.93	-1.56
0.12361111	394.38	2378.00	3:35	-1.10	-1.67
0.25694444	0.00	2636.00	4:23	-0.82	-1.50
0.25694444	0.00	2945.00	4:40	-1.15	-1.70
0.21736111	0.00	3144.00	5:06	-2.56	-2.55
0.26944444	0.00	3614.00	6:04	-2.98	-2.81
0.56388888	0.00	4133.00	6:20	0.19	-0.88
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	62.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.07777777	5.86	0.00	3:42	-0.61	-1.37
0.00347222	7.14	38.00	2:54	-0.80	-1.48
0.07916666	8.55	59.00	3:52	-0.34	-1.21
0.05208333	11.13	53.00	4:18	-0.84	-1.51
0.05902777	10.44	61.00	4:06	-0.73	-1.44
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	36.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.03819444	6.00	0.00	2:43	-0.77	-1.47
0.31875	4.97	53.00	2:39	2.41	0.06
0.26111111	2.94	45.00	2:49	0.69	-0.60
0.02361111	3.50	25.00	2:06	0.62	-0.65
0.06875	5.05	40.00	3:22	-0.82	-1.50
0.07013888	10.61	57.00	4:28	-0.71	-1.43
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0.05625	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.098611111	16.07	144.00	2:41	0.87	-0.51
0.089583333	14.00	126.00	2:40	0.35	-0.79
0.232638889	24.73	147.00	4:02	0.57	-0.70
0.165972222	11.69	141.00	2:52	1.31	-0.31
0.14375	12.38	98.00	2:14	2.07	0.09
0.138888889	13.34	133.00	2:43	1.01	-0.40
0.140972222	17.99	118.00	2:59	0.58	-0.66
0.534027778	15.18	145.00	2:40	4.44	-0.07
0.108333333	14.75	137.00	2:28	0.52	-0.69
0.10625	14.31	144.00	2:16	1.34	-0.29
0.091666667	16.29	151.00	2:46	-0.02	-1.01
0.173611111	28.41	171.00	3:59	-0.45	-1.27
0.03125	0.25	3.00	1:58	-0.75	-1.45
0.08125	0.49	11.00	1:04	1.51	-0.78
0.022916667	0.49	10.00	1:11	-0.94	-1.57
0.01875	0.10	3.00	0:46	1.54	-0.95
0.068055556	0.26	3.00	0:54	2.63	0.14
0.0375	0.17	7.00	0:30	0.72	-0.60
0.047222222	0.12	8.00	0:59	0.71	-0.93
0.078472222	0.09	3.00	1:05	2.19	-0.64
0.120833333	0.61	2.00	3:40	-0.10	-1.06
0.0375	0.09	4.00	0:33	1.76	-0.40
0.029861111	0.09	4.00	0:44	0.49	-0.80
0.03125	0.29	7.00	0:59	0.09	-0.87
0.685416667	0.00	3197.00	12:01	0.30	-0.41
0.425	0.00	3559.00	9:23	-0.47	-1.28
0.565277778	0.00	3726.00	9:10	-0.22	-1.13
0.455555556	0.00	2383.00	8:19	-0.12	-1.07
0.391666667	0.00	3611.00	14:48	-0.67	-1.40
0.081944444	0.00	2773.00	7:54	-0.68	-1.42
0.708333333	0.00	1438.00	18:54	-0.75	-1.46
0.020138889	0.00	1616.00	20:57	-0.68	-1.41
3.120833333	0.00	1882.00	22:48	0.24	-0.46
0.520833333	0.00	1572.00	22:13	-0.54	-1.33
0	0.00	2409.00	5:37	0.00	0.00
0	0.00	2552.00	1:42	-0.35	-1.21
0	0.00	0.00	0:00	0.00	0.00
0.265972222	0.01	2.00	0:05	256.81	1.26
0	0.13	2.00	1:33	-0.05	-1.03
0.030555556	0.34	3.00	1:10	0.72	-0.49
0.053472222	0.16	7.00	0:58	3.26	1.26
0	0.06	4.00	1:30	0.00	0.00
0	0.00	1.00	0:00	0.00	0.00
0	0.18	0.00	1:28	0.40	-1.01
0.200694444	0.83	3.00	2:29	0.89	-0.33
0.0375	0.43	8.00	2:05	-0.16	-1.10
0	0.12	5.00	0:58	0.56	-0.77
0	0.16	2.00	1:58	-12.12	-8.37

0	16.07	144.00	2:41	-0.10	-1.06
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	141.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	14.75	0.00	2:28	0.00	0.00
0	14.31	144.00	2:16	-0.29	-1.18
0	16.29	151.00	2:46	0.00	0.00
0	28.41	171.00	3:59	0.00	0.00
0.127777778	7.38	49.00	3:37	-0.06	-1.04
0.063194444	7.90	59.00	3:13	-0.69	-1.42
0.127083333	9.24	60.00	3:42	0.25	-0.86
0.156944444	8.66	88.00	2:56	1.11	-0.50
0.064583333	6.32	71.00	2:29	0.20	-0.89
0.229166667	5.46	61.00	1:45	4.15	0.44
0.145138889	6.18	75.00	2:45	0.77	-0.82
0.251388889	10.32	54.00	2:47	1.70	-0.22
0.170138889	7.67	89.00	2:58	0.32	-0.87
0.079861111	11.24	62.00	3:10	-0.29	-1.18
0.09375	10.20	85.00	2:47	0.22	-0.85
0.086805556	20.92	106.00	4:44	-0.99	-1.60
0	16.07	144.00	2:41	0.22	-0.64
0	0.00	0.00	0:00	0.00	0.00
0	24.73	147.00	4:02	-0.20	-1.12
0	0.00	141.00	0:00	0.00	0.00
0.003472222	12.38	0.00	2:14	-0.26	-1.16
0	13.34	133.00	2:43	0.42	-0.47
0	0.00	118.00	0:00	0.00	0.00
0	15.18	0.00	2:40	-0.18	-1.11
0	14.75	137.00	2:28	0.00	0.00
0	14.31	144.00	2:16	0.00	0.00
0.179861111	16.29	151.00	2:46	1.14	-0.24
0	28.41	171.00	3:59	-0.35	-1.21
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.086111111	0.00	2388.00	8:19	-0.35	-1.21
0	0.00	3611.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	20:57	-0.33	-1.20
0	0.00	1882.00	22:48	0.00	0.00
0	0.00	1574.00	22:11	-0.27	-1.17
0	0.00	2411.00	5:30	0.00	0.00
0	0.00	2554.00	1:41	-0.31	-1.19
0.138888889	16.07	144.00	2:41	2.77	0.49
0.138194444	14.00	126.00	2:40	3.15	0.41
0.446527778	24.73	147.00	4:02	2.77	0.26
0.314583333	11.69	141.00	2:52	5.57	0.75

0.163194444	12.38	98.00	2:14	5.00	1.26
0.116666667	13.34	133.00	2:43	1.76	-0.13
0.225694444	17.99	118.00	2:59	3.50	0.49
0.122222222	15.18	145.00	2:40	1.84	0.04
0.159722222	14.75	137.00	2:28	2.07	-0.14
0.179861111	14.31	144.00	2:16	3.81	0.75
0.277083333	16.29	151.00	2:46	3.91	0.57
0.398611111	28.41	171.00	3:59	1.45	-0.37
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.13	2.00	1:33	-0.98	-1.60
0	0.00	3.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.83	0.00	2:29	0.00	0.00
0	0.43	8.00	2:05	0.00	0.00
0	0.12	5.00	0:58	0.00	0.00
0	0.16	2.00	1:58	0.00	0.00
0.098611111	0.00	0.00	0:00	0.00	0.00
0.115277778	0.13	1.00	3:10	0.00	0.00
0.158333333	0.20	4.00	1:13	7.23	-0.21
0	0.00	4.00	0:00	0.00	0.00
0.027777778	1.49	0.00	17:52	-2.28	-2.39
0.109027778	0.01	2.00	0:18	0.00	0.00
0.102083333	0.19	1.00	1:29	0.84	-0.71
0.0625	0.28	3.00	1:40	0.02	-0.77
0	0.12	4.00	0:58	0.37	-0.45
0.064583333	0.06	3.00	0:46	1.53	-0.72
0.057638889	1.43	2.00	8:35	-0.49	-1.30
0.035416667	0.00	0.00	0:00	0.00	0.00
0.390277778	0.00	15668.00	16:35	-5.18	-4.15
0.371527778	0.00	13925.00	16:05	-4.57	-3.78
0.689583333	0.00	13927.00	17:13	-2.09	-2.27
0.355555556	0.00	15836.00	14:33	-2.99	-2.82
0.344444444	0.00	12265.00	13:16	-5.74	-4.49
0.3125	0.00	13780.00	13:45	-5.32	-4.23
0.415972222	0.00	10852.00	17:35	-5.80	-4.53
0.348611111	0.00	14868.00	16:55	-7.78	-5.73
0.300694444	0.00	14655.00	15:19	-7.53	-5.58
0.370833333	0.00	13541.00	14:45	-4.86	-3.95
0.365972222	0.00	15046.00	16:28	-6.27	-4.81
0.789583333	0.00	18435.00	21:08	-6.68	-5.06
0.222222222	7.38	49.00	3:37	0.61	-0.65
0.1875	7.90	59.00	3:13	0.54	-0.68
0.104166667	9.24	60.00	3:42	0.03	-0.93
0.203472222	8.66	88.00	2:56	0.92	-0.47
0.156944444	6.32	71.00	2:29	0.88	-0.54
0.327083333	5.46	61.00	1:45	3.37	-0.02
0.3	6.18	75.00	2:45	1.72	-0.45
0.265277778	10.32	54.00	2:47	2.14	-0.02

0.320138889	7.67	89.00	2:58	3.09	0.25
0.243055556	11.24	62.00	3:10	0.39	-0.70
0.061805556	10.20	85.00	2:47	0.56	-0.58
0.138194444	20.92	106.00	4:44	-0.38	-1.23
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	20.42	162.00	3:01	-0.03	-1.02
0	11.67	108.00	2:11	-0.71	-1.43
0	0.00	128.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	19.03	0.00	4:21	0.00	0.00
0	10.29	105.00	2:46	0.00	0.00
0	11.66	89.00	2:35	0.00	0.00
0	12.88	103.00	3:00	0.00	0.00
0	18.35	117.00	3:46	-0.30	-1.19
0.015972222	13.79	109.00	3:02	-0.83	-1.50
0	0.00	0.00	0:00	0.00	0.00
0.093055556	15.95	177.00	2:51	-0.52	-1.32
0	0.00	134.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	14.18	0.00	2:40	-0.13	-1.08
0	13.91	128.00	2:24	0.00	0.00
0	18.30	139.00	3:02	0.00	0.00
0	17.81	145.00	2:25	0.00	0.00
0	23.00	176.00	3:08	-0.50	-1.30
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	1.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.16	0.00	1:58	0.00	0.00
0	0.00	2.00	0:00	0.00	0.00
0	0.06	0.00	1:27	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.051388889	18.35	117.00	3:46	1.10	-0.24
0.151388889	13.79	109.00	3:02	-0.27	-1.17
0.134027778	16.70	118.00	3:24	-0.24	-1.14
0.102083333	15.95	177.00	2:51	3.08	0.44
0.13125	12.40	134.00	2:16	1.10	-0.41
0.163888889	10.13	131.00	2:09	2.50	0.26
0.147916667	16.91	113.00	3:02	1.02	-0.45
0.011111111	14.18	134.00	2:40	-0.95	-1.58
0.078472222	13.91	128.00	2:24	0.08	-0.71
0.216666667	18.30	139.00	3:02	0.22	-0.78
0.105555556	17.81	145.00	2:25	2.56	0.17
0.198611111	23.00	176.00	3:08	0.80	-0.45

0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.028472222	0.47	8.00	0:46	1.82	-0.30
0	0.00	15.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.67	0.00	1:37	0.00	0.00
0	0.52	10.00	0:57	0.00	0.00
0	0.23	13.00	0:42	0.00	0.00
0	0.39	12.00	0:47	0.00	0.00
0.025	0.00	0.00	0:00	0.00	0.00
0.064583333	0.24	5.00	1:10	0.82	-0.34
0.002777778	0.07	5.00	0:19	0.77	-0.64
0.178472222	0.01	5.00	0:08	20.80	-0.18
0.046527778	0.06	2.00	0:43	2.26	-0.53
0	0.01	2.00	0:18	0.00	0.00
0.006944444	0.06	1.00	0:30	-0.29	-1.17
0.195138889	0.84	3.00	4:02	0.47	-0.49
0.057638889	0.00	5.00	0:00	0.00	0.00
0	0.03	0.00	0:23	0.00	0.00
0	0.86	2.00	4:09	-0.16	-1.09
0.048611111	0.00	0.00	0:00	0.00	0.00
1.390277778	0.00	1553.00	12:55	0.34	-0.32
0	0.00	0.00	0:00	0.00	0.00
0	0.00	1422.00	13:37	0.73	-0.11
0	0.00	1115.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.089583333	0.00	0.00	12:31	-1.01	-1.61
0	0.00	802.00	0:00	0.00	0.00
0	0.00	0.00	4:54	-0.37	-1.22
0	0.00	683.00	19:21	0.00	-1.00
0	0.00	1081.00	3:23	0.00	0.00
0	0.00	1116.00	6:44	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	177.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	14.18	0.00	2:40	-0.58	-1.35
0	13.91	128.00	2:24	0.00	0.00
0	18.30	139.00	3:02	-0.18	-1.11
0	17.81	145.00	2:25	0.00	0.00
0	23.00	176.00	3:08	0.00	0.00
0.074305556	2.86	9.00	7:38	-0.79	-1.48
0.083333333	1.55	10.00	3:43	-0.59	-1.36
0	0.50	3.00	4:01	0.92	-0.42
0.070138889	1.60	16.00	4:16	-0.18	-1.11

0.044444444	0.30	9.00	0:53	1.93	-0.13
0.114583333	0.54	8.00	1:51	0.79	-0.65
0.149305556	0.21	7.00	0:51	6.37	0.75
0.13125	1.37	6.00	3:39	-0.32	-1.19
0.363194444	0.98	9.00	2:08	3.09	-0.49
0.13125	0.88	11.00	1:55	1.01	-0.40
0.015972222	1.50	11.00	2:15	-0.54	-1.33
0.01875	2.06	10.00	4:56	-1.59	-1.97
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	1115.00	0:00	0.00	0.00
0.038888889	0.00	0.00	16:49	-0.52	-1.32
0	0.00	1128.00	0:00	0.00	0.00
0	0.00	0.00	12:31	-0.59	-1.36
0	0.00	802.00	0:00	0.00	0.00
0	0.00	0.00	4:54	0.00	0.00
0	0.00	683.00	19:21	0.00	0.00
0	0.00	1081.00	3:23	0.00	0.00
0	0.00	1116.00	6:44	0.00	0.00
0.105555556	18.35	117.00	3:46	-0.62	-1.37
0.090972222	13.79	109.00	3:02	0.51	-0.52
0.221527778	16.70	118.00	3:24	1.95	-0.02
0.090972222	15.95	177.00	2:51	0.92	-0.43
0.145138889	12.40	134.00	2:16	0.50	-0.61
0.329861111	10.13	131.00	2:09	8.59	1.26
0.05	16.91	113.00	3:02	-0.39	-1.24
0.131944444	14.18	134.00	2:40	2.02	-0.02
0.217361111	13.91	128.00	2:24	2.02	-0.08
0.572222222	18.30	139.00	3:02	3.73	0.26
0.265972222	17.81	145.00	2:25	3.60	0.49
0.121527778	23.00	176.00	3:08	1.16	-0.36
0.352083333	0.00	3222.00	17:58	-3.01	-2.83
0.246527778	0.00	3864.00	15:14	-2.91	-2.77
0.308333333	0.00	3359.00	18:02	-0.67	-1.41
0.26875	0.00	3423.00	13:49	-2.36	-2.43
0.3	0.00	2818.00	12:52	-2.04	-2.24
0.279861111	0.00	3288.00	15:25	-1.69	-2.03
0.383333333	0.00	2371.00	17:38	-0.64	-1.39
0.266666667	0.00	3254.00	15:18	-2.92	-2.77
0.275694444	0.00	3250.00	15:02	-3.35	-3.03
0.245138889	0.00	3177.00	14:43	-2.16	-2.31
0.285416667	0.00	3393.00	16:26	-2.32	-2.41
0.151388889	0.00	4227.00	19:34	-2.90	-2.76
0.096527778	2.86	9.00	7:38	-0.82	-1.50
0.153472222	1.55	10.00	3:43	0.40	-0.80
0.350694444	0.50	3.00	4:01	0.49	-1.05
0.068055556	1.60	16.00	4:16	-0.07	-1.04
0.161805556	0.30	9.00	0:53	7.43	0.13
0.15625	0.54	8.00	1:51	7.53	0.67
0.468055556	0.21	7.00	0:51	18.99	1.26
1.956944444	1.37	6.00	3:39	8.41	-0.78

0.185416667	0.98	9.00	2:08	1.66	-0.48
0.1125	0.88	11.00	1:55	0.90	-0.65
0.055555556	1.50	11.00	2:15	0.38	-0.64
0.123611111	2.06	10.00	4:56	0.00	-1.02
0	0.00	0.00	0:00	0.00	0.00
0.433	129.00	1272.00	2:26	0.98	-0.49
0	127.00	1317.00	2:18	-0.92	-1.56
0	111.00	1267.00	2:12	-0.78	-1.47
0.3857	98.00	1211.00	1:54	1.25	-0.32
0	96.00	1233.00	2:19	-1.03	-1.63
0.3727	139.00	988.00	2:25	0.53	-0.68
0.213	113.00	1375.00	2:08	-0.66	-1.40
0.2764	90.00	1267.00	1:53	0.06	-0.91
0.3727	114.00	1146.00	2:06	0.96	-0.45
0	118.00	1294.00	2:14	-0.64	-1.39
0	113.00	1412.00	1:55	-0.97	-1.59
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	73.00	10.96%	-0.35	-1.21
0	8.00	63.00	12.70%	-0.38	-1.23
0	0.00	81.00	0.00%	0.00	0.00
0	8.00	0.00	13.33%	-0.55	-1.33
0	0.00	60.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	2.86%	0.00	0.00
0	3.00	70.00	4.11%	0.00	0.00
0	5.00	73.00	6.17%	-0.25	-1.15
0	3.00	76.00	3.95%	-0.20	-1.12
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	92.00	10.87%	-0.35	-1.21
0.4714	16.00	109.00	14.68%	0.90	-0.55
0	9.00	114.00	7.44%	-0.40	-1.24
0	5.00	121.00	4.24%	-0.41	-1.25
0.5	11.00	118.00	10.48%	2.53	0.12
0	12.00	105.00	9.60%	-0.46	-1.28
0.4714	7.00	125.00	7.29%	1.71	-0.28
0	10.00	96.00	7.14%	-0.28	-1.17
0	13.00	140.00	10.57%	0.00	0.00
0	12.00	123.00	10.53%	-0.48	-1.29
0	6.00	117.00	5.13%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	163.00	903.00	18.05%	-1.05	-1.64
0.4899	160.00	830.00	19.28%	1.17	-0.37
0.4	97.00	857.00	15.65%	0.27	-0.82
0	112.00	620.00	13.69%	-0.56	-1.34
0.433	61.00	818.00	10.63%	0.93	-0.52
0.4157	74.00	574.00	12.80%	0.84	-0.51
0.4157	78.00	578.00	9.59%	1.28	-0.31
0.3	56.00	813.00	10.87%	-0.09	-1.05
0.3307	125.00	515.00	13.98%	-0.17	-1.10
0.2421	105.00	894.00	12.25%	-0.73	-1.44
0.4714	101.00	796.00	12.69%	1.51	-0.22

0	0.00	0.00	0.00%	0.00	0.00
0	163.00	903.00	18.05%	-1.15	-1.70
0	160.00	830.00	19.28%	-0.69	-1.42
0	97.00	857.00	15.65%	-0.74	-1.45
0.2665	112.00	620.00	13.69%	-0.62	-1.38
0	61.00	818.00	10.63%	-0.84	-1.51
0.5	74.00	574.00	12.80%	1.57	-0.31
0	78.00	578.00	9.59%	-0.73	-1.44
0	56.00	813.00	10.87%	-0.70	-1.42
0	125.00	515.00	13.98%	-0.70	-1.42
0	105.00	894.00	12.25%	-1.05	-1.64
0.3499	101.00	796.00	12.69%	0.13	-0.89
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	16.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	6.45%	0.00	0.00
0	0.00	31.00	0.00%	0.00	0.00
0	1.00	20.00	6.25%	0.00	0.00
0	1.00	25.00	4.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1373	920.00	10580.00	8.70%	-1.73	-2.05
0.2083	998.00	10702.00	9.33%	-1.09	-1.66
0.149	815.00	11326.00	8.81%	-1.53	-1.93
0.2215	894.00	9246.00	8.58%	-0.92	-1.56
0	693.00	10416.00	8.49%	-1.82	-2.11
0.2375	1031.00	8161.00	8.82%	-0.70	-1.43
0.2039	1045.00	11686.00	9.22%	-1.14	-1.69
0.1443	884.00	11330.00	8.69%	-1.59	-1.97
0.3022	921.00	10167.00	8.38%	0.49	-0.68
0.3307	1053.00	10985.00	9.30%	0.70	-0.57
0.2061	1198.00	13893.00	8.62%	-1.00	-1.61
0	0.00	0.00	0.00%	0.00	0.00
0.3727	1049.00	11852.00	8.85%	0.95	-0.46
0.3499	1125.00	12019.00	9.36%	0.63	-0.61
0.3499	926.00	12593.00	8.86%	0.71	-0.57
0.2039	992.00	10457.00	8.52%	-0.72	-1.43
0.3552	789.00	11649.00	8.62%	1.14	-0.34
0.2875	1170.00	9149.00	8.96%	0.03	-0.94
0.2903	1158.00	13061.00	9.19%	0.08	-0.95
0.2705	974.00	12597.00	8.61%	-0.50	-1.31
0.2603	1035.00	11313.00	8.43%	-0.90	-1.55
0.2665	1171.00	12279.00	9.30%	-1.24	-1.75
0.2853	1311.00	15305.00	8.57%	0.31	-0.81
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	114.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	12.00	0.00	9.60%	1.92	-0.22
0.3499	7.00	125.00	7.29%	0.69	-0.64
0	10.00	96.00	7.14%	-0.55	-1.33
0	13.00	140.00	10.57%	-0.59	-1.36
0	12.00	123.00	10.53%	-0.34	-1.21
0.4714	6.00	117.00	5.13%	2.19	-0.16
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	81.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	0.00	3.49%	-0.48	-1.29
0	7.00	86.00	7.14%	-1.03	-1.63
0.3307	2.00	98.00	2.86%	2.09	-0.16
0	3.00	70.00	4.11%	-0.64	-1.39
0	5.00	73.00	6.17%	-0.98	-1.60
0	3.00	76.00	3.95%	-0.70	-1.42
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	31.00	309.00	10.03%	-0.47	-1.29
0	21.00	294.00	9.42%	-0.32	-1.20
0	18.00	223.00	7.20%	-0.28	-1.17
0	11.00	250.00	5.19%	-0.23	-1.14
0.4	26.00	212.00	9.12%	0.84	-0.55
0	12.00	285.00	5.08%	-0.23	-1.14
0	23.00	236.00	7.99%	-0.59	-1.36
0	19.00	288.00	6.93%	0.00	0.00
0	20.00	274.00	6.80%	-0.38	-1.23
0	26.00	360.00	7.22%	-0.28	-1.17
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	14.00	0.00%	0.00	0.00
0	2.00	0.00	8.33%	-0.30	-1.18
0	0.00	24.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	11.00	6.25%	0.00	0.00
0	1.00	16.00	7.14%	0.00	0.00
0	0.00	20.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2665	308.00	3214.00	9.58%	-0.23	-1.14
0.4714	263.00	2793.00	9.42%	2.00	-0.04
0.2875	225.00	2616.00	9.68%	-0.07	-1.04
0	252.00	2325.00	9.37%	-0.91	-1.55
0.2875	163.00	2690.00	8.53%	0.07	-0.91
0.2875	293.00	1911.00	10.90%	-0.19	-1.12
0	260.00	2687.00	9.69%	-1.03	-1.63

0.3307	245.00	2684.00	9.88%	0.25	-0.81
0.3727	330.00	2480.00	12.13%	0.34	-0.77
0	255.00	2721.00	9.75%	-0.66	-1.40
0	309.00	3369.00	9.17%	-0.78	-1.47
0	0.00	0.00	0.00%	0.00	0.00
0.3608	333.00	3523.00	9.45%	0.73	-0.56
0.433	294.00	3102.00	9.48%	1.06	-0.46
0	246.00	2910.00	9.65%	-0.86	-1.53
0	270.00	2548.00	9.18%	-0.71	-1.43
0	174.00	2940.00	8.20%	-0.89	-1.54
0	319.00	2123.00	10.73%	-1.34	-1.81
0.2653	272.00	2972.00	9.32%	-0.59	-1.36
0.2863	268.00	2920.00	9.68%	-0.24	-1.14
0.2604	349.00	2768.00	11.65%	-1.47	-1.89
0.3411	275.00	2995.00	9.45%	1.46	-0.14
0.2959	335.00	3729.00	8.98%	0.31	-0.79
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	9.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	3.00	0.00	27.27%	0.00	0.00
0	1.00	11.00	25.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	6.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	52.00	489.00	10.63%	-0.77	-1.47
0	50.00	428.00	11.68%	-0.51	-1.31
0	39.00	599.00	9.26%	-0.32	-1.19
0.3499	43.00	421.00	9.35%	0.45	-0.72
0	43.00	460.00	11.23%	-0.61	-1.37
0.4	55.00	383.00	11.93%	0.55	-0.68
0	52.00	461.00	10.90%	-0.78	-1.47
0.5	62.00	477.00	13.08%	2.18	0.03
0	60.00	474.00	11.21%	-0.50	-1.31
0	74.00	535.00	12.35%	-0.38	-1.23
0	67.00	633.00	10.58%	-0.84	-1.51
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	48.00	6.25%	-0.36	-1.22
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	62.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	0.00	5.88%	-0.25	-1.15
0	0.00	51.00	0.00%	0.00	0.00
0	13.00	0.00	22.03%	-0.53	-1.32
0	6.00	59.00	11.11%	-0.60	-1.36
0	10.00	54.00	16.13%	2.26	-0.15
0	5.00	61.00	8.20%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	425.00	3960.00	10.73%	-0.60	-1.36
0.4714	439.00	2222.00	10.77%	1.78	-0.12
0.5	269.00	4076.00	9.69%	1.93	-0.21
0.5	138.00	2775.00	11.66%	1.69	-0.27
0	205.00	1184.00	13.03%	-0.55	-1.33
0	181.00	1573.00	11.93%	-0.52	-1.32
0	168.00	1517.00	10.94%	0.00	0.00
0.3143	323.00	1536.00	14.21%	-0.27	-1.16
0.4979	309.00	2273.00	13.91%	3.02	0.52
0.4841	368.00	2517.00	14.62%	2.58	0.37
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	425.00	3960.00	10.73%	-0.69	-1.42
0	439.00	2222.00	10.77%	-0.69	-1.42
0	269.00	4076.00	9.69%	3.05	0.01
0	138.00	2775.00	11.66%	-0.51	-1.31
0.5	205.00	1184.00	13.03%	1.55	-0.32
0	181.00	1573.00	11.93%	-0.64	-1.39
0	168.00	1517.00	10.94%	-0.70	-1.43
0	323.00	1536.00	14.21%	-0.81	-1.49
0	309.00	2273.00	13.91%	0.00	0.00
0	368.00	2517.00	14.62%	-0.72	-1.44
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	55.00	3.64%	-0.19	-1.12
0	1.00	25.00	4.00%	-0.20	-1.12
0	0.00	40.00	0.00%	0.00	0.00
0	1.00	0.00	3.70%	-0.19	-1.12
0	0.00	27.00	0.00%	0.00	0.00
0	3.00	0.00	10.00%	-0.33	-1.20
0	0.00	30.00	0.00%	0.00	0.00
0	4.00	0.00	9.09%	0.00	0.00
0	1.00	44.00	3.33%	-0.18	-1.11
0	2.00	30.00	5.00%	0.00	0.00
0	5.00	57.00	8.77%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3727	344.00	2459.00	13.99%	0.27	-0.81
0	327.00	2241.00	14.59%	-1.30	-1.79
0	302.00	3611.00	14.24%	-0.91	-1.55
0.4454	324.00	2121.00	13.13%	1.39	-0.24
0.433	265.00	2467.00	13.24%	0.69	-0.61
0.4	265.00	2002.00	12.13%	0.54	-0.68
0	305.00	2185.00	12.31%	-0.84	-1.51
0.4	318.00	2478.00	11.84%	0.80	-0.53
0	448.00	2686.00	14.50%	-1.01	-1.61
0.3	515.00	3090.00	14.26%	-0.38	-1.23
0.3	450.00	3517.00	12.79%	-0.26	-1.16
0	0.00	0.00	0.00%	0.00	0.00
0.3727	396.00	2948.00	13.43%	0.23	-0.83
0	377.00	2669.00	14.13%	-0.70	-1.43
0.4	341.00	4210.00	13.41%	0.43	-0.73

0.433	367.00	2542.00	12.54%	0.75	-0.59
0.3499	308.00	2927.00	12.91%	0.11	-0.89
0.2291	320.00	2385.00	12.09%	-0.85	-1.52
0.3227	357.00	2646.00	12.08%	-0.09	-1.06
0.3053	380.00	2955.00	12.03%	-0.55	-1.33
0.3589	508.00	3160.00	14.01%	0.42	-0.74
0.345	589.00	3625.00	13.99%	-0.07	-1.04
0.3713	517.00	4150.00	12.46%	1.79	0.05
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	62.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	2.00	0.00	5.26%	2.10	-0.23
0.5	13.00	38.00	22.03%	0.94	-0.55
0.4714	6.00	59.00	11.11%	1.19	-0.45
0.4714	10.00	54.00	16.13%	0.79	-0.60
0	5.00	61.00	8.20%	-0.58	-1.35
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	37.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4	7.00	0.00	13.21%	0.43	-0.77
0.4899	4.00	53.00	8.70%	2.36	0.02
0	5.00	46.00	20.00%	-1.29	-1.78
0	4.00	25.00	10.00%	-0.64	-1.39
0.3727	3.00	40.00	8.11%	0.71	-0.66
0.3499	4.00	57.00	7.02%	0.71	-0.64
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	211.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	16.00	0.00	9.94%	-0.57	-1.35
0	18.00	161.00	13.85%	0.00	0.00
0	28.00	130.00	16.57%	0.00	0.00
0	22.00	169.00	10.43%	-0.48	-1.29
0.4899	26.00	217.00	11.98%	3.27	0.48
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	141.00	0.00%	0.00	0.00
0	17.00	0.00	12.78%	-0.38	-1.23
0	8.00	133.00	6.78%	-0.27	-1.16
0	0.00	118.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0.3143	0.00	11.00	0.00%	0.00	-0.56
0	3.00	10.00	30.00%	-1.27	-1.77
0	0.00	3.00	0.00%	0.00	0.00
0	1.00	3.00	14.29%	-0.70	-1.42
0	0.00	7.00	0.00%	0.00	0.00
0.2875	0.00	8.00	0.00%	0.00	-0.92
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	7.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4	441.00	3561.00	12.38%	0.52	-0.69
0	473.00	3726.00	12.69%	-1.26	-1.77
0.3	427.00	2383.00	11.87%	-0.18	-1.11
0.3	305.00	3596.00	11.00%	-0.10	-1.06
0.4	151.00	2773.00	10.50%	0.69	-0.61
0.3307	182.00	1438.00	11.26%	0.11	-0.89
0.433	191.00	1616.00	10.15%	0.98	-0.49
0.3499	175.00	1882.00	11.13%	0.26	-0.81
0	316.00	1572.00	13.12%	-0.87	-1.53
0	286.00	2409.00	12.00%	0.00	0.00
0	350.00	2552.00	13.71%	-0.40	-1.24
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	-0.24
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	1.00	0.00	33.33%	-0.61	-1.37
0	0.00	3.00	0.00%	0.00	0.00
0.5	0.00	8.00	0.00%	0.00	-0.32
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	6.00	59.00	10.17%	-0.89	-1.54
0	4.00	60.00	6.67%	-1.27	-1.77
0.2386	10.00	88.00	14.29%	-1.11	-1.68
0.1666	6.00	70.00	9.84%	-1.11	-1.67
0.1889	11.00	61.00	14.67%	-1.38	-1.84
0.3182	7.00	75.00	12.96%	-0.21	-1.13
0.3168	18.00	54.00	20.22%	-1.28	-1.78
0.1856	6.00	89.00	9.68%	-0.91	-1.55
0	17.00	62.00	20.00%	-2.35	-2.43
0.2799	10.00	85.00	11.36%	-0.44	-1.27
0.3195	13.00	106.00	12.26%	-0.10	-1.06
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	21.00	147.00	14.29%	-0.41	-1.25
0	0.00	141.00	0.00%	0.00	0.00

0	17.00	0.00	12.78%	-0.54	-1.33
0	8.00	133.00	6.78%	-0.27	-1.16
0	0.00	118.00	0.00%	0.00	0.00
0	18.00	0.00	13.14%	-0.39	-1.24
0	21.00	137.00	14.58%	0.00	0.00
0	25.00	144.00	16.56%	0.00	0.00
0	15.00	151.00	10.64%	-0.48	-1.29
0	17.00	171.00	9.94%	-0.33	-1.20
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	427.00	2388.00	11.87%	-0.52	-1.32
0	0.00	3596.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	191.00	0.00	10.15%	-0.34	-1.20
0	175.00	1882.00	11.12%	0.00	0.00
0	316.00	1574.00	13.11%	-0.39	-1.24
0	286.00	2411.00	11.98%	0.00	0.00
0	350.00	2554.00	13.70%	-0.40	-1.24
0	0.00	0.00	0.00%	0.00	0.00
0.292	17.00	127.00	13.39%	-0.83	-1.51
0.376	21.00	147.00	14.29%	0.59	-0.66
0.38	10.00	141.00	10.42%	1.53	-0.19
0.3529	17.00	96.00	12.78%	0.40	-0.77
0.3213	8.00	133.00	6.78%	1.33	-0.30
0.3383	21.00	118.00	14.48%	-0.28	-1.17
0.3686	18.00	145.00	13.14%	0.63	-0.63
0.3499	21.00	137.00	14.58%	-0.06	-1.04
0.4129	25.00	144.00	16.56%	1.01	-0.42
0.3877	15.00	151.00	10.64%	1.77	-0.05
0.3872	17.00	171.00	9.94%	2.22	0.17
0	0.00	0.00	0.00%	0.00	0.00
0.2103	1375.00	14361.00	9.57%	-2.32	-2.41
0.2504	1449.00	14339.00	10.11%	-1.77	-2.08
0.2665	1207.00	16236.00	9.54%	-0.84	-1.51
0.2454	1296.00	12657.00	9.16%	-1.33	-1.81
0.289	1054.00	14153.00	9.39%	-0.09	-1.05
0.2441	1432.00	11220.00	9.33%	-1.50	-1.91
0.2443	1474.00	15353.00	9.75%	-1.61	-1.98
0.3069	1287.00	15124.00	9.20%	0.66	-0.59
0.2403	1469.00	13983.00	9.51%	-1.59	-1.97
0.2044	1664.00	15443.00	10.25%	-2.91	-2.77
0.2674	1752.00	18872.00	9.28%	-0.84	-1.51
0	0.00	0.00	0.00%	0.00	0.00
0.3941	6.00	59.00	10.17%	1.27	-0.33
0.325	4.00	60.00	6.67%	0.90	-0.53
0.3399	10.00	88.00	14.29%	-0.10	-1.06
0	6.00	70.00	9.84%	-1.37	-1.83
0.3927	11.00	61.00	14.67%	0.50	-0.71
0.3	7.00	75.00	12.96%	-0.34	-1.20
0.2764	18.00	54.00	20.22%	-1.29	-1.78

0.3499	6.00	89.00	9.68%	0.53	-0.70
0.2353	17.00	62.00	20.00%	-1.33	-1.81
0.3499	10.00	85.00	11.36%	0.23	-0.86
0	13.00	106.00	12.26%	-1.43	-1.87
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	18.00	162.00	11.11%	-0.35	-1.21
0	22.00	108.00	18.33%	-0.47	-1.29
0	0.00	120.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	13.00	0.00	12.38%	0.00	0.00
0	16.00	105.00	17.98%	0.00	0.00
0	15.00	89.00	13.89%	0.00	0.00
0	13.00	103.00	12.62%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	15.00	108.00	13.89%	-0.56	-1.34
0	0.00	0.00	0.00%	0.00	0.00
0.3307	17.00	177.00	14.41%	-0.15	-1.09
0	0.00	118.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	16.00	0.00	12.50%	-0.38	-1.23
0	21.00	128.00	15.11%	0.00	0.00
0	37.00	139.00	25.52%	0.00	0.00
0	19.00	145.00	10.73%	0.00	0.00
0	24.00	176.00	13.64%	-0.40	-1.24
0	0.00	0.00	0.00%	0.00	0.00
0.4714	15.00	108.00	13.89%	1.85	-0.04
0.3069	21.00	118.00	17.80%	-0.77	-1.47
0.4	17.00	177.00	14.41%	0.35	-0.79
0.4583	11.00	118.00	8.40%	3.24	0.51
0.4714	11.00	131.00	9.73%	2.90	0.37
0.2494	15.00	113.00	11.19%	-0.53	-1.32
0	16.00	134.00	12.50%	-0.53	-1.32
0	21.00	128.00	15.11%	-1.09	-1.66
0.4103	37.00	139.00	25.52%	-0.34	-1.20
0	19.00	145.00	10.73%	-1.16	-1.71
0	24.00	176.00	13.64%	-1.48	-1.90
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	8.00	7.14%	-0.37	-1.22
0	0.00	14.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	10.00%	0.00	0.00
0	0.00	10.00	0.00%	0.00	0.00
0	0.00	13.00	0.00%	0.00	0.00
0	2.00	12.00	16.67%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0.4	0.00	2.00	0.00%	0.00	-0.84
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	2.00	20.00%	-0.46	-1.28
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	168.00	1422.00	11.81%	-0.37	-1.22
0	156.00	1115.00	11.49%	-0.36	-1.22
0	0.00	1358.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	139.00	0.00	17.33%	2.25	0.06
0	0.00	802.00	0.00%	0.00	0.00
0	76.00	0.00	11.13%	-0.35	-1.21
0	174.00	683.00	16.10%	-0.44	-1.27
0	175.00	1081.00	15.70%	0.00	0.00
0	171.00	1116.00	15.32%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	177.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	16.00	0.00	12.50%	-0.38	-1.23
0	21.00	128.00	15.11%	0.00	0.00
0	37.00	139.00	25.52%	-0.58	-1.35
0	19.00	145.00	10.73%	0.00	0.00
0	24.00	176.00	13.64%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	10.00	20.00%	-0.65	-1.39
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	16.00	0.00%	0.00	0.00

0	3.00	9.00	37.50%	-1.26	-1.77
0	0.00	8.00	0.00%	0.00	0.00
0	1.00	7.00	16.67%	-0.69	-1.42
0	0.00	6.00	0.00%	0.00	0.00
0	2.00	9.00	18.18%	-0.93	-1.56
0.4518	4.00	11.00	36.36%	-0.34	-1.20
0	1.00	11.00	6.25%	-0.34	-1.21
0	4.00	10.00	40.00%	-1.38	-1.84
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1115.00	0.00%	0.00	0.00
0.5	117.00	0.00	10.37%	2.59	0.15
0	0.00	1128.00	0.00%	0.00	0.00
0	139.00	0.00	17.33%	-0.46	-1.28
0	0.00	802.00	0.00%	0.00	0.00
0	76.00	0.00	11.13%	0.00	0.00
0	174.00	683.00	16.10%	0.00	0.00
0	175.00	1081.00	15.70%	0.00	0.00
0	171.00	1116.00	15.32%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	15.00	108.00	13.89%	-1.37	-1.83
0.3857	21.00	118.00	17.80%	0.04	-0.96
0.3307	17.00	177.00	14.41%	-0.15	-1.09
0	11.00	118.00	8.40%	-0.96	-1.59
0.4479	11.00	131.00	9.73%	2.40	0.18
0.4	15.00	113.00	11.19%	0.61	-0.66
0.2575	16.00	134.00	12.50%	-0.58	-1.35
0	21.00	128.00	15.11%	-1.40	-1.85
0.3727	37.00	139.00	25.52%	-0.68	-1.41
0.3	19.00	145.00	10.73%	-0.07	-1.04
0.3727	24.00	176.00	13.64%	0.41	-0.74
0	0.00	0.00	0.00%	0.00	0.00
0	403.00	3962.00	10.17%	-1.64	-2.00
0.2039	347.00	3451.00	10.06%	-0.91	-1.55
0	306.00	3477.00	10.59%	-1.88	-2.14
0	333.00	2890.00	9.90%	-1.72	-2.04
0.2494	217.00	3363.00	8.90%	-0.30	-1.18
0.3903	377.00	2437.00	11.33%	0.93	-0.45
0.2353	313.00	3326.00	9.35%	-0.49	-1.30
0	335.00	3348.00	10.28%	-1.72	-2.05
0.2875	423.00	3258.00	12.24%	-0.45	-1.27
0.2291	371.00	3456.00	10.67%	-0.70	-1.43
0.2233	411.00	4312.00	9.53%	-0.63	-1.38
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	10.00	20.00%	-1.09	-1.66
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	16.00	0.00%	0.00	0.00
0.3307	3.00	9.00	37.50%	-1.03	-1.63
0.3499	0.00	8.00	0.00%	0.00	-0.63
0.5	1.00	7.00	16.67%	1.39	-0.43
0.3	0.00	6.00	0.00%	0.00	-0.61

0.4	2.00	9.00	18.18%	0.09	-1.00
0.3307	4.00	11.00	36.36%	-1.07	-1.65
0	1.00	11.00	6.25%	-0.57	-1.35
0.3307	4.00	10.00	40.00%	-1.18	-1.72
0	59.00	7934.00	0.74%	-0.29	-1.17
0	69.00	8019.00	0.86%	-0.31	-1.19
0	63.00	8119.00	0.78%	-0.29	-1.18
0	80.00	9367.00	0.96%	-0.34	-1.21
0	69.00	8362.00	0.81%	-0.31	-1.19
0	82.00	8472.00	0.95%	-0.34	-1.21
0	60.00	8623.00	0.69%	-0.29	-1.18
0	98.00	8658.00	1.11%	-0.37	-1.22
0	73.00	8804.00	0.82%	-0.31	-1.19
0	96.00	8912.00	1.04%	-0.38	-1.23
0	104.00	9266.00	1.11%	-0.42	-1.26
0	116.00	9533.00	1.22%	-0.48	-1.29
0.05	2079.00	324549.00	0.64%	-2.38	-2.45
0.0611	2070.00	323380.00	0.64%	-1.62	-1.98
0.0709	2054.00	322130.00	0.64%	-0.81	-1.49
0.058	1855.00	321346.00	0.58%	-1.53	-1.93
0.0859	1943.00	321692.00	0.61%	0.90	-0.45
0.0663	1583.00	321023.00	0.49%	-0.43	-1.26
0.0693	2121.00	320073.00	0.66%	-1.27	-1.77
0.0792	1980.00	320371.00	0.62%	0.12	-0.92
0.0689	1908.00	321192.00	0.59%	-0.98	-1.59
0.064	2103.00	321417.00	0.65%	-1.74	-2.06
0.0451	2160.00	321993.00	0.67%	-3.34	-3.03
0.0717	2405.00	321276.00	0.75%	-1.58	-1.96
0	118.00	71260.00	0.17%	-0.85	-1.52
0.0478	114.00	71433.00	0.16%	0.36	-0.74
0.0474	106.00	71610.00	0.15%	0.42	-0.71
0	104.00	75933.00	0.14%	-0.80	-1.49
0.0665	104.00	71751.00	0.14%	1.70	-0.15
0	132.00	73135.00	0.18%	-0.90	-1.55
0	143.00	73983.00	0.19%	-0.94	-1.57
0	149.00	74096.00	0.20%	-0.96	-1.58
0	106.00	74529.00	0.14%	-1.09	-1.66
0	117.00	74926.00	0.16%	-1.14	-1.69
0.0478	127.00	75295.00	0.17%	0.45	-0.73
0.0477	139.00	77362.00	0.18%	0.34	-0.79
0.0767	162.00	48651.00	0.33%	1.29	-0.21
0.0635	153.00	49594.00	0.31%	0.47	-0.71
0.0671	155.00	50445.00	0.31%	0.67	-0.59
0.0556	176.00	54032.00	0.35%	-0.16	-1.10
0.0874	183.00	50735.00	0.36%	1.75	0.07
0.0782	151.00	51204.00	0.29%	1.51	-0.08
0.0708	195.00	51431.00	0.38%	0.50	-0.69
0.0782	147.00	51791.00	0.28%	1.38	-0.24
0.066	210.00	52175.00	0.40%	0.14	-0.87
0.1017	193.00	52821.00	0.36%	1.93	-0.02
0.1017	190.00	53468.00	0.35%	1.98	0.00
0	198.00	54640.00	0.36%	-0.95	-1.57

0	348.00	133060.00	0.26%	-1.35	-1.82
0	332.00	131359.00	0.25%	-1.39	-1.85
0.0344	369.00	129584.00	0.28%	-0.90	-1.55
0.0344	328.00	103807.00	0.25%	-0.78	-1.47
0	327.00	129513.00	0.25%	-1.46	-1.89
0	228.00	128350.00	0.18%	-1.22	-1.74
0	273.00	128965.00	0.25%	-1.12	-1.68
0.0765	259.00	109555.00	0.24%	1.63	-0.01
0	235.00	109398.00	0.22%	-1.06	-1.64
0	258.00	107647.00	0.24%	-1.13	-1.69
0.0574	319.00	106265.00	0.31%	0.11	-0.94
0.09	320.00	104336.00	0.31%	2.28	0.38
0.1132	261.00	14814.00	1.76%	-0.31	-1.19
0.1571	235.00	14845.00	1.58%	0.67	-0.58
0	265.00	14749.00	1.80%	-1.20	-1.73
0.3051	232.00	15888.00	1.49%	6.44	1.59
0.1098	264.00	15589.00	1.67%	-0.32	-1.19
0.1104	231.00	15838.00	1.45%	-0.16	-1.10
0	279.00	15917.00	1.76%	-1.22	-1.74
0.1091	265.00	15866.00	1.67%	-0.33	-1.20
0	283.00	15877.00	1.78%	-1.25	-1.76
0.1054	296.00	15863.00	1.86%	-0.51	-1.31
0	318.00	15921.00	2.00%	-1.51	-1.92
0.1342	347.00	15941.00	2.18%	-0.24	-1.15
0	5.00	1360.00	0.37%	-0.17	-1.10
0.3307	6.00	1369.00	0.44%	5.15	0.27
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1206.00	0.00%	0.00	0.00
0	5.00	0.00	0.41%	-0.06	-1.04
0	0.00	1208.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	0.00	0.83%	0.00	0.00
0	6.00	1209.00	0.50%	0.00	0.00
0	4.00	1211.00	0.33%	0.00	0.00
0	12.00	1206.00	1.00%	0.00	0.00
0	0.00	2744.00	0.00%	0.00	0.00
0	2.00	2646.00	0.08%	-0.64	-1.39
0.0559	0.00	2750.00	0.00%	0.00	0.00
0	1.00	1998.00	0.04%	-0.44	-1.27
0	1.00	2608.00	0.05%	-0.49	-1.30
0	0.00	1978.00	0.00%	0.00	0.00
0	0.00	1966.00	0.00%	0.00	0.00
0.0397	0.00	1968.00	0.00%	0.00	0.00
0	4.00	2031.00	0.20%	-0.98	-1.59
0	0.00	2031.00	0.00%	0.00	0.00
0.0401	1.00	2026.00	0.05%	1.08	-0.34
0	1.00	1993.00	0.05%	-0.49	-1.30
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3069	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1439	261.00	14814.00	1.76%	1.25	-0.24
0.1457	235.00	14845.00	1.58%	2.15	0.31
0.1786	265.00	14749.00	1.80%	5.10	2.10
0.1498	232.00	15888.00	1.49%	2.97	0.80
0.1661	264.00	15589.00	1.67%	4.01	1.44
0.1591	231.00	15838.00	1.45%	4.15	1.52
0.1712	279.00	15917.00	1.76%	4.07	1.47
0.1601	265.00	15866.00	1.67%	3.13	0.90
0.1682	283.00	15877.00	1.78%	3.48	1.11
0.1816	296.00	15863.00	1.86%	4.62	1.81
0.1606	318.00	15921.00	2.00%	1.80	0.09
0.1927	347.00	15941.00	2.18%	4.38	1.66
0	55.00	6713.00	0.82%	-0.24	-1.15
0	41.00	6841.00	0.60%	-0.21	-1.12
0	45.00	6942.00	0.65%	-0.21	-1.13
0	50.00	7907.00	0.70%	-0.30	-1.18
0	55.00	7164.00	0.75%	-0.31	-1.19
0	41.00	7300.00	0.55%	-0.29	-1.18
0	54.00	7434.00	0.71%	-0.31	-1.19
0	49.00	7561.00	0.64%	-0.30	-1.18
0	74.00	7634.00	0.96%	-0.36	-1.22
0	63.00	7689.00	0.81%	-0.31	-1.19
0	67.00	7805.00	0.85%	-0.31	-1.19
0.2875	103.00	8118.00	1.27%	2.32	-0.10
0	27.00	59998.00	0.05%	-0.27	-1.17
0	29.00	59403.00	0.05%	-0.29	-1.17
0	24.00	58085.00	0.04%	-0.26	-1.16
0.1085	32.00	54362.00	0.05%	6.32	0.76
0	27.00	59115.00	0.05%	-0.28	-1.17
0	27.00	58851.00	0.05%	-0.21	-1.13
0	26.00	57929.00	0.05%	-0.21	-1.13
0	21.00	56894.00	0.04%	-0.21	-1.13
0	30.00	55929.00	0.05%	-0.25	-1.15
0	41.00	55571.00	0.07%	-0.31	-1.19
0	23.00	55178.00	0.04%	-0.26	-1.16
0	27.00	53164.00	0.05%	-0.28	-1.17
0.0242	19479.00	1744411.00	1.12%	-8.29	-6.04
0.0265	18323.00	1751970.00	1.05%	-8.06	-5.90
0.033	17790.00	1756510.00	1.01%	-7.72	-5.69
0.0379	15547.00	1788456.00	0.88%	-6.88	-5.18
0.0224	17516.00	1762850.00	0.99%	-8.45	-6.14
0.027	13657.00	1767448.00	0.77%	-7.22	-5.39
0.0359	18679.00	1770661.00	1.05%	-8.33	-6.06
0.0349	18472.00	1775455.00	1.04%	-8.56	-6.20

0.0324	17241.00	1779098.00	0.97%	-8.56	-6.20
0.05	18899.00	1783492.00	1.06%	-7.86	-5.78
0.0511	19713.00	1788541.00	1.10%	-8.14	-5.95
0.0458	23184.00	1792923.00	1.29%	-9.77	-6.94
0.0742	4750.00	190801.00	2.49%	-3.33	-3.03
0.0897	4820.00	187761.00	2.57%	-3.01	-2.83
0.09	5148.00	185112.00	2.78%	-3.23	-2.97
0.0972	4956.00	160818.00	2.71%	-2.93	-2.78
0.1385	3901.00	182607.00	2.15%	-0.35	-1.21
0.1064	2015.00	181791.00	1.12%	0.05	-0.97
0.0758	2419.00	179164.00	1.38%	-1.80	-2.09
0.1085	2651.00	175633.00	1.55%	-0.74	-1.45
0.1085	2257.00	171424.00	1.34%	-0.34	-1.21
0.1029	3492.00	168218.00	2.12%	-1.85	-2.13
0.1126	3503.00	165080.00	2.18%	-1.53	-1.93
0.1288	3670.00	158014.00	2.32%	-1.03	-1.62
0.0091	3.00	124089.00	0.00%	3.20	0.94
0.008	16.00	126558.00	0.01%	-1.49	-1.90
0.0068	15.00	127566.00	0.01%	-1.79	-2.09
0.0058	5.00	123917.00	0.00%	-0.22	-1.13
0.0074	9.00	128369.00	0.01%	-0.53	-1.32
0.0051	9.00	127701.00	0.01%	-1.46	-1.89
0.0086	6.00	125925.00	0.00%	1.02	-0.38
0.0065	7.00	124233.00	0.01%	-0.53	-1.32
0.0065	4.00	122344.00	0.00%	0.49	-0.70
0.0065	6.00	123982.00	0.00%	-0.23	-1.14
0.0067	8.00	123197.00	0.01%	-0.66	-1.40
0.0081	7.00	123485.00	0.01%	0.31	-0.81
0.0618	49.00	61990.00	0.08%	3.01	0.83
0.0359	80.00	62401.00	0.13%	0.00	-1.00
0.0623	47.00	62697.00	0.07%	3.17	0.93
0	52.00	66800.00	0.08%	-0.79	-1.48
0.036	55.00	63513.00	0.09%	0.41	-0.75
0.0351	57.00	63877.00	0.09%	0.34	-0.79
0.0347	68.00	64646.00	0.10%	0.14	-0.91
0.0348	56.00	64976.00	0.09%	0.35	-0.79
0	80.00	65521.00	0.12%	-1.00	-1.61
0.0602	56.00	65671.00	0.08%	2.74	0.67
0	65.00	66264.00	0.10%	-0.90	-1.55
0	94.00	67758.00	0.14%	-1.09	-1.66
0.0955	4750.00	190801.00	2.49%	-3.77	-3.29
0.0605	4820.00	187761.00	2.57%	-5.11	-4.11
0.0959	5148.00	185112.00	2.78%	-4.04	-3.45
0.0852	4956.00	160818.00	2.71%	-4.27	-3.60
0.0915	3901.00	182607.00	2.15%	-3.08	-2.87
0.0657	2015.00	181791.00	1.12%	-2.22	-2.35
0.0986	2418.00	179164.00	1.38%	-1.13	-1.69
0.0609	2651.00	175633.00	1.55%	-3.11	-2.89
0.0873	2255.00	171424.00	1.34%	-1.60	-1.97
0.0767	3490.00	168218.00	2.11%	-3.36	-3.04
0	3498.00	165080.00	2.18%	-4.63	-3.82
0.0327	3668.00	158014.00	2.32%	-4.48	-3.72

0.1404	17400.00	1419862.00	1.23%	3.90	1.37
0.1547	16253.00	1428590.00	1.14%	6.94	3.22
0.1362	15736.00	1434380.00	1.10%	4.29	1.61
0.1423	13692.00	1467110.00	0.95%	6.20	2.77
0.1542	15573.00	1441158.00	1.08%	7.41	3.50
0.1309	12074.00	1446425.00	0.83%	5.42	2.29
0.1496	16558.00	1450588.00	1.14%	5.82	2.54
0.1385	16492.00	1455084.00	1.13%	4.35	1.65
0.141	15333.00	1457906.00	1.05%	5.45	2.31
0.1486	16796.00	1462075.00	1.15%	5.86	2.56
0.1315	17553.00	1466548.00	1.20%	2.87	0.74
0.1349	20779.00	1471647.00	1.41%	2.15	0.31
0	5.00	1360.00	0.37%	-0.73	-1.44
0.1581	6.00	1369.00	0.44%	3.81	0.49
0.0798	5.00	1368.00	0.37%	0.54	-0.70
0.1386	8.00	1201.00	0.67%	1.83	-0.11
0.1581	5.00	1186.00	0.41%	3.94	0.50
0.1114	4.00	1208.00	0.33%	1.90	-0.15
0	5.00	1203.00	0.42%	-0.76	-1.46
0.0791	4.00	1193.00	0.33%	0.61	-0.67
0.1543	10.00	1206.00	0.83%	2.13	0.03
0.1104	6.00	1204.00	0.50%	1.25	-0.36
0.0776	4.00	1206.00	0.33%	0.57	-0.69
0.0788	12.00	1201.00	1.00%	-0.45	-1.27
0.0739	261.00	14814.00	1.76%	-1.24	-1.75
0	235.00	14845.00	1.58%	-1.67	-2.01
0	265.00	14749.00	1.80%	-1.73	-2.05
0	232.00	15888.00	1.49%	-1.59	-1.97
0	264.00	15589.00	1.67%	-1.67	-2.02
0	231.00	15838.00	1.45%	-1.57	-1.95
0	279.00	15917.00	1.76%	-1.72	-2.05
0.0767	265.00	15866.00	1.67%	-1.09	-1.66
0	283.00	15877.00	1.78%	-1.77	-2.07
0.106	296.00	15863.00	1.86%	-0.71	-1.43
0	318.00	15921.00	2.00%	-1.87	-2.14
0	347.00	15941.00	2.18%	-1.94	-2.18
0.0592	58.00	7898.00	0.73%	-2.05	-2.25
0.0589	69.00	7983.00	0.86%	-2.57	-2.56
0.0666	63.00	8083.00	0.78%	-2.43	-2.48
0.07	80.00	9367.00	0.96%	-3.08	-2.87
0.0698	69.00	8326.00	0.82%	-2.33	-2.42
0.0629	82.00	8433.00	0.96%	-3.67	-3.23
0.071	60.00	8584.00	0.69%	-1.43	-1.87
0.0855	98.00	8658.00	1.11%	-2.29	-2.39
0.0671	73.00	8804.00	0.82%	-2.60	-2.58
0.0709	96.00	8912.00	1.04%	-3.36	-3.04
0.0718	104.00	9266.00	1.11%	-3.60	-3.19
0.0658	116.00	9533.00	1.22%	-4.51	-3.74
0.0727	261.00	14814.00	1.76%	-1.27	-1.77
0	235.00	14845.00	1.58%	-1.73	-2.05
0.0724	265.00	14749.00	1.80%	-1.31	-1.80
0	232.00	15888.00	1.49%	-1.69	-2.03

0.1018	264.00	15589.00	1.67%	-0.67	-1.40
0.072	231.00	15838.00	1.45%	-1.07	-1.65
0	279.00	15917.00	1.76%	-1.84	-2.12
0.0716	265.00	15866.00	1.67%	-1.25	-1.76
0	283.00	15877.00	1.78%	-1.88	-2.14
0	296.00	15863.00	1.86%	-1.92	-2.17
0.1	318.00	15921.00	2.00%	-0.99	-1.60
0.0707	347.00	15941.00	2.18%	-1.61	-1.98
0	4750.00	190801.00	2.49%	-2.64	-2.61
0	4820.00	187761.00	2.57%	-2.70	-2.64
0	5148.00	185112.00	2.78%	-2.87	-2.75
0.0823	4956.00	160818.00	2.71%	-2.14	-2.30
0.1151	3901.00	182607.00	2.15%	-0.96	-1.58
0	2015.00	181791.00	1.12%	-1.86	-2.13
0.0563	2419.00	179164.00	1.38%	-1.61	-1.98
0.0553	2651.00	175633.00	1.55%	-1.81	-2.10
0	2257.00	171424.00	1.34%	-2.14	-2.30
0.0538	3492.00	168218.00	2.12%	-2.35	-2.43
0	3503.00	165080.00	2.18%	-2.81	-2.71
0.0525	3670.00	158014.00	2.32%	-2.58	-2.57
0.125	261.00	14814.00	1.76%	-0.87	-1.53
0.1268	235.00	14845.00	1.58%	0.27	-0.83
0.1348	265.00	14749.00	1.80%	0.27	-0.84
0.1207	232.00	15888.00	1.49%	-0.05	-1.03
0.1344	264.00	15589.00	1.67%	0.88	-0.46
0.1274	231.00	15838.00	1.45%	1.08	-0.34
0.1283	279.00	15917.00	1.76%	-0.42	-1.25
0.1231	265.00	15866.00	1.67%	-0.66	-1.40
0.1291	283.00	15877.00	1.78%	-0.43	-1.26
0.126	296.00	15863.00	1.86%	-1.17	-1.71
0.1242	318.00	15921.00	2.00%	-1.99	-2.21
0.1487	347.00	15941.00	2.18%	0.38	-0.77
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3307	5.00	1368.00	0.37%	5.67	0.31
0	0.00	1201.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	0.00	0.83%	0.00	0.00
0	6.00	1204.00	0.50%	0.00	0.00
0	4.00	1206.00	0.33%	0.00	0.00
0	12.00	1201.00	1.00%	0.00	0.00
0.0521	2.00	67.00	2.99%	-1.30	-1.79
0.0675	2.00	73.00	2.74%	-1.19	-1.72
0.152	4.00	74.00	5.41%	-0.96	-1.59
0	3.00	92.00	4.00%	-1.47	-1.89
0.1069	2.00	75.00	2.60%	-0.66	-1.40
0.1298	2.00	77.00	2.47%	-0.36	-1.22
0.197	3.00	81.00	3.66%	0.15	-0.97
0.1538	5.00	82.00	5.88%	-1.10	-1.67

0.0776	4.00	85.00	4.65%	-1.44	-1.88
0.1328	2.00	86.00	2.27%	-0.24	-1.15
0.1336	4.00	88.00	4.35%	-0.95	-1.58
0.1336	0.00	0.00	0.00%	0.00	0.00
0.0662	19479.00	1744411.00	1.12%	-16.17	-10.83
0.0605	18323.00	1751970.00	1.05%	-15.98	-10.72
0.0697	17790.00	1756510.00	1.01%	-12.25	-8.45
0.0611	15547.00	1788456.00	0.88%	-12.69	-8.71
0.0635	17516.00	1762850.00	0.99%	-13.87	-9.43
0.0577	13657.00	1767448.00	0.77%	-11.68	-8.10
0.0645	18679.00	1770661.00	1.05%	-14.52	-9.83
0.0625	18472.00	1775455.00	1.04%	-14.90	-10.06
0.0645	17241.00	1779098.00	0.97%	-13.12	-8.98
0.062	18899.00	1783492.00	1.06%	-15.32	-10.31
0.0663	19713.00	1788541.00	1.10%	-14.76	-9.98
0.0704	23184.00	1792923.00	1.29%	-16.37	-10.95
0.1004	58.00	7898.00	0.73%	1.42	-0.14
0.1204	69.00	7983.00	0.86%	2.80	0.70
0.1109	63.00	8083.00	0.78%	2.29	0.39
0.0884	80.00	9297.00	0.96%	-0.76	-1.46
0.1133	69.00	8326.00	0.82%	2.34	0.42
0.1051	82.00	8433.00	0.96%	0.73	-0.55
0.0971	60.00	8584.00	0.70%	1.36	-0.18
0.1148	98.00	8619.00	1.12%	0.92	-0.44
0.0854	73.00	8763.00	0.82%	-0.44	-1.27
0.0972	96.00	8850.00	1.04%	-0.40	-1.24
0.0724	104.00	9198.00	1.12%	-2.56	-2.56
0.0961	116.00	9460.00	1.23%	-1.22	-1.74
0.0716	19479.00	1744411.00	1.12%	-3.90	-3.37
0.0796	18323.00	1751970.00	1.05%	-2.80	-2.70
0.0643	17790.00	1756510.00	1.01%	-4.24	-3.58
0.0696	15547.00	1788456.00	0.88%	-3.08	-2.87
0.0751	17516.00	1762850.00	0.99%	-3.21	-2.95
0.0848	13657.00	1767448.00	0.77%	-0.42	-1.25
0.0811	18679.00	1770661.00	1.05%	-4.10	-3.49
0.09	18472.00	1775455.00	1.04%	-6.54	-4.98
0.0863	17241.00	1779098.00	0.97%	-6.65	-5.04
0.0901	18899.00	1783492.00	1.06%	-7.06	-5.29
0.0908	19713.00	1788541.00	1.10%	-7.93	-5.82
0.096	23184.00	1792923.00	1.29%	-9.91	-7.02
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	54032.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1166	195.00	0.00	0.38%	1.97	-0.05
0.0905	147.00	51791.00	0.28%	3.53	1.15
0.0696	210.00	52175.00	0.40%	0.49	-0.70
0.0662	193.00	52821.00	0.36%	0.48	-0.71
0.0543	190.00	53468.00	0.35%	-0.35	-1.21
0.0703	198.00	54640.00	0.36%	0.83	-0.50

0	118.00	71260.00	0.17%	-0.04	-1.02
0	114.00	71433.00	0.16%	-0.04	-1.02
0	106.00	71610.00	0.15%	-0.04	-1.02
0	104.00	75933.00	0.14%	-0.04	-1.02
0	104.00	71751.00	0.14%	-0.04	-1.02
0	132.00	73135.00	0.18%	-0.07	-1.04
0.0757	143.00	73983.00	0.19%	4.09	1.49
0.0595	149.00	74096.00	0.20%	2.57	0.56
0.064	106.00	74529.00	0.14%	5.39	2.27
0.0485	117.00	74926.00	0.16%	1.56	-0.05
0.0605	127.00	75295.00	0.17%	3.80	1.31
0.0559	139.00	77362.00	0.18%	2.48	0.50
0	1222.00	1309.00	93.35%	-0.53	-1.32
0	1172.00	1272.00	92.14%	-0.58	-1.35
0.3307	1177.00	1317.00	89.37%	0.17	-0.86
0.3727	1115.00	1267.00	92.07%	0.79	-0.56
0.481	1135.00	1211.00	92.05%	3.47	0.59
0.4	915.00	1233.00	92.61%	1.52	-0.21
0	1219.00	988.00	88.65%	-0.87	-1.53
0.3927	1118.00	1375.00	88.24%	1.03	-0.40
0.3727	1047.00	1267.00	91.36%	0.98	-0.44
0.2764	1175.00	1146.00	90.80%	-0.10	-1.06
0	1166.00	1294.00	92.03%	-0.59	-1.36
0	1254.00	1412.00	88.81%	-1.17	-1.71
0	0.00	0.00	0.00%	0.00	0.00
0	54.00	66.00	81.82%	2.11	-0.19
0	44.00	61.00	72.13%	1.60	-0.34
0	0.00	75.00	0.00%	0.00	0.00
0	45.00	0.00	81.82%	-0.65	-1.40
0	0.00	55.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	48.00	0.00	77.42%	0.00	0.00
0	54.00	62.00	78.26%	0.00	0.00
0	50.00	69.00	66.67%	-0.70	-1.43
0	49.00	70.00	70.00%	-0.65	-1.40
0	96.00	110.00	87.27%	-0.65	-1.40
0	84.00	92.00	91.30%	-0.31	-1.19
0.4714	88.00	109.00	80.73%	0.61	-0.68
0	106.00	114.00	87.60%	-0.53	-1.32
0.433	108.00	121.00	91.53%	1.17	-0.44
0	100.00	118.00	95.24%	-0.44	-1.27
0.5	109.00	105.00	87.20%	1.56	-0.32
0	83.00	125.00	86.46%	-0.68	-1.41
0	125.00	96.00	89.29%	-0.35	-1.21
0	116.00	140.00	94.31%	0.00	0.00
0	98.00	123.00	85.96%	-0.57	-1.34
0	99.00	117.00	84.62%	0.00	0.00
0	11640.00	12414.00	93.77%	-1.67	-2.01
0.1373	9965.00	10580.00	94.19%	-1.20	-1.73
0	9799.00	10702.00	91.56%	-2.01	-2.22
0.149	8725.00	11326.00	94.37%	-0.96	-1.59

0	9947.00	9246.00	95.50%	-1.65	-2.00
0.1643	7751.00	10416.00	94.98%	-0.62	-1.37
0.196	10798.00	8161.00	92.40%	-0.96	-1.58
0.1458	10496.00	11686.00	92.64%	-1.34	-1.82
0.1443	9611.00	11330.00	94.53%	-1.01	-1.61
0.2197	10364.00	10167.00	94.35%	-0.19	-1.11
0	10607.00	10985.00	93.65%	-1.64	-2.00
0.2061	12819.00	13893.00	92.27%	-0.82	-1.50
0.2421	12862.00	13723.00	93.73%	0.00	-1.00
0.2764	11137.00	11852.00	93.97%	0.33	-0.76
0.4792	10976.00	12019.00	91.32%	3.59	0.69
0.4792	9840.00	12593.00	94.10%	4.73	1.01
0.4125	11082.00	10457.00	95.13%	3.76	0.72
0.3143	8666.00	11649.00	94.72%	1.35	-0.25
0.3432	12017.00	9149.00	92.01%	1.38	-0.21
0.4138	11614.00	13061.00	92.20%	11.97	6.27
0.4082	10658.00	12597.00	94.21%	14.07	3.83
0.3816	11539.00	11313.00	93.97%	10.95	5.66
0.4014	11773.00	12279.00	93.49%	12.39	6.53
0.433	14073.00	15305.00	91.95%	14.33	7.71
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	274.00	309.00	88.67%	-0.50	-1.31
0	203.00	294.00	91.03%	-0.31	-1.19
0	229.00	223.00	91.60%	-0.30	-1.18
0	191.00	250.00	90.09%	-0.33	-1.20
0	246.00	212.00	86.32%	-0.88	-1.54
0	212.00	285.00	89.83%	-0.34	-1.20
0	265.00	236.00	92.01%	-0.59	-1.36
0	235.00	288.00	85.77%	0.00	0.00
0	269.00	274.00	91.50%	-0.43	-1.26
0	310.00	360.00	86.11%	-0.40	-1.24
0	8.00	11.00	72.73%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	14.00	0.00%	0.00	0.00
0	22.00	0.00	91.67%	-0.30	-1.18
0	0.00	24.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	0.00	72.73%	0.00	0.00
0	15.00	11.00	93.75%	0.00	0.00
0	12.00	16.00	85.71%	0.00	0.00
0	14.00	20.00	70.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	4.00	4.00	100.00%	0.00	0.00
0	0.00	8.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	0.00	75.00%	-0.52	-1.31
0	0.00	4.00	0.00%	0.00	0.00
0	1.00	0.00	100.00%	0.00	0.00

0	3.00	1.00	100.00%	0.00	0.00
0	2.00	3.00	50.00%	0.00	0.00
0	5.00	4.00	62.50%	0.00	0.00
0	2.00	5.00	40.00%	0.00	0.00
0	2419.00	2622.00	92.26%	-0.77	-1.47
0.2665	3041.00	3214.00	94.62%	0.37	-0.74
0	2638.00	2793.00	94.45%	-0.59	-1.36
0	2239.00	2616.00	96.30%	-0.65	-1.39
0	2589.00	2325.00	96.25%	-0.56	-1.34
0	1817.00	2690.00	95.08%	-0.75	-1.46
0.2875	2558.00	1911.00	95.20%	0.66	-0.61
0	2561.00	2687.00	95.42%	-0.69	-1.42
0.3307	2377.00	2684.00	95.85%	1.18	-0.41
0	2599.00	2480.00	95.52%	-0.53	-1.32
0	2498.00	2721.00	95.49%	-0.43	-1.26
0	3075.00	3369.00	91.27%	-0.76	-1.46
0	2710.00	2965.00	91.40%	-0.43	-1.26
0.4213	3316.00	3523.00	94.12%	2.63	0.24
0.433	2912.00	3102.00	93.87%	1.57	-0.29
0.4518	2442.00	2910.00	95.84%	3.23	0.30
0.4899	2818.00	2548.00	95.85%	4.02	0.47
0.4714	2008.00	2940.00	94.58%	3.69	0.55
0.4714	2804.00	2123.00	94.35%	4.63	0.99
0.4199	2773.00	2972.00	94.97%	8.21	2.66
0.4745	2642.00	2920.00	95.45%	14.71	3.83
0.4139	2834.00	2768.00	94.62%	7.99	2.66
0.4752	2767.00	2995.00	95.09%	14.61	3.83
0.4858	3385.00	3729.00	90.78%	12.58	3.83
0	423.00	427.00	99.06%	-0.14	-1.08
0	482.00	489.00	98.57%	-0.27	-1.16
0	422.00	428.00	98.60%	-0.17	-1.10
0	418.00	599.00	99.29%	-0.08	-1.05
0	455.00	421.00	98.91%	-0.28	-1.17
0	377.00	460.00	98.43%	-0.22	-1.13
0	459.00	383.00	99.57%	-0.15	-1.09
0	472.00	461.00	98.95%	-0.23	-1.14
0	469.00	477.00	98.95%	-0.21	-1.13
0	531.00	474.00	99.25%	-0.12	-1.07
0	593.00	535.00	99.00%	-0.10	-1.06
0	625.00	633.00	98.74%	-0.28	-1.17
0	39.00	41.00	95.12%	-0.22	-1.14
0	46.00	48.00	95.83%	-0.29	-1.18
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	62.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	50.00	0.00	98.04%	-0.14	-1.09
0	0.00	51.00	0.00%	0.00	0.00
0	59.00	0.00	100.00%	0.00	0.00
0	54.00	59.00	100.00%	0.00	0.00
0	61.00	54.00	98.39%	-0.13	-1.08
0	61.00	61.00	100.00%	0.00	0.00

0	2343.00	2364.00	99.11%	-0.31	-1.19
0	2439.00	2459.00	99.19%	-0.31	-1.19
0	2223.00	2241.00	99.20%	-0.28	-1.17
0	2118.00	3611.00	99.86%	-0.08	-1.05
0	2456.00	2121.00	99.55%	-0.22	-1.13
0	1984.00	2467.00	99.10%	-0.19	-1.12
0	2171.00	2002.00	99.36%	-0.18	-1.11
0	2465.00	2185.00	99.48%	-0.16	-1.10
0	2668.00	2478.00	99.33%	-0.26	-1.16
0	3061.00	2686.00	99.06%	-0.24	-1.14
0	3581.00	3090.00	99.17%	-0.29	-1.18
0	3480.00	3517.00	98.95%	-0.33	-1.20
0	2766.00	2791.00	99.10%	-0.23	-1.14
0	2921.00	2948.00	99.08%	-0.24	-1.14
0	2645.00	2669.00	99.10%	-0.16	-1.10
0	2536.00	4210.00	99.76%	-0.11	-1.07
0	2911.00	2542.00	99.45%	-0.15	-1.09
0	2361.00	2927.00	98.99%	-0.27	-1.16
0	2630.00	2385.00	99.40%	-0.33	-1.20
0.1245	2937.00	2646.00	99.39%	1.37	-0.28
0.153	3137.00	2955.00	99.27%	2.16	0.06
0.1571	3592.00	3160.00	99.09%	2.10	0.07
0.147	4174.00	3625.00	99.14%	1.94	0.01
0.1856	4105.00	4150.00	98.92%	3.50	0.67
0.0006	4.00	31008.00	0.01%	-3.72	-3.26
0.0006	31.00	31008.00	0.10%	-20.94	-13.73
0	0.00	30384.00	0.00%	0.00	-2.98
0.0008	7.00	32617.00	0.02%	-10.89	-2.97
0.0007	7.00	30360.00	0.02%	-10.03	-2.98
0.0004	1.00	30360.00	0.00%	0.54	-2.99
0.0016	14.00	30576.00	0.04%	-6.54	-2.92
0.0007	0.00	32400.00	0.00%	0.00	-2.98
0.0005	2.00	33241.00	0.01%	-1.94	-2.18
0.0005	4.00	32617.00	0.01%	-10.41	-7.33
0.0008	0.00	32617.00	0.00%	420.10	254.40
0.0004	0.00	32617.00	0.00%	0.00	0.00
0.0002	0.00	53969.00	0.00%	103.81	62.11
0.0006	3.00	53969.00	0.00%	0.25	-0.85
0	0.00	53969.00	0.00%	249.46	150.66
0.0007	0.00	28623.00	0.00%	207.30	-2.98
0.0007	0.00	53969.00	0.00%	1151.42	-2.97
0.0008	0.00	54041.00	0.00%	272.25	-2.97
0.0008	32.00	55841.00	0.05%	-8.34	-2.96
0.0003	0.00	58764.00	0.00%	136.26	-2.99
0.0007	177.00	59124.00	0.30%	-13.23	-9.04
0.0006	30.00	58476.00	0.05%	-14.19	-9.63
0.0002	0.00	58572.00	0.00%	0.00	0.00
0	0.00	28623.00	0.00%	-6.24	-4.79
0.0349	0.00	0.00	0.00%	0.00	0.00
0.0017	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0019	7.00	32617.00	0.02%	-2.85	-2.73

277.59	0.00	0.00	0:00	0.00	0.00
225.57	0.00	0.00	0:00	0.00	0.00
251.81	0.00	0.00	0:00	0.00	0.00
148.8	0.00	0.00	0:00	0.00	0.00
193.77	0.00	0.00	0:00	0.00	0.00
179.29	0.00	0.00	0:00	0.00	0.00
148.8	0.00	0.00	0:00	0.00	0.00
182.14	0.00	0.00	0:00	0.00	0.00
130.54	0.00	0.00	0:00	0.00	0.00
137.9	0.00	0.00	0:00	0.00	0.00
147.08	0.00	0.00	0:00	0.00	0.00
144.48	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	205.00	24.00	1:55	-0.67	-1.41
0	0.00	12.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	2102.00	0.00	19:26	0.00	0.00
0	295.00	31.00	16:04	0.00	0.00
0	390.00	15.00	6:00	0.00	0.00
0	420.00	29.00	11:31	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	1782.00	62.00	10:19	1.68	-0.11
0	2051.00	42.00	0:28	1.31	-0.24
0	1666.00	41.00	1:55	0.81	-0.38
0	1532.00	26.00	1:26	0.97	-0.34
0	1432.00	34.00	21:50	0.84	-0.23
56.57	2203.00	35.00	1:26	-0.07	-1.04
0	2472.00	50.00	11:16	0.15	-0.58
21.92	4546.00	51.00	7:40	-0.87	-1.53
8.2	4351.00	89.00	21:21	-1.30	-1.79
0	10327.00	103.00	6:14	-0.27	-1.17
26.87	4021.00	70.00	10:33	-0.49	-1.30
0	1994.00	82.00	7:40	-0.13	-1.08
0	0.00	62.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	1532.00	0.00	1:26	-0.55	-1.34
0	0.00	34.00	0:00	0.00	0.00
0	2203.00	0.00	1:26	0.00	0.00
0	2472.00	50.00	11:16	-0.62	-1.38
0	4546.00	51.00	7:40	0.00	0.00
0	4351.00	89.00	21:21	0.00	0.00
4.95	6226.00	207.00	1:55	-0.94	-1.57
0	6483.00	216.00	0:14	-0.76	-1.46
12.73	6271.00	225.00	20:52	-0.58	-1.35
8.19	7123.00	379.00	12:00	-1.22	-1.74

0	7357.00	185.00	17:16	1.40	-0.20
70.97	5367.00	190.00	12:57	1.35	-0.28
67.63	3846.00	151.00	15:21	1.92	0.10
46.92	4740.00	150.00	15:07	0.64	-0.64
34.34	8926.00	178.00	15:36	-0.48	-1.29
19.88	8511.00	282.00	3:36	-1.37	-1.83
15.61	17444.00	292.00	0:43	-1.37	-1.83
11.73	47705.00	657.00	14:38	-1.96	-2.19
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	4.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	35.00	0.00	16:04	4.61	1.26
0	0.00	3.00	0:00	0.00	0.00
0	110.00	0.00	7:55	0.00	0.00
0	81.00	6.00	6:00	0.00	0.00
0	240.00	4.00	0:00	0.00	0.00
0	441.00	14.00	12:00	0.00	0.00
154.97	8970.00	30.00	0:00	-1.66	-2.01
145.68	2594.00	17.00	14:09	0.50	-0.77
138.96	875.00	9.00	5:16	1.42	-0.42
138.07	2062.00	18.00	6:57	0.10	-0.96
133.48	1830.00	14.00	17:02	0.32	-0.78
129.21	1938.00	14.00	4:48	-0.24	-1.15
125.47	1675.00	15.00	6:28	-0.70	-1.42
128.04	1882.00	11.00	19:55	-0.73	-1.44
160.66	1702.00	12.00	22:04	0.04	-0.93
158	1526.00	13.00	9:07	0.12	-0.89
147.4	2134.00	13.00	13:26	-0.50	-1.30
152.24	2087.00	16.00	10:33	-0.29	-1.18
124.33	1047.00	40.00	4:19	4.28	0.53
108.45	1394.00	59.00	15:07	4.37	0.37
108.91	983.00	40.00	13:55	3.82	0.17
107.48	741.00	67.00	9:36	2.05	-0.04
83.12	690.00	15.00	0:00	1.27	-0.33
80.7	609.00	15.00	14:24	1.70	-0.19
73.77	498.00	15.00	13:40	0.62	-0.51
65.94	304.00	14.00	0:00	0.02	-0.98
70	1318.00	8.00	21:36	1.54	-0.29
46.76	1612.00	49.00	7:55	0.09	-0.74
29.1	2413.00	39.00	0:14	-0.21	-1.13
113.02	2068.00	67.00	20:52	0.84	-0.59
83.63	5443.00	202.00	22:48	2.79	0.20
59.01	5444.00	220.00	18:00	0.67	-0.58
73	5444.00	239.00	18:43	3.84	0.75
63.93	6089.00	337.00	5:16	0.50	-0.72
41.11	6646.00	189.00	17:16	-2.80	-2.70
50.21	4719.00	181.00	2:24	0.79	-0.51
34.99	3576.00	147.00	3:50	0.12	-0.88
32.39	4564.00	148.00	5:31	0.19	-0.83

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.4714	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.4949	0.00	0.00	0	0.00	0.00
0.4	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.4	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.5	0.00	0.00	0	0.00	0.00
0.4714	0.00	0.00	0	0.00	0.00
0.5	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	3.00	24.00	0	-1.00	-1.61
0	0.00	12.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	3.00	0.00	0	0.00	0.00
0	1.00	31.00	0	0.00	0.00
0	5.00	15.00	0	0.00	0.00
0	3.00	29.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	22.00	62.00	1	0.94	-0.63
0	18.00	42.00	0	1.12	-0.54
0	10.00	41.00	0	1.24	-0.49
0	14.00	26.00	0	1.18	-0.51
0	9.00	34.00	0	1.68	-0.32
0	23.00	35.00	0	1.50	-0.23
0	26.00	50.00	1	0.97	-0.61
0.5	22.00	51.00	0	0.42	-0.80
0.4899	39.00	89.00	0	-0.17	-1.10
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	9.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	9.00	0	0.00	0.00
0	0.00	9.00	0	0.00	0.00
0	0.00	5.00	0	0.00	0.00
0	43.00	103.00	0	-0.84	-1.51
0.5	36.00	70.00	1	-0.04	-1.02
0	38.00	82.00	0	-0.92	-1.56
0	0.00	62.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	14.00	0.00	0	-0.82	-1.50
0	0.00	34.00	0	0.00	0.00
0	23.00	0.00	0	0.00	0.00
0	26.00	50.00	1	-1.01	-1.61
0	22.00	51.00	0	0.00	0.00
0	39.00	89.00	0	0.00	0.00
0.5	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.4714	50.00	379.00	0	0.24	-0.86
0	55.00	185.00	0	-0.64	-1.39
0	52.00	190.00	0	-1.43	-1.87
0.4714	60.00	151.00	0	-0.23	-1.14
0	48.00	150.00	0	-1.34	-1.81
0	63.00	178.00	0	-1.30	-1.79
0.2665	65.00	282.00	0	-1.24	-1.75
0	91.00	292.00	0	-1.75	-2.07
0	80.00	657.00	0	-1.11	-1.67
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	4.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	3.00	0	0.00	0.00
0	2.00	0.00	0	0.00	0.00
0	2.00	6.00	1	0.00	0.00
0	1.00	4.00	0	0.00	0.00
0	2.00	14.00	0	0.00	0.00
0.2818	0.00	0.00	0	0.00	0.00
0.2818	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.3368	3.00	18.00	0	4.71	1.42
0.213	3.00	14.00	0	5.21	1.74
0.379	1.00	14.00	0	9.17	1.90
0.213	0.00	15.00	0	0.00	2.37
0.4583	0.00	11.00	0	0.00	1.45

0.3368	1.00	12.00	0	8.57	1.90
0.2875	1.00	13.00	0	8.93	2.05
0.2764	2.00	13.00	0	8.22	2.30
0.2818	2.00	16.00	0	7.32	2.09
0.433	0.00	0.00	0	0.00	0.00
0.4899	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	5.00	67.00	0	1.88	-0.07
0.433	5.00	15.00	0	1.57	-0.17
0	11.00	15.00	1	0.95	-0.50
0.433	8.00	15.00	1	0.64	-0.69
0.433	3.00	14.00	0	1.26	-0.39
0.5	13.00	8.00	0	0.74	-0.65
0.4714	8.00	49.00	0	1.91	-0.08
0.5	21.00	39.00	0	0.78	-0.58
0.4969	18.00	67.00	0	1.82	0.00
0.433	0.00	0.00	0	0.00	0.00
0.4051	0.00	0.00	0	0.00	0.00
1	0.00	0.00	0	0.00	0.00
0.5	71.00	337.00	0	1.09	-0.35
0.4	69.00	189.00	0	-2.14	-2.30
0.3608	64.00	181.00	0	2.86	0.75
0.477	72.00	147.00	0	-1.15	-1.70
0.4979	60.00	148.00	0	1.36	-0.21
0.4763	75.00	174.00	0	3.67	1.07
0.4957	73.00	259.00	0	1.41	-0.17
0.3678	100.00	248.00	0	-1.58	-1.96
0.4714	93.00	508.00	0	3.05	0.52
0.5	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	17.00	0	0.00	0.00
0.5	3.00	0.00	0	0.92	-0.61
0	0.00	14.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	1.00	10.00	0	-0.30	-1.18
0	1.00	11.00	0	0.00	0.00
0	2.00	12.00	0	0.00	0.00
0	2.00	16.00	0	3.53	0.34
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	80.00	491.00	0	-1.20	-1.73
0	79.00	245.00	0	-1.18	-1.72
0	73.00	247.00	0	-1.36	-1.83
0	81.00	190.00	0	-1.42	-1.87
0.2818	69.00	199.00	0	-2.03	-2.23
0.3174	86.00	240.00	0	-1.88	-2.14
0.2542	84.00	355.00	0	-2.98	-2.81
0.1414	122.00	362.00	0	-4.77	-3.90
0.1906	119.00	817.00	0	-2.96	-2.80

0.0172	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0.0628	0.00	0.00	0.00%	0.00	-0.04
0	0.00	0.00	0.00%	0.00	-0.05
0.0194	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0.094	0.00	0.00	0.00%	0.00	-0.03
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2947	1456845.00	2108334.00	69.10%	-58.34	0.00
0.2406	1747155.00	2223194.00	78.59%	-48.64	0.00
0	1567353.00	1051961.00	76.38%	0.00	0.00
0.1882	1657570.00	2764870.00	81.16%	-49.22	0.00
0.1615	1871791.00	2042248.00	82.19%	-51.93	0.00
0.1603	1628462.00	2277286.00	78.88%	-55.62	0.00
0.1089	1954501.00	2064597.00	83.77%	-52.18	0.00
0.1847	1998521.00	2333287.00	86.23%	-40.45	0.00
0.1747	1744701.00	2317687.00	72.08%	-78.25	0.00
0.1394	2070335.00	2420635.00	81.49%	-63.76	0.00
0.1616	2121022.00	2540565.00	76.71%	-73.18	0.00
0.1996	2208178.00	2825014.00	78.17%	-66.51	0.00
0	1784	1851	96.38%	-0.39	-1.24
0	2111	2210	95.52%	-0.53	-1.32
0	1994	2067	96.47%	-0.38	-1.23
0	1989	2248	94.71%	-0.58	-1.35
1	2135	2100	97.09%	3.96	0.16
0	1881	2199	96.81%	-0.48	-1.29
0	1852	1943	96.96%	-0.25	-1.15
0	1761	1910	96.76%	-0.48	-1.29
0	2029	1820	96.07%	-0.64	-1.39
0	2241	2112	95.77%	-0.21	-1.13
0	2137	2340	95.06%	-0.46	-1.28
0	2126	2220	95.77%	-0.63	-1.38
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	12345	0.00%	0.00	-0.16

0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	9314	0	96.63%	-0.37	-1.23
0	10552	9639	96.33%	1.06	-0.45
0	11826	10954	95.80%	-0.26	-1.16
0	11785	12286	95.92%	-1.59	-1.97
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	12345	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	0.19
0	0	0	0.00%	0.00	0.47
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	0.47
0	9314	0	96.63%	-0.26	-1.16
0	10552	9639	96.33%	-0.39	-1.24
0	11826	10954	95.80%	-0.42	-1.25
0	11785	12286	95.92%	-0.55	-1.33
0	4688	4779	98.10%	0.41	-0.72
0	4247	4335	97.97%	0.38	-0.74
0	3781	3842	98.41%	-0.80	-1.49
0	3503	3443	98.34%	2.08	-0.02
0	3413	3562	98.90%	0.96	-0.48
0	3238	3451	98.30%	0.93	-0.49
0	3672	3294	99.19%	-0.48	-1.29
0	2991	3702	97.81%	0.18	-0.84
0	2833	3058	98.44%	0.71	-0.59
0	3085	2878	98.15%	0.28	-0.79
0	3367	3143	97.79%	-0.02	-1.01
0	3111	3185	97.68%	-0.88	-1.54
0	6828	7090	96.30%	-3.43	-3.08
0	7587	7859	96.54%	-2.76	-2.68
0	6977	7179	97.19%	-2.83	-2.72
0	7004	10097	97.06%	-3.07	-2.87
0	7658	7216	97.90%	-2.14	-2.30
0	6415	7822	97.42%	-0.84	-1.51
0	6293	6585	96.90%	-2.70	-2.64
0	7075	6494	96.51%	-2.35	-2.43
0	7285	7331	96.78%	-1.28	-1.78
0	8311	7527	96.48%	-2.43	-2.48
0	9689	8614	95.96%	-2.94	-2.79
0	9659	10066	95.96%	-3.53	-3.15
0	8612	8941	96.32%	-0.20	-1.12
0	9698	10069	96.32%	-0.52	-1.31
0	8971	9246	97.03%	-0.43	-1.26
0	8993	12345	96.53%	-0.38	-1.23
0	9793	9316	97.72%	-0.34	-1.21
0	8296	10021	97.28%	-0.41	-1.25
0	8145	8528	96.92%	1.19	-0.35
0	8836	8404	96.56%	-1.36	-1.83

0	9314	9151	96.63%	-1.41	-1.85
0	10552	9639	96.33%	-3.17	-2.93
0	11826	10954	95.80%	-1.06	-1.64
0	11785	12286	95.92%	-0.71	-1.43
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	80	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	71	0	98.61%	-0.12	-1.07
0	66	72	98.51%	-0.17	-1.10
0	78	67	97.50%	0.00	0.00
0	93	95	97.89%	-0.21	-1.12
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	322	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	292	0	98.32%	-0.18	-1.11
0	188	297	93.53%	-0.37	-1.22
0	425	201	91.40%	0.70	-0.61
1	285	465	94.06%	2.63	-0.05
0	314	303	97.52%	-0.32	-1.19
0	229	233	98.28%	-0.26	-1.16
0	242	256	94.53%	-0.24	-1.15
0	301	309	97.41%	-0.16	-1.10
0	268	282	95.04%	-0.23	-1.14
0	0	293	0.00%	0.00	0.00
0	291	0	97.65%	-0.15	-1.09
0	248	298	97.25%	-0.17	-1.10
0	242	255	97.58%	-0.16	-1.10
0	238	248	97.94%	-0.14	-1.09
0	256	243	92.42%	0.00	0.00
0	296	277	96.73%	-0.18	-1.11
0	282	306	96.25%	-0.20	-1.12
0	275	282	97.52%	-0.16	-1.10
0	587	603	97.35%	-0.43	-1.26
0	497	504	98.61%	-0.20	-1.12
0	0	0	0.00%	0.00	0.00
0	363	374	97.84%	-0.21	-1.13
0	361	371	98.90%	-0.18	-1.11
0	327	365	97.90%	-0.29	-1.18
0	0	334	0.00%	0.00	0.00
0	376	0	98.95%	-0.15	-1.09
0	373	380	98.16%	-0.19	-1.12
0	379	380	98.96%	2.59	-0.08
0	369	383	98.66%	-0.16	-1.10
0	387	402	96.27%	-0.20	-1.12

0	1149	1231	93.34%	-1.90	-2.16
0	1329	1403	94.73%	-1.56	-1.95
0	1091	1164	93.73%	-1.87	-2.14
0	1188	1496	96.51%	-1.38	-1.84
0	1250	1231	96.75%	-0.06	-1.03
0	1031	1292	96.81%	-0.76	-1.46
0	1015	1065	96.12%	-1.25	-1.76
0	1176	1056	96.16%	-1.21	-1.74
0	1243	1223	95.76%	-0.46	-1.28
0	1363	1298	96.26%	-1.46	-1.89
0	1396	1416	93.32%	0.32	-0.77
0	1407	1488	94.56%	0.53	-0.67
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1630	1712	95.21%	-0.32	-1.19
0	0	0	0.00%	0.00	0.00
0	1436	1789	96.64%	-0.19	-1.11
0	0	1486	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1257	0	96.40%	0.87	-0.52
0	1414	1304	96.45%	-0.16	-1.10
0	1499	1466	95.17%	-1.00	-1.61
0	1659	1575	96.34%	-1.02	-1.62
0	1678	1722	93.80%	-1.22	-1.74
0	1682	1770	95.03%	-0.55	-1.34
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	4	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	4	0	100.00%	0.00	0.00
0	13	4	100.00%	0.00	0.00
0	4	13	100.00%	0.00	0.00
0	11	11	100.00%	0.00	0.00
0	697	709	98%	-0.43	-1.26
0	799	802	100%	-0.14	-1.08
0	767	770	100%	-0.20	-1.12
0	898	658	99%	-0.23	-1.14

0	825	904	100%	-0.21	-1.13
0	654	829	99%	-0.27	-1.17
0	616	659	99%	-0.34	-1.21
0	724	625	99%	-0.54	-1.33
0	654	735	100%	-0.17	-1.11
0	706	656	100%	-0.13	-1.08
0	653	708	99%	-0.19	-1.12
0	726	731	99%	-0.27	-1.17
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	26583	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	22068	0	100%	-0.15	-1.09
0	23705	22130	100%	2.59	-0.04
0	26513	23736	100%	-0.22	-1.14
0	26110	26164	100%	-0.94	-1.57
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	26583	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	22068	0	100%	-0.41	-1.25
0	23705	22130	100%	-0.26	-1.16
0	26513	23736	100%	-0.40	-1.24
0	26110	26164	100%	-0.32	-1.20
0	7957	7967	100%	-0.26	-1.16
0	7715	7732	100%	-0.35	-1.21
0	7410	7423	100%	-0.32	-1.20
0	7131	9478	100%	3.62	0.11
0	7946	7139	100%	-0.23	-1.14
0	7355	7953	100%	-0.14	-1.09
0	8931	7360	100%	-0.21	-1.13
0	10735	8940	100%	-0.14	-1.09
0	8966	10744	100%	-0.14	-1.08
0	9755	8974	100%	-0.15	-1.09
0	9457	9767	100%	-0.11	-1.06
0	9625	9651	100%	9.12	1.53
0	20425	20469	100%	-1.65	-2.00
0	22091	22129	100%	-0.36	-1.22
0	19607	19655	100%	-1.86	-2.13
0	20358	25925	100%	-0.50	-1.30
0	20740	20392	100%	-0.81	-1.49
0	18082	20776	100%	-0.70	-1.43
0	18306	18119	100%	-1.32	-1.80
0	19871	18344	100%	-1.54	-1.93

0	21414	19920	100%	-1.27	-1.77
0	22999	21474	100%	-0.54	-1.33
0	25860	23028	100%	-1.48	-1.90
0	25384	25433	100%	1.63	-0.01
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	21122	21178	100%	-0.09	-1.05
0	22890	22931	100%	-0.10	-1.06
0	20374	20425	100%	-0.09	-1.05
0	21256	26583	100%	-0.14	-1.08
0	21565	21296	100%	-0.15	-1.09
0	18736	21605	100%	-0.30	-1.18
0	18922	18778	100%	-0.52	-1.31
0	20595	18969	100%	-0.73	-1.44
0	22068	20655	100%	-2.93	-2.78
0	23705	22130	100%	-2.13	-2.30
0	26513	23736	100%	-1.57	-1.96
0	26110	26164	100%	2.49	0.51
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	6	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	12	0	92%	-0.28	-1.17
0	8	13	100%	0.00	0.00
0	5	8	100%	0.00	0.00
0	5	5	83%	0.00	0.00
0	4	4	100%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	107	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	89	0	88%	-0.37	-1.22
0	94	101	84%	0.00	0.00
0	91	112	85%	0.00	0.00
0	72	86	84%	0.00	0.00

0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	2.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	57	62	92%	-1.31	-1.79
0	74	83	89%	-0.67	-1.41
0	53	60	88%	-1.41	-1.86
0	59	107	97%	3.71	0.36
0	54	61	90%	-0.39	-0.06
0	44	60	94%	0.05	-1.01
0	37	47	90%	-1.30	-1.79
0	123	41	91%	-1.45	-1.88
0	89	135	88%	-1.28	-1.78
0	94	101	84%	-2.94	-2.79
0	91	112	85%	-0.79	-1.48
0	72	86	84%	-1.80	-2.09
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	12	12	100%	0.00	0.00
0	6	8	75%	-1.14	-1.69
0	3	3	100%	0.00	-0.65
0	19	15	100%	0.00	0.00
0	17	19	100%	0.00	-0.60
0	6	17	100%	0.00	0.00
0	6	6	86%	-0.90	-1.55
0	4	7	100%	0.00	-0.60
0	12	4	100%	0.00	0.28
0	12	12	92%	-0.70	-1.43
0	9	13	60%	-2.00	-2.22
0	16	17	94%	0.04	-1.02
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	9	0%	0.00	0.00

0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	14	0	82%	-0.45	-1.27
0	14	17	74%	0.00	0.00
0	5	19	56%	0.00	0.00
0	11	12	92%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	11	0%	0.00	0.00
0	12	0	92%	-0.28	-1.17
0	0	13	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	2	0	100%	0.00	0.00
0	5	2	100%	0.00	0.00
0	10	5	91%	-0.41	-1.25
0	6	6	100%	0.00	0.00
0	0	0	0%	0.00	0.00
0	43	52	83%	-0.45	-1.28
0	8	10	80%	-0.48	-1.29
0	0	18	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	14	0	61%	-1.31	-1.79
0	0	23	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	8	0	47%	0.00	0.00
0	15	17	68%	-0.67	-1.41
0	12	22	67%	-1.40	-1.85
0	13	15	87%	-0.62	-1.38
0	0	0	0%	0.00	0.00
0	74	83	89%	-0.35	-1.21
0	0	0	0%	0.00	0.00
0	59	107	97%	-0.31	-1.19
0	0	61	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	37	0	90%	-0.32	-1.20
0	123	41	91%	-0.44	-1.27
0	89	135	88%	-0.37	-1.22
0	94	101	84%	-0.61	-1.37
0	91	112	85%	-0.59	-1.36
0	72	86	84%	0.00	0.00
0	27	32	84%	-2.15	-2.31
0	42	49	86%	-2.33	-2.42
0	56	61	92%	-1.68	-2.02
0	48	44	91%	-2.04	-2.24
0	59	53	94%	-1.55	-1.94
0	53	63	96%	-1.08	-0.31
0	39	55	89%	-1.76	-2.07
0	34	44	83%	-2.53	-2.54

0	44	41	83%	-2.79	-2.70
0	53	53	95%	-1.06	-1.65
0	41	56	93%	-0.84	-1.51
0	62	72	86%	-2.55	-2.55
0	4688.00	4779.00	98.10%	-0.52	-1.32
0.2665	4247.00	4335.00	97.97%	1.45	-0.32
0	3782.00	3843.00	98.41%	-0.47	-1.29
0	3503.00	3448.00	98.34%	-0.32	-0.33
0	3415.00	3562.00	98.90%	-0.21	-0.33
0	3238.00	3453.00	98.30%	-0.32	-0.33
0	3673.00	3294.00	99.19%	-0.20	-0.33
0	2991.00	3703.00	97.81%	-0.63	-0.33
0.2875	2834.00	3058.00	98.44%	2.01	-0.17
0.2575	3086.00	2879.00	98.16%	2.07	-0.02
0.3368	3372.00	3144.00	97.80%	3.53	0.49
0.2233	3115.00	3189.00	97.68%	0.85	-0.53
0.2517	57.00	62.00	91.94%	-0.29	-1.18
0.2106	74.00	83.00	89.16%	-1.42	-1.86
0.2441	53.00	60.00	88.33%	-1.03	-1.63
0.2154	59.00	107.00	96.72%	0.57	-0.76
0.2684	54.00	61.00	90.00%	-0.47	-1.28
0.2741	44.00	60.00	93.62%	0.42	-0.81
0.1533	37.00	47.00	90.24%	-1.30	-1.79
0.2421	123.00	41.00	91.11%	-0.73	-1.44
0.1753	89.00	135.00	88.12%	-2.01	-2.22
0.3074	94.00	101.00	83.93%	-1.15	-1.70
0.3217	91.00	112.00	85.05%	-0.71	-1.43
0.3438	72.00	86.00	83.72%	-0.51	-1.31
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	10.00	80.00%	-0.48	-1.29
0	0.00	18.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	14.00	0.00	60.87%	-0.78	-1.48
0	0.00	23.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	0.00	47.06%	0.00	0.00
0	15.00	17.00	68.18%	-0.67	-1.41
0	12.00	22.00	66.67%	0.00	0.00
0	13.00	15.00	86.67%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.33
0.3	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	3448.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.4	0.00	0.00	0.00%	0.00	0.33
0	2834.00	0.00	98.44%	-0.25	-1.15
0	3086.00	2879.00	98.16%	-0.41	-1.25
0.3727	3372.00	3144.00	97.80%	2.41	-0.08
0	0.00	0.00	0.00%	0.00	0.00

0.0846	8612.00	8941.00	96.32%	-9.77	-6.94
0.0774	9698.00	10069.00	96.32%	-8.01	-5.87
0.1131	8971.00	9246.00	97.03%	-3.43	-3.09
0.163	8993.00	12345.00	96.53%	-1.29	-0.24
0.081	9793.00	9316.00	97.72%	-3.75	-0.31
0.1662	8296.00	10021.00	97.28%	0.25	-0.24
0.15	8145.00	8528.00	96.92%	-1.39	-0.26
0.1879	8836.00	8404.00	96.56%	0.40	-0.21
0.2146	9314.00	9151.00	96.63%	2.65	0.61
0.1701	10552.00	9639.00	96.33%	-1.25	-1.76
0.2092	11826.00	10954.00	95.80%	0.64	-0.61
0.1541	11785.00	12286.00	95.92%	-2.86	-2.74
0.3608	0.00	0.00	0.00%	0.00	0.18
0.3499	0.00	0.00	0.00%	0.00	0.14
0	0.00	0.00	0.00%	0.00	-0.33
0.4	0.00	0.00	0.00%	0.00	0.33
0.4899	0.00	0.00	0.00%	0.00	1.00
0.4714	0.00	0.00	0.00%	0.00	0.78
0.3	0.00	0.00	0.00%	0.00	0.00
0.3727	0.00	0.00	0.00%	0.00	0.22
0.4714	0.00	0.00	0.00%	0.00	0.78
0.3571	0.00	0.00	0.00%	0.00	0.17
0.4479	0.00	0.00	0.00%	0.00	0.59
0	0.00	0.00	0.00%	0.00	-0.33
0.2665	27.00	32.00	84.38%	-0.92	-1.56
0.3143	42.00	49.00	85.71%	-0.38	-1.23
0	56.00	61.00	91.80%	-1.37	-1.83
0	48.00	44.00	90.57%	-1.35	-1.82
0	59.00	53.00	93.65%	-1.29	-1.78
0.1923	53.00	63.00	96.36%	0.05	-0.99
0.2421	39.00	55.00	88.64%	-0.69	-1.42
0	34.00	44.00	82.93%	-1.87	-2.14
0	43.00	41.00	84.31%	-1.97	-2.19
0.1601	53.00	51.00	94.64%	-0.58	-1.35
0.2261	41.00	56.00	93.18%	-0.25	-1.15
0.1825	62.00	72.00	86.11%	-1.37	-1.83
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	21.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	53.00	0.00	76.81%	-1.55	-1.94
0	16.00	69.00	69.57%	0.00	0.00
0	12.00	23.00	57.14%	0.00	0.00
0	11.00	22.00	50.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	134.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	46.00	0.00	82.14%	2.13	-0.19
0	0.00	56.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	117.00	0.00	81.82%	0.00	0.00
0	139.00	143.00	78.09%	0.00	0.00
0	85.00	178.00	63.43%	0.00	0.00
0	75.00	86.00	87.21%	0.00	0.00
0.3307	38.00	49.00	77.55%	-0.63	-1.38
0.4157	35.00	47.00	74.47%	-0.21	-1.13
0	25.00	37.00	67.57%	-2.15	-2.31
0	23.00	134.00	74.19%	-1.32	-1.80
0	22.00	31.00	88.00%	-0.99	-0.33
0.2494	46.00	25.00	82.14%	-1.01	-1.61
0.2494	27.00	56.00	65.85%	-1.92	-2.17
0.3307	54.00	41.00	73.97%	-1.12	-1.68
0	117.00	73.00	81.82%	-1.88	-2.15
0.3812	139.00	143.00	78.09%	-0.41	-1.25
0.4	85.00	178.00	63.43%	-1.26	-1.77
0.2421	75.00	86.00	87.21%	-0.72	-1.44
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	20.00	32.00	62.50%	2.43	0.40
0	28.00	53.00	75.68%	1.74	-0.30
0	45.00	37.00	83.33%	-1.04	-1.63
0	0.00	54.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	21.00	0.00	70.00%	0.00	0.00
0	38.00	30.00	70.37%	0.00	0.00
0	29.00	54.00	54.72%	0.00	0.00
0	34.00	51.00	66.67%	0.00	0.00
0	22.00	24.00	91.67%	-0.66	-1.40
0.4518	7.00	7.00	100.00%	0.00	-0.28
0	8.00	10.00	80.00%	-1.19	-1.72
0	20.00	26.00	95.24%	-0.54	-1.33
0	34.00	21.00	89.47%	-1.10	-1.67
0	24.00	38.00	85.71%	-1.41	-1.86
0	16.00	28.00	76.19%	-0.91	-1.55
0.4213	5.00	21.00	50.00%	-1.28	-1.78

0.3727	13.00	10.00	100.00%	0.00	-0.38
0	34.00	13.00	91.89%	-0.29	-1.18
0	22.00	37.00	84.62%	-1.05	-1.64
0	12.00	13.00	92.31%	-0.62	-1.37
0	8.00	13.00	61.54%	-0.76	-1.46
0	0.00	0.00	0.00%	0.00	0.00
0.5	6.00	8.00	75.00%	0.73	-0.72
0	0.00	9.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	0.00	90.91%	0.00	0.00
0	10.00	11.00	71.43%	0.00	0.00
0	6.00	14.00	66.67%	0.00	0.00
0	11.00	14.00	78.57%	0.00	0.00
0	1.00	3.00	33.33%	0.61	-0.90
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	9.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	11.00	0.00	91.67%	0.00	0.00
0	4.00	12.00	50.00%	0.00	0.00
0	6.00	8.00	66.67%	0.00	0.00
0	6.00	9.00	66.67%	-0.67	-1.41
0	38.00	49.00	77.55%	-0.53	-1.32
0	35.00	47.00	74.47%	-0.58	-1.35
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	134.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	27.00	0.00	65.85%	-0.71	-1.43
0	0.00	41.00	0.00%	0.00	0.00
0	117.00	0.00	81.82%	0.00	0.00
0.4714	139.00	143.00	78.09%	0.47	-0.74
0	85.00	178.00	63.43%	1.31	-0.45
0	75.00	86.00	87.21%	-0.38	-1.23
0.213	10.00	13.00	76.92%	-1.23	-1.75
0	13.00	17.00	76.47%	-1.70	-2.03
0	15.00	20.00	75.00%	-1.94	-2.18
0	10.00	24.00	83.33%	-1.10	-0.33
0	14.00	12.00	77.78%	-1.74	-0.33
0	17.00	18.00	85.00%	-1.27	-0.33
0	17.00	20.00	89.47%	-0.95	-0.33
0	16.00	19.00	88.89%	-1.03	-1.63
0	10.00	18.00	71.43%	-1.83	-2.11
0	6.00	14.00	60.00%	-2.19	-2.33
0.3499	17.00	10.00	70.83%	-1.10	-1.67
0	15.00	21.00	71.43%	-2.05	-2.25

0	587.00	603.00	97.35%	-0.54	-1.33
0	497.00	504.00	98.61%	-0.47	-1.28
0	459.00	470.00	97.66%	-0.38	-1.23
0	363.00	374.00	97.84%	-0.60	-0.33
0	361.00	371.00	98.90%	-0.39	-0.33
0	327.00	365.00	97.90%	-0.43	-0.33
0	400.00	334.00	98.52%	-0.76	-0.33
0	376.00	406.00	98.95%	-0.37	-0.33
0.1856	373.00	380.00	98.16%	0.66	-0.64
0.2233	379.00	380.00	98.96%	1.77	-0.27
0.4	369.00	383.00	98.66%	6.17	0.90
0	387.00	402.00	96.27%	-0.39	-1.24
0	38.00	49.00	77.55%	-1.61	-1.98
0.5	35.00	47.00	74.47%	1.08	-0.43
0.3927	25.00	37.00	67.57%	-1.05	-1.64
0.2575	23.00	134.00	74.19%	-1.32	-1.81
0.2039	22.00	31.00	88.00%	-0.82	-1.50
0	46.00	25.00	82.14%	-1.60	-1.97
0.2764	27.00	56.00	65.85%	-1.66	-2.01
0.3307	54.00	41.00	73.97%	-0.83	-1.50
0.1889	117.00	73.00	81.82%	-1.79	-2.09
0.3927	139.00	143.00	78.09%	-0.30	-1.18
0.3	85.00	178.00	63.43%	-1.68	-2.02
0.3399	75.00	86.00	87.21%	0.06	-0.95
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	5.00	40.00%	-1.12	-1.68
0	0.00	9.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	6.00	0.00	75.00%	-0.54	-1.33
0	0.00	8.00	0.00%	0.00	0.00
0	3.00	0.00	42.86%	-1.08	-1.66
0	11.00	7.00	91.67%	-0.29	-1.18
0	4.00	12.00	50.00%	0.00	0.00
0	6.00	8.00	66.67%	0.00	0.00
0	6.00	9.00	66.67%	0.00	0.00
0.0876	1391.00	1487.00	93.54%	-4.91	-3.98
0.1009	1630.00	1712.00	95.21%	-3.89	-3.36
0.2935	1359.00	1446.00	93.98%	0.94	-0.44
0.2743	1436.00	1789.00	96.64%	2.05	-0.06
0.2018	1541.00	1486.00	96.92%	0.46	-0.19
0.0995	1279.00	1590.00	96.89%	-1.17	-0.30
0.1005	1257.00	1320.00	96.40%	-1.32	-0.30
0	1414.00	1304.00	96.45%	-1.71	-0.33
0	1499.00	1466.00	95.17%	-2.44	-2.48
0.1786	1659.00	1575.00	96.34%	-0.18	-1.11
0.2012	1678.00	1722.00	93.80%	-0.68	-1.41
0.2142	1682.00	1770.00	95.03%	-0.06	-1.04
0	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	1.33
0.5	0.00	0.00	0.00%	0.00	1.33
0.5	0.00	0.00	0.00%	0.00	1.33

0	0.00	0.00	0.00%	0.00	3.00
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	0.00
0.4899	0.00	0.00	0.00%	0.00	1.00
0.5	0.00	0.00	0.00%	0.00	1.33
0	10.00	13.00	76.92%	-1.45	-1.88
0	13.00	17.00	76.47%	-1.66	-2.01
0.2353	15.00	20.00	75.00%	-1.34	-1.81
0	10.00	24.00	83.33%	-0.69	-1.42
0	14.00	12.00	77.78%	-1.26	-1.76
0	17.00	18.00	85.00%	-0.96	-1.58
0	17.00	20.00	89.47%	-0.91	-1.55
0	16.00	19.00	88.89%	-0.92	-1.56
0	10.00	18.00	71.43%	-1.67	-2.02
0.2575	6.00	14.00	60.00%	-1.62	-1.98
0.2353	17.00	10.00	70.83%	-1.62	-1.98
0.2421	15.00	21.00	71.43%	-1.49	-1.91
1.53	5079.00	1315.00	4	0.23	-0.46
0	6101.00	1610.00	4	-0.44	-1.27
0	5333.00	1504.00	4	-0.35	-1.21
0	5457.00	1685.00	4	-0.38	-1.23
0	5583.00	1480.00	3	5.03	0.57
0.82	4919.00	1616.00	3	-0.53	-1.32
8.49	4653.00	1410.00	4	2.49	0.10
0.45	4379.00	1327.00	3	-0.15	-1.09
0.38	5353.00	1268.00	4	-0.34	-1.21
0	6698.00	1454.00	4	-0.03	-1.02
1.41	7626.00	1603.00	5	-0.24	-1.15
3.1	6551.00	1582.00	4	0.32	-0.64
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	9462.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	25245.00	0.00	4	-0.31	-1.19
0.32	33712.00	6972.00	4	-0.98	-1.60
0.6	43992.00	7999.00	5	-4.03	-3.45
0.13	39290.00	8699.00	5	-3.98	-3.42
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0.33	0.00	9462.00	0	0.00	-0.37
0.35	0.00	0.00	0	0.00	-0.16
0.5	0.00	0.00	0	0.00	-0.05
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27

0	25245.00	0.00	4	-0.31	-1.19
0	33712.00	6972.00	4	-0.68	-1.41
0	43992.00	7999.00	5	-0.91	-1.55
0	39290.00	8699.00	5	-1.27	-1.77
1.03	19327.00	3940.00	5	-0.83	-1.50
3.03	16362.00	2994.00	5	1.31	-0.22
2.16	14868.00	2737.00	5	-1.00	-1.61
6.08	12807.00	2257.00	5	1.43	0.12
1.96	11966.00	2339.00	5	-0.18	-1.11
0.38	13058.00	2261.00	5	-0.79	-1.48
1.65	12396.00	2409.00	5	-1.14	-1.69
2.95	9126.00	2411.00	5	1.51	-0.12
4.09	8153.00	1762.00	5	2.39	0.37
4.88	10666.00	1698.00	5	2.02	0.01
1.24	12192.00	2032.00	5	-1.32	-1.80
1.5	11622.00	2139.00	5	-0.16	-1.09
1.27	19522.00	5251.00	4	2.74	0.67
0.97	19975.00	5734.00	3	0.65	-0.60
1.53	17952.00	5273.00	3	-0.44	-1.27
1.17	16806.00	7777.00	3	0.34	-0.79
0.92	19530.00	5031.00	3	1.35	-0.18
0.36	16196.00	5871.00	3	-1.22	-1.74
1.11	16962.00	4933.00	3	2.57	0.56
1.22	18605.00	5057.00	3	1.41	-0.14
1.52	19892.00	5497.00	4	3.59	1.18
1.59	27014.00	5518.00	4	0.60	-0.63
1.49	36366.00	6396.00	5	-2.55	-2.55
1.86	32739.00	7117.00	5	-0.66	-1.40
0	24601.00	6566.00	4	-0.28	-1.17
0.84	26076.00	7344.00	4	-0.29	-1.18
0.89	23285.00	6777.00	3	-0.45	-1.27
0.5	22263.00	9462.00	3	-0.13	-1.08
0	25113.00	6511.00	3	-0.33	-1.20
0.71	21115.00	7487.00	3	0.08	-0.59
0.96	21615.00	6343.00	3	0.25	-0.59
2.73	22984.00	6384.00	3	2.07	0.26
1.84	25245.00	6765.00	4	1.81	0.10
1.93	33712.00	6972.00	4	0.39	-0.76
2.85	43992.00	7999.00	5	3.81	1.32
3.32	39290.00	8699.00	5	6.82	3.15
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	252.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	915.00	0.00	4	-0.34	-1.21
0	495.00	210.00	4	-0.55	-1.33
1.5	1639.00	133.00	5	-0.88	-1.54
0	715.00	321.00	3	-0.34	-1.21
1.5	785.00	208.00	3	-0.95	-1.58
1.15	498.00	148.00	3	-3.19	-2.94

0	796.00	196.00	4	-0.17	-1.11
0	751.00	222.00	3	-0.26	-1.16
0	797.00	210.00	4	-0.23	-1.14
0	0.00	216.00	0	0.00	0.00
0	730.00	0.00	3	-0.12	-1.07
0	639.00	216.00	3	-0.15	-1.09
0	613.00	192.00	3	-0.11	-1.07
0	642.00	191.00	3	0.23	-0.26
0	704.00	192.00	4	0.00	0.00
0	832.00	180.00	4	-0.25	-1.15
0	757.00	228.00	4	-0.26	-1.16
0	711.00	193.00	4	-0.15	-1.09
0	2453.00	528.00	5	0.67	-0.36
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	277.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	1267.00	0.00	5	1.29	0.09
0	1497.00	254.00	5	-0.14	-1.09
0	1297.00	284.00	5	0.00	0.00
0	1384.00	254.00	5	0.00	-1.88
0	1541.00	301.00	5	0.00	0.00
0.75	3659.00	964.00	4	-0.77	-1.47
0.82	3910.00	1073.00	4	-1.09	-1.67
0.39	3236.00	877.00	4	-1.30	-1.79
0.73	3250.00	1153.00	3	-0.65	-1.39
1.01	3388.00	947.00	3	-0.07	-1.04
0.26	2812.00	1033.00	3	-0.55	-1.34
2.44	2746.00	865.00	3	1.28	-0.21
0.82	3220.00	865.00	3	0.19	-0.60
0.56	3524.00	975.00	4	-0.65	-1.40
1.05	4271.00	982.00	4	-0.53	-1.32
1.4	4158.00	1122.00	4	0.66	-0.42
0.5	3892.00	1096.00	4	-0.25	-1.15
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	4661.00	1295.00	4	-0.37	-1.22
0	0.00	0.00	0	0.00	0.00
0	0.00	1369.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
5.06	3359.00	0.00	3	3.31	0.20
1.12	3862.00	1056.00	3	0.12	-0.70
2.44	4228.00	1167.00	4	0.13	-0.69
1.17	5103.00	1162.00	4	-0.67	-1.41
1.55	4915.00	1350.00	4	0.89	-0.42
1.22	4603.00	1289.00	4	-0.55	-1.33
1.17	1274.00	427.00	3	-1.18	-1.72
0.58	1578.00	547.00	3	-0.22	-1.13
0.45	1445.00	472.00	3	-0.42	-1.26
0	1514.00	414.00	3	-0.12	-1.07
1.11	1958.00	493.00	3	-1.10	-1.67
0.76	1290.00	580.00	3	-1.09	-1.66
1.73	1230.00	413.00	3	-1.00	-1.61
0.69	1300.00	393.00	3	-0.81	-1.49
0	1235.00	429.00	3	-0.13	-1.08
1	1213.00	389.00	3	-0.72	-1.44
1.15	1278.00	397.00	3	-0.65	-1.40
1.12	1252.00	389.00	3	-1.23	-1.75
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	20071.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	53425.00	0.00	3	-0.48	-1.29
0.25	55271.00	16405.00	3	-1.10	-1.67
0.35	63536.00	17396.00	3	-2.71	-2.64
0.08	61161.00	18777.00	3	-4.55	-3.77
0	0.00	0.00	0	0.00	-0.27
0.62	0.00	0.00	0	0.00	-0.46
0.16	0.00	0.00	0	0.00	-0.29
0.16	0.00	20071.00	0	0.00	-0.29
0.13	0.00	0.00	0	0.00	-0.29
0.15	0.00	0.00	0	0.00	-0.29
0.84	0.00	0.00	0	0.00	-0.23
0.15	0.00	0.00	0	0.00	-0.29
0	53425.00	0.00	3	-1.57	-1.96
0.14	55271.00	16405.00	3	-1.20	-1.73
0.18	63536.00	17396.00	3	-1.27	-1.77
0.2	61161.00	18777.00	3	-1.81	-2.10
1.5	28414.00	7101.00	4	1.40	-0.02
0.69	31926.00	6499.00	5	-0.42	-1.25
0.38	30951.00	6311.00	5	-0.15	-1.09
1.25	28780.00	7888.00	5	-2.79	-2.70
0.91	32677.00	5893.00	5	-2.58	-2.57
1.21	29829.00	6679.00	5	-3.49	-3.12
0.81	36732.00	6105.00	5	-2.01	-2.22
0.51	39207.00	7474.00	5	-0.36	-1.22

1.4	36519.00	8000.00	5	-2.76	-2.68
0.35	40387.00	7469.00	5	-0.18	-1.11
1.64	38536.00	8212.00	5	-2.18	-2.33
0.56	39361.00	8003.00	5	-3.93	-3.39
0.43	47996.00	14898.00	3	-6.15	-4.74
0.34	53679.00	16402.00	3	-6.56	-4.99
0.34	46624.00	14312.00	3	-6.69	-5.07
0.34	46501.00	19657.00	3	-3.84	-3.34
0.38	50045.00	14715.00	3	-3.76	-3.28
0.5	44480.00	15875.00	3	-2.03	-2.23
0.4	45734.00	14058.00	3	-3.57	-3.17
0.41	46484.00	14456.00	3	-2.12	-2.29
0.31	52190.00	15161.00	3	-5.99	-4.64
0.85	54058.00	16016.00	3	-4.08	-3.48
0.71	62258.00	16999.00	3	-4.85	-3.95
1.34	59909.00	18388.00	3	-3.39	-3.06
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.71	49270.00	15325.00	3	-0.94	-1.57
0	55257.00	16949.00	3	-0.43	-1.26
0	48069.00	14784.00	3	-0.21	-1.13
0	48015.00	20071.00	3	-0.31	-1.19
0	52003.00	15208.00	3	-0.27	-1.16
0	45770.00	16455.00	3	-0.64	-1.39
0.37	46964.00	14471.00	3	-1.29	-1.79
0.4	47784.00	14849.00	3	-2.78	-2.69
0.32	53425.00	15590.00	3	-9.42	-6.73
0.27	55271.00	16405.00	3	-8.98	-6.46
0.3	63536.00	17396.00	3	-7.09	-5.31
0.41	61161.00	18777.00	3	-11.26	-7.85
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	15.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	59.00	0.00	2.95	0.05	-1.51
0	51.00	20.00	2.83	0.00	0.00
0	143.00	18.00	7.94	-0.36	-1.22
0	45.00	18.00	3	0.00	0.00
0	89.00	35.00	2.54	-1.74	-2.06

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	1.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	17.00	0.00	2.43	-1.10	-1.67
0	0.00	7.00	0	0.00	0.00
0	23.00	0.00	11.5	0.00	0.00
0	3.00	2.00	3	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	548.00	53.00	10.34	-0.04	-1.03
0	0.00	109.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	775.00	0.00	9.57	0.08	-0.65
0	1074.00	81.00	10.04	0.00	0.00
0	1457.00	107.00	13.37	0.00	0.00
0	711.00	73.00	9.74	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
2.24	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.49	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
3.04	792.00	74.00	10.7	-3.77	-3.29
1.4	886.00	94.00	9.43	-4.10	-3.49
1.14	548.00	53.00	10.34	-3.79	-3.30
1.96	526.00	109.00	9.39	-5.78	-4.52
2.43	890.00	56.00	10.35	-5.75	-0.41
0.86	785.00	86.00	12.08	-5.19	-4.16
1.37	643.00	65.00	13.12	-5.41	-4.29
1.89	1415.00	49.00	9.43	-2.75	-2.67
2.25	775.00	150.00	9.57	-4.50	-3.74
2.95	1074.00	81.00	10.04	-4.14	-3.51
3.62	1457.00	107.00	13.37	-3.87	-3.35
1.91	711.00	73.00	9.74	-3.76	-3.29
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
4.04	230.00	13.00	17.69	-4.59	-3.79
5.67	166.00	8.00	20.75	-3.88	-3.36
10.44	42.00	3.00	14	0.13	-0.98
7.59	342.00	15.00	17.1	-1.03	-1.63
9.55	250.00	20.00	15.63	-0.47	-1.29
5.24	53.00	16.00	10.6	2.30	0.18
7.38	90.00	5.00	15	0.02	-1.15
8.66	70.00	6.00	23.33	-1.15	-1.70
6.52	289.00	3.00	22.23	-2.83	-2.72
5.48	212.00	13.00	17.67	-3.32	-3.02
6.14	435.00	12.00	29	-1.94	-2.18
8.01	395.00	17.00	23.24	-1.10	-1.67
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	12.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	319.00	0.00	17.72	-0.39	-1.24
0	174.00	18.00	9.16	0.00	0.00
0	118.00	19.00	9.83	0.00	0.00
0	166.00	15.00	11.07	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	9.00	0	0.00	0.00
0	53.00	0.00	4.08	0.25	-0.54
0	0.00	13.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	3.00	0.00	3	0.00	0.00
0	14.00	1.00	7	0.00	0.00
1.41	46.00	2.00	5.11	-0.81	-1.49
0	40.00	6.00	6.67	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	635.00	40.00	15.88	-1.81	-2.10
0	101.00	10.00	10.1	-0.41	-1.25
0	0.00	23.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.41	487.00	0.00	21.17	-1.24	-1.75
0	0.00	23.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00

1.41	431.00	0.00	25.35	-1.64	-2.00
0	450.00	17.00	19.57	-0.39	-1.24
0.82	294.00	23.00	12.78	-0.18	-1.11
0	264.00	16.00	16.5	-0.32	-1.19
0	792.00	74.00	10.7	-0.66	-1.40
0	886.00	94.00	9.43	-0.88	-1.54
0	0.00	0.00	0	0.00	0.00
0	526.00	109.00	9.39	-1.11	-1.68
0	0.00	56.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	643.00	0.00	13.12	-1.09	-1.67
0	0.00	49.00	0	0.00	0.00
0	775.00	0.00	9.57	0.00	0.00
0	1074.00	81.00	10.04	-0.79	-1.48
1.41	1457.00	107.00	13.37	-0.96	-1.58
0	711.00	73.00	9.74	-0.82	-1.50
1.14	287.00	35.00	8.2	-3.33	-3.02
1.41	281.00	46.00	6.11	-3.30	-3.01
1.33	353.00	57.00	6.19	-2.80	-2.70
1.31	459.00	44.00	8.35	-3.90	-3.37
1.37	444.00	55.00	7.53	-3.26	-2.98
1.18	340.00	59.00	6.8	-4.23	-1.06
1.45	259.00	50.00	6.32	-2.40	-2.46
1.4	361.00	41.00	8.6	-3.33	-1.06
1.49	374.00	42.00	6.8	-2.84	-2.73
1.42	334.00	55.00	5.96	-2.47	-2.50
1.63	236.00	56.00	5.36	-3.54	-3.15
1.35	499.00	68.00	7.34	-3.91	-3.38
0.28	19327.00	3940.00	4.91	0.02	-0.81
0.85	16362.00	2994.00	5.46	-1.22	-1.74
0.85	14873.00	2738.00	5.43	-1.51	-1.92
0.98	12807.00	2262.00	5.48	-1.05	-0.92
1	11975.00	2339.00	5.29	-0.87	-1.00
1.21	13058.00	2263.00	5.42	-1.42	-0.83
0	12406.00	2409.00	5.14	-0.16	-0.50
0.62	9126.00	2412.00	5.18	-0.96	-0.67
0.79	8156.00	1762.00	4.8	-0.53	-1.32
1.11	10668.00	1699.00	5.25	-2.51	-2.53
4.31	12213.00	2033.00	5.4	1.88	0.06
0.32	11640.00	2143.00	5.43	-1.04	-1.63
2.2	792.00	74.00	10.7	-4.17	-3.53
2.67	886.00	94.00	9.43	-4.66	-3.83
1.21	548.00	53.00	10.34	-4.21	-3.56
0.98	526.00	109.00	9.39	-7.33	-5.46
2.58	890.00	56.00	10.35	-6.34	-0.25
1.43	785.00	86.00	12.08	-5.42	-4.30
1.47	643.00	65.00	13.12	-5.56	-4.38
1.96	1415.00	49.00	9.43	-3.41	-3.07
1.39	775.00	150.00	9.57	-6.31	-4.84
3.01	1074.00	81.00	10.04	-4.81	-3.92
3.85	1457.00	107.00	13.37	-4.17	-3.53
1.24	711.00	73.00	9.74	-5.66	-4.44

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	101.00	10.00	10.1	-0.67	-1.41
0	0.00	23.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	487.00	0.00	21.17	-0.83	-1.51
0	0.00	23.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	431.00	0.00	25.35	0.00	0.00
0	450.00	17.00	19.57	-0.49	-1.30
0	294.00	23.00	12.78	0.00	0.00
0	264.00	16.00	16.5	0.00	0.00
1	0.00	0.00	0	0.00	-0.75
1.05	0.00	0.00	0	0.00	-0.56
1.41	0.00	0.00	0	0.00	-1.00
0	0.00	2262.00	0	0.00	-0.50
1.1	0.00	0.00	0	0.00	-1.10
0.84	0.00	0.00	0	0.00	-0.90
1.36	0.00	0.00	0	0.00	-1.06
0.82	0.00	0.00	0	0.00	-1.00
1.15	8156.00	0.00	4.8	-0.86	-1.52
0.89	10668.00	1699.00	5.25	-1.56	-1.95
2.17	12213.00	2033.00	5.4	-0.23	-1.14
0	0.00	0.00	0	0.00	0.00
1.19	24601.00	6566.00	3.75	12.85	6.81
1.14	26076.00	7344.00	3.55	15.54	8.45
0.82	23285.00	6777.00	3.44	17.60	9.70
1.11	22263.00	9462.00	3.42	16.62	-0.46
1.31	25113.00	6511.00	3.35	19.36	-0.49
2.25	21115.00	7487.00	3.33	16.47	-0.48
1.04	21615.00	6343.00	3.39	16.05	-0.47
1.91	22984.00	6384.00	3.4	15.68	-0.43
2.05	25245.00	6765.00	3.62	13.23	7.05
1.08	33712.00	6972.00	4.21	5.80	2.52
2.03	43992.00	7999.00	4.65	4.17	1.54
1.53	39290.00	8699.00	4.52	5.28	2.21
4.52	0.00	0.00	0	0.00	-1.17
6.54	0.00	0.00	0	0.00	-0.26
5.38	0.00	0.00	0	0.00	-1.37
4.76	0.00	0.00	0	0.00	-1.40
8.32	0.00	0.00	0	0.00	-0.44
1.95	0.00	0.00	0	0.00	-1.72
5.76	0.00	0.00	0	0.00	-1.03
4.62	0.00	0.00	0	0.00	-0.72
4.2	0.00	0.00	0	0.00	-1.40
7.82	0.00	0.00	0	0.00	-0.23
6.34	0.00	0.00	0	0.00	-1.00
6.6	0.00	0.00	0	0.00	-0.99
2.31	287.00	35.00	8.2	-2.42	-2.47
1.22	281.00	46.00	6.11	-1.86	-2.13
0.66	353.00	57.00	6.19	-1.25	-1.76
0.85	459.00	44.00	8.35	-2.35	-2.43

1.07	444.00	55.00	7.53	-2.07	-2.26
1.73	340.00	59.00	6.8	-2.18	-2.33
1.28	259.00	50.00	6.32	-1.54	-1.93
1.15	361.00	41.00	8.6	-2.14	-2.30
1.15	374.00	42.00	6.8	-1.71	-2.04
1.38	334.00	55.00	5.96	-1.49	-1.90
2.07	236.00	56.00	5.36	-1.63	-1.99
0.98	499.00	68.00	7.34	-2.22	-2.35
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	692.00	0.00	8.99	-1.83	-2.11
0	187.00	77.00	6.93	0.00	0.00
0	559.00	27.00	23.29	0.00	0.00
0	342.00	25.00	13.68	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	111.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	985.00	0.00	12.63	-0.51	-1.31
0	0.00	78.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00

0	1096.00	0.00	11.42	0.00	0.00
0	1774.00	96.00	12.58	0.00	0.00
0	1877.00	141.00	16.91	0.00	0.00
0	904.00	73.00	12.38	0.00	0.00
1.14	662.00	58.00	11.41	-1.73	-2.05
1.17	1223.00	68.00	17.99	-1.43	-1.87
1.51	639.00	43.00	14.86	-1.31	-1.79
0	463.00	111.00	10.77	-2.15	-2.31
0.5	833.00	43.00	21.36	-0.85	-0.63
3.4	985.00	39.00	12.63	-2.47	-2.50
4.2	853.00	78.00	18.54	-2.23	-2.36
2.81	1041.00	46.00	13.01	-0.83	-1.50
3.06	1096.00	80.00	11.42	-2.27	-2.38
2.11	1774.00	96.00	12.58	-1.81	-2.10
2.24	1877.00	141.00	16.91	-2.43	-2.48
3.37	904.00	73.00	12.38	-2.53	-2.54
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	856.00	44.00	19.45	-0.62	-1.38
0	448.00	55.00	12.11	-0.96	-1.58
0	775.00	37.00	12.92	-0.82	-1.50
0	0.00	60.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	296.00	0.00	12.33	0.00	0.00
0	963.00	24.00	18.17	0.00	0.00
0	1092.00	53.00	19.85	0.00	0.00
0	646.00	45.00	14.36	0.00	0.00
8.87	458.00	24.00	19.08	-1.41	-1.86
8.32	143.00	8.00	17.88	0.04	-0.93
8.46	301.00	11.00	27.36	-2.23	-2.36
5.99	412.00	25.00	18.73	-3.16	-2.92
5.82	849.00	22.00	21.77	-0.62	-1.38
2.89	619.00	39.00	20.63	-0.45	-1.27
10.69	707.00	30.00	35.35	-0.75	-1.45
4.15	983.00	20.00	89.36	-1.98	-2.20
10.14	243.00	11.00	22.09	-2.69	-2.64
0	808.00	11.00	20.2	-1.19	-1.72
1.05	383.00	40.00	15.32	1.02	-0.40
5.9	337.00	15.00	22.47	-2.39	-2.46

0	334.00	16.00	20.88	-0.56	-1.34
0	0.00	0.00	0	0.00	0.00
1.41	79.00	8.00	9.88	-0.85	-1.52
0	0.00	10.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	148.00	0.00	11.38	0.00	0.00
0	191.00	13.00	11.94	0.00	0.00
0	145.00	16.00	14.5	0.00	0.00
0	123.00	13.00	9.46	0.00	0.00
2.83	79.00	3.00	26.33	-0.94	-1.57
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	14.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	157.00	0.00	26.17	-0.90	-1.55
0	218.00	6.00	24.22	0.00	0.00
0	566.00	9.00	56.6	0.00	0.00
0	416.00	10.00	29.71	-0.55	-1.33
0	217.00	8.00	27.13	-0.48	-1.29
0	662.00	58.00	11.41	-1.05	-1.64
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	111.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	853.00	0.00	18.54	-0.82	-1.50
0	0.00	46.00	0	0.00	0.00
0	1096.00	0.00	11.42	0.00	0.00
4.95	1774.00	96.00	12.58	-0.25	-1.15
0	1877.00	141.00	16.91	-0.65	-1.40
0	904.00	73.00	12.38	-0.82	-1.50
1.47	98.00	12.00	8.17	-0.94	-1.57
1.05	152.00	17.00	8.94	-1.85	-2.12
0.88	228.00	24.00	9.5	-2.38	-2.45
1.05	68.00	23.00	5.67	-1.63	-1.00
1.07	132.00	12.00	6.95	-4.03	-0.92
1.01	142.00	19.00	7.47	-1.45	-0.91
1.04	127.00	19.00	7.94	-1.93	-0.96
0.97	155.00	16.00	8.16	-1.32	-1.80
1.47	201.00	19.00	12.56	-1.71	-2.04
1.16	106.00	16.00	9.64	-2.99	-2.82
3.69	273.00	11.00	11.87	-1.44	-1.88
1.1	161.00	21.00	7.67	-2.06	-2.25
0.35	2453.00	528.00	4.65	0.32	-0.70
0.55	2121.00	392.00	5.41	-1.20	-1.73
0.55	1914.00	357.00	5.36	-1.23	-1.75
0.44	1559.00	277.00	5.57	-1.28	-0.62

1.06	1500.00	280.00	5.26	-2.13	-0.88
0	1471.00	285.00	5.33	-0.63	-0.50
1.45	1508.00	276.00	5.15	-3.08	-1.06
0	1267.00	293.00	4.99	0.04	-0.50
0.94	1497.00	254.00	5.27	-1.16	-1.70
0.5	1297.00	284.00	5.11	-0.51	-1.31
4.58	1384.00	254.00	5	5.29	0.53
1.15	1541.00	301.00	5.12	-1.40	-1.85
0	662.00	58.00	11.41	-1.77	-2.07
0.58	1223.00	68.00	17.99	-1.07	-1.65
0.96	639.00	43.00	14.86	-1.54	-1.94
0.93	463.00	111.00	10.77	-3.25	-2.98
1.05	833.00	43.00	21.36	-1.75	-0.84
0.36	985.00	39.00	12.63	-3.77	-3.29
0.63	853.00	78.00	18.54	-1.78	-2.08
3.05	1041.00	46.00	13.01	-1.31	-1.79
0.7	1096.00	80.00	11.42	-2.84	-2.72
1.37	1774.00	96.00	12.58	-2.64	-2.60
0.84	1877.00	141.00	16.91	-1.67	-2.02
0.71	904.00	73.00	12.38	-2.64	-2.60
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	263.00	8.00	32.88	-1.18	-1.72
0	0.00	14.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	388.00	0.00	38.8	-1.66	-2.01
0	0.00	10.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	218.00	0.00	24.22	0.00	0.00
0	566.00	9.00	56.6	0.00	0.00
0	416.00	10.00	29.71	0.00	0.00
0	217.00	8.00	27.13	0.00	0.00
2.36	4455.00	1160.00	3.84	1.84	-0.09
3.26	4661.00	1295.00	3.6	7.20	1.26
0.93	4033.00	1087.00	3.71	1.43	-0.25
0	3894.00	1369.00	3.45	3.40	-0.50
3.8	4118.00	1128.00	3.3	6.36	-0.27
0.86	3451.00	1249.00	3.26	6.59	-0.52
0.9	3359.00	1057.00	3.18	6.33	-0.59
0.78	3862.00	1056.00	3.31	3.11	-0.57
0.38	4228.00	1167.00	3.64	2.97	0.20
0.64	5103.00	1162.00	3.78	2.86	0.30
2.07	4915.00	1350.00	3.59	4.46	0.61
1.16	4603.00	1289.00	3.57	4.42	0.57
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	-1.40
4.24	0.00	0.00	0	0.00	-1.40
9.9	0.00	0.00	0	0.00	-0.60
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	-1.00
1	0.00	0.00	0	0.00	0.20
0	0.00	0.00	0	0.00	-0.20

5.97	0.00	0.00	0	0.00	-1.08
0	0.00	0.00	0	0.00	0.00
4.98	0.00	0.00	0	0.00	-0.72
7.78	0.00	0.00	0	0.00	-0.90
0.91	98.00	12.00	8.17	-1.31	-1.79
0.79	152.00	17.00	8.94	-1.60	-1.97
3.01	228.00	24.00	9.5	-1.93	-2.17
1.15	68.00	23.00	5.67	-0.87	-1.53
0.38	132.00	12.00	6.95	-2.08	-2.26
1.25	142.00	19.00	7.47	-1.06	-1.64
1.5	127.00	19.00	7.94	-1.70	-2.03
0.81	155.00	16.00	8.16	-1.18	-1.72
0.64	201.00	19.00	12.56	-1.36	-1.83
1.72	106.00	16.00	9.64	-2.33	-2.42
3.52	273.00	11.00	11.87	-1.37	-1.84
2.41	161.00	21.00	7.67	-1.29	-1.79
0	0.00	0.00	0.00%	0.00	0.00
0	3134.00	3339.00	93.86%	-0.88	-1.54
0.2494	2957.00	3139.00	94.20%	0.14	-0.86
0	3085.00	3224.00	94.31%	-0.92	-1.56
0	3155.00	3271.00	94.52%	-0.83	-1.51
0.4157	2706.00	3338.00	94.22%	2.98	0.42
0	2629.00	2872.00	93.99%	-0.84	-1.51
0.3093	2628.00	2797.00	93.62%	0.93	-0.45
0.2179	2873.00	2807.00	93.92%	-0.20	-1.12
0	3167.00	3059.00	93.59%	-0.74	-1.45
0.3	2971.00	3384.00	92.15%	0.25	-0.81
0.2083	3004.00	3259.00	92.18%	-0.57	-1.35
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	43.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	89.00	0.00	96.74%	-0.53	-1.32
0	39.00	92.00	86.67%	0.00	0.00
0	35.00	45.00	81.40%	0.00	0.00
0	45.00	49.00	91.84%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	110.00	117.00	94.02%	-0.25	-1.15
0	0.00	286.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	128.00	0.00	95.52%	-0.22	-1.13
0	0.00	134.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	246.00	0.00	91.79%	-0.30	-1.18
0	285.00	268.00	88.24%	0.00	0.00
0	263.00	323.00	91.96%	0.00	0.00
0	189.00	204.00	92.65%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2271	156.00	173.00	90.17%	-1.20	-1.73
0.2197	110.00	117.00	94.02%	-0.29	-1.18
0.2457	110.00	286.00	94.02%	0.14	-0.93
0.2675	119.00	117.00	94.44%	0.75	-0.59
0.2875	128.00	126.00	95.52%	1.73	-0.14
0.2342	96.00	134.00	94.12%	-0.02	-1.01
0.2048	223.00	102.00	95.30%	-0.13	-1.08
0.1499	246.00	234.00	91.79%	-1.74	-2.06
0.3042	285.00	268.00	88.24%	-0.43	-1.26
0.3143	263.00	323.00	91.96%	1.00	-0.43
0.2353	189.00	204.00	92.65%	-0.40	-1.24
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	83.00	89.00	93.26%	-0.53	-1.32
0	73.00	117.00	96.05%	4.90	0.22

0	146.00	76.00	96.05%	-0.49	-1.30
0	0.00	152.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	107.00	0.00	96.40%	0.00	0.00
0	106.00	111.00	94.64%	0.00	0.00
0	111.00	112.00	94.87%	0.00	0.00
0	147.00	151.00	97.35%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	40845.00	0.00%	0.00	0.00
0.3499	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2665	0.00	0.00	0.00%	0.00	0.00
0.3608	0.00	0.00	0.00%	0.00	0.00
0	31153.00	0.00	93.21%	-0.97	-1.59
0.1674	34030.00	33423.00	93.15%	-1.60	-1.97
0.1696	37979.00	36533.00	92.98%	-3.66	-3.23
0.1327	37430.00	40304.00	92.87%	-4.62	-3.81
0	0.00	0.00	0.00%	0.00	0.00
0.1714	11471.00	12592.00	91.10%	-1.18	-1.72
0.1979	10596.00	11755.00	90.14%	-1.35	-1.82
0.3359	10127.00	13322.00	91.22%	1.08	-0.36
0.2818	10903.00	11102.00	92.45%	0.36	-0.75
0.2271	10317.00	11793.00	93.38%	-0.35	-1.21
0.2353	12389.00	11048.00	94.85%	0.24	-0.82
0.2353	13437.00	13061.00	94.65%	0.17	-0.85
0.2895	11527.00	14196.00	94.20%	1.18	-0.31
0.1324	12483.00	12237.00	93.79%	-1.37	-1.83
0.1727	12282.00	13310.00	92.19%	-1.42	-1.86
0.2197	12235.00	13260.00	92.27%	-0.76	-1.46
0	0.00	0.00	0.00%	0.00	0.00
0.149	16.00	16.00	100.00%	0.00	-0.85
0	14.00	14.00	100.00%	0.00	0.00
0.2233	43.00	41.00	100.00%	0.00	-0.37
0	60.00	43.00	100.00%	0.00	0.00
0	36.00	60.00	100.00%	0.00	0.00
0	28.00	36.00	100.00%	0.00	0.00
0	15.00	28.00	100.00%	0.00	0.00
0.1795	26.00	15.00	100.00%	0.00	-0.62
0	54.00	26.00	100.00%	0.00	0.00
0	41.00	54.00	100.00%	0.00	0.00
0.196	32.00	32.00	100.00%	0.00	-0.54
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	35.00	38.00	92.11%	-0.40	-1.25
0	0.00	34.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	39.00	0.00	97.50%	-0.16	-1.10
0	39.00	40.00	95.12%	0.00	0.00
0	32.00	41.00	94.12%	0.00	0.00
0	43.00	46.00	93.48%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2244	11471.00	12592.00	91.10%	-1.22	-1.74
0.3	10596.00	11755.00	90.14%	0.05	-0.95
0.2651	10127.00	13322.00	91.22%	-0.40	-1.24
0.2713	10903.00	11102.00	92.45%	0.17	-0.87
0.3258	10317.00	11793.00	93.38%	1.67	-0.06
0.2927	12389.00	11048.00	94.85%	1.68	-0.06
0.31	13437.00	13061.00	94.65%	1.94	0.07
0.2597	11527.00	14196.00	94.20%	0.47	-0.69
0.2321	12483.00	12237.00	93.79%	-0.17	-1.10
0.1336	12282.00	13310.00	92.19%	-1.65	-2.00
0.1407	12235.00	13260.00	92.27%	-2.12	-2.29
0	0.00	0.00	0.00%	0.00	0.00
0.203	29200.00	31448.00	92.85%	-4.96	-4.01
0.1884	26156.00	28030.00	93.31%	-5.33	-4.24
0.2328	26958.00	37621.00	93.31%	-1.45	-1.88
0.2117	27953.00	28892.00	93.32%	-3.42	-3.08
0.2311	23991.00	29955.00	92.96%	-1.89	-2.15
0.2111	24223.00	25807.00	93.43%	-2.77	-2.69
0.2092	26602.00	25926.00	93.18%	-3.28	-2.99
0.2075	28280.00	28548.00	93.14%	-3.84	-3.33
0.218	30863.00	30364.00	93.10%	-3.24	-2.97
0.1986	35008.00	33149.00	93.05%	-4.11	-3.50
0.2197	34426.00	37045.00	92.93%	-2.55	-2.55
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	59.00	59.00	100.00%	0.00	0.00
0	18.00	19.00	94.74%	-0.38	-1.23
0	0.00	44.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	33.00	0.00	97.06%	2.99	-0.12
0	12.00	34.00	100.00%	0.00	0.00
0	49.00	12.00	98.00%	-0.27	-1.17
0.5	28.00	50.00	93.33%	2.38	-0.17
0	38.00	30.00	100.00%	0.00	0.00
0	44.00	38.00	100.00%	0.00	0.00
0	26.00	26.00	100.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	156.00	173.00	90.17%	-0.97	-1.59
0	0.00	0.00	0.00%	0.00	0.00
0	110.00	286.00	94.02%	-0.43	-1.26
0	0.00	117.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	96.00	0.00	94.12%	-0.35	-1.21
0	223.00	102.00	95.30%	-0.31	-1.19
0	246.00	234.00	91.79%	-0.30	-1.18
0.4	285.00	268.00	88.24%	0.57	-0.67
0	263.00	323.00	91.96%	-0.51	-1.31
0	189.00	204.00	92.65%	-0.48	-1.29
0	0.00	0.00	0.00%	0.00	0.00
0.1466	64.00	67.00	95.52%	-0.83	-1.50
0.1158	83.00	86.00	96.51%	-0.97	-1.59
0.1587	58.00	69.00	85.29%	-2.58	-2.57
0.1613	82.00	68.00	96.47%	-0.39	-1.23
0.1467	69.00	85.00	90.79%	-1.90	-2.15
0.1753	56.00	76.00	87.50%	-2.06	-2.25
0.1673	56.00	64.00	91.80%	-1.40	-1.85
0.156	73.00	61.00	97.33%	-0.09	-1.05
0.1864	64.00	75.00	92.75%	-1.09	-1.66
0.182	65.00	69.00	94.20%	-0.78	-1.47
0.1631	87.00	97.00	89.69%	-2.16	-2.31
0	0.00	0.00	0.00%	0.00	0.00
0	4387.00	4852.00	90.42%	-1.78	-2.08
0.2179	3877.00	4325.00	89.64%	-0.78	-1.48
0.2818	3585.00	3832.00	90.90%	-0.07	-1.04
0	3511.00	3944.00	91.77%	-1.30	-1.79
0.2421	3367.00	3826.00	92.68%	-0.16	-1.10
0.2018	3867.00	3633.00	94.00%	-0.50	-1.31
0	3199.00	4114.00	92.91%	-1.53	-1.93
0.1543	3009.00	3443.00	92.24%	-1.26	-1.77
0.2353	3278.00	3262.00	92.68%	-0.39	-1.24
0.3307	3474.00	3537.00	90.66%	0.68	-0.57
0.2713	3260.00	3597.00	90.63%	-0.23	-1.14
0	0.00	0.00	0.00%	0.00	0.00
0.2225	156.00	173.00	90.17%	-1.34	-1.82
0.2241	110.00	117.00	94.02%	-0.23	-1.14
0.2601	110.00	286.00	94.02%	0.44	-0.77
0.2479	119.00	117.00	94.44%	0.37	-0.80
0.2299	128.00	126.00	95.52%	0.44	-0.76
0.1731	96.00	134.00	94.12%	-0.84	-1.51
0.1998	223.00	102.00	95.30%	-0.22	-1.14
0.2219	246.00	234.00	91.79%	-1.09	-1.66
0.2143	285.00	268.00	88.24%	-2.15	-2.31
0.2339	263.00	323.00	91.96%	-0.82	-1.50
0.2907	189.00	204.00	92.65%	0.71	-0.59
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	18.00	19.00	94.74%	-0.32	-1.19
0	0.00	44.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	33.00	0.00	97.06%	-0.24	-1.15
0	0.00	34.00	0.00%	0.00	0.00
0	49.00	0.00	98.00%	-0.14	-1.09
0	28.00	50.00	93.33%	-0.26	-1.16
0	38.00	30.00	100.00%	0.00	0.00
0	44.00	38.00	100.00%	0.00	0.00
0	26.00	26.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	11471.00	12592.00	91.10%	-0.99	-1.60
0	10596.00	11755.00	90.14%	-0.57	-1.35
0	10127.00	13322.00	91.22%	-0.69	-1.42
0	10903.00	11102.00	92.45%	-0.81	-1.49
0	10317.00	11793.00	93.38%	-0.75	-1.46
0	12389.00	11048.00	94.85%	-0.74	-1.45
0	13437.00	13061.00	94.65%	-0.53	-1.32
0	11527.00	14196.00	94.20%	-0.50	-1.30
0	12483.00	12237.00	93.79%	-0.81	-1.49
0.4714	12282.00	13310.00	92.19%	2.33	0.06
0	12235.00	13260.00	92.27%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.1112	11056.00	11842.00	93%	-11.65	-8.08
0.1385	10088.00	10730.00	94%	-6.03	-4.67
0.1294	10176.00	14218.00	94%	-6.20	-4.77
0.0991	10971.00	10849.00	94%	-7.31	-5.45
0.12	9316.00	11648.00	94%	-6.46	-4.92
0.1081	9137.00	9892.00	94%	-6.79	-5.13
0.142	10000.00	9745.00	94%	-5.92	-4.60
0.1532	10547.00	10667.00	94%	-5.65	-4.44
0.1584	11955.00	11271.00	94%	-5.44	-4.30
0.1529	13267.00	12758.00	93%	-6.01	-4.65
0.1626	13097.00	14125.00	93%	-6.26	-4.81
0	0.00	0.00	0%	0.00	0.00
0.2764	64.00	67.00	96%	0.99	-0.51
0.325	83.00	86.00	97%	2.61	0.10
0	58.00	69.00	85%	-1.92	-2.16
0.2738	82.00	68.00	96%	1.40	-0.33
0.169	69.00	85.00	91%	-1.05	-1.64
0	56.00	76.00	88%	-2.00	-2.22
0.2179	56.00	64.00	92%	-0.57	-1.35
0.2197	71.00	61.00	97%	0.82	-0.60
0.2291	64.00	73.00	93%	-0.36	-1.22
0.2215	65.00	69.00	94%	-0.15	-1.09
0	87.00	97.00	90%	-1.89	-2.15
0	0.00	0.00	0%	0.00	0.00
0.2494	32334.00	34787.00	93%	-0.06	-1.04
0	29113.00	31169.00	93%	-0.80	-1.48
0	30043.00	40845.00	93%	-1.03	-1.63
0.3222	31108.00	32163.00	93%	0.87	-0.49
0	26697.00	33293.00	93%	-1.85	-2.12
0.2502	26852.00	28679.00	93%	0.10	-0.91
0.1804	29230.00	28723.00	93%	-8.24	-6.01

0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	43.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	92.00	0.00	100%	0.00	0.00
0	45.00	92.00	100%	0.00	0.00
0	43.00	45.00	100%	0.00	0.00
0	49.00	49.00	100%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	-0.11
0	0.00	286.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	268.00	0.00	100%	0.00	0.00
0	323.00	268.00	100%	0.00	0.00
0	286.00	323.00	100%	0.00	0.00
0	204.00	204.00	100%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	-0.11
0	0.00	117.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	111.00	0.00	100%	0.00	0.00
0	112.00	111.00	100%	0.00	0.00
0	117.00	112.00	100%	0.00	0.00
0	151.00	151.00	100%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11

0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.3499	0.00	0.00	0%	0.00	0.00
0.2875	0.00	0.00	0%	0.00	0.00
0.3	0.00	0.00	0%	0.00	0.00
0.3307	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.4	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	6.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	1.00	0.00	17%	0.00	0.00
0	1.00	6.00	14%	0.00	0.00
0	0.00	7.00	0%	0.00	0.00
0	1.00	5.00	20%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4	0.00	0.00	0.00%	0.00	0.00
0.3646	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2665	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2083	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2764	0.00	0.00	0.00%	0.00	0.00
0.2353	0.00	0.00	0.00%	0.00	0.00
0.2534	0.00	0.00	0.00%	0.00	0.00
0.2764	0.00	0.00	0.00%	0.00	0.00
0.2967	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1561	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4422	0.00	0.00	0.00%	0.00	0.00
0.3548	0.00	0.00	0.00%	0.00	0.00
0.2432	0.00	0.00	0.00%	0.00	0.00
0.2734	0.00	0.00	0.00%	0.00	0.00
0.3291	0.00	0.00	0.00%	0.00	0.00
0.3421	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0.1714	0.00	0.00	0.00%	0.00	0.00
0.1979	0.00	0.00	0.00%	0.00	0.00
0.3359	0.00	0.00	0.00%	0.00	0.00
0.2818	0.00	0.00	0.00%	0.00	0.00
0.2271	0.00	0.00	0.00%	0.00	0.00
0.2353	0.00	0.00	0.00%	0.00	0.00
0.2353	0.00	0.00	0.00%	0.00	0.00
0.2895	0.00	0.00	0.00%	0.00	0.00
0.1324	0.00	0.00	0.00%	0.00	0.00
0.1727	0.00	0.00	0.00%	0.00	0.00
0.2197	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2244	0.00	0.00	0.00%	0.00	0.00
0.3	0.00	0.00	0.00%	0.00	0.00
0.2971	0.00	13322.00	0.00%	0.00	0.00
0.3	0.00	0.00	0.00%	0.00	0.00
0.3777	0.00	0.00	0.00%	0.00	0.00
0.3268	0.00	0.00	0.00%	0.00	0.00
0.3608	0.00	0.00	0.00%	0.00	0.00
0.3118	11527.00	0.00	94.20%	1.62	-0.09
0.2575	12483.00	12237.00	93.79%	0.32	-0.77
0.1872	12282.00	13310.00	92.19%	-1.15	-1.70
0.1714	12235.00	13260.00	92.27%	-1.74	-2.06
0	0.00	0.00	0.00%	0.00	0.00
0.2071	0.00	0.00	0.00%	0.00	0.00
0.1896	0.00	0.00	0.00%	0.00	0.00
0.2376	0.00	37621.00	0.00%	0.00	0.00
0.2138	0.00	0.00	0.00%	0.00	0.00
0.2311	0.00	0.00	0.00%	0.00	0.00
0.2127	0.00	0.00	0.00%	0.00	0.00
0.2151	0.00	0.00	0.00%	0.00	0.00
0.2075	28280.00	0.00	93.14%	-3.84	-3.33
0.2221	30863.00	30364.00	93.10%	-2.90	-2.76
0.2002	35008.00	33149.00	93.05%	-4.00	-3.43
0.2215	34426.00	37045.00	92.93%	-2.44	-2.48
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1466	0.00	0.00	0.00%	0.00	0.00
0.1158	0.00	0.00	0.00%	0.00	0.00
0.1587	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4841	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	359.00	0	0.00	0.00
0	44.00	0.00	1.52	-0.48	-1.29
0	110.00	29.00	3.24	-0.46	-1.28
0	0.00	34.00	0	0.00	0.00
0	133.00	0.00	3.41	-0.28	-1.17
0	875.00	39.00	4.56	0.00	0.00
0	1336.00	192.00	5.34	0.00	0.00
0	996.00	250.00	2.77	0.00	0.00
0	1059.00	371.00	2.85	0.00	0.00
0	87.00	63.00	1.38	-0.49	-1.30
3.54	160.00	65.00	2.46	0.85	-0.45
0	0.00	0.00	0	0.00	0.00
0	132.00	49.00	3.47	-0.61	-1.37
0	44.00	38.00	1.52	-0.48	-1.29
0	110.00	29.00	3.24	-0.46	-1.28
0	0.00	34.00	0	0.00	0.00
0	133.00	0.00	3.41	0.12	-0.49
0	56.00	39.00	1.87	-0.43	-1.26
0	76.00	30.00	1.85	0.00	0.00
0	120.00	41.00	2.45	-0.52	-1.32
0	92.00	45.00	2.04	0.00	0.00
2	515.00	172.00	2.99	0.18	-0.39
1.33	449.00	165.00	2.72	-0.55	-1.33
0	364.00	108.00	3.37	-0.79	-1.48
0.58	234.00	284.00	2.15	-0.28	-1.17
5.29	395.00	109.00	4.65	0.07	-0.68
2.83	393.00	85.00	4.85	-0.19	-1.12
0	281.00	81.00	2.51	-0.65	-1.39
2.12	695.00	112.00	4.34	-0.26	-1.16
2.28	550.00	160.00	3.87	-0.42	-1.26
2.51	555.00	142.00	3.07	-0.41	-1.25
1.41	709.00	181.00	2.5	-0.30	-1.19
5.2	733.00	289.00	2.54	0.57	-0.39
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	359.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.41	506.00	0.00	3.29	-0.35	-1.21
5.49	895.00	154.00	4.52	0.09	-0.77
1	875.00	198.00	4.56	-0.90	-1.55
1.53	1336.00	192.00	5.34	-0.66	-1.40
1.1	996.00	250.00	2.77	-0.80	-1.48
2.29	1059.00	371.00	2.85	-0.93	-1.56
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	8.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	67.00	0.00	4.19	-0.39	-1.24
0	22.00	16.00	1.29	-0.37	-1.23
0	38.00	17.00	4.75	0.00	0.00
0	6.00	3.00	2	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	51.00	0	0.00	0.00
1.41	88.00	0.00	5.5	-0.09	-1.06
0	0.00	16.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	64.00	0.00	2.13	0.95	-0.56
0	108.00	30.00	4.15	0.00	0.00
0	306.00	26.00	7.65	0.00	0.00
0	90.00	40.00	1.76	0.00	0.00
0	165.00	42.00	3.93	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	63.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	32.00	0.00	1.68	-0.53	-1.32
0	0.00	19.00	0	0.00	0.00
4.95	191.00	0.00	4.66	-0.02	-1.01
0	340.00	41.00	7.23	-0.50	-1.30
0	131.00	47.00	2.08	1.04	-0.26
0	223.00	47.00	4.74	-0.60	-1.37
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	8.00	13.00	2.67	-0.69	-1.42
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00

0	133.00	0.00	19	0.00	0.00
0	25.00	7.00	3.57	0.00	0.00
0	53.00	7.00	4.08	0.00	0.00
0	25.00	9.00	2.78	-1.44	-1.88
0	0.00	0.00	0	0.00	0.00
0	150.00	34.00	4.41	-0.36	-1.22
0	0.00	0.00	0	0.00	0.00
0	123.00	59.00	3.62	-0.34	-1.21
0	140.00	34.00	4	0.64	-0.39
5.2	96.00	35.00	2.74	1.01	-0.47
0	196.00	35.00	5.76	-0.50	-1.30
0	0.00	34.00	0	0.00	0.00
0	277.00	0.00	4.95	-0.14	-1.09
0	133.00	56.00	4.59	-0.34	-1.21
0	281.00	29.00	4.76	0.00	0.00
0	229.00	52.00	4.4	-0.08	-1.05
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	65.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
2	219.00	0.00	3.98	-0.53	-1.32
5.51	294.00	55.00	4.98	0.18	-0.66
0	137.00	59.00	4.28	0.38	-0.35
1.52	294.00	32.00	4.52	-0.25	-1.15
1.18	236.00	56.00	4.21	-1.36	-1.83
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.41	121.00	6.00	20.17	-1.25	-1.76
2.07	22.00	2.00	11	-0.75	-1.46
0	98.00	8.00	12.25	-0.74	-1.45
2.23	37.00	21.00	9.25	-2.29	-2.39
0.58	96.00	4.00	8.73	-1.14	-1.69
0	119.00	11.00	11.9	-0.53	-1.33
0.71	80.00	10.00	13.33	-1.19	-1.72
0	257.00	6.00	19.77	-0.72	-1.44
0	45.00	13.00	15	-1.57	-1.95
0.71	104.00	3.00	10.4	1.14	-0.40
7.18	366.00	10.00	17.43	-1.07	-1.65
0	100.00	5.00	20	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	20.00	2.00	10	-0.82	-1.50
0	0.00	0.00	0	0.00	0.00
0	0.00	6.00	0	0.00	0.00
1.6	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.26	0.00	0.00	0	0.00	0.00
6.34	0.00	0.00	0	0.00	0.00
0	11.00	0.00	11	0.00	0.00
0	88.00	1.00	14.67	0.00	0.00
0	16.00	1.00	16	0.00	0.00
4.24	34.00	3.00	11.33	-1.67	-2.01
3.21	16.00	6.00	2.67	0.78	-0.36
2.74	25.00	3.00	8.33	-0.67	-1.40
0	6.00	1.00	3	0.00	0.00
3.79	37.00	2.00	12.33	-0.48	-1.29
0.71	0.00	3.00	0	0.00	0.00
4.55	21.00	0.00	5.25	0.12	-1.13
2.89	34.00	4.00	5.67	0.40	-0.83
3.08	4.00	6.00	1.33	6.32	-0.35
2.7	4.00	3.00	2	2.57	0.03
4.32	1.00	2.00	1	0.00	0.00
1.8	24.00	4.00	6	-0.73	-1.44
0	0.00	0.00	0	0.00	0.00
0	160.00	65.00	2.46	-0.44	-1.26
0	0.00	0.00	0	0.00	0.00
0	0.00	49.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	56.00	0.00	1.87	0.07	-0.79
0	76.00	30.00	1.85	0.00	0.00
8.02	120.00	41.00	2.45	4.42	0.75
0	92.00	45.00	2.04	0.00	0.00
0	121.00	6.00	20.17	-0.63	-1.39
10.12	22.00	2.00	11	-0.34	-1.21
3.54	98.00	8.00	12.25	-0.85	-1.52
0.71	37.00	21.00	9.25	-1.79	-2.09

7.06	96.00	4.00	8.73	-0.07	-1.04
2.97	119.00	11.00	11.9	-0.86	-1.52
0	80.00	10.00	13.33	-0.95	-1.58
0.58	257.00	6.00	19.77	-1.19	-1.72
1.41	45.00	13.00	15	-1.80	-2.09
6.82	104.00	3.00	10.4	-1.65	-2.00
3.15	366.00	10.00	17.43	-1.42	-1.86
0	100.00	5.00	20	-2.23	-2.36
3.31	697.00	209.00	3.33	0.96	-0.50
3.67	755.00	213.00	3.54	0.77	-0.56
2.85	533.00	145.00	3.68	0.74	-0.60
1.01	445.00	359.00	2.99	5.18	1.26
2.54	558.00	149.00	4.57	0.58	-0.54
7.42	570.00	122.00	4.79	0.86	-0.57
1.06	506.00	119.00	3.29	0.88	-0.51
10.83	895.00	154.00	4.52	1.49	-0.22
2.51	875.00	198.00	4.56	0.16	-0.84
4.05	1336.00	192.00	5.34	-0.22	-1.13
4.83	996.00	250.00	2.77	3.83	0.88
3.17	1059.00	371.00	2.85	1.25	-0.27
0	116.00	12.00	9.67	-1.00	-1.61
0	414.00	15.00	27.6	-0.94	-1.57
0	0.00	0.00	0	0.00	0.00
0	0.00	40.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
4.95	296.00	0.00	19.73	-0.94	-1.57
0	641.00	15.00	35.61	0.00	0.00
0	444.00	18.00	15.31	0.00	0.00
2.83	646.00	29.00	16.15	-0.72	-1.44
0	154.00	7.00	22	-0.52	-1.32
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	272.00	15.00	18.13	-0.74	-1.45
0	0.00	29.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	78.00	0.00	13	0.00	0.00
0	170.00	6.00	15.45	0.00	0.00
0	486.00	11.00	16.76	0.00	0.00
0	84.00	12.00	7	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.41	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	4.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	768.00	0.00	128	-3.46	-3.11

0	0.00	6.00	0	0.00	0.00
0	47.00	0.00	9.4	0.00	0.00
0	12.00	5.00	3	0.00	0.00
0	17.00	1.00	17	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	8.00	1.00	8	0.00	0.00
0	0.00	6.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	2.00	0.00	2	0.00	0.00
0	24.00	1.00	8	0.00	0.00
0	122.00	3.00	20.33	0.00	0.00
0	20.00	3.00	6.67	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	1.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	1.00	0.00	1	0.00	0.00
0	5.00	1.00	1.67	-1.00	-1.61
0	1.00	3.00	1	0.00	0.00
0	11.00	5.00	2.2	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	414.00	15.00	27.6	-0.94	-1.57
0	0.00	0.00	0	0.00	0.00
0	65.00	40.00	9.29	-0.88	-1.53
0	0.00	7.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	115.00	0.00	14.38	-1.39	-1.85
0	296.00	8.00	19.73	-0.57	-1.35
0	641.00	15.00	35.61	0.00	0.00
0	444.00	18.00	15.31	0.00	0.00
0	646.00	29.00	16.15	-0.65	-1.40
0.71	154.00	7.00	22	-1.10	-1.67
2.12	235.00	52.00	4.52	0.24	-0.42
0	191.00	45.00	4.24	-0.51	-1.31
0	173.00	45.00	3.84	-0.45	-1.27
0	164.00	63.00	5.86	0.20	-0.65
0	0.00	28.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	191.00	0.00	4.66	0.00	0.00
0	340.00	41.00	7.23	0.00	0.00
5.77	131.00	47.00	2.08	3.38	0.32
2.89	223.00	47.00	4.74	-0.02	-1.01

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	20.00	2.00	10	0.06	-1.40
0	0.00	1.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	21.00	0.00	21	0.00	0.00
0	7.00	1.00	7	0.00	0.00
0	35.00	1.00	35	0.00	0.00
0	1.00	1.00	1	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	47.00	0	0.00	0.00
0	277.00	0.00	9.23	0.88	-0.42
0	0.00	30.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	258.00	0.00	6.79	0.00	0.00
0	298.00	38.00	6.08	0.00	0.00
0	324.00	49.00	6.89	0.00	0.00
0	181.00	28.00	6.46	0.00	0.00
0	435.00	106.00	4.1	-0.02	-1.01
1.41	607.00	121.00	5.02	0.54	-0.65
0	483.00	101.00	4.78	-0.34	-1.21
0	0.00	137.00	0	0.00	0.00
3.54	454.00	0.00	4.93	-0.08	-1.05
2.52	434.00	92.00	4.17	-0.31	-1.19
0	490.00	104.00	5.05	-0.63	-1.39
4.08	601.00	97.00	5.27	-0.22	-1.13
2.65	557.00	114.00	4.57	0.16	-0.78
0	898.00	122.00	6.19	0.00	0.00
0	676.00	145.00	4.93	0.00	0.00
0	742.00	137.00	5.42	-0.59	-1.36
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	184.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
4.16	797.00	0.00	5.61	0.28	-0.45
2.78	815.00	142.00	5.09	-0.05	-1.03
0	1196.00	160.00	6.16	-0.50	-1.30
6.06	1000.00	194.00	5.43	2.15	0.11
9.97	923.00	165.00	5.59	1.88	-0.03
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	53.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	291.00	0.00	8.56	-0.47	-1.28
0	198.00	34.00	7.92	0.00	0.00
0	313.00	25.00	5.91	-0.63	-1.38
0	344.00	44.00	7.82	-0.82	-1.50
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	55.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
4.24	199.00	0.00	7.65	-0.24	-1.15
0	355.00	26.00	8.45	-0.49	-1.30
0	209.00	42.00	6.97	0.00	0.00
3.54	329.00	30.00	5.98	-0.56	-1.34
7.07	366.00	47.00	7.79	-0.31	-1.19
2.08	40.00	3.00	13.33	-1.84	-2.12
4.24	3.00	1.00	3	0.00	0.00
0	32.00	2.00	16	-0.29	-1.18
0.71	31.00	2.00	7.75	-1.21	-1.74
9.9	4.00	4.00	4	0.00	0.00
0	6.00	1.00	3	0.00	-1.00
3.51	6.00	2.00	6	0.00	0.00
6.36	58.00	1.00	29	-4.15	-3.53
2.65	50.00	2.00	8.33	-0.44	-1.27
0	3.00	6.00	3	0.00	0.00
4.36	6.00	1.00	3	3.10	-0.63
0	73.00	6.00	12.17	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	31.00	0	0.00	0.00
0	123.00	0.00	12.3	-0.80	-1.49
0	0.00	10.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	165.00	0.00	10.31	0.00	0.00
0.71	152.00	16.00	7.24	-1.55	-1.94
0	195.00	21.00	6.29	-0.24	-1.14
0	304.00	30.00	10.13	-1.00	-1.61
4.5	9.00	2.00	4.5	2.02	-0.78
0	48.00	8.00	6	-1.14	-1.69
1.67	10.00	2.00	5	-2.03	-2.23
0.5	6.00	6.00	3	-1.02	-1.62
1.34	1.00	2.00	1	0.00	0.00
6.68	4.00	1.00	4	0.00	0.00
0	53.00	1.00	26.5	-29.44	-18.90
7	43.00	2.00	7.17	-1.27	-1.77

4.24	93.00	6.00	7.75	-1.71	-2.04
5.67	128.00	12.00	10.67	-1.14	-1.69
10.11	45.00	12.00	7.5	0.79	-0.54
2.36	134.00	11.00	12.18	-3.28	-3.00
4.71	648.00	143.00	4.53	3.20	0.57
9.9	1055.00	183.00	5.77	0.47	-0.56
0	0.00	0.00	0	0.00	0.00
0	954.00	184.00	5.07	-0.37	-1.22
0	0.00	188.00	0	0.00	0.00
6.58	721.00	0.00	5.3	2.04	0.04
0.45	654.00	136.00	5.45	-0.74	-1.45
17.21	797.00	120.00	5.61	1.62	-0.03
7.44	815.00	142.00	5.09	-0.61	-1.37
2.22	1196.00	160.00	6.16	-0.45	-1.27
0	1000.00	194.00	5.43	0.64	-0.39
4.12	923.00	165.00	5.59	1.70	-0.08
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	14.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	20.00	0.00	6.67	-2.00	-2.22
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	65.00	0.00	7.22	0.00	0.00
0	367.00	9.00	21.59	0.00	0.00
0	113.00	17.00	8.07	0.00	0.00
0	107.00	7.00	15.29	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	51.00	4.00	17	-2.67	-2.62
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	46.00	0.00	15.33	0.00	0.00
0	178.00	3.00	29.67	0.00	0.00
0	66.00	6.00	16.5	0.00	0.00
0	64.00	6.00	10.67	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	39.00	3.00	13	-0.76	-1.46
0	0.00	6.00	0	0.00	0.00
0	11.00	0.00	2.75	3.80	-0.33
0	0.00	4.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	51.00	0.00	12.75	0.00	0.00
0	29.00	4.00	9.67	0.00	0.00
7.07	118.00	3.00	19.67	-0.51	-1.31
0	47.00	5.00	9.4	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	203.00	6.00	33.83	-1.30	-1.79
0.5	31.00	3.00	10.33	-1.56	-1.95
0	0.00	14.00	0	0.00	0.00
0	173.00	0.00	57.67	-0.85	-1.51
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	65.00	0.00	7.22	-0.74	-1.45
1.5	367.00	9.00	21.59	-2.22	-2.35
0	113.00	17.00	8.07	0.00	0.00
0	107.00	7.00	15.29	0.00	0.00
1.15	502.00	50.00	10.04	-0.29	-1.17
5.2	183.00	43.00	4.26	6.69	1.26
0	281.00	46.00	6.11	-0.76	-1.46
0	142.00	55.00	4.73	0.40	-0.46
0	196.00	30.00	6.32	2.21	-0.03
0	83.00	31.00	3.32	-0.11	-1.07
0	186.00	25.00	5.81	-0.24	-1.14
0	0.00	32.00	0	0.00	0.00
0	355.00	0.00	8.45	0.00	0.00
0	209.00	42.00	6.97	-0.95	-1.58
0	329.00	30.00	5.98	0.00	0.00
0	366.00	47.00	7.79	-0.59	-1.36
0	0.00	0.00	0	0.00	0.00
0	38.00	4.00	9.5	-0.75	-1.46
0	0.00	0.00	0	0.00	0.00
0	0.00	6.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	51.00	0.00	12.75	0.00	0.00
0	29.00	4.00	9.67	0.00	0.00
0	118.00	3.00	19.67	-0.64	-1.39
0	47.00	5.00	9.4	0.00	0.00
0.008333333	0.00	0.00	0:00	0.00	0.00
0.002777778	0.00	0.00	0:00	0.00	0.00
0.002777778	0.00	0.00	0:00	0.00	0.00
0.004166667	0.00	0.00	0:00	0.00	0.00

0.002083333	0.00	0.00	0:00	0.00	0.00
0.002777778	0.00	0.00	0:00	0.00	0.00
0.002083333	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.003472222	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.004861111	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.002777778	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.004166667	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.009722222	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.009027778	0.00	0.00	0:00	0.00	0.00
0.005555556	0.00	0.00	0:00	0.00	0.00
0.008333333	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.16
0.038	0.00	0.00	0.00%	0.00	-0.15
0.038	0.00	0.00	0.00%	0.00	-0.15
0.0459	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.1342	0.00	0.00	0.00%	0.00	-0.10
0.0775	0.00	0.00	0.00%	0.00	-0.14
0.0844	0.00	0.00	0.00%	0.00	-0.14
0.0462	0.00	0.00	0.00%	0.00	-0.15
0.076	0.00	0.00	0.00%	0.00	-0.14
0.0448	0.00	0.00	0.00%	0.00	-0.15
0.0241	0.00	0.00	0.00%	0.00	-0.16
0.0841	0.00	0.00	0.00%	0.00	-0.14
0.0351	0.00	0.00	0.00%	0.00	-0.15
0.0265	0.00	0.00	0.00%	0.00	-0.16
0.066	0.00	0.00	0.00%	0.00	-0.14
0.0544	0.00	0.00	0.00%	0.00	-0.15
0.0668	0.00	0.00	0.00%	0.00	-0.14
0.0414	0.00	0.00	0.00%	0.00	-0.15
0.0772	0.00	0.00	0.00%	0.00	-0.14
0.0893	0.00	0.00	0.00%	0.00	-0.13
0.0799	0.00	0.00	0.00%	0.00	-0.14
00:00	7.78	1.00	7.78	0.00	0.00
00:00	8.21	1.00	8.21	0.00	0.00
00:00	7.86	1.00	7.86	0.00	0.00
00:00	7.35	1.00	7.35	0.00	0.00
00:00	7.65	1.00	7.65	0.00	0.00
00:00	7.56	1.00	7.56	0.00	0.00
00:00	7.09	1.00	7.09	0.00	0.00
00:00	7.59	1.00	7.59	0.00	0.00

00:00	7.17	1.00	7.17	0.00	0.00
00:00	7.13	1.00	7.13	0.00	0.00
00:00	7.16	1.00	7.16	0.00	0.00
00:00	6.90	1.00	6.9	0.00	0.00
00:00	0.00	0.00	0	0.00	0.00
00:00	0.00	0.00	0	0.00	0.00
00:00	0.00	0.00	0	0.00	0.00
00:00	0.00	0.00	0	0.00	-0.24
00:00	0.00	0.00	0	0.00	-0.24
00:00	0.00	0.00	0	0.00	0.00
00:00	0.00	0.00	0	0.00	0.00
00:00	0.00	0.00	0	0.00	-0.24
00:00	0.00	0.00	0	0.00	-0.24
00:00	0.00	0.00	0	0.00	-0.24
00:00	0.00	0.00	0	0.00	-0.24
00:00	0.00	0.00	0	0.00	1.38
1.45	0.00	0.00	0:00	0.00	0.00
5.93	0.00	0.00	0:00	0.00	0.00
2.25	0.00	0.00	0:00	0.00	0.00
1.74	0.00	0.00	0:00	0.00	-1.70
2.98	0.00	0.00	0:00	0.00	-1.70
1.76	0.00	0.00	0:00	0.00	-1.73
1.62	0.00	0.00	0:00	0.00	-1.83
4.39	0.00	0.00	0:00	0.00	-1.74
2.9	0.00	0.00	0:00	0.00	-1.76
10.35	0.00	0.00	0:00	0.00	-1.80
3.14	0.00	0.00	0:00	0.00	-1.79
1.63	0.00	0.00	0:00	0.00	-1.90
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.42
0	0.00	0.00	0:00	0.00	-2.43
0	0.00	0.00	0:00	0.00	-2.42
0	0.00	0.00	0:00	0.00	-2.42
0	0.00	0.00	0:00	0.00	-2.44
0	0.00	0.00	0:00	0.00	-2.45
0	0.00	0.00	0:00	0.00	-2.47
0	0.00	0.00	0:00	0.00	-2.43
0	0.00	0.00	0:00	0.00	-2.42
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.88	0.00	0.00	0:00	0.00	0.00
1.75	0.00	0.00	0:00	0.00	0.00
1.93	0.00	0.00	0:00	0.00	0.00

0.35	0.00	0.00	0:00	0.00	0.00
3.97	0.00	0.00	0:00	0.00	0.00
0.34	0.00	0.00	0:00	0.00	0.00
0.65	0.00	0.00	0:00	0.00	0.00
0.42	0.00	0.00	0:00	0.00	0.00
0.53	0.00	0.00	0:00	0.00	0.00
1.08	0.00	0.00	0:00	0.00	0.00
0.5	0.00	0.00	0:00	0.00	0.00
0.38	0.00	0.00	0:00	0.00	0.00
0.56	0.00	0.00	0:00	0.00	0.00
0.7	0.00	0.00	0:00	0.00	0.00
0.77	0.00	0.00	0:00	0.00	0.00
2.27	0.00	0.00	0:00	0.00	0.00
2.85	0.00	0.00	0:00	0.00	0.00
0.62	0.00	0.00	0:00	0.00	0.00
4.75	0.00	0.00	0:00	0.00	-2.47
3.61	0.00	0.00	0:00	0.00	-2.51
2.24	0.00	0.00	0:00	0.00	-2.52
0.84	0.00	0.00	0:00	0.00	-2.54
2.02	0.00	0.00	0:00	0.00	-2.53
0.95	0.00	0.00	0:00	0.00	-2.53
3.92	0.00	0.00	0:00	0.00	-2.50
3.06	0.00	0.00	0:00	0.00	-2.47
2.36	0.00	0.00	0:00	0.00	-2.49
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.58
0	0.00	0.00	0:00	0.00	-2.57
0	0.00	0.00	0:00	0.00	-2.58
0	0.00	0.00	0:00	0.00	-2.57
0	0.00	0.00	0:00	0.00	-2.57
0	0.00	0.00	0:00	0.00	-2.58
0	0.00	0.00	0:00	0.00	-2.40
0	0.00	0.00	0:00	0.00	-1.82
0	0.00	0.00	0:00	0.00	-1.80
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
1	0.00	0.00	0:00	0.00	0.00
3.09	0.00	0.00	0:00	0.00	0.00
3.54	0.00	0.00	0:00	0.00	0.00
0.44	0.00	0.00	0:00	0.00	0.00
0.4	0.00	0.00	0:00	0.00	0.00
0.41	0.00	0.00	0:00	0.00	0.00
0.48	0.00	0.00	0:00	0.00	0.00

0.43	0.00	0.00	0:00	0.00	0.00
0.43	0.00	0.00	0:00	0.00	0.00
1.39	0.00	0.00	0:00	0.00	0.00
0.61	0.00	0.00	0:00	0.00	0.00
0.6	0.00	0.00	0:00	0.00	0.00
2.95	0.00	0.00	0:00	0.00	0.00
0.1	0.00	0.00	0:00	0.00	0.00
0.68	0.00	0.00	0:00	0.00	0.00
5.73	0.00	0.00	0:00	0.00	0.00
5.89	0.00	0.00	0:00	0.00	0.00
7.27	0.00	0.00	0:00	0.00	0.00
7.11	0.00	0.00	0:00	0.00	-2.39
6.26	0.00	0.00	0:00	0.00	-2.40
5.89	0.00	0.00	0:00	0.00	-2.40
5.13	0.00	0.00	0:00	0.00	-2.39
6.07	0.00	0.00	0:00	0.00	-2.40
5.69	0.00	0.00	0:00	0.00	-2.39
10.73	0.00	0.00	0:00	0.00	-2.37
6.56	0.00	0.00	0:00	0.00	-2.32
6.34	0.00	0.00	0:00	0.00	-2.36
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.54
0	0.00	0.00	0:00	0.00	-2.53
0	0.00	0.00	0:00	0.00	-2.53
0	0.00	0.00	0:00	0.00	-2.52
0	0.00	0.00	0:00	0.00	-2.53
0	0.00	0.00	0:00	0.00	-2.56
0	0.00	0.00	0:00	0.00	-2.54
0	0.00	0.00	0:00	0.00	-2.47
0	0.00	0.00	0:00	0.00	-2.45
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.11	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.24	0.00	0.00	0:00	0.00	0.00
4.22	0.00	0.00	0:00	0.00	0.00
4.13	0.00	0.00	0:00	0.00	0.00
5.52	0.00	0.00	0:00	0.00	0.00
5.12	0.00	0.00	0:00	0.00	0.00
5.42	0.00	0.00	0:00	0.00	0.00
5.41	0.00	0.00	0:00	0.00	0.00
4.65	0.00	0.00	0:00	0.00	0.00
4.36	0.00	0.00	0:00	0.00	0.00

4.36	0.00	0.00	0:00	0.00	0.00
4.29	0.00	0.00	0:00	0.00	0.00
4.63	0.00	0.00	0:00	0.00	0.00
4.53	0.00	0.00	0:00	0.00	0.00
4.11	0.00	0.00	0:00	0.00	0.00
1.82	0.00	0.00	0:00	0.00	0.00
1.3	0.00	0.00	0:00	0.00	0.00
2.99	0.00	0.00	0:00	0.00	-2.37
1.19	0.00	0.00	0:00	0.00	-2.38
2.5	0.00	0.00	0:00	0.00	-2.35
1.17	0.00	0.00	0:00	0.00	-2.37
2.52	0.00	0.00	0:00	0.00	-2.33
1.46	0.00	0.00	0:00	0.00	-2.33
1	0.00	0.00	0:00	0.00	-2.33
1.84	0.00	0.00	0:00	0.00	-2.29
2.58	0.00	0.00	0:00	0.00	-2.26
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.38
0	0.00	0.00	0:00	0.00	-2.36
0	0.00	0.00	0:00	0.00	-2.35
0	0.00	0.00	0:00	0.00	-2.32
0	0.00	0.00	0:00	0.00	-2.32
0	0.00	0.00	0:00	0.00	-2.31
0	0.00	0.00	0:00	0.00	-2.13
0	0.00	0.00	0:00	0.00	-1.62
0	0.00	0.00	0:00	0.00	-1.55
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
1.29	0.00	0.00	0:00	0.00	0.00
2.42	0.00	0.00	0:00	0.00	0.00
2.52	0.00	0.00	0:00	0.00	0.00
2.04	0.00	0.00	0:00	0.00	0.00
1.88	0.00	0.00	0:00	0.00	0.00
1.95	0.00	0.00	0:00	0.00	0.00
2.27	0.00	0.00	0:00	0.00	0.00
2.43	0.00	0.00	0:00	0.00	0.00
2.31	0.00	0.00	0:00	0.00	0.00
2.42	0.00	0.00	0:00	0.00	0.00
2.82	0.00	0.00	0:00	0.00	0.00
2.69	0.00	0.00	0:00	0.00	0.00
3.34	0.00	0.00	0:00	0.00	0.00
2.33	0.00	0.00	0:00	0.00	0.00
4.19	0.00	0.00	0:00	0.00	0.00

2.52	0.00	0.00	0:00	0.00	0.00
2.02	0.00	0.00	0:00	0.00	0.00
1.77	0.00	0.00	0:00	0.00	0.00
1.88	0.00	0.00	0:00	0.00	-2.08
2.51	0.00	0.00	0:00	0.00	-2.10
2.02	0.00	0.00	0:00	0.00	-2.09
1.16	0.00	0.00	0:00	0.00	-2.09
4.13	0.00	0.00	0:00	0.00	-1.98
2.69	0.00	0.00	0:00	0.00	-2.03
3.23	0.00	0.00	0:00	0.00	-2.37
2.21	0.00	0.00	0:00	0.00	-2.40
2.24	0.00	0.00	0:00	0.00	-2.42
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-1.91
0	0.00	0.00	0:00	0.00	-1.91
0	0.00	0.00	0:00	0.00	-1.93
0	0.00	0.00	0:00	0.00	-1.93
0	0.00	0.00	0:00	0.00	-1.92
0	0.00	0.00	0:00	0.00	-1.92
0	0.00	0.00	0:00	0.00	-1.58
0	0.00	0.00	0:00	0.00	-1.10
0	0.00	0.00	0:00	0.00	-1.14
0.32	0.00	0.00	0:00	0.00	0.00
0.31	0.00	0.00	0:00	0.00	0.00
0.33	0.00	0.00	0:00	0.00	0.00
0.34	0.00	0.00	0:00	0.00	0.00
0.35	0.00	0.00	0:00	0.00	0.00
0.35	0.00	0.00	0:00	0.00	0.00
0.36	0.00	0.00	0:00	0.00	0.00
0.36	0.00	0.00	0:00	0.00	0.00
0.33	0.00	0.00	0:00	0.00	0.00
1.67	0.00	0.00	0:00	0.00	0.00
2.78	0.00	0.00	0:00	0.00	0.00
2.94	0.00	0.00	0:00	0.00	0.00
1.16	0.00	0.00	0:00	0.00	0.00
1.3	0.00	0.00	0:00	0.00	0.00
1.34	0.00	0.00	0:00	0.00	0.00
1.47	0.00	0.00	0:00	0.00	0.00
1.65	0.00	0.00	0:00	0.00	0.00
1.29	0.00	0.00	0:00	0.00	0.00
1.43	0.00	0.00	0:00	0.00	0.00
1.32	0.00	0.00	0:00	0.00	0.00
1.41	0.00	0.00	0:00	0.00	0.00
2.64	0.00	0.00	0:00	0.00	0.00
3.41	0.00	0.00	0:00	0.00	0.00
3.38	0.00	0.00	0:00	0.00	0.00
5.65	0.00	0.00	0:00	0.00	0.00
2.07	0.00	0.00	0:00	0.00	0.00
2.31	0.00	0.00	0:00	0.00	0.00
2.24	0.00	0.00	0:00	0.00	-2.16

3.6	0.00	0.00	0:00	0.00	-2.17
2.28	0.00	0.00	0:00	0.00	-2.12
2.49	0.00	0.00	0:00	0.00	-2.15
2.8	0.00	0.00	0:00	0.00	-2.13
1.73	0.00	0.00	0:00	0.00	-2.13
3.31	0.00	0.00	0:00	0.00	-2.00
3.5	0.00	0.00	0:00	0.00	-1.84
3.52	0.00	0.00	0:00	0.00	-1.95
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.23
0	0.00	0.00	0:00	0.00	-2.22
0	0.00	0.00	0:00	0.00	-2.21
0	0.00	0.00	0:00	0.00	-2.21
0	0.00	0.00	0:00	0.00	-2.16
0	0.00	0.00	0:00	0.00	-2.14
0	0.00	0.00	0:00	0.00	-1.58
0	0.00	0.00	0:00	0.00	-0.11
0	0.00	0.00	0:00	0.00	-0.04
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.95	0.00	0.00	0:00	0.00	0.00
1.67	0.00	0.00	0:00	0.00	0.00
2.01	0.00	0.00	0:00	0.00	0.00
5.47	0.00	0.00	0:00	0.00	0.00
1.54	0.00	0.00	0:00	0.00	0.00
2.24	0.00	0.00	0:00	0.00	0.00
1.84	0.00	0.00	0:00	0.00	0.00
2.03	0.00	0.00	0:00	0.00	0.00
1.94	0.00	0.00	0:00	0.00	0.00
1.47	0.00	0.00	0:00	0.00	0.00
2.53	0.00	0.00	0:00	0.00	0.00
2.14	0.00	0.00	0:00	0.00	0.00
4.17	0.00	0.00	0:00	0.00	0.00
1.64	0.00	0.00	0:00	0.00	0.00
1.64	0.00	0.00	0:00	0.00	0.00
1.11	0.00	0.00	0:00	0.00	0.00
5.82	0.00	0.00	0:00	0.00	0.00
2.18	0.00	0.00	0:00	0.00	0.00
2.13	0.00	0.00	0:00	0.00	-1.94
3.48	0.00	0.00	0:00	0.00	-1.93
1.68	0.00	0.00	0:00	0.00	-1.99
1.96	0.00	0.00	0:00	0.00	-2.01
3.68	0.00	0.00	0:00	0.00	-1.93

2.41	0.00	0.00	0:00	0.00	-1.98
10.48	0.00	0.00	0:00	0.00	-1.83
3.35	0.00	0.00	0:00	0.00	-1.52
2.93	0.00	0.00	0:00	0.00	-1.36
0.1	0.00	0.00	0:00	0.00	0.00
2.02	0.00	0.00	0:00	0.00	0.00
0.13	0.00	0.00	0:00	0.00	0.00
0.25	0.00	0.00	0:00	0.00	0.00
0.23	0.00	0.00	0:00	0.00	0.00
0.25	0.00	0.00	0:00	0.00	0.00
0.15	0.00	0.00	0:00	0.00	0.00
0.12	0.00	0.00	0:00	0.00	0.00
0.16	0.00	0.00	0:00	0.00	0.00
0.97	0.00	0.00	0:00	0.00	0.00
0.18	0.00	0.00	0:00	0.00	0.00
0.22	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-1.86
0	0.00	0.00	0:00	0.00	-1.76
0	0.00	0.00	0:00	0.00	-1.81
0	0.00	0.00	0:00	0.00	-1.83
0	0.00	0.00	0:00	0.00	-1.85
0	0.00	0.00	0:00	0.00	-1.82
0	0.00	0.00	0:00	0.00	-1.28
0	0.00	0.00	0:00	0.00	-0.66
0	0.00	0.00	0:00	0.00	0.51
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
1.3	0.00	0.00	0:00	0.00	0.00
2.5	0.00	0.00	0:00	0.00	0.00
2.58	0.00	0.00	0:00	0.00	0.00
0.82	0.00	0.00	0:00	0.00	0.00
6.2	0.00	0.00	0:00	0.00	0.00
2.13	0.00	0.00	0:00	0.00	0.00
0.82	0.00	0.00	0:00	0.00	0.00
2.17	0.00	0.00	0:00	0.00	0.00
0.69	0.00	0.00	0:00	0.00	0.00
0.73	0.00	0.00	0:00	0.00	0.00
0.81	0.00	0.00	0:00	0.00	0.00
1.01	0.00	0.00	0:00	0.00	0.00
3.77	0.00	0.00	0:00	0.00	0.00
5.25	0.00	0.00	0:00	0.00	0.00
2.1	0.00	0.00	0:00	0.00	0.00

10.39	0.00	0.00	0:00	0.00	0.00
10.86	0.00	0.00	0:00	0.00	0.00
10.41	0.00	0.00	0:00	0.00	0.00
9.32	0.00	0.00	0:00	0.00	-1.84
7.28	0.00	0.00	0:00	0.00	-1.88
8.16	0.00	0.00	0:00	0.00	-1.64
8.56	0.00	0.00	0:00	0.00	-1.67
9.22	0.00	0.00	0:00	0.00	-1.65
8.53	0.00	0.00	0:00	0.00	-1.64
23.85	0.00	0.00	0:00	0.00	-1.73
7.52	0.00	0.00	0:00	0.00	-1.77
8.26	0.00	0.00	0:00	0.00	-1.77
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0	0.00	0.00	00:00	0.00	0.00
0.05	0.00	0.00	00:00	0.00	0.00
0.05	0.00	0.00	00:00	0.00	0.00
0.05	0.00	0.00	00:00	0.00	0.00
0.05	0.00	0.00	00:00	0.00	0.00
0.05	0.00	0.00	00:00	0.00	0.00
0.05	0.00	0.00	00:00	0.00	0.00
0.05	0.00	0.00	00:00	0.00	0.00
0.05	0.00	0.00	00:00	0.00	0.00
0.05	0.00	0.00	00:00	0.00	0.00
0.9	0.00	0.00	00:00	0.00	0.00
1.58	0.00	0.00	00:00	0.00	0.00
1.5	0.00	0.00	00:00	0.00	0.00
7.21	0.00	0.00	0:00	0.00	0.00
7.07	0.00	0.00	0:00	0.00	0.00
6.24	0.00	0.00	0:00	0.00	0.00
7.08	0.00	0.00	0:00	0.00	-1.97
6.5	0.00	0.00	0:00	0.00	-2.09
7.04	0.00	0.00	0:00	0.00	-1.85
7.22	0.00	0.00	0:00	0.00	-1.84
7.79	0.00	0.00	0:00	0.00	-1.88
7.35	0.00	0.00	0:00	0.00	-1.86
7.8	0.00	0.00	0:00	0.00	-1.84
8.28	0.00	0.00	0:00	0.00	-1.79
7.95	0.00	0.00	0:00	0.00	-1.77
4.01	0.00	0.00	0:00	0.00	0.00
7.12	0.00	0.00	0:00	0.00	0.00
3.02	0.00	0.00	0:00	0.00	0.00
7.19	0.00	0.00	0:00	0.00	-1.96

15.24	0.00	0.00	0:00	0.00	-1.59
9.74	0.00	0.00	0:00	0.00	-1.65
13.3	0.00	0.00	0:00	0.00	-1.47
10.07	0.00	0.00	0:00	0.00	-1.66
9.99	0.00	0.00	0:00	0.00	-1.60
11.69	0.00	0.00	0:00	0.00	-1.65
16.4	0.00	0.00	0:00	0.00	-1.36
15.1	0.00	0.00	0:00	0.00	-1.45
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
1.45	0.00	0.00	0:00	0.00	0.00
3.11	0.00	0.00	0:00	0.00	0.00
3.26	0.00	0.00	0:00	0.00	0.00
1.95	0.00	0.00	0:00	0.00	0.00
1.32	0.00	0.00	0:00	0.00	0.00
1.55	0.00	0.00	0:00	0.00	0.00
7.3	0.00	0.00	0:00	0.00	-2.15
13.2	0.00	0.00	0:00	0.00	-1.69
7.73	0.00	0.00	0:00	0.00	-1.88
14.45	0.00	0.00	0:00	0.00	-1.43
8.39	0.00	0.00	0:00	0.00	-1.78
10.88	0.00	0.00	0:00	0.00	-1.78
12.29	0.00	0.00	0:00	0.00	-1.49
18.97	0.00	0.00	0:00	0.00	-0.39
15.31	0.00	0.00	0:00	0.00	-0.73
4.53	0.00	0.00	0:00	0.00	0.00
5.58	0.00	0.00	0:00	0.00	0.00
6.01	0.00	0.00	0:00	0.00	0.00
7.16	0.00	0.00	0:00	0.00	-1.91
5.32	0.00	0.00	0:00	0.00	-2.03
6.74	0.00	0.00	0:00	0.00	-1.97
4.34	0.00	0.00	0:00	0.00	-2.04
8.19	0.00	0.00	0:00	0.00	-1.89

5.14	0.00	0.00	0:00	0.00	-1.97
6.99	0.00	0.00	0:00	0.00	-1.89
6.9	0.00	0.00	0:00	0.00	-1.86
6.06	0.00	0.00	0:00	0.00	-1.90
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.18
0	0.00	0.00	0:00	0.00	-2.15
0	0.00	0.00	0:00	0.00	-2.10
0	0.00	0.00	0:00	0.00	-2.06
0	0.00	0.00	0:00	0.00	-2.14
0	0.00	0.00	0:00	0.00	-2.12
0	0.00	0.00	0:00	0.00	-1.91
0	0.00	0.00	0:00	0.00	-1.61
0	0.00	0.00	0:00	0.00	-1.63
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.1	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.02	0.00	0.00	0:00	0.00	0.00
4.69	0.00	0.00	0:00	0.00	0.00
3.5	0.00	0.00	0:00	0.00	0.00
6.53	0.00	0.00	0:00	0.00	0.00
4.21	0.00	0.00	0:00	0.00	0.00
4.64	0.00	0.00	0:00	0.00	0.00
5.57	0.00	0.00	0:00	0.00	0.00
7.43	0.00	0.00	0:00	0.00	0.00
4.45	0.00	0.00	0:00	0.00	0.00
5.61	0.00	0.00	0:00	0.00	0.00
5.65	0.00	0.00	0:00	0.00	0.00
5.66	0.00	0.00	0:00	0.00	0.00
4.74	0.00	0.00	0:00	0.00	0.00
0.0251	0.00	0.00	0:00	0.00	0.00
0.04	0.00	0.00	0:00	0.00	0.00
0.014	0.00	0.00	0:00	0.00	0.00
0.0199	0.00	0.00	0:00	0.00	-2.77
0.0185	0.00	0.00	0:00	0.00	-2.80
0.0225	0.00	0.00	0:00	0.00	-2.69
0.0267	0.00	0.00	0:00	0.00	-2.57
0.0637	0.00	0.00	0:00	0.00	-0.56
0.0507	0.00	0.00	0:00	0.00	-1.46
0.0429	0.00	0.00	0:00	0.00	-1.90
0.0337	0.00	0.00	0:00	0.00	-2.32
0.008	0.00	0.00	0:00	0.00	-2.96

0.0686	0.00	0.00	0:00	0.00	0.00
0.0521	0.00	0.00	0:00	0.00	0.00
0.0359	0.00	0.00	0:00	0.00	0.00
0.0267	0.00	0.00	0:00	0.00	-2.57
0.0271	0.00	0.00	0:00	0.00	-2.56
0.026	0.00	0.00	0:00	0.00	-2.59
0.0329	0.00	0.00	0:00	0.00	-2.35
0.0643	0.00	0.00	0:00	0.00	-0.51
0.0142	0.00	0.00	0:00	0.00	-2.88
0.0685	0.00	0.00	0:00	0.00	-0.17
0.0697	0.00	0.00	0:00	0.00	-0.07
0.0687	0.00	0.00	0:00	0.00	-0.16
2.61	0.00	0.00	0:00	0.00	0.00
2.99	0.00	0.00	0:00	0.00	0.00
2.14	0.00	0.00	0:00	0.00	0.00
2.2	0.00	0.00	0:00	0.00	0.00
4.05	0.00	0.00	0:00	0.00	0.00
3.7	0.00	0.00	0:00	0.00	0.00
3.27	0.00	0.00	0:00	0.00	0.00
4.46	0.00	0.00	0:00	0.00	0.00
3.15	0.00	0.00	0:00	0.00	0.00
4.52	0.00	0.00	0:00	0.00	0.00
4.86	0.00	0.00	0:00	0.00	0.00
4.68	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.28	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.47	0.00	0.00	0:00	0.00	0.00
4.18	0.00	0.00	0:00	0.00	0.00
5.04	0.00	0.00	0:00	0.00	0.00
5.04	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0309	0.00	0.00	0.00%	0.00	-0.09
0.0441	0.00	0.00	0.00%	0.00	-0.09
0.0444	0.00	0.00	0.00%	0.00	-0.09
0.0228	0.00	0.00	0.00%	0.00	-0.09
0.0751	0.00	0.00	0.00%	0.00	-0.08
0.0277	0.00	0.00	0.00%	0.00	-0.09
0.0704	0.00	0.00	0.00%	0.00	-0.08
0.0668	0.00	0.00	0.00%	0.00	-0.08
0.0659	0.00	0.00	0.00%	0.00	-0.08
0.0628	0.00	0.00	0.00%	0.00	-0.08
0.1288	0.00	0.00	0.00%	0.00	-0.04
0	0.00	0.00	0.00%	0.00	0.00
0.0304	0.00	0.00	0.00%	0.00	-0.09
0.0556	0.00	0.00	0.00%	0.00	-0.08
0.0522	0.00	0.00	0.00%	0.00	-0.08

0	0.00	0.00	0.00%	0.00	-0.09
0.0357	0.00	0.00	0.00%	0.00	-0.09
0.0723	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0.00%	0.00	-0.09
0.0533	0.00	0.00	0.00%	0.00	-0.08
0.046	0.00	0.00	0.00%	0.00	-0.09
0.0331	0.00	0.00	0.00%	0.00	-0.09
0	0.00	0.00	0.00%	0.00	-0.09
0	0.00	0.00	0.00%	0.00	0.00
0.0309	0.00	0.00	0.00%	0.00	-0.12
0.0441	0.00	0.00	0.00%	0.00	-0.12
0.0444	0.00	0.00	0.00%	0.00	-0.12
0.0228	0.00	0.00	0.00%	0.00	-0.12
0.0751	0.00	0.00	0.00%	0.00	-0.11
0.0277	0.00	0.00	0.00%	0.00	-0.12
0.0736	0.00	0.00	0.00%	0.00	-0.11
0.0695	0.00	0.00	0.00%	0.00	-0.11
0.0659	0.00	0.00	0.00%	0.00	-0.11
0.0628	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0304	0.00	0.00	0.00%	0.00	-0.12
0.0556	0.00	0.00	0.00%	0.00	-0.12
0.0522	0.00	0.00	0.00%	0.00	-0.12
0	0.00	0.00	0.00%	0.00	-0.13
0.0357	0.00	0.00	0.00%	0.00	-0.12
0.0723	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.13
0.0533	0.00	0.00	0.00%	0.00	-0.12
0.046	0.00	0.00	0.00%	0.00	-0.12
0.0331	0.00	0.00	0.00%	0.00	-0.12
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0309	0.00	0.00	0.00%	0.00	-0.15
0.0441	0.00	0.00	0.00%	0.00	-0.15
0.0444	0.00	0.00	0.00%	0.00	-0.15
0.0228	0.00	0.00	0.00%	0.00	-0.16
0.0802	0.00	0.00	0.00%	0.00	-0.14
0.0277	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0304	0.00	0.00	0.00%	0.00	-0.15
0.0556	0.00	0.00	0.00%	0.00	-0.15
0.0522	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0.0357	0.00	0.00	0.00%	0.00	-0.15
0.0723	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4739	0.00	0.00	0.00%	0.00	0.00
0.3391	0.00	0.00	0.00%	0.00	0.00
0.4435	0.00	0.00	0.00%	0.00	0.00
0.4472	0.00	0.00	0.00%	0.00	0.00
0.3997	0.00	0.00	0.00%	0.00	0.00
0.4364	0.00	0.00	0.00%	0.00	0.00
0.4332	0.00	0.00	0.00%	0.00	0.00
0.4451	0.00	0.00	0.00%	0.00	0.00
0.456	0.00	0.00	0.00%	0.00	0.00
0.4901	0.00	0.00	0.00%	0.00	0.00
0.4912	0.00	0.00	0.00%	0.00	0.00
0.496	0.00	0.00	0.00%	0.00	0.00
0.4957	0.00	0.00	0.00%	0.00	0.00
0.4867	0.00	0.00	0.00%	0.00	0.00
0.3429	0.00	0.00	0.00%	0.00	0.00
0.3553	0.00	0.00	0.00%	0.00	0.00
0.3843	0.00	0.00	0.00%	0.00	0.00
0.4	0.00	0.00	0.00%	0.00	0.00
0.3668	0.00	0.00	0.00%	0.00	0.00
0.4189	0.00	0.00	0.00%	0.00	0.00
0.3685	0.00	0.00	0.00%	0.00	0.00
0.3989	0.00	0.00	0.00%	0.00	0.00
0.3712	0.00	0.00	0.00%	0.00	0.00
0.325	0.00	0.00	0.00%	0.00	0.00
0.3789	0.00	0.00	0.00%	0.00	0.00
0.4059	0.00	0.00	0.00%	0.00	0.00
0.4995	0.00	0.00	0.00%	0.00	0.00
0.4952	0.00	0.00	0.00%	0.00	0.00
0.4857	0.00	0.00	0.00%	0.00	0.00
0.474	0.00	0.00	0.00%	0.00	0.00
0.4956	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0.4997	0.00	0.00	0.00%	0.00	0.00
0.4882	0.00	0.00	0.00%	0.00	0.00
0.4739	0.00	0.00	0.00%	0.00	0.00
0.4859	0.00	0.00	0.00%	0.00	0.00
0.4801	0.00	0.00	0.00%	0.00	0.00
0.4553	0.00	0.00	0.00%	0.00	0.00

0.3903	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0.4989	0.00	0.00	0.00%	0.00	0.00
0.4454	0.00	0.00	0.00%	0.00	0.00
0.3671	0.00	0.00	0.00%	0.00	0.00
0.4609	0.00	0.00	0.00%	0.00	0.00
0.4903	0.00	0.00	0.00%	0.00	0.00
0.3859	0.00	0.00	0.00%	0.00	0.00
0.3319	0.00	0.00	0.00%	0.00	0.00
0.3299	0.00	0.00	0.00%	0.00	0.00
0.337	0.00	0.00	0.00%	0.00	0.00
0.3714	0.00	0.00	0.00%	0.00	0.00
0.3903	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0.4989	0.00	0.00	0.00%	0.00	0.00
0.4454	0.00	0.00	0.00%	0.00	0.00
0.3671	0.00	0.00	0.00%	0.00	0.00
0.4609	0.00	0.00	0.00%	0.00	0.00
0.4903	0.00	0.00	0.00%	0.00	0.00
0.3859	0.00	0.00	0.00%	0.00	0.00
0.3318	0.00	0.00	0.00%	0.00	0.00
0.3305	0.00	0.00	0.00%	0.00	0.00
0.3372	0.00	0.00	0.00%	0.00	0.00
0.3724	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4157	0.00	0.00	0.00%	0.00	0.00
0.4518	0.00	0.00	0.00%	0.00	0.00
0.3	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00
0.477	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0.4382	0.00	0.00	0.00%	0.00	0.00
0.4116	0.00	0.00	0.00%	0.00	0.00
0.4224	0.00	0.00	0.00%	0.00	0.00
0.4176	0.00	0.00	0.00%	0.00	0.00
0.4426	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0.4226	0.00	0.00	0.00%	0.00	0.00
0.4342	0.00	0.00	0.00%	0.00	0.00
0.4121	0.00	0.00	0.00%	0.00	0.00
0.4091	0.00	0.00	0.00%	0.00	0.00
0.4257	0.00	0.00	0.00%	0.00	0.00
0.4217	0.00	0.00	0.00%	0.00	0.00
0.4598	0.00	0.00	0.00%	0.00	0.00
0.4742	0.00	0.00	0.00%	0.00	0.00
0.4632	0.00	0.00	0.00%	0.00	0.00
0.3432	0.00	0.00	0.00%	0.00	0.00
0.3927	0.00	0.00	0.00%	0.00	0.00
0.2179	0.00	0.00	0.00%	0.00	0.00
0.3143	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2386	0.00	0.00	0.00%	0.00	0.00
0.2764	0.00	0.00	0.00%	0.00	0.00
0.1601	0.00	0.00	0.00%	0.00	-0.07
0.207	0.00	0.00	0.00%	0.00	-0.02
0.1682	0.00	0.00	0.00%	0.00	-0.07
0.2074	0.00	0.00	0.00%	0.00	-0.02
0.1897	0.00	0.00	0.00%	0.00	-0.04
0.174	0.00	0.00	0.00%	0.00	-0.06
0.1873	0.00	0.00	0.00%	0.00	-0.04
0.1976	0.00	0.00	0.00%	0.00	-0.03
0.1729	0.00	0.00	0.00%	0.00	-0.06
0.2291	0.00	0.00	0.00%	0.00	0.02
0.1926	0.00	0.00	0.00%	0.00	-0.04
0.2268	0.00	0.00	0.00%	0.00	0.01
0.1721	0.00	0.00	0.00%	0.00	-0.06
0.1642	0.00	0.00	0.00%	0.00	-0.07
0.1771	0.00	0.00	0.00%	0.00	-0.06
0.2212	0.00	0.00	0.00%	0.00	0.01
0.2544	0.00	0.00	0.00%	0.00	0.06
0.2269	0.00	0.00	0.00%	0.00	0.01
0.2245	0.00	0.00	0.00%	0.00	0.01
0.3089	0.00	0.00	0.00%	0.00	0.18
0.2392	0.00	0.00	0.00%	0.00	0.03
0.2704	0.00	0.00	0.00%	0.00	0.09
0.3198	0.00	0.00	0.00%	0.00	0.21
0.2848	0.00	0.00	0.00%	0.00	0.12
0.2397	0.00	0.00	0.00%	0.00	-0.31
0.2333	0.00	0.00	0.00%	0.00	-0.33
0.201	0.00	0.00	0.00%	0.00	-0.38
0.2139	0.00	0.00	0.00%	0.00	-0.36
0.2003	0.00	0.00	0.00%	0.00	-0.38
0.2097	0.00	0.00	0.00%	0.00	-0.37
0.2491	0.00	0.00	0.00%	0.00	-0.29
0.2729	0.00	0.00	0.00%	0.00	-0.24
0.2241	0.00	0.00	0.00%	0.00	-0.34
0.1921	0.00	0.00	0.00%	0.00	-0.39
0.2175	0.00	0.00	0.00%	0.00	-0.35
0.1928	0.00	0.00	0.00%	0.00	-0.39
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.3143	0.00	0.00	0.00%	0.00	0.19
0.4	0.00	0.00	0.00%	0.00	0.47
0.2909	0.00	0.00	0.00%	0.00	0.14
0.273	0.00	0.00	0.00%	0.00	0.10
0.2405	0.00	0.00	0.00%	0.00	0.04
0.201	0.00	0.00	0.00%	0.00	-0.02
0.1495	0.00	0.00	0.00%	0.00	-0.09
0.1232	0.00	0.00	0.00%	0.00	-0.11
0.1523	0.00	0.00	0.00%	0.00	-0.08
0.2189	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.3143	0.00	0.00	0.00%	0.00	0.19
0.4	0.00	0.00	0.00%	0.00	0.47
0.2909	0.00	0.00	0.00%	0.00	0.14
0.273	0.00	0.00	0.00%	0.00	0.10
0.2405	0.00	0.00	0.00%	0.00	0.04
0.2014	0.00	0.00	0.00%	0.00	-0.02
0.1495	0.00	0.00	0.00%	0.00	-0.09
0.1244	0.00	0.00	0.00%	0.00	-0.11
0.1528	0.00	0.00	0.00%	0.00	-0.08
0.2199	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00
0.2875	0.00	0.00	0.00%	0.00	0.00
0.2233	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00
0.4479	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2875	0.00	0.00	0.00%	0.00	0.00
0.2215	0.00	0.00	0.00%	0.00	0.00
0.2655	0.00	0.00	0.00%	0.00	0.00
0.1481	0.00	0.00	0.00%	0.00	-0.09
0.176	0.00	0.00	0.00%	0.00	-0.06
0.1852	0.00	0.00	0.00%	0.00	-0.05
0.1532	0.00	0.00	0.00%	0.00	-0.08
0.215	0.00	0.00	0.00%	0.00	0.00
0.1955	0.00	0.00	0.00%	0.00	-0.03
0.1825	0.00	0.00	0.00%	0.00	-0.05
0.2293	0.00	0.00	0.00%	0.00	0.02
0.1823	0.00	0.00	0.00%	0.00	-0.05
0.1633	0.00	0.00	0.00%	0.00	-0.07
0.174	0.00	0.00	0.00%	0.00	-0.06
0.1955	0.00	0.00	0.00%	0.00	-0.03
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.2353	0.00	0.00	0.00%	0.00	0.03
0.3727	0.00	0.00	0.00%	0.00	0.37
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.2665	0.00	0.00	0.00%	0.00	0.09
0.3884	0.00	0.00	0.00%	0.00	0.43
0.325	0.00	0.00	0.00%	0.00	0.22
0.0605	0.00	0.00	0.00%	0.00	-0.52
0.1123	0.00	0.00	0.00%	0.00	-0.48
0.1495	0.00	0.00	0.00%	0.00	-0.45
0.1797	0.00	0.00	0.00%	0.00	-0.41

0.1661	0.00	0.00	0.00%	0.00	-0.43
0.1973	0.00	0.00	0.00%	0.00	-0.39
0.2811	0.00	0.00	0.00%	0.00	-0.22
0.3104	0.00	0.00	0.00%	0.00	-0.15
0.1688	0.00	0.00	0.00%	0.00	-0.43
0.2061	0.00	0.00	0.00%	0.00	-0.37
0.173	0.00	0.00	0.00%	0.00	-0.42
0.2183	0.00	0.00	0.00%	0.00	-0.35
0.1226	0.00	0.00	0.00%	0.00	-0.11
0.1204	0.00	0.00	0.00%	0.00	-0.11
0.2377	0.00	0.00	0.00%	0.00	0.03
0.1643	0.00	0.00	0.00%	0.00	-0.07
0.3549	0.00	0.00	0.00%	0.00	0.31
0.3061	0.00	0.00	0.00%	0.00	0.17
0.2849	0.00	0.00	0.00%	0.00	0.12
0.1929	0.00	0.00	0.00%	0.00	-0.04
0.1505	0.00	0.00	0.00%	0.00	-0.08
0.1733	0.00	0.00	0.00%	0.00	-0.06
0.1924	0.00	0.00	0.00%	0.00	-0.04
0.1851	0.00	0.00	0.00%	0.00	-0.05
0.1226	0.00	0.00	0.00%	0.00	-0.11
0.1204	0.00	0.00	0.00%	0.00	-0.11
0.2377	0.00	0.00	0.00%	0.00	0.03
0.1643	0.00	0.00	0.00%	0.00	-0.07
0.3549	0.00	0.00	0.00%	0.00	0.31
0.3061	0.00	0.00	0.00%	0.00	0.17
0.2849	0.00	0.00	0.00%	0.00	0.12
0.1929	0.00	0.00	0.00%	0.00	-0.04
0.1505	0.00	0.00	0.00%	0.00	-0.08
0.1733	0.00	0.00	0.00%	0.00	-0.06
0.1924	0.00	0.00	0.00%	0.00	-0.04
0.1851	0.00	0.00	0.00%	0.00	-0.05
0.140277778	0.00	0.00	0:00	0.00	-1.90
0.115972222	0.00	0.00	0:00	0.00	-2.05
0.134027778	0.00	0.00	0:00	0.00	-2.05
0.106944444	0.00	0.00	0:00	0.00	-2.09
0.129166667	0.00	0.00	0:00	0.00	-2.10
0.128472222	0.00	0.00	0:00	0.00	-2.05
1.663194444	0.00	0.00	0:00	0.00	-1.55
1.870138889	0.00	0.00	0:00	0.00	-1.02
1.952777778	0.00	0.00	0:00	0.00	-1.28
0.154166667	0.00	0.00	0:00	0.00	-2.39
0.08125	0.00	0.00	0:00	0.00	-2.55
5.838194444	0.00	0.00	0:00	0.00	0.57
0.007638889	0.00	0.00	0:00	0.00	-1.89
0.007638889	0.00	0.00	0:00	0.00	-1.87
0.009722222	0.00	0.00	0:00	0.00	-1.85
0.009722222	0.00	0.00	0:00	0.00	-1.93
0.009027778	0.00	0.00	0:00	0.00	-1.80
0.006944444	0.00	0.00	0:00	0.00	-1.84
0.007638889	0.00	0.00	0:00	0.00	-1.94
0.016666667	0.00	0.00	0:00	0.00	-1.86

0.009722222	0.00	0.00	0:00	0.00	-1.87
0.009027778	0.00	0.00	0:00	0.00	-2.01
0.008333333	0.00	0.00	0:00	0.00	-1.97
0.031944444	0.00	0.00	0:00	0.00	-1.57
0.131944444	0.00	0.00	0:00	0.00	-2.05
0.110416667	0.00	0.00	0:00	0.00	-2.25
0.1625	0.00	0.00	0:00	0.00	-2.06
0.166666667	0.00	0.00	0:00	0.00	-2.04
0.522222222	0.00	0.00	0:00	0.00	-2.03
0.2	0.00	0.00	0:00	0.00	-2.26
0.107638889	0.00	0.00	0:00	0.00	-2.43
1.389583333	0.00	0.00	0:00	0.00	-1.65
0.103472222	0.00	0.00	0:00	0.00	-2.42
0.108333333	0.00	0.00	0:00	0.00	-2.34
0.080555556	0.00	0.00	0:00	0.00	-2.51
0.052083333	0.00	0.00	0:00	0.00	-2.66
0.00625	0.00	0.00	0:00	0.00	-1.85
0.00625	0.00	0.00	0:00	0.00	-1.70
0.00625	0.00	0.00	0:00	0.00	-1.63
0.004861111	0.00	0.00	0:00	0.00	-1.89
0.009027778	0.00	0.00	0:00	0.00	-0.99
0.00625	0.00	0.00	0:00	0.00	-1.40
0.005555556	0.00	0.00	0:00	0.00	-1.91
0.009027778	0.00	0.00	0:00	0.00	-1.39
0.013888889	0.00	0.00	0:00	0.00	0.69
0.004166667	0.00	0.00	0:00	0.00	-2.23
0.004861111	0.00	0.00	0:00	0.00	-2.10
0.009722222	0.00	0.00	0:00	0.00	-2.08
0.472916667	0.00	0.00	0:00	0.00	-1.65
0.625694444	0.00	0.00	0:00	0.00	-1.28
0.447916667	0.00	0.00	0:00	0.00	-2.02
0.688888889	0.00	0.00	0:00	0.00	-0.79
0.429861111	0.00	0.00	0:00	0.00	-1.57
0.330555556	0.00	0.00	0:00	0.00	-2.34
0.565277778	0.00	0.00	0:00	0.00	-1.36
0.747916667	0.00	0.00	0:00	0.00	-1.19
0.440277778	0.00	0.00	0:00	0.00	-1.64
0.347222222	0.00	0.00	0:00	0.00	-1.72
0.579861111	0.00	0.00	0:00	0.00	-1.65
0.406944444	0.00	0.00	0:00	0.00	-1.89
0.1438	0.00	0.00	0.00%	0.00	0.00
0.1415	0.00	0.00	0.00%	0.00	0.00
0.149	0.00	0.00	0.00%	0.00	0.00
0.1487	0.00	0.00	0.00%	0.00	0.00
0.1384	0.00	0.00	0.00%	0.00	0.00
0.1236	0.00	0.00	0.00%	0.00	0.00
0.1051	0.00	0.00	0.00%	0.00	0.00
0.1118	0.00	0.00	0.00%	0.00	0.00
0.1128	0.00	0.00	0.00%	0.00	0.00
0.1271	0.00	0.00	0.00%	0.00	0.00
0.1293	0.00	0.00	0.00%	0.00	0.00
0.1289	0.00	0.00	0.00%	0.00	0.00

0.4894	0.00	0.00	0.00%	0.00	0.00
0.4847	0.00	0.00	0.00%	0.00	0.00
0.4855	0.00	0.00	0.00%	0.00	0.00
0.4893	0.00	0.00	0.00%	0.00	0.00
0.4877	0.00	0.00	0.00%	0.00	0.00
0.4907	0.00	0.00	0.00%	0.00	0.00
0.4833	0.00	0.00	0.00%	0.00	0.00
0.4449	0.00	0.00	0.00%	0.00	0.00
0.4366	0.00	0.00	0.00%	0.00	0.00
0.4191	0.00	0.00	0.00%	0.00	0.00
0.4447	0.00	0.00	0.00%	0.00	0.00
0.446	0.00	0.00	0.00%	0.00	0.00
0.1167	0.00	0.00	0.00%	0.00	0.00
0.1051	0.00	0.00	0.00%	0.00	0.00
0.1222	0.00	0.00	0.00%	0.00	0.00
0.1407	0.00	0.00	0.00%	0.00	0.00
0.1404	0.00	0.00	0.00%	0.00	0.00
0.1398	0.00	0.00	0.00%	0.00	0.00
0.142	0.00	0.00	0.00%	0.00	0.00
0.1259	0.00	0.00	0.00%	0.00	0.00
0.1149	0.00	0.00	0.00%	0.00	0.00
0.1323	0.00	0.00	0.00%	0.00	0.00
0.1365	0.00	0.00	0.00%	0.00	0.00
0.1347	0.00	0.00	0.00%	0.00	0.00
0.4918	0.00	0.00	0.00%	0.00	0.00
0.4973	0.00	0.00	0.00%	0.00	0.00
0.494	0.00	0.00	0.00%	0.00	0.00
0.4971	0.00	0.00	0.00%	0.00	0.00
0.4857	0.00	0.00	0.00%	0.00	0.00
0.4968	0.00	0.00	0.00%	0.00	0.00
0.4986	0.00	0.00	0.00%	0.00	0.00
0.481	0.00	0.00	0.00%	0.00	0.00
0.4992	0.00	0.00	0.00%	0.00	0.00
0.4442	0.00	0.00	0.00%	0.00	0.00
0.4427	0.00	0.00	0.00%	0.00	0.00
0.4458	0.00	0.00	0.00%	0.00	0.00
0.4841	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0.379	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0.4403	0.00	0.00	0.00%	0.00	0.00
0.4688	0.00	0.00	0.00%	0.00	0.00
0.4629	0.00	0.00	0.00%	0.00	0.00
0.4991	0.00	0.00	0.00%	0.00	0.00
0.4841	0.00	0.00	0.00%	0.00	0.00
0.45	0.00	0.00	0.00%	0.00	0.00
0.4389	0.00	0.00	0.00%	0.00	0.00
0.4875	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16

0	0.00	0.00	0.00%	0.00	-0.16
0.0827	0.00	0.00	0.00%	0.00	-0.14
0.1055	0.00	0.00	0.00%	0.00	-0.12
0.1141	0.00	0.00	0.00%	0.00	-0.12
0.0125	0.00	0.00	0.00%	0.00	-0.16
0.0132	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0624	0.00	0.00	0.00%	0.00	-0.15
0.1011	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.124	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0651	0.00	0.00	0.00%	0.00	-0.14
0.134	0.00	0.00	0.00%	0.00	-0.10
0.087	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0251	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.09	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0803	0.00	0.00	0.00%	0.00	-0.14
0.1572	0.00	0.00	0.00%	0.00	-0.08

0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0297	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0424	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0.112	0.00	0.00	0.00%	0.00	-0.12
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.054	0.00	0.00	0.00%	0.00	-0.15
0.0442	0.00	0.00	0.00%	0.00	-0.33
0.0346	0.00	0.00	0.00%	0.00	-0.33
0.0423	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.0275	0.00	0.00	0.00%	0.00	-0.33
0.034	0.00	0.00	0.00%	0.00	-0.33
0.0455	0.00	0.00	0.00%	0.00	-0.33
0.0333	0.00	0.00	0.00%	0.00	-0.33
0.0254	0.00	0.00	0.00%	0.00	-0.33
0.0286	0.00	0.00	0.00%	0.00	-0.33
0.0369	0.00	0.00	0.00%	0.00	-0.33
0.149	0.00	0.00	0.00%	0.00	-0.26
0.1141	0.00	0.00	0.00%	0.00	-0.29
0.1346	0.00	0.00	0.00%	0.00	-0.27
0.0946	0.00	0.00	0.00%	0.00	-0.30
0.1255	0.00	0.00	0.00%	0.00	-0.28
0.1092	0.00	0.00	0.00%	0.00	-0.29
0.1281	0.00	0.00	0.00%	0.00	-0.28
0.1511	0.00	0.00	0.00%	0.00	-0.26
0.087	0.00	0.00	0.00%	0.00	-0.31
0.1637	0.00	0.00	0.00%	0.00	-0.24
0.1463	0.00	0.00	0.00%	0.00	-0.26
0.1277	0.00	0.00	0.00%	0.00	-0.28
0.1646	0.00	0.00	0.00%	0.00	-0.24
0.1191	0.00	0.00	0.00%	0.00	-0.29
0.1452	0.00	0.00	0.00%	0.00	-0.26
0.1009	0.00	0.00	0.00%	0.00	-0.30
0.1355	0.00	0.00	0.00%	0.00	-0.27
0.1173	0.00	0.00	0.00%	0.00	-0.29
0.1374	0.00	0.00	0.00%	0.00	-0.27
0.1614	0.00	0.00	0.00%	0.00	-0.24
0.0921	0.00	0.00	0.00%	0.00	-0.30
0.1728	0.00	0.00	0.00%	0.00	-0.23
0.1543	0.00	0.00	0.00%	0.00	-0.25
0.1324	0.00	0.00	0.00%	0.00	-0.27

0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.0413	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.0626	0.00	0.00	0.00%	0.00	-0.32
0.0815	0.00	0.00	0.00%	0.00	-0.31
0.0642	0.00	0.00	0.00%	0.00	-0.32
0.0638	0.00	0.00	0.00%	0.00	-0.32
0.116	0.00	0.00	0.00%	0.00	-0.29
0.0919	0.00	0.00	0.00%	0.00	-0.30
0.0627	0.00	0.00	0.00%	0.00	-0.32
0.0663	0.00	0.00	0.00%	0.00	-0.32
0.0966	0.00	0.00	0.00%	0.00	-0.30
0.0928	0.00	0.00	0.00%	0.00	-0.30
0.0838	0.00	0.00	0.00%	0.00	-0.31
0.0939	0.00	0.00	0.00%	0.00	-0.30
0.0641	0.00	0.00	0.00%	0.00	-0.32
0.0844	0.00	0.00	0.00%	0.00	-0.31
0.067	0.00	0.00	0.00%	0.00	-0.32
0.0658	0.00	0.00	0.00%	0.00	-0.32
0.1209	0.00	0.00	0.00%	0.00	-0.28
0.0973	0.00	0.00	0.00%	0.00	-0.30
0.0533	0.00	0.00	0.00%	0.00	-0.32
0.0688	0.00	0.00	0.00%	0.00	-0.32
0.0996	0.00	0.00	0.00%	0.00	-0.30
0.0959	0.00	0.00	0.00%	0.00	-0.30
0.0871	0.00	0.00	0.00%	0.00	-0.31
0.0966	0.00	0.00	0.00%	0.00	-0.30
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33

0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.433	0.00	0.00	0.00%	0.00	0.50
0	0.00	0.00	0.00%	0.00	-0.33
0.2665	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0.00%	0.00	-0.33
0.2353	0.00	0.00	0.00%	0.00	-0.14
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.3857	0.00	0.00	0.00%	0.00	0.27
0.3069	0.00	0.00	0.00%	0.00	0.02
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.4	0.00	0.00	0.00%	0.00	0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.4	0.00	0.00	0.00%	0.00	0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.4714	0.00	0.00	0.00%	0.00	0.78

0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0	0.00	0.00	0.00%	0.00	-0.53
0.334027778	0.00	0.00	0.00%	0.00	-1.98
0.128472222	0.00	0.00	0.00%	0.00	-2.68
0.097916667	0.00	0.00	0.00%	0.00	-2.72
0.142361111	0.00	0.00	0.00%	0.00	-2.83
0.413888889	0.00	0.00	0.00%	0.00	-2.64
0.165972222	0.00	0.00	0.00%	0.00	-2.80
0.071527778	0.00	0.00	0.00%	0.00	-2.90
0.130555556	0.00	0.00	0.00%	0.00	-2.50
0.345833333	0.00	0.00	0.00%	0.00	-2.73
0.132638889	0.00	0.00	0.00%	0.00	-2.76
0.134722222	0.00	0.00	0.00%	0.00	-2.69
0.186805556	0.00	0.00	0.00%	0.00	-2.49
0.252777778	0.00	0.00	0.00%	0.00	-2.14
0.05625	0.00	0.00	0.00%	0.00	-2.85
0.091666667	0.00	0.00	0.00%	0.00	-2.85
0.063888889	0.00	0.00	0.00%	0.00	-2.90
0.133333333	0.00	0.00	0.00%	0.00	-2.59
0.251388889	0.00	0.00	0.00%	0.00	-2.63
0.76875	0.00	0.00	0.00%	0.00	-2.66
0.134722222	0.00	0.00	0.00%	0.00	-2.29
0.104166667	0.00	0.00	0.00%	0.00	-2.72
0.141666667	0.00	0.00	0.00%	0.00	-2.71
0.220833333	0.00	0.00	0.00%	0.00	-2.50
0.150694444	0.00	0.00	0.00%	0.00	-2.60
0	266066.00	266066.00	100.00%	0.00	0.00
0.0539	272546.00	272546.00	100.00%	0.00	0.00
0	251110.00	251110.00	100.00%	0.00	0.00
0	256359.00	328288.00	100.00%	0.00	0.00
0	291885.00	256359.00	100.00%	0.00	0.00
0	241231.00	291885.00	100.00%	0.00	0.00
0.0154	303041.00	241231.00	100.00%	0.00	0.00
0.0231	292289.00	303041.00	100.00%	0.00	0.00
0.15	263106.00	292289.00	100.00%	0.00	0.00
0.0103	279103.00	263106.00	100.00%	0.00	0.00
0.01	328288.00	279103.00	100.00%	0.00	0.00
0	304445.00	304445.00	100.00%	0.00	0.00

0	266066.00	266066.00	100.00%	0.00	0.00
0	272546.00	272546.00	100.00%	0.00	0.00
0	251110.00	251110.00	100.00%	0.00	0.00
0	256359.00	328288.00	100.00%	0.00	0.00
0	291885.00	256359.00	100.00%	0.00	0.00
0	241231.00	291885.00	100.00%	0.00	0.00
0	303041.00	241231.00	100.00%	0.00	0.00
0	292289.00	303041.00	100.00%	0.00	0.00
0	263106.00	292289.00	100.00%	0.00	0.00
0	279103.00	263106.00	100.00%	0.00	0.00
0	328288.00	279103.00	100.00%	0.00	0.00
0	304445.00	304445.00	100.00%	0.00	0.00
2.16	67.00	44.00	12:28	-1.90	-2.16
0.87	99.00	57.00	17:45	-0.21	-1.13
6.81	60.00	43.00	9:36	-5.52	-4.36
0.52	148.00	58.00	19:12	-0.32	-1.20
1.49	87.00	82.00	17:02	-0.05	-1.03
1.5	54.00	51.00	0:57	-2.02	-2.23
1.1	85.00	52.00	1:40	-0.87	-1.53
1	111.00	41.00	7:26	-0.23	-1.14
3.46	208.00	48.00	10:19	-0.04	-1.02
2.46	272.00	47.00	4:19	0.34	-0.85
1.1	243.00	65.00	4:33	1.18	-0.24
1.82	252.00	59.00	6:28	0.86	-0.41
3.06	67.00	44.00	12:28	-15.21	-10.25
2.36	99.00	57.00	17:45	-4.70	-3.86
2.61	60.00	43.00	9:36	-7.55	-5.59
3.18	148.00	58.00	19:12	-4.14	-3.52
1.8	87.00	82.00	17:02	-4.74	-3.88
3.08	54.00	51.00	0:57	-7.66	-5.65
3.56	85.00	52.00	1:40	-5.60	-4.41
5.17	111.00	41.00	7:26	-2.37	-2.44
3.33	208.00	48.00	10:19	0.47	-0.67
4.01	272.00	47.00	4:19	-0.51	-1.31
1.95	243.00	65.00	4:33	0.49	-0.73
1.64	252.00	59.00	6:28	0.82	-0.47
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	58.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	85.00	0.00	1:40	0.03	-1.33
4.88	111.00	41.00	7:26	-1.28	-1.78
2.01	208.00	48.00	10:19	1.03	-0.31
1.31	272.00	47.00	4:19	0.80	-0.50
3.35	243.00	65.00	4:33	0.66	-0.58
2.02	252.00	59.00	6:28	-0.02	-1.01
0.4	27.00	479.00	5.64%	-1.39	-1.84
0.481	26.00	506.00	5.14%	-4.64	-3.82
0	16.00	399.00	4.01%	0.41	-0.91
0	47.00	720.00	11.27%	0.94	-0.51

0	2.00	0.00	16.67%	0.00	0.00
0	6.00	12.00	50.00%	0.00	0.00
0	3.00	12.00	42.86%	0.00	0.00
0	4.00	16.00	25.00%	0.00	0.00
0	2772.00	2774.00	99.93%	-0.03	-1.02
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2537.00	4196.00	99.96%	-0.03	-0.16
0	0.00	2538.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.433	2633.00	0.00	99.89%	14.75	0.63
0	0.00	2636.00	0.00%	0.00	0.00
0	3139.00	0.00	99.84%	-0.06	-1.03
0	3604.00	3144.00	99.72%	-0.05	-1.03
0	4176.00	3614.00	99.52%	0.00	0.00
0	4093.00	4133.00	99.03%	-0.10	-1.06
0	0.00	0.00	0.00%	0.00	0.00
0	17.00	17.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	35.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	29.00	0.00	100.00%	0.00	0.00
0	25.00	29.00	100.00%	0.00	0.00
0	34.00	25.00	97.14%	0.00	0.00
0	25.00	25.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	13.00	0.00%	0.00	0.00
0	23.00	0.00	100.00%	0.00	0.00
0	0.00	23.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	11.00	0.00	100.00%	0.00	0.00
0	14.00	11.00	93.33%	0.00	0.00
0	13.00	15.00	100.00%	0.00	0.00
0	17.00	19.00	89.47%	0.00	0.00
0	41.00	41.00	100.00%	0.00	0.00
0	48.00	48.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	62.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	51.00	0.00	100.00%	0.00	0.00
0	0.00	51.00	0.00%	0.00	0.00
0	59.00	0.00	100.00%	0.00	0.00
0	53.00	59.00	100.00%	0.00	0.00
0	62.00	53.00	100.00%	0.00	0.00
0	61.00	61.00	100.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	0.00	62.50%	0.00	0.00
0	4.00	8.00	80.00%	0.00	0.00
0	3.00	5.00	100.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	15.00	8.00	100.00%	0.00	0.00
0	0.00	15.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	9.00	0.00	90.00%	0.00	0.00
0	12.00	10.00	92.31%	0.00	0.00
0	8.00	13.00	100.00%	0.00	0.00
0	12.00	12.00	100.00%	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.01	2.00	0:05	7.51	-1.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	3.00	0:00	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	8.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2665	0.00	1.00	0.00%	0.00	-1.06
0	1.00	4.00	25.00%	-0.82	-1.50
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	2.00	0.00%	0.00	-0.90
0.4949	0.00	1.00	0.00%	0.00	-0.29
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0.4714	1.00	3.00	50.00%	-0.37	-1.22
0	0.00	2.00	0.00%	0.00	0.00
0	1.00	7.00	14.29%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0828	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.11
0.0833	0.00	0.00	0.00%	0.00	-0.09
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0.0468	0.00	0.00	0.00%	0.00	-0.10
0.071	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0387	0.00	0.00	0.00%	0.00	0.00
0.0378	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	307.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00

0	34.00	3.00	11.33	-1.73	-2.05
0	16.00	6.00	2.67	-0.83	-1.50
0	0.00	0.00	0	0.00	0.00
0	0.00	1.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	21.00	0.00	5.25	-0.45	-1.27
0	0.00	4.00	0	0.00	0.00
0	3.00	0.00	1.5	0.00	0.00
0	4.00	2.00	2	0.00	0.00
2.12	1.00	2.00	1	0.00	0.00
0	24.00	4.00	6	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	25.00	4.00	6.25	-0.66	-1.40
0	0.00	0.00	0	0.00	0.00
0	0.00	6.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	35.00	0.00	5	0.00	0.00
0	0.00	7.00	0	0.00	0.00
0	12.00	0.00	2	0.00	0.00
0	6.00	1.00	6	0.00	0.00
2.52	40.00	3.00	13.33	-1.33	-1.81
0.71	3.00	1.00	3	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	2.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	6.00	0.00	6	0.00	0.00
0	0.00	1.00	0	0.00	0.00
0	50.00	0.00	8.33	0.00	0.00
5.13	3.00	6.00	3	0.00	0.00
0	6.00	1.00	3	1.15	-0.60
0	73.00	6.00	12.17	-0.77	-1.47
0.25	0.00	0.00	0	0.00	0.00
0.34	0.00	0.00	0	0.00	0.00
0.35	980.00	47752.00	0.02	46.32	27.16
0.36	805.00	60424.00	0.02	52.55	30.95
0.41	838.00	47955.00	0.02	63.30	37.49
0.4	803.00	50015.00	0.02	55.57	32.78
0.38	775.00	44029.00	0.02	49.50	29.09
0.29	980.00	46011.00	0.02	29.91	17.18
0.29	1208.00	50146.00	0.02	23.80	13.47
0.26	985.00	51352.00	0.02	31.46	18.12
0.3	1037.00	55810.00	0.02	36.59	21.25
0.24	978.00	59847.00	0.02	26.64	15.19
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.06
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0536	0.00	0.00	0.00%	0.00	0.00
0.1642	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0958	0.00	0.00	0.00%	0.00	0.00
0.3666	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	153.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	33.00	0.00	31.13%	0.00	0.00
0	34.00	106.00	26.15%	0.00	0.00
0	49.00	130.00	32.03%	0.00	0.00
0	55.00	171.00	32.16%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	114.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	16.00	0.00	17.78%	0.00	0.00
0	42.00	90.00	40.00%	0.00	0.00
0	47.00	105.00	41.23%	0.00	0.00
0.5	31.00	134.00	23.13%	0.89	-0.56
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	42.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	34.00	0.00	100.00%	0.00	0.00
0	36.00	34.00	94.74%	0.00	0.00
0	41.00	38.00	97.62%	0.00	0.00
0	51.00	54.00	94.44%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	7.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	0.00	88.89%	0.00	0.00
0	2.00	9.00	66.67%	0.00	0.00
0	5.00	3.00	71.43%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	8.00	9.00	88.89%	-0.34	-1.20
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	10.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	0.00	100.00%	0.00	0.00
0	10.00	10.00	83.33%	0.00	0.00
0	9.00	12.00	90.00%	0.00	0.00
0	11.00	12.00	91.67%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2196.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1637.00	0.00	81.56%	0.00	0.00
0	1946.00	2007.00	84.83%	0.00	0.00
0	1763.00	2294.00	80.28%	0.00	0.00
0	2106.00	2904.00	72.52%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	50.00%	0.00	0.00
0	2.00	4.00	50.00%	0.00	0.00
0	2.00	4.00	100.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	10.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	0.00	100.00%	0.00	0.00
0	10.00	10.00	83.33%	0.00	0.00
0	9.00	12.00	90.00%	0.00	0.00
0	11.00	12.00	91.67%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	57.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	36.00	0.00	100.00%	0.00	0.00
0	54.00	36.00	100.00%	0.00	0.00
0	57.00	54.00	100.00%	0.00	0.00
0	55.00	55.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	33.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	17.00	0.00	89.47%	0.00	0.00
0	17.00	19.00	89.47%	0.00	0.00
0	31.00	19.00	93.94%	0.00	0.00
0	34.00	37.00	91.89%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	100.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	42.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	34.00	0.00	100.00%	0.00	0.00
0	37.00	34.00	97.37%	0.00	0.00
0	42.00	38.00	100.00%	0.00	0.00
0	52.00	54.00	96.30%	0.00	0.00
0	8.00	8.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	13.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	27.00	0.00	93.10%	0.00	0.00
0	20.00	29.00	100.00%	0.00	0.00
0	13.00	20.00	100.00%	0.00	0.00
0	24.00	25.00	96.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	4.00	3.00	100.00%	0.00	0.00
0	5.00	4.00	100.00%	0.00	0.00
0	7.00	7.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	9.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	11.00	0.00	100.00%	0.00	0.00
0	2.00	11.00	66.67%	0.00	0.00
0	7.00	3.00	77.78%	0.00	0.00
0	6.00	6.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2857.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2588.00	0.00	96.21%	0.00	0.00
0	2837.00	2690.00	96.76%	0.00	0.00
0	2693.00	2932.00	94.26%	0.00	0.00
0	3340.00	3645.00	91.63%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	424.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	163.00	0.00	79.13%	0.00	0.00
0	277.00	206.00	85.23%	0.00	0.00
0	347.00	325.00	81.84%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	13.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	11.00	0.00	100.00%	0.00	0.00
0	14.00	11.00	93.33%	0.00	0.00
0	13.00	15.00	100.00%	0.00	0.00
0	17.00	19.00	89.47%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	57.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	36.00	0.00	100.00%	0.00	0.00
0	54.00	36.00	100.00%	0.00	0.00
0	57.00	54.00	100.00%	0.00	0.00
0	55.00	55.00	100.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	100.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	35.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	34.00	0.00	80.95%	0.00	0.00
0	16.00	42.00	59.26%	0.00	0.00
0	27.00	27.00	77.14%	0.00	0.00
0	48.00	60.00	80.00%	-0.50	-1.30
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	15.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	18.00	0.00	90.00%	0.00	0.00
0	28.00	20.00	100.00%	0.00	0.00
0	14.00	28.00	93.33%	0.00	0.00
0	15.00	15.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	50.00%	0.00	0.00
0	1.00	2.00	100.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	32.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	26.00	0.00	81.25%	0.00	0.00
0	34.00	32.00	94.44%	0.00	0.00
0	30.00	36.00	93.75%	0.00	0.00
0	34.00	43.00	79.07%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	177.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	117.00	0.00	84.17%	0.00	0.00
0	116.00	139.00	80.00%	0.00	0.00
0	149.00	145.00	84.18%	0.00	0.00
0	132.00	176.00	75.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	50.00%	0.00	0.00
0	1.00	2.00	100.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	42.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	6.19	0.00	4:22	0.00	0.00
0	8.57	34.00	5:25	0.00	0.00
0	7.85	38.00	4:29	0.00	0.00
0	18.25	54.00	8:07	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	5.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.47	0.00	3:43	0.00	0.00
0	0.63	3.00	3:48	0.00	0.00
0	0.88	4.00	4:15	0.00	0.00
0	1.57	7.00	5:23	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	9.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	2.53	0.00	5:31	0.00	0.00
0	3.31	11.00	2:28	0.00	0.00
0	7.86	3.00	20:58	0.00	0.00
0	1.95	6.00	7:48	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	2857	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	16:59	0	0
0	0	2690	16:14	0	0
0	0	2932	18:34	0	0
0	0	3645	21:48	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	424	0:00	0	0

0	4.733333333	0	2:42	0	0
0	3.714583333	42	3:18	0	0
0	4.00625	27	2:45	0	0
0	6.296527778	60	2:31	-0.609902	-1.370794
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	15	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	1.913194444	0	2:18	0	0
0	1.098611111	20	0:57	0	0
0	1.688888889	28	2:42	0	0
0	0.595833333	15	0:57	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	1	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0.367361111	0	4:25	0	0
0	0.064583333	2	1:33	0	0
0	0.085416667	1	2:03	0	0
0	0.347222222	10	0:50	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	32	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	2.541666667	0	1:54	0	0
0	2.338194444	32	1:34	0	0
0	1.960416667	36	1:28	0	0
0	4.640972222	43	2:35	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	177	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	13.90902778	0	2:24	0	0
0	18.29791667	139	3:02	0	0
0	17.81319444	145	2:25	0	0
0	22.99652778	176	3:08	0	0

0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	1	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0.367361111	0	4:25	0	0
0	0.064583333	2	1:33	0	0
0	0.085416667	1	2:03	0	0
0	0.347222222	10	0:50	0	0
0	0.115972222	2	1:24	11.66247544	1.26100148
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0.365972222	0	8:47	0	0
0	0	1	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	42	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	5	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	0	33.33%	0	0
0	3	3	75.00%	0	0
0	0	4	0.00%	0	0
0	4	7	57.14%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	9	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	3	0	27.27%	0	0
0	1	11	25.00%	0	0
0	0	4	0.00%	0	0
0	0	6	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	424	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	27	0	13.11%	0	0
0	42	206	12.92%	0	0
0	47	325	11.08%	0	0
0	52	357	14.57%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	424	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	27	0	13.11%	0	0
0	42	206	12.92%	0	0
0	47	325	11.08%	0	0
0	52	357	14.57%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	14	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	11	6.25%	0	0
0	1	16	7.14%	0	0
0	0	20	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	57	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	3	0	8.33%	0	0
0	11	36	20.37%	0	0
0	2	54	3.51%	0	0
0	5	55	9.09%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	37	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	5	0	20.00%	0	0
0	4	25	10.00%	0	0
0	3	40	8.11%	-0.29311	-1.178198
0	4	57	7.02%	-0.272343	-1.165573
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	0	0	0.00%	0	0
0	0	3	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	8	0.00%	0	0
0	0	5	0.00%	0	0
0	0	2	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	35	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	6	0	14.29%	0	0
0	3	42	11.11%	0	0
0	3	27	8.57%	0	0
0	8	60	13.33%	-0.389004	-1.236498

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	141	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	21	0	14.58%	0	0
0	25	144	16.56%	-0.443968	-1.269913
0	15	151	10.64%	0	0
0	17	171	9.94%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	0	1	0.00%	0	0
0	3	10	30.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	32	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	2	0	6.25%	0	0
0	6	32	16.67%	0	0
0	3	36	9.38%	0	0
0	6	43	13.95%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	177	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	21	0	15.11%	0	0
0	37	139	25.52%	0	0
0	19	145	10.73%	0	0
0	24	176	13.64%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	0	1	0.00%	0	0
0	3	10	30.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	11	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	18	0	85.71%	0	0
0	9	21	81.82%	0	0
0	9	11	81.82%	0	0
0	9	11	81.82%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	9	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	3	0	37.50%	0	0
0	2	8	50.00%	0	0
0	6	4	66.67%	0	0
0	5	6	83.33%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	28	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	20	0	100.00%	0	0
0	30	20	90.91%	0	0
0	27	33	96.43%	-0.189103	-1.114966
0	45	47	95.74%	-0.208611	-1.126826
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	13	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	8	0	100.00%	0	0
0	5	8	100.00%	0	0
0	13	5	100.00%	0	0
0	16	16	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	18	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1702	0	130.92	0	0
0	1526	13	117.38	0	0
0	2134	13	118.56	0	0
0	2087	16	130.44	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	75	0	7.5	0	0
0	294	10	10.14	0	0
0	171	29	28.5	0	0
0	134	6	22.33	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	5	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	599	0	149.75	0	0
0	585	4	146.25	0	0
0	540	4	108	0	0
0	674	8	84.25	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	15	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	461	0	38.42	0	0
0	505	12	38.85	-0.615105	-1.373957
0	505	13	33.67	0	0
0	653	19	34.37	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	67	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1318	0	26.9	0	0
0	1612	49	41.33	0	0
0	2413	39	36.01	0	0
0	2068	67	30.87	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	11	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	268	0	20.62	0	0
0	317	13	18.65	0	0
0	379	17	34.45	0	0
0	626	24	26.08	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0

0	1318	0	26.9	0	0
0	1612	49	41.33	0	0
0	2413	39	36.01	0	0
0	2068	67	30.87	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	67	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1318	0	26.9	0	0
0	1612	49	41.33	0	0
0	2413	39	36.01	0	0
0	2068	67	30.87	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	110	0	18.33	0	0
0	81	6	20.25	0	0
0	240	4	60	0	0
0	441	14	31.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	5	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	599	0	149.75	0	0
0	585	4	146.25	0	0
0	540	4	108	0	0
0	674	8	84.25	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	75	0	7.5	0	0
0	294	10	10.14	0	0
0	171	29	28.5	0	0
0	134	6	22.33	0	0

0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	18	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	1	0	0.0769	0	0	0
0	1	13	0.0769	0	0	0
0	2	13	0.1111	0	0	0
0	2	16	0.125	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	6	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	6	0	0.6	0	0	0
0	27	10	0.931	0	0	0
0	1	29	0.1667	0	0	0
0	2	6	0.3333	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	5	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	1	0	0.25	0	0	0
0	0	4	0	0	0	0
0	2	4	0.4	0	0	0
0	0	8	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	15	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	1	12	0.0769	-0.278174	-1.169118	0
0	3	13	0.2	0	0	0
0	4	19	0.2105	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	67	0	0	0	0

0	0	0	0	0	0
0	1	4	0.3333	0	0
0	0	3	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	67	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	13	0	0.2653	0	0
0	8	49	0.2051	0	0
0	21	39	0.3134	0	0
0	18	67	0.2687	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	67	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	13	0	0.2653	0	0
0	8	49	0.2051	0	0
0	21	39	0.3134	0	0
0	18	67	0.2687	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	2	0	0.3333	0	0
0	2	6	0.5	0	0
0	1	4	0.25	0	0
0	2	14	0.1429	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	5	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1	0	0.25	0	0
0	0	4	0	0	0
0	2	4	0.4	0	0
0	0	8	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	6	0	0.6	0	0
0	27	10	0.931	0	0
0	1	29	0.1667	0	0
0	2	6	0.3333	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	322	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	425	0	0.00%	0	0
0	285	465	0.00%	0	0
0	314	303	0.00%	0	0
0	229	233	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	80	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	71	0	0.00%	0	0
0	66	72	0.00%	0	0
0	78	67	0.00%	0	0
0	93	95	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	3	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	2	0	0.00%	0	0
0	3	2	0.00%	0	0
0	2	5	0.00%	0	0
0	1	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	7	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	3	0	0.00%	0	0
0	5	3	0.00%	0	0
0	7	5	0.00%	0	0
0	1	2	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	4	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	4	0	0.00%	0	0
0	13	4	0.00%	0	0
0	4	13	0.00%	0	0
0	11	11	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	10	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	19	0	0.00%	0	0
0	7	21	0.00%	0	0
0	10	7	0.00%	0	0
0	5	7	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1789	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	1499	0	0.00%	0	0
0	1659	1575	0.00%	0	0
0	1678	1722	0.00%	0	0
0	1682	1770	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1789	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1499	0	0.00%	0	0
0	1659	1575	0.00%	0	0
0	1678	1722	0.00%	0	0
0	1682	1770	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	0	0.00%	0	0
0	0	1	0.00%	0	0
0	1	0	0.00%	0	0
0	1	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	10	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	19	0	0.00%	0	0
0	7	21	0.00%	0	0
0	10	7	0.00%	0	0
0	5	7	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	6	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	8	0	0.00%	0	0
0	5	8	0.00%	0	0
0	5	5	0.00%	0	0
0	4	4	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	29	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	25	0	0.00%	0	0
0	31	25	0.00%	0	0
0	29	34	0.00%	0	0
0	43	43	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	1	1	0.00%	0	0
0	0	0	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	4	0	0.00%	0	0
0	0	4	0.00%	0	0
0	2	0	0.00%	0	0
0	14	14	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	44	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	43	0	0.00%	0	0
0	53	51	0.00%	0	0
0	41	56	0.00%	0	0
0	62	72	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	11	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	6	0	0.00%	0	0
0	4	12	0.00%	0	0
0	9	7	0.00%	0	0
0	16	18	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	18	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	8	0	0.00%	0	0
0	15	17	0.00%	0	0
0	12	22	0.00%	0	0
0	13	15	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	45	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	30	0	0.00%	0	0
0	23	34	0.00%	0	0
0	43	25	0.00%	0	0
0	25	31	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	50	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	74	0	0.00%	0	0
0	31	80	0.00%	0	0
0	22	57	0.00%	0	0
0	60	92	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	107	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	89	0	0.00%	0	0
0	94	101	0.00%	0	0
0	91	112	0.00%	0	0
0	72	86	100.00%	-0.438417	-1.266539
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	24	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	10	0	0.00%	0	0
0	6	14	0.00%	0	0
0	17	10	0.00%	0	0
0	15	21	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	9	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	11	0	0.00%	0	0
0	4	12	0.00%	0	0
0	6	8	0.00%	0	0
0	6	9	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	30	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	12	0	0.00%	0	0
0	14	18	0.00%	0	0
0	24	24	0.00%	0	0
0	33	42	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	0	0.00%	0	0
0	1	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	134	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	117	0	0.00%	0	0
0	139	143	0.00%	0	0
0	85	178	0.00%	0	0
0	75	86	0.00%	0	0
0	0	0	100.00%	0	-0.3333333333
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	374	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	373	0	0.00%	0	0
0	379	380	0.00%	0	0
0	369	383	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	252	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1639	0	5.11	0	0
0	715	321	3.44	0	0
0	785	208	3.12	0	0
0	498	148	3.36	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	62	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	182	0	3.43	0	0
0	225	53	4.17	0	0
0	356	54	5.74	0	0
0	285	68	4.19	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	8	0	4	0	0
0	19	2	3.8	0	0
0	4	5	2	0	0
0	5	1	5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	7	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	12	1	3	0	0
0	18	4	2.57	0	0
0	11	2	5.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	62	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0

0	182	0	3.43	0	0
0	225	53	4.17	-0.284104	-1.172723
0	356	54	5.74	0	0
0	285	68	4.19	-0.618698	-1.376142
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	3	0	0
0	24	1	3.43	0	0
0	17	7	5.67	0	0
0	15	5	3	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	9	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	45	0	4.09	0	0
0	16	11	2.67	0	0
0	24	6	2.67	0	0
0	9	5	1.8	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1369	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	4228	0	3.64	0	0
0	5103	1162	3.78	0	0
0	4915	1350	3.59	0	0
0	4603	1289	3.57	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1369	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	4228	0	3.64	0	0
0	5103	1162	3.78	0	0
0	4915	1350	3.59	0	0
0	4603	1289	3.57	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	3	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	9	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	45	0	4.09	0	0
0	16	11	2.67	0	0
0	24	6	2.67	0	0
0	9	5	1.8	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	3	0	0
0	24	1	3.43	0	0
0	17	7	5.67	0	0
0	15	5	3	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	23	0	11.5	0	0
0	3	2	3	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	15	0	0	0

0	374	0	6.8	0	0
0	334	55	5.96	0	0
0	236	56	5.36	0	0
0	499	68	7.34	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	16	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	131	0	10.92	0	0
0	204	12	15.69	0	0
0	161	13	10.06	0	0
0	362	20	18.1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	23	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	431	0	25.35	0	0
0	450	17	19.57	0	0
0	294	23	12.78	0	0
0	264	16	16.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	23	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	33	0	11	0	0
0	260	3	11.3	0	0
0	114	12	9.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	51	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	693	0	8.56	0	0
0	1236	81	22.47	0	0
0	821	55	16.1	0	0
0	1288	83	15.52	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	109	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	775	0	9.57	0	0
0	1074	81	10.04	0	0
0	1457	107	13.37	0	0
0	711	73	9.74	-1.171696	-1.712341
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	23	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	201	0	12.56	0	0
0	106	16	9.64	0	0
0	273	11	11.87	0	0
0	161	21	7.67	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	14	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	218	0	24.22	0	0
0	566	9	56.6	0	0
0	416	10	29.71	0	0
0	217	8	27.13	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	12	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	14	0	14	0	0
0	132	1	11	0	0
0	87	10	8.7	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	8	0	8	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	111	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1096	0	11.42	0	0
0	1774	96	12.58	0	0
0	1877	141	16.91	0	0
0	904	73	12.38	0	0
0	0	0	0	0	-0.5
0	0	0	0	0	0
0	0	0	0	0	0
0	0	277	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1497	0	5.27	0	0
0	1297	284	5.11	0	0
0	1384	254	5	0	0
0	0	0	0	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	69	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	73	0	97.33%	0	0
0	64	75	92.75%	0	0
0	65	69	94.20%	0	0
0	87	97	89.69%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	336	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	468	0	97.91%	0	0
0	300	478	92.88%	0	0
0	219	323	65.18%	0	0
0	230	248	92.74%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	118	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	106	0	89.83%	0	0
0	99	118	90.00%	0	0
0	105	110	88.98%	0	0
0	131	147	89.12%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	44	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	28	0	93.33%	0	0
0	38	30	100.00%	0	0
0	44	38	100.00%	0	0
0	26	26	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	78	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	59	0	100.00%	0	0
0	59	59	96.72%	0	0
0	74	61	94.87%	0	0
0	83	91	91.21%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	286	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	246	0	91.79%	0	0
0	285	268	88.24%	0	0
0	263	323	91.96%	0	0
0	189	204	92.65%	-0.28103	-1.170854

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	69	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	75	0	100.00%	0	0
0	69	75	100.00%	0	0
0	69	69	100.00%	0	0
0	97	97	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	336	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	478	0	100.00%	0	0
0	323	478	100.00%	0	0
0	336	323	100.00%	0	0
0	248	248	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	118	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	118	0	100.00%	0	0
0	110	118	100.00%	0	0
0	118	110	100.00%	0	0
0	147	147	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	44	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	30	0	100.00%	0	0
0	38	30	100.00%	0	0
0	44	38	100.00%	0	0
0	26	26	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	78	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	59	0	100.00%	0	0
0	61	59	100.00%	0	0
0	78	61	100.00%	0	0
0	91	91	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	7	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	0	33.33%	0	0
0	1	3	16.67%	0	0
0	3	6	42.86%	0	0
0	2	13	15.38%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	11	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	2	12	11.76%	0	0
0	2	17	18.18%	0	0
0	2	21	9.52%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	13	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	2	0	15.38%	0	0
0	2	13	14.29%	0	0
0	0	14	0.00%	0	0
0	3	19	15.79%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	10	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	69	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	73	0	97.33%	0	0
0	64	75	92.75%	0	0
0	65	69	94.20%	0	0
0	87	97	89.69%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	336	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	468	0	97.91%	0	0
0	300	478	92.88%	0	0
0	219	323	65.18%	0	0
0	230	248	92.74%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	118	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	106	0	89.83%	0	0
0	99	118	90.00%	0	0
0	105	110	88.98%	0	0
0	131	147	89.12%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	44	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	28	0	93.33%	0	0
0	38	30	100.00%	0	0
0	44	38	100.00%	0	0
0	26	26	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	78	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	59	0	100.00%	0	0
0	59	59	96.72%	0	0
0	74	61	94.87%	0	0
0	83	91	91.21%	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1	0	1	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	75	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	325	0	6.5	0	0
0	781	50	11.32	0	0
0	287	69	3.83	0	0
0	326	82	3.98	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	8	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	67	0	4.19	0	0
0	22	16	1.29	0	0
0	38	17	4.75	0	0
0	6	3	2	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	12	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	83	0	5.53	0	0
0	34	15	4.86	0	0
0	41	7	3.42	0	0
0	58	5	11.6	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	60	0	30	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	1	1	1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	63	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	191	0	4.66	0	0
0	340	41	7.23	0	0
0	131	47	2.08	0	0
0	223	47	4.74	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	63	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	191	0	4.66	0	0
0	340	41	7.23	0	0
0	131	47	2.08	0	0
0	223	47	4.74	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0

0	0	0	0	0	0	0
0	102	0	34	0	0	0
0	0	3	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	58	0	29	0	0	0
0	0	2	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	65	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	294	0	4.98	0	0	0
7.07	137	59	4.28	0.523068	-0.499108	
0	294	32	4.52	-0.31131	-1.189263	
0	236	56	4.21	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	65	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	294	0	4.98	0	0	0
0	137	59	4.28	0	0	0
0	294	32	4.52	0	0	0
0	236	56	4.21	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	102	0	34	0	0	0
0	0	3	0	0	0	0
0	0	0	0	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	11	0	11	0	0
0	19	1	19	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	1.5	0	0
0	4	2	2	0	0
0	1	2	1	0	0
0	24	4	6	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	41	0	13.67	0	0
0	10	3	3.33	0	0
0	47	3	15.67	0	0
0	115	2	57.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	21	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	45	0	15	0	0
0	104	3	10.4	0	0
0	366	10	17.43	0	0
0	100	5	20	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	153	0	19.13	0	0
0	61	8	12.2	0	0
0	69	5	11.5	0	0
0	10	2	5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	68	0	9.71	0	0
0	10	7	2.5	0	0
0	28	4	7	0	0
0	66	8	8.25	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	26	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	104	0	17.33	0	0
0	562	6	26.76	0	0
0	235	21	9.04	0	0
0	458	28	16.36	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	136	0	45.33	0	0
0	4	3	2	0	0
0	50	2	8.33	0	0
0	34	3	11.33	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	4	0	4	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	153	0	19.13	0	0
0	61	8	12.2	0	0
0	69	5	11.5	0	0
0	10	2	5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	21	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	45	0	15	0	0
0	104	3	10.4	0	0
0	366	10	17.43	0	0
0	100	5	20	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	21	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	45	0	15	0	0
0	104	3	10.4	0	0
0	366	10	17.43	0	0
0	100	5	20	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	153	0	19.13	0	0
0	61	8	12.2	0	0
0	69	5	11.5	0	0
0	10	2	5	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	21	0	21	0	0
0	7	1	7	0	0
0	35	1	35	0	0
0	1	1	1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	7	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	137	0	9.79	0	0
0	41	14	6.83	0	0
0	175	6	25	0	0
0	98	7	14	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	40	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	641	0	35.61	0	0
0	444	18	15.31	0	0
0	646	29	16.15	0	0
0	154	7	22	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	61	0	30.5	0	0
0	102	2	25.5	0	0
0	5	1	5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	5	0	0	0

0	641	0	35.61	0	0
0	444	18	15.31	0	0
0	646	29	16.15	0	0
0	154	7	22	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	61	0	30.5	0	0
0	102	2	25.5	0	0
0	5	1	5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	488	0	19.52	0	0
0	7	25	7	0	0
0	2	1	1	0	0
0	13	1	13	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	20	0	20	0	0
0	0	1	0	0	0
0	1	1	1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	184	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	815	0	5.09	0	0
0	1196	160	6.16	0	0
0	1000	194	5.43	0	0
0	923	165	5.59	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	184	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	815	0	5.09	0	0
0	1196	160	6.16	0	0
0	1000	194	5.43	0	0
0	923	165	5.59	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	31	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	165	0	10.31	0	0
0	152	16	7.24	0	0
0	195	21	6.29	0	0
0	304	30	10.13	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	20	0	20	0	0
0	0	1	0	0	0
0	1	1	1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	488	0	19.52	0	0
0	7	25	7	0	0
0	2	1	1	0	0
0	13	1	13	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0

0	97	0	16.17	0	0
0	21	6	21	0	0
0	8	1	2	0	0
0	72	10	7.2	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	2	1	2	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1	1	1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	35	0	5	0	0
0	0	7	0	0	0
0	12	0	2	0	0
0	7	2	3.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	35	0	5	0	0
0	0	7	0	0	0
0	12	0	2	0	0
0	7	2	3.5	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	8	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	7	0	7	0	0
0	37	1	7.4	0	0
0	125	5	15.63	0	0
0	218	18	12.11	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	35	0	5	0	0
0	0	7	0	0	0
0	12	0	2	0	0
0	7	2	3.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	50	0	8.33	0	0
0	3	6	3	0	0
0	6	1	3	0	0
0	73	6	12.17	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	27	0	6.75	0	0
0	75	4	25	0	0
0	12	3	6	0	0
0	17	1	17	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0

0	21	0	21	0	0
0	161	1	53.67	0	0
0	71	3	23.67	0	0
0	80	1	80	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	93	0	7.75	0	0
0	128	12	10.67	0	0
0	45	12	7.5	0	0
0	134	11	12.18	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	93	0	7.75	0	0
0	128	12	10.67	0	0
0	45	12	7.5	0	0
0	134	11	12.18	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	21	0	21	0	0
0	161	1	53.67	0	0
0	71	3	23.67	0	0
0	80	1	80	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	51	0	12.75	0	0
0	29	4	9.67	0	0
0	118	3	19.67	0	0
0	47	5	9.4	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	55	0	13.75	0	0
0	3	4	3	0	0
0	107	1	35.67	0	0
0	30	4	7.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	58	0	58	0	0
0	239	1	59.75	0	0
0	154	4	77	0	0
0	122	2	61	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	3	0	0
0	36	1	18	0	0
0	25	2	25	0	0
0	61	2	30.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	54	0	27	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	10	0	10	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	58	0	58	0	0
0	239	1	59.75	0	0
0	154	4	77	0	0
0	122	2	61	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	14	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	65	0	7.22	0	0
0	367	9	21.59	0	0
0	113	17	8.07	0	0
0	107	7	15.29	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	14	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	65	0	7.22	0	0
0	367	9	21.59	0	0
0	113	17	8.07	0	0
0	107	7	15.29	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0

0	97	0	16.17	0	0
0	21	6	21	0	0
6.24	8	1	2	5.5	-0.234531
0	72	10	7.2	-1.939606	-2.179197
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	58	0	58	0	0
0	239	1	59.75	0	0
0	154	4	77	0	0
0	122	2	61	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	-0.145888
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895

PID	Description	Product_Description	Standard
BI-1A	Time to Provide Usage Records	UNEs and Resale Aggregate	Parity
BI-1B	Time to Provide Usage Records	Jointly-provided Switched Access	Benchmark
BI-1C-1	Time to Provide Usage Records	[CAT11] UNEs and Resale Aggregate	Parity
BI-1C-2	Time to Provide Usage Records	[CAT10] UNEs and Resale Aggregate	Parity
BI-2	Invoices Delivered within 10 Days	All	Diagnostic
BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Parity
BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic
BI-4A	Billing Completeness	UNEs and Resale Aggregate	Parity
BI-4B	Billing Completeness	Reciprocal Compensation	Diagnostic
BI-5A	Billing Accuracy & Claims Processing - Acknowledgment	All	Benchmark
BI-5B	Billing Accuracy & Claims Processing - Resolution	All	Benchmark
CP-1A	Scheduled Interval	90 Calendar Days or Less	All Benchmark
CP-1B	Scheduled Interval	91 to 120 Calendar Days	All Benchmark
CP-1C	Scheduled Interval	121 to 150 Calendar Days	All Benchmark
CP-2B	Non-Forcasted & Late Forecasted Collocations	All	Benchmark
CP-2C	Collocations with Intervals Longer than 120 Days	All	Benchmark
CP-3	Collocation Feasibility Study Interval	All	Benchmark
CP-4	Collocation Feasibility Study Commitments Met	All	Benchmark
DA-1	Speed of Answer - Directory Assistance		Diagnostic
DB-1A	Time to Update Databases	E911	Diagnostic
DB-1B	Time to Update Databases	LIDB	Diagnostic
DB-1C-1	Time to Update Databases	Directory Listing	Diagnostic
DB-2C-1	Accurate Database Updates	Directory Listing	Diagnostic
GA-1	Gateway Availability - IMA-GUI	All	Diagnostic
GA-1	Gateway Availability - IMA-GUI	SIA	Diagnostic
GA-2	Gateway Availability - IMA-EDI		Diagnostic
GA-3	Gateway Availability - EB-TA		Diagnostic
GA-4	System Availability - EXACT		Diagnostic
GA-6	Gateway Availability - GUI - Repair		Diagnostic
GA-7	Timely Outage Resolution following Software Releases		Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	Basic Rate ISDN	Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	Business	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Centrex	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Centrex 21	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS0	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS1	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS3	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	E911	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Frame Relay	Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	ISDN Primary	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	LIS Trunk	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	PBX	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Qwest DSL	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Residence	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	UDIT Above DS1 Level	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	UDIT DS1	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - 2 Wire Non-Loaded	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - 4 Wire Non-Loaded	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - ADSL Qualified	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - DS1 Capable	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - DS3 Capable	Parity

MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - XDSLi Parity
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop Analog Parity
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop ISDN Capable Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE - P (POTS) Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex 21) Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex) Parity
MR-11A LNP Trouble Reports Cleared within 4 Hours LNP Benchmark
MR-11B LNP Trouble Reports Cleared within 48 Hours - All Volumes LNP Parity
MR-2 Calls Answered within 20 seconds - Interconnect Repair Center All Diagnostic
MR-3A Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3A Out of Service Cleared within 24 Hours Business Parity
MR-3A Out of Service Cleared within 24 Hours Centrex Parity
MR-3A Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3A Out of Service Cleared within 24 Hours Line Sharing Parity
MR-3A Out of Service Cleared within 24 Hours Line Splitting Parity
MR-3A Out of Service Cleared within 24 Hours PBX Parity
MR-3A Out of Service Cleared within 24 Hours Residence Parity
MR-3A Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex 21) Parity
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex) Parity
MR-3B Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3B Out of Service Cleared within 24 Hours Business Parity
MR-3B Out of Service Cleared within 24 Hours Centrex Diagnostic
MR-3B Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3B Out of Service Cleared within 24 Hours Line Sharing Diagnostic
MR-3B Out of Service Cleared within 24 Hours Line Splitting Diagnostic
MR-3B Out of Service Cleared within 24 Hours PBX Parity
MR-3B Out of Service Cleared within 24 Hours Residence Parity
MR-3B Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex) Parity
MR-3C Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3C Out of Service Cleared within 24 Hours Business Parity
MR-3C Out of Service Cleared within 24 Hours Centrex Diagnostic
MR-3C Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3C Out of Service Cleared within 24 Hours Line Sharing Parity
MR-3C Out of Service Cleared within 24 Hours Line Splitting Parity
MR-3C Out of Service Cleared within 24 Hours PBX Parity
MR-3C Out of Service Cleared within 24 Hours Residence Parity
MR-3C Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex) Diagnostic
MR-3D Out of Service Cleared within 24 Hours Qwest DSL Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity
MR-3E Out of Service Cleared within 24 Hours Qwest DSL Diagnostic
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity

MR-3E Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity
MR-4A All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4A All Troubles Cleared within 48 Hours Business Parity
MR-4A All Troubles Cleared within 48 Hours Centrex Parity
MR-4A All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4A All Troubles Cleared within 48 Hours Line Sharing Parity
MR-4A All Troubles Cleared within 48 Hours Line Splitting Parity
MR-4A All Troubles Cleared within 48 Hours PBX Parity
MR-4A All Troubles Cleared within 48 Hours Residence Parity
MR-4A All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex 21) Parity
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex) Parity
MR-4B All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4B All Troubles Cleared within 48 Hours Business Parity
MR-4B All Troubles Cleared within 48 Hours Centrex Diagnostic
MR-4B All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4B All Troubles Cleared within 48 Hours Line Sharing Diagnostic
MR-4B All Troubles Cleared within 48 Hours Line Splitting Diagnostic
MR-4B All Troubles Cleared within 48 Hours PBX Parity
MR-4B All Troubles Cleared within 48 Hours Residence Parity
MR-4B All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex) Parity
MR-4C All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4C All Troubles Cleared within 48 Hours Business Parity
MR-4C All Troubles Cleared within 48 Hours Centrex Diagnostic
MR-4C All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4C All Troubles Cleared within 48 Hours Line Sharing Parity
MR-4C All Troubles Cleared within 48 Hours Line Splitting Parity
MR-4C All Troubles Cleared within 48 Hours PBX Parity
MR-4C All Troubles Cleared within 48 Hours Residence Parity
MR-4C All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex) Diagnostic
MR-4D All Troubles Cleared within 48 Hours Qwest DSL Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity
MR-4E All Troubles Cleared within 48 Hours Qwest DSL Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity
MR-5A All Troubles Cleared within 4 Hours DS0 Parity
MR-5A All Troubles Cleared within 4 Hours DS1 Parity
MR-5A All Troubles Cleared within 4 Hours DS3 Parity
MR-5A All Troubles Cleared within 4 Hours E911 Parity
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS0 Capable Diagnostic

MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS3 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Frame Relay Diagnostic
MR-5A All Troubles Cleared within 4 Hours ISDN Primary Diagnostic
MR-5A All Troubles Cleared within 4 Hours LIS Trunk Parity
MR-5A All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity
MR-5A All Troubles Cleared within 4 Hours UDIT DS1 Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - 4 Wire Non-Loaded Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Parity
MR-5B All Troubles Cleared within 4 Hours DS0 Parity
MR-5B All Troubles Cleared within 4 Hours DS1 Parity
MR-5B All Troubles Cleared within 4 Hours DS3 Diagnostic
MR-5B All Troubles Cleared within 4 Hours E911 Parity
MR-5B All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity
MR-5B All Troubles Cleared within 4 Hours Frame Relay Diagnostic
MR-5B All Troubles Cleared within 4 Hours ISDN Primary Parity
MR-5B All Troubles Cleared within 4 Hours LIS Trunk Parity
MR-5B All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity
MR-5B All Troubles Cleared within 4 Hours UDIT DS1 Parity
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Diagnostic
MR-6A Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6A Mean Time to Restore Business Parity
MR-6A Mean Time to Restore Centrex Parity
MR-6A Mean Time to Restore Centrex 21 Parity
MR-6A Mean Time to Restore Line Sharing Parity
MR-6A Mean Time to Restore Line Splitting Parity
MR-6A Mean Time to Restore PBX Parity
MR-6A Mean Time to Restore Residence Parity
MR-6A Mean Time to Restore UNE - P (POTS) Parity
MR-6A Mean Time to Restore UNE P (Centrex 21) Parity
MR-6A Mean Time to Restore UNE P (Centrex) Parity
MR-6B Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6B Mean Time to Restore Business Parity
MR-6B Mean Time to Restore Centrex Diagnostic
MR-6B Mean Time to Restore Centrex 21 Parity
MR-6B Mean Time to Restore Line Sharing Diagnostic
MR-6B Mean Time to Restore Line Splitting Diagnostic
MR-6B Mean Time to Restore PBX Parity
MR-6B Mean Time to Restore Residence Parity
MR-6B Mean Time to Restore UNE - P (POTS) Parity
MR-6B Mean Time to Restore UNE P (Centrex 21) Diagnostic
MR-6B Mean Time to Restore UNE P (Centrex) Parity
MR-6C Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6C Mean Time to Restore Business Parity
MR-6C Mean Time to Restore Centrex Diagnostic
MR-6C Mean Time to Restore Centrex 21 Parity
MR-6C Mean Time to Restore Line Sharing Parity
MR-6C Mean Time to Restore Line Splitting Parity
MR-6C Mean Time to Restore PBX Parity

MR-6C Mean Time to Restore Residence Parity
MR-6C Mean Time to Restore UNE - P (POTS) Parity
MR-6C Mean Time to Restore UNE P (Centrex 21) Parity
MR-6C Mean Time to Restore UNE P (Centrex) Parity
MR-6D Mean Time to Restore Dark Fiber - IOF Parity
MR-6D Mean Time to Restore Dark Fiber - Loop Parity
MR-6D Mean Time to Restore DS0 Parity
MR-6D Mean Time to Restore DS1 Parity
MR-6D Mean Time to Restore DS3 Parity
MR-6D Mean Time to Restore E911 Parity
MR-6D Mean Time to Restore Enhanced Extended Loops - DS0 Capable Diagnostic
MR-6D Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity
MR-6D Mean Time to Restore Enhanced Extended Loops - DS3 Capable Parity
MR-6D Mean Time to Restore Frame Relay Diagnostic
MR-6D Mean Time to Restore ISDN Primary Diagnostic
MR-6D Mean Time to Restore LIS Trunk Parity
MR-6D Mean Time to Restore Qwest DSL Parity
MR-6D Mean Time to Restore UDIT Above DS1 Level Parity
MR-6D Mean Time to Restore UDIT DS1 Parity
MR-6D Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity
MR-6D Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Parity
MR-6D Mean Time to Restore Unbundled Loop - ADSL Qualified Parity
MR-6D Mean Time to Restore Unbundled Loop - DS1 Capable Parity
MR-6D Mean Time to Restore Unbundled Loop - DS3 Capable Parity
MR-6D Mean Time to Restore Unbundled Loop - XDSLi Parity
MR-6D Mean Time to Restore Unbundled Loop Analog Parity
MR-6D Mean Time to Restore Unbundled Loop ISDN Capable Parity
MR-6E Mean Time to Restore DS0 Parity
MR-6E Mean Time to Restore DS1 Parity
MR-6E Mean Time to Restore DS3 Diagnostic
MR-6E Mean Time to Restore E911 Parity
MR-6E Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity
MR-6E Mean Time to Restore Frame Relay Diagnostic
MR-6E Mean Time to Restore ISDN Primary Parity
MR-6E Mean Time to Restore LIS Trunk Parity
MR-6E Mean Time to Restore Qwest DSL Parity
MR-6E Mean Time to Restore UDIT Above DS1 Level Parity
MR-6E Mean Time to Restore UDIT DS1 Parity
MR-6E Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity
MR-6E Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-6E Mean Time to Restore Unbundled Loop - ADSL Qualified Parity
MR-6E Mean Time to Restore Unbundled Loop - DS1 Capable Parity
MR-6E Mean Time to Restore Unbundled Loop - DS3 Capable Diagnostic
MR-6E Mean Time to Restore Unbundled Loop - XDSLi Parity
MR-6E Mean Time to Restore Unbundled Loop Analog Parity
MR-6E Mean Time to Restore Unbundled Loop ISDN Capable Parity
MR-7A Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7A Repair Repeat Report Rate Business Parity
MR-7A Repair Repeat Report Rate Centrex Parity
MR-7A Repair Repeat Report Rate Centrex 21 Parity
MR-7A Repair Repeat Report Rate Line Sharing Parity
MR-7A Repair Repeat Report Rate Line Splitting Parity

MR-7A Repair Repeat Report Rate PBX Diagnostic
MR-7A Repair Repeat Report Rate Residence Parity
MR-7A Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7A Repair Repeat Report Rate UNE P (Centrex 21) Parity
MR-7A Repair Repeat Report Rate UNE P (Centrex) Parity
MR-7B Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7B Repair Repeat Report Rate Business Parity
MR-7B Repair Repeat Report Rate Centrex Diagnostic
MR-7B Repair Repeat Report Rate Centrex 21 Parity
MR-7B Repair Repeat Report Rate Line Sharing Diagnostic
MR-7B Repair Repeat Report Rate Line Splitting Diagnostic
MR-7B Repair Repeat Report Rate PBX Parity
MR-7B Repair Repeat Report Rate Residence Parity
MR-7B Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7B Repair Repeat Report Rate UNE P (Centrex 21) Diagnostic
MR-7B Repair Repeat Report Rate UNE P (Centrex) Diagnostic
MR-7C Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7C Repair Repeat Report Rate Business Parity
MR-7C Repair Repeat Report Rate Centrex Diagnostic
MR-7C Repair Repeat Report Rate Centrex 21 Parity
MR-7C Repair Repeat Report Rate Line Sharing Parity
MR-7C Repair Repeat Report Rate Line Splitting Parity
MR-7C Repair Repeat Report Rate PBX Parity
MR-7C Repair Repeat Report Rate Residence Parity
MR-7C Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7C Repair Repeat Report Rate UNE P (Centrex 21) Parity
MR-7C Repair Repeat Report Rate UNE P (Centrex) Parity
MR-7D Repair Repeat Report Rate Dark Fiber - IOF Parity
MR-7D Repair Repeat Report Rate Dark Fiber - Loop Parity
MR-7D Repair Repeat Report Rate DS0 Parity
MR-7D Repair Repeat Report Rate DS1 Parity
MR-7D Repair Repeat Report Rate DS3 Parity
MR-7D Repair Repeat Report Rate E911 Parity
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS3 Capable Diagnostic
MR-7D Repair Repeat Report Rate Frame Relay Diagnostic
MR-7D Repair Repeat Report Rate ISDN Primary Diagnostic
MR-7D Repair Repeat Report Rate LIS Trunk Parity
MR-7D Repair Repeat Report Rate Qwest DSL Parity
MR-7D Repair Repeat Report Rate UDIT Above DS1 Level Parity
MR-7D Repair Repeat Report Rate UDIT DS1 Diagnostic
MR-7D Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - DS1 Capable Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - DS3 Capable Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - XDSLi Parity
MR-7D Repair Repeat Report Rate Unbundled Loop Analog Parity
MR-7D Repair Repeat Report Rate Unbundled Loop ISDN Capable Parity
MR-7E Repair Repeat Report Rate DS0 Parity
MR-7E Repair Repeat Report Rate DS1 Parity

MR-7E Repair Repeat Report Rate DS3 Diagnostic
MR-7E Repair Repeat Report Rate E911 Parity
MR-7E Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity
MR-7E Repair Repeat Report Rate Frame Relay Diagnostic
MR-7E Repair Repeat Report Rate ISDN Primary Parity
MR-7E Repair Repeat Report Rate LIS Trunk Parity
MR-7E Repair Repeat Report Rate Qwest DSL Parity
MR-7E Repair Repeat Report Rate UDIT Above DS1 Level Parity
MR-7E Repair Repeat Report Rate UDIT DS1 Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - DS1 Capable Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - DS3 Capable Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop - XDSLi Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop Analog Parity
MR-7E Repair Repeat Report Rate Unbundled Loop ISDN Capable Parity
MR-8 Trouble Rate Basic Rate ISDN Parity
MR-8 Trouble Rate Business Parity
MR-8 Trouble Rate Centrex Parity
MR-8 Trouble Rate Centrex 21 Parity
MR-8 Trouble Rate Dark Fiber - IOF Diagnostic
MR-8 Trouble Rate Dark Fiber - Loop Diagnostic
MR-8 Trouble Rate DS0 Parity
MR-8 Trouble Rate DS1 Parity
MR-8 Trouble Rate DS3 Parity
MR-8 Trouble Rate E911 Parity
MR-8 Trouble Rate Enhanced Extended Loops - DS0 Capable Diagnostic
MR-8 Trouble Rate Enhanced Extended Loops - DS1 Capable Parity
MR-8 Trouble Rate Enhanced Extended Loops - DS3 Capable Diagnostic
MR-8 Trouble Rate Frame Relay Parity
MR-8 Trouble Rate ISDN Primary Parity
MR-8 Trouble Rate Line Sharing Parity
MR-8 Trouble Rate Line Splitting Parity
MR-8 Trouble Rate LIS Trunk Parity
MR-8 Trouble Rate PBX Parity
MR-8 Trouble Rate Qwest DSL Parity
MR-8 Trouble Rate Residence Parity
MR-8 Trouble Rate Sub-Loop Unbundling Diagnostic
MR-8 Trouble Rate UDIT Above DS1 Level Parity
MR-8 Trouble Rate UDIT DS1 Parity
MR-8 Trouble Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-8 Trouble Rate Unbundled Loop - 4 Wire Non-Loaded Parity
MR-8 Trouble Rate Unbundled Loop - ADSL Qualified Parity
MR-8 Trouble Rate Unbundled Loop - DS1 Capable Parity
MR-8 Trouble Rate Unbundled Loop - DS3 Capable Parity
MR-8 Trouble Rate Unbundled Loop - XDSLi Parity
MR-8 Trouble Rate Unbundled Loop Analog Parity
MR-8 Trouble Rate Unbundled Loop ISDN Capable Parity
MR-8 Trouble Rate UNE - P (POTS) Parity
MR-8 Trouble Rate UNE P (Centrex 21) Parity
MR-8 Trouble Rate UNE P (Centrex) Parity

MR-9A Repair Appointments Met Business Parity
MR-9A Repair Appointments Met Centrex Parity
MR-9A Repair Appointments Met Centrex 21 Parity
MR-9A Repair Appointments Met PBX Diagnostic
MR-9A Repair Appointments Met Residence Parity
MR-9A Repair Appointments Met UNE - P (POTS) Parity
MR-9B Repair Appointments Met Business Parity
MR-9B Repair Appointments Met Centrex Diagnostic
MR-9B Repair Appointments Met Centrex 21 Parity
MR-9B Repair Appointments Met PBX Parity
MR-9B Repair Appointments Met Residence Parity
MR-9B Repair Appointments Met UNE - P (POTS) Parity
MR-9C Repair Appointments Met Business Parity
MR-9C Repair Appointments Met Centrex Diagnostic
MR-9C Repair Appointments Met Centrex 21 Parity
MR-9C Repair Appointments Met PBX Diagnostic
MR-9C Repair Appointments Met Residence Parity
MR-9C Repair Appointments Met UNE - P (POTS) Parity
NI-1A Trunk Blockage to Qwest Tandem Offices LIS Trunk Parity
NI-1B Trunk Blockage to Qwest End Offices LIS Trunk Parity
NI-1C Trunk Blockage to Qwest Tandem Offices LIS Trunk Diagnostic
NI-1D Trunk Blockage to Qwest End Offices LIS Trunk Diagnostic
NP-1A NXX Code Activation All Parity
OP-13A Coordinated Cuts Completed on Time Unbundled Loop - Analog Benchmark
OP-13A Coordinated Cuts Completed on Time Unbundled Loop Other Benchmark
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop - Analog Diagnostic
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop Other Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Basic Rate ISDN Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Business Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex 21 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - IOF Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS0 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS1 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS3 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Enhanced Extended Loops (EELs) Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Frame Relay Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date ISDN Primary Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Line Sharing Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Line Splitting Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date LIS Trunk Parity
OP-15A Interval for Pending Orders Delayed Past Due Date PBX Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Qwest DSL Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Residence Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UDIT Above DS1 Level Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UDIT DS1 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 2 Wire Non-Loaded Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS1 Capable Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS3 Capable Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop Analog Parity

OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop ISDN Capable Parity
 OP-15A Interval for Pending Orders Delayed Past Due Date UNE - P (POTS) Parity
 OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex 21) Diagnostic
 OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex) Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Basic Rate ISDN Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Business Parity
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex 21 Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - IOF Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - Loop Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons DS0 Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons DS1 Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons DS3 Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Enhanced Extended Loops (EELs) Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Frame Relay Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons ISDN Primary Parity
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Sharing Parity
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Splitting Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons LIS Trunk Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons PBX Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Qwest DSL Parity
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Residence Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT DS1 Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Loaded Diagnos
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnos
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS3 Capable Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex 21) Diagnostic
 OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex) Diagnostic
 OP-17A Timeliness of Disconnects associated with LNP Orders LNP Benchmark
 OP-17B Timeliness of Disconnects associated with LNP Orders LNP Diagnostic
 OP-2 Calls Answered within Twenty Seconds - Interconnect Provisioning Center Diagnostic
 OP-3A Installation Commitments Met Basic Rate ISDN Diagnostic
 OP-3A Installation Commitments Met Business Parity
 OP-3A Installation Commitments Met Centrex Diagnostic
 OP-3A Installation Commitments Met Centrex 21 Diagnostic
 OP-3A Installation Commitments Met DS0 Diagnostic
 OP-3A Installation Commitments Met Line Sharing Benchmark
 OP-3A Installation Commitments Met Line Splitting Benchmark
 OP-3A Installation Commitments Met PBX Diagnostic
 OP-3A Installation Commitments Met Qwest DSL Parity
 OP-3A Installation Commitments Met Residence Parity
 OP-3A Installation Commitments Met UNE - P (POTS) Parity
 OP-3A Installation Commitments Met UNE P (Centrex 21) Parity
 OP-3A Installation Commitments Met UNE P (Centrex) Parity
 OP-3B Installation Commitments Met Business Parity
 OP-3B Installation Commitments Met Centrex Diagnostic
 OP-3B Installation Commitments Met Centrex 21 Diagnostic

OP-3B Installation Commitments Met Line Sharing Benchmark
OP-3B Installation Commitments Met Line Splitting Benchmark
OP-3B Installation Commitments Met PBX Diagnostic
OP-3B Installation Commitments Met Qwest DSL Parity
OP-3B Installation Commitments Met Residence Parity
OP-3B Installation Commitments Met Sub-Loop Unbundling Diagnostic
OP-3B Installation Commitments Met UNE - P (POTS) Parity
OP-3B Installation Commitments Met UNE P (Centrex 21) Diagnostic
OP-3B Installation Commitments Met UNE P (Centrex) Diagnostic
OP-3C Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3C Installation Commitments Met Business Parity
OP-3C Installation Commitments Met Centrex Diagnostic
OP-3C Installation Commitments Met Centrex 21 Diagnostic
OP-3C Installation Commitments Met DS0 Diagnostic
OP-3C Installation Commitments Met ISDN Primary Diagnostic
OP-3C Installation Commitments Met Line Sharing Benchmark
OP-3C Installation Commitments Met Line Splitting Benchmark
OP-3C Installation Commitments Met PBX Parity
OP-3C Installation Commitments Met Qwest DSL Parity
OP-3C Installation Commitments Met Residence Parity
OP-3C Installation Commitments Met Sub-Loop Unbundling Diagnostic
OP-3C Installation Commitments Met UNE - P (POTS) Parity
OP-3C Installation Commitments Met UNE P (Centrex 21) Parity
OP-3C Installation Commitments Met UNE P (Centrex) Parity
OP-3D Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3D Installation Commitments Met Dark Fiber - IOF Diagnostic
OP-3D Installation Commitments Met Dark Fiber - Loop Diagnostic
OP-3D Installation Commitments Met DS0 Diagnostic
OP-3D Installation Commitments Met DS1 Parity
OP-3D Installation Commitments Met DS3 Diagnostic
OP-3D Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark
OP-3D Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity
OP-3D Installation Commitments Met Enhanced Extended Loops - DS3 Capable Benchmark
OP-3D Installation Commitments Met Frame Relay Diagnostic
OP-3D Installation Commitments Met ISDN Primary Diagnostic
OP-3D Installation Commitments Met LIS Trunk Parity
OP-3D Installation Commitments Met PBX Parity
OP-3D Installation Commitments Met Qwest DSL Parity
OP-3D Installation Commitments Met UDIT Above DS1 Level Parity
OP-3D Installation Commitments Met UDIT DS1 Parity
OP-3D Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Parity
OP-3D Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-3D Installation Commitments Met Unbundled Loop - ADSL Qualified Parity
OP-3D Installation Commitments Met Unbundled Loop - DS1 Capable Parity
OP-3D Installation Commitments Met Unbundled Loop - DS3 Capable Parity
OP-3D Installation Commitments Met Unbundled Loop - XDSLi Benchmark
OP-3D Installation Commitments Met Unbundled Loop Analog Parity
OP-3D Installation Commitments Met Unbundled Loop Conditioned Benchmark
OP-3D Installation Commitments Met Unbundled Loop ISDN Capable Parity
OP-3E Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3E Installation Commitments Met Dark Fiber - Loop Diagnostic
OP-3E Installation Commitments Met DS0 Parity

OP-3E Installation Commitments Met DS1 Parity
OP-3E Installation Commitments Met DS3 Diagnostic
OP-3E Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity
OP-3E Installation Commitments Met Frame Relay Diagnostic
OP-3E Installation Commitments Met ISDN Primary Parity
OP-3E Installation Commitments Met LIS Trunk Parity
OP-3E Installation Commitments Met PBX Parity
OP-3E Installation Commitments Met Qwest DSL Diagnostic
OP-3E Installation Commitments Met UDIT Above DS1 Level Parity
OP-3E Installation Commitments Met UDIT DS1 Parity
OP-3E Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Parity
OP-3E Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-3E Installation Commitments Met Unbundled Loop - ADSL Qualified Parity
OP-3E Installation Commitments Met Unbundled Loop - DS1 Capable Parity
OP-3E Installation Commitments Met Unbundled Loop - DS3 Capable Parity
OP-3E Installation Commitments Met Unbundled Loop - XDSLi Benchmark
OP-3E Installation Commitments Met Unbundled Loop Analog Parity
OP-3E Installation Commitments Met Unbundled Loop Conditioned Benchmark
OP-3E Installation Commitments Met Unbundled Loop ISDN Capable Parity
OP-4A Installation Interval Business Parity
OP-4A Installation Interval Centrex Diagnostic
OP-4A Installation Interval Centrex 21 Diagnostic
OP-4A Installation Interval DS0 Diagnostic
OP-4A Installation Interval Line Sharing Benchmark
OP-4A Installation Interval Line Splitting Benchmark
OP-4A Installation Interval PBX Diagnostic
OP-4A Installation Interval Qwest DSL Parity
OP-4A Installation Interval Residence Parity
OP-4A Installation Interval UNE - P (POTS) Parity
OP-4A Installation Interval UNE P (Centrex 21) Diagnostic
OP-4A Installation Interval UNE P (Centrex) Parity
OP-4B Installation Interval Business Parity
OP-4B Installation Interval Centrex Diagnostic
OP-4B Installation Interval Centrex 21 Diagnostic
OP-4B Installation Interval Line Sharing Benchmark
OP-4B Installation Interval Line Splitting Benchmark
OP-4B Installation Interval PBX Diagnostic
OP-4B Installation Interval Qwest DSL Parity
OP-4B Installation Interval Residence Parity
OP-4B Installation Interval Sub-Loop Unbundling Diagnostic
OP-4B Installation Interval UNE - P (POTS) Parity
OP-4B Installation Interval UNE P (Centrex 21) Diagnostic
OP-4B Installation Interval UNE P (Centrex) Diagnostic
OP-4C Installation Interval Business Parity
OP-4C Installation Interval Centrex Diagnostic
OP-4C Installation Interval Centrex 21 Diagnostic
OP-4C Installation Interval DS0 Diagnostic
OP-4C Installation Interval ISDN Primary Diagnostic
OP-4C Installation Interval Line Sharing Benchmark
OP-4C Installation Interval Line Splitting Benchmark
OP-4C Installation Interval PBX Parity
OP-4C Installation Interval Qwest DSL Parity

OP-4C Installation Interval Residence Parity
OP-4C Installation Interval Sub-Loop Unbundling Diagnostic
OP-4C Installation Interval UNE - P (POTS) Parity
OP-4C Installation Interval UNE P (Centrex 21) Parity
OP-4C Installation Interval UNE P (Centrex) Parity
OP-4D Installation Interval Basic Rate ISDN Diagnostic
OP-4D Installation Interval Dark Fiber - IOF Diagnostic
OP-4D Installation Interval Dark Fiber - Loop Diagnostic
OP-4D Installation Interval DS0 Diagnostic
OP-4D Installation Interval DS1 Parity
OP-4D Installation Interval DS3 Diagnostic
OP-4D Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic
OP-4D Installation Interval Enhanced Extended Loops - DS1 Capable Parity
OP-4D Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic
OP-4D Installation Interval Frame Relay Diagnostic
OP-4D Installation Interval ISDN Primary Diagnostic
OP-4D Installation Interval LIS Trunk Parity
OP-4D Installation Interval PBX Parity
OP-4D Installation Interval Qwest DSL Parity
OP-4D Installation Interval UDIT Above DS1 Level Parity
OP-4D Installation Interval UDIT DS1 Parity
OP-4D Installation Interval Unbundled Loop - 2 Wire Non-Loaded Parity
OP-4D Installation Interval Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-4D Installation Interval Unbundled Loop - ADSL Qualified Parity
OP-4D Installation Interval Unbundled Loop - DS1 Capable Parity
OP-4D Installation Interval Unbundled Loop - DS3 Capable Parity
OP-4D Installation Interval Unbundled Loop - XDSLi Benchmark
OP-4D Installation Interval Unbundled Loop Analog Parity
OP-4D Installation Interval Unbundled Loop Conditioned Benchmark
OP-4D Installation Interval Unbundled Loop ISDN Capable Parity
OP-4E Installation Interval Basic Rate ISDN Diagnostic
OP-4E Installation Interval Dark Fiber - IOF Diagnostic
OP-4E Installation Interval Dark Fiber - Loop Diagnostic
OP-4E Installation Interval DS0 Parity
OP-4E Installation Interval DS1 Parity
OP-4E Installation Interval DS3 Diagnostic
OP-4E Installation Interval Enhanced Extended Loops - DS1 Capable Parity
OP-4E Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic
OP-4E Installation Interval Frame Relay Diagnostic
OP-4E Installation Interval ISDN Primary Parity
OP-4E Installation Interval LIS Trunk Parity
OP-4E Installation Interval PBX Parity
OP-4E Installation Interval Qwest DSL Diagnostic
OP-4E Installation Interval UDIT Above DS1 Level Parity
OP-4E Installation Interval UDIT DS1 Parity
OP-4E Installation Interval Unbundled Loop - 2 Wire Non-Loaded Parity
OP-4E Installation Interval Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-4E Installation Interval Unbundled Loop - ADSL Qualified Parity
OP-4E Installation Interval Unbundled Loop - DS1 Capable Parity
OP-4E Installation Interval Unbundled Loop - DS3 Capable Parity
OP-4E Installation Interval Unbundled Loop - XDSLi Benchmark
OP-4E Installation Interval Unbundled Loop Analog Parity

OP-4E Installation Interval Unbundled Loop Conditioned Benchmark
OP-4E Installation Interval Unbundled Loop ISDN Capable Parity
OP-5A New Service Installation Quality Reported to Repair Basic Rate ISDN Diagnostic
OP-5A New Service Installation Quality Reported to Repair Business Parity
OP-5A New Service Installation Quality Reported to Repair Centrex Diagnostic
OP-5A New Service Installation Quality Reported to Repair Centrex 21 Diagnostic
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - IOF Diagnostic
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - Loop Diagnostic
OP-5A New Service Installation Quality Reported to Repair DS0 Parity
OP-5A New Service Installation Quality Reported to Repair DS1 Parity
OP-5A New Service Installation Quality Reported to Repair DS3 Diagnostic
OP-5A New Service Installation Quality Reported to Repair E911 Parity
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS1 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS3 Capable Diagnostic
OP-5A New Service Installation Quality Reported to Repair Frame Relay Diagnostic
OP-5A New Service Installation Quality Reported to Repair ISDN Primary Parity
OP-5A New Service Installation Quality Reported to Repair Line Sharing Parity
OP-5A New Service Installation Quality Reported to Repair Line Splitting Parity
OP-5A New Service Installation Quality Reported to Repair LIS Trunk Parity
OP-5A New Service Installation Quality Reported to Repair PBX Parity
OP-5A New Service Installation Quality Reported to Repair Qwest DSL Parity
OP-5A New Service Installation Quality Reported to Repair Residence Parity
OP-5A New Service Installation Quality Reported to Repair Sub-Loop Unbundling Diagnostic
OP-5A New Service Installation Quality Reported to Repair UDIT Above DS1 Level Parity
OP-5A New Service Installation Quality Reported to Repair UDIT DS1 Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 2 Wire Non-Loaded Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - ADSL Qualified Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS1 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS3 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - XDSLi Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop Analog Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop ISDN Capable Parity
OP-5A New Service Installation Quality Reported to Repair UNE - P (POTS) Parity
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex 21) Parity
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex) Parity
OP-5B New Service Provisioning Quality Basic Rate ISDN Diagnostic
OP-5B New Service Provisioning Quality Business Benchmark
OP-5B New Service Provisioning Quality Centrex Diagnostic
OP-5B New Service Provisioning Quality Centrex 21 Diagnostic
OP-5B New Service Provisioning Quality Dark Fiber - Loop Diagnostic
OP-5B New Service Provisioning Quality DS0 Diagnostic
OP-5B New Service Provisioning Quality DS1 Benchmark
OP-5B New Service Provisioning Quality DS3 Diagnostic
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS0 Capable Benchmark
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS1 Capable Benchmark
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS3 Capable Benchmark
OP-5B New Service Provisioning Quality Frame Relay Diagnostic
OP-5B New Service Provisioning Quality ISDN Primary Benchmark
OP-5B New Service Provisioning Quality Line Sharing Benchmark
OP-5B New Service Provisioning Quality Line Splitting Benchmark

OP-5B New Service Provisioning Quality PBX Benchmark
OP-5B New Service Provisioning Quality Qwest DSL Benchmark
OP-5B New Service Provisioning Quality Residence Benchmark
OP-5B New Service Provisioning Quality Sub-Loop Unbundling Diagnostic
OP-5B New Service Provisioning Quality Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-5B New Service Provisioning Quality Unbundled Loop - ADSL Qualified Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - DS1 Capable Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - DS3 Capable Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - XDSLi Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop Analog Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop ISDN Capable Benchmark
OP-5B New Service Provisioning Quality UNE - P (POTS) Benchmark
OP-5B New Service Provisioning Quality UNE P (Centrex 21) Diagnostic
OP-5B New Service Provisioning Quality UNE P (Centrex) Diagnostic
OP-5R New Service Quality Multiple Report Rate Basic Rate ISDN Diagnostic
OP-5R New Service Quality Multiple Report Rate Business Diagnostic
OP-5R New Service Quality Multiple Report Rate Centrex Diagnostic
OP-5R New Service Quality Multiple Report Rate Centrex 21 Diagnostic
OP-5R New Service Quality Multiple Report Rate Dark Fiber - Loop Diagnostic
OP-5R New Service Quality Multiple Report Rate DS0 Diagnostic
OP-5R New Service Quality Multiple Report Rate DS1 Diagnostic
OP-5R New Service Quality Multiple Report Rate DS3 Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS1 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Frame Relay Diagnostic
OP-5R New Service Quality Multiple Report Rate ISDN Primary Diagnostic
OP-5R New Service Quality Multiple Report Rate Line Sharing Diagnostic
OP-5R New Service Quality Multiple Report Rate Line Splitting Diagnostic
OP-5R New Service Quality Multiple Report Rate LIS Trunk Diagnostic
OP-5R New Service Quality Multiple Report Rate PBX Diagnostic
OP-5R New Service Quality Multiple Report Rate Qwest DSL Diagnostic
OP-5R New Service Quality Multiple Report Rate Residence Diagnostic
OP-5R New Service Quality Multiple Report Rate UDIT Above DS1 Level Diagnostic
OP-5R New Service Quality Multiple Report Rate UDIT DS1 Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - 2 Wire Non-Loaded Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - ADSL Qualified Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - DS1 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - XDSLi Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop Analog Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop ISDN Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate UNE - P (POTS) Diagnostic
OP-5R New Service Quality Multiple Report Rate UNE P (Centrex) Diagnostic
OP-5T New Service Installation Quality Total Basic Rate ISDN Diagnostic
OP-5T New Service Installation Quality Total Business Diagnostic
OP-5T New Service Installation Quality Total Centrex Diagnostic
OP-5T New Service Installation Quality Total Centrex 21 Diagnostic
OP-5T New Service Installation Quality Total Dark Fiber - Loop Diagnostic
OP-5T New Service Installation Quality Total DS0 Parity
OP-5T New Service Installation Quality Total DS1 Diagnostic
OP-5T New Service Installation Quality Total DS3 Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS0 Capable Diagnostic

OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS1 Capable Diagnostic
 OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS3 Capable Diagnostic
 OP-5T New Service Installation Quality Total Frame Relay Diagnostic
 OP-5T New Service Installation Quality Total ISDN Primary Diagnostic
 OP-5T New Service Installation Quality Total Line Sharing Diagnostic
 OP-5T New Service Installation Quality Total Line Splitting Diagnostic
 OP-5T New Service Installation Quality Total PBX Diagnostic
 OP-5T New Service Installation Quality Total Qwest DSL Diagnostic
 OP-5T New Service Installation Quality Total Residence Diagnostic
 OP-5T New Service Installation Quality Total Sub-Loop Unbundling Diagnostic
 OP-5T New Service Installation Quality Total Unbundled Loop - 2 Wire Non-Loaded Diagnostic
 OP-5T New Service Installation Quality Total Unbundled Loop - 4 Wire Non-Loaded Diagnostic
 OP-5T New Service Installation Quality Total Unbundled Loop - ADSL Qualified Diagnostic
 OP-5T New Service Installation Quality Total Unbundled Loop - DS1 Capable Diagnostic
 OP-5T New Service Installation Quality Total Unbundled Loop - DS3 Capable Diagnostic
 OP-5T New Service Installation Quality Total Unbundled Loop - XDSLi Diagnostic
 OP-5T New Service Installation Quality Total Unbundled Loop Analog Diagnostic
 OP-5T New Service Installation Quality Total Unbundled Loop ISDN Capable Diagnostic
 OP-5T New Service Installation Quality Total UNE - P (POTS) Diagnostic
 OP-5T New Service Installation Quality Total UNE P (Centrex 21) Diagnostic
 OP-5T New Service Installation Quality Total UNE P (Centrex) Diagnostic
 OP-6A-1 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
 OP-6A-1 Delayed Days for Non-Facility Reasons Business Diagnostic
 OP-6A-1 Delayed Days for Non-Facility Reasons Centrex Diagnostic
 OP-6A-1 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
 OP-6A-1 Delayed Days for Non-Facility Reasons DS0 Diagnostic
 OP-6A-1 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
 OP-6A-1 Delayed Days for Non-Facility Reasons Line Splitting Parity
 OP-6A-1 Delayed Days for Non-Facility Reasons PBX Diagnostic
 OP-6A-1 Delayed Days for Non-Facility Reasons Qwest DSL Parity
 OP-6A-1 Delayed Days for Non-Facility Reasons Residence Parity
 OP-6A-1 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
 OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
 OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex) Parity
 OP-6A-2 Delayed Days for Non-Facility Reasons Business Diagnostic
 OP-6A-2 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
 OP-6A-2 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
 OP-6A-2 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic
 OP-6A-2 Delayed Days for Non-Facility Reasons Qwest DSL Diagnostic
 OP-6A-2 Delayed Days for Non-Facility Reasons Residence Parity
 OP-6A-2 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
 OP-6A-2 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
 OP-6A-3 Delayed Days for Non-Facility Reasons Business Diagnostic
 OP-6A-3 Delayed Days for Non-Facility Reasons Centrex Diagnostic
 OP-6A-3 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
 OP-6A-3 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic
 OP-6A-3 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
 OP-6A-3 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic
 OP-6A-3 Delayed Days for Non-Facility Reasons Qwest DSL Parity
 OP-6A-3 Delayed Days for Non-Facility Reasons Residence Parity
 OP-6A-3 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
 OP-6A-3 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic

OP-6A-3 Delayed Days for Non-Facility Reasons UNE P (Centrex) Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS1 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS3 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS0 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS3 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons LIS Trunk Parity
OP-6A-4 Delayed Days for Non-Facility Reasons PBX Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Qwest DSL Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS1 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS3 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons ISDN Primary Parity
OP-6A-5 Delayed Days for Non-Facility Reasons LIS Trunk Parity
OP-6A-5 Delayed Days for Non-Facility Reasons PBX Parity
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Parity
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6B-1 Delayed Days for Facility Reasons Business Parity
OP-6B-1 Delayed Days for Facility Reasons Centrex Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Centrex 21 Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Residence Parity
OP-6B-1 Delayed Days for Facility Reasons UNE - P (POTS) Parity
OP-6B-1 Delayed Days for Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6B-1 Delayed Days for Facility Reasons UNE P (Centrex) Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Business Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Centrex 21 Diagnostic

OP-6B-2 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Residence Parity
OP-6B-2 Delayed Days for Facility Reasons UNE - P (POTS) Parity
OP-6B-2 Delayed Days for Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Business Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Residence Parity
OP-6B-3 Delayed Days for Facility Reasons UNE - P (POTS) Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Basic Rate ISDN Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS0 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS1 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS3 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons ISDN Primary Diagnostic
OP-6B-4 Delayed Days for Facility Reasons PBX Diagnostic
OP-6B-4 Delayed Days for Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6B-4 Delayed Days for Facility Reasons UDIT DS1 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop Analog Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6B-5 Delayed Days for Facility Reasons Basic Rate ISDN Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Dark Fiber - Loop Diagnostic
OP-6B-5 Delayed Days for Facility Reasons DS0 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons DS1 Parity
OP-6B-5 Delayed Days for Facility Reasons DS3 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Frame Relay Diagnostic
OP-6B-5 Delayed Days for Facility Reasons ISDN Primary Parity
OP-6B-5 Delayed Days for Facility Reasons PBX Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-5 Delayed Days for Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6B-5 Delayed Days for Facility Reasons UDIT DS1 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - ADSL Qualified Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop Analog Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity
OP-7 OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops" Unbundled Loop - Analog Diagnostic
OP-7 OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops" Unbundled Loop Other Diagnostic
OP-8B Number Portability Timeliness LNP Benchmark
OP-8C Percentage of LNP Triggers Set Prior to the Frame Due Time LNP Benchmark
OS-1 Speed of Answer - Operator Services Diagnostic
PO-15 Number of Due Date Changes per Order All Diagnostic
PO-16 Timely Release Notifications Diagnostic

PO-19 Stand-Alone Test Environment (SATE) Accuracy Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 14.0 Benchmark
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 16.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 17.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI Diagnostic
PO-19A Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 Benchmark
PO-19B Stand-Alone Test Environment (SATE) Accuracy Diagnostic
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) EDI Request/Response Diagnostic
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Aggregate Diagnostic
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Request Diagnostic
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Response/Accept Diagnostic
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) EDI Request/Response Diagnostic
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Aggregate Diagnostic
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Request Diagnostic
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Response Diagnostic
PO-1A-2 Pre-Order Response Times (Service Availability) EDI Request/Response Diagnostic
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Aggregate Diagnostic
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Request Diagnostic
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Response Diagnostic
PO-1A-3 Pre-Order Response Times (Facility Check) EDI Request/Response Diagnostic
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Aggregate Diagnostic
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Request Diagnostic
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Response Diagnostic
PO-1A-4 Pre-Order Response Times (Address Validation) EDI Request/Response Diagnostic
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Aggregate Diagnostic
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Request Diagnostic
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Response Diagnostic
PO-1A-5 Pre-Order Response Times (Get CSR) EDI Request/Response Diagnostic
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Aggregate Diagnostic
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Request Diagnostic
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Response Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) EDI Request/Response Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Accept Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Aggregate Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Request Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Response Diagnostic
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) EDI Request/Response Diagnostic
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Aggregate Diagnostic
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Request Diagnostic
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Response Diagnostic
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) EDI Request/Response Diagnostic
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Aggregate Diagnostic
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Request Diagnostic
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Response Diagnostic
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) EDI Request/Response Diagnostic
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Aggregate Diagnostic
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Request Diagnostic
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Response Diagnostic
PO-1C Pre-Order Response Times (Timeout) EDI Total Diagnostic
PO-1C Pre-Order Response Times (Timeout) IMA Total Diagnostic
PO-1D Pre-Order Response Times (Rejected Query) EDI Total Diagnostic
PO-1D Pre-Order Response Times (Rejected Query) IMA Total Diagnostic

PO-20 Manual Service Order Accuracy Resale & UNE-P (POTS) Benchmark
 PO-20 Manual Service Order Accuracy Unbundled Loops Benchmark
 PO-20P2 Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) Benchmark
 PO-20P2 Manual Service Order Accuracy (Phase 2) Unbundled Loops Benchmark
 PO-20P3 Manual Service Order Accuracy (Phase 3) Resale & UNE-P (POTS) Benchmark
 PO-20P3 Manual Service Order Accuracy (Phase 3) Unbundled Loops Benchmark
 PO-20P4 Manual Service Order Accuracy (Phase 4) Resale & UNE-P (POTS) Diagnostic
 PO-20P4 Manual Service Order Accuracy (Phase 4) Unbundled Loops Diagnostic
 PO-2A-1 Electronic Flow-through for LSRs Received via IMA Line Sharing Diagnostic
 PO-2A-1 Electronic Flow-through for LSRs Received via IMA LNP Diagnostic
 PO-2A-1 Electronic Flow-through for LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Diagnostic
 PO-2A-1 Electronic Flow-through for LSRs Received via IMA Unbundled Loop Aggregate Diagnostic
 PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE - P (POTS) Diagnostic
 PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE P (POTS AGG) Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI Line Sharing Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI LNP Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI Unbundled Loop Aggregate Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE - P (POTS) Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE P (POTS AGG) Diagnostic
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Line Sharing Diagnostic
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA LNP Benchmark
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS E
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Unbundled Loop Aggregate Benchmark
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE - P (POTS) Benchmark
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE P (POTS AGG) Benchmark
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Line Sharing Diagnostic
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI LNP Benchmark
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS B
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Unbundled Loop Aggregate Benchmark
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE - P (POTS) Benchmark
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE P (POTS AGG) Benchmark
 PO-3A-1 LSR Rejection Notice Interval for IMA - Rejected Manually Product Aggregate Benchmark
 PO-3A-2 LSR Rejection Notice Interval for IMA - Auto-Rejected Product Aggregate Benchmark
 PO-3B-1 LSR Rejection Notice Interval for EDI - Rejected Manually Product Aggregate Benchmark
 PO-3B-2 LSR Rejection Notice Interval for EDI - Auto-Rejected Product Aggregate Benchmark
 PO-3C LSR Rejection Notice Interval for Manual and IIS Product Aggregate Benchmark
 PO-4A-1 LSRs Rejected for IMA - Rejected Manually Product Aggregate Diagnostic
 PO-4A-2 LSRs Rejected for IMA - Auto-Rejected Product Aggregate Diagnostic
 PO-4B-1 LSRs Rejected for EDI - Rejected Manually Product Aggregate Diagnostic
 PO-4B-2 LSRs Rejected for EDI - Auto-Rejected Product Aggregate Diagnostic
 PO-4C LSRs Received via Facsimile Product Aggregate Diagnostic
 PO-5A-1(a) FOCs On Time for Fully Electronic LSRs Received Via IMA Resale Aggregate Benchmark
 PO-5A-1(b) FOCs On Time for Fully Electronic LSRs Received Via IMA Unbundled Loop Aggregate Benchmark
 PO-5A-1(c) FOCs On Time for Fully Electronic LSRs Received Via IMA LNP Benchmark
 PO-5A-2(a) FOCs On Time for Fully Electronic LSRs Received Via EDI Resale Aggregate Benchmark
 PO-5A-2(b) FOCs On Time for Fully Electronic LSRs Received Via EDI Unbundled Loop Aggregate Benchmark
 PO-5A-2(c) FOCs On Time for Fully Electronic LSRs Received Via EDI LNP Benchmark
 PO-5B-1(a) FOCs On Time For Electronic/Manual LSRs Received Via IMA Resale Aggregate Benchmark
 PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop AGG-EELs Benchm
 PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop Aggregate Benchm
 PO-5B-1(c) FOCs On Time For Electronic/Manual LSRs Received Via IMA LNP Benchmark

PO-5B-2(a) FOCs On Time For Electronic/Manual LSRs Received Via EDI Resale Aggregate Benchmark
PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop AGG-EELs Benchm
PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop Aggregate Benchm
PO-5B-2(c) FOCs On Time For Electronic/Manual LSRs Received Via EDI LNP Benchmark
PO-5C-(a) FOCs on Time for Manual Resale Aggregate Benchmark
PO-5C-(b) FOCs on Time for Manual Unbundled Loop AGG-EELs Benchmark
PO-5C-(b) FOCs on Time for Manual Unbundled Loop Aggregate Benchmark
PO-5C-(c) FOCs on Time for Manual LNP Benchmark
PO-5D Firm Order Confirmations (FOCs) On Time LIS Trunk Benchmark
PO-6A Notices Made Available via IMA - GUI All Benchmark
PO-6B Notices Transmitted via IMA - EDI All Benchmark
PO-7A,C Notices Made Available via IMA - GUI / Billing System Posting Completions All Parity
PO-7B,C Notices Transmitted via IMA - EDI / Billing System Posting Completions All Parity
PO-8A Jeopardy Notice Interval Non-Designed Services Parity
PO-8B Jeopardy Notice Interval Unbundled Loops and Number Portability Parity
PO-8D Jeopardy Notice Interval UNE - P (POTS) Parity
PO-9A Timely Jeopardy Notices Non-Designed Services Parity
PO-9B Timely Jeopardy Notices Unbundled Loops and Number Portability Parity
PO-9C Timely Jeopardy Notices LIS Trunk Parity
PO-9D Timely Jeopardy Notices UNE - P (POTS) Parity

Parity
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity

Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity 1.00%
Parity 1.00%
Diagnostic
Diagnostic
Parity
Benchmark 95.00%
Benchmark 95.00%
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Parity

Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Benchmark 98.25%
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Benchmark 95.00%
Benchmark 95.00%
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Diagnostic

Benchmark	95.00%
Benchmark	95.00%
Diagnostic	
Parity	
Parity	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	95.00%
Benchmark	95.00%
Parity	
Parity	
Parity	
Diagnostic	
Parity	
Parity	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Benchmark	90.00%
Parity	90.00%
Benchmark	90.00%
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Parity	
Parity	90.00%
Diagnostic	
Parity	90.00%
Parity	
Parity	
Benchmark	90.00%
Parity	90.00%
Benchmark	90.00%
Parity	
Diagnostic	
Diagnostic	
Parity	

Parity	
Diagnostic	
Parity	90.00%
Diagnostic	
Parity	
Parity	
Parity	
Diagnostic	
Parity	
Parity	
Parity	90.00%
Diagnostic	
Parity	90.00%
Parity	
Parity	
Benchmark	90.00%
Parity	90.00%
Benchmark	90.00%
Parity	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	3.3
Benchmark	3.3
Diagnostic	
Parity	
Parity	
Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Diagnostic	
Benchmark	3.3
Benchmark	3.3
Diagnostic	
Parity	
Parity	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	3.3
Benchmark	3.3
Parity	
Parity	

Parity	
Diagnostic	
Parity	
Parity	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Parity	6
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Parity	
Parity	6
Diagnostic	
Parity	6
Parity	5.5
Parity	
Benchmark	6
Parity	6
Benchmark	15
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Diagnostic	
Parity	6
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Diagnostic	
Parity	
Parity	
Parity	6
Diagnostic	
Parity	6
Parity	5.5
Parity	
Benchmark	6
Parity	6

Benchmark	96.50%
Benchmark	96.50%
Benchmark	96.50%
Diagnostic	
Benchmark	96.50%
Diagnostic	
Benchmark	96.50%
Benchmark	96.50%
Benchmark	96.50%
Benchmark	96.50%
Benchmark	96.50%
Benchmark	96.50%
Benchmark	96.50%
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	

Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic

Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Benchmark 95.00%
Benchmark 95.00%
Diagnostic
Diagnostic
Diagnostic 92.50%

Diagnostic	95.00%
Benchmark	95.00%
Diagnostic	95.00%
Diagnostic	95.00%
Diagnostic	95.00%
Benchmark	95.00%
Diagnostic	95.00%
Diagnostic	10
Diagnostic	10
Diagnostic	
Diagnostic	
Diagnostic	30
Diagnostic	30
Diagnostic	
Diagnostic	25
Diagnostic	25
Diagnostic	
Diagnostic	
Diagnostic	25
Diagnostic	25
Diagnostic	
Diagnostic	
Diagnostic	10
Diagnostic	10
Diagnostic	
Diagnostic	
Diagnostic	12.5
Diagnostic	12.5
Diagnostic	
Diagnostic	
Diagnostic	10
Diagnostic	
Diagnostic	10
Diagnostic	
Diagnostic	
Diagnostic	20
Diagnostic	
Diagnostic	
Diagnostic	20
Diagnostic	20
Diagnostic	
Diagnostic	
Diagnostic	20
Diagnostic	25
Diagnostic	25
Diagnostic	
Diagnostic	
Diagnostic	0.50%
Diagnostic	0.50%
Diagnostic	
Diagnostic	

Benchmark	97.00%
Benchmark	97.00%
Benchmark	96.00%
Benchmark	96.00%
Benchmark	95.00%
Benchmark	95.00%
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	95.00%
Benchmark	95.00%
Benchmark	85.00%
Benchmark	95.00%
Benchmark	95.00%
Diagnostic	
Benchmark	95.00%
Benchmark	95.00%
Benchmark	85.00%
Benchmark	95.00%
Benchmark	95.00%
Benchmark	12:00
Benchmark	0:18
Benchmark	12:00
Benchmark	0:18
Benchmark	24:00:00
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	95.00%
Benchmark	95.00%
Benchmark	95.00%
Benchmark	95.00%
Benchmark	95.00%
Benchmark	95.00%
Benchmark	90.00%
Benchmark	90.00%
Benchmark	90.00%
Benchmark	90.00%

