

Exhibit 5 Supplement 1

Energy Efficiency Measures Sorted by Program and Fuel Type

Measures Effective During: 2012

Commercial/Industrial

Electric

Schedule E250

CI Retrofit

Measure Heading

Measure Category

Additional details, comments, equipment applications

Savings Type

kWh Savings

Therm Savings

Device Controllers and Sensors

Commercial Existing only

PC Power Manager

Software; networked or local; big fix cost

Custom

0.00

PC Power Manager

Software; networked or local; verdiem cost

Custom

0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

CI New Construction

Commercial New only

New Building Commissioning	Commissioning of energy related systems and verification of compliance. See SoS for savings calculation tool.	Calculated	0.00	0.00
----------------------------	---	------------	------	------

Device Controllers and Sensors

Commercial New only

PC Power Manager	Software; networked or local; big fix cost	Custom	0.00	
PC Power Manager	Software; networked or local; verdiem cost	Custom	0.00	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Lamps				
	Commercial Existing only			
CFL	< 26 Watt	PSE Deemed	139.00	0.00
CFL	< 26 watt CFL	Calculated	155.00	0.00
CFL	< 26 Watt reflector or specialty lamp	Calculated	155.00	0.00
CFL	26 Watt to 39 Watt CFL	PSE Deemed	149.00	0.00
CFL	26 Watt to 39 Watt CFL	Calculated	166.00	0.00
CFL	26 Watt to 39 Watt reflector or specialty lamp	Calculated	166.00	0.00
Integral LED Lamps and Recessed Down Lighting	Decorative	PSE Deemed	155.00	0.00
Integral LED Lamps and Recessed Down Lighting	Decorative	PSE Deemed	96.00	0.00
CFL	Equal to or greater than 40 Watt CFL	PSE Deemed	209.00	0.00
CFL	Equal to or greater than 40 Watt CFL (including specialty)	Calculated	233.00	0.00
T8 Lamps	Low wattage, 26 to 28 Watts	PSE Deemed	15.00	0.00
T8 Lamps	Low wattage, Less than or equal to 25 Watts	PSE Deemed	26.00	0.00
Integral LED Lamps and Recessed Down Lighting	MR 16	PSE Deemed	177.00	0.00
Integral LED Lamps and Recessed Down Lighting	MR 16	PSE Deemed	159.00	0.00
Integral LED Lamps and Recessed Down Lighting	Omnidirectional	PSE Deemed	157.00	0.00
Integral LED Lamps and Recessed Down Lighting	Omnidirectional	PSE Deemed	291.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 20	PSE Deemed	127.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 20	PSE Deemed	175.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 30	PSE Deemed	229.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 30	PSE Deemed	112.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40	PSE Deemed	235.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40 and screw in Recessed Can Retrofit Kits	PSE Deemed	122.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
CFL	Specialty, < 26 Watt	PSE Deemed	139.00	0.00
CFL	Specialty, 26 Watt to 39 Watt CFL	PSE Deemed	149.00	0.00

Lighting Fixtures

	Commercial	Existing only		
LED Fixtures	Hard Wired Recessed Can Retrofit Kits		PSE Deemed	122.00 0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Traffic Signals

Municipalities Existing only

Ball	12" green	PSE Deemed	464.00	0.00
Arrow	12" green	RTF Deemed	194.00	0.00
Ball	12" red	RTF Deemed	584.00	0.00
Arrow	12" red	RTF Deemed	808.00	0.00
Ball	8" green	RTF Deemed	215.00	0.00
Ball	8" red	RTF Deemed	289.00	0.00
Module	Any yellow	PSE Deemed	30.00	0.00
Pedestrian	Crossing signal, red large	RTF Deemed	851.00	0.00
Pedestrian	Crossing signal, red small	RTF Deemed	498.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Electric

Schedule E262

CI rebates---all

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Aerator				
	Commercial or Industrial Existing or New			
Hospitality	0.5gpm aerators, annual savings	PSE Deemed	124.00	0.00
Clothes Washers				
	Commercial or Industrial Existing or New			
High-Efficiency, high use, MF laundries	CEE Qualified, PSE electric WH/PSE elect dryer	PSE Deemed	2,167.00	0.00
High-Efficiency, high use, MF laundries	CEE Qualified, PSE gas for WH/PSE elect for dryer	PSE Deemed	479.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Cooking Equipment				
	Commercial or Industrial Existing or New			
Hot Food Holding Cabinet	> 20 cubic feet (full size)	RTF Deemed	1,752.00	0.00
Hot Food Holding Cabinet	12 to 20 cubic feet (3/4 size)	RTF Deemed	1,314.00	0.00
Steamer, Connectionless	3 pan	PSE Deemed	8,023.00	0.00
Steamer, Connectionless	4 pan	PSE Deemed	10,697.00	0.00
Steamer, Connectionless	5 pan	PSE Deemed	13,371.00	0.00
Steamer, Connectionless	6 pan	PSE Deemed	16,046.00	0.00
Hot Food Holding Cabinet	7 to <12 cubic feet (1/2 size)	RTF Deemed	876.00	0.00
Oven, Electric	Existing electric combination oven	PSE Deemed	18,432.00	
Oven, Electric	Existing electric convection oven	PSE Deemed	2,262.00	
Ice Maker, Water-Cooled	Ice-making head, various sizes. Check business calculator tool for specific savings, cost and incentive values	Calculated	0.00	
Ice Maker, Air-Cooled	Ice-making head, various sizes. Check business calculator tool for specific savings, cost and incentive values	Calculated	0.00	
Ice Maker, Water-Cooled	Remote condensing unit, various sizes. Check business calculator tool for specific savings, cost and incentive values	Calculated	0.00	
Ice Maker, Air-Cooled	Remote Condensing Unit, various sizes. Check business calculator tool for specific savings, cost and incentive values	Calculated	0.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Device Controllers and Sensors

	Commercial or Industrial	Existing or New		
Lighting		Hospitality Restrooms	Calculated	0.00
HVAC		Occupancy Sensor Hospitality, Full Service	Calculated	500.00
HVAC		Occupancy Sensor Hospitality, Limited Service	Calculated	250.00
Lighting		Occupancy Sensors controlling indoor lighting	Calculated	
Lighting		Photo-Electric Controls	Calculated	0.00
CoolerMisers		Refrigerator beverage cooler controller	RTF Deemed	1,160.00
Thermostat		Seven-Day Programmable Thermostat	Calculated	0.00
PC Power Manager		Software; networked or local; installed on enterprise servers	RTF Deemed	115.00
Thermostat, Portable Classroom, 365-day Programmable		The addition of lighting controls to 365-day thermostat	Calculated	315.00
Thermostat, Portable Classroom, 365-day Programmable		The addition of occupancy based damper controls to 365-day thermostat	Calculated	765.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Dishwashers

	Commercial or Industrial	Existing or New		
Door Type, PSE provides electricity	High Temperature, elec WH, elec booster		PSE Deemed	13,950.00 0.00
Single Tank Conveyor, PSE provides electricity	High Temperature, elec WH, elec booster		PSE Deemed	18,972.00 0.00
Multi Tank Conveyor, PSE provides electricity	High Temperature, elec WH, elec booster		PSE Deemed	33,685.00 0.00
Door Type, PSE provides electricity	High Temperature, elec WH, gas booster		PSE Deemed	8,948.00 0.00
Multi Tank Conveyor, PSE provides electricity	High Temperature, elec WH, gas booster		PSE Deemed	17,225.00 0.00
Under Counter, PSE provides electricity	High Temperature, elec WH, gas booster		PSE Deemed	4,689.00 0.00
Under Counter, PSE provides electricity	High Temperature, elect WH, elec booster		PSE Deemed	7,369.00 0.00
Single Tank Conveyor, PSE provides electricity	High Temperature, elect WH, gas booster		PSE Deemed	12,701.00 0.00
Under Counter, PSE provides electricity	High Temperature, gas WH, elec booster		PSE Deemed	2,680.00 0.00
Single Tank Conveyor, PSE provides electricity	High Temperature, gas WH, elec booster		PSE Deemed	7,998.00
Multi Tank Conveyor, PSE provides electricity	High Temperature, gas WH, elec booster		PSE Deemed	12,249.00
Door Type, PSE provides electricity	High Temperature, gas WH, elec booster		PSE Deemed	5,197.00
Single Tank Conveyor, PSE provides electricity	Low Temperature, elec WH		PSE Deemed	11,228.00 0.00
Door Type, PSE provides electricity	Low Temperature, elec WH		PSE Deemed	11,969.00 0.00
Multi Tank Conveyor, PSE provides electricity	Low Temperature, elec WH		PSE Deemed	17,225.00 0.00
Under Counter, PSE provides electricity	Low Temperature, elec WH		PSE Deemed	1,196.00 0.00
Single Tank Conveyor, PSE provides electricity	Low Temperature, elect WH		PSE Deemed	11,228.00 0.00
Under Counter, PSE provides electricity	Low Temperature, elect WH		PSE Deemed	1,195.00 0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Drives

	Commercial or Industrial	Existing or New		
variable speed		On fan motors	Calculated	0.00
variable speed		On pump motors	Calculated	0.00

Gas Boiler Tune ups & Cleaning

	Commercial or Industrial	Existing or New		
Boiler Tune & Cleaning		Boiler Cleaning and Tune-up: Kettle Boiler	Calculated	24.00
Boiler Tune & Cleaning		Boiler Cleaning and Tune-up: Tube Boiler	Calculated	87.00
Boiler Tune & Cleaning		Boiler Cleaning: Kettle Boiler	Calculated	10.50
Boiler Tune & Cleaning		Boiler Cleaning: Tube Boiler	Calculated	74.10
Boiler Tune & Cleaning		Boiler Tune-Up: Kettle Boiler	Calculated	13.00
Boiler Tune & Cleaning		Boiler Tune-Up: Tube Boiler	Calculated	13.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
HVAC				
	Commercial or Industrial Existing or New			
HVAC Retrofit	Fast Food Restaurant, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Fast Food Restaurant, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Fast Food Restaurants, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, all electric, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, all electric, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Office, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, gas pack, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Office, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, heat pump, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, heat pump, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Office, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Office. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
High Efficiency Commercial Air Conditioners	Per ton	Calculated		
High Efficiency Commercial Heat Pump	Per ton	Calculated		

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
HVAC Retrofit	Restaurant, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Restaurant, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Restaurant, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, all electric, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, all electric, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Retail, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, gas pack, per ton, >20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Retail, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, heat pump, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, heat pump, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Retail, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	School, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	School, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	School, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, all electric, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Premium HVAC Service	Specialty retail, all electric, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, gas pack, per ton, >20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, heat pump, per ton, >20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, heat pump, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00

Insulation

	Commercial or Industrial	Existing or New		
Pipe	DHW Pipe Insulation: Electric Tank		PSE Deemed	164.00
Pipe	DHW Pipe Insulation: Gas-Fired Tank		PSE Deemed	7.00
Water Heater	Water heater Insulation		PSE Deemed	539.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Lamps				
	Commercial or Industrial Existing or New			
CFL	< 26 Watt	PSE Deemed	139.00	0.00
CFL	< 26 Watt	PSE Deemed	155.00	0.00
CFL	< 26 Watt reflector	PSE Deemed	155.00	0.00
CFL	< 26 Watt specialty lamp- globe	PSE Deemed	155.00	0.00
CFL	<26 Watt CFL	PSE Deemed	155.00	0.00
T8 Lamps	26 to 28 Watts	PSE Deemed	15.00	0.00
CFL	26 Watt to 39 Watt CFL	PSE Deemed	166.00	0.00
CFL	26 Watt to 39 Watt CFL	PSE Deemed	149.00	0.00
Ceramic Metal Halide	Ceramic Metal Halide 22-28 watts	PSE Deemed	172.00	0.00
Integral LED Lamps and Recessed Down Lighting	Decorative	PSE Deemed	155.00	0.00
Integral LED Lamps and Recessed Down Lighting	Decorative	PSE Deemed	155.00	0.00
Integral LED Lamps and Recessed Down Lighting	Decorative	PSE Deemed	96.00	0.00
CFL	Equal to or greater than 40 Watt CFL	PSE Deemed	209.00	0.00
CFL	Equal to or greater than 40 Watt CFL	PSE Deemed	233.00	0.00
T8 Lamps	Less than or equal to 25 Watts	PSE Deemed	26.00	0.00
T8 Lamps	Low wattage, 26 to 28 Watts	PSE Deemed	15.00	0.00
T8 Lamps	Low wattage, Less than or equal to 25 Watts	PSE Deemed	26.00	0.00
Integral LED Lamps and Recessed Down Lighting	MR 16	PSE Deemed	159.00	0.00
Integral LED Lamps and Recessed Down Lighting	MR 16	PSE Deemed	177.00	0.00
Integral LED Lamps and Recessed Down Lighting	MR 16	PSE Deemed	177.00	0.00
Integral LED Lamps and Recessed Down Lighting	Omnidirectional	PSE Deemed	291.00	0.00
Integral LED Lamps and Recessed Down Lighting	Omnidirectional	PSE Deemed	157.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Integral LED Lamps and Recessed Down Lighting	Omnidirectional	PSE Deemed	291.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 20	PSE Deemed	127.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 20	PSE Deemed	175.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 20	PSE Deemed	175.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 30	PSE Deemed	229.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 30	PSE Deemed	112.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 30	PSE Deemed	229.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40	PSE Deemed	235.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40	PSE Deemed	235.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40 and Screw in Recessed Can Retrofit Kits	PSE Deemed	122.00	0.00
CFL	Specialty, < 26 Watt	PSE Deemed	139.00	0.00
CFL	Specialty, 26 Watt to 39 Watt CFL	PSE Deemed	149.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Lighting Fixtures

Commercial or Industrial Existing or New

Linear Fluorescent Retrofit Delamp	2 Lamp F96T12 to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	325.00	0.00
T8 Fluorescent	2 lamp Incandescent (80W) to 2' T8 in Restroom	PSE Deemed	209.00	0.00
Linear Fluorescent Retrofit Delamp	3 Lamp F40T12 to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	370.00	0.00
Linear Fluorescent Retrofit Delamp	3 Lamp F40T12ES to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	292.00	0.00
T8 Fluorescent	3 lamp Incandescent (120W) to 2' T8 in Restroom	PSE Deemed	370.00	0.00
Linear Fluorescent Retrofit Delamp	4 Lamp F40T12 to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	542.00	0.00
Linear Fluorescent Retrofit Delamp	4 Lamp F40T12 to 3 Lamp F28T8 .78 Ballast Factor	PSE Deemed	452.00	0.00
Linear Fluorescent Retrofit Delamp	4 Lamp F40T12ES to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	411.00	0.00
Linear Fluorescent Retrofit Delamp	4 Lamp F40T12ES to 3 Lamp F28T8 .78 Ballast Factor	PSE Deemed	320.00	0.00
T8 Fluorescent	4 lamp Incandescent (160W) to 3' T8 in Restroom	PSE Deemed	477.00	0.00
T8 Fluorescent	6 lamp Incandescent (240W) to 4' T8 in Restroom	PSE Deemed	805.00	0.00
Bi-level	F32T8 to Bi-Level Lighting	PSE Deemed	277.00	0.00
T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 1 Lamp fixture	PSE Deemed	86.00	0.00
T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 2 Lamp fixture	PSE Deemed	115.00	0.00
T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 3 Lamp fixture	PSE Deemed	201.00	0.00
T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 4 Lamp fixture	PSE Deemed	234.00	0.00
Bi-level	F40T12 to Bi-level Lighting	PSE Deemed	557.00	0.00
T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 1 Lamp fixture	PSE Deemed	99.00	0.00
T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 2 Lamp fixture	PSE Deemed	181.00	0.00
T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 3 Lamp fixture	PSE Deemed	279.00	0.00
T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 4 Lamp fixture	PSE Deemed	366.00	0.00
Bi-level	F40T12ES To Bi-level Lighting	PSE Deemed	417.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
T8 Fluorescent	F96T12 to F28T8 .78 Ballast Factor- 1 Lamp fixture	PSE Deemed	123.00	0.00
T8 Fluorescent	F96T12 to F28T8 .78 Ballast Factor- 2 Lamp fixture	PSE Deemed	148.00	0.00
T8 Fluorescent	F96T12HO to F28T8 .88 Ballast Factor- 1 Lamp fixture	PSE Deemed	304.00	0.00
T8 Fluorescent	F96T12HO to F28T8 .88 Ballast Factor- 2 Lamp fixture	PSE Deemed	444.00	0.00
LED Fixtures	Hard Wired Recessed Can Retrofit Kits	PSE Deemed	122.00	0.00

Lighting Systems

Commercial or Industrial Existing or New

Comprehensive Projects - Tier 2	Comprehensive projects, encompassing indoor and outdoor fixtures and lamps, whole systems	Calculated	0.00	0.00
---------------------------------	---	------------	------	------

Motors

Commercial or Industrial Existing or New

Totally Enclosed Fan Cooled	Various horsepower and configurations. Check business calculation tool for specific savings, cost and incentive amounts.	Calculated	0.00	
Open Drip-Proof	Various horsepower and configurations. Check business calculator for specific savings, cost and incentive values.	Calculated	0.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Refrigerators

Commercial or Industrial Existing or New

Electronically Commutated Motors	Evap. Motors: Shaded Pole to ECM in Display Cases	RTF Deemed		0.00
Electronically Commutated Motors	Evap. Motors: Shaded Pole to ECM in Walk-ins	RTF Deemed		0.00
Bare Refrigeration Suction Line Insulation	Low Temperature (Freezer) Suction Line Insulation	PSE Deemed	9.20	0.00
Bare Refrigeration Suction Line Insulation	Medium Temperature (Cooler) Suction Line Insulation	PSE Deemed	4.00	0.00
Door Gasket	Refrigeration Door Gasket- for Reach-in Glass Doors, Low Temperature	RTF Deemed		
Door Gasket	Refrigeration Door Gasket- for Reach-in Glass Doors, Medium Temperature	RTF Deemed		
Door Gasket	Refrigeration Door Gasket- for Walk-in Doors, Low Temperature	RTF Deemed		
Door Gasket	Refrigeration Door Gasket- for Walk-in Doors, Medium Temperature	RTF Deemed		
Strip Curtains	Strip Curtains Walk-in Cooler	RTF Deemed		0.00
Strip Curtains	Strip Curtains Walk-in Freezer	RTF Deemed		0.00

Showerheads

Commercial or Industrial Existing or New

Reduced- Flow Showerhead Electrically- heated DHW	Reduced- Flow Showerhead - Electrically- heated DHW	RTF Deemed		0.00
---	---	------------	--	------

Signs

Commercial or Industrial Existing or New

LED Open Sign	LED Open Sign replacing Neon	PSE Deemed	125.00	0.00
LED Exit	Retrofit CFL to LED--Retrofit applications only (considered standard for new construction)	Calculated	0.00	0.00
LED Exit	Retrofit incandescent fixture to LED	Calculated	0.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Spray Heads

	Commercial or Industrial	Existing or New		
Pre-Rinse Electric	0.6 gpm xn if 1.6 gpm prev xn'd		PSE Deemed	2,613.00
Pre-Rinse Electric	0.6 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	5,511.00
Pre-Rinse Electric	0.6 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	8,457.00
Pre-Rinse Electric	0.6 gpm xn if head not prev supplied		PSE Deemed	11,355.00
Pre-Rinse Electric	1.0 gpm xn if 1.6 gpm prev xn'd		PSE Deemed	1,140.00
Pre-Rinse Electric	1.0 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	4,038.00
Pre-Rinse Electric	1.0 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	6,984.00
Pre-Rinse Electric	1.0 gpm xn if head not prev supplied		PSE Deemed	9,882.00
Pre-Rinse Electric	1.6 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	2,898.00
Pre-Rinse Electric	1.6 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	5,844.00
Pre-Rinse Electric	1.6 gpm xn if head not prev supplied		PSE Deemed	8,742.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Gas

Schedule **G262**

CI rebates---all

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Aerator				
	Commercial or Industrial Existing or New			
Hospitality	0.5 gpm aerators, annual savings	PSE Deemed		5.30
Boilers				
	Commercial or Industrial Existing or New			
Full svc restaurant boiler, at least 92% efficient	670 MBH; Check business calculator tool at indicated link for per-unit savings, costs and incentive amount.	Calculated		0.00
Full svc restaurant boiler, at least 92% efficient	Check business calculator tool at indicated link for per-unit savings, costs and incentive amount.	Calculated		0.00
Clothes Washers				
	Commercial or Industrial Existing or New			
High-Efficiency, high use, MF laundries	PSE gas water heat, PSE gas and PSE electric for dryer	PSE Deemed		105.00
High-Efficiency, high use, MF laundries	PSE gas water heat, PSE gas/no PSE electric for dryer	PSE Deemed		105.00
Cooking Equipment				
	Commercial or Industrial Existing or New			
Steamer, Connectionless	3 pan	PSE Deemed		340.00
Steamer, Connectionless	4 pan	PSE Deemed		306.00
Steamer, Connectionless	5 pan	PSE Deemed		276.00
Steamer, Connectionless	6 pan	PSE Deemed		244.00
Oven, Gas	Existing gas convection oven	PSE Deemed		323.00
Oven, Gas	Existing gas double rack oven	PSE Deemed		2,104.00
Oven, Gas	Existing gas single rack oven	PSE Deemed		1,034.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Device Controllers and Sensors

	Commercial or Industrial Existing or New			
Thermostat	Seven-Day Programmable Thermostat	Calculated	0.00	0.00

Dishwashers

	Commercial or Industrial Existing or New			
Single Tank Conveyor, PSE provides gas	High temp, elec WH, gas booster	PSE Deemed		254.00
Single Tank Conveyor, PSE provides gas	High temp, gas WH, elec booster	PSE Deemed		508.00
Door Type, PSE provides gas	High temp, gas WH, elect. Booster	PSE Deemed		405.00
Single Tank Conveyor, PSE provides gas	High temp, gas WH, gas booster	PSE Deemed		762.00
Door Type, PSE provides gas	High temp, gas WH, gas Booster	PSE Deemed		608.00
Multi Tank Conveyor, PSE provides gas	High temperature, elec WH, gas booster	PSE Deemed		496.00
Under Counter, PSE provides gas	High Temperature, elec WH, gas booster	PSE Deemed		109.00
Door Type, PSE provides gas	High temperature, elec WH, gas booster	PSE Deemed		203.00
Under Counter, PSE provides gas	High Temperature, gas building hot water, elec booster	PSE Deemed		217.00
Multi Tank Conveyor, PSE provides gas	High temperature, gas WH, elec booster	PSE Deemed		993.00
Multi Tank Conveyor, PSE provides gas	High temperature, gas WH, gas booster	PSE Deemed		1,489.00
Under Counter, PSE provides gas	High Temperature, gas WH, gas booster	PSE Deemed		326.00
Door Type, PSE provides gas	Low temp, gas WH	PSE Deemed		554.00
Single Tank Conveyor, PSE provides gas	Low temp, gas WH	PSE Deemed		520.00
Under Counter, PSE provides gas	Low Temperature, gas WH	PSE Deemed		55.00
Multi Tank Conveyor, PSE provides gas	Low temperature, gas WH	PSE Deemed		798.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
HVAC				
	Commercial or Industrial Existing or New			
HVAC Retrofit	Fast Food Restaurant, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Office, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office/gas, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Restaurant, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Retail, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail/gas, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	School, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail/gas, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00

Insulation

	Commercial or Industrial Existing or New			
Water Heater	Water heater Insulation	PSE Deemed		21.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Commercial/Industrial

Gas

Schedule **G262**

CI rebates---all

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lighting Fixtures

	Commercial or Industrial	Existing or New			
HID Retrofits	1000W HID to 400W e-HID		PSE Deemed	2,670.00	0.00
HID Retrofits	175W HID to 100W Ceramic Metal Halide		PSE Deemed	411.00	0.00
HID Retrofits	250W HID to 175 W Pulse-Start Metal Halide		PSE Deemed	394.00	0.00
HID Retrofits	400W HID to 200W e-HID		PSE Deemed	1,015.00	0.00
HID Retrofits	400W HID to 6 Lamp F28T8 High Ballast Factor		PSE Deemed	1,076.00	0.00
Refrigerated Vertical Reach-In Case Lighting	LED Refrigerated Case Lighting Retrofit- 5ft T12 to 5ft LED		PSE Deemed	567.00	0.00
Refrigerated Vertical Reach-In Case Lighting	LED Refrigerated Case Lighting Retrofit- 5ft T8 to 5ft LED		PSE Deemed	217.00	0.00
Refrigerated Vertical Reach-In Case Lighting	LED Refrigerated Case Lighting Retrofit- 6ft T12 to 6ft LED		PSE Deemed	680.00	0.00
Refrigerated Vertical Reach-In Case Lighting	LED Refrigerated Case Lighting Retrofit- 6ft T18 to 6ft LED		PSE Deemed	261.00	0.00

Showerheads

	Commercial or Industrial	Existing or New			
Reduced-Flow Showerhead Natural Gas- heated DHW	Reduced-Flow Showerhead Natural Gas- heated DHW		RTF Deemed		9.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Spray Heads

	Commercial or Industrial	Existing or New		
Pre-Rinse Gas	0.6 gpm xn if 1.6 gpm prev xn'd		PSE Deemed	147.00
Pre-Rinse Gas	0.6 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	310.00
Pre-Rinse Gas	0.6 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	476.00
Pre-Rinse Gas	0.6 gpm xn if head not prev supplied		PSE Deemed	639.00
Pre-Rinse Gas	1.0 gpm xn if 1.6 gpm prev xn'd		PSE Deemed	64.00
Pre-Rinse Gas	1.0 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	227.00
Pre-Rinse Gas	1.0 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	393.00
Pre-Rinse Gas	1.0 gpm xn if head not prev supplied		PSE Deemed	557.00
Pre-Rinse Gas	1.6 gpm xn if 2.2 gpm prev xn'd		PSE Deemed	163.00
Pre-Rinse Gas	1.6 gpm xn if 2.6 gpm prev xn'd		PSE Deemed	329.00
Pre-Rinse Gas	1.6 gpm xn if head not prev supplied		PSE Deemed	492.00

Water Heater

	Commercial or Industrial	Existing or New		
Full svc restaurant water heater, > 75,000 btu/hr and at least 92% efficient	199 MBH		Calculated	0.00
Full svc restaurant water heater, > 75,000 btu/hr and at least 92% efficient	399 MBH		Calculated	0.00
Full svc restaurant water heater, > 75,000 btu/hr and at least 92% efficient	Check business calculator tool at indicated link for per-unit savings, costs and incentive amount		Calculated	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201

Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Common Area Measures

	Multi Family Existing or New			
Pool Heat	Custom engineering calculation	Custom		0.00
Lighting	Variety of lighting measures--customer engineering calculations	Custom	0.00	0.00

Device Controllers and Sensors

	Manufactured Home Existing or New			
Smart Strips	Smart Power Strip, reducing phantom loads	RTF Deemed	100.00	0.00
	Multi Family Existing or New			
Smart Strips	Smart Power Strip, reducing phantom loads	RTF Deemed	100.00	0.00
	Single Family Existing or New			
Smart Strips	Smart Power Strip, reducing phantom loads	RTF Deemed	100.00	0.00

Duct Sealing

	Manufactured Home Existing or New			
with other measures	Unconditioned spaces; Combination of savings values from FAF-no AC & heat pump	PSE Deemed	590.00	
	Single Family Existing or New			
with other measures	Unconditioned spaces; Combination of savings values from FAF-no AC & heat pump	PSE Deemed	1,379.00	

Heat Pumps

	Single Family Existing or New			
Ductless	1 ton or greater, inverter driven compressor, at least one indoor unit	RTF Deemed	3,500.00	0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
HVAC				
	Manufactured Home Existing or New			
Whole House Ventilation	Energy Star Whole-house fan	PSE Deemed	128.00	0.00
	Multi Family Existing or New			
Whole House Ventilation	Energy Star Whole-house fan	PSE Deemed	128.00	0.00
	Single Family Existing or New			
Whole House Ventilation	Energy Star Whole-house fan	PSE Deemed	128.00	0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Wall	R-0 to R-11	RTF Deemed	1.52	
Floor	R-0 to R-19	RTF Deemed	1.04	
Attic	R-0 to R-19	RTF Deemed	1.54	
Floor	R-0 to R-30	RTF Deemed	1.29	
Attic	R-0 to R-38	RTF Deemed	2.11	
Floor	R-11 to R-30	RTF Deemed	0.65	
Attic	R-11 to R-38	RTF Deemed	1.39	
Attic	R-19 to R-38	RTF Deemed	0.57	

Lamps

	Manufactured Home Existing or New			
LED Lamps	LED Downlighting, Directly Installed	RTF Deemed	35.00	0.00
CFL Energy Star®	No maximum amount	RTF Deemed	37.00	
	Multi Family Existing or New			
LED Lamps	LED Downlighting, Directly Installed	RTF Deemed	35.00	0.00
CFL Energy Star®	No maximum amount	RTF Deemed	37.00	
	Single Family Existing or New			
LED Lamps	LED Downlighting, Directly Installed	RTF Deemed	35.00	0.00
CFL Energy Star®	No maximum amount	RTF Deemed	37.00	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lighting Fixtures

Manufactured Home Existing or New

CFL Energy Star®	Any interior or exterior fixture	RTF Deemed	74.00	
CFL Energy Star®	Any interior or exterior fixtures	RTF Deemed	65.00	0.00
CFL Energy Star®	GU-24 pin-type	PSE Deemed	33.00	0.00
LED Fixtures	LED fixtures replacing incandescent base	RTF Deemed	61.00	0.00
CFL Energy Star®	Socket lock-it	PSE Deemed	37.00	

Multi Family Existing or New

CFL Energy Star®	Any fixture	RTF Deemed	65.00	0.00
CFL Energy Star®	Any fixture	RTF Deemed	74.00	
CFL Energy Star®	Any fixture	RTF Deemed	74.00	0.00
CFL Energy Star®	GU-24 pin-type	PSE Deemed		0.00
LED Fixtures	LED fixtures replacing incandescent base	RTF Deemed	61.00	0.00
CFL Energy Star®	Socket lock-it	PSE Deemed	37.00	0.00

Single Family Existing or New

CFL Energy Star®	Any fixture	RTF Deemed	65.00	0.00
CFL Energy Star®	Any fixture	RTF Deemed	74.00	
CFL Energy Star®	GU-24 pin-type	PSE Deemed	33.00	0.00
LED Fixtures	LED fixtures replacing incandescent base	RTF Deemed	61.00	0.00
CFL Energy Star®	Socket lock-it	PSE Deemed	37.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Pipe Wrap				
	Manufactured Home Existing or New			
Water heater	Min 3 feet	RTF Deemed	20.00	
	Multi Family Existing or New			
Water heater	Min 3 feet	RTF Deemed	20.00	
	Single Family Existing or New			
Water heater	Min 3 feet	RTF Deemed	20.00	
Refrigerators				
	Manufactured Home Existing or New			
Replacements	not an incremental value	PSE Deemed	812.00	0.00
	Multi Family Existing or New			
Replacements	not an incremental value	PSE Deemed	812.00	0.00
	Single Family Existing or New			
Replacements	not an incremental value	PSE Deemed	812.00	0.00
Showerheads				
	Manufactured Home Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed	175.00	
	Multi Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed	114.00	
	Single Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed	175.00	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Structure Sealing

	Manufactured Home Existing or New			
structure	CFM per 50Pa	RTF Deemed	1.61	
	Single Family Existing or New			
structure	CFM per 50Pa	RTF Deemed	0.90	

Water Heater

	Manufactured Home Existing or New			
High Efficiency storage	Domestic, with 45-55 gallon rated capacity with EF of 0.95 or better	RTF Deemed	131.00	0.00
	Multi Family Existing or New			
High efficiency storage	Domestic, with 45-55 gallon rated capacity with EF of 0.95 or better	RTF Deemed	131.00	
	Single Family Existing or New			
High Efficiency storage	Domestic, with 45-55 gallon rated capacity with EF of 0.95 or better	RTF Deemed	131.00	0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Windows

		Manufactured Home Existing or New		
Various configurations	Early double pane to double pane U .30		PSE Deemed	15.79 0.00
Various configurations	Single pane to double pane U.30		PSE Deemed	22.45 0.00
		Multi Family Existing or New		
Various configurations	Double pane (U .65) to triple pane (U .22		PSE Deemed	10.65 0.00
Various configurations	Early double-pane to double pane U .30		PSE Deemed	9.84 0.00
Various configurations	Single pane (U 1.2) to triple pane (U 0.22)		PSE Deemed	24.00
Various configurations	Single-pane (U 1.25) to double-pane U-value 0.30		PSE Deemed	23.74
		Single Family Existing or New		
Various configurations	Early double pane to double pane U .30		PSE Deemed	18.00 0.00
Various configurations	Single pane to double pane U .30		PSE Deemed	25.09 0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Clothes Washers				
Single Family Existing only				
Energy Star®	2011 Clothes Washer Tier 1 MEF 2.2-2.45 (EWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		84.00	0.00
Energy Star®	2011 Clothes Washer Tier 1 MEF 2.2-2.45 (PropaneWH/EDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		81.00	0.00
Energy Star®	2011 Clothes Washer Tier 1 MEF 2.2-2.45 (PropaneWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		16.00	0.00
Energy Star®	2011 Clothes Washer Tier 2 MEF 2.46 or higher (EWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		108.00	0.00
Energy Star®	2011 Clothes Washer Tier 2 MEF 2.46 or higher (PropaneWH/EDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		130.00	0.00
Energy Star®	2011 Clothes Washer Tier 2 MEF 2.46 or higher (PropaneWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		20.00	0.00
Energy Star®	2011 Clothes Washer Tier 3 MEF 2.7 or higher (EWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		114.00	0.00
Energy Star®	2011 Clothes Washer Tier 3 MEF 2.7 or higher (PropaneWH/EDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		145.00	0.00
Energy Star®	2011 Clothes Washer Tier 3 MEF 2.7 or higher (PropaneWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		20.00	0.00
Energy Star®	MEF 2.2 - 2.45, WF =< 4.5, Electric WH, Gas Dryer	RTF Deemed	84.00	0.00
Energy Star®	MEF 2.2 - 2.45, WF =< 4.5, Gas WH, Electric Dryer	RTF Deemed	81.00	0.00
Energy Star®	MEF 2.2 - 2.45, WF =< 4.5, Gas WH, Gas Dryer	RTF Deemed	16.00	0.00
Energy Star®	MEF 2.2 - 2.45, WF =< 4.5; Any WH & Any Dryer	RTF Deemed	112.00	0.00
Energy Star®	MEF 2.2 - 2.45, WF =< 4.5; Electric WH & Dryer	RTF Deemed	149.00	0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Energy Star®	MEF 2.46 - 2.69, WF =< 4.0, Electric WH, Gas Dryer	RTF Deemed	108.00	0.00
Energy Star®	MEF 2.46 - 2.69, WF =< 4.0, Gas WH, Electric Dryer	RTF Deemed	130.00	0.00
Energy Star®	MEF 2.46 - 2.69, WF =< 4.0, Gas WH, Gas Dryer	RTF Deemed	20.00	0.00
Energy Star®	MEF 2.46 - 2.69, WF =< 4.0; Electric WH & Dryer	RTF Deemed	219.00	0.00
Energy Star®	MEF 2.46 - 2.69, WF =< 4.5; Any WH & Any Dryer	RTF Deemed	167.00	0.00
Energy Star®	MEF 2.7 or greater, WF =< 4.0, Electric WH, Gas Dryer	RTF Deemed	114.00	0.00
Energy Star®	MEF 2.7 or greater, WF =< 4.0, Gas WH, Electric Dryer	RTF Deemed	145.00	0.00
Energy Star®	MEF 2.7 or greater, WF =< 4.0, Gas WH, Gas Dryer	RTF Deemed	20.00	0.00
Energy Star®	MEF 2.7 or greater, WF =< 4.0; Electric WH & Dryer	RTF Deemed	240.00	0.00
Energy Star®	MEF 2.7 or higher, WF =< 4.5; Any WH & Any Dryer	RTF Deemed	183.00	0.00

Duct Sealing

Single Family Existing only

Weatherization--Manufactured Homes	MHDS Level 1	PSE Deemed	600.00	0.00
Weatherization--Manufactured Homes	MHDS Level 2	PSE Deemed	800.00	0.00
Weatherization--Manufactured Homes	MHDS Level 3	PSE Deemed	1,000.00	0.00
Weatherization--Quality Assured--site built homes	Prescriptive duct sealing + insulation - average of heating types	PSE Deemed	1,859.00	0.00

Freezer

Single Family Existing only

Energy Star®	greater than or equal to 7.75 cu ft	RTF Deemed	42.00	0.00
Decommissioning	Working condition, >= 10 cu ft.	RTF Deemed	555.00	0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Heat Pumps				
Single Family Existing only				
Forced air furnace to heat pump conversion	Convert electric FAF without central AC to HSPF 8.5/SEER 14 HP or better	PSE Deemed	5,176.00	0.00
Sizing and Lockout Controls	Correct HP sizing and outdoor temperature lockout controls	PSE Deemed	1,447.00	0.00
Ductless	Ductless Heat Pump using inverter technology	RTF Deemed	3,500.00	0.00
8.5 HSPF, 14 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	408.00	
10.0 HSPF, 16 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	939.00	
9.0 HSPF, 14 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	554.00	
Geothermal heat pump	Upgrade to Energy Star geothermal heat pump from air source heat pump	PSE Deemed	4,037.00	0.00
Home Energy Report				
Single Family Existing only				
Monthly usage report	Continued Households	PSE Deemed	276.40	0.00
Monthly usage report	Suspended Households	PSE Deemed	164.30	0.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Insulation				
	Single Family Existing only			
Wall	Electric WX R-0 to R-11 average of heating types	RTF Deemed	1.52	0.00
Floor	Electric WX R-0 to R-30 average of all heating types	RTF Deemed	1.29	0.00
Floor	Electric WX R-11 to R-30 FAF	PSE Deemed	1.22	0.00
Floor	Electric WX R-11 to R-30 HP	PSE Deemed	0.56	0.00
Floor	Electric WX R-11 to R-30 Zonal	PSE Deemed	0.89	0.00
Attic	Electric WX R11 to R38 FAF	PSE Deemed	1.81	0.00
Attic	Electric WX R11 to R38 Zonal	PSE Deemed	1.34	0.00
Attic	Electric WX R0 to R49, average of heating systems	RTF Deemed	2.24	0.00
Attic	Electric WX R11 to R38 HP	PSE Deemed	0.84	0.00
Attic	Electric WX R19 to R49, average of heating systems	RTF Deemed	0.70	0.00
Duct	R0 to R11 Electric Weatherization	PSE Deemed	790.00	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lamps

	Single Family	Existing only			
LED lamps		A-lamps	PSE Deemed	33.00	0.00
CFL Energy Star®		Direct install; HomePrint	RTF Deemed	23.00	0.00
CFL Energy Star®		Direct install; HomePrint	RTF Deemed	37.00	0.00
CFL Energy Star®		Electric manufactured homes direct install	RTF Deemed	23.00	
CFL Energy Star®		Engagement bulbs; events-specific	PSE Deemed	29.00	0.00
LED lamps		LED downlight, incandescent base	RTF Deemed	35.00	0.00
CFL Energy Star®		Retail--specialty	RTF Deemed	19.00	0.00
CFL Energy Star®		Retail--specialty Promotional	RTF Deemed	19.00	0.00
CFL Energy Star®		Retail--Spirals	RTF Deemed	16.00	0.00
CFL Energy Star®		Retail--Spirals Promotional	RTF Deemed	16.00	0.00
CFL Energy Star®		T2 Spiral bulb	RTF Deemed	23.00	0.00

Lighting Fixtures

	Single Family	Existing only			
CFL Energy Star®		Any exterior application	RTF Deemed	120.00	
LED Fixtures		Any Exterior Energy Star LED fixture	PSE Deemed	143.00	0.00
LED Fixtures		Any Interior Energy Star LED fixture	PSE Deemed	50.00	0.00
CFL Energy Star®		Any interior fixture	RTF Deemed	43.00	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Refrigerators				
	Single Family Existing only			
Replacement + decommissioning	CEE tier 2 combination of retail refrigerator + std decommissioning of kitchen refrigerator	PSE Deemed	547.00	0.00
Replacement + decommissioning	CEE tier 3 combination of retail refrigerator + std decommissioning of kitchen refrigerator	PSE Deemed	568.00	0.00
Energy Star®	Refrigerator, CEE Tier 2	RTF Deemed	65.00	0.00
Energy Star®	Refrigerator, CEE Tier 3	RTF Deemed	86.00	0.00
Replacement	Replacing refrigerators manufactured prior to 1993	PSE Deemed	755.00	0.00
Decommissioning	Working condition, >= 10 cu ft	RTF Deemed	482.00	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Showerheads

Single Family Existing only

Various efficiencies, installation methods and water heating	1.50 and less GPM, Any Shower, Electric WH, Mail-in	RTF Deemed	261.00	
Various efficiencies, installation methods and water heating	1.50 GPM, Any Shower, Any WH, Retail, PSE Electric Service territory	RTF Deemed	128.00	
Various efficiencies, installation methods and water heating	1.50 GPM, Any Shower, Electric WH, Retail	RTF Deemed	196.00	
Various efficiencies, installation methods and water heating	1.75 - 1.51 GPM, Any Shower, Electric WH, Mail-in	RTF Deemed	188.00	
Various efficiencies, installation methods and water heating	1.75 GPM, Any Shower, Any WH, Retail, PSE Electric Service territory	RTF Deemed	103.00	
Various efficiencies, installation methods and water heating	1.75 GPM, Any Shower, Electric WH, Retail	RTF Deemed	158.00	
Various efficiencies, installation methods and water heating	2.0 - 1.76 GPM, Any Shower, Electric WH, Mail-in	RTF Deemed	117.00	
Various efficiencies, installation methods and water heating	2.0 GPM, Any Shower, Any WH, Retail, PSE Electric Service territory	RTF Deemed	81.00	
Various efficiencies, installation methods and water heating	2.0 GPM, Any Shower, Electric WH, Retail	RTF Deemed	123.00	
Various efficiencies, installation methods and water heating	HomePrint 1.5 or less gpm, leave-behind, maximum 2 per structure	PSE Deemed	260.00	
Various efficiencies, installation methods and water heating	HomePrint 2.0 or less gpm, maximum 2 per structure	PSE Deemed	136.00	
Various efficiencies, installation methods and water heating	Manufactured Homes 2.0 or less gpm, maximum 2 per structure	PSE Deemed	136.00	
Various efficiencies, installation methods and water heating	Manufactured homes, 1.5 or less gpm, leave-behind, maximum 2 per structure	RTF Deemed	260.00	
Various efficiencies, installation methods and water heating	Manufactured homes, 1.50 and less GPM, Any Shower, Electric WH, Direct install	RTF Deemed	307.00	
Various efficiencies, installation methods and water heating	Showerhead, Retail, 2.0 or less GPM mail by request	PSE Deemed	136.00	

Structure Sealing

Single Family Existing only

Air Sealing	CFM50 - Forced-air Furnace	RTF Deemed	2.04	0.00
Air Sealing	CFM50 - Heat Pump	RTF Deemed	0.96	0.00
Air Sealing	CFM50 - Zonal	RTF Deemed	1.81	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Water Heater

Single Family Existing only

Storage	0.94 EF or greater with 50 gal rated capacity	PSE Deemed	125.00	
Storage	0.94 EF or greater with 50 gal rated capacity	PSE Deemed	125.00	
Heat Pump	Energy Star Heat Pump Water Heater, EF 2.0 with 50 gallon rated capacity	PSE Deemed	2,001.00	0.00
Heat Recovery	Waste water heat recovery - pre heat domestic hot water tank with gravity film heat recovery device with heat transfer surface area of >= 3.85 sf	PSE Deemed	373.00	0.00

Windows

Single Family Existing only

Various configurations	Double pane to class 30 average, primary or patio	RTF Deemed	11.53	
Various configurations	Single pane to class 30 average, primary or patio	RTF Deemed	20.84	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E215 le Family Residential New Construc

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Clothes Washers				
Single Family New only				
Energy Star®	MEF 2.2 - 2.45, Gas Water Heater & Electric Dryer	RTF Deemed	81.00	
Energy Star®	MEF 2.46 - 2.69, Gas Water Heater & Electric Dryer	RTF Deemed	130.00	
Energy Star®	MEF 2.7 or Higher, Gas Water Heater & Electric Dryer	RTF Deemed	145.00	
Energy Star Home Bonus				
Single Family New only				
No savings; only for new construction builders	Placeholder created to enable link to res tracking dbase		0.00	0.00
Heat Pumps				
Single Family New only				
Ductless	Heating cap of 1 ton or more, code efficiency of 7.7, HSPF, SEER 13	RTF Deemed	3,500.00	0.00
New 8.5 HSPF, 14 SEER	Incremental improvement over code (7.7 HSPF)	PSE Deemed	408.00	
New 9.0 HSPF, 14 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	755.00	
Lamps				
Single Family New only				
CFL Energy Star®	Any residential, any interior application, direct installation	RTF Deemed	34.00	
Lighting Fixtures				
Single Family New only				
CFL Energy Star®	any application	RTF Deemed	74.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E215 le Family Residential New Construc

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Manufactured Homes

Single Family New only

Eco Rated	Electric forced air furnace, Heating zone 1, Cooling zone n/a	RTF Deemed	5,691.00	
Energy Star®	Electric forced air furnace, Heating zone 1, Cooling zone n/a	RTF Deemed	5,420.00	
Eco Rated	Electric forced air furnace, Heating zone 2, Cooling zone n/a	RTF Deemed	7,438.00	
Energy Star®	Electric forced air furnace, Heating zone 2, Cooling zone n/a	RTF Deemed	6,847.00	
Eco Rated	Heat pump, Heating zone 1, Cooling zone 1	RTF Deemed	3,411.00	
Energy Star®	Heat pump, Heating zone 1, Cooling zone 1	RTF Deemed	3,128.00	
Energy Star®	Heat pump, Heating zone 2, Cooling zone 2	RTF Deemed	4,390.00	
Eco Rated	Heat pump, Heating zone 2, Cooling zone 2	RTF Deemed	4,997.00	

Refrigerators

Single Family New only

Energy Star®	Energy Star refrigerator CEE Tier 2 Any	RTF Deemed	65.00	0.00
--------------	---	------------	-------	------

test (not an actual measure)

Single Family New only

Database test	test for revision	PSE Deemed	2,222.00	0.00
Database test	test for revision	PSE Deemed	333.00	0.00

Water Heater

Single Family New only

Heat Pump	Energy Star certified with a 2.0 or better Efficiency Factor, 50 gallon rated capacity	RTF Deemed	2,001.00	0.00
-----------	--	------------	----------	------

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E217

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Clothes Washers

Multi Family Existing only

Energy Star®	MEF 2.2 or Higher and WF 4.5 or below; Electric Water Heater & Dryer	RTF Deemed	149.00	
Energy Star®	MEF 2.46 or Higher and WF 6.0 or higher; Electric Water Heater & Dryer	RTF Deemed	219.00	

Common Area Measures

Multi Family Existing only

Ventilation	Garage CO Demand Sensor	Custom		0.00
-------------	-------------------------	--------	--	------

Device Controllers and Sensors

Multi Family Existing only

Smart Strips	Smart Power Strip	RTF Deemed	100.00	0.00
--------------	-------------------	------------	--------	------

HVAC

Multi Family Existing only

Whole House Ventilation	Energy Star Whole House Ventilation	PSE Deemed	128.00	0.00
-------------------------	-------------------------------------	------------	--------	------

Insulation

Multi Family Existing only

Floor	R-0 to R-30	RTF Deemed	1.30	0.00
Attic	R-0 to R-38	RTF Deemed	2.18	0.00
Floor	R-11 to R-30	RTF Deemed	0.66	0.00
Attic	R-11 to R-38	RTF Deemed	1.39	0.00
Attic	R-19 to R-38	RTF Deemed	0.58	0.00
Wall	Upgrade R0 to R11	RTF Deemed	1.30	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E217

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Lamps				
Multi Family Existing only				
LED Lamps	Tenant controlled LED lamps; downlighting	RTF Deemed	35.00	0.00
CFL Energy Star®	Tenant controlled, any interior or exterior application	RTF Deemed	23.00	
Lighting Fixtures				
Multi Family Existing only				
CFL Energy Star®	Any fixture, tenant-controlled	RTF Deemed	49.00	
CFL Energy Star®	Any interior application	RTF Deemed	61.00	
LED Fixtures	LED Fixtures	RTF Deemed	61.00	0.00
Refrigerators				
Multi Family Existing only				
Energy Star® or High Efficiency	Any Style w/ or w/o Icemaker	RTF Deemed	44.00	0.00
Replacement	Primary, working unit, pre-1993, replaced and decommissioned by PSE contractor	PSE Deemed	755.00	0.00
Showerheads				
Multi Family Existing only				
1.5 gpm or less	Cascade Water Alliance (CWA) upgraded from base of 2.5 GPM	RTF Deemed	307.00	0.00
1.5 gpm or less	upgraded from base of 2.5 GPM	RTF Deemed	307.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Structure Sealing

Multi Family Existing only

Air Tightening + Insulation Measures	Air Tightening + Ceiling + Floor + Wall Insulation to R13 - Reduce by 60%	PSE Deemed	1.63	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling Insulation to R38 - by 15%	PSE Deemed	2.13	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling to R38 + Floor to R30 - by 25%	PSE Deemed	2.43	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling to R38 + Floor to R30 + Wall to R13 - by 60%	PSE Deemed	2.49	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling to R38 + Wall to R13 - by 30%	PSE Deemed	2.76	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling, Wall insulation to R13 - reduced by 50%	PSE Deemed	2.21	0.00
Air Tightening + Insulation Measures	Air Tightening + Floor Insulation to R30 - by 10%	PSE Deemed	2.98	0.00
Air Tightening + Insulation Measures	Air Tightening + Floor to R30 + Wall to R13 - by 45%	PSE Deemed	3.06	0.00
Air Tightening + Insulation Measures	Air Tightening + Floor, Wall insulation to R13 reduced by 45%	PSE Deemed	2.08	0.00
Air Tightening + Insulation Measures	Air Tightening + Wall Insulation to R13 - by 35%	PSE Deemed	3.43	0.00
Air Tighting	Ceiling - Reduce by 15%	PSE Deemed	0.86	0.00
Air Tighting	Cieling and Floor - Reduce by 25%	PSE Deemed	0.68	0.00
Air Tighting	Floor - Reduce by 10%	PSE Deemed	0.57	0.00

Water Heater

Multi Family Existing only

Storage	0.95 EF or greater with 50 gal rated capacity	RTF Deemed	131.00	
---------	---	------------	--------	--

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Windows

Multi Family Existing only

High Efficiency	Double pane metal frame to high efficiency double, U-factor 0.30	PSE Deemed	11.94	0.00
High Efficiency	Double-pane to triple pane U 0.25	PSE Deemed	13.87	0.00
High Efficiency	Single pane to double, U-factor 0.30	PSE Deemed	21.65	0.00
High Efficiency	Single-pane to triple pane U 0.25	PSE Deemed	23.58	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E218 Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Clothes Washers

Multi Family New only

Energy Star®	MEF 2.2 or Higher and WF 4.5 or below; Electric Water Heater & Dryer	RTF Deemed	149.00	
Energy Star®	MEF 2.46 or Higher; Electric Water Heater & Dryer	RTF Deemed	219.00	

Common Area Measures

Multi Family New only

Heat Recovery	Electric resistance no mechanical cooling, high-rise	PSE Deemed	1.32	
Heat Recovery	Electric resistance no mechanical cooling, low-rise	PSE Deemed	0.86	
Ventilation	Garage CO Demand With VFD fan control---calculated measure	Calculated	1,437.27	
Heat Recovery	kWh adjustment to heat recovery - Hydronic with cooling	Calculated	-0.13	
Heat Recovery	kWh adjustment to heat recovery - Hydronic without cooling	Calculated	-0.12	

Heat Pumps

Multi Family New only

Package Terminal Common Area	20% adjustment <<Only when combined with windows!>>	PSE Deemed	-147.00	0.00
Package Terminal	Air to Air to WSEC (Tier 1)	PSE Deemed	1.37	
Package Terminal	WA State Electrical Code standard, thru-wall unit, low/mid-rise	PSE Deemed	592.00	
Package Terminal	WA State Electrical Code standard, thru-wall unit, townhome	PSE Deemed	1,209.00	

Lighting Fixtures

Multi Family New only

CFL Energy Star®	Any interior application	RTF Deemed	61.00	
CFL Energy Star®	Pin Based Light Fixtures	RTF Deemed	69.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E218 Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lighting Systems

Multi Family New only

Stairwell	Bi-level greater than 3, less than 10 floors	PSE Deemed	203.00	0.00
Stairwell	Bi-level, greater than or equal to 10 floors	PSE Deemed	379.00	0.00
Corridor	Lighting reduction, at least 10% below WSEC.	Calculated	0.07	0.00
Garage	Lighting reduction. Additional 1% up to 20% allowed.	PSE Deemed	0.02	0.00

Refrigerators

Multi Family New only

Energy Star® or High Efficiency	Any Style w/ or w/o Icemaker	RTF Deemed	44.00	
---------------------------------	------------------------------	------------	-------	--

Showerheads

Multi Family New only

2.0 gpm or less	Electric water heat, any showerhead	RTF Deemed	114.00	
-----------------	-------------------------------------	------------	--------	--

Water Heater

Multi Family New only

Heat recovery	Drain water heat recovery, DWH tank with model G3-60, single unit coil with heat transfer surface area of 3.85 sf or greater	RTF Deemed	373.00	
---------------	--	------------	--------	--

Windows

Multi Family New only

U-.30 or better	kWh Adjustment <<ONLY for XN of windows with gas space heat!>>	PSE Deemed	0.02	
U-.30 or better	kWh Adjustment <<ONLY for XN of windows with gas space heat!>>	PSE Deemed	-0.20	
U-.30 or better	U-value 0.30 or better. Electric space heat, hi-rise only	PSE Deemed	1.76	
U-.30 or better	Windows 20% Adjustment for electric space heat	PSE Deemed	-0.46	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Electric

Schedule E-RES All Residential Electric Schedules

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Lamps

All residential types Existing or New

Project Porchlight P/O Rock the Bulb; leave a light bulb on a customer's porch PSE Deemed 15.00 0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule E216

Fuel Conversion

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Fuel Conversion				
	Single Family Existing only			
Space Heating Only	Base board heat, 19-20k kWh current usage	PSE Deemed	8,500.00	0.00
Space and Water Heating	Base board heat, 19-20k kWh current usage	PSE Deemed	12,000.00	0.00
Space Heating Only	Base board heat, 19-20k kWh current usage	PSE Deemed	8,500.00	0.00
Space and Water Heating	Base board heat, 19-20k kWh current usage	PSE Deemed	12,000.00	0.00
Space Heating Only	Base board heat, 20-22.5k kWh current usage	PSE Deemed	10,250.00	0.00
Space Heating Only	Base board heat, 20-22.5k kWh current usage	PSE Deemed	10,250.00	0.00
Space and Water Heating	Base board heat, 20-22.5k kWh current usage	PSE Deemed	13,750.00	0.00
Space and Water Heating	Base board heat, 20-22.5k kWh current usage	PSE Deemed	13,750.00	0.00
Space Heating Only	Base board heat, 22.5-25k kWh current usage	PSE Deemed	12,750.00	0.00
Space and Water Heating	Base board heat, 22.5-25k kWh current usage	PSE Deemed	16,250.00	0.00
Space Heating Only	Base board heat, 22.5-25k kWh current usage	PSE Deemed	12,750.00	0.00
Space and Water Heating	Base board heat, 22.5-25k kWh current usage	PSE Deemed	16,250.00	0.00
Space and Water Heating	Base board heat, 25+ k kWh current usage	PSE Deemed	17,500.00	0.00
Space and Water Heating	Base board heat, 25+ k kWh current usage	PSE Deemed	17,500.00	0.00
Space Heating Only	Base board heat, 25+ k kWh current usage	PSE Deemed	14,000.00	0.00
Space Heating Only	Base board heat, 25+ k kWh current usage	PSE Deemed	14,000.00	0.00
Water Heating Only	Energy Star Gas water heater	PSE Deemed	3,500.00	0.00
Water Heating Only	Energy Star Gas water heater	PSE Deemed	3,500.00	0.00
Water Heating Only	Energy Star Tankless Gas water heater	PSE Deemed	3,500.00	0.00
Water Heating Only	Energy Star Tankless Gas water heater	PSE Deemed	3,500.00	0.00
Space and Water Heating	Forced air heat, 19-20k kWh current usage	PSE Deemed	12,000.00	0.00
Space and Water Heating	Forced air heat, 19-20k kWh current usage	PSE Deemed	12,000.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Space and Water Heating	Forced air heat, 20-22.5k kWh current usage	PSE Deemed	13,750.00	0.00
Space and Water Heating	Forced air heat, 20-22.5k kWh current usage	PSE Deemed	13,750.00	0.00
Space Heating Only	Forced air heat, 19-20k kWh current usage	PSE Deemed	8,500.00	0.00
Space Heating Only	Forced air heat, 19-20k kWh current usage	PSE Deemed	8,500.00	0.00
Space Heating Only	Forced air heat, 20-22.5k kWh current usage	PSE Deemed	10,250.00	0.00
Space Heating Only	Forced air heat, 20-22.5k kWh current usage	PSE Deemed	10,250.00	0.00
Space and Water Heating	Forced air heat, 22.5-25k kWh current usage	PSE Deemed	16,250.00	0.00
Space and Water Heating	Forced air heat, 22.5-25k kWh current usage	PSE Deemed	16,250.00	0.00
Space Heating Only	Forced air heat, 22.5-25k kWh current usage	PSE Deemed	12,750.00	0.00
Space Heating Only	Forced air heat, 22.5-25k kWh current usage	PSE Deemed	12,750.00	0.00
Space and Water Heating	Forced air heat, 25+ k kWh current usage	PSE Deemed	17,500.00	0.00
Space and Water Heating	Forced air heat, 25+ k kWh current usage	PSE Deemed	17,500.00	0.00
Space Heating Only	Forced air heat, 25+ k kWh current usage	PSE Deemed	14,000.00	0.00
Space Heating Only	Forced air heat, 25+ k kWh current usage	PSE Deemed	14,000.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G203** Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Boilers				
	Multi Family Existing or New			
Water heating	Greater than or equal to 89% AFUE	PSE Deemed		1,100.00
Space heating	Greater than or equal to 89% AFUE	PSE Deemed		845.00
Duct Sealing				
	Manufactured Home Existing or New			
with other measures	Unconditioned spaces; Combination of savings values from FAF-no AC & heat pump	PSE Deemed		16.10
	Single Family Existing or New			
with other measures	Unconditioned spaces	PSE Deemed		37.60
Furnace				
	Manufactured Home Existing or New			
AFUE 0.90	Efficiency 90 plus	PSE Deemed		89.00
	Multi Family Existing or New			
AFUE 0.90	Efficiency 90 plus	PSE Deemed		66.00
	Single Family Existing or New			
AFUE 0.90	Efficiency 90 plus	PSE Deemed		89.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G203** Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Insulation				
Manufactured Home Existing or New				
Wall	R-0 to R-11	PSE Deemed	0.00	0.08
Floor	R-0 to R-22	PSE Deemed	0.00	0.04
Floor	R-0 to R-30	PSE Deemed	0.00	0.06
Attic	R-0 to R-30	PSE Deemed	0.00	0.04
Multi Family Existing or New				
Wall	R-0 to R-11	PSE Deemed	0.00	0.06
Duct	R-0 to R-11	PSE Deemed	0.00	0.20
Floor	R-0 to R-30	PSE Deemed	0.00	0.06
Attic	R-0 to R-38	PSE Deemed	0.00	0.09
Attic	R-11 to R-38	PSE Deemed	0.00	0.06
Single Family Existing or New				
Duct	R-0 to R-11	PSE Deemed	0.00	0.20
Wall	R-0 to R-11	PSE Deemed	0.00	0.06
Floor	R-0 to R-30	PSE Deemed	0.00	0.06
Attic	R-0 to R-38	PSE Deemed	0.00	0.09
Attic	R-11 to R-38	PSE Deemed	0.00	0.06

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule G203 Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Pipe Wrap				
	Manufactured Home Existing or New			
Water Heater	Min 3 feet	PSE Deemed		0.90
	Multi Family Existing or New			
Water Heater	Min 3 feet	PSE Deemed		0.90
	Single Family Existing or New			
Water Heater	Min 3 feet	PSE Deemed		0.90
Showerheads				
	Manufactured Home Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed		8.00
	Multi Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed		5.10
	Single Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed		8.00
Structure Sealing				
	Manufactured Home Existing or New			
structure	CFM per 50Pa	PSE Deemed		0.07
	Single Family Existing or New			
structure	CFM per 50Pa	PSE Deemed		0.04

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G203** Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Water Heater				
Manufactured Home Existing or New				
High efficiency storage	0.67 EF or equivalent	PSE Deemed		24.00
Tankless	Energy Star condensing water heater greater than or equal to 0.90 EF or equivalent	PSE Deemed		93.00
Multi Family Existing or New				
High efficiency storage	0.67 EF or equivalent	PSE Deemed		24.00
Tankless	Energy Star condensing water heater greater than or equal to 0.90 EF or equivalent	PSE Deemed		93.00
Single Family Existing or New				
High efficiency storage	0.67 EF or equivalent	PSE Deemed		24.00
Tankless	Energy Star condensing water heater greater than or equal to 0.90 EF or equivalent	PSE Deemed		93.00
Windows				
Multi Family Existing or New				
Singel pane to double	Single pane to double pane U .30	PSE Deemed		1.01
Single Family Existing or New				
Singel pane to double	Single pane to double pane U .30	PSE Deemed		1.25

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule G214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Boilers

Single Family Existing only

Energy Star®	At least 95% AFUE	PSE Deemed		119.00
--------------	-------------------	------------	--	--------

Clothes Washers

Single Family Existing only

Energy Star®	MEF 2.2 to 2.45, WF =< 4.5, Electric WH, gas dryer	RTF Deemed		2.50
Energy Star®	MEF 2.2 to 2.45, WF =< 4.5, Gas WH, electric dryer	RTF Deemed		3.10
Energy Star®	MEF 2.2 to 2.45, WF =< 4.5, Gas WH, gas dryer	RTF Deemed		5.60
Energy Star®	MEF 2.46 to 2.69, WF =< 4.0, Electric WH, gas dryer	RTF Deemed		4.20
Energy Star®	MEF 2.46 to 2.69, WF =< 4.0, Gas WH, electric dryer	RTF Deemed		4.00
Energy Star®	MEF 2.46 to 2.69, WF =< 4.0, Gas WH, gas dryer	RTF Deemed		8.30
Energy Star®	MEF 2.7 or higher, WF =< 4.0, Electric WH, gas dryer	RTF Deemed		4.80
Energy Star®	MEF 2.7 or higher, WF =< 4.0, Gas WH, electric dryer	RTF Deemed		4.30
Energy Star®	MEF 2.7 or higher, WF =< 4.0, Gas WH, gas dryer	RTF Deemed		9.10

Duct Sealing

Single Family Existing only

Weatherization--Quality Assured--site built homes	majority of ducts are outside the conditioned space; primary heat source is PSE	PSE Deemed		75.32
HomePrint	Quality Assured	RTF Deemed		59.00

Fireplace

Single Family Existing only

High Efficiency	High efficiency direct-vent	PSE Deemed		72.00
-----------------	-----------------------------	------------	--	-------

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G214** Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Furnace

	Single Family Existing only			
Energy Star®	Efficiency greater than or equal to 95 AFUE	PSE Deemed		110.00

Home Energy Report

	Single Family Existing only			
Monthly usage report	Continued Households	PSE Deemed		11.60
Monthly usage report	Suspended Households	PSE Deemed		10.90

Insulation

	Single Family Existing only			
Duct	R-0 to R-11	PSE Deemed		32.00
Wall	R-0 to R-11	PSE Deemed	0.00	0.07
Floor	R-0 to R-30	PSE Deemed	0.00	0.06
Attic	R-0 to R-49	PSE Deemed	0.00	0.11
Attic	R-19 to R-49	PSE Deemed	0.00	0.03

Integrated Measures

	Single Family Existing only			
Space + Water Heat Systems	Energy Star 0.90 EF tankless water heater or Energy Star 95% AFUE boiler for space AND water heat	PSE Deemed		173.00

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Showerheads				
Single Family Existing only				
Various efficiencies, installation methods and water heating	1.5 GPM Retail showerheads, Any Shower, Gas WH	RTF Deemed		8.00
Various efficiencies, installation methods and water heating	1.5 GPM Retail showerheads, Any Shower, Gas WH, Mail-in	RTF Deemed		8.00
Various efficiencies, installation methods and water heating	1.75 GPM Retail showerheads, Any Shower, Gas WH	RTF Deemed		7.00
Various efficiencies, installation methods and water heating	1.75 GPM Retail showerheads, Any Shower, Gas WH, Mail-in	RTF Deemed		7.00
Various efficiencies, installation methods and water heating	2.0 GPM Retail showerheads, Any Shower, Gas WH	RTF Deemed		5.00
Various efficiencies, installation methods and water heating	2.0 GPM Retail showerheads, Any Shower, Gas WH, Mail-in	RTF Deemed		6.00
Various efficiencies, installation methods and water heating	HomePrint showerheads (maximum of two units per structure)	PSE Deemed		6.00
Various efficiencies, installation methods and water heating	Manufactured homes (maximum of two units per structure)	PSE Deemed		6.00
Various efficiencies, installation methods and water heating	Manufactured homes, 1.5 GPM, any shower, direct install (maximum of two units per structure)	PSE Deemed		18.00
Various efficiencies, installation methods and water heating	Manufactured homes, 1.5 GPM, any shower, leave-behind (maximum of two units per structure)	PSE Deemed		15.60
Various efficiencies, installation methods and water heating	Retail showerheads, 2.0 GPM or less mail by (maximum of two units per structure)	PSE Deemed		6.00

Structure Sealing

Single Family Existing only				
Air Sealing	CFM50	PSE Deemed		0.08

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G215** le Family Residential New Construc

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Energy Star Home Bonus				
	Single Family New only			
No savings; only for new construction builders	Placeholder created to enable link to res tracking dbase		0.00	0.00
Furnace				
	Single Family New only			
Energy Star®	Natural Gas EF 90	PSE Deemed		83.00
Manufactured Homes				
	Single Family New only			
Energy Star®	Gas Furnace, Heating zone 1	PSE Deemed		200.00
Eco Rated	Gas Furnace, Heating zone 1	PSE Deemed		245.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule **G217**

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Boilers				
	Multi Family Existing only			
Water Heating Replacement	Average of custom engineering water heating	Calculated		1.00
Space Heat Replacement	Space heating boilers - calculated.	Calculated		0.00
Common Area Measures				
	Multi Family Existing only			
Pool Heat	Solar Powered--Custom engineering calculation	Custom		800.00
Furnace				
	Multi Family Existing only			
Energy Star®	Natural Gas	PSE Deemed		66.00
Insulation				
	Multi Family Existing only			
Floor	R-0 to R-30	PSE Deemed		0.09
Attic	R-0 to R-38 inclusive	PSE Deemed		0.09
Showerheads				
	Multi Family Existing only			
1.5 gpm or less	Cascade Water Alliance (CWA) upgraded from base of 2.5 GPM	RTF Deemed		13.00
1.5 gpm or less	upgraded from base of 2.5 GPM	RTF Deemed		13.00
Water Heater				
	Multi Family Existing only			
Tankless	0.82 EF or higher	PSE Deemed		74.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule G217

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Windows

Multi Family Existing only

High Efficiency	U-value 1.2 to 0.25	PSE Deemed		1.02
High Efficiency	U-value 1.2 to 0.30	PSE Deemed		1.01

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule G218 Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Boilers

Multi Family New only

Condensing Boiler	With external tank	PSE Deemed		0.02
Condensing Boiler	Without external tank	Calculated		0.02

Common Area Measures

Multi Family New only

Heat Recovery	Therm adjustment to heat recovery - Hydronic with cooling	Calculated		0.03
Heat Recovery	Therm adjustment to heat recovery - Hydronic without cooling	Calculated		0.03
Heat Recovery	Therm adjustment to heat recovery - WSHP	Calculated		0.01
Heat Recovery	using condensing boiler with external tank	Calculated		0.01

HVAC

Multi Family New only

Hydronic heating	using condensing boiler with external tank	Calculated		0.01
Hydronic heating	using condensing water heater	Calculated		0.01

Showerheads

Multi Family New only

2.0 gpm or less	Any water heat, any showerhead	PSE Deemed		5.00
2.0 gpm or less	Any water heat, any showerhead, boiler, EF.93	PSE Deemed		4.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

Residential

Gas

Schedule G218 Multifamily New Construction

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Water Heater

Multi Family New only

Heat recovery	Common area, high-rise buildings	PSE Deemed		0.06
Heat recovery	Common area, low-rise buildings	PSE Deemed		0.04
High efficient	Fully condensing, efficiency greater than or equal to 93%	PSE Deemed		0.02

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2012. A separate report, indicating measures retired in 2012 is included in this Annual Report as Exhibit 5, Supplement 2..

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Measure Metrics database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.