

Exhibit 5 Supplement 2

Retired Measures Sorted by Program and Fuel Type

Measures Effective as of: December 31, 2011

Commercial/Industrial

Electric

Schedule E255

Small Business Lighting

Measure Heading

Measure Category

Additional details, comments, equipment applications

Savings Type

Retired Date

Reason Retired

Lamps

Commercial Existing only

CFL	< 26 watt CFL	Calculated	6/13/2012	Updated Savings Value, Removed SPIFF
CFL	< 26 Watt reflector or specialty lamp	Calculated	6/13/2012	Updated Savings Value, Removed SPIFF
CFL	26 Watt to 39 Watt CFL	Calculated	6/13/2012	Updated Savings Value, Removed SPIFF
CFL	26 Watt to 39 Watt reflector or specialty lamp	Calculated	6/13/2012	Updated Savings Value, Removed SPIFF
Integral LED Lamps and Recessed Down Lighting	Decorative	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
CFL	Equal to or greater than 40 Watt CFL (including specialty)	Calculated	6/13/2012	Updated Savings Value, Removed SPIFF
Integral LED Lamps and Recessed Down Lighting	MR 16	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
Integral LED Lamps and Recessed Down Lighting	Omnidirectional	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
Integral LED Lamps and Recessed Down Lighting	PAR 20	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
Integral LED Lamps and Recessed Down Lighting	PAR 30	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
Lamps				
		Commercial or Industrial	Existing or New	
CFL	< 26 Watt	PSE Deemed	6/13/2012	Updated Savings Value, Removed SPIFF
T8 Lamps	26 to 28 Watts	PSE Deemed	6/13/2012	Need to remove spiffs
CFL	26 Watt to 39 Watt CFL	PSE Deemed	6/13/2012	Updated Savings Value, Removed SPIFF
Integral LED Lamps and Recessed Down Lighting	Decorative	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
CFL	Equal to or greater than 40 Watt CFL	PSE Deemed	6/13/2012	Updated Savings Value, Removed SPIFF
T8 Lamps	Less than or equal to 25 Watts	PSE Deemed	6/13/2012	Need to remove spiffs
Integral LED Lamps and Recessed Down Lighting	MR 16	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
Integral LED Lamps and Recessed Down Lighting	Omnidirectional	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
Integral LED Lamps and Recessed Down Lighting	PAR 20	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
Integral LED Lamps and Recessed Down Lighting	PAR 30	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF
Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40	PSE Deemed	6/22/2012	Incentive amount adjustment, savings adjustment, elimination of SPIF

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Electric

Schedule E214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
Heat Pumps				
		Single Family	Existing only	
Geothermal heat pump	Upgrade to Energy Star geothermal heat pump from air source heat pump	PSE Deemed	1/1/2012	Provided new source of savings documentation
Lamps				
		Single Family	Existing only	
CFL Energy Star®	Direct install; HomePrint	RTF Deemed	2/17/2012	Updated RTF savings value
Showerheads				
		Single Family	Existing only	
Various efficiencies, installation methods and water heating	HomePrint 1.5 or less gpm, leave-behind, maximum 2 per structure	PSE Deemed	2/17/2012	Updated to current RTF mail-in value
Various efficiencies, installation methods and water heating	HomePrint 2.0 or less gpm, maximum 2 per structure	PSE Deemed	2/17/2012	Updated to current RTF mail-in value
Various efficiencies, installation methods and water heating	Manufactured Homes 2.0 or less gpm, maximum 2 per structure	PSE Deemed	9/10/2012	No longer offering this measure
Water Heater				
		Single Family	Existing only	
Storage	0.94 EF or greater with 50 gal rated capacity	PSE Deemed	12/31/2012	received new source of savings documentation

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Windows

	Multi Family	Existing only		
High Efficiency	Double pane metal frame to high efficiency double, U-factor 0.30	PSE Deemed	1/1/2012	<i>Replaced for RTF deemed value</i>
High Efficiency	Double-pane to triple pane U 0.25	PSE Deemed	1/1/2012	<i>Replaced for RTF deemed value</i>
High Efficiency	Single pane to double, U-factor 0.30	PSE Deemed	1/1/2012	<i>Replaced for RTF deemed value</i>
High Efficiency	Single-pane to triple pane U 0.25	PSE Deemed	1/1/2012	<i>Replaced for RTF deemed value</i>

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Electric

Schedule E249

Pilot programs, electric

Measure Heading

Measure Category

Additional details, comments, equipment applications

Savings Type

Retired Date

Reason Retired

Heat Pumps

All structure types Existing or New

Sizing and Lockout Controls

Residential electric pilot

PSE Deemed

1/1/2012

Converted pilot into permanent program

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Fuel Conversion

Single Family Existing only

Space Heating Only	Base board heat, 19-20k kWh current usage	PSE Deemed	2/17/2012	Measure costs updated for 2012
Space and Water Heating	Base board heat, 19-20k kWh current usage	PSE Deemed	2/17/2012	Measure cost figures updated for 2012
Space and Water Heating	Base board heat, 20-22.5k kWh current usage	PSE Deemed	2/17/2012	Measure cost figures updated for 2012
Space Heating Only	Base board heat, 20-22.5k kWh current usage	PSE Deemed	2/17/2012	Measure costs updated for 2012
Space and Water Heating	Base board heat, 22.5-25k kWh current usage	PSE Deemed	2/17/2012	Measure cost figures updated for 2012
Space Heating Only	Base board heat, 22.5-25k kWh current usage	PSE Deemed	2/17/2012	Measure costs updated for 2012
Space Heating Only	Base board heat, 25+ k kWh current usage	PSE Deemed	2/17/2012	Measure costs updated for 2012
Space and Water Heating	Base board heat, 25+ k kWh current usage	PSE Deemed	2/17/2012	Measure cost figures updated for 2012
Water Heating Only	Energy Star Gas water heater	PSE Deemed	2/17/2012	Measure costs updated for 2012
Water Heating Only	Energy Star Tankless Gas water heater	PSE Deemed	2/17/2012	Measure costs updated for 2012
Space and Water Heating	Forced air heat, 19-20k kWh current usage	PSE Deemed	2/17/2012	Measure cost figures updated for 2012
Space and Water Heating	Forced air heat, 20-22.5k kWh current usage	PSE Deemed	2/17/2012	Measure cost figures updated for 2012
Space Heating Only	Forced air heat, 19-20k kWh current usage	PSE Deemed	2/17/2012	Measure costs updated for 2012
Space Heating Only	Forced air heat, 20-22.5k kWh current usage	PSE Deemed	2/17/2012	Measure costs updated for 2012
Space Heating Only	Forced air heat, 22.5-25k kWh current usage	PSE Deemed	2/17/2012	Measure costs updated for 2012
Space and Water Heating	Forced air heat, 22.5-25k kWh current usage	PSE Deemed	2/17/2012	Measure cost figures updated for 2012
Space Heating Only	Forced air heat, 25+ k kWh current usage	PSE Deemed	2/17/2012	Measure costs updated for 2012
Space and Water Heating	Forced air heat, 25+ k kWh current usage	PSE Deemed	2/17/2012	Measure cost figures updated for 2012

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

Residential

Gas

Schedule G214 Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Showerheads

	Single Family	Existing only		
Various efficiencies, installation methods and water heating	Manufactured homes (maximum of two units per structure)	PSE Deemed	9/10/2012	Replaced by leave-behind unit

NOTES: (1) To preserve measure history, measures are not deleted. Rather, they are retired. Reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.