



## Verizon Northwest Inc.

924 Capitol Way South Suite 108 Olympia, WA 98501 Phone: 360-236-9727

Fax: 360-236-9919

April 26, 2006

## **HAND DELIVERED**

Ms. Carole J. Washburn, Executive Secretary ATTN: Kristen Russell Washington Utilities and Transportation Commission Chandler Plaza Building 1300 S. Evergreen Park Drive SW P.O. Box 47250 Olympia, WA 98504-7250 RECORDS MILITAGE DE OS AFR 26 PH 2: 57 MASIL UTILLA ALD TRALIDO.

Subject: March and First Quarter 2006 Mass Market Service Quality Reports

Dear Ms. Washburn:

Enclosed please find the March and First Quarter 2006 Mass Market Service Quality Performance Report of MCImetro Access Transmission Services LLC d/b/a Verizon Access Transmission Services. Certain detail in the reports is marked "Confidential pursuant to WAC 480-07-160" as it includes commercially sensitive information and business activity that would have economic value to current and potential competitors.

If you have any questions about the report, please contact Tom Dixon at 303-390-6206.

Respectfully submitted,

Robert A. Millar

Director, Washington State Regulatory Affairs

**Enclosures** 

		Confidential Information per WAC 480-07-160	Confident
		Service is provided by the underlying LEC.	Service is
	estones are reached.	We will report data for 90-day rule and 180-day rule once those milestones are reached	We will rep
	5 access lines.	Therefore, we have included all orders even if they have more than 5 access lines	Therefore,
	5 access lines or more than 5 access lines.	We are unable to distinguish between orders that are for the initial 5 access lines or more than 5 access lines	We are un
		Information is not available by Central Office.	Information
			NOTES:
ss lines as required by WAC 480-120-105 (Company e days as requested by a customer. The installation or he company was unable to complete within five business	The report must state the total number of orders taken, by central office, in each month for all orders of up to the initial five access lines as required by WAC 480-120-105 (Company performance standards for installation or activation of access lines). The report must include orders with due dates later than five days as requested by a customer. The installation or activation of basic service report must state, by central office, of the total orders taken for the month, the number of orders that the company was unable to complete within five business days after the order date or by a later date as requested by the customer.	The report must state the total number of orders taken, by central office, performance standards for installation or activation of access lines). The activation of basic service report must state, by central office, of the total days after the order date or by a later date as requested by the customer.	The report performant activation days after
		(4) Installation or Activation of Basic Service Report	(4) Instal
			Rule:
Percentage Completed in 5 Bus Days: 81.49%	CONFIDENTIAL		
18.5138%	CONFIDENTIAL	05 CONFIDENTIAL	March, 2005
Percentage of Total (Standard 10%)	Number Not Completed within 5 days		
leted Within 5 Business Days After Order Date or After Customer esired Due Date	Total Number and Percentage of Orders Not Completed Within 5 B Desired Due Date	Month, Year Total Number Of Orders Per Month	Mor
	WAC 480-120-439 Service Quality Performance Reports (4.) Installation or Activation of Basic Service Report - 5 Day Rule	WA WA WA WA WA WA WA WA WA WA	
on Sewices.	MCImetro Access Transmission Services LLC dibia Verizon Access Transmission Services	Me meto Access I	L.
	MASS MARKETS SERVICE OHATTY BEDORT - YEARS		
	WASHINGTON		

		Confidential Information per WAC 480-07-160	<b>Confidential Inform</b>
		Information is not available on a central office level.	Information is not ava
			Notes:
		abioinal conditions.	w chiadramary of an
buble reports relating to customers' equipment or	working properly. This standard does not apply to tro	"trouble report" is a report by a customer that a line is out of service or not working properly. This standard does not apply to trouble reports relating to customers' equipment or to extraordinary or abnormal conditions.	"trouble report" is a report by a custome
or (b) four months in any 12-month period A	undred access lines for: (a) two consecutive months	State rules require that the number of trouble reports not exceed four per hundred access lines for: (a) two consecutive months, or (b) four months in any 12-month period. A	State rules require th
local exchange company should not be included in	service caused by persons or entities other than the	customer-provided equipment, inside wiring, force majeure, or outages of service caused by persons or entities other than the local exchange company should not be included in this report	this report
tion of causes for each central office that exceeds the service ratio per one hundred lines in service. The reports caused by	dition, the report must include an explanation of cause epeated reports, must be presented as a ratio per or	by central office and the number of lines served by the central office. In addition, the report must include an explanational quality standard established in WAC 480-120-438. The reports, including repeated reports, must be presented as a	by central office and quality standard esta
The report must include the number of reports	ished in WAC 480-120-438 (Trouble report standard	Each month companies must submit a report reflecting the standard established in WAC 480-120-438 (Trouble report standard). The report must include the number of reports	Each month compan
		uble Report	( 6 ) Summary I rouble Report
			1
			Rule:
0.67	CONFIDENTIAL	CONFIDENTIAL	March, 2006
Total Number of Trouble Reports as a Ratio per 100 Access Line Counts (Standard: Max 4)	Total Number of Access Lines as of Month End (State Level)	Total Number of Trouble Report (State Level)	Month, Year
	(6) Summary Irouble Report		
	WAC 480-120-439 Service Quality Performance Reports	WAC-480-120-	
C. V. Ces	MCImetro Access Transmission Services LLC d/b/a Verzon Access Transmission Services	MCInero Access Hansmission	
	MASS MARKETS SERVICE QUALITY REPORT - YEAR 2006	MASS MARKETS S	
	WASHINGTON .		
		10000	

	MASS MARKETS  NC metro Access Transmissi  WAC 480-120	WASHINGTON  MASS MARKETS SERVICE QUALITY REPORT - YEAR 2006  MCImetro Access Transmission Services LLC dibia Verizon Access Transmission Services  WAC/480-120-499 Service Quality Performance Reports  (8) Interoffice, Inter-company and Inter-exchange Trunk Blocking Report	
Month, Year	Percentage of trunk groups experience less than 1/2 of 1% of blocking for inter-toll & inter-tandem (Standard 99%)	Percentage of trunk groups must experience less than 1% blocking for local & EAS inter-office trunk facilities (Standard 99%)	Did 100% of trunk groups experience less than 1% blocking for E-911?
March, 2006	Service is provided by the Underlying LEC	Service is provided by the Underlying LEC	Service is provided by the Underlying LEC
0			
ruig.			
(8) Interoffice, Interd	8 ) Interoffice, Intercompany and Interexchange Trunk Blocking Report		
Companies must meet (Interoffice facilities) au performance standard peak blockage occurs, any trunk groups that o	Companies must meet the above mentioned standards during average busy-hour. Each company that experiences trunk blue (Interoffice facilities) and (5) (Service to interexchange companies) must report each trunk group that does not meet the perperformance standards, the report must include the peak percent blocking level experienced during the preceding month, the peak blockage occurs, and whether the problem concerns a standard in WAC 480-120-401 (3) or (5). The report must include any trunk groups that do not meet the standard for two consecutive months.	Companies must meet the above mentioned standards during average busy-hour. Each company that experiences trunk blocking in excess of the standard in WAC 480-120-401 (3) (Interoffice facilities) and (5) (Service to interexchange companies) must report each trunk group that does not meet the performance standards. For each trunk group not meeting the performance standards, the report must include the peak percent blocking level experienced during the preceding month, the number of trunks in the trunk group, the busy hour when peak blockage occurs, and whether the problem concerns a standard in WAC 480-120-401 (3) or (5). The report must include an explanation of steps being taken to relieve blockage on any trunk groups that do not meet the standard for two consecutive months.	ocking in excess of the standard in WAC 480-120-401 (3) formance standards. For each trunk group not meeting the number of trunks in the trunk group, the busy hour when de an explanation of steps being taken to relieve blockage on
	***************************************		
Service is provided by	Service is provided by the underlying LEC, no information is available for this measure.	measure.	

				Confidential Information per WAC 480-07-160	Confidential Informa
	airment .	MCImetro has not been provided by the underlying LEC the ability to differentiate between a full-service interruption and a service impairment.  Therefore all repair thickets are being reported under the 48 hour standard.	EC the ability to differentiate between a r the 48 hour standard.	Clmetro has not been provided by the underlying LEC the ability to different herefore all repair thickets are being reported under the 48 hour standard	MCImetro has not bee Therefore all repair t
		spairs to be beyond its control.	Because these services are provided by an underlying LEC, MCI considers these missed repairs to be beyond its control.	es are provided by an underlyin	Because these service
					NOTES:
each company must report the . In addition, a company must report	pairments, excluding major outages), of forty-eight hours after the initial report.	(a) For service-interruption repairs subject to the requirements of WAC 480-120-440 (Repair standards for service interruptions and impairments, excluding major outages), each company must report the number of service interruptions reported each month, the number repaired within forty-eight hours, and the number repaired more than forty-eight hours after the initial report. In addition, a company must report the number of interruptions that are exempt from the repair interval standard as provided for in WAC 480-120-440.	(a) For service-interruption repairs subject to the requirements of WAC 480-120-440 (Repair standards for service number of service interruptions reported each month, the number repaired within forty-eight hours, and the number the number of interruptions that are exempt from the repair interval standard as provided for in WAC 480-120-440 the number of interruptions that are exempt from the repair interval standard as provided for in WAC 480-120-440.	ption repairs subject to the requerruptions reported each month, stions that are exempt from the	(a) For service-interrunumber of service into
				18-Hour Rule	(9) Repair Report, 48-Hour Rule
					Rule:
CONFIDENTIAL	CONFIDENTIAL	83.96%	CONFIDENTIAL	CONFIDENTIAL	March, 2006
Total Number of OOS Tickets Exempt from 48-Hour Interval Rule	Total Number of OOS Tickets Repaired in Longer Than 48 Hours	Percentage of OOS Tickets Repaired within 48 Hours (Standard 100%)	Total Number of OOS Tickets Repaired within 48 Hours	Total Number of OOS Tickets per Month	Month, Year
	Tickets, OOS)	Service Interruption Repairs (Out of Service Trouble Tickets, OOS)	Service Ir		
		WAC 480-120-439 Service Quality Performance Reports  (9) Repair Report - 48 Hour Rule	WAC 480: [20-4]		
	nssen Services	Molmetro Access Transmission Services LLC d'ba Venzon Access Transmis	McImetro Ascess Transmission		
	2,2006	MASSIMARKETS SERVICE QUALITY REPORT - YEAR	MASS WARKERS SI		
		WASHINGTON			

MCImetro has not been provided by the underlying LEC the ability to differe Therefore all repair thickets are being reported under the 48 hour standard	Because these services are	NOTES:	(b) For service-impairment repairs two hours, and the number repaire provided for in WAC 480-120-440	(9) Repair Report, 72-Hour Rule	Rule:	March, 2006	Month, Year Im					
ided by the underlying LE are being reported under	provided by an underlying		epairs subject to the requiepaired more than sevent 0-440.	r Rule		CONFIDENTIAL	Total Number of Service Impairments per Month					
C the ability to differentiate between a futhe 48 hour standard.	Because these services are provided by an underlying LEC, MCI considers these missed repairs to be beyond its control		rements of WAC 480-120-440, each cory-two hours after the initial report. In add			CONFIDENTIAL	Total Number of Service Impairments Repaired within 72 Hours		(9) Kej	MGImeto Access Transmission Ser WAC 480-120-439	NASS MARKETS SER	M. Company of the Com
MCImetro has not been provided by the underlying LEC the ability to differentiate between a full-service interruption and a service impairment.  Therefore all repair thickets are being reported under the 48 hour standard.	irs to be beyond its control.		(b) For service-impairment repairs subject to the requirements of WAC 480-120-440, each company must report the number of service impairments reported each month, the number repaired within seventy-two hours, and the number repaired more than seventy-two hours after the initial report. In addition, a company must report the number of impairments that are exempt from the repair interval standard as provided for in WAC 480-120-440.			0.00%	Percentage of Service Impairments Repaired within 72 Hours (Standard 100%)	Service Impairments (All Trouble Tickets)	(9) Repair Report - 72 Hour Rule	M©Imero Access Transmission Services LLC dibre Venzon Access Transmis  WAC 480-720-439 Service Quality Performance Reports	NASS MARKETS SERVICE QUALITY REPORT - YEAR 2	WASHINGTON
rment.			mpairments reported each month, the of impairments that are exempt from the			CONFIDENTIAL	Total Number of Service Impairments Repaired in Longer Than 72 Hours			sign Septices	2006	
			number repaired within seventy- ne repair interval standard as			CONFIDENTIAL	Total Number of Service Impairments Exempt from 72- Hour Interval Rule					

## Rule: March, 2006 February, 2006 January, 2006 Month, Year Total Number of Installation Appointments Made CONFIDENTIAL CONFIDENTIAL CONFIDENTIAL MCImetro Access Transmission Services LLC dibya Verzon Access Transmission Services MASS MARKETS SERVICE QUALITY REPORT - YEAR 2006 Total Number of Installation Appointments Missed WAC 480-120-439 Service Quality Performance Reports (3) Missed Appointment Report - Installations CONFIDENTIAL CONFIDENTIAL CONFIDENTIAL WASHINGTON Percentage of Installation Appointments MET 93.6925% 82.4151% 88.1854% Total Number of Installation Appointments that are allowed to be excluded Service is provided by the Underlying LEC Service is provided by the Underlying LEC Service is provided by the Underlying LEC

Installation appointments and repair appointments must be reported separately.

(3) Missed Appointment Report - Installations

This report must state the number of appointments missed, total number of appointments made (scheduled), and the number of appointments that are allowed to be excluded.

	MASS MARKETS S	WASHINGTON  MASS MARKETS SERVICE QUALITY REPORT. YEAR 2006  MCImeto Access I ransmission Services III College Veryon Access I ransmission Services III College Veryon Access II answers to the college Veryon Access III and the college Veryon Acc	
	WAC 480-120-	WAC 480-120-439 Service Quality Performance Reports  (6.) Summary Trouble Report	
Month, Year	Total Number of Trouble Report (State Level)	Total Number of Access Lines as of Month End (State Level)	Total Number of Trouble Reports as a Ratio per 100 Access Line Counts (Standard: Max 4)
January, 2006	CONFIDENTIAL	CONFIDENTIAL	1.19
February, 2006	CONFIDENTIAL	CONFIDENTIAL	0.86
March, 2006	CONFIDENTIAL	CONFIDENTIAL	0.67
Rule:			
(6) Summary Trouble Report	e Report		
Each month companie central office and the r quality standard establ customer-provided equality report	Each month companies must submit a report reflecting the standard established in WAC 480-120-438 (Trouble report standard). The report must include the number of reports by central office and the number of lines served by the central office. In addition, the report must include an explanation of causes for each central office that exceeds the service quality standard established in WAC 480-120-438. The reports, including repeated reports, must be presented as a ratio per one hundred lines in service. The reports caused by customer-provided equipment, inside wiring, force majeure, or outages of service caused by persons or entities other than the local exchange company should not be included in this report.	ished in WAC 480-120-438 (Trouble report standard on, the report must include an explanation of causes epeated reports, must be presented as a ratio per or service caused by persons or entities other than the l	t standard). The report must include the number of reports by of causes for each central office that exceeds the service atio per one hundred lines in service. The reports caused by than the local exchange company should not be included in
State rules require that the number o "trouble report" is a report by a custo extraordinary or abnormal conditions	State rules require that the number of trouble reports not exceed four per hundred access lines for: (a) two consecutive months, or (b) four months in any 12-month period. A "trouble report" is a report by a customer that a line is out of service or not working properly. This standard does not apply to trouble reports relating to customers' equipment or to extraordinary or abnormal conditions.	undred access lines for: (a) two consecutive months working properly. This standard does not apply to tro	s, or (b) four months in any 12-month period. A ouble reports relating to customers' equipment or to
Notes:			
Information is not avail	Information is not available on a central office level.		
Confidential Informat	Confidential Information per WAC 480-07-160		