

Performance Results
Washington
September 2004 - August 2005
Qwest's Performance Assurance Plans (PAPs)

Combined	Month	CLEC Numerator	CLEC Denominator	CLEC Result
BI-1A Time to Provide Usage Records UNEs and Resale Aggregate Parity	August 2005	37020441	24916078	11:45
	July 2005	83640677	46982795	18:43
	June 2005	87454917	50284683	17:45
	May 2005	81948703	48965405	16:04
	April 2005	90108629	48807284	20:24
	March 2005	98874099	53894234	19:55
	February 2005	85483188	46213570	20:24
	January 2005	781578290	52054954	0:14
	December 2004	100153135	53134114	21:07
	November 2004	92151225	49094957	21:07
October 2004	89131775	48329358	20:09	
September 2004	98272654	52619910	20:52	
BI-1B Time to Provide Usage Records Jointly-provided Switched Access Benchmark	August 2005	20579311	20579317	0:00
	July 2005	19001960	19001973	0:00
	June 2005	18102094	18102122	0:00
	May 2005	4363795	4363828	0:00
	April 2005	837808	837809	0:00
	March 2005	820609	820614	0:00
	February 2005	666082	666082	0:00
	January 2005	686266	686266	0:00
	December 2004	674208	674213	0:00
	November 2004	615371	615371	0:00
October 2004	636778	636785	0:00	
September 2004	661403	661404	0:00	
BI-1C-1 Time to Provide Usage Records [CAT11] UNEs and Resale Aggregate Parity	August 2005	1581902	874318	19:26
	July 2005	46946156	24019053	22:48
	June 2005	46497666	24285992	21:50
	May 2005	47077048	25519616	20:09
	April 2005	48816378	24459132	0:00
	March 2005	53368452	26868884	23:45
	February 2005	45739211	22887858	0:00
	January 2005	739736598	28057053	8:52
	December 2004	53246142	26391306	0:28
	November 2004	49204081	24769632	23:45
October 2004	49064985	24896695	23:16	
September 2004	53407409	26610019	0:14	
BI-1C-2 Time to Provide Usage Records [CAT10] UNEs and Resale Aggregate Parity	August 2005	35438539	24041760	11:16
	July 2005	36694521	22963742	14:24
	June 2005	40957251	25998691	13:55
	May 2005	34871655	23445789	11:45
	April 2005	41292251	24348152	16:48
	March 2005	45505647	27025350	16:19
	February 2005	39743977	23325712	16:48
January 2005	41841692	23997901	17:45	

	December 2004	46906993	26742808	18:00
	November 2004	42947144	24325325	18:28
	October 2004	40066790	23432663	17:02
	September 2004	44865245	26009891	17:16
BI-2 Invoices Delivered within 10 Days All Diagnostic	August 2005	937	937	100.00%
	July 2005	930	935	99.47%
	June 2005	917	918	99.89%
	May 2005	791	792	99.87%
	April 2005	854	855	99.88%
	March 2005	910	913	99.67%
	February 2005	770	771	99.87%
	January 2005	771	773	99.74%
	December 2004	843	844	99.88%
	November 2004	662	663	99.85%
	October 2004	812	812	100.00%
	September 2004	759	759	100.00%
BI-3A Billing Accuracy - Adjustments for Errors UNEs and Resale Aggregate Parity	August 2005	6328465	6338830	99.84%
	July 2005	5965596	5966672	99.98%
	June 2005	7039191	7055897	99.76%
	May 2005	7262399	7263633	99.98%
	April 2005	5041745	6429641	78.41%
	March 2005	4425656	5710968	77.49%
	February 2005	5862385	5869707	99.88%
	January 2005	6847698	6953903	98.47%
	December 2004	6716481	8635483	77.78%
	November 2004	5721170	5771219	99.13%
	October 2004	5513972	5517554	99.94%
	September 2004	5507007	5539685	99.41%
BI-3B Billing Accuracy - Adjustments for Errors Reciprocal Compensation Diagnostic	August 2005	65586	65586	100.00%
	July 2005	62400	62400	100.00%
	June 2005	64649	64649	100.00%
	May 2005	75286	75286	100.00%
	April 2005	78206	78206	100.00%
	March 2005	51265	59136	86.69%
	February 2005	62373	63578	98.11%
	January 2005	60081	60081	100.00%
	December 2004	58247	58247	100.00%
	November 2004	64631	64631	100.00%
	October 2004	62060	62062	100.00%
	September 2004	62947	62947	100.00%
BI-4A Billing Completeness UNEs and Resale Aggregate Parity	August 2005	48110	48142	99.93%
	July 2005	34249	34415	99.52%
	June 2005	30796	30899	99.67%
	May 2005	33308	33412	99.69%
	April 2005	31651	31751	99.69%
	March 2005	31364	31429	99.79%
	February 2005	31536	31567	99.90%
	January 2005	26008	26139	99.50%
	December 2004	31270	31413	99.54%
	November 2004	35689	35736	99.87%
	October 2004	38707	38788	99.79%
	September 2004	32935	32980	99.86%

BI-4B Billing Completeness Reciprocal Compensation Diagnostic	August 2005	65586	65586	100.00%
	July 2005	62400	62400	100.00%
	June 2005	64649	64649	100.00%
	May 2005	75286	75286	100.00%
	April 2005	78206	78206	100.00%
	March 2005	59136	59136	100.00%
	February 2005	63578	63578	100.00%
	January 2005	60081	60081	100.00%
	December 2004	58247	58247	100.00%
	November 2004	64631	64631	100.00%
	October 2004	62062	62062	100.00%
	September 2004	62947	62947	100.00%
BI-5A Billing Accuracy & Claims Processing - Acknowledgment All Benchmark	August 2005	325	327	99.39%
	July 2005	192	193	99.48%
	June 2005	278	302	92.05%
	May 2005	153	157	97.45%
	April 2005	184	193	95.34%
	March 2005	212	215	98.60%
	February 2005	293	321	91.28%
	January 2005	294	294	100.00%
	December 2004	208	210	99.05%
	November 2004	204	204	100.00%
	October 2004	233	239	97.49%
	September 2004	265	271	97.79%
BI-5B Billing Accuracy & Claims Processing - Resolution All Benchmark	August 2005	237	267	88.76%
	July 2005	241	252	95.63%
	June 2005	325	335	97.01%
	May 2005	211	232	90.95%
	April 2005	227	234	97.01%
	March 2005	219	219	100.00%
	February 2005	269	275	97.82%
	January 2005	187	188	99.47%
	December 2004	146	161	90.68%
	November 2004	189	190	99.47%
	October 2004	306	308	99.35%
	September 2004	199	204	97.55%
CP-1A Scheduled Interval 90 Calendar Days or Less All Benchmark	August 2005	0	0	0
	July 2005	973	14	69.5
	June 2005	314	5	62.8
	May 2005	302	4	75.5
	April 2005	191	3	63.67
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	69	1	69
	December 2004	75	1	75
	November 2004	54	1	54
	October 2004	144	2	72
	September 2004	0	0	0
CP-1B Scheduled Interval 91 to 120 Calendar Days All Benchmark	August 2005	111	1	111
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	503	5	100.6

	April 2005	0	0	0
	March 2005	71	1	71
	February 2005	0	0	0
	January 2005	71	1	71
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
CP-1C Scheduled Interval 121 to 150	August 2005	832	7	118.86
Calendar Days All Benchmark	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	722	6	120.33
	April 2005	698	6	116.33
	March 2005	64	1	64
	February 2005	257	3	85.67
	January 2005	0	0	0
	December 2004	123	1	123
	November 2004	134	2	67
	October 2004	251	2	125.5
	September 2004	168	2	84
CP-2B Non-Forecasted & Late Forecasted	August 2005	1	1	100.00%
Collocations All Benchmark	July 2005	14	14	100.00%
	June 2005	5	5	100.00%
	May 2005	9	9	100.00%
	April 2005	3	3	100.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	2	2	100.00%
	September 2004	0	0	0.00%
CP-2C Collocations with Intervals Longer	August 2005	7	7	100.00%
than 120 Days All Benchmark	July 2005	3	3	100.00%
	June 2005	0	0	0.00%
	May 2005	6	6	100.00%
	April 2005	7	7	100.00%
	March 2005	1	1	100.00%
	February 2005	4	4	100.00%
	January 2005	3	3	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	October 2004	2	2	100.00%
	September 2004	5	5	100.00%
CP-3 Collocation Feasibility Study Interval	August 2005	83	10	8.3
All Benchmark	July 2005	71	8	8.88
	June 2005	19	2	9.5
	May 2005	236	25	9.44
	April 2005	106	13	8.15
	March 2005	10	1	10
	February 2005	64	7	9.14
	January 2005	105	11	9.55

	December 2004	31	4	7.75
	November 2004	45	5	9
	October 2004	36	4	9
	September 2004	8	1	8
CP-4 Collocation Feasibility Study	August 2005	10	10	100.00%
Commitments Met All Benchmark	July 2005	8	8	100.00%
	June 2005	2	2	100.00%
	May 2005	25	25	100.00%
	April 2005	13	13	100.00%
	March 2005	5	5	100.00%
	February 2005	9	9	100.00%
	January 2005	11	11	100.00%
	December 2004	4	4	100.00%
	November 2004	6	6	100.00%
	October 2004	4	4	100.00%
	September 2004	1	1	100.00%
DA-1 Speed of Answer - Directory Assistance Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
DB-1A Time to Update Databases E911 Diagnostic	August 2005	0	136891	0:21
	July 2005	0	144188	0:27
	June 2005	0	151816	0:49
	May 2005	0	144195	0:46
	April 2005	0	143995	0:37
	March 2005	0	137418	0:25
	February 2005	0	171935	0:31
	January 2005	0	288079	1:06
	December 2004	0	197074	0:24
	November 2004	0	213857	0:20
	October 2004	0	191506	0:33
	September 2004	0	155470	0:32
DB-1B Time to Update Databases LIDB Diagnostic	August 2005	5338818	5175450	0:43
	July 2005	7138765	6897206	0:57
	June 2005	6033069	5849705	0:43
	May 2005	4740550	4579868	0:57
	April 2005	5344238	5199546	0:43
	March 2005	5425077	5262607	0:43
	February 2005	4448444	4277374	0:57
	January 2005	4310690	4145982	0:57
	December 2004	5305844	5077119	1:12
	November 2004	4582329	4438879	0:43
	October 2004	5093661	4919094	0:57
	September 2004	6366056	6194011	0:43

DB-1C-1 Time to Update Databases Directory Listing Diagnostic	August 2005	82323.16	338294	5:45
	July 2005	78615.22	350575	5:16
	June 2005	78886.6	342549	5:31
	May 2005	63746.77	283984	5:16
	April 2005	63880.94	295497	5:16
	March 2005	95793.21	339270	6:43
	February 2005	86576.31	262370	7:55
	January 2005	52165.35	254458	5:02
	December 2004	51211.96	279505	4:19
	November 2004	50742.94	275126	4:19
	October 2004	56329.32	317211	4:19
	September 2004	59239.19	333148	4:19
	DB-2C-1 Accurate Database Updates Directory Listing Diagnostic	August 2005	269842	275295
July 2005		299171	302982	98.74%
June 2005		282332	287085	98.34%
May 2005		231430	235787	98.15%
April 2005		240173	244687	98.16%
March 2005		275492	280321	98.28%
February 2005		215910	219490	98.37%
January 2005		206916	210277	98.40%
December 2004		228735	232072	98.56%
November 2004		224400	227669	98.56%
October 2004		263762	267712	98.52%
September 2004		269030	273632	98.32%
GA-1 Gateway Availability - IMA-GUI All Diagnostic		August 2005	30341	30360
	July 2005	28931	28980	99.83%
	June 2005	28770	28800	99.90%
	May 2005	29096	29160	99.78%
	April 2005	28066	28140	99.74%
	March 2005	29834	29880	99.85%
	February 2005	26588	26640	99.80%
	January 2005	28955	28980	99.91%
	December 2004	29744	29880	99.54%
	November 2004	28800	28800	100.00%
	October 2004	28365	28500	99.53%
	September 2004	28800	28800	100.00%
	GA-1 Gateway Availability - IMA-GUI SIA Diagnostic	August 2005	29880	29880
July 2005		28980	28980	100.00%
June 2005		28800	28800	100.00%
May 2005		29160	29160	100.00%
April 2005		28620	28620	100.00%
March 2005		29880	29880	100.00%
February 2005		26640	26640	100.00%
January 2005		28980	28980	100.00%
December 2004		29880	29880	100.00%
November 2004		28800	28800	100.00%
October 2004		28980	28980	100.00%
September 2004		28800	28800	100.00%
GA-2 Gateway Availability - IMA-EDI Diagnostic		August 2005	30360	30360
	July 2005	28802	28980	99.39%
	June 2005	28770	28800	99.90%
	May 2005	29160	29160	100.00%

	April 2005	28140	28140	100.00%
	March 2005	29834	29880	99.85%
	February 2005	26640	26640	100.00%
	January 2005	28971	28980	99.97%
	December 2004	29744	29880	99.54%
	November 2004	28800	28800	100.00%
	October 2004	28421	28500	99.72%
	September 2004	28673	28800	99.56%
GA-3 Gateway Availability - EB-TA Diagnostic	August 2005	43200	43200	100.00%
	July 2005	41824	41850	99.94%
	June 2005	41340	41340	100.00%
	May 2005	42900	42900	100.00%
	April 2005	41700	41700	100.00%
	March 2005	43200	43200	100.00%
	February 2005	38880	38880	100.00%
	January 2005	42840	42840	100.00%
	December 2004	42660	42660	100.00%
	November 2004	41501	41760	99.38%
	October 2004	42720	42720	100.00%
	September 2004	41760	41760	100.00%
GA-4 System Availability - EXACT Diagnostic	August 2005	22860	22860	100.00%
	July 2005	21600	21600	100.00%
	June 2005	21960	21960	100.00%
	May 2005	21960	21960	100.00%
	April 2005	21600	21600	100.00%
	March 2005	22860	22860	100.00%
	February 2005	20160	20160	100.00%
	January 2005	21600	21600	100.00%
	December 2004	22860	22860	100.00%
	November 2004	21960	21960	100.00%
	October 2004	21600	21600	100.00%
	September 2004	21960	21960	100.00%
GA-6 Gateway Availability - GUI - Repair Diagnostic	August 2005	38870	39075	99.48%
	July 2005	37714	37740	99.93%
	June 2005	37410	37410	100.00%
	May 2005	38850	38850	100.00%
	April 2005	37650	37650	100.00%
	March 2005	38647	38655	99.98%
	February 2005	35108	35160	99.85%
	January 2005	38730	38730	100.00%
	December 2004	38542	38595	99.86%
	November 2004	37723	37770	99.88%
	October 2004	38604	38610	99.98%
	September 2004	37770	37770	100.00%
GA-7 Timely Outage Resolution following Software Releases Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Business Parity	August 2005	4	9	44.44%
	July 2005	4	10	40.00%
	June 2005	6	15	40.00%
	May 2005	2	14	14.29%
	April 2005	7	15	46.67%
	March 2005	9	28	32.14%
	February 2005	10	24	41.67%
	January 2005	8	24	33.33%
	December 2004	13	40	32.50%
	November 2004	10	30	33.33%
	October 2004	9	23	39.13%
	September 2004	14	21	66.67%
MR-10 Customer and Non-Qwest Related Trouble Reports Centrex Parity	August 2005	0	3	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	1	1	100.00%
	March 2005	0	2	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	3	33.33%
MR-10 Customer and Non-Qwest Related Trouble Reports Centrex 21 Parity	August 2005	2	6	33.33%
	July 2005	2	7	28.57%
	June 2005	2	5	40.00%
	May 2005	1	4	25.00%
	April 2005	0	2	0.00%
	March 2005	4	9	44.44%
	February 2005	2	6	33.33%
	January 2005	5	8	62.50%
	December 2004	3	6	50.00%
	November 2004	1	3	33.33%
	October 2004	0	3	0.00%
	September 2004	0	3	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports DS0 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	1	2	50.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	3	0.00%
	November 2004	2	2	100.00%
	October 2004	0	0	0.00%
	September 2004	1	3	33.33%

MR-10 Customer and Non-Qwest Related Trouble Reports DS1 Parity	August 2005	0	1	0.00%
	July 2005	0	1	0.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	1	9	11.11%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	1	2	50.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	1	1	100.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports E911 Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		1	3	33.33%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	0	0.00%
October 2004		1	1	100.00%
September 2004		0	1	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports ISDN Primary Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports LIS Trunk Parity	August 2005	7	22
July 2005		13	27	48.15%
June 2005		18	29	62.07%
May 2005		13	21	61.90%
April 2005		7	13	53.85%
March 2005		13	23	56.52%
February 2005		17	22	77.27%
January 2005		8	22	36.36%
December 2004		4	12	33.33%
November 2004		7	15	46.67%
October 2004		6	14	42.86%
September 2004		7	16	43.75%
MR-10 Customer and Non-Qwest Related Trouble Reports PBX Parity		August 2005	1	2
	July 2005	3	6	50.00%
	June 2005	2	3	66.67%
	May 2005	1	4	25.00%

	April 2005	2	2	100.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	2	3	66.67%
	December 2004	0	1	0.00%
	November 2004	1	1	100.00%
	October 2004	1	4	25.00%
	September 2004	1	1	100.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Qwest DSL Parity	August 2005	10	13	76.92%
	July 2005	14	27	51.85%
	June 2005	22	27	81.48%
	May 2005	23	35	65.71%
	April 2005	19	28	67.86%
	March 2005	15	25	60.00%
	February 2005	9	14	64.29%
	January 2005	11	22	50.00%
	December 2004	3	7	42.86%
	November 2004	10	18	55.56%
	October 2004	13	19	68.42%
	September 2004	3	3	100.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Residence Parity	August 2005	54	150	36.00%
	July 2005	57	117	48.72%
	June 2005	68	145	46.90%
	May 2005	60	120	50.00%
	April 2005	41	101	40.59%
	March 2005	54	131	41.22%
	February 2005	40	91	43.96%
	January 2005	64	130	49.23%
	December 2004	50	111	45.05%
	November 2004	43	108	39.81%
	October 2004	39	110	35.45%
	September 2004	49	103	47.57%
MR-10 Customer and Non-Qwest Related Trouble Reports UDIT Above DS1 Level Parity	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	4	8	50.00%
	May 2005	2	3	66.67%
	April 2005	2	5	40.00%
	March 2005	4	8	50.00%
	February 2005	0	2	0.00%
	January 2005	1	1	100.00%
	December 2004	1	2	50.00%
	November 2004	1	5	20.00%
	October 2004	1	3	33.33%
	September 2004	1	2	50.00%
MR-10 Customer and Non-Qwest Related Trouble Reports UDIT DS1 Parity	August 2005	0	5	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%

	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	1	3	33.33%
	September 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	23	64	35.94%
	July 2005	6	16	37.50%
	June 2005	5	15	33.33%
	May 2005	24	61	39.34%
	April 2005	22	62	35.48%
	March 2005	23	62	37.10%
	February 2005	18	49	36.73%
	January 2005	18	57	31.58%
	December 2004	26	82	31.71%
	November 2004	27	61	44.26%
October 2004	14	51	27.45%	
September 2004	19	56	33.93%	
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - 4 Wire Non-Loaded Parity	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
October 2004	0	0	0.00%	
September 2004	0	2	0.00%	
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - ADSL Qualified Parity	August 2005	1	2	50.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	2	0.00%
	March 2005	0	4	0.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	0	1	0.00%
	November 2004	2	2	100.00%
October 2004	1	2	50.00%	
September 2004	0	0	0.00%	
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - DS1 Capable Parity	August 2005	35	151	23.18%
	July 2005	19	115	16.52%
	June 2005	17	115	14.78%
	May 2005	28	138	20.29%
	April 2005	20	107	18.69%
	March 2005	29	136	21.32%
	February 2005	39	134	29.10%
	January 2005	22	118	18.64%
	December 2004	16	104	15.38%
	November 2004	18	114	15.79%
October 2004	19	109	17.43%	
September 2004	19	105	18.10%	

MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - DS3 Capable Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - XDSL Parity	August 2005	1	9
July 2005		23	39	58.97%
June 2005		18	44	40.91%
May 2005		1	5	20.00%
April 2005		0	0	0.00%
March 2005		1	3	33.33%
February 2005		1	4	25.00%
January 2005		0	7	0.00%
December 2004		0	4	0.00%
November 2004		1	2	50.00%
October 2004		2	5	40.00%
September 2004		1	4	25.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop Analog Parity		August 2005	136	461
	July 2005	147	435	33.79%
	June 2005	102	320	31.88%
	May 2005	117	393	29.77%
	April 2005	99	311	31.83%
	March 2005	98	327	29.97%
	February 2005	71	260	27.31%
	January 2005	139	375	37.07%
	December 2004	111	332	33.43%
	November 2004	123	358	34.36%
	October 2004	121	338	35.80%
	September 2004	110	357	30.81%
	MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop ISDN Capable Parity	August 2005	4	21
July 2005		12	36	33.33%
June 2005		7	42	16.67%
May 2005		4	34	11.76%
April 2005		4	23	17.39%
March 2005		13	45	28.89%
February 2005		3	31	9.68%
January 2005		11	35	31.43%
December 2004		8	42	19.05%
November 2004		3	22	13.64%
October 2004		11	36	30.56%
September 2004		5	19	26.32%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE - P (POTS) Parity		August 2005	15	41
	July 2005	13	37	35.14%
	June 2005	15	46	32.61%
	May 2005	15	36	41.67%

	April 2005	26	52	50.00%
	March 2005	20	52	38.46%
	February 2005	26	69	37.68%
	January 2005	51	128	39.84%
	December 2004	506	1276	39.66%
	November 2004	465	1179	39.44%
	October 2004	507	1308	38.76%
	September 2004	522	1342	38.90%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex 21) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	2	0.00%
	December 2004	6	16	37.50%
	November 2004	0	6	0.00%
	October 2004	3	9	33.33%
	September 2004	3	7	42.86%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	9	22	40.91%
	December 2004	19	40	47.50%
	November 2004	16	41	39.02%
	October 2004	17	32	53.13%
	September 2004	22	46	47.83%
MR-2 Calls Answered within 20 seconds - Interconnect Repair Center All Diagnostic	August 2005	13497	15601	86.52%
	July 2005	11580	13799	83.92%
	June 2005	12475	14472	86.20%
	May 2005	10995	12227	89.92%
	April 2005	10818	12115	89.29%
	March 2005	10851	11952	90.79%
	February 2005	9923	10805	91.84%
	January 2005	10338	11243	91.95%
	December 2004	10104	11386	88.74%
	November 2004	17899	21424	83.55%
	October 2004	11357	13653	83.18%
	September 2004	12190	13763	88.57%
MR-3A Out of Service Cleared within 24 Hours Business Parity	August 2005	3	3	100.00%
	July 2005	2	2	100.00%
	June 2005	4	4	100.00%
	May 2005	5	7	71.43%
	April 2005	4	4	100.00%
	March 2005	7	9	77.78%
	February 2005	6	7	85.71%
	January 2005	5	6	83.33%

	December 2004	11	13	84.62%
	November 2004	9	10	90.00%
	October 2004	8	8	100.00%
	September 2004	2	3	66.67%
MR-3A Out of Service Cleared within 24 Hours Centrex Parity	August 2005	1	2	50.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	1	2	50.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
MR-3A Out of Service Cleared within 24 Hours Centrex 21 Parity	August 2005	2	3	66.67%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	2	2	100.00%
	March 2005	4	4	100.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
MR-3A Out of Service Cleared within 24 Hours Line Sharing Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	3	5	60.00%
	May 2005	3	4	75.00%
	April 2005	3	4	75.00%
	March 2005	2	2	100.00%
	February 2005	3	4	75.00%
	January 2005	5	9	55.56%
	December 2004	5	8	62.50%
	November 2004	6	10	60.00%
	October 2004	10	16	62.50%
	September 2004	4	14	28.57%
MR-3A Out of Service Cleared within 24 Hours Line Splitting Parity	August 2005	5	5	100.00%
	July 2005	3	3	100.00%
	June 2005	4	4	100.00%
	May 2005	0	0	0.00%
	April 2005	1	3	33.33%
	March 2005	9	13	69.23%
	February 2005	4	4	100.00%
	January 2005	0	2	0.00%
	December 2004	3	4	75.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
	September 2004	4	6	66.67%

MR-3A Out of Service Cleared within 24 Hours PBX Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	2	100.00%
	September 2004	0	0	0.00%
MR-3A Out of Service Cleared within 24 Hours Residence Parity	August 2005	49	63	77.78%
	July 2005	28	39	71.79%
	June 2005	37	46	80.43%
	May 2005	35	41	85.37%
	April 2005	32	38	84.21%
	March 2005	50	53	94.34%
	February 2005	34	36	94.44%
	January 2005	37	43	86.05%
	December 2004	28	42	66.67%
	November 2004	31	43	72.09%
	October 2004	47	52	90.38%
	September 2004	32	35	91.43%
MR-3A Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	August 2005	17	18	94.44%
	July 2005	14	14	100.00%
	June 2005	11	11	100.00%
	May 2005	11	11	100.00%
	April 2005	11	12	91.67%
	March 2005	20	20	100.00%
	February 2005	19	21	90.48%
	January 2005	31	31	100.00%
	December 2004	353	394	89.59%
	November 2004	329	357	92.16%
	October 2004	362	390	92.82%
	September 2004	372	412	90.29%
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex 21) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	4	5	80.00%
	November 2004	4	4	100.00%
	October 2004	2	2	100.00%
	September 2004	1	1	100.00%
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	6	6	100.00%
	December 2004	15	15	100.00%
	November 2004	10	11	90.91%
	October 2004	8	9	88.89%
	September 2004	12	12	100.00%
MR-3B Out of Service Cleared within 24 Hours Business Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
MR-3B Out of Service Cleared within 24 Hours PBX Parity	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Residence Parity	August 2005	10	14	71.43%
	July 2005	4	6	66.67%
	June 2005	9	13	69.23%
	May 2005	4	6	66.67%
	April 2005	10	11	90.91%
	March 2005	4	6	66.67%
	February 2005	9	10	90.00%
	January 2005	9	9	100.00%
	December 2004	7	7	100.00%
	November 2004	6	6	100.00%
	October 2004	5	6	83.33%
	September 2004	1	3	33.33%
MR-3B Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	August 2005	2	2	100.00%
	July 2005	0	0	0.00%
	June 2005	12	12	100.00%
	May 2005	2	3	66.67%
	April 2005	5	5	100.00%
	March 2005	2	2	100.00%
	February 2005	5	5	100.00%
	January 2005	12	14	85.71%

	December 2004	71	74	95.95%
	November 2004	59	68	86.76%
	October 2004	81	86	94.19%
	September 2004	78	83	93.98%
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-3C Out of Service Cleared within 24 Hours Business Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		2	2	100.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		1	1	100.00%
February 2005		3	3	100.00%
January 2005		3	3	100.00%
December 2004		2	2	100.00%
November 2004		3	3	100.00%
October 2004		0	0	0.00%
September 2004		1	1	100.00%
MR-3C Out of Service Cleared within 24 Hours Centrex Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	MR-3C Out of Service Cleared within 24 Hours Line Sharing Parity	August 2005	0	0
July 2005		1	2	50.00%
June 2005		0	0	0.00%
May 2005		2	2	100.00%
April 2005		6	6	100.00%
March 2005		2	2	100.00%
February 2005		2	2	100.00%
January 2005		1	1	100.00%
December 2004		2	2	100.00%
November 2004		0	0	0.00%
October 2004	8	8	100.00%	
September 2004	10	10	100.00%	

MR-3C Out of Service Cleared within 24 Hours Line Splitting Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	4	4	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	October 2004	2	2	100.00%
	September 2004	0	0	0.00%
	MR-3C Out of Service Cleared within 24 Hours PBX Parity	August 2005	0	0
July 2005		2	2	100.00%
June 2005		1	1	100.00%
May 2005		1	1	100.00%
April 2005		0	0	0.00%
March 2005		1	1	100.00%
February 2005		0	0	0.00%
January 2005		1	1	100.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		1	1	100.00%
September 2004		0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Residence Parity		August 2005	6	6
	July 2005	5	5	100.00%
	June 2005	9	9	100.00%
	May 2005	5	5	100.00%
	April 2005	2	2	100.00%
	March 2005	3	3	100.00%
	February 2005	3	3	100.00%
	January 2005	2	2	100.00%
	December 2004	4	4	100.00%
	November 2004	7	7	100.00%
	October 2004	4	4	100.00%
	September 2004	7	8	87.50%
	MR-3C Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	August 2005	3	3
July 2005		2	2	100.00%
June 2005		3	3	100.00%
May 2005		2	2	100.00%
April 2005		1	1	100.00%
March 2005		1	1	100.00%
February 2005		3	3	100.00%
January 2005		7	7	100.00%
December 2004		67	68	98.53%
November 2004		61	62	98.39%
October 2004		76	77	98.70%
September 2004		92	94	97.87%
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	2	2	100.00%
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	3	3	100.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
	September 2004	2	2	100.00%
MR-3D Out of Service Cleared within 24 Hours Qwest DSL Parity	August 2005	0	0	0.00%
	July 2005	0	2	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	26	26	100.00%
	July 2005	5	5	100.00%
	June 2005	6	6	100.00%
	May 2005	20	20	100.00%
	April 2005	24	24	100.00%
	March 2005	32	32	100.00%
	February 2005	20	20	100.00%
	January 2005	27	27	100.00%
	December 2004	34	35	97.14%
	November 2004	20	20	100.00%
	October 2004	20	20	100.00%
	September 2004	25	25	100.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity	August 2005	7	7	100.00%
	July 2005	12	12	100.00%
	June 2005	14	14	100.00%
	May 2005	4	4	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	7	7	100.00%
	December 2004	3	3	100.00%
	November 2004	1	1	100.00%
	October 2004	2	2	100.00%
	September 2004	3	3	100.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity	August 2005	214	230	93.04%
	July 2005	188	201	93.53%
	June 2005	140	154	90.91%
	May 2005	164	186	88.17%
	April 2005	128	132	96.97%
	March 2005	136	141	96.45%
	February 2005	108	111	97.30%
	January 2005	159	166	95.78%
	December 2004	141	147	95.92%
	November 2004	168	168	100.00%
	October 2004	149	157	94.90%
	September 2004	167	176	94.89%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity	August 2005	4	4	100.00%
	July 2005	13	13	100.00%
	June 2005	21	21	100.00%
	May 2005	18	18	100.00%
	April 2005	11	11	100.00%
	March 2005	16	16	100.00%
	February 2005	15	15	100.00%
	January 2005	13	14	92.86%
	December 2004	13	14	92.86%
	November 2004	9	10	90.00%
	October 2004	14	15	93.33%
	September 2004	6	6	100.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	6	6	100.00%
	July 2005	3	3	100.00%
	June 2005	2	2	100.00%
	May 2005	1	1	100.00%
	April 2005	7	7	100.00%
	March 2005	3	3	100.00%
	February 2005	4	4	100.00%
	January 2005	4	4	100.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
	October 2004	6	6	100.00%
	September 2004	2	2	100.00%

MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	3	3	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity	August 2005	31	31	100.00%
	July 2005	41	43	95.35%
	June 2005	21	21	100.00%
	May 2005	15	15	100.00%
	April 2005	22	23	95.65%
	March 2005	18	18	100.00%
	February 2005	11	11	100.00%
	January 2005	11	12	91.67%
	December 2004	13	13	100.00%
	November 2004	22	23	95.65%
	October 2004	19	19	100.00%
	September 2004	12	12	100.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity	August 2005	9	9	100.00%
	July 2005	9	9	100.00%
	June 2005	8	8	100.00%
	May 2005	3	3	100.00%
	April 2005	3	3	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	3	4	75.00%
	December 2004	6	7	85.71%
	November 2004	5	5	100.00%
	October 2004	5	5	100.00%
	September 2004	6	6	100.00%
MR-4A All Troubles Cleared within 48 Hours Business Parity	August 2005	4	4	100.00%
	July 2005	4	4	100.00%
	June 2005	4	4	100.00%
	May 2005	8	8	100.00%
	April 2005	6	6	100.00%
	March 2005	11	11	100.00%
	February 2005	10	10	100.00%
	January 2005	6	6	100.00%
	December 2004	21	21	100.00%
	November 2004	12	12	100.00%
	October 2004	11	11	100.00%
	September 2004	4	4	100.00%
MR-4A All Troubles Cleared within 48 Hours Centrex Parity	August 2005	2	2	100.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%

	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
MR-4A All Troubles Cleared within 48 Hours Centrex 21 Parity	August 2005	3	3	100.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	2	2	100.00%
	March 2005	4	4	100.00%
	February 2005	4	4	100.00%
	January 2005	2	2	100.00%
	December 2004	3	3	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
MR-4A All Troubles Cleared within 48 Hours Line Sharing Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	5	5	100.00%
	May 2005	4	4	100.00%
	April 2005	4	4	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	7	9	77.78%
	December 2004	7	8	87.50%
	November 2004	9	10	90.00%
	October 2004	13	16	81.25%
	September 2004	14	14	100.00%
MR-4A All Troubles Cleared within 48 Hours Line Splitting Parity	August 2005	5	5	100.00%
	July 2005	3	3	100.00%
	June 2005	6	6	100.00%
	May 2005	2	2	100.00%
	April 2005	3	3	100.00%
	March 2005	12	13	92.31%
	February 2005	6	6	100.00%
	January 2005	2	2	100.00%
	December 2004	4	5	80.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
	September 2004	8	8	100.00%
MR-4A All Troubles Cleared within 48 Hours Residence Parity	August 2005	59	64	92.19%
	July 2005	40	40	100.00%
	June 2005	48	49	97.96%
	May 2005	42	42	100.00%
	April 2005	40	40	100.00%
	March 2005	55	55	100.00%
	February 2005	36	36	100.00%
	January 2005	48	49	97.96%

	December 2004	44	45	97.78%
	November 2004	45	45	100.00%
	October 2004	56	56	100.00%
	September 2004	39	39	100.00%
MR-4A All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	August 2005	19	20	95.00%
	July 2005	16	16	100.00%
	June 2005	12	12	100.00%
	May 2005	13	14	92.86%
	April 2005	14	14	100.00%
	March 2005	23	23	100.00%
	February 2005	26	26	100.00%
	January 2005	42	42	100.00%
	December 2004	518	522	99.23%
	November 2004	459	462	99.35%
	October 2004	501	507	98.82%
	September 2004	506	510	99.22%
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex 21) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	7	7	100.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
	September 2004	1	1	100.00%
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	6	6	100.00%
	December 2004	15	15	100.00%
	November 2004	15	15	100.00%
	October 2004	11	11	100.00%
	September 2004	17	17	100.00%
MR-4B All Troubles Cleared within 48 Hours Business Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	5	5	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%

MR-4B All Troubles Cleared within 48 Hours PBX Parity	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-4B All Troubles Cleared within 48 Hours Residence Parity	August 2005	15	16
July 2005		6	6	100.00%
June 2005		12	13	92.31%
May 2005		6	6	100.00%
April 2005		11	11	100.00%
March 2005		7	7	100.00%
February 2005		11	11	100.00%
January 2005		11	11	100.00%
December 2004		9	10	90.00%
November 2004		7	7	100.00%
October 2004		6	6	100.00%
September 2004		3	4	75.00%
MR-4B All Troubles Cleared within 48 Hours UNE - P (POTS) Parity		August 2005	2	2
	July 2005	2	2	100.00%
	June 2005	13	13	100.00%
	May 2005	4	4	100.00%
	April 2005	7	7	100.00%
	March 2005	5	5	100.00%
	February 2005	8	8	100.00%
	January 2005	14	15	93.33%
	December 2004	101	102	99.02%
	November 2004	108	109	99.08%
	October 2004	120	120	100.00%
	September 2004	116	117	99.15%
	MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex) Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		1	1	100.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Business Parity		August 2005	1	1
	July 2005	2	2	100.00%
	June 2005	5	5	100.00%
	May 2005	2	2	100.00%

	April 2005	1	1	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	2	2	100.00%
	September 2004	1	1	100.00%
MR-4C All Troubles Cleared within 48 Hours Line Sharing Parity	August 2005	0	0	0.00%
	July 2005	3	3	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	6	6	100.00%
	March 2005	2	2	100.00%
	February 2005	2	2	100.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
	September 2004	10	10	100.00%
MR-4C All Troubles Cleared within 48 Hours Line Splitting Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	4	4	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	2	2	100.00%
	December 2004	3	3	100.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
	September 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours PBX Parity	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Residence Parity	August 2005	11	11	100.00%
	July 2005	11	11	100.00%
	June 2005	12	12	100.00%
	May 2005	10	10	100.00%
	April 2005	5	5	100.00%
	March 2005	11	11	100.00%
	February 2005	4	4	100.00%
	January 2005	5	5	100.00%

	December 2004	5	5	100.00%
	November 2004	10	10	100.00%
	October 2004	6	6	100.00%
	September 2004	10	10	100.00%
MR-4C All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	August 2005	4	4	100.00%
	July 2005	6	6	100.00%
	June 2005	6	6	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	4	4	100.00%
	February 2005	7	7	100.00%
	January 2005	18	18	100.00%
	December 2004	127	127	100.00%
	November 2004	124	124	100.00%
	October 2004	158	158	100.00%
	September 2004	180	180	100.00%
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	3	3	100.00%
	November 2004	2	2	100.00%
	October 2004	3	3	100.00%
	September 2004	3	3	100.00%
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	9	9	100.00%
	October 2004	4	4	100.00%
	September 2004	6	6	100.00%
MR-4D All Troubles Cleared within 48 Hours Qwest DSL Parity	August 2005	2	2	100.00%
	July 2005	8	8	100.00%
	June 2005	5	5	100.00%
	May 2005	11	11	100.00%
	April 2005	9	9	100.00%
	March 2005	10	10	100.00%
	February 2005	5	5	100.00%
	January 2005	8	8	100.00%
	December 2004	4	4	100.00%
	November 2004	6	7	85.71%
	October 2004	5	5	100.00%
	September 2004	0	0	0.00%

MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	35	35	100.00%
	July 2005	7	7	100.00%
	June 2005	8	8	100.00%
	May 2005	36	36	100.00%
	April 2005	33	33	100.00%
	March 2005	35	35	100.00%
	February 2005	27	27	100.00%
	January 2005	35	35	100.00%
	December 2004	53	53	100.00%
	November 2004	28	28	100.00%
	October 2004	30	30	100.00%
	September 2004	35	35	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	2	2	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity	August 2005	8	8	100.00%
	July 2005	15	15	100.00%
	June 2005	26	26	100.00%
	May 2005	4	4	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	3	3	100.00%
	January 2005	7	7	100.00%
	December 2004	4	4	100.00%
	November 2004	1	1	100.00%
	October 2004	3	3	100.00%
	September 2004	3	3	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity	August 2005	293	293	100.00%
	July 2005	244	245	99.59%
	June 2005	194	194	100.00%
	May 2005	235	253	92.89%
	April 2005	182	182	100.00%
	March 2005	202	202	100.00%
	February 2005	174	174	100.00%
	January 2005	218	220	99.09%
	December 2004	204	204	100.00%
	November 2004	209	209	100.00%
	October 2004	194	195	99.49%
	September 2004	228	229	99.56%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity	August 2005	8	8	100.00%
	July 2005	15	15	100.00%
	June 2005	26	26	100.00%
	May 2005	25	25	100.00%

	April 2005	15	15	100.00%
	March 2005	24	24	100.00%
	February 2005	21	21	100.00%
	January 2005	20	20	100.00%
	December 2004	24	24	100.00%
	November 2004	14	14	100.00%
	October 2004	17	17	100.00%
	September 2004	7	7	100.00%
MR-4E All Troubles Cleared within 48 Hours Qwest DSL Parity	August 2005	1	1	100.00%
	July 2005	4	5	80.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	3	3	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	6	6	100.00%
	July 2005	3	3	100.00%
	June 2005	2	2	100.00%
	May 2005	1	1	100.00%
	April 2005	7	7	100.00%
	March 2005	4	4	100.00%
	February 2005	4	4	100.00%
	January 2005	4	4	100.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
	October 2004	7	7	100.00%
	September 2004	2	2	100.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	4	4	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity	August 2005	32	32	100.00%
	July 2005	43	43	100.00%
	June 2005	24	24	100.00%
	May 2005	23	23	100.00%
	April 2005	30	30	100.00%
	March 2005	27	27	100.00%
	February 2005	15	15	100.00%
	January 2005	16	16	100.00%

	December 2004	17	17	100.00%
	November 2004	26	26	100.00%
	October 2004	22	22	100.00%
	September 2004	18	18	100.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity	August 2005	9	9	100.00%
	July 2005	9	9	100.00%
	June 2005	9	9	100.00%
	May 2005	5	5	100.00%
	April 2005	4	4	100.00%
	March 2005	8	8	100.00%
	February 2005	7	7	100.00%
	January 2005	4	4	100.00%
	December 2004	9	10	90.00%
	November 2004	5	5	100.00%
	October 2004	8	8	100.00%
	September 2004	7	7	100.00%
MR-5A All Troubles Cleared within 4 Hours DS0 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	3	3	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
MR-5A All Troubles Cleared within 4 Hours DS1 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours E911 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%

MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS0 Capable Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	2	100.00%
	September 2004	0	0	0.00%
	MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity	August 2005	47	73
July 2005		38	49	77.55%
June 2005		32	41	78.05%
May 2005		40	59	67.80%
April 2005		36	47	76.60%
March 2005		33	42	78.57%
February 2005		29	40	72.50%
January 2005		33	46	71.74%
December 2004		38	49	77.55%
November 2004		33	47	70.21%
October 2004		36	47	76.60%
September 2004		27	32	84.38%
MR-5A All Troubles Cleared within 4 Hours LIS Trunk Parity		August 2005	8	9
	July 2005	10	10	100.00%
	June 2005	8	9	88.89%
	May 2005	6	6	100.00%
	April 2005	3	3	100.00%
	March 2005	4	5	80.00%
	February 2005	4	4	100.00%
	January 2005	11	11	100.00%
	December 2004	3	4	75.00%
	November 2004	2	3	66.67%
	October 2004	7	7	100.00%
	September 2004	8	8	100.00%
	MR-5A All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity	August 2005	1	1
July 2005		0	0	0.00%
June 2005		3	4	75.00%
May 2005		1	1	100.00%
April 2005		2	2	100.00%
March 2005		3	4	75.00%
February 2005		1	1	100.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		2	3	66.67%
October 2004		2	2	100.00%
September 2004		1	1	100.00%
MR-5A All Troubles Cleared within 4 Hours UDIT DS1 Parity		August 2005	1	4
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours	August 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded Parity	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	2	50.00%
MR-5A All Troubles Cleared within 4 Hours	August 2005	56	104	53.85%
Unbundled Loop - DS1 Capable Parity	July 2005	50	72	69.44%
	June 2005	57	85	67.06%
	May 2005	58	88	65.91%
	April 2005	42	79	53.16%
	March 2005	65	96	67.71%
	February 2005	53	77	68.83%
	January 2005	63	91	69.23%
	December 2004	56	74	75.68%
	November 2004	57	84	67.86%
	October 2004	51	78	65.38%
	September 2004	51	76	67.11%
MR-5A All Troubles Cleared within 4 Hours	August 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	August 2005	0	0	0.00%
DS0 Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours DS1 Parity	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	6	7	85.71%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-5B All Troubles Cleared within 4 Hours E911 Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		1	1	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity		August 2005	13	16
	July 2005	0	5	0.00%
	June 2005	9	12	75.00%
	May 2005	15	19	78.95%
	April 2005	0	5	0.00%
	March 2005	16	20	80.00%
	February 2005	11	15	73.33%
	January 2005	10	15	66.67%
	December 2004	2	2	100.00%
	November 2004	6	7	85.71%
	October 2004	11	14	78.57%
	September 2004	6	12	50.00%
	MR-5B All Troubles Cleared within 4 Hours LIS Trunk Parity	August 2005	6	6
July 2005		4	4	100.00%
June 2005		2	2	100.00%
May 2005		2	2	100.00%
April 2005		2	3	66.67%
March 2005		5	5	100.00%
February 2005		0	1	0.00%
January 2005		3	3	100.00%
December 2004		2	4	50.00%
November 2004		5	5	100.00%
October 2004	0	1	0.00%	
September 2004	1	1	100.00%	

MR-5B All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-5B All Troubles Cleared within 4 Hours UDIT DS1 Parity	August 2005	1	1
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
October 2004		1	1	100.00%
September 2004		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity		August 2005	9	12
	July 2005	16	24	66.67%
	June 2005	8	13	61.54%
	May 2005	10	22	45.45%
	April 2005	5	8	62.50%
	March 2005	10	11	90.91%
	February 2005	6	18	33.33%
	January 2005	4	5	80.00%
	December 2004	8	14	57.14%
	November 2004	6	12	50.00%
	October 2004	6	12	50.00%
	September 2004	6	10	60.00%
	MR-6A Mean Time to Restore Business Parity	August 2005	2.06875	4
July 2005		2.28125	4	57.01%
June 2005		1.97361111	4	49.31%
May 2005		5.11875	8	63.96%
April 2005		2.30972222	6	38.47%
March 2005		6.78819444	11	61.74%
February 2005		5.77083333	10	57.71%
January 2005		3.21111111	6	53.54%
December 2004		12.8826389	21	61.32%
November 2004		5.78958333	12	48.26%
October 2004		4.80625	11	43.68%
September 2004		2.11319444	4	52.85%
MR-6A Mean Time to Restore Centrex Parity		August 2005	2.48194444	2
	July 2005	0	0	0.00%
	June 2005	0.92986111	1	92.99%
	May 2005	1.84027778	1	184.03%

	April 2005	0	0	0.00%
	March 2005	1.1375	2	56.88%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0.23958333	1	23.96%
MR-6A Mean Time to Restore Centrex 21 Parity	August 2005	2.03541667	3	16:17
	July 2005	0.76805556	2	9:13
	June 2005	0	0	0:00
	May 2005	1.28055556	3	10:15
	April 2005	1.71111111	2	20:32
	March 2005	1.27430556	4	7:39
	February 2005	0.67291667	4	4:02
	January 2005	2.75	2	9:00
	December 2004	0.91805556	3	7:21
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.25833333	2	3:06
MR-6A Mean Time to Restore Line Sharing Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	4.49444444	5	21:34
	May 2005	3.87430556	4	23:15
	April 2005	2.74097222	4	16:27
	March 2005	1.13611111	2	13:38
	February 2005	3.60902778	4	21:39
	January 2005	10.7513889	9	4:40
	December 2004	8.16111111	8	0:29
	November 2004	10.8125	10	1:57
	October 2004	15.9819444	16	23:58
	September 2004	15.53125	14	2:37
MR-6A Mean Time to Restore Line Splitting Parity	August 2005	3.47430556	5	16:41
	July 2005	2.52638889	3	20:13
	June 2005	4.16319444	6	16:39
	May 2005	1.05972222	2	12:43
	April 2005	2.42638889	3	19:25
	March 2005	11.9645833	13	22:05
	February 2005	4.77222222	6	19:05
	January 2005	2.26875	2	3:13
	December 2004	3.49166667	5	16:46
	November 2004	1.90763889	4	11:27
	October 2004	1.87708333	3	15:01
	September 2004	6.24305556	8	18:44
MR-6A Mean Time to Restore PBX Parity	August 2005	0	0	0:00
	July 2005	0.03194444	1	0:46
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00

	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.44930556	2	5:23
	September 2004	0	0	0:00
MR-6A Mean Time to Restore Residence Parity	August 2005	60.0340278	64	22:31
	July 2005	31.9590278	40	19:11
	June 2005	32.7895833	49	16:04
	May 2005	23.0465278	42	13:10
	April 2005	25.4625	40	15:17
	March 2005	25.4604167	55	11:07
	February 2005	24.3673611	36	16:15
	January 2005	34.5034722	49	16:54
	December 2004	37.2381944	45	19:52
	November 2004	35.6215278	45	19:00
	October 2004	36.9145833	56	15:49
	September 2004	26.4909722	39	16:18
MR-6A Mean Time to Restore UNE - P (POTS) Parity	August 2005	14.55	20	17:28
	July 2005	6.64930556	16	9:58
	June 2005	6.08888889	12	12:11
	May 2005	9.95833333	14	17:04
	April 2005	7.55902778	14	12:57
	March 2005	12.0236111	23	12:33
	February 2005	13.1625	26	12:09
	January 2005	19.0645833	42	10:54
	December 2004	294.780556	522	13:33
	November 2004	251.170833	462	13:03
	October 2004	268.029861	507	12:41
	September 2004	283.652778	510	13:21
MR-6A Mean Time to Restore UNE P (Centrex 21) Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.24375	1	5:51
	December 2004	4.80972222	7	16:29
	November 2004	1.82152778	4	10:56
	October 2004	0.38888889	3	3:07
	September 2004	0.79375	1	19:03
MR-6A Mean Time to Restore UNE P (Centrex) Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.80555556	6	3:13
	December 2004	2.67777778	15	4:17
	November 2004	4.54305556	15	7:16
	October 2004	4.19583333	11	9:09
	September 2004	8.66527778	17	12:14

MR-6B Mean Time to Restore Business Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.28472222	2	3:25
	April 2005	0.12638889	1	3:02
	March 2005	0.87569444	1	21:01
	February 2005	0.13819444	1	3:19
	January 2005	1.58263889	5	7:36
	December 2004	0.05	1	1:12
	November 2004	0.58888889	3	4:43
	October 2004	0	0	0:00
	September 2004	0.22152778	2	2:39
	MR-6B Mean Time to Restore Centrex 21 Parity	August 2005	0	0
July 2005		0.825	1	19:48
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0.05	1	1:12
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
September 2004		0	0	0:00
MR-6B Mean Time to Restore PBX Parity		August 2005	0.14930556	1
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.68194444	2	8:11
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0.09861111	1	2:22
	January 2005	0	0	0:00
	December 2004	0.26597222	1	6:23
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	MR-6B Mean Time to Restore Residence Parity	August 2005	13.1590278	16
July 2005		5.94861111	6	23:48
June 2005		9.88472222	13	18:15
May 2005		3.09930556	6	12:24
April 2005		7.55694444	11	16:29
March 2005		3.3	7	11:19
February 2005		6.17430556	11	13:28
January 2005		4.73055556	11	10:19
December 2004		7.20069444	10	17:17
November 2004		3.17638889	7	10:53
October 2004		3.44444444	6	13:47
September 2004		7.73402778	4	22:24
MR-6B Mean Time to Restore UNE - P (POTS) Parity		August 2005	1.40416667	2
	July 2005	0.59444444	2	7:08
	June 2005	4.74652778	13	8:46
	May 2005	1.56180556	4	9:22

	April 2005	2.38333333	7	8:10
	March 2005	0.82847222	5	3:59
	February 2005	2.54375	8	7:38
	January 2005	9.60138889	15	15:22
	December 2004	44.7097222	102	10:31
	November 2004	43.5625	109	9:36
	October 2004	47.0208333	120	9:24
	September 2004	56.6854167	117	11:38
MR-6B Mean Time to Restore UNE P (Centrex) Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.125	1	3:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6C Mean Time to Restore Business Parity	August 2005	0.02569444	1	0:37
	July 2005	0.02777778	2	0:20
	June 2005	0.75277778	5	3:37
	May 2005	0.02013889	2	0:14
	April 2005	0.03611111	1	0:52
	March 2005	0.26875	7	0:55
	February 2005	0.16319444	3	1:18
	January 2005	0.30833333	5	1:29
	December 2004	0.4375	5	2:06
	November 2004	0.74375	4	4:28
	October 2004	0.08402778	2	1:00
	September 2004	0.25833333	1	6:12
MR-6C Mean Time to Restore Centrex Parity	August 2005	0.00069444	1	0:01
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.04652778	1	1:07
MR-6C Mean Time to Restore Centrex 21 Parity	August 2005	0.03263889	1	0:47
	July 2005	0.09861111	1	2:22
	June 2005	0.8125	2	9:45
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.08472222	1	2:02

	December 2004	0	0	0:00
	November 2004	0.00277778	1	0:04
	October 2004	0.05347222	3	0:26
	September 2004	0.025	1	0:36
MR-6C Mean Time to Restore Line Sharing Parity	August 2005	0	0	0:00
	July 2005	1.42847222	3	11:26
	June 2005	0	0	0:00
	May 2005	0.23680556	3	1:54
	April 2005	0.9125	6	3:39
	March 2005	0.19166667	2	2:18
	February 2005	0.10694444	2	1:17
	January 2005	0.06319444	2	0:45
	December 2004	0.54375	2	6:31
	November 2004	0	0	0:00
	October 2004	2.11875	8	6:21
	September 2004	1.05416667	10	2:32
MR-6C Mean Time to Restore Line Splitting Parity	August 2005	0	0	0:00
	July 2005	0.06041667	1	1:27
	June 2005	0	0	0:00
	May 2005	0.00486111	4	0:02
	April 2005	0.58541667	4	3:31
	March 2005	0.23680556	1	5:41
	February 2005	0.86458333	2	10:22
	January 2005	0.20486111	2	2:27
	December 2004	0.12361111	3	0:59
	November 2004	0.32569444	4	1:57
	October 2004	0.59097222	3	4:44
	September 2004	0	0	0:00
MR-6C Mean Time to Restore PBX Parity	August 2005	0	0	0:00
	July 2005	0.08263889	2	1:00
	June 2005	0.03194444	1	0:46
	May 2005	0.03611111	1	0:52
	April 2005	0	0	0:00
	March 2005	0.0125	1	0:18
	February 2005	0	0	0:00
	January 2005	0.02013889	1	0:29
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.04097222	1	0:59
	September 2004	0	0	0:00
MR-6C Mean Time to Restore Residence Parity	August 2005	0.88194444	11	1:55
	July 2005	0.925	11	2:01
	June 2005	0.97847222	12	1:57
	May 2005	1.16041667	10	2:47
	April 2005	0.64513889	5	3:06
	March 2005	0.57847222	11	1:16
	February 2005	0.94513889	4	5:40
	January 2005	0.51944444	5	2:30
	December 2004	1.96319444	5	9:25
	November 2004	3.18125	10	7:38
	October 2004	2.04236111	6	8:10
	September 2004	4.00902778	10	9:37

MR-6C Mean Time to Restore UNE - P (POTS) Parity	August 2005	0.81111111	4	4:52
	July 2005	0.70486111	6	2:49
	June 2005	0.07222222	6	0:17
	May 2005	0.07083333	3	0:34
	April 2005	0.28125	5	1:21
	March 2005	0.22222222	4	1:20
	February 2005	0.41527778	7	1:25
	January 2005	1.42986111	18	1:54
	December 2004	20.3486111	127	3:51
	November 2004	19.6958333	124	3:49
	October 2004	20.5069444	158	3:07
	September 2004	29.9055556	180	3:59
MR-6C Mean Time to Restore UNE P (Centrex 21) Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.1875	3	1:30
	November 2004	0.00763889	2	0:05
	October 2004	0.33888889	3	2:43
	September 2004	0.15	3	1:12
MR-6C Mean Time to Restore UNE P (Centrex) Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.31736111	5	1:31
	December 2004	1.42986111	5	6:52
	November 2004	1.47916667	9	3:57
	October 2004	0.45486111	4	2:44
	September 2004	0.42638889	6	1:42
MR-6D Mean Time to Restore Dark Fiber - Loop Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.00555556	1	0:08
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.85486111	1	20:31
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6D Mean Time to Restore DS0 Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00

	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.14513889	3	1:10
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.22638889	2	2:43
MR-6D Mean Time to Restore DS1 Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.02430556	1	0:35
	March 2005	0.26875	1	6:27
	February 2005	0.25486111	1	6:07
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.01944444	1	0:28
	September 2004	0	0	0:00
MR-6D Mean Time to Restore E911 Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.02569444	1	0:37
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0.05277778	1	1:16
MR-6D Mean Time to Restore Enhanced Extended Loops - DS0 Capable Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.12152778	2	1:28
	September 2004	0	0	0:00
MR-6D Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity	August 2005	15.5729167	73	5:07
	July 2005	6.39722222	49	3:08
	June 2005	4.88472222	41	2:52
	May 2005	11.3541667	59	4:37
	April 2005	7.08541667	47	3:37
	March 2005	5.58055556	42	3:11
	February 2005	5.59861111	40	3:22
	January 2005	6.35416667	46	3:19

	December 2004	9.73333333	49	4:46
	November 2004	5.58472222	47	2:51
	October 2004	5.89027778	47	3:00
	September 2004	3.67916667	32	2:46
MR-6D Mean Time to Restore LIS Trunk Parity	August 2005	0.48402778	9	1:17
	July 2005	0.56736111	10	1:22
	June 2005	0.56944444	9	1:31
	May 2005	0.16458333	6	0:39
	April 2005	0.15277778	3	1:13
	March 2005	0.39861111	5	1:55
	February 2005	0.14166667	4	0:51
	January 2005	0.57013889	11	1:15
	December 2004	0.46388889	4	2:47
	November 2004	0.40208333	3	3:13
	October 2004	0.36111111	7	1:14
	September 2004	0.34305556	8	1:02
	MR-6D Mean Time to Restore Qwest DSL Parity	August 2005	2.01458333	2
July 2005		5.55763889	8	16:40
June 2005		0.95486111	5	4:35
May 2005		3.49444444	11	7:37
April 2005		2.75069444	9	7:20
March 2005		1.95833333	10	4:42
February 2005		0.24930556	5	1:12
January 2005		3.12986111	8	9:23
December 2004		0.08958333	4	0:32
November 2004		8.41458333	7	4:51
October 2004		1.16944444	5	5:37
September 2004		0	0	0:00
MR-6D Mean Time to Restore UDIT Above DS1 Level Parity		August 2005	0.11875	1
	July 2005	0	0	0:00
	June 2005	0.8875	4	5:19
	May 2005	0.0625	1	1:30
	April 2005	0.15555556	2	1:52
	March 2005	0.45486111	4	2:44
	February 2005	0.10138889	1	2:26
	January 2005	0	0	0:00
	December 2004	0.07777778	1	1:52
	November 2004	0.47152778	3	3:46
	October 2004	0.13888889	2	1:40
	September 2004	0.06805556	1	1:38
	MR-6D Mean Time to Restore UDIT DS1 Parity	August 2005	0.76527778	4
July 2005		0.09791667	1	2:21
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004	0.05486111	1	1:19	
September 2004	0	0	0:00	

MR-6D Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	4.98055556	35	3:25
	July 2005	1.00069444	7	3:26
	June 2005	0.60625	8	1:49
	May 2005	5.98819444	36	4:00
	April 2005	5.38055556	33	3:55
	March 2005	3.92638889	35	2:42
	February 2005	5.20763889	27	4:38
	January 2005	6.18055556	35	4:14
	December 2004	8.56527778	53	3:53
	November 2004	3.74236111	28	3:12
	October 2004	3.41875	30	2:44
	September 2004	4.30972222	35	2:57
	MR-6D Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Parity	August 2005	0	0
July 2005		0.14027778	1	3:22
June 2005		0	0	0:00
May 2005		0.1125	1	2:42
April 2005		0	0	0:00
March 2005		0.14513889	2	1:44
February 2005		0.17430556	1	4:11
January 2005		0	0	0:00
December 2004		0.08888889	1	2:08
November 2004		0	0	0:00
October 2004		0	0	0:00
September 2004		0.45277778	2	5:26
MR-6D Mean Time to Restore Unbundled Loop - ADSL Qualified Parity		August 2005	0.11736111	1
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.175	2	2:06
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.0875	1	2:06
	November 2004	0	0	0:00
	October 2004	0.14097222	1	3:23
	September 2004	0	0	0:00
	MR-6D Mean Time to Restore Unbundled Loop - DS1 Capable Parity	August 2005	26.4291667	104
July 2005		11.8166667	72	3:56
June 2005		14.2756944	85	4:02
May 2005		23.8013889	88	6:29
April 2005		18.4291667	79	5:36
March 2005		15.9270833	96	3:59
February 2005		11.5826389	77	3:37
January 2005		17.3597222	91	4:35
December 2004		10.5416667	74	3:25
November 2004		13.0888889	84	3:44
October 2004		13.0555556	78	4:01
September 2004		14.5756944	76	4:36
MR-6D Mean Time to Restore Unbundled Loop - DS3 Capable Parity		August 2005	0	0
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.03055556	1	0:44

	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6D Mean Time to Restore Unbundled Loop - XDSLi Parity	August 2005	0.45208333	8	1:21
	July 2005	2.33888889	15	3:45
	June 2005	4.13333333	26	3:49
	May 2005	0.80625	4	4:50
	April 2005	0	0	0:00
	March 2005	0.28472222	2	3:25
	February 2005	0.56666667	3	4:32
	January 2005	0.68263889	7	2:20
	December 2004	0.28125	4	1:41
	November 2004	0.05486111	1	1:19
	October 2004	0.28055556	3	2:15
	September 2004	0.46319444	3	3:42
MR-6D Mean Time to Restore Unbundled Loop Analog Parity	August 2005	142.857639	293	11:42
	July 2005	118.3	245	11:35
	June 2005	84.9222222	194	10:30
	May 2005	150.4375	253	14:16
	April 2005	78.2451389	182	10:19
	March 2005	68.3395833	202	8:07
	February 2005	50.1590278	174	6:55
	January 2005	101.20625	220	11:02
	December 2004	60.8770833	204	7:10
	November 2004	64.4368056	209	7:24
	October 2004	75.6236111	195	9:18
	September 2004	88.4013889	229	9:16
MR-6D Mean Time to Restore Unbundled Loop ISDN Capable Parity	August 2005	1.91319444	8	5:44
	July 2005	3.06319444	15	4:54
	June 2005	4.21666667	26	3:54
	May 2005	3.8875	25	3:44
	April 2005	2.52291667	15	4:02
	March 2005	3.53541667	24	3:32
	February 2005	3.77916667	21	4:19
	January 2005	5.64236111	20	6:46
	December 2004	4.61388889	24	4:37
	November 2004	3.47361111	14	5:57
	October 2004	2.775	17	3:55
	September 2004	1.06597222	7	3:39
MR-6E Mean Time to Restore DS0 Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.11597222	1	2:47
	April 2005	0.0125	1	0:18
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00

	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6E Mean Time to Restore DS1 Parity	August 2005	0.14791667	1	3:33
	July 2005	0.09444444	1	2:16
	June 2005	0.03958333	2	0:28
	May 2005	0	0	0:00
	April 2005	0.63263889	7	2:10
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.09305556	1	2:14
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6E Mean Time to Restore E911 Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.025	1	0:36
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.02708333	1	0:39
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6E Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity	August 2005	2.25902778	16	3:23
	July 2005	1.29652778	5	6:13
	June 2005	1.3375	12	2:40
	May 2005	2.47916667	19	3:08
	April 2005	1.58888889	5	7:38
	March 2005	2.49722222	20	3:00
	February 2005	2.3625	15	3:47
	January 2005	2.49097222	15	3:59
	December 2004	0.04166667	2	0:30
	November 2004	0.73402778	7	2:31
	October 2004	1.93541667	14	3:19
	September 2004	2.34375	12	4:41
MR-6E Mean Time to Restore ISDN Primary Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.16805556	2	2:01
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00

MR-6E Mean Time to Restore LIS Trunk Parity	August 2005	0.18680556	6	0:45
	July 2005	0.17291667	4	1:02
	June 2005	0.14166667	2	1:42
	May 2005	0.04305556	2	0:31
	April 2005	0.40833333	3	3:16
	March 2005	0.37222222	5	1:47
	February 2005	0.42638889	1	10:14
	January 2005	0.04861111	3	0:23
	December 2004	0.87083333	4	5:13
	November 2004	0.49652778	5	2:23
	October 2004	0.70069444	1	16:49
	September 2004	0.14166667	1	3:24
	MR-6E Mean Time to Restore Qwest DSL Parity	August 2005	0.00138889	1
July 2005		4.36458333	5	20:57
June 2005		0	0	0:00
May 2005		1.9	1	21:36
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0.15763889	3	1:16
December 2004		0	0	0:00
November 2004		0.00069444	1	0:01
October 2004		0.80555556	1	19:20
September 2004		0	0	0:00
MR-6E Mean Time to Restore UDIT DS1 Parity		August 2005	0.15	1
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.03333333	1	0:48
	November 2004	0	0	0:00
	October 2004	0.09097222	1	2:11
	September 2004	0	0	0:00
	MR-6E Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	0.64305556	6
July 2005		0.35763889	3	2:52
June 2005		0.18819444	2	2:16
May 2005		0.36875	1	8:51
April 2005		1.00069444	7	3:26
March 2005		0.30972222	4	1:52
February 2005		0.44513889	4	2:40
January 2005		0.83958333	4	5:02
December 2004		0.35138889	3	2:49
November 2004		1.27430556	6	5:06
October 2004		0.94513889	7	3:14
September 2004		0.125	2	1:30
MR-6E Mean Time to Restore Unbundled Loop - ADSL Qualified Parity		August 2005	0	0
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00

	April 2005	0	0	0:00
	March 2005	0.25486111	4	1:32
	February 2005	0	0	0:00
	January 2005	0.0375	1	0:54
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - DS1 Capable Parity	August 2005	1.35416667	12	2:42
	July 2005	3.08888889	24	3:05
	June 2005	1.99305556	13	3:41
	May 2005	4.98472222	22	5:26
	April 2005	1.33055556	8	4:00
	March 2005	1.23958333	11	2:42
	February 2005	5.49444444	18	7:20
	January 2005	0.50347222	5	2:25
	December 2004	2.61388889	14	4:29
	November 2004	2.29375	12	4:35
	October 2004	4.19930556	12	8:24
	September 2004	2.45625	10	5:54
MR-6E Mean Time to Restore Unbundled Loop Analog Parity	August 2005	10.9131944	32	8:11
	July 2005	17.1777778	43	9:35
	June 2005	5.14861111	24	5:09
	May 2005	8.41180556	23	8:47
	April 2005	9.45833333	30	7:34
	March 2005	8.48472222	27	7:33
	February 2005	5.53333333	15	8:51
	January 2005	9.95763889	16	14:56
	December 2004	3.55625	17	5:01
	November 2004	5.66875	26	5:14
	October 2004	5.73194444	22	6:15
	September 2004	5.35625	18	7:09
MR-6E Mean Time to Restore Unbundled Loop ISDN Capable Parity	August 2005	1.41736111	9	3:47
	July 2005	1.54791667	9	4:08
	June 2005	1.6125	9	4:18
	May 2005	1.17222222	5	5:38
	April 2005	0.64444444	4	3:52
	March 2005	1.31388889	8	3:57
	February 2005	2.46388889	7	8:27
	January 2005	2.22222222	4	13:20
	December 2004	7.84652778	10	18:50
	November 2004	0.79513889	5	3:49
	October 2004	1.01597222	8	3:03
	September 2004	0.75277778	7	2:35
MR-7A Repair Repeat Report Rate Business Parity	August 2005	0	0	0:00
	July 2005	0	4	0:00
	June 2005	1	4	6:00
	May 2005	0	8	0:00
	April 2005	0	6	0:00
	March 2005	2	11	4:21
	February 2005	0	10	0:00
	January 2005	1	6	4:00

	December 2004	1	21	1:08
	November 2004	1	12	1:59
	October 2004	2	12	4:00
	September 2004	0	4	0:00
MR-7A Repair Repeat Report Rate Centrex Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	1	0.00%
MR-7A Repair Repeat Report Rate Centrex 21 Parity	August 2005	0	0	0.00%
	July 2005	0	3	0.00%
	June 2005	0	1	0.00%
	May 2005	1	3	33.33%
	April 2005	0	2	0.00%
	March 2005	0	4	0.00%
	February 2005	2	4	50.00%
	January 2005	0	2	0.00%
	December 2004	1	3	33.33%
	November 2004	0	1	0.00%
	October 2004	0	0	0.00%
	September 2004	0	2	0.00%
MR-7A Repair Repeat Report Rate Line Sharing Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	5	0.00%
	May 2005	2	5	40.00%
	April 2005	1	5	20.00%
	March 2005	0	2	0.00%
	February 2005	1	4	25.00%
	January 2005	2	9	22.22%
	December 2004	2	9	22.22%
	November 2004	1	10	10.00%
	October 2004	2	16	12.50%
	September 2004	1	16	6.25%
MR-7A Repair Repeat Report Rate Line Splitting Parity	August 2005	0	0	0.00%
	July 2005	0	3	0.00%
	June 2005	0	6	0.00%
	May 2005	0	2	0.00%
	April 2005	0	3	0.00%
	March 2005	1	13	7.69%
	February 2005	0	6	0.00%
	January 2005	1	2	50.00%
	December 2004	0	5	0.00%
	November 2004	0	4	0.00%
	October 2004	0	3	0.00%
	September 2004	0	8	0.00%

MR-7A Repair Repeat Report Rate Residence Parity	August 2005	0	0	0.00%
	July 2005	3	42	7.14%
	June 2005	1	52	1.92%
	May 2005	2	44	4.55%
	April 2005	1	44	2.27%
	March 2005	3	58	5.17%
	February 2005	0	36	0.00%
	January 2005	3	50	6.00%
	December 2004	2	46	4.35%
	November 2004	1	47	2.13%
	October 2004	6	59	10.17%
	September 2004	5	40	12.50%
	MR-7A Repair Repeat Report Rate UNE - P (POTS) Parity	August 2005	0	0
July 2005		0	16	0.00%
June 2005		2	12	16.67%
May 2005		2	14	14.29%
April 2005		2	14	14.29%
March 2005		1	23	4.35%
February 2005		4	27	14.81%
January 2005		4	44	9.09%
December 2004		50	538	9.29%
November 2004		38	478	7.95%
October 2004		38	520	7.31%
September 2004		40	520	7.69%
MR-7A Repair Repeat Report Rate UNE P (Centrex 21) Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	1	7	14.29%
	November 2004	0	4	0.00%
	October 2004	0	3	0.00%
	September 2004	0	1	0.00%
	MR-7A Repair Repeat Report Rate UNE P (Centrex) Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	7	0.00%
December 2004		0	16	0.00%
November 2004		2	16	12.50%
October 2004		0	11	0.00%
September 2004		0	18	0.00%
MR-7B Repair Repeat Report Rate Business Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	2	0.00%

	April 2005	0	1	0.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	1	5	20.00%
	December 2004	0	1	0.00%
	November 2004	0	4	0.00%
	October 2004	0	0	0.00%
	September 2004	0	2	0.00%
MR-7B Repair Repeat Report Rate Centrex 21 Parity	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Residence Parity	August 2005	0	0	0.00%
	July 2005	0	7	0.00%
	June 2005	1	13	7.69%
	May 2005	2	6	33.33%
	April 2005	1	11	9.09%
	March 2005	0	8	0.00%
	February 2005	1	11	9.09%
	January 2005	1	11	9.09%
	December 2004	0	10	0.00%
	November 2004	1	8	12.50%
	October 2004	1	6	16.67%
	September 2004	0	4	0.00%
MR-7B Repair Repeat Report Rate UNE - P (POTS) Parity	August 2005	0	0	0.00%
	July 2005	1	2	50.00%
	June 2005	2	13	15.38%
	May 2005	1	4	25.00%
	April 2005	0	7	0.00%
	March 2005	0	5	0.00%
	February 2005	0	9	0.00%
	January 2005	0	15	0.00%
	December 2004	8	105	7.62%
	November 2004	10	111	9.01%
	October 2004	9	123	7.32%
	September 2004	16	119	13.45%
MR-7B Repair Repeat Report Rate UNE P (Centrex) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7C Repair Repeat Report Rate	August 2005	0	0	0.00%
Business Parity	July 2005	0	2	0.00%
	June 2005	0	5	0.00%
	May 2005	0	2	0.00%
	April 2005	0	1	0.00%
	March 2005	1	7	14.29%
	February 2005	0	3	0.00%
	January 2005	1	5	20.00%
	December 2004	0	5	0.00%
	November 2004	2	4	50.00%
	October 2004	0	2	0.00%
	September 2004	0	1	0.00%
MR-7C Repair Repeat Report Rate Centrex	August 2005	0	0	0.00%
21 Parity	July 2005	0	1	0.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	3	0.00%
	September 2004	1	1	100.00%
MR-7C Repair Repeat Report Rate Line	August 2005	0	0	0.00%
Sharing Parity	July 2005	2	4	50.00%
	June 2005	0	0	0.00%
	May 2005	0	3	0.00%
	April 2005	2	6	33.33%
	March 2005	1	2	50.00%
	February 2005	1	2	50.00%
	January 2005	0	2	0.00%
	December 2004	0	2	0.00%
	November 2004	0	0	0.00%
	October 2004	1	9	11.11%
	September 2004	5	11	45.45%
MR-7C Repair Repeat Report Rate Line	August 2005	0	0	0.00%
Splitting Parity	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	4	0.00%
	April 2005	0	4	0.00%
	March 2005	1	1	100.00%
	February 2005	0	2	0.00%
	January 2005	1	2	50.00%
	December 2004	0	3	0.00%
	November 2004	0	4	0.00%
	October 2004	0	4	0.00%
	September 2004	0	0	0.00%

MR-7C Repair Repeat Report Rate PBX Parity	August 2005	0	0	0.00%
	July 2005	0	2	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
	MR-7C Repair Repeat Report Rate Residence Parity	August 2005	0	0
July 2005		3	11	27.27%
June 2005		2	12	16.67%
May 2005		0	10	0.00%
April 2005		0	5	0.00%
March 2005		3	11	27.27%
February 2005		1	4	25.00%
January 2005		1	5	20.00%
December 2004		0	5	0.00%
November 2004		2	10	20.00%
October 2004		0	6	0.00%
September 2004		1	10	10.00%
MR-7C Repair Repeat Report Rate UNE - P (POTS) Parity		August 2005	0	0
	July 2005	0	6	0.00%
	June 2005	1	6	16.67%
	May 2005	0	3	0.00%
	April 2005	1	5	20.00%
	March 2005	1	4	25.00%
	February 2005	1	7	14.29%
	January 2005	1	18	5.56%
	December 2004	15	127	11.81%
	November 2004	13	125	10.40%
	October 2004	24	158	15.19%
	September 2004	25	181	13.81%
	MR-7C Repair Repeat Report Rate UNE P (Centrex 21) Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		1	3	33.33%
November 2004		1	2	50.00%
October 2004		1	3	33.33%
September 2004		1	3	33.33%
MR-7C Repair Repeat Report Rate UNE P (Centrex) Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	5	20.00%
	December 2004	2	5	40.00%
	November 2004	0	9	0.00%
	October 2004	0	4	0.00%
	September 2004	1	6	16.67%
MR-7D Repair Repeat Report Rate DS0 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	3	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	2	0.00%
MR-7D Repair Repeat Report Rate DS1 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	2	0.00%
	September 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity	August 2005	0	0	0.00%
	July 2005	6	49	12.24%
	June 2005	6	41	14.63%
	May 2005	4	59	6.78%
	April 2005	10	46	21.74%
	March 2005	4	42	9.52%
	February 2005	12	40	30.00%
	January 2005	11	46	23.91%

	December 2004	6	49	12.24%
	November 2004	8	47	17.02%
	October 2004	15	47	31.91%
	September 2004	1	32	3.13%
MR-7D Repair Repeat Report Rate	August 2005	0	0	0.00%
Enhanced Extended Loops - DS3 Capable Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	1	0.00%
MR-7D Repair Repeat Report Rate ISDN Primary Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate LIS Trunk Parity	August 2005	0	0	0.00%
	July 2005	0	10	0.00%
	June 2005	1	9	11.11%
	May 2005	0	6	0.00%
	April 2005	0	3	0.00%
	March 2005	0	5	0.00%
	February 2005	0	4	0.00%
	January 2005	1	11	9.09%
	December 2004	0	4	0.00%
	November 2004	0	3	0.00%
	October 2004	0	7	0.00%
	September 2004	0	8	0.00%
MR-7D Repair Repeat Report Rate Qwest DSL Parity	August 2005	0	0	0.00%
	July 2005	1	8	12.50%
	June 2005	1	5	20.00%
	May 2005	0	11	0.00%
	April 2005	1	10	10.00%
	March 2005	1	10	10.00%
	February 2005	1	5	20.00%
	January 2005	1	8	12.50%
	December 2004	1	4	25.00%
	November 2004	1	7	14.29%
	October 2004	0	5	0.00%
	September 2004	0	0	0.00%

MR-7D Repair Repeat Report Rate UDIT Above DS1 Level Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	4	0.00%
	May 2005	1	1	100.00%
	April 2005	0	2	0.00%
	March 2005	0	4	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	3	0.00%
	October 2004	1	2	50.00%
	September 2004	0	1	0.00%
	MR-7D Repair Repeat Report Rate UDIT DS1 Parity	August 2005	0	0
July 2005		0	1	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	1	0.00%
September 2004		0	0	0.00%
MR-7D Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity		August 2005	0	0
	July 2005	0	22	0.00%
	June 2005	0	8	0.00%
	May 2005	0	36	0.00%
	April 2005	2	33	6.06%
	March 2005	1	35	2.86%
	February 2005	1	27	3.70%
	January 2005	4	35	11.43%
	December 2004	6	53	11.32%
	November 2004	1	28	3.57%
	October 2004	0	30	0.00%
	September 2004	3	35	8.57%
	MR-7D Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Parity	August 2005	0	0
July 2005		0	1	0.00%
June 2005		0	0	0.00%
May 2005		0	1	0.00%
April 2005		0	0	0.00%
March 2005		0	2	0.00%
February 2005		0	1	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	2	0.00%
MR-7D Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate	August 2005	0	0	0.00%
Unbundled Loop - DS1 Capable Parity	July 2005	18	72	25.00%
	June 2005	8	85	9.41%
	May 2005	15	88	17.05%
	April 2005	14	80	17.50%
	March 2005	14	96	14.58%
	February 2005	9	77	11.69%
	January 2005	12	91	13.19%
	December 2004	12	74	16.22%
	November 2004	12	84	14.29%
	October 2004	17	78	21.79%
	September 2004	14	76	18.42%
MR-7D Repair Repeat Report Rate	August 2005	0	0	0.00%
Unbundled Loop Analog Parity	July 2005	18	245	7.35%
	June 2005	9	194	4.64%
	May 2005	17	253	6.72%
	April 2005	14	182	7.69%
	March 2005	13	202	6.44%
	February 2005	16	174	9.20%
	January 2005	14	220	6.36%
	December 2004	13	204	6.37%
	November 2004	22	209	10.53%
	October 2004	12	195	6.15%
	September 2004	10	229	4.37%
MR-7D Repair Repeat Report Rate	August 2005	0	0	0.00%
Unbundled Loop ISDN Capable Parity	July 2005	1	15	6.67%
	June 2005	5	26	19.23%
	May 2005	3	25	12.00%
	April 2005	2	15	13.33%
	March 2005	0	24	0.00%
	February 2005	4	21	19.05%
	January 2005	2	20	10.00%
	December 2004	2	24	8.33%
	November 2004	2	14	14.29%
	October 2004	1	17	5.88%
	September 2004	1	7	14.29%
MR-7E Repair Repeat Report Rate DS0	August 2005	0	0	0.00%
Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate DS1 Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	1	8	12.50%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-7E Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity	August 2005	0	0
July 2005		0	5	0.00%
June 2005		4	12	33.33%
May 2005		2	19	10.53%
April 2005		1	7	14.29%
March 2005		6	20	30.00%
February 2005		5	15	33.33%
January 2005		1	15	6.67%
December 2004		0	2	0.00%
November 2004		0	7	0.00%
October 2004		3	14	21.43%
September 2004		0	12	0.00%
MR-7E Repair Repeat Report Rate ISDN Primary Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-7E Repair Repeat Report Rate LIS Trunk Parity	August 2005	0	0
July 2005		0	4	0.00%
June 2005		0	2	0.00%
May 2005		0	2	0.00%
April 2005		0	3	0.00%
March 2005		1	5	20.00%
February 2005		0	1	0.00%
January 2005		0	3	0.00%
December 2004		0	4	0.00%
November 2004		0	5	0.00%
October 2004	0	1	0.00%	
September 2004	0	1	0.00%	

MR-7E Repair Repeat Report Rate Qwest DSL Parity	August 2005	0	0	0.00%
	July 2005	2	5	40.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	3	66.67%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
	MR-7E Repair Repeat Report Rate UDIT Above DS1 Level Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	1	0.00%
March 2005		0	0	0.00%
February 2005		0	1	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	1	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
MR-7E Repair Repeat Report Rate UDIT DS1 Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
	MR-7E Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	0	0
July 2005		0	4	0.00%
June 2005		0	2	0.00%
May 2005		0	1	0.00%
April 2005		0	7	0.00%
March 2005		0	4	0.00%
February 2005		0	4	0.00%
January 2005		0	4	0.00%
December 2004		0	3	0.00%
November 2004		0	6	0.00%
October 2004		2	7	28.57%
September 2004		0	2	0.00%
MR-7E Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	2	4	50.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate Unbundled Loop - DS1 Capable Parity	August 2005	0	0	0.00%
	July 2005	1	24	4.17%
	June 2005	0	13	0.00%
	May 2005	4	22	18.18%
	April 2005	1	8	12.50%
	March 2005	0	11	0.00%
	February 2005	5	18	27.78%
	January 2005	1	5	20.00%
	December 2004	1	14	7.14%
	November 2004	0	12	0.00%
	October 2004	2	12	16.67%
	September 2004	1	10	10.00%
MR-7E Repair Repeat Report Rate Unbundled Loop Analog Parity	August 2005	0	0	0.00%
	July 2005	2	43	4.65%
	June 2005	0	24	0.00%
	May 2005	1	23	4.35%
	April 2005	0	30	0.00%
	March 2005	0	27	0.00%
	February 2005	1	15	6.67%
	January 2005	3	16	18.75%
	December 2004	1	17	5.88%
	November 2004	0	26	0.00%
	October 2004	2	22	9.09%
	September 2004	1	18	5.56%
MR-7E Repair Repeat Report Rate Unbundled Loop ISDN Capable Parity	August 2005	0	0	0.00%
	July 2005	0	9	0.00%
	June 2005	0	9	0.00%
	May 2005	0	5	0.00%
	April 2005	0	4	0.00%
	March 2005	1	8	12.50%
	February 2005	1	7	14.29%
	January 2005	2	4	50.00%
	December 2004	1	10	10.00%
	November 2004	1	5	20.00%
	October 2004	1	8	12.50%
	September 2004	0	7	0.00%
MR-8 Trouble Rate Basic Rate ISDN Parity	August 2005	0	11	0.00%
	July 2005	0	11	0.00%
	June 2005	0	11	0.00%
	May 2005	0	11	0.00%
	April 2005	0	12	0.00%
	March 2005	0	12	0.00%
	February 2005	0	12	0.00%
	January 2005	0	12	0.00%

	December 2004	0	12	0.00%
	November 2004	0	12	0.00%
	October 2004	0	14	0.00%
	September 2004	0	16	0.00%
MR-8 Trouble Rate Business Parity	August 2005	5	2259	0.22%
	July 2005	6	2393	0.25%
	June 2005	9	2398	0.38%
	May 2005	12	2377	0.50%
	April 2005	8	2366	0.34%
	March 2005	19	2554	0.74%
	February 2005	14	3173	0.44%
	January 2005	16	3315	0.48%
	December 2004	27	4276	0.63%
	November 2004	20	4193	0.48%
	October 2004	14	3400	0.41%
	September 2004	7	3434	0.20%
MR-8 Trouble Rate Centrex Parity	August 2005	3	435	0.69%
	July 2005	0	437	0.00%
	June 2005	1	437	0.23%
	May 2005	1	445	0.22%
	April 2005	0	445	0.00%
	March 2005	2	450	0.44%
	February 2005	0	456	0.00%
	January 2005	0	457	0.00%
	December 2004	0	464	0.00%
	November 2004	0	849	0.00%
	October 2004	0	849	0.00%
	September 2004	2	872	0.23%
MR-8 Trouble Rate Centrex 21 Parity	August 2005	4	836	0.48%
	July 2005	5	845	0.59%
	June 2005	3	740	0.41%
	May 2005	3	663	0.45%
	April 2005	2	646	0.31%
	March 2005	5	649	0.77%
	February 2005	4	650	0.62%
	January 2005	3	596	0.50%
	December 2004	3	488	0.61%
	November 2004	2	457	0.44%
	October 2004	3	287	1.05%
	September 2004	3	287	1.05%
MR-8 Trouble Rate DS0 Parity	August 2005	0	692	0.00%
	July 2005	0	694	0.00%
	June 2005	0	770	0.00%
	May 2005	1	844	0.12%
	April 2005	1	843	0.12%
	March 2005	0	844	0.00%
	February 2005	0	845	0.00%
	January 2005	0	508	0.00%
	December 2004	3	509	0.59%
	November 2004	0	513	0.00%
	October 2004	0	528	0.00%
	September 2004	2	604	0.33%

MR-8 Trouble Rate DS1 Parity	August 2005	1	147	0.68%	
	July 2005	1	77	1.30%	
	June 2005	2	79	2.53%	
	May 2005	0	79	0.00%	
	April 2005	8	77	10.39%	
	March 2005	1	82	1.22%	
	February 2005	1	81	1.23%	
	January 2005	0	84	0.00%	
	December 2004	1	83	1.20%	
	November 2004	0	86	0.00%	
	October 2004	1	89	1.12%	
	September 2004	0	113	0.00%	
	MR-8 Trouble Rate DS3 Parity	August 2005	0	7	0.00%
		July 2005	0	8	0.00%
June 2005		1	8	12.50%	
May 2005		0	0	0.00%	
April 2005		0	0	0.00%	
March 2005		0	1	0.00%	
February 2005		0	0	0.00%	
January 2005		0	0	0.00%	
December 2004		0	0	0.00%	
November 2004		0	0	0.00%	
October 2004		0	0	0.00%	
September 2004		0	0	0.00%	
MR-8 Trouble Rate E911 Parity		August 2005	0	745	0.00%
		July 2005	0	675	0.00%
	June 2005	0	684	0.00%	
	May 2005	2	638	0.31%	
	April 2005	0	632	0.00%	
	March 2005	0	632	0.00%	
	February 2005	0	634	0.00%	
	January 2005	0	634	0.00%	
	December 2004	1	634	0.16%	
	November 2004	0	634	0.00%	
	October 2004	0	630	0.00%	
	September 2004	1	620	0.16%	
	MR-8 Trouble Rate Enhanced Extended Loops - DS0 Capable Diagnostic	August 2005	0	25	0.00%
		July 2005	0	26	0.00%
June 2005		0	24	0.00%	
May 2005		0	24	0.00%	
April 2005		0	24	0.00%	
March 2005		0	24	0.00%	
February 2005		0	19	0.00%	
January 2005		0	19	0.00%	
December 2004		0	19	0.00%	
November 2004		0	19	0.00%	
October 2004		2	19	10.53%	
September 2004	0	11	0.00%		
MR-8 Trouble Rate Enhanced Extended Loops - DS1 Capable Parity	August 2005	89	2972	2.99%	
	July 2005	54	2553	2.12%	
	June 2005	53	2444	2.17%	
	May 2005	78	2365	3.30%	

	April 2005	52	2265	2.30%
	March 2005	62	2184	2.84%
	February 2005	55	2116	2.60%
	January 2005	61	2018	3.02%
	December 2004	51	1937	2.63%
	November 2004	54	1853	2.91%
	October 2004	61	1786	3.42%
	September 2004	44	1660	2.65%
MR-8 Trouble Rate Frame Relay Parity	August 2005	0	7	0.00%
	July 2005	0	7	0.00%
	June 2005	0	7	0.00%
	May 2005	0	7	0.00%
	April 2005	0	13	0.00%
	March 2005	0	13	0.00%
	February 2005	0	15	0.00%
	January 2005	0	13	0.00%
	December 2004	0	14	0.00%
	November 2004	0	13	0.00%
	October 2004	0	12	0.00%
	September 2004	0	11	0.00%
MR-8 Trouble Rate ISDN Primary Parity	August 2005	0	144	0.00%
	July 2005	0	168	0.00%
	June 2005	0	168	0.00%
	May 2005	0	168	0.00%
	April 2005	2	168	1.19%
	March 2005	0	168	0.00%
	February 2005	0	96	0.00%
	January 2005	0	96	0.00%
	December 2004	0	120	0.00%
	November 2004	0	120	0.00%
	October 2004	0	133	0.00%
	September 2004	0	157	0.00%
MR-8 Trouble Rate Line Sharing Parity	August 2005	0	6569	0.00%
	July 2005	4	6808	0.06%
	June 2005	5	7096	0.07%
	May 2005	8	7346	0.11%
	April 2005	11	7635	0.14%
	March 2005	4	7955	0.05%
	February 2005	6	8212	0.07%
	January 2005	11	8513	0.13%
	December 2004	11	9006	0.12%
	November 2004	10	9495	0.11%
	October 2004	25	9987	0.25%
	September 2004	27	10302	0.26%
MR-8 Trouble Rate Line Splitting Parity	August 2005	5	691	0.72%
	July 2005	4	722	0.55%
	June 2005	6	739	0.81%
	May 2005	6	735	0.82%
	April 2005	7	734	0.95%
	March 2005	14	716	1.96%
	February 2005	8	698	1.15%
	January 2005	4	692	0.58%

	December 2004	8	671	1.19%
	November 2004	8	672	1.19%
	October 2004	7	654	1.07%
	September 2004	8	623	1.28%
MR-8 Trouble Rate LIS Trunk Parity	August 2005	15	165764	0.01%
	July 2005	14	168789	0.01%
	June 2005	11	170661	0.01%
	May 2005	8	174115	0.00%
	April 2005	6	176395	0.00%
	March 2005	10	184555	0.01%
	February 2005	5	188633	0.00%
	January 2005	14	188607	0.01%
	December 2004	8	187744	0.00%
	November 2004	8	188752	0.00%
	October 2004	8	186784	0.00%
	September 2004	9	198768	0.00%
MR-8 Trouble Rate PBX Parity	August 2005	1	786	0.13%
	July 2005	3	782	0.38%
	June 2005	1	777	0.13%
	May 2005	3	771	0.39%
	April 2005	0	762	0.00%
	March 2005	1	772	0.13%
	February 2005	1	809	0.12%
	January 2005	1	828	0.12%
	December 2004	1	823	0.12%
	November 2004	0	830	0.00%
	October 2004	3	824	0.36%
	September 2004	0	841	0.00%
MR-8 Trouble Rate Qwest DSL Parity	August 2005	3	1447	0.21%
	July 2005	13	1412	0.92%
	June 2005	5	1360	0.37%
	May 2005	12	1293	0.93%
	April 2005	9	1232	0.73%
	March 2005	10	1185	0.84%
	February 2005	5	1152	0.43%
	January 2005	11	1121	0.98%
	December 2004	4	1076	0.37%
	November 2004	8	1042	0.77%
	October 2004	6	1014	0.59%
	September 2004	0	971	0.00%
MR-8 Trouble Rate Residence Parity	August 2005	96	2842	3.38%
	July 2005	60	2983	2.01%
	June 2005	77	3139	2.45%
	May 2005	60	3173	1.89%
	April 2005	60	2902	2.07%
	March 2005	77	3158	2.44%
	February 2005	51	2925	1.74%
	January 2005	66	2883	2.29%
	December 2004	61	3118	1.96%
	November 2004	65	3201	2.03%
	October 2004	71	3144	2.26%
	September 2004	54	3068	1.76%

MR-8 Trouble Rate UDIT Above DS1 Level Parity	August 2005	1	188	0.53%	
	July 2005	0	160	0.00%	
	June 2005	4	156	2.56%	
	May 2005	1	156	0.64%	
	April 2005	3	153	1.96%	
	March 2005	4	156	2.56%	
	February 2005	2	159	1.26%	
	January 2005	0	157	0.00%	
	December 2004	1	159	0.63%	
	November 2004	4	164	2.44%	
	October 2004	2	162	1.23%	
	September 2004	1	165	0.61%	
	MR-8 Trouble Rate UDIT DS1 Parity	August 2005	5	184	2.72%
		July 2005	1	182	0.55%
June 2005		0	175	0.00%	
May 2005		0	166	0.00%	
April 2005		0	169	0.00%	
March 2005		0	167	0.00%	
February 2005		0	169	0.00%	
January 2005		0	168	0.00%	
December 2004		1	169	0.59%	
November 2004		0	174	0.00%	
October 2004		2	176	1.14%	
September 2004		0	173	0.00%	
MR-8 Trouble Rate Unbundled Loop - 2 Wire Non-Loaded Parity		August 2005	41	2803	1.46%
		July 2005	10	2843	0.35%
	June 2005	10	2876	0.35%	
	May 2005	37	8300	0.45%	
	April 2005	40	8117	0.49%	
	March 2005	39	7964	0.49%	
	February 2005	31	7814	0.40%	
	January 2005	39	7694	0.51%	
	December 2004	56	7604	0.74%	
	November 2004	34	7522	0.45%	
	October 2004	37	7330	0.50%	
	September 2004	37	7147	0.52%	
	MR-8 Trouble Rate Unbundled Loop - 4 Wire Non-Loaded Parity	August 2005	0	188	0.00%
		July 2005	1	188	0.53%
June 2005		0	189	0.00%	
May 2005		1	190	0.53%	
April 2005		0	191	0.00%	
March 2005		2	191	1.05%	
February 2005		1	192	0.52%	
January 2005		0	192	0.00%	
December 2004		1	194	0.52%	
November 2004		0	196	0.00%	
October 2004		0	198	0.00%	
September 2004		2	198	1.01%	
MR-8 Trouble Rate Unbundled Loop - ADSL Qualified Parity		August 2005	1	270	0.37%
		July 2005	0	274	0.00%
	June 2005	0	277	0.00%	
	May 2005	0	289	0.00%	

	April 2005	2	293	0.68%
	March 2005	4	298	1.34%
	February 2005	0	305	0.00%
	January 2005	1	314	0.32%
	December 2004	1	326	0.31%
	November 2004	0	338	0.00%
	October 2004	1	344	0.29%
	September 2004	0	355	0.00%
MR-8 Trouble Rate Unbundled Loop - DS1 Capable Parity	August 2005	116	6044	1.92%
	July 2005	96	6048	1.59%
	June 2005	98	5993	1.64%
	May 2005	110	5941	1.85%
	April 2005	87	5885	1.48%
	March 2005	107	5814	1.84%
	February 2005	95	5759	1.65%
	January 2005	96	5735	1.67%
	December 2004	88	5717	1.54%
	November 2004	96	5658	1.70%
	October 2004	90	5581	1.61%
	September 2004	86	5492	1.57%
MR-8 Trouble Rate Unbundled Loop - DS3 Capable Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	8	12.50%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-8 Trouble Rate Unbundled Loop - XDSLi Parity	August 2005	8	6031	0.13%
	July 2005	16	5872	0.27%
	June 2005	26	5685	0.46%
	May 2005	4	169	2.37%
	April 2005	0	167	0.00%
	March 2005	2	173	1.16%
	February 2005	3	175	1.71%
	January 2005	7	173	4.05%
	December 2004	4	165	2.42%
	November 2004	1	165	0.61%
	October 2004	3	167	1.80%
	September 2004	3	165	1.82%
MR-8 Trouble Rate Unbundled Loop Analog Parity	August 2005	325	67806	0.48%
	July 2005	288	65425	0.44%
	June 2005	218	59363	0.37%
	May 2005	276	56492	0.49%
	April 2005	212	56532	0.38%
	March 2005	229	56611	0.40%
	February 2005	189	56504	0.33%
	January 2005	236	56409	0.42%

	December 2004	221	56364	0.39%
	November 2004	235	56317	0.42%
	October 2004	217	56233	0.39%
	September 2004	247	56025	0.44%
MR-8 Trouble Rate Unbundled Loop ISDN Capable Parity	August 2005	17	2324	0.73%
	July 2005	24	2355	1.02%
	June 2005	35	2380	1.47%
	May 2005	30	2407	1.25%
	April 2005	19	2410	0.79%
	March 2005	32	2461	1.30%
	February 2005	28	2506	1.12%
	January 2005	24	2523	0.95%
	December 2004	34	2546	1.34%
	November 2004	19	2583	0.74%
	October 2004	25	2620	0.95%
	September 2004	14	2659	0.53%
	MR-8 Trouble Rate UNE - P (POTS) Parity	August 2005	26	4509
July 2005		24	4656	0.52%
June 2005		31	4867	0.64%
May 2005		21	5063	0.41%
April 2005		26	5340	0.49%
March 2005		32	5640	0.57%
February 2005		43	5942	0.72%
January 2005		77	11621	0.66%
December 2004		770	94278	0.82%
November 2004		714	95164	0.75%
October 2004		801	97753	0.82%
September 2004		820	98624	0.83%
MR-8 Trouble Rate UNE P (Centrex 21) Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	145	1.38%
	December 2004	10	1211	0.83%
	November 2004	6	1232	0.49%
	October 2004	6	1362	0.44%
	September 2004	4	1355	0.30%
	MR-8 Trouble Rate UNE P (Centrex) Parity	August 2005	0	1
July 2005		0	1	0.00%
June 2005		0	1	0.00%
May 2005		0	1	0.00%
April 2005		0	1	0.00%
March 2005		0	1	0.00%
February 2005		0	3	0.00%
January 2005		13	2255	0.58%
December 2004		21	5919	0.35%
November 2004		25	6075	0.41%
October 2004		15	6372	0.24%
September 2004		24	6535	0.37%

MR-9A Repair Appointments Met Business Parity	August 2005	3	4	75.00%
	July 2005	4	4	100.00%
	June 2005	4	4	100.00%
	May 2005	7	8	87.50%
	April 2005	5	6	83.33%
	March 2005	7	11	63.64%
	February 2005	8	10	80.00%
	January 2005	6	6	100.00%
	December 2004	17	21	80.95%
	November 2004	10	12	83.33%
	October 2004	11	12	91.67%
	September 2004	4	4	100.00%
	MR-9A Repair Appointments Met Centrex Parity	August 2005	2	2
July 2005		0	0	0.00%
June 2005		0	1	0.00%
May 2005		0	1	0.00%
April 2005		0	0	0.00%
March 2005		2	2	100.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		1	1	100.00%
MR-9A Repair Appointments Met Centrex 21 Parity		August 2005	2	3
	July 2005	3	3	100.00%
	June 2005	1	1	100.00%
	May 2005	2	3	66.67%
	April 2005	2	2	100.00%
	March 2005	3	4	75.00%
	February 2005	4	4	100.00%
	January 2005	1	2	50.00%
	December 2004	3	3	100.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
	MR-9A Repair Appointments Met Residence Parity	August 2005	64	68
July 2005		42	42	100.00%
June 2005		51	52	98.08%
May 2005		44	44	100.00%
April 2005		43	44	97.73%
March 2005		58	58	100.00%
February 2005		35	36	97.22%
January 2005		48	50	96.00%
December 2004		45	46	97.83%
November 2004		46	47	97.87%
October 2004		56	59	94.92%
September 2004		40	40	100.00%
MR-9A Repair Appointments Met UNE - P (POTS) Parity		August 2005	17	20
	July 2005	15	16	93.75%
	June 2005	11	12	91.67%
	May 2005	9	14	64.29%

	April 2005	9	14	64.29%
	March 2005	18	23	78.26%
	February 2005	24	27	88.89%
	January 2005	38	44	86.36%
	December 2004	420	538	78.07%
	November 2004	377	478	78.87%
	October 2004	428	520	82.31%
	September 2004	415	520	79.81%
MR-9B Repair Appointments Met Business Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	5	5	100.00%
	December 2004	1	1	100.00%
	November 2004	4	4	100.00%
	October 2004	0	0	0.00%
	September 2004	2	2	100.00%
MR-9B Repair Appointments Met Centrex 21 Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-9B Repair Appointments Met PBX Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-9B Repair Appointments Met Residence Parity	August 2005	14	17	82.35%
	July 2005	7	7	100.00%
	June 2005	12	13	92.31%
	May 2005	6	6	100.00%
	April 2005	11	11	100.00%
	March 2005	8	8	100.00%
	February 2005	11	11	100.00%
	January 2005	10	11	90.91%

	December 2004	10	10	100.00%
	November 2004	7	8	87.50%
	October 2004	6	6	100.00%
	September 2004	4	4	100.00%
MR-9B Repair Appointments Met UNE - P (POTS) Parity	August 2005	1	2	50.00%
	July 2005	2	2	100.00%
	June 2005	10	13	76.92%
	May 2005	3	4	75.00%
	April 2005	5	7	71.43%
	March 2005	3	5	60.00%
	February 2005	6	9	66.67%
	January 2005	10	15	66.67%
	December 2004	81	105	77.14%
	November 2004	73	111	65.77%
	October 2004	96	123	78.05%
	September 2004	78	119	65.55%
MR-9C Repair Appointments Met Business Parity	August 2005	1	1	100.00%
	July 2005	2	2	100.00%
	June 2005	5	5	100.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	2	2	100.00%
	September 2004	1	1	100.00%
MR-9C Repair Appointments Met Centrex Parity	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
MR-9C Repair Appointments Met Centrex 21 Parity	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	3	3	100.00%
	September 2004	1	1	100.00%

MR-9C Repair Appointments Met Residence Parity	August 2005	11	11	100.00%
	July 2005	11	11	100.00%
	June 2005	12	12	100.00%
	May 2005	10	10	100.00%
	April 2005	5	5	100.00%
	March 2005	11	11	100.00%
	February 2005	4	4	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	10	10	100.00%
	October 2004	6	6	100.00%
	September 2004	10	10	100.00%
	MR-9C Repair Appointments Met UNE - P (POTS) Parity	August 2005	4	4
July 2005		6	6	100.00%
June 2005		6	6	100.00%
May 2005		3	3	100.00%
April 2005		5	5	100.00%
March 2005		4	4	100.00%
February 2005		7	7	100.00%
January 2005		18	18	100.00%
December 2004		125	127	98.43%
November 2004		122	125	97.60%
October 2004		154	158	97.47%
September 2004		177	181	97.79%
NI-1A Trunk Blockage to Qwest Tandem Offices LIS Trunk Parity		August 2005	2	23016
	July 2005	1	23184	0.01%
	June 2005	1	23064	0.00%
	May 2005	2	22560	0.01%
	April 2005	2	23928	0.01%
	March 2005	2	26448	0.01%
	February 2005	1	27024	0.00%
	January 2005	7	27624	0.03%
	December 2004	2	28320	0.01%
	November 2004	2	29712	0.01%
	October 2004	1	28080	0.00%
	September 2004	5	29592	0.02%
	NI-1B Trunk Blockage to Qwest End Offices LIS Trunk Parity	August 2005	41	9576
July 2005		0	11328	0.00%
June 2005		1	15336	0.01%
May 2005		2	16176	0.01%
April 2005		1	16224	0.01%
March 2005		2	16392	0.01%
February 2005		2	15960	0.01%
January 2005		2	15552	0.01%
December 2004		0	16248	0.00%
November 2004		1	17028	0.01%
October 2004		1	17148	0.00%
September 2004		0	18012	0.00%
NI-1C Trunk Blockage to Qwest Tandem Offices LIS Trunk Diagnostic		August 2005	17	23280
	July 2005	50	23448	0.21%
	June 2005	5	23304	0.02%
	May 2005	19	23448	0.08%

	April 2005	5	24048	0.02%
	March 2005	9	26520	0.03%
	February 2005	2	27168	0.01%
	January 2005	32	28200	0.11%
	December 2004	11	28656	0.04%
	November 2004	4	29736	0.01%
	October 2004	17	28416	0.06%
	September 2004	67	29928	0.23%
NI-1D Trunk Blockage to Qwest End Offices	August 2005	45	9612	0.47%
LIS Trunk Diagnostic	July 2005	3	11436	0.03%
	June 2005	9	15372	0.06%
	May 2005	9	16284	0.05%
	April 2005	10	16332	0.06%
	March 2005	12	16428	0.07%
	February 2005	51	16764	0.31%
	January 2005	168	16716	1.00%
	December 2004	109	16764	0.65%
	November 2004	79	17316	0.46%
	October 2004	70	17484	0.40%
	September 2004	41	18420	0.22%
OP-13A Coordinated Cuts Completed on Time Unbundled Loop - Analog Benchmark	August 2005	249	251	99.20%
	July 2005	253	254	99.61%
	June 2005	269	271	99.26%
	May 2005	228	230	99.13%
	April 2005	222	222	100.00%
	March 2005	220	220	100.00%
	February 2005	183	183	100.00%
	January 2005	186	187	99.47%
	December 2004	215	215	100.00%
	November 2004	244	246	99.19%
	October 2004	246	248	99.19%
	September 2004	254	254	100.00%
OP-13A Coordinated Cuts Completed on Time Unbundled Loop Other Benchmark	August 2005	16	18	88.89%
	July 2005	15	17	88.24%
	June 2005	12	14	85.71%
	May 2005	11	12	91.67%
	April 2005	17	20	85.00%
	March 2005	25	25	100.00%
	February 2005	33	34	97.06%
	January 2005	17	19	89.47%
	December 2004	21	21	100.00%
	November 2004	21	33	63.64%
	October 2004	28	29	96.55%
	September 2004	32	35	91.43%
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop - Analog Diagnostic	August 2005	1	251	0.40%
	July 2005	1	254	0.39%
	June 2005	0	271	0.00%
	May 2005	2	230	0.87%
	April 2005	0	222	0.00%
	March 2005	0	220	0.00%
	February 2005	0	183	0.00%
	January 2005	0	187	0.00%

	December 2004	0	215	0.00%
	November 2004	0	246	0.00%
	October 2004	0	248	0.00%
	September 2004	0	254	0.00%
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop Other Diagnostic	August 2005	0	18	0.00%
	July 2005	0	17	0.00%
	June 2005	0	14	0.00%
	May 2005	1	12	8.33%
	April 2005	0	20	0.00%
	March 2005	0	25	0.00%
	February 2005	0	34	0.00%
	January 2005	0	19	0.00%
	December 2004	0	21	0.00%
	November 2004	12	33	36.36%
	October 2004	0	29	0.00%
	September 2004	1	35	2.86%
OP-15A Interval for Pending Orders Delayed Past Due Date Business Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	9	2	12:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - IOF Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	32	1	0:00
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	71	1	0:00
	January 2005	51	1	0:00
	December 2004	29	1	0:00
	November 2004	7	1	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00

OP-15A Interval for Pending Orders Delayed Past Due Date Enhanced Extended Loops (EELs) Diagnostic	August 2005	852	3	0:00
	July 2005	793	3	7:55
	June 2005	751	2	12:00
	May 2005	723	3	0:00
	April 2005	1315	4	18:00
	March 2005	1241	7	6:57
	February 2005	1145	5	0:00
	January 2005	1059	4	18:00
	December 2004	900	5	0:00
	November 2004	818	3	16:04
	October 2004	905	6	19:55
	September 2004	695	6	19:55
OP-15A Interval for Pending Orders Delayed Past Due Date ISDN Primary Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	36	4	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
OP-15A Interval for Pending Orders Delayed Past Due Date Line Sharing Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	188	1	0:00
	March 2005	167	1	0:00
	February 2005	144	1	0:00
	January 2005	124	1	0:00
	December 2004	102	1	0:00
	November 2004	80	2	0:00
	October 2004	59	1	0:00
	September 2004	45	2	12:00
OP-15A Interval for Pending Orders Delayed Past Due Date Qwest DSL Parity	August 2005	86	2	0:00
	July 2005	58	1	0:00
	June 2005	38	2	0:00
	May 2005	16	1	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	1	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	4	1	0:00
	September 2004	0	0	0:00
OP-15A Interval for Pending Orders Delayed Past Due Date Residence Parity	August 2005	28	3	7:55
	July 2005	9	2	12:00
	June 2005	6	1	0:00
	May 2005	28	2	0:00

	April 2005	33	3	0:00
	March 2005	99	1	0:00
	February 2005	254	4	12:00
	January 2005	200	3	16:04
	December 2004	177	5	9:36
	November 2004	152	6	7:55
	October 2004	232	13	20:24
	September 2004	127	10	16:48
OP-15A Interval for Pending Orders	August 2005	7	1	0:00
Delayed Past Due Date UDIT Above DS1	July 2005	0	0	0:00
Level Parity	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	65	1	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
OP-15A Interval for Pending Orders	August 2005	4801	29	13:12
Delayed Past Due Date Unbundled Loop - 2	July 2005	4331	23	7:12
Wire Non-Loaded Parity	June 2005	4247	23	15:36
	May 2005	3801	21	0:00
	April 2005	3516	23	20:52
	March 2005	3114	21	6:57
	February 2005	2706	23	15:36
	January 2005	2402	21	9:07
	December 2004	2481	20	1:12
	November 2004	3049	23	13:40
	October 2004	2688	22	4:19
	September 2004	2442	24	18:00
OP-15A Interval for Pending Orders	August 2005	81	3	0:00
Delayed Past Due Date Unbundled Loop -	July 2005	462	4	12:00
DS1 Capable Parity	June 2005	422	5	9:36
	May 2005	362	4	12:00
	April 2005	294	2	0:00
	March 2005	340	4	0:00
	February 2005	262	3	7:55
	January 2005	203	4	18:00
	December 2004	154	4	12:00
	November 2004	131	2	12:00
	October 2004	134	3	16:04
	September 2004	118	4	12:00
OP-15A Interval for Pending Orders	August 2005	927	17	12:43
Delayed Past Due Date Unbundled Loop	July 2005	853	16	7:26
Analog Parity	June 2005	829	29	14:09
	May 2005	919	18	1:26
	April 2005	728	20	9:36
	March 2005	655	40	9:07
	February 2005	530	13	18:28
	January 2005	503	20	3:36

	December 2004	309	11	2:09
	November 2004	605	23	7:12
	October 2004	346	23	0:57
	September 2004	317	31	5:31
OP-15A Interval for Pending Orders	August 2005	25	3	7:55
Delayed Past Due Date Unbundled Loop	July 2005	12	2	0:00
ISDN Capable Parity	June 2005	0	1	0:00
	May 2005	1	1	0:00
	April 2005	0	0	0:00
	March 2005	5	2	12:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	2	1	0:00
	November 2004	12	1	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
OP-15A Interval for Pending Orders	August 2005	0	0	0:00
Delayed Past Due Date UNE - P (POTS)	July 2005	0	0	0:00
Parity	June 2005	0	0	0:00
	May 2005	117	1	0:00
	April 2005	418	3	7:55
	March 2005	355	3	7:55
	February 2005	286	3	7:55
	January 2005	226	3	7:55
	December 2004	1311	23	0:00
	November 2004	1395	44	16:48
	October 2004	1619	72	11:45
	September 2004	1835	98	17:16
OP-15B Count of Pending Orders Delayed for Facilities Reasons Business Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	2	2	1
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - IOF Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	1	1	1

OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - Loop Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	1	0
	January 2005	0	1	0
	December 2004	0	1	0
	November 2004	0	1	0
	October 2004	0	0	0
	September 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Enhanced Extended Loops (EELs) Diagnostic	August 2005	3	3
July 2005		2	3	1
June 2005		2	2	1
May 2005		3	3	1
April 2005		4	4	1
March 2005		4	7	1
February 2005		4	5	1
January 2005		4	4	1
December 2004		4	5	1
November 2004		3	3	1
October 2004		3	6	1
September 2004		2	6	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons ISDN Primary Parity		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	4	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Sharing Parity	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		1	1	1
March 2005		1	1	1
February 2005		1	1	1
January 2005		1	1	1
December 2004		1	1	1
November 2004		2	2	1
October 2004		1	1	1
September 2004		1	2	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons LIS Trunk Diagnostic		August 2005	0	0
	July 2005	0	1	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	2	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	8	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Qwest DSL Parity	August 2005	1	2	1
	July 2005	0	1	0
	June 2005	1	2	1
	May 2005	0	1	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	1	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	1	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Residence Diagnostic	August 2005	1	3	0
	July 2005	1	2	1
	June 2005	0	1	0
	May 2005	2	2	1
	April 2005	1	3	0
	March 2005	0	1	0
	February 2005	0	4	0
	January 2005	1	3	0
	December 2004	0	5	0
	November 2004	0	6	0
	October 2004	1	13	0
	September 2004	0	10	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level Diagnostic	August 2005	1	1	1
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	1	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Loaded Diagnostic	August 2005	24	29	1
	July 2005	21	23	1
	June 2005	21	23	1
	May 2005	20	21	1
	April 2005	20	23	1
	March 2005	20	21	1
	February 2005	19	23	1
	January 2005	20	21	1

	December 2004	14	20	1
	November 2004	20	23	1
	October 2004	20	22	1
	September 2004	22	24	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable Diagnostic	August 2005	1	3	0
	July 2005	3	4	1
	June 2005	2	5	0
	May 2005	3	4	1
	April 2005	2	2	1
	March 2005	3	4	1
	February 2005	3	3	1
	January 2005	3	4	1
	December 2004	3	4	1
	November 2004	1	2	1
	October 2004	2	3	1
September 2004	2	4	1	
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog Diagnostic	August 2005	12	17	1
	July 2005	4	16	0
	June 2005	6	29	0
	May 2005	9	18	1
	April 2005	10	20	1
	March 2005	8	40	0
	February 2005	11	13	1
	January 2005	7	20	0
	December 2004	6	11	1
	November 2004	15	23	1
	October 2004	10	23	0
September 2004	5	31	0	
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable Diagnostic	August 2005	3	3	1
	July 2005	1	2	1
	June 2005	1	1	1
	May 2005	1	1	1
	April 2005	0	0	0
	March 2005	1	2	1
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	1	0
	November 2004	0	1	0
	October 2004	0	0	0
September 2004	0	0	0	
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	1	0
	April 2005	0	3	0
	March 2005	0	3	0
	February 2005	0	3	0
	January 2005	0	3	0
	December 2004	2	23	0
	November 2004	5	44	0
	October 2004	5	72	0
September 2004	2	98	0	

OP-17A Timeliness of Disconnects associated with LNP Orders LNP Benchmark	August 2005	6405	6406	99.98%
	July 2005	10153	10156	99.97%
	June 2005	6006	6006	100.00%
	May 2005	3089	3089	100.00%
	April 2005	3969	3969	100.00%
	March 2005	26477	26477	100.00%
	February 2005	10931	10931	100.00%
	January 2005	2515	2525	99.60%
	December 2004	1515	1515	100.00%
	November 2004	10584	10588	99.96%
	October 2004	6792	6792	100.00%
	September 2004	3030	3030	100.00%
	OP-17B Timeliness of Disconnects associated with LNP Orders LNP Diagnostic	August 2005	6406	6406
July 2005		10156	10156	100.00%
June 2005		6006	6006	100.00%
May 2005		3089	3089	100.00%
April 2005		3969	3969	100.00%
March 2005		26477	26477	100.00%
February 2005		10931	10931	100.00%
January 2005		2525	2525	100.00%
December 2004		1515	1515	100.00%
November 2004		10588	10588	100.00%
October 2004		6792	6792	100.00%
September 2004		3030	3030	100.00%
OP-2 Calls Answered within Twenty Seconds - Interconnect Provisioning Center Diagnostic		August 2005	16654	17964
	July 2005	14605	16158	90.39%
	June 2005	16208	17274	93.83%
	May 2005	15096	15718	96.04%
	April 2005	15645	16242	96.32%
	March 2005	16918	17384	97.32%
	February 2005	14794	15195	97.36%
	January 2005	16301	16499	98.80%
	December 2004	18047	18709	96.46%
	November 2004	19611	20249	96.85%
	October 2004	22199	22648	98.02%
	September 2004	22116	22726	97.32%
	OP-3A Installation Commitments Met Business Parity	August 2005	1	1
July 2005		4	4	100.00%
June 2005		6	6	100.00%
May 2005		4	4	100.00%
April 2005		6	6	100.00%
March 2005		1	2	50.00%
February 2005		7	7	100.00%
January 2005		2	2	100.00%
December 2004		7	7	100.00%
November 2004		10	10	100.00%
October 2004		1	1	100.00%
September 2004		4	4	100.00%
OP-3A Installation Commitments Met Line Sharing Benchmark		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	1	1	100.00%
	March 2005	5	5	100.00%
	February 2005	9	9	100.00%
	January 2005	7	7	100.00%
	December 2004	3	3	100.00%
	November 2004	4	4	100.00%
	October 2004	9	10	90.00%
	September 2004	55	57	96.49%
OP-3A Installation Commitments Met Line Splitting Benchmark	August 2005	1	1	100.00%
	July 2005	5	5	100.00%
	June 2005	4	4	100.00%
	May 2005	7	7	100.00%
	April 2005	10	10	100.00%
	March 2005	8	9	88.89%
	February 2005	4	5	80.00%
	January 2005	6	6	100.00%
	December 2004	4	5	80.00%
	November 2004	2	2	100.00%
	October 2004	4	4	100.00%
	September 2004	4	4	100.00%
OP-3A Installation Commitments Met Qwest DSL Parity	August 2005	45	45	100.00%
	July 2005	34	35	97.14%
	June 2005	33	34	97.06%
	May 2005	40	40	100.00%
	April 2005	29	31	93.55%
	March 2005	35	36	97.22%
	February 2005	23	24	95.83%
	January 2005	29	29	100.00%
	December 2004	37	38	97.37%
	November 2004	31	32	96.88%
	October 2004	40	41	97.56%
	September 2004	45	46	97.83%
OP-3A Installation Commitments Met Residence Parity	August 2005	555	575	96.52%
	July 2005	519	523	99.24%
	June 2005	595	603	98.67%
	May 2005	541	545	99.27%
	April 2005	515	518	99.42%
	March 2005	610	615	99.19%
	February 2005	277	282	98.23%
	January 2005	464	468	99.15%
	December 2004	391	396	98.74%
	November 2004	530	542	97.79%
	October 2004	561	570	98.42%
	September 2004	495	502	98.61%
OP-3A Installation Commitments Met UNE - P (POTS) Parity	August 2005	3	4	75.00%
	July 2005	1	1	100.00%
	June 2005	7	7	100.00%
	May 2005	6	6	100.00%
	April 2005	4	4	100.00%
	March 2005	5	5	100.00%
	February 2005	6	6	100.00%
	January 2005	27	29	93.10%

	December 2004	471	482	97.72%	
	November 2004	661	677	97.64%	
	October 2004	551	557	98.92%	
	September 2004	685	709	96.61%	
OP-3A Installation Commitments Met UNE P (Centrex 21) Parity	August 2005	0	0	0.00%	
	July 2005	0	0	0.00%	
	June 2005	0	0	0.00%	
	May 2005	0	0	0.00%	
	April 2005	0	0	0.00%	
	March 2005	0	0	0.00%	
	February 2005	0	0	0.00%	
	January 2005	0	0	0.00%	
	December 2004	0	0	0.00%	
	November 2004	1	1	100.00%	
	October 2004	2	2	100.00%	
	September 2004	0	0	0.00%	
	OP-3A Installation Commitments Met UNE P (Centrex) Parity	August 2005	0	0	0.00%
		July 2005	0	0	0.00%
June 2005		0	0	0.00%	
May 2005		0	0	0.00%	
April 2005		0	0	0.00%	
March 2005		0	0	0.00%	
February 2005		0	0	0.00%	
January 2005		2	2	100.00%	
December 2004		2	2	100.00%	
November 2004		5	6	83.33%	
October 2004		1	2	50.00%	
September 2004		4	4	100.00%	
OP-3B Installation Commitments Met Business Parity		August 2005	1	1	100.00%
		July 2005	1	1	100.00%
	June 2005	1	1	100.00%	
	May 2005	1	1	100.00%	
	April 2005	0	0	0.00%	
	March 2005	1	1	100.00%	
	February 2005	1	1	100.00%	
	January 2005	1	1	100.00%	
	December 2004	1	1	100.00%	
	November 2004	0	0	0.00%	
	October 2004	1	1	100.00%	
	September 2004	1	1	100.00%	
	OP-3B Installation Commitments Met Qwest DSL Parity	August 2005	1	1	100.00%
		July 2005	7	7	100.00%
June 2005		3	3	100.00%	
May 2005		0	0	0.00%	
April 2005		2	2	100.00%	
March 2005		3	3	100.00%	
February 2005		4	4	100.00%	
January 2005		0	0	0.00%	
December 2004		2	2	100.00%	
November 2004		2	2	100.00%	
October 2004		10	11	90.91%	
September 2004		2	2	100.00%	

OP-3B Installation Commitments Met Residence Parity	August 2005	63	65	96.92%
	July 2005	53	53	100.00%
	June 2005	45	45	100.00%
	May 2005	55	55	100.00%
	April 2005	55	55	100.00%
	March 2005	62	64	96.88%
	February 2005	18	18	100.00%
	January 2005	40	40	100.00%
	December 2004	38	38	100.00%
	November 2004	36	37	97.30%
	October 2004	57	57	100.00%
	September 2004	10	11	90.91%
	OP-3B Installation Commitments Met Sub-Loop Unbundling Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		1	1	100.00%
OP-3B Installation Commitments Met UNE - P (POTS) Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	11	12	91.67%
	December 2004	61	63	96.83%
	November 2004	81	83	97.59%
	October 2004	72	73	98.63%
	September 2004	93	96	96.88%
	OP-3B Installation Commitments Met UNE P (Centrex) Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-3C Installation Commitments Met Business Parity		August 2005	2	2
	July 2005	11	11	100%
	June 2005	5	5	100%
	May 2005	10	10	100%

	April 2005	8	8	100%
	March 2005	9	9	100%
	February 2005	10	10	100%
	January 2005	8	8	100%
	December 2004	20	20	100%
	November 2004	10	10	100%
	October 2004	6	6	100%
	September 2004	5	5	100%
OP-3C Installation Commitments Met Line	August 2005	2	2	100%
Sharing Benchmark	July 2005	1	1	100%
	June 2005	4	4	100%
	May 2005	1	1	100%
	April 2005	2	2	100%
	March 2005	2	2	100%
	February 2005	4	4	100%
	January 2005	5	5	100%
	December 2004	9	9	100%
	November 2004	8	8	100%
	October 2004	88	89	99%
	September 2004	474	475	100%
OP-3C Installation Commitments Met Line	August 2005	25	25	100%
Splitting Benchmark	July 2005	30	30	100%
	June 2005	29	29	100%
	May 2005	41	41	100%
	April 2005	43	43	100%
	March 2005	58	58	100%
	February 2005	47	47	100%
	January 2005	45	45	100%
	December 2004	46	46	100%
	November 2004	60	60	100%
	October 2004	51	51	100%
	September 2004	60	60	100%
OP-3C Installation Commitments Met	August 2005	49	49	100%
Qwest DSL Parity	July 2005	56	56	100%
	June 2005	57	57	100%
	May 2005	60	60	100%
	April 2005	58	59	98%
	March 2005	60	60	100%
	February 2005	30	30	100%
	January 2005	45	45	100%
	December 2004	25	25	100%
	November 2004	21	21	100%
	October 2004	18	18	100%
	September 2004	5	5	100%
OP-3C Installation Commitments Met	August 2005	1596	1598	100%
Residence Parity	July 2005	1340	1340	100%
	June 2005	1510	1512	100%
	May 2005	1517	1517	100%
	April 2005	991	992	100%
	March 2005	1297	1298	100%
	February 2005	988	989	100%
	January 2005	881	881	100%

	December 2004	1004	1004	100%
	November 2004	1217	1218	100%
	October 2004	1371	1372	100%
	September 2004	898	898	100%
OP-3C Installation Commitments Met UNE - P (POTS) Parity	August 2005	1	1	100%
	July 2005	3	3	100%
	June 2005	6	6	100%
	May 2005	3	3	100%
	April 2005	10	10	100%
	March 2005	12	12	100%
	February 2005	40	40	100%
	January 2005	108	108	100%
	December 2004	3631	3639	100%
	November 2004	5082	5084	100%
	October 2004	5753	5754	100%
	September 2004	3963	3968	100%
	OP-3C Installation Commitments Met UNE P (Centrex) Parity	August 2005	0	0
July 2005		0	0	0%
June 2005		0	0	0%
May 2005		0	0	0%
April 2005		0	0	0%
March 2005		0	0	0%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		1	1	100%
November 2004		0	0	0%
October 2004		0	0	0%
September 2004		0	0	0%
OP-3D Installation Commitments Met DS1 Parity		August 2005	1	1
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	1	1	100%
	October 2004	0	0	0%
	September 2004	0	0	0%
	OP-3D Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark	August 2005	0	0
July 2005		1	1	100%
June 2005		0	0	0%
May 2005		0	0	0%
April 2005		0	0	0%
March 2005		1	5	20%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		0	0	0%
October 2004	8	8	100%	
September 2004	0	0	0%	

OP-3D Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity	August 2005	470	481	98%
	July 2005	117	120	98%
	June 2005	84	91	92%
	May 2005	91	95	96%
	April 2005	64	75	85%
	March 2005	91	99	92%
	February 2005	85	91	93%
	January 2005	82	84	98%
	December 2004	88	91	97%
	November 2004	56	59	95%
	October 2004	95	96	99%
	September 2004	74	83	89%
	OP-3D Installation Commitments Met Enhanced Extended Loops - DS3 Capable Benchmark	August 2005	4	4
July 2005		0	0	0%
June 2005		1	1	100%
May 2005		0	0	0%
April 2005		1	1	100%
March 2005		1	1	100%
February 2005		1	1	100%
January 2005		1	1	100%
December 2004		1	1	100%
November 2004		2	2	100%
October 2004		0	0	0%
September 2004		1	1	100%
OP-3D Installation Commitments Met LIS Trunk Parity		August 2005	12	12
	July 2005	10	10	100%
	June 2005	33	35	94%
	May 2005	18	22	82%
	April 2005	10	10	100%
	March 2005	17	18	94%
	February 2005	32	32	100%
	January 2005	16	16	100%
	December 2004	21	25	84%
	November 2004	16	23	70%
	October 2004	11	11	100%
	September 2004	10	10	100%
	OP-3D Installation Commitments Met PBX Parity	August 2005	0	0
July 2005		0	0	0%
June 2005		0	0	0%
May 2005		0	0	0%
April 2005		0	0	0%
March 2005		0	0	0%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		1	1	100%
October 2004		0	0	0%
September 2004		0	0	0%
OP-3D Installation Commitments Met Qwest DSL Parity		August 2005	0	0
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%

	April 2005	0	0	0%
	March 2005	1	1	100%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	2	2	100%
OP-3D Installation Commitments Met UDIT	August 2005	4	4	100%
Above DS1 Level Parity	July 2005	0	0	0%
	June 2005	1	1	100%
	May 2005	1	1	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	3	3	100%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	1	1	100%
	September 2004	5	5	100%
OP-3D Installation Commitments Met UDIT	August 2005	2	2	100%
DS1 Parity	July 2005	0	0	0%
	June 2005	1	1	100%
	May 2005	0	0	0%
	April 2005	3	3	100%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	1	1	100%
	December 2004	2	2	100%
	November 2004	1	1	100%
	October 2004	2	2	100%
	September 2004	2	2	100%
OP-3D Installation Commitments Met	August 2005	298	305	98%
Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	332	336	99%
	June 2005	329	335	98%
	May 2005	329	335	98%
	April 2005	330	332	99%
	March 2005	340	344	99%
	February 2005	294	296	99%
	January 2005	290	297	98%
	December 2004	314	318	99%
	November 2004	410	417	98%
	October 2004	402	410	98%
	September 2004	363	376	97%
OP-3D Installation Commitments Met	August 2005	17	17	100%
Unbundled Loop - ADSL Qualified Parity	July 2005	14	14	100%
	June 2005	12	13	92%
	May 2005	14	14	100%
	April 2005	6	6	100%
	March 2005	4	4	100%
	February 2005	6	6	100%
	January 2005	5	5	100%

	December 2004	18	18	100%
	November 2004	10	11	91%
	October 2004	26	28	93%
	September 2004	20	23	87%
OP-3D Installation Commitments Met	August 2005	111	118	94.07%
Unbundled Loop - DS1 Capable Parity	July 2005	96	103	93.20%
	June 2005	123	129	95.35%
	May 2005	103	110	93.64%
	April 2005	117	123	95.12%
	March 2005	118	128	92.19%
	February 2005	101	110	91.82%
	January 2005	81	83	97.59%
	December 2004	105	112	93.75%
	November 2004	122	126	96.83%
	October 2004	110	123	89.43%
	September 2004	128	145	88.28%
OP-3D Installation Commitments Met	August 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
OP-3D Installation Commitments Met	August 2005	11	12	91.67%
Unbundled Loop - XDSLi Benchmark	July 2005	4	4	100.00%
	June 2005	9	10	90.00%
	May 2005	3	3	100.00%
	April 2005	4	4	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	4	5	80.00%
	November 2004	4	4	100.00%
	October 2004	9	9	100.00%
	September 2004	5	6	83.33%
OP-3D Installation Commitments Met	August 2005	3117	3150	98.95%
Unbundled Loop Analog Parity	July 2005	6749	6798	99.28%
	June 2005	3131	3150	99.40%
	May 2005	1371	1389	98.70%
	April 2005	1139	1171	97.27%
	March 2005	1355	1364	99.34%
	February 2005	1230	1266	97.16%
	January 2005	1060	1085	97.70%
	December 2004	1183	1228	96.34%
	November 2004	1141	1199	95.16%
	October 2004	1268	1307	97.02%
	September 2004	1207	1265	95.42%

OP-3D Installation Commitments Met Unbundled Loop Conditioned Benchmark	August 2005	7	9	77.78%	
	July 2005	11	13	84.62%	
	June 2005	12	14	85.71%	
	May 2005	6	6	100.00%	
	April 2005	4	5	80.00%	
	March 2005	3	5	60.00%	
	February 2005	4	6	66.67%	
	January 2005	9	10	90.00%	
	December 2004	10	12	83.33%	
	November 2004	6	9	66.67%	
	October 2004	17	20	85.00%	
	September 2004	13	18	72.22%	
	OP-3D Installation Commitments Met Unbundled Loop ISDN Capable Parity	August 2005	19	23	82.61%
		July 2005	36	39	92.31%
June 2005		24	27	88.89%	
May 2005		32	32	100.00%	
April 2005		26	26	100.00%	
March 2005		40	40	100.00%	
February 2005		25	26	96.15%	
January 2005		30	32	93.75%	
December 2004		29	29	100.00%	
November 2004		35	35	100.00%	
October 2004		37	38	97.37%	
September 2004		35	37	94.59%	
OP-3E Installation Commitments Met DS0 Parity		August 2005	0	0	0.00%
		July 2005	0	0	0.00%
	June 2005	0	0	0.00%	
	May 2005	0	0	0.00%	
	April 2005	0	0	0.00%	
	March 2005	0	0	0.00%	
	February 2005	0	0	0.00%	
	January 2005	0	0	0.00%	
	December 2004	0	0	0.00%	
	November 2004	9	9	100.00%	
	October 2004	0	0	0.00%	
	September 2004	0	0	0.00%	
	OP-3E Installation Commitments Met DS1 Parity	August 2005	0	0	0.00%
		July 2005	0	0	0.00%
June 2005		0	0	0.00%	
May 2005		0	0	0.00%	
April 2005		0	0	0.00%	
March 2005		0	0	0.00%	
February 2005		0	1	0.00%	
January 2005		0	0	0.00%	
December 2004		0	0	0.00%	
November 2004		0	0	0.00%	
October 2004		0	0	0.00%	
September 2004		0	0	0.00%	
OP-3E Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity		August 2005	7	8	87.50%
		July 2005	7	8	87.50%
	June 2005	7	9	77.78%	
	May 2005	13	13	100.00%	

	April 2005	6	6	100.00%
	March 2005	10	10	100.00%
	February 2005	14	15	93.33%
	January 2005	14	15	93.33%
	December 2004	14	16	87.50%
	November 2004	18	18	100.00%
	October 2004	14	17	82.35%
	September 2004	12	15	80.00%
OP-3E Installation Commitments Met ISDN Primary Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	4	0.00%
	April 2005	0	1	0.00%
	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met LIS Trunk Parity	August 2005	8	9	88.89%
	July 2005	6	6	100.00%
	June 2005	5	7	71.43%
	May 2005	13	13	100.00%
	April 2005	8	8	100.00%
	March 2005	14	14	100.00%
	February 2005	21	21	100.00%
	January 2005	3	3	100.00%
	December 2004	10	13	76.92%
	November 2004	5	6	83.33%
	October 2004	1	1	100.00%
	September 2004	8	8	100.00%
OP-3E Installation Commitments Met PBX Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	1	2	50.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met UDIT Above DS1 Level Parity	August 2005	0	1	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met UDIT DS1 Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	3	66.67%
September 2004	0	1	0.00%	
OP-3E Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	24	24	100.00%
	July 2005	20	21	95.24%
	June 2005	21	21	100.00%
	May 2005	26	26	100.00%
	April 2005	12	12	100.00%
	March 2005	26	26	100.00%
	February 2005	17	17	100.00%
	January 2005	13	13	100.00%
	December 2004	16	16	100.00%
	November 2004	21	21	100.00%
	October 2004	26	26	100.00%
September 2004	18	21	85.71%	
OP-3E Installation Commitments Met Unbundled Loop - ADSL Qualified Parity	August 2005	8	8	100.00%
	July 2005	11	11	100.00%
	June 2005	16	16	100.00%
	May 2005	6	6	100.00%
	April 2005	17	17	100.00%
	March 2005	14	14	100.00%
	February 2005	9	9	100.00%
	January 2005	42	42	100.00%
	December 2004	13	13	100.00%
	November 2004	27	28	96.43%
	October 2004	18	19	94.74%
September 2004	12	15	80.00%	
OP-3E Installation Commitments Met Unbundled Loop - DS1 Capable Parity	August 2005	7	8	87.50%
	July 2005	11	11	100.00%
	June 2005	2	4	50.00%
	May 2005	17	21	80.95%
	April 2005	13	14	92.86%
	March 2005	22	23	95.65%
	February 2005	15	15	100.00%
	January 2005	11	12	91.67%
	December 2004	7	8	87.50%
	November 2004	26	27	96.30%
October 2004	17	21	80.95%	
September 2004	9	10	90.00%	

OP-3E Installation Commitments Met Unbundled Loop - DS3 Capable Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	OP-3E Installation Commitments Met Unbundled Loop Analog Parity	August 2005	616	616
July 2005		641	646	99.23%
June 2005		674	681	98.97%
May 2005		38	42	90.48%
April 2005		56	61	91.80%
March 2005		45	47	95.74%
February 2005		99	100	99.00%
January 2005		97	98	98.98%
December 2004		84	84	100.00%
November 2004		127	127	100.00%
October 2004		88	91	96.70%
September 2004		68	71	95.77%
OP-3E Installation Commitments Met Unbundled Loop Conditioned Benchmark		August 2005	1	1
	July 2005	0	0	0.00%
	June 2005	1	2	50.00%
	May 2005	1	2	50.00%
	April 2005	1	2	50.00%
	March 2005	0	1	0.00%
	February 2005	2	2	100.00%
	January 2005	4	4	100.00%
	December 2004	1	1	100.00%
	November 2004	10	10	100.00%
	October 2004	0	0	0.00%
	September 2004	3	5	60.00%
	OP-3E Installation Commitments Met Unbundled Loop ISDN Capable Parity	August 2005	9	10
July 2005		15	15	100.00%
June 2005		19	19	100.00%
May 2005		16	17	94.12%
April 2005		3	3	100.00%
March 2005		8	8	100.00%
February 2005		7	7	100.00%
January 2005		11	11	100.00%
December 2004		11	11	100.00%
November 2004		14	14	100.00%
October 2004		13	14	92.86%
September 2004		16	17	94.12%
OP-4A Installation Interval Business Parity		August 2005	3	1
	July 2005	13	3	4
	June 2005	18	6	3
	May 2005	12	4	3

	April 2005	15	5	3
	March 2005	21	1	21
	February 2005	16	6	3
	January 2005	18	2	9
	December 2004	16	5	3
	November 2004	22	7	3
	October 2004	4	1	4
	September 2004	16	4	4
OP-4A Installation Interval Line Sharing Benchmark	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	3	1	3
	March 2005	12	4	3
	February 2005	27	9	3
	January 2005	21	7	3
	December 2004	9	3	3
	November 2004	6	2	3
	October 2004	31	10	3
	September 2004	161	55	3
OP-4A Installation Interval Line Splitting Benchmark	August 2005	3	1	3
	July 2005	15	5	3
	June 2005	12	4	3
	May 2005	21	7	3
	April 2005	26	9	3
	March 2005	25	8	3
	February 2005	13	4	3
	January 2005	18	6	3
	December 2004	12	4	3
	November 2004	6	2	3
	October 2004	12	4	3
	September 2004	9	3	3
OP-4A Installation Interval Qwest DSL Parity	August 2005	77	19	4
	July 2005	51	12	4
	June 2005	34	5	7
	May 2005	26	6	4
	April 2005	24	3	8
	March 2005	41	8	5
	February 2005	34	7	5
	January 2005	45	10	5
	December 2004	56	9	6
	November 2004	34	5	7
	October 2004	64	10	6
	September 2004	122	25	5
OP-4A Installation Interval Residence Parity	August 2005	2024	499	4
	July 2005	1753	434	4
	June 2005	1768	499	4
	May 2005	1440	429	3
	April 2005	1373	407	3
	March 2005	1785	517	3
	February 2005	525	173	3
	January 2005	1273	347	4

	December 2004	1174	328	4
	November 2004	1757	435	4
	October 2004	2084	485	4
	September 2004	1996	461	4
OP-4A Installation Interval UNE - P (POTS) Parity	August 2005	12	3	4
	July 2005	3	1	3
	June 2005	16	5	3
	May 2005	18	6	3
	April 2005	13	4	3
	March 2005	15	5	3
	February 2005	7	2	4
	January 2005	67	19	4
	December 2004	919	244	4
	November 2004	1378	353	4
	October 2004	1519	354	4
	September 2004	2591	498	5
	OP-4A Installation Interval UNE P (Centrex) Parity	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		3	1	3
December 2004		6	2	3
November 2004		9	4	2
October 2004		6	2	3
September 2004		9	4	2
OP-4B Installation Interval Business Parity		August 2005	3	1
	July 2005	3	1	3
	June 2005	3	1	3
	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	3	1	3
	February 2005	3	1	3
	January 2005	3	1	3
	December 2004	4	1	4
	November 2004	0	0	0
	October 2004	3	1	3
	September 2004	3	1	3
	OP-4B Installation Interval Qwest DSL Parity	August 2005	0	0
July 2005		6	1	6
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		6	1	6
November 2004		10	2	5
October 2004	0	0	0	
September 2004	5	1	5	

OP-4B Installation Interval Residence Parity	August 2005	175	48	4
	July 2005	151	47	3
	June 2005	115	36	3
	May 2005	138	45	3
	April 2005	145	46	3
	March 2005	176	54	3
	February 2005	44	15	3
	January 2005	103	28	4
	December 2004	116	34	3
	November 2004	68	23	3
	October 2004	176	50	4
	September 2004	46	11	4
	OP-4B Installation Interval Sub-Loop Unbundling Diagnostic	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		9	1	9
OP-4B Installation Interval UNE - P (POTS) Parity		August 2005	0	0
	July 2005	0	0	0
	June 2005	6	2	3
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	40	7	6
	December 2004	98	29	3
	November 2004	94	25	4
	October 2004	118	35	3
	September 2004	148	37	4
	OP-4C Installation Interval Business Parity	August 2005	2	1
July 2005		13	6	2
June 2005		8	3	3
May 2005		14	5	3
April 2005		21	7	3
March 2005		16	7	2
February 2005		16	7	2
January 2005		6	3	2
December 2004		46	17	3
November 2004		12	4	3
October 2004		10	4	3
September 2004		7	3	2
OP-4C Installation Interval Line Sharing Benchmark		August 2005	6	2
	July 2005	3	1	3
	June 2005	12	4	3
	May 2005	3	1	3

	April 2005	6	2	3
	March 2005	6	2	3
	February 2005	12	4	3
	January 2005	9	3	3
	December 2004	24	8	3
	November 2004	15	5	3
	October 2004	249	82	3
	September 2004	1410	468	3
OP-4C Installation Interval Line Splitting Benchmark	August 2005	69	23	3
	July 2005	90	30	3
	June 2005	81	29	3
	May 2005	122	41	3
	April 2005	122	41	3
	March 2005	167	56	3
	February 2005	134	45	3
	January 2005	125	41	3
	December 2004	137	46	3
	November 2004	165	55	3
	October 2004	149	50	3
	September 2004	175	59	3
OP-4C Installation Interval Qwest DSL Parity	August 2005	43	14	3
	July 2005	114	28	4
	June 2005	170	35	5
	May 2005	220	45	5
	April 2005	173	38	5
	March 2005	207	45	5
	February 2005	79	19	4
	January 2005	139	30	5
	December 2004	87	18	5
	November 2004	50	12	4
	October 2004	39	8	5
	September 2004	19	5	4
OP-4C Installation Interval Residence Parity	August 2005	2660	897	3
	July 2005	2145	721	3
	June 2005	2137	718	3
	May 2005	2236	754	3
	April 2005	1559	525	3
	March 2005	1956	655	3
	February 2005	1291	424	3
	January 2005	1325	448	3
	December 2004	1614	545	3
	November 2004	1775	597	3
	October 2004	1995	666	3
	September 2004	1408	485	3
OP-4C Installation Interval UNE - P (POTS) Parity	August 2005	0	0	0
	July 2005	5	2	3
	June 2005	12	4	3
	May 2005	3	1	3
	April 2005	15	5	3
	March 2005	12	4	3
	February 2005	69	23	3
	January 2005	153	52	3

	December 2004	5942	1988	3
	November 2004	5745	1926	3
	October 2004	10892	3645	3
	September 2004	7331	2458	3
OP-4C Installation Interval UNE P (Centrex 21) Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	3	1	3
	November 2004	0	0	0
	October 2004	9	3	3
	September 2004	0	0	0
	OP-4C Installation Interval UNE P (Centrex) Parity	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	1	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-4D Installation Interval DS1 Parity		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	10	1	10
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	10	1	10
	October 2004	0	0	0
	September 2004	0	0	0
	OP-4D Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic	August 2005	0	0
July 2005		3	1	3
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		40	5	8
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004	30	7	4.29	
September 2004	0	0	0	

OP-4D Installation Interval Enhanced Extended Loops - DS1 Capable Parity	August 2005	953	191	4.99
	July 2005	357	68	5.25
	June 2005	404	80	5.05
	May 2005	376	77	4.88
	April 2005	317	61	5.2
	March 2005	393	76	5.17
	February 2005	309	64	4.83
	January 2005	317	67	4.73
	December 2004	353	66	5.35
	November 2004	275	51	5.39
	October 2004	492	89	5.53
	September 2004	476	84	5.67
	OP-4D Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic	August 2005	0	0
July 2005		0	0	0
June 2005		4	1	4
May 2005		0	0	0
April 2005		0	0	0
March 2005		1	1	1
February 2005		0	0	0
January 2005		0	0	0
December 2004		10	1	10
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-4D Installation Interval LIS Trunk Parity		August 2005	131	9
	July 2005	68	8	8.5
	June 2005	428	32	13.38
	May 2005	189	13	14.54
	April 2005	100	7	14.29
	March 2005	213	15	14.2
	February 2005	272	20	13.6
	January 2005	166	11	15.09
	December 2004	305	20	15.25
	November 2004	65	5	13
	October 2004	115	10	11.5
	September 2004	70	7	10
	OP-4D Installation Interval PBX Parity	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		6	1	6
October 2004		0	0	0
September 2004		0	0	0
OP-4D Installation Interval Qwest DSL Parity		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	5	1	5
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	8	2	4
OP-4D Installation Interval UDIT Above DS1 Level Parity	August 2005	97	15	6.47
	July 2005	0	0	0
	June 2005	10	2	5
	May 2005	7	1	7
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	12	2	6
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	16	2	8
	October 2004	8	1	8
	September 2004	44	4	11
OP-4D Installation Interval UDIT DS1 Parity	August 2005	7	2	3.5
	July 2005	5	1	5
	June 2005	10	2	5
	May 2005	0	0	0
	April 2005	5	1	5
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	4	1	4
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	4	1	4
	September 2004	8	2	4
OP-4D Installation Interval Unbundled Loop 2 Wire Non-Loaded Parity	August 2005	1246	285	4.37
	July 2005	1260	313	4.03
	June 2005	1326	320	4.14
	May 2005	1247	315	3.96
	April 2005	1150	309	3.72
	March 2005	1212	317	3.82
	February 2005	1083	279	3.88
	January 2005	1033	263	3.93
	December 2004	1082	279	3.88
	November 2004	1440	371	3.88
	October 2004	1550	387	4.01
	September 2004	1521	355	4.28
OP-4D Installation Interval Unbundled Loop ADSL Qualified Parity	August 2005	77	16	4.81
	July 2005	64	13	4.92
	June 2005	61	13	4.69
	May 2005	56	13	4.31
	April 2005	25	6	4.17
	March 2005	12	3	4
	February 2005	26	6	4.33
	January 2005	20	4	5

	December 2004	70	15	4.67
	November 2004	31	7	4.43
	October 2004	118	27	4.37
	September 2004	142	23	6.17
OP-4D Installation Interval Unbundled Loop DS1 Capable Parity	August 2005	462	92	5.02
	July 2005	431	86	5.01
	June 2005	508	106	4.79
	May 2005	428	95	4.51
	April 2005	454	99	4.59
	March 2005	520	103	5.05
	February 2005	392	80	4.9
	January 2005	276	63	4.38
	December 2004	400	84	4.76
	November 2004	381	85	4.48
	October 2004	514	103	4.99
	September 2004	629	111	5.67
	OP-4D Installation Interval Unbundled Loop DS3 Capable Parity	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		5	1	5
April 2005		0	0	0
March 2005		0	0	0
February 2005		7	1	7
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		5	1	5
September 2004		0	0	0
OP-4D Installation Interval Unbundled Loop XDSLi Benchmark		August 2005	48	11
	July 2005	18	4	4.5
	June 2005	44	9	4.89
	May 2005	8	2	4
	April 2005	10	2	5
	March 2005	19	5	3.8
	February 2005	21	5	4.2
	January 2005	35	9	3.89
	December 2004	16	4	4
	November 2004	16	4	4
	October 2004	34	8	4.25
	September 2004	26	5	5.2
	OP-4D Installation Interval Unbundled Loop Analog Parity	August 2005	3956	787
July 2005		4153	832	4.99
June 2005		4640	927	5.01
May 2005		4090	819	4.99
April 2005		3716	732	5.08
March 2005		4474	892	5.02
February 2005		4614	916	5.04
January 2005		2989	591	5.06
December 2004		3438	669	5.14
November 2004		3460	671	5.16
October 2004		3527	701	5.03
September 2004		4063	791	5.14

OP-4D Installation Interval Unbundled Loop Conditioned Benchmark	August 2005	145	9	16.11
	July 2005	119	13	9.15
	June 2005	178	13	13.69
	May 2005	49	6	8.17
	April 2005	32	4	8
	March 2005	64	5	12.8
	February 2005	32	5	6.4
	January 2005	69	7	9.86
	December 2004	114	10	11.4
	November 2004	48	6	8
	October 2004	222	16	13.88
	September 2004	150	15	10
	OP-4D Installation Interval Unbundled Loop ISDN Capable Parity	August 2005	127	23
July 2005		165	39	4.23
June 2005		119	27	4.41
May 2005		144	31	4.65
April 2005		99	26	3.81
March 2005		160	39	4.1
February 2005		110	25	4.4
January 2005		124	30	4.13
December 2004		105	26	4.04
November 2004		131	32	4.09
October 2004		156	37	4.22
September 2004		168	36	4.67
OP-4E Installation Interval Dark Fiber - IOF Diagnostic		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	5	1	5
	November 2004	0	0	0
	October 2004	19	1	19
	September 2004	0	0	0
	OP-4E Installation Interval Dark Fiber - Loop Diagnostic	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		40	2	20
October 2004		0	0	0
September 2004		0	0	0
OP-4E Installation Interval DS0 Parity		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	36	9	4
	October 2004	0	0	0
	September 2004	0	0	0
OP-4E Installation Interval DS1 Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	9	1	9
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4E Installation Interval Enhanced Extended Loops - DS1 Capable Parity	August 2005	36	7	5.14
	July 2005	23	5	4.6
	June 2005	35	6	5.83
	May 2005	65	12	5.42
	April 2005	25	5	5
	March 2005	19	4	4.75
	February 2005	96	13	7.38
	January 2005	70	12	5.83
	December 2004	58	7	8.29
	November 2004	108	17	6.35
	October 2004	85	13	6.54
	September 2004	87	15	5.8
OP-4E Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	8	1	8
OP-4E Installation Interval ISDN Primary Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	56	4	14
	April 2005	6	1	6
	March 2005	54	6	9
	February 2005	0	0	0
	January 2005	0	0	0

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4E Installation Interval LIS Trunk Parity	August 2005	128	9	14.22
	July 2005	56	4	14
	June 2005	108	6	18
	May 2005	179	11	16.27
	April 2005	89	7	12.71
	March 2005	199	11	18.09
	February 2005	224	13	17.23
	January 2005	46	3	15.33
	December 2004	239	10	23.9
	November 2004	57	4	14.25
	October 2004	12	1	12
	September 2004	111	6	18.5
OP-4E Installation Interval PBX Parity	August 2005	0	0	0
	July 2005	5	1	5
	June 2005	0	0	0
	May 2005	8	2	4
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4E Installation Interval UDIT Above DS1 Level Parity	August 2005	26	4	6.5
	July 2005	18	2	9
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	56	4	14
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	9	1	9
OP-4E Installation Interval UDIT DS1 Parity	August 2005	0	0	0
	July 2005	10	2	5
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	4	1	4
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	21	2	10.5
	September 2004	6	1	6

OP-4E Installation Interval Unbundled Loop 2 Wire Non-Loaded Parity	August 2005	92	20	4.6
	July 2005	112	20	5.6
	June 2005	84	21	4
	May 2005	99	23	4.3
	April 2005	40	10	4
	March 2005	104	25	4.16
	February 2005	71	17	4.18
	January 2005	53	13	4.08
	December 2004	59	14	4.21
	November 2004	79	20	3.95
	October 2004	106	26	4.08
	September 2004	104	21	4.95
	OP-4E Installation Interval Unbundled Loop ADSL Qualified Parity	August 2005	29	6
July 2005		39	8	4.88
June 2005		63	13	4.85
May 2005		27	6	4.5
April 2005		81	17	4.76
March 2005		51	12	4.25
February 2005		45	9	5
January 2005		66	17	3.88
December 2004		40	8	5
November 2004		91	20	4.55
October 2004		78	16	4.88
September 2004		74	11	6.73
OP-4E Installation Interval Unbundled Loop DS1 Capable Parity		August 2005	27	6
	July 2005	30	6	5
	June 2005	16	3	5.33
	May 2005	78	16	4.88
	April 2005	50	11	4.55
	March 2005	87	22	3.95
	February 2005	68	14	4.86
	January 2005	30	6	5
	December 2004	39	7	5.57
	November 2004	71	15	4.73
	October 2004	90	18	5
	September 2004	21	5	4.2
	OP-4E Installation Interval Unbundled Loop DS3 Capable Parity	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		3	1	3
April 2005		0	0	0
March 2005		0	0	0
February 2005		7	1	7
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-4E Installation Interval Unbundled Loop Analog Parity	August 2005	348	73	4.77
	July 2005	253	48	5.27
	June 2005	522	98	5.33
	May 2005	124	27	4.59

	April 2005	210	42	5
	March 2005	257	47	5.47
	February 2005	387	78	4.96
	January 2005	309	64	4.83
	December 2004	204	42	4.86
	November 2004	468	92	5.09
	October 2004	418	85	4.92
	September 2004	322	62	5.19
OP-4E Installation Interval Unbundled Loop	August 2005	0	0	0
Conditioned Benchmark	July 2005	0	0	0
	June 2005	8	1	8
	May 2005	16	2	8
	April 2005	24	2	12
	March 2005	15	1	15
	February 2005	10	1	10
	January 2005	48	3	16
	December 2004	14	1	14
	November 2004	96	10	9.6
	October 2004	0	0	0
	September 2004	57	5	11.4
OP-4E Installation Interval Unbundled Loop	August 2005	43	10	4.3
ISDN Capable Parity	July 2005	66	15	4.4
	June 2005	81	18	4.5
	May 2005	84	17	4.94
	April 2005	13	3	4.33
	March 2005	34	7	4.86
	February 2005	30	7	4.29
	January 2005	48	11	4.36
	December 2004	48	11	4.36
	November 2004	64	13	4.92
	October 2004	67	14	4.79
	September 2004	83	17	4.88
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair Business Parity	July 2005	13	16	81.25%
	June 2005	12	12	100.00%
	May 2005	14	15	93.33%
	April 2005	14	14	100.00%
	March 2005	12	12	100.00%
	February 2005	14	18	77.78%
	January 2005	11	11	100.00%
	December 2004	25	28	89.29%
	November 2004	19	20	95.00%
	October 2004	8	8	100.00%
	September 2004	9	10	90.00%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair Dark Fiber - Loop	July 2005	2	2	100.00%
Diagnostic	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
OP-5A New Service Installation Quality Reported to Repair DS0 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	9	9	100.00%
October 2004	0	0	0.00%	
September 2004	0	0	0.00%	
OP-5A New Service Installation Quality Reported to Repair DS1 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
October 2004	0	0	0.00%	
September 2004	0	0	0.00%	
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS0 Capable Diagnostic	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	5	5	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
October 2004	6	8	75.00%	
September 2004	0	0	0.00%	
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS1 Capable Parity	August 2005	0	0	0.00%
	July 2005	132	138	95.65%
	June 2005	104	110	94.55%
	May 2005	112	118	94.92%
	April 2005	87	93	93.55%
	March 2005	107	116	92.24%
	February 2005	100	110	90.91%
	January 2005	97	103	94.17%
	December 2004	109	114	95.61%
	November 2004	85	87	97.70%
October 2004	113	126	89.68%	
September 2004	96	108	88.89%	

OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS3 Capable Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
	September 2004	2	2	100.00%
	OP-5A New Service Installation Quality Reported to Repair ISDN Primary Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		4	4	100.00%
April 2005		0	1	0.00%
March 2005		6	6	100.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Line Sharing Parity		August 2005	0	0
	July 2005	1	1	100.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	6	7	85.71%
	February 2005	13	13	100.00%
	January 2005	12	13	92.31%
	December 2004	11	13	84.62%
	November 2004	13	13	100.00%
	October 2004	101	104	97.12%
	September 2004	524	540	97.04%
	OP-5A New Service Installation Quality Reported to Repair Line Splitting Parity	August 2005	0	0
July 2005		32	35	91.43%
June 2005		32	33	96.97%
May 2005		47	49	95.92%
April 2005		47	54	87.04%
March 2005		63	69	91.30%
February 2005		52	55	94.55%
January 2005		48	51	94.12%
December 2004		48	51	94.12%
November 2004		59	65	90.77%
October 2004		55	56	98.21%
September 2004		63	65	96.92%
OP-5A New Service Installation Quality Reported to Repair LIS Trunk Parity		August 2005	0	0
	July 2005	16	16	100.00%
	June 2005	43	44	97.73%
	May 2005	35	35	100.00%

	April 2005	18	19	94.74%
	March 2005	43	43	100.00%
	February 2005	54	54	100.00%
	January 2005	19	19	100.00%
	December 2004	39	39	100.00%
	November 2004	29	30	96.67%
	October 2004	14	14	100.00%
	September 2004	18	18	100.00%
OP-5A New Service Installation Quality Reported to Repair PBX Parity	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Qwest DSL Parity	August 2005	0	0	0.00%
	July 2005	86	98	87.76%
	June 2005	89	94	94.68%
	May 2005	90	100	90.00%
	April 2005	85	92	92.39%
	March 2005	92	100	92.00%
	February 2005	51	58	87.93%
	January 2005	67	74	90.54%
	December 2004	58	65	89.23%
	November 2004	51	55	92.73%
	October 2004	66	70	94.29%
	September 2004	54	55	98.18%
OP-5A New Service Installation Quality Reported to Repair Residence Parity	August 2005	0	0	0.00%
	July 2005	1822	1917	95.04%
	June 2005	2066	2159	95.69%
	May 2005	2038	2116	96.31%
	April 2005	1475	1565	94.25%
	March 2005	1885	1978	95.30%
	February 2005	1217	1290	94.34%
	January 2005	1325	1390	95.32%
	December 2004	1373	1439	95.41%
	November 2004	1716	1797	95.49%
	October 2004	1899	1999	95.00%
	September 2004	1352	1410	95.89%
OP-5A New Service Installation Quality Reported to Repair Sub-Loop Unbundling Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair UDIT Above DS1 Level Parity	July 2005	4	4	100.00%
	June 2005	3	3	100.00%
	May 2005	3	3	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	3	66.67%
	January 2005	1	1	100.00%
	December 2004	4	4	100.00%
	November 2004	1	2	50.00%
	October 2004	2	2	100.00%
	September 2004	6	6	100.00%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair UDIT DS1 Parity	July 2005	7	7	100.00%
	June 2005	9	9	100.00%
	May 2005	0	0	0.00%
	April 2005	3	3	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	1	1	100.00%
	October 2004	4	5	80.00%
	September 2004	3	3	100.00%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	358	365	98.08%
	June 2005	356	364	97.80%
	May 2005	363	368	98.64%
	April 2005	339	348	97.41%
	March 2005	364	374	97.33%
	February 2005	311	318	97.80%
	January 2005	305	315	96.83%
	December 2004	337	347	97.12%
	November 2004	430	441	97.51%
	October 2004	428	444	96.40%
	September 2004	394	408	96.57%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair Unbundled Loop - ADSL Qualified Parity	July 2005	22	25	88.00%
	June 2005	30	30	100.00%
	May 2005	19	20	95.00%
	April 2005	21	23	91.30%
	March 2005	19	19	100.00%
	February 2005	15	16	93.75%
	January 2005	45	47	95.74%
	December 2004	31	31	100.00%
	November 2004	40	41	97.56%
	October 2004	48	51	94.12%
	September 2004	35	40	87.50%

OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS1 Capable Parity	August 2005	0	0	0.00%
	July 2005	112	114	98.25%
	June 2005	127	134	94.78%
	May 2005	125	132	94.70%
	April 2005	127	137	92.70%
	March 2005	142	152	93.42%
	February 2005	118	125	94.40%
	January 2005	94	97	96.91%
	December 2004	115	120	95.83%
	November 2004	146	154	94.81%
	October 2004	138	145	95.17%
	September 2004	146	155	94.19%
	OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS3 Capable Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		2	2	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		2	2	100.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		1	1	100.00%
October 2004		1	1	100.00%
September 2004		0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - XDSL Parity		August 2005	0	0
	July 2005	5	5	100.00%
	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	10	10	100.00%
	September 2004	4	6	66.67%
	OP-5A New Service Installation Quality Reported to Repair Unbundled Loop Analog Parity	August 2005	0	0
July 2005		7317	7449	98.23%
June 2005		3788	3836	98.75%
May 2005		1403	1431	98.04%
April 2005		1211	1232	98.30%
March 2005		1398	1412	99.01%
February 2005		1348	1368	98.54%
January 2005		1170	1184	98.82%
December 2004		1285	1312	97.94%
November 2004		1298	1330	97.59%
October 2004		1362	1398	97.42%
September 2004		1304	1336	97.60%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop ISDN Capable Parity		August 2005	0	0
	July 2005	50	55	90.91%
	June 2005	44	48	91.67%
	May 2005	44	50	88.00%

	April 2005	31	31	100.00%
	March 2005	45	49	91.84%
	February 2005	33	34	97.06%
	January 2005	50	50	100.00%
	December 2004	38	40	95.00%
	November 2004	56	59	94.92%
	October 2004	51	54	94.44%
	September 2004	55	58	94.83%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair UNE - P (POTS) Parity	July 2005	4	4	100.00%
	June 2005	14	15	93.33%
	May 2005	9	9	100.00%
	April 2005	15	15	100.00%
	March 2005	15	17	88.24%
	February 2005	46	46	100.00%
	January 2005	139	149	93.29%
	December 2004	4045	4186	96.63%
	November 2004	5663	5848	96.84%
	October 2004	6205	6386	97.17%
	September 2004	4630	4777	96.92%
OP-5A New Service Installation Quality	August 2005	0	0	0%
Reported to Repair UNE P (Centrex 21)	July 2005	0	0	0%
Parity	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	1	1	100%
	November 2004	1	1	100%
	October 2004	10	10	100%
	September 2004	0	0	0%
OP-5A New Service Installation Quality	August 2005	0	0	0%
Reported to Repair UNE P (Centrex) Parity	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	1	2	50%
	December 2004	3	3	100%
	November 2004	6	6	100%
	October 2004	2	2	100%
	September 2004	4	4	100%
OP-5B New Service Provisioning Quality	August 2005	0	0	0%
Business Benchmark	July 2005	15	16	94%
	June 2005	12	12	100%
	May 2005	15	15	100%
	April 2005	14	14	100%
	March 2005	12	12	100%
	February 2005	18	18	100%
	January 2005	11	11	100%

	December 2004	27	28	96%
	November 2004	20	20	100%
	October 2004	8	8	100%
	September 2004	10	10	100%
OP-5B New Service Provisioning Quality Dark Fiber - Loop Diagnostic	August 2005	0	0	0%
	July 2005	2	2	100%
	June 2005	0	0	0%
	May 2005	1	1	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	3	3	100%
	October 2004	0	0	0%
	September 2004	1	1	100%
	OP-5B New Service Provisioning Quality DS0 Diagnostic	August 2005	0	0
July 2005		0	0	0%
June 2005		0	0	0%
May 2005		0	0	0%
April 2005		0	0	0%
March 2005		0	0	0%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		9	9	100%
October 2004		0	0	0%
September 2004		0	0	0%
OP-5B New Service Provisioning Quality DS1 Benchmark		August 2005	0	0
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	1	1	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	1	1	100%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	1	1	100%
	October 2004	0	0	0%
	September 2004	0	0	0%
	OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS0 Capable Benchmark	August 2005	0	0
July 2005		1	1	100%
June 2005		0	0	0%
May 2005		0	0	0%
April 2005		0	0	0%
March 2005		5	5	100%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		0	0	0%
October 2004		8	8	100%
September 2004		0	0	0%

OP-5B New Service Provisioning Quality ISDN Primary Benchmark	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	4	4	100%
	April 2005	1	1	100%
	March 2005	6	6	100%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	0	0	0%
	OP-5B New Service Provisioning Quality Line Splitting Benchmark	August 2005	0	0
July 2005		35	35	100%
June 2005		33	33	100%
May 2005		49	49	100%
April 2005		54	54	100%
March 2005		69	69	100%
February 2005		55	55	100%
January 2005		51	51	100%
December 2004		51	51	100%
November 2004		65	65	100%
October 2004		56	56	100%
September 2004		65	65	100%
OP-5B New Service Provisioning Quality Qwest DSL Benchmark		August 2005	0	0
	July 2005	96	98	98%
	June 2005	94	94	100%
	May 2005	100	100	100%
	April 2005	89	92	97%
	March 2005	98	100	98%
	February 2005	55	58	95%
	January 2005	71	74	96%
	December 2004	62	65	95%
	November 2004	53	55	96%
	October 2004	69	70	99%
	September 2004	54	55	98%
	OP-5B New Service Provisioning Quality Residence Benchmark	August 2005	0	0
July 2005		1909	1917	100%
June 2005		2154	2159	100%
May 2005		2114	2116	100%
April 2005		1560	1565	100%
March 2005		1976	1978	100%
February 2005		1290	1290	100%
January 2005		1388	1390	100%
December 2004		1435	1439	100%
November 2004		1795	1797	100%
October 2004		1995	1999	100%
September 2004		1409	1410	100%
OP-5B New Service Provisioning Quality Sub-Loop Unbundling Diagnostic		August 2005	0	0
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%

	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	1	1	100%
OP-5B New Service Provisioning Quality	August 2005	0	0	0%
Unbundled Loop - DS3 Capable Benchmark	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	2	2	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	2	2	100%
	January 2005	0	0	0%
	December 2004	1	1	100%
	November 2004	1	1	100%
	October 2004	1	1	100%
	September 2004	0	0	0%
OP-5B New Service Provisioning Quality	August 2005	0	0	0%
UNE - P (POTS) Benchmark	July 2005	4	4	100%
	June 2005	15	15	100%
	May 2005	9	9	100%
	April 2005	15	15	100%
	March 2005	17	17	100%
	February 2005	46	46	100%
	January 2005	147	149	99%
	December 2004	4172	4186	100%
	November 2004	5839	5848	100%
	October 2004	6378	6386	100%
	September 2004	4768	4777	100%
OP-5B New Service Provisioning Quality	August 2005	0	0	0%
UNE P (Centrex 21) Diagnostic	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	1	1	100%
	November 2004	1	1	100%
	October 2004	10	10	100%
	September 2004	0	0	0%
OP-5B New Service Provisioning Quality	August 2005	0	0	0%
UNE P (Centrex) Diagnostic	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	2	2	100%

	December 2004	3	3	100%
	November 2004	6	6	100%
	October 2004	2	2	100%
	September 2004	4	4	100%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0%
Rate Enhanced Extended Loops - DS0	July 2005	0	0	0%
Capable Diagnostic	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	2	0%
	September 2004	0	0	0%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0%
Rate Enhanced Extended Loops - DS1	July 2005	1	7	14%
Capable Diagnostic	June 2005	0	6	0%
	May 2005	0	6	0%
	April 2005	1	7	14%
	March 2005	1	11	9%
	February 2005	1	10	10%
	January 2005	1	8	13%
	December 2004	0	5	0%
	November 2004	0	2	0%
	October 2004	0	13	0%
	September 2004	3	15	20%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0%
Rate ISDN Primary Diagnostic	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	1	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
	September 2004	0	0	0%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0%
Rate Line Sharing Diagnostic	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	1	0%
	February 2005	0	0	0%
	January 2005	2	3	67%
	December 2004	0	2	0%
	November 2004	0	0	0%
	October 2004	1	5	20%
	September 2004	3	19	16%

OP-5R New Service Quality Multiple Report Rate Line Splitting Diagnostic	August 2005	0	0	0%
	July 2005	0	1	0%
	June 2005	0	1	0%
	May 2005	0	1	0%
	April 2005	0	6	0%
	March 2005	1	7	14%
	February 2005	0	2	0%
	January 2005	2	5	40%
	December 2004	0	3	0%
	November 2004	0	6	0%
	October 2004	0	0	0%
	September 2004	0	2	0%
	OP-5R New Service Quality Multiple Report Rate LIS Trunk Diagnostic	August 2005	0	0
July 2005		0	0	0%
June 2005		0	1	0%
May 2005		0	0	0%
April 2005		0	1	0%
March 2005		0	0	0%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		0	1	0%
October 2004		0	0	0%
September 2004		0	0	0%
OP-5R New Service Quality Multiple Report Rate Qwest DSL Diagnostic		August 2005	0	0
	July 2005	2	16	13%
	June 2005	0	7	0%
	May 2005	1	12	8%
	April 2005	2	11	18%
	March 2005	1	11	9%
	February 2005	3	13	23%
	January 2005	2	11	18%
	December 2004	3	13	23%
	November 2004	0	6	0%
	October 2004	0	5	0%
	September 2004	0	2	0%
	OP-5R New Service Quality Multiple Report Rate Residence Diagnostic	August 2005	0	0
July 2005		11	88	12.50%
June 2005		4	78	5.13%
May 2005		3	67	4.48%
April 2005		3	78	3.85%
March 2005		3	76	3.95%
February 2005		3	62	4.84%
January 2005		4	54	7.41%
December 2004		0	61	0.00%
November 2004		5	62	8.06%
October 2004		4	87	4.60%
September 2004		4	54	7.41%
OP-5R New Service Quality Multiple Report Rate UDIT Above DS1 Level Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate UDIT DS1 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	September 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - 2 Wire Non-Loaded Diagnostic	August 2005	0	0	0.00%
	July 2005	1	8	12.50%
	June 2005	1	9	11.11%
	May 2005	0	5	0.00%
	April 2005	0	9	0.00%
	March 2005	0	10	0.00%
	February 2005	0	7	0.00%
	January 2005	0	10	0.00%
	December 2004	0	11	0.00%
	November 2004	0	11	0.00%
	October 2004	2	18	11.11%
	September 2004	1	15	6.67%
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - ADSL Qualified Diagnostic	August 2005	0	0	0.00%
	July 2005	1	4	25.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	1	2	50.00%
	January 2005	0	2	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	3	0.00%
	September 2004	0	5	0.00%
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - DS1 Capable Diagnostic	August 2005	0	0	0.00%
	July 2005	0	2	0.00%
	June 2005	1	8	12.50%
	May 2005	0	7	0.00%
	April 2005	4	14	28.57%
	March 2005	2	12	16.67%
	February 2005	1	8	12.50%
	January 2005	0	3	0.00%

	December 2004	1	6	16.67%
	November 2004	1	10	10.00%
	October 2004	0	8	0.00%
	September 2004	1	11	9.09%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate Unbundled Loop - XDSLi Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	3	33.33%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate Unbundled Loop Analog Diagnostic	July 2005	9	141	6.38%
	June 2005	4	52	7.69%
	May 2005	0	29	0.00%
	April 2005	1	22	4.55%
	March 2005	0	14	0.00%
	February 2005	2	24	8.33%
	January 2005	1	17	5.88%
	December 2004	2	29	6.90%
	November 2004	3	36	8.33%
	October 2004	4	41	9.76%
	September 2004	0	32	0.00%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate Unbundled Loop ISDN Capable	July 2005	0	5	0.00%
Diagnostic	June 2005	0	4	0.00%
	May 2005	0	6	0.00%
	April 2005	0	0	0.00%
	March 2005	0	4	0.00%
	February 2005	1	2	50.00%
	January 2005	0	0	0.00%
	December 2004	0	2	0.00%
	November 2004	0	4	0.00%
	October 2004	0	3	0.00%
	September 2004	0	3	0.00%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate UNE - P (POTS) Diagnostic	July 2005	0	0	0.00%
	June 2005	1	2	50.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	0	0.00%
	January 2005	4	15	26.67%
	December 2004	26	176	14.77%
	November 2004	13	206	6.31%
	October 2004	17	209	8.13%
	September 2004	22	178	12.36%

OP-5R New Service Quality Multiple Report Rate UNE P (Centrex) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	OP-5T New Service Installation Quality Total Business Diagnostic	August 2005	0	0
July 2005		12	16	75.00%
June 2005		12	12	100.00%
May 2005		14	15	93.33%
April 2005		14	14	100.00%
March 2005		12	12	100.00%
February 2005		14	18	77.78%
January 2005		11	11	100.00%
December 2004		24	28	85.71%
November 2004		19	20	95.00%
October 2004		8	8	100.00%
September 2004		9	10	90.00%
OP-5T New Service Installation Quality Total Dark Fiber - Loop Diagnostic		August 2005	0	0
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
	OP-5T New Service Installation Quality Total DS0 Parity	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		9	9	100.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS0 Capable Diagnostic		August 2005	0	0
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	5	5	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	6	8	75.00%
	September 2004	0	0	0.00%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Enhanced Extended Loops - DS1	July 2005	132	138	95.65%
Capable Diagnostic	June 2005	104	110	94.55%
	May 2005	112	118	94.92%
	April 2005	87	93	93.55%
	March 2005	106	116	91.38%
	February 2005	100	110	90.91%
	January 2005	96	103	93.20%
	December 2004	109	114	95.61%
	November 2004	85	87	97.70%
	October 2004	113	126	89.68%
	September 2004	96	108	88.89%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Enhanced Extended Loops - DS3	July 2005	0	0	0.00%
Capable Diagnostic	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
	September 2004	2	2	100.00%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total ISDN Primary Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	0	1	0.00%
	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Line Sharing Diagnostic	July 2005	1	1	100.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	6	7	85.71%
	February 2005	13	13	100.00%
	January 2005	12	13	92.31%

	December 2004	11	13	84.62%
	November 2004	13	13	100.00%
	October 2004	101	104	97.12%
	September 2004	524	540	97.04%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Line Splitting Diagnostic	July 2005	32	35	91.43%
	June 2005	32	33	96.97%
	May 2005	47	49	95.92%
	April 2005	47	54	87.04%
	March 2005	63	69	91.30%
	February 2005	52	55	94.55%
	January 2005	48	51	94.12%
	December 2004	48	51	94.12%
	November 2004	59	65	90.77%
	October 2004	55	56	98.21%
	September 2004	63	65	96.92%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Qwest DSL Diagnostic	July 2005	85	98	86.73%
	June 2005	89	94	94.68%
	May 2005	90	100	90.00%
	April 2005	83	92	90.22%
	March 2005	90	100	90.00%
	February 2005	48	58	82.76%
	January 2005	65	74	87.84%
	December 2004	55	65	84.62%
	November 2004	49	55	89.09%
	October 2004	65	70	92.86%
	September 2004	53	55	96.36%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Residence Diagnostic	July 2005	1817	1917	94.78%
	June 2005	2062	2159	95.51%
	May 2005	2037	2116	96.27%
	April 2005	1471	1565	93.99%
	March 2005	1883	1978	95.20%
	February 2005	1217	1290	94.34%
	January 2005	1324	1390	95.25%
	December 2004	1369	1439	95.14%
	November 2004	1716	1797	95.49%
	October 2004	1895	1999	94.80%
	September 2004	1351	1410	95.82%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Sub-Loop Unbundling Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%

OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Unbundled Loop - 2 Wire Non-Loaded Diagnostic	July 2005	358	365	98.08%
	June 2005	356	364	97.80%
	May 2005	363	368	98.64%
	April 2005	339	348	97.41%
	March 2005	364	374	97.33%
	February 2005	311	318	97.80%
	January 2005	305	315	96.83%
	December 2004	336	347	96.83%
	November 2004	430	441	97.51%
	October 2004	428	444	96.40%
	September 2004	394	408	96.57%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Unbundled Loop - ADSL Qualified Diagnostic	July 2005	22	25	88.00%
	June 2005	30	30	100.00%
	May 2005	19	20	95.00%
	April 2005	21	23	91.30%
	March 2005	19	19	100.00%
	February 2005	15	16	93.75%
	January 2005	45	47	95.74%
	December 2004	31	31	100.00%
	November 2004	40	41	97.56%
	October 2004	48	51	94.12%
	September 2004	35	40	87.50%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Unbundled Loop - DS1 Capable Diagnostic	July 2005	112	114	98.25%
	June 2005	127	134	94.78%
	May 2005	125	132	94.70%
	April 2005	127	137	92.70%
	March 2005	142	152	93.42%
	February 2005	118	125	94.40%
	January 2005	94	97	96.91%
	December 2004	115	120	95.83%
	November 2004	146	154	94.81%
	October 2004	137	145	94.48%
	September 2004	146	155	94.19%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Unbundled Loop - XDSLi Diagnostic	July 2005	5	5	100.00%
	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	10	10	100.00%
	September 2004	4	6	66.67%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Unbundled Loop Analog Diagnostic	July 2005	7314	7449	98.19%
	June 2005	3788	3836	98.75%
	May 2005	1393	1431	97.34%

	April 2005	1211	1232	98.30%
	March 2005	1398	1412	99.01%
	February 2005	1345	1368	98.32%
	January 2005	1164	1184	98.31%
	December 2004	1285	1312	97.94%
	November 2004	1296	1330	97.44%
	October 2004	1360	1398	97.28%
	September 2004	1304	1336	97.60%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Unbundled Loop ISDN Capable	July 2005	50	55	90.91%
Diagnostic	June 2005	44	48	91.67%
	May 2005	44	50	88.00%
	April 2005	31	31	100.00%
	March 2005	45	49	91.84%
	February 2005	33	34	97.06%
	January 2005	50	50	100.00%
	December 2004	38	40	95.00%
	November 2004	56	59	94.92%
	October 2004	51	54	94.44%
	September 2004	55	58	94.83%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total UNE - P (POTS) Diagnostic	July 2005	4	4	100.00%
	June 2005	14	15	93.33%
	May 2005	9	9	100.00%
	April 2005	15	15	100.00%
	March 2005	15	17	88.24%
	February 2005	46	46	100.00%
	January 2005	138	149	92.62%
	December 2004	4032	4186	96.32%
	November 2004	5655	5848	96.70%
	October 2004	6197	6386	97.04%
	September 2004	4623	4777	96.78%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total UNE P (Centrex 21) Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	10	10	100.00%
	September 2004	0	0	0.00%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total UNE P (Centrex) Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%

	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
	October 2004	2	2	100.00%
	September 2004	4	4	100.00%
OP-6A-1 Delayed Days for Non-Facility Reasons Line Splitting Parity	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	1	1	1.00
	February 2005	1	1	1.00
	January 2005	0	0	0.00
	December 2004	2	1	2.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-6A-1 Delayed Days for Non-Facility Reasons Qwest DSL Parity	August 2005	0	0	0.00
	July 2005	1	1	1.00
	June 2005	9	2	4.50
	May 2005	0	0	0.00
	April 2005	2	2	1.00
	March 2005	1	1	1.00
	February 2005	1	1	1.00
	January 2005	0	0	0.00
	December 2004	4	1	4.00
	November 2004	1	1	1.00
	October 2004	0	0	0.00
	September 2004	1	1	1.00
OP-6A-1 Delayed Days for Non-Facility Reasons Residence Parity	August 2005	31	17	1.82
	July 2005	12	3	4.00
	June 2005	11	6	1.83
	May 2005	3	3	1.00
	April 2005	5	3	1.67
	March 2005	15	3	5.00
	February 2005	6	2	3.00
	January 2005	3	3	1.00
	December 2004	5	2	2.50
	November 2004	25	9	2.78
	October 2004	22	9	2.44
	September 2004	14	7	2.00
OP-6A-1 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	August 2005	1	1	1.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	4	2	2.00
	December 2004	48	10	4.80
	November 2004	15	9	1.67
	October 2004	14	7	2.00
	September 2004	36	19	1.89

OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex) Parity	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	2	1	2.00
	October 2004	1	1	1.00
	September 2004	0	0	0.00
	OP-6A-2 Delayed Days for Non-Facility Reasons Residence Parity	August 2005	1	1
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		10	2	5
February 2005		0	0	0
January 2005		0	0	0
December 2004		4	1	4
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-6A-2 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	1	1	1
	December 2004	0	0	0
	November 2004	9	2	4.5
	October 2004	1	1	1
	September 2004	5	1	5
	OP-6A-3 Delayed Days for Non-Facility Reasons Qwest DSL Parity	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		1	1	1
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-6A-3 Delayed Days for Non-Facility Reasons Residence Parity		August 2005	3	2
	July 2005	0	0	0
	June 2005	1	1	1
	May 2005	0	0	0

	April 2005	2	1	2
	March 2005	7	1	7
	February 2005	12	3	4
	January 2005	1	1	1
	December 2004	0	0	0
	November 2004	4	1	4
	October 2004	2	1	2
	September 2004	0	0	0
OP-6A-3 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	24	8	3
	November 2004	17	3	5.67
	October 2004	7	1	7
	September 2004	18	5	3.6
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS0 Capable Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	12	4	3
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity	August 2005	8	5	1.6
	July 2005	4	2	2
	June 2005	14	6	2.33
	May 2005	2	1	2
	April 2005	17	6	2.83
	March 2005	7	3	2.33
	February 2005	2	1	2
	January 2005	9	2	4.5
	December 2004	2	1	2
	November 2004	4	1	4
	October 2004	33	2	16.5
	September 2004	49	8	6.13
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS3 Capable Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
January 2005	0	0	0	

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	13	1	13
	September 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons LIS Trunk Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	6	2	3
	May 2005	24	4	6
	April 2005	0	0	0
	March 2005	67	8	8.38
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	67	4	16.75
	November 2004	79	7	11.29
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	9	4	2.25
	July 2005	10	2	5
	June 2005	21	6	3.5
	May 2005	15	5	3
	April 2005	4	1	4
	March 2005	17	3	5.67
	February 2005	7	2	3.5
	January 2005	24	4	6
	December 2004	26	4	6.5
	November 2004	20	5	4
	October 2004	39	8	4.88
	September 2004	65	13	5
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	2	1	2
	October 2004	0	0	0
	September 2004	29	3	9.67
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity	August 2005	39	6	6.5
	July 2005	8	1	8
	June 2005	35	5	7
	May 2005	7	2	3.5
	April 2005	5	2	2.5
	March 2005	42	5	8.4
	February 2005	18	5	3.6
	January 2005	4	1	4
	December 2004	5	3	1.67
	November 2004	10	2	5
October 2004	40	8	5	
September 2004	53	12	4.42	

OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity	August 2005	78	15	5.2
	July 2005	187	38	4.92
	June 2005	81	17	4.76
	May 2005	83	18	4.61
	April 2005	233	30	7.77
	March 2005	60	10	6
	February 2005	168	24	7
	January 2005	91	21	4.33
	December 2004	277	39	7.1
	November 2004	188	39	4.82
	October 2004	169	35	4.83
	September 2004	304	57	5.33
OP-6A-5 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity	August 2005	4	1	4
	July 2005	1	1	1
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	9	2	4.5
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	10	2	5
OP-6A-5 Delayed Days for Non-Facility Reasons ISDN Primary Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	44	4	11
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons LIS Trunk Parity	August 2005	11	1	11
	July 2005	0	0	0
	June 2005	10	2	5
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	51	3	17
	November 2004	2	1	2
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons PBX Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	1	1	1

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	5	1	5
October 2004	1	1	1	
September 2004	0	0	0	
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	1	1	1
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	1	1	1
	December 2004	7	1	7
	November 2004	0	0	0
October 2004	0	0	0	
September 2004	2	1	2	
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity	August 2005	0	0	0
	July 2005	13	2	6.5
	June 2005	8	4	2
	May 2005	2	2	1
	April 2005	28	4	7
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
October 2004	0	0	0	
September 2004	23	3	7.67	
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity	August 2005	1	1	1
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	11	1	11
	April 2005	4	1	4
	March 2005	0	0	0
	February 2005	0	0	0
January 2005	0	0	0	

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	5	1	5
	September 2004	13	1	13
OP-6B-1 Delayed Days for Facility Reasons	August 2005	0	0	0
Business Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	16	1	16
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	August 2005	14	2	7
Residence Parity	July 2005	4	1	4
	June 2005	14	2	7
	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	9	2	4.5
	February 2005	10	3	3.33
	January 2005	1	1	1
	December 2004	16	4	4
	November 2004	15	3	5
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	August 2005	0	0	0
UNE - P (POTS) Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	22	3	7.33
	November 2004	45	9	5
	October 2004	2	1	2
	September 2004	70	7	10
OP-6B-2 Delayed Days for Facility Reasons	August 2005	10	1	10
Residence Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	2	1	2
	October 2004	0	0	0
	September 2004	2	1	2

OP-6B-2 Delayed Days for Facility Reasons UNE - P (POTS) Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	10	2	5
	November 2004	2	1	2
	October 2004	0	0	0
	September 2004	7	2	3.5
	OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	37	4
July 2005		11	3	3.67
June 2005		20	2	10
May 2005		9	1	9
April 2005		5	2	2.5
March 2005		18	2	9
February 2005		3	1	3
January 2005		14	3	4.67
December 2004		11	2	5.5
November 2004		18	3	6
October 2004		0	0	0
September 2004		21	3	7
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - ADSL Qualified Parity		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	2	1	2
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	3	2	1.5
	September 2004	5	1	5
	OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity	August 2005	126	1
July 2005		34	6	5.67
June 2005		1	1	1
May 2005		13	5	2.6
April 2005		7	4	1.75
March 2005		8	5	1.6
February 2005		20	4	5
January 2005		1	1	1
December 2004		18	4	4.5
November 2004		8	2	4
October 2004		26	5	5.2
September 2004		62	5	12.4
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop Analog Parity		August 2005	55	18
	July 2005	111	12	9.25
	June 2005	16	2	8
	May 2005	0	0	0

	April 2005	6	2	3
	March 2005	0	0	0
	February 2005	117	13	9
	January 2005	16	5	3.2
	December 2004	77	6	12.83
	November 2004	91	21	4.33
	October 2004	17	4	4.25
	September 2004	9	1	9
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
DS1 Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	4	1	4
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
ISDN Primary Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	1	1	1
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop - 2 Wire Non-Loaded Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	6	1	6
	April 2005	0	0	0
	March 2005	10	1	10
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	18	2	9
OP-6B-5 Delayed Days for Facility Reasons	August 2005	5	1	5
Unbundled Loop - DS1 Capable Parity	July 2005	0	0	0
	June 2005	1	1	1
	May 2005	5	4	1.25
	April 2005	0	0	0
	March 2005	1	1	1
	February 2005	0	0	0
	January 2005	0	0	0

	December 2004	0	0	0
	November 2004	1	1	1
	October 2004	7	4	1.75
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop Analog Parity	July 2005	20	3	6.67
	June 2005	57	3	19
	May 2005	6	2	3
	April 2005	7	1	7
	March 2005	36	2	18
	February 2005	3	1	3
	January 2005	4	1	4
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	3	3	1
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop ISDN Capable Parity	July 2005	0	0	0
	June 2005	3	1	3
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	2	1	2
OP-7 OP-7 - Coordinated Hot Cut" Interval -	August 2005	1.7	663	0:04
Unbundled Loops" Unbundled Loop - Analog	July 2005	1.62291667	663	0:04
Diagnostic	June 2005	1.67291667	805	0:03
	May 2005	1.59236111	755	0:03
	April 2005	1.19861111	532	0:03
	March 2005	1.10694444	564	0:03
	February 2005	1.0375	475	0:03
	January 2005	1.12638889	494	0:03
	December 2004	1.01805556	535	0:03
	November 2004	1.22847222	629	0:03
	October 2004	1.43402778	663	0:03
	September 2004	1.10138889	593	0:03
OP-7 OP-7 - Coordinated Hot Cut" Interval -	August 2005	0	0	0:00
Unbundled Loops" Unbundled Loop Other	July 2005	0	0	0:00
Diagnostic	June 2005	0	0	0:00
	May 2005	1.59236111	755	0:03
	April 2005	0.00763889	5	0:02
	March 2005	0.02152778	7	0:04
	February 2005	0.03333333	12	0:04
	January 2005	0.03958333	7	0:08
	December 2004	0.01736111	8	0:03
	November 2004	0.00763889	5	0:02
	October 2004	0.05416667	10	0:08
	September 2004	0.03541667	12	0:04

OP-8B Number Portability Timeliness LNP Benchmark	August 2005	551	551	100.00%
	July 2005	602	602	100.00%
	June 2005	692	693	99.86%
	May 2005	691	692	99.86%
	April 2005	473	474	99.79%
	March 2005	382	382	100.00%
	February 2005	352	352	100.00%
	January 2005	343	343	100.00%
	December 2004	107	109	98.17%
	November 2004	493	496	99.40%
	October 2004	553	557	99.28%
	September 2004	467	468	99.79%
	OP-8C Percentage of LNP Triggers Set Prior to the Frame Due Time LNP Benchmark	August 2005	5392	5443
July 2005		9449	9468	99.80%
June 2005		5177	5180	99.94%
May 2005		2090	2105	99.29%
April 2005		3243	3247	99.88%
March 2005		5691	5695	99.93%
February 2005		2277	2287	99.56%
January 2005		1681	1686	99.70%
December 2004		1112	1117	99.55%
November 2004		2910	2915	99.83%
October 2004		1657	1667	99.40%
September 2004		2345	2364	99.20%
OS-1 Speed of Answer - Operator Services Diagnostic		August 2005	0	0
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	PO-16 Timely Release Notifications Diagnostic	August 2005	5	5
July 2005		6	6	100.00%
June 2005		4	4	100.00%
May 2005		3	3	100.00%
April 2005		1	1	100.00%
March 2005		1	1	100.00%
February 2005		1	2	50.00%
January 2005		3	3	100.00%
December 2004		1	1	100.00%
November 2004		3	3	100.00%
October 2004		1	1	100.00%
September 2004		7	7	100.00%
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) EDI Request/Response Diagnostic		August 2005	15813.06	3774
	July 2005	15776	3712	6:00
	June 2005	20820.66	3899	8:09
	May 2005	17922.34	4247	5:16

	April 2005	18258.38	4207	8:09
	March 2005	17004.12	3918	8:09
	February 2005	15016.5	3550	5:31
	January 2005	14963.57	3827	21:50
	December 2004	16470.89	3931	4:33
	November 2004	16111.13	3901	3:07
	October 2004	17439.49	4349	0:14
	September 2004	19929.32	4933	0:57
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Aggregate Diagnostic	August 2005	5318.1	2799	21:36
	July 2005	4964.46	2559	22:33
	June 2005	6000.93	2691	5:31
	May 2005	4756.35	2571	20:24
	April 2005	4270.08	2224	22:04
	March 2005	4774.14	2526	21:21
	February 2005	4450.58	2306	22:19
	January 2005	5057.58	2607	22:33
	December 2004	4419.36	2376	20:38
	November 2004	4920.16	2674	20:09
October 2004	4555.02	2559	18:43	
September 2004	4691.1	2469	21:36	
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Request Diagnostic	August 2005	279.9	2799	2:24
	July 2005	255.9	2559	2:24
	June 2005	269.1	2691	2:24
	May 2005	257.1	2571	2:24
	April 2005	222.4	2224	2:24
	March 2005	252.6	2526	2:24
	February 2005	230.6	2306	2:24
	January 2005	260.7	2607	2:24
	December 2004	237.6	2376	2:24
	November 2004	267.4	2674	2:24
October 2004	614.16	2559	5:45	
September 2004	1481.4	2469	14:24	
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Response/Accept Diagnostic	August 2005	5038.2	2799	19:12
	July 2005	4708.56	2559	20:09
	June 2005	5731.83	2691	3:07
	May 2005	4499.25	2571	18:00
	April 2005	4047.68	2224	19:40
	March 2005	4521.54	2526	18:57
	February 2005	4219.98	2306	19:55
	January 2005	4796.88	2607	20:09
	December 2004	4181.76	2376	18:14
	November 2004	4652.76	2674	17:45
October 2004	3940.86	2559	12:57	
September 2004	3209.7	2469	7:12	
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) EDI Request/Response Diagnostic	August 2005	2768.26	713	21:07
	July 2005	3706.04	755	21:50
	June 2005	4269.97	816	5:31
	May 2005	3604.72	778	15:07
	April 2005	2905.81	548	7:12
	March 2005	2417.68	494	21:21
February 2005	2130.54	442	19:40	
January 2005	2164.94	474	13:40	

	December 2004	2306.8	495	15:50
	November 2004	2244.71	479	16:33
	October 2004	3164.32	629	0:43
	September 2004	4850.63	921	6:28
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Aggregate Diagnostic	August 2005	2009.25	612	6:43
	July 2005	2453.51	587	4:19
	June 2005	2433.5	577	5:16
	May 2005	2305.15	553	4:04
	April 2005	1954.55	462	5:31
	March 2005	2460.91	579	6:00
	February 2005	2210.82	522	5:45
	January 2005	2394.06	552	8:09
	December 2004	2181.51	512	6:14
	November 2004	2590.06	616	4:48
	October 2004	3204.54	535	23:45
	September 2004	5001.18	424	19:12
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Request Diagnostic	August 2005	62.54	612	2:24
	July 2005	59.83	587	2:24
	June 2005	59.04	577	2:24
	May 2005	56.54	553	2:24
	April 2005	47.02	462	2:24
	March 2005	59.52	579	2:24
	February 2005	53.56	522	2:24
	January 2005	56.42	552	2:24
	December 2004	52.77	512	2:24
	November 2004	63.37	616	2:24
	October 2004	131.68	535	6:00
	September 2004	525.6	424	5:45
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Response Diagnostic	August 2005	1946.71	612	4:19
	July 2005	2393.68	587	1:55
	June 2005	2374.46	577	2:52
	May 2005	2248.61	553	1:40
	April 2005	1907.53	462	3:07
	March 2005	2401.39	579	3:36
	February 2005	2157.26	522	3:07
	January 2005	2337.64	552	5:31
	December 2004	2128.74	513	3:36
	November 2004	2526.69	616	2:24
	October 2004	3072.86	535	17:45
	September 2004	4475.58	424	13:26
PO-1A-2 Pre-Order Response Times (Service Availability) EDI Request/Response Diagnostic	August 2005	24546.12	5007	21:36
	July 2005	24183.52	4961	20:52
	June 2005	25899.35	5214	23:16
	May 2005	26742.95	5268	1:55
	April 2005	22168.43	4351	2:24
	March 2005	22006.26	4376	0:43
	February 2005	19862.58	3951	0:43
	January 2005	21604.04	4268	1:26
	December 2004	21619.99	4286	0:57
	November 2004	21417.76	4230	1:26
	October 2004	24461.56	4666	5:45
	September 2004	31344.26	5562	15:21

PO-1A-2 Pre-Order Response Times (Service Availability) IMA Aggregate Diagnostic	August 2005	18766.02	5351	12:14
	July 2005	16755.08	4915	9:50
	June 2005	16343.06	4968	6:57
	May 2005	19226.59	4868	22:48
	April 2005	15861.14	4168	19:26
	March 2005	19290.26	4933	21:50
	February 2005	17234.2	4367	22:48
	January 2005	19309.17	4869	23:16
	December 2004	17145.87	4368	22:19
	November 2004	18857.95	5090	16:48
	October 2004	18751.77	4875	20:24
September 2004	21395.79	4801	11:02	
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Request Diagnostic	August 2005	545.28	5351	2:24
	July 2005	496.86	4915	2:24
	June 2005	506.94	4968	2:24
	May 2005	496.78	4868	2:24
	April 2005	425.44	4168	2:24
	March 2005	503.04	4933	2:24
	February 2005	448.3	4367	2:24
	January 2005	495.34	4869	2:24
	December 2004	444.8	4368	2:24
	November 2004	527.74	5090	2:24
	October 2004	888.99	4875	4:19
September 2004	1482.44	4801	7:26	
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Response Diagnostic	August 2005	18220.74	5351	9:50
	July 2005	16258.22	4915	7:26
	June 2005	15836.12	4968	4:33
	May 2005	18729.81	4868	20:24
	April 2005	15435.7	4168	16:48
	March 2005	18787.22	4933	19:26
	February 2005	16785.9	4367	20:09
	January 2005	18813.83	4869	20:38
	December 2004	16701.07	4368	19:40
	November 2004	18330.21	5090	14:24
	October 2004	17862.78	4875	15:50
September 2004	19913.35	4801	3:36	
PO-1A-3 Pre-Order Response Times (Facility Check) EDI Request/Response Diagnostic	August 2005	3162.74	574	12:14
	July 2005	3602.2	581	4:48
	June 2005	3432	600	17:16
	May 2005	2907.59	569	2:38
	April 2005	1659	316	6:00
	March 2005	1235.22	238	4:33
	February 2005	1178.31	217	10:19
	January 2005	1233.18	234	6:28
	December 2004	1343.1	242	13:12
	November 2004	1332.8	238	14:24
	October 2004	1706.92	307	13:26
September 2004	2667.06	449	22:33	
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Aggregate Diagnostic	August 2005	6727.6	1210	13:26
	July 2005	5596.64	1064	6:14
	June 2005	6153	1172	6:00
	May 2005	5569.49	1069	5:02

	April 2005	4708.62	909	4:19
	March 2005	5708.46	1069	8:09
	February 2005	4964.19	921	9:21
	January 2005	6085.05	1077	15:36
	December 2004	5646.89	1003	15:07
	November 2004	6458.01	1131	17:02
	October 2004	7310.94	1014	5:02
	September 2004	12169.67	1061	11:16
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Request Diagnostic	August 2005	121	1210	2:24
	July 2005	106.4	1064	2:24
	June 2005	117.2	1172	2:24
	May 2005	106.9	1069	2:24
	April 2005	90.9	909	2:24
	March 2005	106.9	1069	2:24
	February 2005	92.1	921	2:24
	January 2005	107.7	1077	2:24
	December 2004	100.3	1003	2:24
	November 2004	113.1	1131	2:24
	October 2004	324.48	1014	7:40
	September 2004	880.63	1061	19:55
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Response Diagnostic	August 2005	6606.6	1210	11:02
	July 2005	5490.24	1064	3:50
	June 2005	6035.8	1172	3:36
	May 2005	5462.59	1069	2:38
	April 2005	4617.72	909	1:55
	March 2005	5601.56	1069	5:45
	February 2005	4872.09	921	6:57
	January 2005	5977.35	1077	13:12
	December 2004	5546.59	1003	12:43
	November 2004	6344.91	1131	14:38
	October 2004	6986.46	1014	21:21
	September 2004	11289.04	1061	15:21
PO-1A-4 Pre-Order Response Times (Address Validation) EDI Request/Response Diagnostic	August 2005	17697.06	6017	22:33
	July 2005	18809.77	6125	1:40
	June 2005	20823.37	6385	6:14
	May 2005	19331.23	6551	22:48
	April 2005	17616.42	5738	1:40
	March 2005	18297.07	6120	23:45
	February 2005	16749.93	5491	1:12
	January 2005	17520.63	5806	0:28
	December 2004	20399.14	5987	9:50
	November 2004	18722.33	5808	5:16
	October 2004	12873.91	6089	2:38
	September 2004	14446.29	7243	23:45
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Aggregate Diagnostic	August 2005	30475.99	8533	13:40
	July 2005	27178.04	7867	10:48
	June 2005	27367.4	7729	12:57
	May 2005	27674.97	7631	15:07
	April 2005	24759.34	6835	14:52
	March 2005	30682.41	8478	14:52
February 2005	26830.99	7496	13:55	
January 2005	30628.34	8620	13:12	

	December 2004	27704.91	7731	13:55
	November 2004	32268.89	8960	14:24
	October 2004	39404.03	8298	18:00
	September 2004	52916.96	8347	8:09
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Request Diagnostic	August 2005	2528.84	8533	7:12
	July 2005	2280.21	7867	6:57
	June 2005	2361.94	7729	7:26
	May 2005	2319.45	7631	7:12
	April 2005	2086.31	6835	7:26
	March 2005	2544.4	8478	7:12
	February 2005	2269.19	7496	7:12
	January 2005	2616.85	8620	7:12
	December 2004	2347.38	7731	7:12
	November 2004	2611.23	8960	6:57
	October 2004	3765.88	8298	10:48
	September 2004	6818.33	8347	19:40
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Response Diagnostic	August 2005	27947.15	8533	6:43
	July 2005	24897.83	7867	3:50
	June 2005	25005.46	7729	5:45
	May 2005	25355.52	7631	7:40
	April 2005	22673.03	6835	7:40
	March 2005	28138.01	8478	7:40
	February 2005	24561.8	7496	6:43
	January 2005	28011.49	8620	6:00
	December 2004	25357.53	7731	6:43
	November 2004	29657.66	8960	7:26
	October 2004	35638.15	8298	6:57
	September 2004	46098.63	8347	12:28
PO-1A-5 Pre-Order Response Times (Get CSR) EDI Request/Response Diagnostic	August 2005	4962.96	1180	5:02
	July 2005	5170.94	1248	3:21
	June 2005	5154.6	1306	22:48
	May 2005	4614.67	1276	14:52
	April 2005	3417.65	976	12:00
	March 2005	3426.4	988	11:16
	February 2005	3225.57	881	15:50
	January 2005	3361.74	951	12:43
	December 2004	3560.24	981	15:07
	November 2004	3456.41	956	14:52
	October 2004	5280.86	1262	4:19
	September 2004	8855.73	1832	19:55
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Aggregate Diagnostic	August 2005	4307.51	1197	14:24
	July 2005	3605.04	1059	9:36
	June 2005	3858.45	1161	7:40
	May 2005	3524.34	1082	6:14
	April 2005	2943.6	917	5:02
	March 2005	3508.41	1083	5:45
	February 2005	3026.58	922	6:43
	January 2005	3633.59	1105	6:57
	December 2004	3484.66	996	12:00
	November 2004	4034.59	1129	13:40
	October 2004	6351.8	1072	22:19
	September 2004	13196.91	1097	0:43

PO-1A-5 Pre-Order Response Times (Get CSR) IMA Request Diagnostic	August 2005	121.9	1197	2:24
	July 2005	101.73	1059	2:24
	June 2005	118.74	1161	2:24
	May 2005	109.76	1082	2:24
	April 2005	93.33	917	2:24
	March 2005	110.44	1083	2:24
	February 2005	94.04	922	2:24
	January 2005	112.83	1105	2:24
	December 2004	101.53	996	2:24
	November 2004	115.37	1129	2:24
	October 2004	270.28	1072	6:00
	September 2004	585.32	1097	12:43
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Response Diagnostic	August 2005	4185.61	1197	12:00
	July 2005	3503.31	1059	7:26
	June 2005	3739.71	1161	5:16
	May 2005	3414.58	1082	3:50
	April 2005	2850.27	917	2:38
	March 2005	3397.97	1083	3:21
	February 2005	2932.54	922	4:19
	January 2005	3520.76	1105	4:33
	December 2004	3383.13	996	9:36
	November 2004	3919.22	1129	11:16
	October 2004	6081.52	1072	16:04
	September 2004	12611.59	1097	12:00
PO-1A-6 Pre-Order Response Times (TN Reservation) EDI Request/Response Diagnostic	August 2005	5981.04	1962	1:12
	July 2005	5877.81	1887	2:38
	June 2005	9008.88	1971	13:40
	May 2005	7429.7	2143	11:16
	April 2005	7622.34	2150	13:12
	March 2005	6828.9	1916	13:26
	February 2005	5874.86	1745	8:52
	January 2005	6341.9	1930	6:57
	December 2004	6917.93	1944	13:26
	November 2004	6594.61	1934	9:50
	October 2004	8677.91	2226	21:36
	September 2004	12794.64	2598	22:04
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Accept Diagnostic	August 2005	1097.48	1887	13:55
	July 2005	986.1	1647	14:24
	June 2005	1270.12	1762	17:16
	May 2005	1088.3	1661	15:50
	April 2005	952.54	1454	15:50
	March 2005	1162.82	1692	16:33
	February 2005	1007.71	1472	16:19
	January 2005	1161.28	1709	16:19
	December 2004	1041.27	1553	16:04
	November 2004	1192.15	1767	16:04
	October 2004	1799.88	1678	1:40
	September 2004	88.13	1695	1:12
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Aggregate Diagnostic	August 2005	6316.08	1887	8:24
	July 2005	5612.51	1647	9:50
	June 2005	8748.59	1762	23:16
	May 2005	6330.81	1661	19:26

	April 2005	5537.5	1454	19:26
	March 2005	6974.84	1692	2:52
	February 2005	5846.11	1472	23:16
	January 2005	6652.96	1709	21:21
	December 2004	5939.38	1553	19:40
	November 2004	6958.72	1767	22:33
	October 2004	9647.21	1678	18:00
	September 2004	13236.15	1695	19:26
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Request Diagnostic	August 2005	188.65	1887	2:24
	July 2005	164	1647	2:24
	June 2005	195.76	1762	2:38
	May 2005	182.61	1661	2:38
	April 2005	162.7	1454	2:38
	March 2005	187.73	1692	2:38
	February 2005	164.04	1472	2:38
	January 2005	190.37	1709	2:38
	December 2004	172.48	1553	2:38
	November 2004	197.09	1767	2:38
	October 2004	529.21	1678	7:40
September 2004	1544.12	1695	21:50	
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Response Diagnostic	August 2005	5029.95	1887	16:04
	July 2005	4462.41	1647	17:02
	June 2005	7282.71	1762	3:07
	May 2005	5059.9	1661	1:12
	April 2005	4422.26	1454	0:57
	March 2005	5624.29	1692	7:40
	February 2005	4674.36	1472	4:19
	January 2005	5301.31	1709	2:24
	December 2004	4725.63	1553	0:57
	November 2004	5569.48	1767	3:36
	October 2004	7318.12	1678	8:38
September 2004	11603.9	1695	20:24	
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) EDI Request/Response Diagnostic	August 2005	42421.97	6130	22:04
	July 2005	18612.79	2646	0:43
	June 2005	23075.72	2738	10:19
	May 2005	21036.09	2689	19:40
	April 2005	24245.39	3138	17:31
	March 2005	54932.83	7335	11:45
	February 2005	58590.94	6482	0:57
	January 2005	60665.05	6820	21:36
	December 2004	66033.29	7317	0:28
	November 2004	63942.81	7071	0:57
	October 2004	140542.5	16607	11:02
September 2004	166109.5	20194	5:31	
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Aggregate Diagnostic	August 2005	44586.26	7148	5:45
	July 2005	39656.02	6506	2:24
	June 2005	42108.39	6458	12:28
	May 2005	40693.68	6324	10:19
	April 2005	39988.81	5700	0:28
	March 2005	42733.64	6812	6:28
February 2005	46567.26	5940	20:09	
January 2005	52845.38	6650	22:48	

	December 2004	45550.48	5931	16:19
	November 2004	55205.73	7108	18:28
	October 2004	52715.05	6452	4:04
	September 2004	54875.26	6066	1:12
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Request Diagnostic	August 2005	1420.79	7148	4:48
	July 2005	1290.27	6506	4:48
	June 2005	1163.7	6458	4:19
	May 2005	1135.77	6324	4:19
	April 2005	1026.06	5700	4:19
	March 2005	1221.55	6812	4:19
	February 2005	1066.99	5940	4:19
	January 2005	1231.27	6650	4:33
	December 2004	1096.31	5931	4:19
	November 2004	1315.45	7108	4:33
	October 2004	2854.38	6452	10:33
September 2004	5834.28	6066	23:02	
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Response Diagnostic	August 2005	43165.47	7148	0:57
	July 2005	38365.75	6506	21:36
	June 2005	40944.69	6458	8:09
	May 2005	39557.91	6324	6:14
	April 2005	38962.75	5700	20:09
	March 2005	41512.09	6812	2:09
	February 2005	45500.27	5940	15:50
	January 2005	51614.11	6650	18:14
	December 2004	44454.17	5931	12:00
	November 2004	53890.28	7108	13:55
	October 2004	49860.67	6452	17:31
September 2004	49040.98	6066	1:55	
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) EDI Request/Response Diagnostic	August 2005	6307.85	905	23:16
	July 2005	6390.34	937	19:40
	June 2005	6850.83	969	1:40
	May 2005	5586	950	21:07
	April 2005	4281.98	617	22:33
	March 2005	4619.41	493	8:52
	February 2005	3991.56	444	23:45
	January 2005	4869.48	476	5:31
	December 2004	4393.56	492	22:19
	November 2004	4464.52	478	8:09
	October 2004	5651.1	630	23:16
September 2004	10053.86	919	22:33	
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Aggregate Diagnostic	August 2005	4089.3	634	10:48
	July 2005	3326.05	559	22:48
	June 2005	2818.61	541	5:02
	May 2005	2890.83	557	4:33
	April 2005	2817.85	485	19:26
	March 2005	5324.49	603	19:55
	February 2005	3815.28	504	13:40
	January 2005	6164.41	581	14:38
	December 2004	4147.92	504	5:31
	November 2004	4944	600	5:45
	October 2004	5747.5	550	10:48
September 2004	10288.26	549	17:45	

PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Request Diagnostic	August 2005	69.74	634	2:38
	July 2005	61.49	559	2:38
	June 2005	59.51	541	2:38
	May 2005	61.27	557	2:38
	April 2005	53.35	485	2:38
	March 2005	66.33	603	2:38
	February 2005	55.44	504	2:38
	January 2005	63.91	581	2:38
	December 2004	55.44	504	2:38
	November 2004	66	600	2:38
	October 2004	192.5	550	8:24
	September 2004	724.68	549	7:40
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Response Diagnostic	August 2005	4019.56	634	09:36
	July 2005	3264.56	559	09:36
	June 2005	2759.1	541	24:00
	May 2005	2829.56	557	55:12
	April 2005	2764.5	485	48:00
	March 2005	5258.16	603	16:48
	February 2005	3759.84	504	02:24
	January 2005	6100.5	581	00:00
	December 2004	4092.48	504	52:48
	November 2004	4878	600	07:12
	October 2004	5555	550	24:00
	September 2004	9563.58	549	04:48
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) EDI Request/Response Diagnostic	August 2005	6166.87	785	38:24
	July 2005	6989.82	927	57:36
	June 2005	8270.76	984	50:24
	May 2005	8442.43	1011	24:00
	April 2005	6926.73	760	38:24
	March 2005	3976.19	491	24:00
	February 2005	3740.17	437	26:24
	January 2005	3775.29	471	28:48
	December 2004	4514.51	489	31:12
	November 2004	4083.63	476	55:12
	October 2004	5741.46	618	57:36
	September 2004	8697.15	914	28:48
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Aggregate Diagnostic	August 2005	5053.17	779	11:45
	July 2005	4858.85	778	6:00
	June 2005	5175.83	786	14:09
	May 2005	5704.3	772	9:21
	April 2005	4420.12	643	20:52
	March 2005	5459.33	772	1:40
	February 2005	5308.04	711	11:16
	January 2005	5955.02	760	20:09
	December 2004	5095.19	711	4:04
	November 2004	5658.56	774	7:26
	October 2004	7317.81	803	2:38
	September 2004	9091.51	783	14:38
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Request Diagnostic	August 2005	79.09	779	2:24
	July 2005	78.7	778	2:24
	June 2005	79.63	786	2:24
	May 2005	78.47	772	2:24

	April 2005	65.36	643	2:24
	March 2005	78.99	772	2:24
	February 2005	72.26	711	2:24
	January 2005	77.11	760	2:24
	December 2004	72.24	711	2:24
	November 2004	78.51	774	2:24
	October 2004	148.17	803	4:19
	September 2004	237.43	783	7:12
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Response Diagnostic	August 2005	4974.08	779	9:21
	July 2005	4780.15	778	3:21
	June 2005	5096.2	786	11:31
	May 2005	5625.83	772	6:57
	April 2005	4354.76	643	18:28
	March 2005	5380.34	772	23:16
	February 2005	5235.78	711	8:38
	January 2005	5877.91	760	17:31
	December 2004	5022.95	711	1:26
	November 2004	5580.05	774	5:02
	October 2004	7169.64	803	22:19
	September 2004	8854.08	783	7:26
PO-1C Pre-Order Response Times (Timeout) EDI Total Diagnostic	August 2005	2	27049	0:00
	July 2005	15	23794	0:00
	June 2005	40	24922	0:02
	May 2005	5	25487	0:00
	April 2005	9	22810	0:00
	March 2005	9	26378	0:00
	February 2005	12	23652	0:00
	January 2005	18	25275	0:01
	December 2004	107	26271	0:05
	November 2004	66	25637	0:03
	October 2004	69	37452	0:02
	September 2004	52	45617	0:01
PO-1C Pre-Order Response Times (Timeout) IMA Total Diagnostic	August 2005	50	30200	0:02
	July 2005	131	27672	0:06
	June 2005	76	27921	0:03
	May 2005	35	27123	0:01
	April 2005	17	23814	0:01
	March 2005	21	28568	0:01
	February 2005	17	25178	0:01
	January 2005	31	28561	0:01
	December 2004	107	25792	0:06
	November 2004	6	29855	0:00
	October 2004	132	27970	0:06
	September 2004	134	27430	0:07
PO-1D Pre-Order Response Times (Rejected Query) EDI Total Diagnostic	August 2005	13977.12	6296	5:16
	July 2005	15086.79	7083	3:07
	June 2005	18007.22	7441	10:04
	May 2005	15460.48	7616	0:43
	April 2005	14914.35	7205	1:40
	March 2005	18591.04	8528	4:19
	February 2005	16602.88	7616	4:19
	January 2005	17161.2	8172	2:24

	December 2004	20071.8	8505	8:38
	November 2004	18154.4	8252	4:48
	October 2004	15539.37	7161	4:04
	September 2004	19019.72	7892	9:50
PO-1D Pre-Order Response Times (Rejected Query) IMA Total Diagnostic	August 2005	4341	8682	12:00
	July 2005	4293.5	8587	12:00
	June 2005	3784.5	7569	12:00
	May 2005	3823.96	7804	11:45
	April 2005	3415.47	6697	12:14
	March 2005	3855.5	7711	12:00
	February 2005	3255.56	6644	11:45
	January 2005	4117	8234	12:00
	December 2004	3956.5	7913	12:00
	November 2004	5064.64	9044	13:26
	October 2004	22113.15	7759	20:24
	September 2004	43106.64	8354	3:50
PO-20 Manual Service Order Accuracy Resale & UNE-P (POTS) Benchmark	August 2005	0	0	0.00%
	July 2005	1869	1872	99.84%
	June 2005	2084	2086	99.90%
	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1228	1235	99.43%
	January 2005	1303	1304	99.92%
	December 2004	2195	2206	99.50%
	November 2004	2666	2678	99.55%
	October 2004	2740	2752	99.56%
	September 2004	2266	2275	99.60%
PO-20 Manual Service Order Accuracy Unbundled Loops Benchmark	August 2005	0	0	0.00%
	July 2005	956	956	100.00%
	June 2005	1079	1080	99.91%
	May 2005	966	969	99.69%
	April 2005	731	733	99.73%
	March 2005	868	868	100.00%
	February 2005	784	785	99.87%
	January 2005	946	951	99.47%
	December 2004	1170	1170	100.00%
	November 2004	1050	1053	99.72%
	October 2004	942	944	99.79%
	September 2004	913	914	99.89%
PO-20P2 Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) Benchmark	August 2005	0	0	0.00%
	July 2005	1869	1872	99.84%
	June 2005	2084	2086	99.90%
	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1228	1235	99.43%
	January 2005	1303	1304	99.92%
	December 2004	2194	2206	99.46%
	November 2004	2665	2678	99.51%
	October 2004	2740	2752	99.56%
	September 2004	2266	2275	99.60%

PO-20P2 Manual Service Order Accuracy (Phase 2) Unbundled Loops Benchmark	August 2005	0	0	0.00%
	July 2005	956	956	100.00%
	June 2005	1079	1080	99.91%
	May 2005	966	969	99.69%
	April 2005	731	733	99.73%
	March 2005	868	868	100.00%
	February 2005	784	785	99.87%
	January 2005	946	951	99.47%
	December 2004	1170	1170	100.00%
	November 2004	1050	1053	99.72%
	October 2004	942	944	99.79%
	September 2004	913	914	99.89%
	PO-20P3 Manual Service Order Accuracy (Phase 3) Resale & UNE-P (POTS) Benchmark	August 2005	0	0
July 2005		1869	1872	99.84%
June 2005		2084	2086	99.90%
May 2005		2052	2056	99.81%
April 2005		1517	1520	99.80%
March 2005		1928	1929	99.95%
February 2005		1227	1235	99.35%
January 2005		1303	1304	99.92%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
PO-20P3 Manual Service Order Accuracy (Phase 3) Unbundled Loops Benchmark		August 2005	0	0
	July 2005	956	956	100.00%
	June 2005	1079	1080	99.91%
	May 2005	966	969	99.69%
	April 2005	731	733	99.73%
	March 2005	868	868	100.00%
	February 2005	784	785	99.87%
	January 2005	946	951	99.47%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	PO-2A-1 Electronic Flow-through for LSRs Received via IMA Line Sharing Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		8	8	100.00%
September 2004		31	91	34.07%
PO-2A-1 Electronic Flow-through for LSRs Received via IMA LNP Diagnostic		August 2005	632	910
	July 2005	592	810	73.09%
	June 2005	681	941	72.37%
	May 2005	766	957	80.04%

	April 2005	657	883	74.41%
	March 2005	644	859	74.97%
	February 2005	465	639	72.77%
	January 2005	397	563	70.52%
	December 2004	330	551	59.89%
	November 2004	314	529	59.36%
	October 2004	289	513	56.34%
	September 2004	349	617	56.56%
PO-2A-1 Electronic Flow-through for LSRs	August 2005	392	3354	11.69%
Received via IMA Resale Aggregate W/O	July 2005	349	2565	13.61%
UNE-P-POTS Diagnostic	June 2005	456	3076	14.82%
	May 2005	537	2981	18.01%
	April 2005	478	2390	20.00%
	March 2005	455	2840	16.02%
	February 2005	434	1912	22.70%
	January 2005	338	2086	16.20%
	December 2004	418	2105	19.86%
	November 2004	370	2242	16.50%
	October 2004	336	2799	12.00%
	September 2004	390	2244	17.38%
PO-2A-1 Electronic Flow-through for LSRs	August 2005	680	1269	53.59%
Received via IMA Unbundled Loop	July 2005	598	1143	52.32%
Aggregate Diagnostic	June 2005	767	1347	56.94%
	May 2005	727	1175	61.87%
	April 2005	733	1112	65.92%
	March 2005	618	1091	56.65%
	February 2005	455	909	50.06%
	January 2005	590	1220	48.36%
	December 2004	431	1099	39.22%
	November 2004	393	1154	34.06%
	October 2004	501	1311	38.22%
	September 2004	496	1376	36.05%
PO-2A-1 Electronic Flow-through for LSRs	August 2005	99	103	96.12%
Received via IMA UNE - P (POTS)	July 2005	13	16	81.25%
Diagnostic	June 2005	21	28	75.00%
	May 2005	8	15	53.33%
	April 2005	8	11	72.73%
	March 2005	68	81	83.95%
	February 2005	34	49	69.39%
	January 2005	137	229	59.83%
	December 2004	4020	4915	81.79%
	November 2004	6191	7084	87.39%
	October 2004	5622	6420	87.57%
	September 2004	4933	5674	86.94%
PO-2A-1 Electronic Flow-through for LSRs	August 2005	99	103	96.12%
Received via IMA UNE P (POTS AGG)	July 2005	13	16	81.25%
Diagnostic	June 2005	21	28	75.00%
	May 2005	8	15	53.33%
	April 2005	8	11	72.73%
	March 2005	68	81	83.95%
	February 2005	34	49	69.39%
	January 2005	137	229	59.83%

	December 2004	4024	4920	81.79%
	November 2004	6198	7091	87.41%
	October 2004	5638	6442	87.52%
	September 2004	4938	5681	86.92%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Line Sharing Diagnostic	August 2005	4	4	100.00%
	July 2005	3	6	50.00%
	June 2005	4	4	100.00%
	May 2005	6	6	100.00%
	April 2005	7	9	77.78%
	March 2005	10	14	71.43%
	February 2005	18	20	90.00%
	January 2005	21	24	87.50%
	December 2004	13	20	65.00%
	November 2004	14	21	66.67%
	October 2004	40	54	74.07%
	September 2004	678	865	78.38%
	PO-2A-2 Electronic Flow-through for LSRs Received via EDI LNP Diagnostic	August 2005	928	1209
July 2005		871	1124	77.49%
June 2005		726	991	73.26%
May 2005		678	904	75.00%
April 2005		771	1005	76.72%
March 2005		783	1047	74.79%
February 2005		603	770	78.31%
January 2005		700	889	78.74%
December 2004		526	690	76.23%
November 2004		505	657	76.86%
October 2004		390	560	69.64%
September 2004		372	565	65.84%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Diagnostic		August 2005	18	20
	July 2005	19	22	86.36%
	June 2005	17	21	80.95%
	May 2005	19	20	95.00%
	April 2005	16	18	88.89%
	March 2005	16	21	76.19%
	February 2005	5	11	45.45%
	January 2005	18	20	90.00%
	December 2004	16	20	80.00%
	November 2004	18	20	90.00%
	October 2004	12	19	63.16%
	September 2004	22	35	62.86%
	PO-2A-2 Electronic Flow-through for LSRs Received via EDI Unbundled Loop Aggregate Diagnostic	August 2005	1554	2162
July 2005		8124	9154	88.75%
June 2005		3325	3932	84.56%
May 2005		1154	1611	71.63%
April 2005		897	1347	66.59%
March 2005		1026	1593	64.41%
February 2005		873	1385	63.03%
January 2005		813	1455	55.88%
December 2004		677	1264	53.56%
November 2004		827	1406	58.82%
October 2004	924	1551	59.57%	
September 2004	847	1357	62.42%	

PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE - P (POTS) Diagnostic	August 2005	142	149	95.30%
	July 2005	129	135	95.56%
	June 2005	201	215	93.49%
	May 2005	172	191	90.05%
	April 2005	175	187	93.58%
	March 2005	173	212	81.60%
	February 2005	231	264	87.50%
	January 2005	368	414	88.89%
	December 2004	4369	5049	86.53%
	November 2004	5227	5891	88.73%
	October 2004	6162	6947	88.70%
	September 2004	5794	6552	88.43%
	PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE P (POTS AGG) Diagnostic	August 2005	142	149
July 2005		129	135	95.56%
June 2005		201	215	93.49%
May 2005		172	191	90.05%
April 2005		175	187	93.58%
March 2005		173	212	81.60%
February 2005		231	264	87.50%
January 2005		368	414	88.89%
December 2004		4369	5049	86.53%
November 2004		5227	5891	88.73%
October 2004		6162	6947	88.70%
September 2004		5794	6552	88.43%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Line Sharing Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
	September 2004	31	33	93.94%
	PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA LNP Benchmark	August 2005	632	652
July 2005		592	608	97.37%
June 2005		681	713	95.51%
May 2005		766	789	97.08%
April 2005		657	688	95.49%
March 2005		644	669	96.26%
February 2005		465	480	96.88%
January 2005		397	412	96.36%
December 2004		330	344	95.93%
November 2004		314	324	96.91%
October 2004		289	306	94.44%
September 2004		349	363	96.14%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Benchmark		August 2005	392	403
	July 2005	349	360	96.94%
	June 2005	456	469	97.23%
	May 2005	537	555	96.76%

	April 2005	478	504	94.84%
	March 2005	455	489	93.05%
	February 2005	434	459	94.55%
	January 2005	338	357	94.68%
	December 2004	418	468	89.32%
	November 2004	370	394	93.91%
	October 2004	336	365	92.05%
	September 2004	390	441	88.44%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Unbundled Loop Aggregate Benchmark	August 2005	680	726	93.66%
	July 2005	598	637	93.88%
	June 2005	767	814	94.23%
	May 2005	727	759	95.78%
	April 2005	733	770	95.19%
	March 2005	618	645	95.81%
	February 2005	455	477	95.39%
	January 2005	590	632	93.35%
	December 2004	431	469	91.90%
	November 2004	393	415	94.70%
	October 2004	501	521	96.16%
	September 2004	496	522	95.02%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE - P (POTS) Benchmark	August 2005	99	100	99.00%
	July 2005	13	13	100.00%
	June 2005	21	21	100.00%
	May 2005	8	9	88.89%
	April 2005	8	10	80.00%
	March 2005	68	75	90.67%
	February 2005	34	37	91.89%
	January 2005	137	146	93.84%
	December 2004	4020	4197	95.78%
	November 2004	6191	6336	97.71%
	October 2004	5622	5710	98.46%
	September 2004	4933	5053	97.63%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE P (POTS AGG) Benchmark	August 2005	99	100	99.00%
	July 2005	13	13	100.00%
	June 2005	21	21	100.00%
	May 2005	8	9	88.89%
	April 2005	8	10	80.00%
	March 2005	68	75	90.67%
	February 2005	34	37	91.89%
	January 2005	137	146	93.84%
	December 2004	4024	4202	95.76%
	November 2004	6198	6343	97.71%
	October 2004	5638	5728	98.43%
	September 2004	4938	5059	97.61%
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Line Sharing Diagnostic	August 2005	4	4	100.00%
	July 2005	3	4	75.00%
	June 2005	4	4	100.00%
	May 2005	6	6	100.00%
	April 2005	7	8	87.50%
	March 2005	10	11	90.91%
	February 2005	18	19	94.74%
	January 2005	21	24	87.50%

	December 2004	13	18	72.22%
	November 2004	14	14	100.00%
	October 2004	40	44	90.91%
	September 2004	678	715	94.83%
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI LNP Benchmark	August 2005	928	968	95.87%
	July 2005	871	891	97.76%
	June 2005	726	750	96.80%
	May 2005	678	703	96.44%
	April 2005	771	790	97.59%
	March 2005	783	823	95.14%
	February 2005	603	628	96.02%
	January 2005	700	725	96.55%
	December 2004	526	557	94.43%
	November 2004	505	523	96.56%
	October 2004	390	401	97.26%
September 2004	372	384	96.88%	
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Benchmark	August 2005	18	18	100.00%
	July 2005	19	19	100.00%
	June 2005	17	17	100.00%
	May 2005	19	19	100.00%
	April 2005	16	16	100.00%
	March 2005	16	17	94.12%
	February 2005	5	6	83.33%
	January 2005	18	18	100.00%
	December 2004	16	16	100.00%
	November 2004	18	18	100.00%
	October 2004	12	13	92.31%
September 2004	22	27	81.48%	
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Unbundled Loop Aggregate Benchmark	August 2005	1554	1585	98.04%
	July 2005	8124	8154	99.63%
	June 2005	3325	3368	98.72%
	May 2005	1154	1181	97.71%
	April 2005	897	928	96.66%
	March 2005	1026	1056	97.16%
	February 2005	875	912	95.94%
	January 2005	813	890	91.35%
	December 2004	677	759	89.20%
	November 2004	827	852	97.07%
	October 2004	924	967	95.55%
September 2004	847	874	96.91%	
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE - P (POTS) Benchmark	August 2005	142	146	97.26%
	July 2005	129	131	98.47%
	June 2005	201	204	98.53%
	May 2005	172	183	93.99%
	April 2005	175	180	97.22%
	March 2005	173	203	85.22%
	February 2005	231	258	89.53%
	January 2005	368	404	91.09%
	December 2004	4369	4545	96.13%
	November 2004	5227	5351	97.68%
October 2004	6162	6359	96.90%	
September 2004	5794	6026	96.15%	

PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE P (POTS AGG) Benchmark	August 2005	142	146	97.26%
	July 2005	129	131	98.47%
	June 2005	201	204	98.53%
	May 2005	172	183	93.99%
	April 2005	175	180	97.22%
	March 2005	173	203	85.22%
	February 2005	231	258	89.53%
	January 2005	368	404	91.09%
	December 2004	4369	4545	96.13%
	November 2004	5227	5351	97.68%
	October 2004	6162	6359	96.90%
	September 2004	5794	6026	96.15%
PO-3A-1 LSR Rejection Notice Interval for IMA - Rejected Manually Product Aggregate Benchmark	August 2005	56.2590278	267	5:03
	July 2005	44.7284722	243	4:25
	June 2005	34.3173611	216	3:49
	May 2005	32.9416667	207	3:49
	April 2005	28.5229167	188	3:38
	March 2005	31.1104167	208	3:35
	February 2005	18.4083333	116	3:49
	January 2005	28.8340278	119	5:49
	December 2004	60.1284722	182	7:56
	November 2004	64.2368056	224	6:53
	October 2004	21.0805556	208	2:26
	September 2004	17.6555556	238	1:47
PO-3A-2 LSR Rejection Notice Interval for IMA - Auto-Rejected Product Aggregate Benchmark	August 2005	146.154861	30340	0:07
	July 2005	129.577083	28103	0:07
	June 2005	137.304861	29146	0:07
	May 2005	130.118056	27205	0:07
	April 2005	127.692361	28630	0:06
	March 2005	153.705556	30652	0:07
	February 2005	126.618056	26199	0:07
	January 2005	118.690972	26888	0:06
	December 2004	127.504167	26855	0:07
	November 2004	114.728472	24341	0:07
	October 2004	82.30625	19892	0:06
	September 2004	110.729167	25710	0:06
PO-3B-1 LSR Rejection Notice Interval for EDI - Rejected Manually Product Aggregate Benchmark	August 2005	41.9416667	154	6:32
	July 2005	25.4048611	161	3:47
	June 2005	28.0256944	224	3:00
	May 2005	25.7145833	164	3:46
	April 2005	30.9451389	193	3:51
	March 2005	37.9659722	234	3:54
	February 2005	21.6784722	175	2:58
	January 2005	16.6423611	176	2:16
	December 2004	50.5638889	224	5:25
	November 2004	24.0520833	249	2:19
	October 2004	29.5770833	269	2:38
	September 2004	23.2458333	282	1:59
PO-3B-2 LSR Rejection Notice Interval for EDI - Auto-Rejected Product Aggregate Benchmark	August 2005	132.85625	43402	0:04
	July 2005	135.501389	28367	0:07
	June 2005	274.109028	50733	0:08
	May 2005	170.9625	30033	0:08

	April 2005	143.799306	30970	0:07
	March 2005	353.136111	42085	0:12
	February 2005	186.691667	28016	0:10
	January 2005	117.523611	25795	0:07
	December 2004	206.889583	30816	0:10
	November 2004	0	51824	0:22
	October 2004	75.7395833	23462	0:05
	September 2004	101.429167	27122	0:05
PO-3C LSR Rejection Notice Interval for Manual and IIS Product Aggregate Benchmark	August 2005	2.161111111	3	17:17
	July 2005	2.704861111	6	10:49
	June 2005	7.45	13	13:45
	May 2005	1.30625	4	7:50
	April 2005	8.108333333	11	17:41
	March 2005	4.77152778	10	11:27
	February 2005	3.30069444	15	5:17
	January 2005	7.675	14	13:09
	December 2004	16.2888889	27	14:29
	November 2004	21.7138889	48	10:51
October 2004	18.8458333	44	10:17	
September 2004	22.44375	50	10:46	
PO-4A-1 LSRs Rejected for IMA - Rejected Manually Product Aggregate Diagnostic	August 2005	1749	82171	2.13%
	July 2005	1493	70658	2.11%
	June 2005	1579	77293	2.04%
	May 2005	1626	71541	2.27%
	April 2005	1632	72125	2.26%
	March 2005	1536	78680	1.95%
	February 2005	1006	64848	1.55%
	January 2005	808	72321	1.12%
	December 2004	1251	98819	1.27%
	November 2004	1223	94947	1.29%
October 2004	1437	87491	1.64%	
September 2004	1612	94752	1.70%	
PO-4A-2 LSRs Rejected for IMA - Auto-Rejected Product Aggregate Diagnostic	August 2005	30340	82171	36.92%
	July 2005	28103	70658	39.77%
	June 2005	29146	77293	37.71%
	May 2005	27205	71541	38.03%
	April 2005	28630	72125	39.69%
	March 2005	30652	78680	38.96%
	February 2005	26199	64848	40.40%
	January 2005	26888	72321	37.18%
	December 2004	26855	98819	27.18%
	November 2004	24341	94947	25.64%
October 2004	19892	87491	22.74%	
September 2004	25710	94752	27.13%	
PO-4B-1 LSRs Rejected for EDI - Rejected Manually Product Aggregate Diagnostic	August 2005	986	75055	1.31%
	July 2005	956	69230	1.38%
	June 2005	1266	113225	1.12%
	May 2005	1077	71032	1.52%
	April 2005	1130	55967	2.02%
	March 2005	1368	68028	2.01%
February 2005	1004	50317	2.00%	
January 2005	989	48047	2.06%	

	December 2004	1367	84804	1.61%
	November 2004	1471	109923	1.34%
	October 2004	1546	86723	1.78%
	September 2004	1924	101346	1.90%
PO-4B-2 LSRs Rejected for EDI - Auto-Rejected Product Aggregate Diagnostic	August 2005	43402	75055	57.83%
	July 2005	28367	69230	40.98%
	June 2005	50733	113225	44.81%
	May 2005	30033	71032	42.28%
	April 2005	30970	55967	55.34%
	March 2005	42085	68028	61.86%
	February 2005	28016	50317	55.68%
	January 2005	25795	48047	53.69%
	December 2004	30816	84804	36.34%
	November 2004	51824	109923	47.15%
	October 2004	23462	86723	27.05%
	September 2004	27122	101346	26.76%
PO-4C LSRs Received via Facsimile Product Aggregate Diagnostic	August 2005	3	16	18.75%
	July 2005	6	16	37.50%
	June 2005	13	26	50.00%
	May 2005	4	23	17.39%
	April 2005	11	33	33.33%
	March 2005	10	38	26.32%
	February 2005	15	46	32.61%
	January 2005	14	45	31.11%
	December 2004	27	51	52.94%
	November 2004	48	128	37.50%
	October 2004	44	156	28.21%
	September 2004	50	192	26.04%
PO-5A-1(a) FOCs On Time for Fully Electronic LSRs Received Via IMA Resale Aggregate Benchmark	August 2005	450	453	99.34%
	July 2005	337	337	100.00%
	June 2005	446	446	100.00%
	May 2005	516	516	100.00%
	April 2005	467	467	100.00%
	March 2005	466	466	100.00%
	February 2005	433	436	99.31%
	January 2005	439	444	98.87%
	December 2004	4187	4243	98.68%
	November 2004	6351	6352	99.98%
	October 2004	5770	5771	99.98%
	September 2004	5190	5190	100.00%
PO-5A-1(b) FOCs On Time for Fully Electronic LSRs Received Via IMA Unbundled Loop Aggregate Benchmark	August 2005	457	458	99.78%
	July 2005	412	412	100.00%
	June 2005	559	559	100.00%
	May 2005	542	542	100.00%
	April 2005	551	551	100.00%
	March 2005	442	442	100.00%
	February 2005	327	327	100.00%
	January 2005	510	512	99.61%
	December 2004	383	387	98.97%
	November 2004	352	352	100.00%
	October 2004	452	452	100.00%
	September 2004	384	384	100.00%

PO-5A-1(c) FOCs On Time for Fully Electronic LSRs Received Via IMA LNP Benchmark	August 2005	607	607	100.00%
	July 2005	579	579	100.00%
	June 2005	666	666	100.00%
	May 2005	752	752	100.00%
	April 2005	641	641	100.00%
	March 2005	609	609	100.00%
	February 2005	455	455	100.00%
	January 2005	378	384	98.44%
	December 2004	317	317	100.00%
	November 2004	301	301	100.00%
	October 2004	278	278	100.00%
	September 2004	333	333	100.00%
	PO-5A-2(a) FOCs On Time for Fully Electronic LSRs Received Via EDI Resale Aggregate Benchmark	August 2005	159	159
July 2005		148	148	100.00%
June 2005		216	216	100.00%
May 2005		190	190	100.00%
April 2005		191	191	100.00%
March 2005		189	189	100.00%
February 2005		234	235	99.57%
January 2005		376	383	98.17%
December 2004		4297	4330	99.24%
November 2004		5175	5175	100.00%
October 2004		6084	6084	100.00%
September 2004		5745	5745	100.00%
PO-5A-2(b) FOCs On Time for Fully Electronic LSRs Received Via EDI Unbundled Loop Aggregate Benchmark		August 2005	1273	1274
	July 2005	7750	7750	100.00%
	June 2005	2918	2942	99.18%
	May 2005	800	800	100.00%
	April 2005	532	532	100.00%
	March 2005	689	689	100.00%
	February 2005	618	618	100.00%
	January 2005	612	616	99.35%
	December 2004	500	513	97.47%
	November 2004	564	564	100.00%
	October 2004	642	642	100.00%
	September 2004	1292	1292	100.00%
	PO-5A-2(c) FOCs On Time for Fully Electronic LSRs Received Via EDI LNP Benchmark	August 2005	876	876
July 2005		821	821	100.00%
June 2005		656	656	100.00%
May 2005		620	620	100.00%
April 2005		711	711	100.00%
March 2005		722	722	100.00%
February 2005		553	554	99.82%
January 2005		647	647	100.00%
December 2004		466	472	98.73%
November 2004		467	467	100.00%
October 2004		357	357	100.00%
September 2004		348	348	100.00%
PO-5B-1(a) FOCs On Time For Electronic/Manual LSRs Received Via IMA Resale Aggregate Benchmark		August 2005	2770	2771
	July 2005	2036	2040	99.80%
	June 2005	2505	2508	99.88%
	May 2005	2227	2231	99.82%

	April 2005	1740	1740	100.00%
	March 2005	2239	2239	100.00%
	February 2005	1324	1325	99.92%
	January 2005	1723	1725	99.88%
	December 2004	2404	2409	99.79%
	November 2004	2693	2696	99.89%
	October 2004	3095	3097	99.94%
	September 2004	2446	2448	99.92%
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop AGG-EELs Benchmark	August 2005	1056	1082	97.60%
	July 2005	774	792	97.73%
	June 2005	748	758	98.68%
	May 2005	638	650	98.15%
	April 2005	549	554	99.10%
	March 2005	676	687	98.40%
	February 2005	573	580	98.79%
	January 2005	707	719	98.33%
	December 2004	710	727	97.66%
	November 2004	780	786	99.24%
	October 2004	847	871	97.24%
	September 2004	1072	1096	97.81%
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop Aggregate Benchmark	August 2005	682	705	96.74%
	July 2005	628	646	97.21%
	June 2005	685	695	98.56%
	May 2005	545	557	97.85%
	April 2005	481	486	98.97%
	March 2005	577	588	98.13%
	February 2005	495	502	98.61%
	January 2005	611	623	98.07%
	December 2004	618	635	97.32%
	November 2004	696	702	99.15%
	October 2004	755	779	96.92%
	September 2004	959	983	97.56%
PO-5B-1(c) FOCs On Time For Electronic/Manual LSRs Received Via IMA LNP Benchmark	August 2005	243	244	99.59%
	July 2005	208	208	100.00%
	June 2005	232	232	100.00%
	May 2005	174	174	100.00%
	April 2005	205	205	100.00%
	March 2005	189	189	100.00%
	February 2005	154	154	100.00%
	January 2005	152	152	100.00%
	December 2004	195	195	100.00%
	November 2004	194	194	100.00%
	October 2004	201	201	100.00%
	September 2004	238	238	100.00%
PO-5B-2(a) FOCs On Time For Electronic/Manual LSRs Received Via EDI Resale Aggregate Benchmark	August 2005	8	8	100.00%
	July 2005	8	8	100.00%
	June 2005	17	17	100.00%
	May 2005	20	20	100.00%
	April 2005	13	13	100.00%
	March 2005	44	44	100.00%
	February 2005	38	38	100.00%
	January 2005	48	48	100.00%

	December 2004	585	586	99.83%
	November 2004	629	629	100.00%
	October 2004	746	746	100.00%
	September 2004	722	722	100.00%
PO-5B-2(b) FOCs On Time For	August 2005	814	821	99.15%
Electronic/Manual LSRs Received Via EDI	July 2005	1264	1269	99.61%
Unbundled Loop AGG-EELs Benchmark	June 2005	892	898	99.33%
	May 2005	721	724	99.59%
	April 2005	730	733	99.59%
	March 2005	796	807	98.64%
	February 2005	699	705	99.15%
	January 2005	758	761	99.61%
	December 2004	677	680	99.56%
	November 2004	736	743	99.06%
	October 2004	799	806	99.13%
	September 2004	842	848	99.29%
PO-5B-2(b) FOCs On Time For	August 2005	747	754	99.07%
Electronic/Manual LSRs Received Via EDI	July 2005	1208	1213	99.59%
Unbundled Loop Aggregate Benchmark	June 2005	831	837	99.28%
	May 2005	662	665	99.55%
	April 2005	687	690	99.57%
	March 2005	731	742	98.52%
	February 2005	622	628	99.04%
	January 2005	699	701	99.71%
	December 2004	628	631	99.52%
	November 2004	691	698	99.00%
	October 2004	747	754	99.07%
	September 2004	778	784	99.23%
PO-5B-2(c) FOCs On Time For	August 2005	263	263	100.00%
Electronic/Manual LSRs Received Via EDI	July 2005	231	231	100.00%
LNP Benchmark	June 2005	241	241	100.00%
	May 2005	209	209	100.00%
	April 2005	219	219	100.00%
	March 2005	236	236	100.00%
	February 2005	154	154	100.00%
	January 2005	174	174	100.00%
	December 2004	154	154	100.00%
	November 2004	142	142	100.00%
	October 2004	160	160	100.00%
	September 2004	181	181	100.00%
PO-5C-(a) FOCs on Time for Manual	August 2005	1	3	33.33%
Resale Aggregate Benchmark	July 2005	3	4	75.00%
	June 2005	4	4	100.00%
	May 2005	12	13	92.31%
	April 2005	11	11	100.00%
	March 2005	16	17	94.12%
	February 2005	16	16	100.00%
	January 2005	20	20	100.00%
	December 2004	11	11	100.00%
	November 2004	15	15	100.00%
	October 2004	9	11	81.82%
	September 2004	17	19	89.47%

PO-5C-(b) FOCs on Time for Manual Unbundled Loop AGG-EELs Benchmark	August 2005	2	2	100.00%
	July 2005	2	2	100.00%
	June 2005	3	3	100.00%
	May 2005	1	1	100.00%
	April 2005	8	8	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	2	2	100.00%
	December 2004	4	4	100.00%
	November 2004	4	5	80.00%
	October 2004	3	3	100.00%
	September 2004	1	1	100.00%
	PO-5C-(b) FOCs on Time for Manual Unbundled Loop Aggregate Benchmark	August 2005	2	2
July 2005		2	2	100.00%
June 2005		3	3	100.00%
May 2005		1	1	100.00%
April 2005		8	8	100.00%
March 2005		2	2	100.00%
February 2005		4	4	100.00%
January 2005		2	2	100.00%
December 2004		4	4	100.00%
November 2004		4	5	80.00%
October 2004		3	3	100.00%
September 2004		1	1	100.00%
PO-5C-(c) FOCs on Time for Manual LNP Benchmark		August 2005	8	8
	July 2005	1	1	100.00%
	June 2005	6	6	100.00%
	May 2005	5	5	100.00%
	April 2005	3	3	100.00%
	March 2005	4	4	100.00%
	February 2005	6	6	100.00%
	January 2005	5	5	100.00%
	December 2004	6	9	66.67%
	November 2004	59	59	100.00%
	October 2004	96	96	100.00%
	September 2004	122	122	100.00%
	PO-5D Firm Order Confirmations (FOCs) On Time LIS Trunk Benchmark	August 2005	43	43
July 2005		73	73	100.00%
June 2005		71	71	100.00%
May 2005		82	82	100.00%
April 2005		70	70	100.00%
March 2005		51	51	100.00%
February 2005		124	124	100.00%
January 2005		70	70	100.00%
December 2004		90	90	100.00%
November 2004		55	55	100.00%
October 2004		58	58	100.00%
September 2004		41	41	100.00%
PO-6A Notices Made Available via IMA - GUI All Benchmark		August 2005	152.323611	4405
	July 2005	308.036111	3617	8.54%
	June 2005	119.15	4461	2.64%
	May 2005	100.011111	4242	2.36%

	April 2005	50.23125	3541	1.39%
	March 2005	113.625	3814	2.99%
	February 2005	47.375	2807	1.67%
	January 2005	39.1388889	4571	0.83%
	December 2004	306.898611	7295	4.24%
	November 2004	199.957639	8794	2.29%
	October 2004	170.560417	8609	2.01%
	September 2004	203.593056	7914	2.57%
PO-6B Notices Transmitted via IMA - EDI	August 2005	75.4444444	4300	1.74%
All Benchmark	July 2005	0	7834	7.22%
	June 2005	52.20625	4139	1.25%
	May 2005	23.9798611	1927	1.25%
	April 2005	15.8069444	1971	0.83%
	March 2005	73.0291667	2138	3.40%
	February 2005	57.0166667	1848	3.06%
	January 2005	74.7972222	2673	2.78%
	December 2004	297.7875	4998	5.97%
	November 2004	150.780556	6491	2.29%
	October 2004	149.458333	6127	2.43%
	September 2004	322.086806	7745	4.17%
PO-7A,C Notices Made Available via IMA -	August 2005	5828	5832	99.93%
GUI / Billing System Posting Completions All	July 2005	4834	4834	100.00%
Parity	June 2005	5807	5824	99.71%
	May 2005	5303	5303	100.00%
	April 2005	4533	4533	100.00%
	March 2005	5350	5350	100.00%
	February 2005	3658	3658	100.00%
	January 2005	4216	4217	99.98%
	December 2004	9341	9346	99.95%
	November 2004	12044	12328	97.70%
	October 2004	9469	9470	99.99%
	September 2004	9998	9999	99.99%
PO-7B,C Notices Transmitted via IMA - EDI	August 2005	272	272	100.00%
/ Billing System Posting Completions All	July 2005	222	222	100.00%
Parity	June 2005	380	380	100.00%
	May 2005	333	333	100.00%
	April 2005	386	386	100.00%
	March 2005	274	274	100.00%
	February 2005	237	237	100.00%
	January 2005	321	321	100.00%
	December 2004	154	154	100.00%
	November 2004	227	227	100.00%
	October 2004	265	265	100.00%
	September 2004	408	408	100.00%
PO-8A Jeopardy Notice Interval Non-	August 2005	2	1	0:00
Designed Services Parity	July 2005	12	4	0:00
	June 2005	18	9	0:00
	May 2005	22	3	7:55
	April 2005	14	6	7:55
	March 2005	14	8	18:00
	February 2005	13	4	6:00
	January 2005	18	6	0:00

	December 2004	24	9	16:04
	November 2004	36	8	12:00
	October 2004	32	9	13:26
	September 2004	9	5	19:12
PO-8B Jeopardy Notice Interval Unbundled Loops and Number Portability Parity	August 2005	593	77	16:48
	July 2005	621	112	12:57
	June 2005	492	112	9:21
	May 2005	328	83	22:48
	April 2005	310	70	10:19
	March 2005	306	87	12:28
	February 2005	270	67	0:43
	January 2005	337	71	18:00
	December 2004	341	83	2:38
	November 2004	382	95	0:28
	October 2004	578	126	14:09
	September 2004	337	88	19:55
PO-8D Jeopardy Notice Interval UNE - P (POTS) Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	2	1	0:00
	December 2004	65	17	19:40
	November 2004	69	22	3:21
	October 2004	45	15	0:00
	September 2004	110	31	13:12
PO-9A Timely Jeopardy Notices Non- Designed Services Parity	August 2005	0	22	0.00%
	July 2005	1	5	20.00%
	June 2005	4	11	36.36%
	May 2005	0	4	0.00%
	April 2005	0	7	0.00%
	March 2005	3	9	33.33%
	February 2005	1	8	12.50%
	January 2005	1	4	25.00%
	December 2004	2	5	40.00%
	November 2004	0	9	0.00%
	October 2004	0	11	0.00%
	September 2004	0	8	0.00%
PO-9B Timely Jeopardy Notices Unbundled Loops and Number Portability Parity	August 2005	29	49	59.18%
	July 2005	16	57	28.07%
	June 2005	10	40	25.00%
	May 2005	15	38	39.47%
	April 2005	5	47	10.64%
	March 2005	11	29	37.93%
	February 2005	7	36	19.44%
	January 2005	13	37	35.14%
	December 2004	12	55	21.82%
	November 2004	8	63	12.70%
	October 2004	15	65	23.08%
	September 2004	14	108	12.96%

PO-9C Timely Jeopardy Notices LIS Trunk Parity	August 2005	0	2	0.00%
	July 2005	0	1	0.00%
	June 2005	0	2	0.00%
	May 2005	0	3	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	PO-9D Timely Jeopardy Notices UNE - P (POTS) Parity	August 2005	0	1
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		1	2	50.00%
December 2004		0	15	0.00%
November 2004		2	15	13.33%
October 2004		0	7	0.00%
September 2004		4	32	12.50%
MR-10 Customer and Non-Qwest Related Trouble Reports DS3 Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	1	2	50.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-11B LNP Trouble Reports Cleared within 48 Hours - All Volumes LNP Parity	August 2005	1	1
July 2005		1	1	100.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		2	2	100.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		3	4	75.00%
December 2004		0	0	0.00%
November 2004		2	2	100.00%
October 2004		1	1	100.00%
September 2004		0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Centrex 21 Parity		August 2005	1	1
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Centrex 21 Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Centrex 21 Parity	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	3	3	100.00%
	September 2004	1	1	100.00%
MR-5A All Troubles Cleared within 4 Hours DS3 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS3 Capable Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%

	December 2004		1	1	100.00%
	November 2004		0	0	0.00%
	October 2004		0	0	0.00%
	September 2004		1	1	100.00%
MR-5B All Troubles Cleared within 4 Hours ISDN Primary Parity	August 2005		0	0	0.00%
	July 2005		0	0	0.00%
	June 2005		0	0	0.00%
	May 2005		0	0	0.00%
	April 2005		2	2	100.00%
	March 2005		0	0	0.00%
	February 2005		0	0	0.00%
	January 2005		0	0	0.00%
	December 2004		0	0	0.00%
	November 2004		0	0	0.00%
	October 2004		0	0	0.00%
	September 2004		0	0	0.00%
MR-6D Mean Time to Restore Dark Fiber - IOF Parity	August 2005	0.11666667		1	2:48
	July 2005	0		0	0:00
	June 2005	0.10347222		1	2:29
	May 2005	0		0	0:00
	April 2005	0		0	0:00
	March 2005	0		0	0:00
	February 2005	0		0	0:00
	January 2005	0		0	0:00
	December 2004	0		0	0:00
	November 2004	0		0	0:00
	October 2004	0		0	0:00
	September 2004	0		0	0:00
MR-6D Mean Time to Restore DS3 Parity	August 2005	0		0	0:00
	July 2005	0		0	0:00
	June 2005	0.0125		1	0:18
	May 2005	0		0	0:00
	April 2005	0		0	0:00
	March 2005	0		0	0:00
	February 2005	0		0	0:00
	January 2005	0		0	0:00
	December 2004	0		0	0:00
	November 2004	0		0	0:00
	October 2004	0		0	0:00
	September 2004	0		0	0:00
MR-6D Mean Time to Restore Enhanced Extended Loops - DS3 Capable Parity	August 2005	0		0	0:00
	July 2005	0		0	0:00
	June 2005	0		0	0:00
	May 2005	0		0	0:00
	April 2005	0		0	0:00
	March 2005	0		0	0:00
	February 2005	0.05625		1	1:21
	January 2005	0		0	0:00
	December 2004	0.07847222		1	1:53
	November 2004	0		0	0:00
	October 2004	0		0	0:00
	September 2004	0.075		1	1:48

MR-6E Mean Time to Restore UDIT Above DS1 Level Parity	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.17361111	1	4:10
	March 2005	0	0	0:00
	February 2005	0.05347222	1	1:17
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0.01666667	1	0:24
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-7B Repair Repeat Report Rate PBX Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	2	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Dark Fiber - Loop Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate E911 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	1	0.00%
MR-7D Repair Repeat Report Rate Unbundled Loop - DS3 Capable Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate	August 2005	0	0	0.00%
Unbundled Loop - XDSLi Parity	July 2005	0	0	0.00%
	June 2005	2	26	7.69%
	May 2005	0	4	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	1	3	33.33%
	January 2005	3	7	42.86%
	December 2004	0	4	0.00%
	November 2004	0	1	0.00%
	October 2004	1	3	33.33%
	September 2004	0	3	0.00%
MR-7E Repair Repeat Report Rate E911	August 2005	0	0	0.00%
Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-8 Trouble Rate Dark Fiber - IOF	August 2005	1	36	2.78%
Diagnostic	July 2005	0	36	0.00%
	June 2005	1	36	2.78%
	May 2005	0	36	0.00%
	April 2005	0	32	0.00%
	March 2005	0	32	0.00%
	February 2005	0	32	0.00%
	January 2005	0	32	0.00%
	December 2004	0	29	0.00%
	November 2004	0	29	0.00%
	October 2004	0	29	0.00%
	September 2004	0	45	0.00%
MR-8 Trouble Rate Dark Fiber - Loop	August 2005	0	33	0.00%
Diagnostic	July 2005	0	33	0.00%
	June 2005	0	31	0.00%
	May 2005	1	32	3.13%
	April 2005	0	32	0.00%
	March 2005	0	32	0.00%
	February 2005	0	32	0.00%
	January 2005	1	32	3.13%

	December 2004	0	32	0.00%
	November 2004	0	33	0.00%
	October 2004	0	28	0.00%
	September 2004	0	28	0.00%
MR-8 Trouble Rate Enhanced Extended Loops - DS3 Capable Diagnostic	August 2005	0	55	0.00%
	July 2005	0	52	0.00%
	June 2005	0	52	0.00%
	May 2005	0	52	0.00%
	April 2005	0	52	0.00%
	March 2005	0	50	0.00%
	February 2005	1	50	2.00%
	January 2005	0	48	0.00%
	December 2004	1	48	2.08%
	November 2004	0	46	0.00%
	October 2004	0	44	0.00%
	September 2004	1	42	2.38%
	MR-8 Trouble Rate Sub-Loop Unbundling Diagnostic	August 2005	0	15
July 2005		0	16	0.00%
June 2005		0	17	0.00%
May 2005		0	17	0.00%
April 2005		0	17	0.00%
March 2005		0	21	0.00%
February 2005		0	21	0.00%
January 2005		0	21	0.00%
December 2004		0	21	0.00%
November 2004		0	22	0.00%
October 2004		0	22	0.00%
September 2004		0	21	0.00%
OP-3C Installation Commitments Met UNE P (Centrex 21) Parity		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
	September 2004	0	0	0.00%
	OP-3D Installation Commitments Met Dark Fiber - IOF Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		4	4	100.00%
April 2005		1	1	100.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		1	1	100.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
October 2004	0	0	0.00%	
September 2004	0	0	0.00%	

OP-3D Installation Commitments Met Dark Fiber - Loop Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	OP-4D Installation Interval Dark Fiber - IOF Diagnostic	August 2005	0	0
July 2005		0	0	0.00
June 2005		0	0	0.00
May 2005		71	4	17.75
April 2005		0	0	0.00
March 2005		0	0	0.00
February 2005		0	0	0.00
January 2005		31	2	15.50
December 2004		18	1	18.00
November 2004		0	0	0.00
October 2004		0	0	0.00
September 2004		0	0	0.00
OP-4D Installation Interval Dark Fiber - Loop Diagnostic		August 2005	0	0
	July 2005	40	2	20.00
	June 2005	0	0	0.00
	May 2005	19	1	19.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	20	1	20.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
	OP-5A New Service Installation Quality Reported to Repair Dark Fiber - IOF Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		4	4	100.00%
April 2005		1	1	100.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		2	2	100.00%
December 2004		2	2	100.00%
November 2004		0	0	0.00%
October 2004		1	1	100.00%
September 2004		0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair E911 Parity		August 2005	0	0
	July 2005	20	20	100.00%
	June 2005	32	32	100.00%
	May 2005	10	10	100.00%

	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	5	5	100.00%
	September 2004	2	2	100.00%
OP-5B New Service Provisioning Quality	August 2005	0	0	0.00%
Enhanced Extended Loops - DS1 Capable	July 2005	138	138	100.00%
Benchmark	June 2005	110	110	100.00%
	May 2005	118	118	100.00%
	April 2005	93	93	100.00%
	March 2005	115	116	99.14%
	February 2005	110	110	100.00%
	January 2005	102	103	99.03%
	December 2004	114	114	100.00%
	November 2004	87	87	100.00%
	October 2004	126	126	100.00%
	September 2004	108	108	100.00%
OP-5B New Service Provisioning Quality	August 2005	0	0	0.00%
Enhanced Extended Loops - DS3 Capable	July 2005	0	0	0.00%
Benchmark	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
	September 2004	2	2	100.00%
OP-5B New Service Provisioning Quality	August 2005	0	0	0.00%
Line Sharing Benchmark	July 2005	1	1	100.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	7	7	100.00%
	February 2005	13	13	100.00%
	January 2005	13	13	100.00%
	December 2004	13	13	100.00%
	November 2004	13	13	100.00%
	October 2004	104	104	100.00%
	September 2004	540	540	100.00%
OP-5B New Service Provisioning Quality	August 2005	0	0	0.00%
PBX Benchmark	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	August 2005	0	0	0.00%
Unbundled Loop - 2 Wire Non-Loaded	July 2005	365	365	100.00%
Benchmark	June 2005	364	364	100.00%
	May 2005	368	368	100.00%
	April 2005	348	348	100.00%
	March 2005	374	374	100.00%
	February 2005	318	318	100.00%
	January 2005	315	315	100.00%
	December 2004	346	347	99.71%
	November 2004	441	441	100.00%
	October 2004	444	444	100.00%
	September 2004	408	408	100.00%
OP-5B New Service Provisioning Quality	August 2005	0	0	0.00%
Unbundled Loop - ADSL Qualified	July 2005	25	25	100.00%
Benchmark	June 2005	30	30	100.00%
	May 2005	20	20	100.00%
	April 2005	23	23	100.00%
	March 2005	19	19	100.00%
	February 2005	16	16	100.00%
	January 2005	47	47	100.00%
	December 2004	31	31	100.00%
	November 2004	41	41	100.00%
	October 2004	51	51	100.00%
	September 2004	40	40	100.00%
OP-5B New Service Provisioning Quality	August 2005	0	0	0.00%
Unbundled Loop - DS1 Capable Benchmark	July 2005	114	114	100.00%
	June 2005	134	134	100.00%
	May 2005	132	132	100.00%
	April 2005	137	137	100.00%
	March 2005	152	152	100.00%
	February 2005	125	125	100.00%
	January 2005	97	97	100.00%
	December 2004	120	120	100.00%
	November 2004	154	154	100.00%
	October 2004	144	145	99.31%
	September 2004	155	155	100.00%
OP-5B New Service Provisioning Quality	August 2005	0	0	0.00%
Unbundled Loop - XDSLi Benchmark	July 2005	5	5	100.00%
	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	10	10	100.00%
	September 2004	6	6	100.00%

OP-5B New Service Provisioning Quality Unbundled Loop Analog Benchmark	August 2005	0	0	0.00%
	July 2005	7446	7449	99.96%
	June 2005	3836	3836	100.00%
	May 2005	1421	1431	99.30%
	April 2005	1232	1232	100.00%
	March 2005	1412	1412	100.00%
	February 2005	1365	1368	99.78%
	January 2005	1178	1184	99.49%
	December 2004	1312	1312	100.00%
	November 2004	1328	1330	99.85%
	October 2004	1396	1398	99.86%
	September 2004	1336	1336	100.00%
	OP-5B New Service Provisioning Quality Unbundled Loop ISDN Capable Benchmark	August 2005	0	0
July 2005		55	55	100.00%
June 2005		48	48	100.00%
May 2005		50	50	100.00%
April 2005		31	31	100.00%
March 2005		49	49	100.00%
February 2005		34	34	100.00%
January 2005		50	50	100.00%
December 2004		40	40	100.00%
November 2004		59	59	100.00%
October 2004		54	54	100.00%
September 2004		58	58	100.00%
OP-5R New Service Quality Multiple Report Rate Business Diagnostic		August 2005	0	0
	July 2005	0	4	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	6	33.33%
	January 2005	0	0	0.00%
	December 2004	2	6	33.33%
	November 2004	0	2	0.00%
	October 2004	0	0	0.00%
	September 2004	0	1	0.00%
	OP-5R New Service Quality Multiple Report Rate Dark Fiber - Loop Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	1	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-5T New Service Installation Quality Total DS1 Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total PBX Diagnostic	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Unbundled Loop - DS3 Capable	July 2005	0	0	0.00%
Diagnostic	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	2	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
	September 2004	0	0	0.00%
OP-6A-4 Delayed Days for Non-Facility	August 2005	8	1	8.00
Reasons Unbundled Loop ISDN Capable	July 2005	3	1	3.00
Parity	June 2005	1	1	1.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	6	1	6.00
	January 2005	1	1	1.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	13	2	6.50
OP-6B-3 Delayed Days for Facility Reasons	August 2005	0	0	0.00
Residence Parity	July 2005	0	0	0.00
	June 2005	2	1	2.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00

	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-6B-4 Delayed Days for Facility Reasons	August 2005	38	4	9.50
Unbundled Loop ISDN Capable Parity	July 2005	19	3	6.33
	June 2005	3	2	1.50
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	1	1	1.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	16	3	5.33
	September 2004	5	1	5.00
PO-15 Number of Due Date Changes per Order All Diagnostic	August 2005	713	7270	0.10
	July 2005	614	10229	0.06
	June 2005	717	7040	0.10
	May 2005	622	4633	0.13
	April 2005	539	3693	0.15
	March 2005	718	4509	0.16
	February 2005	600	3629	0.17
	January 2005	537	3655	0.15
	December 2004	619	7842	0.08
	November 2004	751	10118	0.07
	October 2004	751	11382	0.07
	September 2004	747	9170	0.08
PO-19 Stand-Alone Test Environment (SATE) Accuracy Diagnostic	August 2005	611	613	99.67%
	July 2005	611	613	99.67%
	June 2005	611	613	99.67%
	May 2005	604	613	98.53%
	April 2005	611	613	99.67%
	March 2005	872	883	98.75%
	February 2005	600	602	99.67%
	January 2005	601	602	99.83%
	December 2004	600	600	100.00%
	November 2004	861	863	99.77%
	October 2004	861	861	100.00%
	September 2004	860	864	99.54%
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 16.0 Diagnostic	August 2005	278	279	99.64%
	July 2005	278	279	99.64%
	June 2005	278	279	99.64%
	May 2005	278	279	99.64%
	April 2005	278	279	99.64%
	March 2005	278	279	99.64%
	February 2005	277	278	99.64%
	January 2005	278	278	100.00%
	December 2004	276	276	100.00%
	November 2004	275	276	99.64%
	October 2004	276	276	100.00%
	September 2004	274	276	99.28%

PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 17.0 Diagnostic	August 2005	278	279	99.64%
	July 2005	278	279	99.64%
	June 2005	278	279	99.64%
	May 2005	271	279	97.13%
	April 2005	278	279	99.64%
	March 2005	278	279	99.64%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI Diagnostic	August 2005	55	55
July 2005		55	55	100.00%
June 2005		55	55	100.00%
May 2005		55	55	100.00%
April 2005		55	55	100.00%
March 2005		55	55	100.00%
February 2005		55	55	100.00%
January 2005		54	55	98.18%
December 2004		55	55	100.00%
November 2004		55	55	100.00%
October 2004		53	53	100.00%
September 2004		54	56	96.43%
PO-19A Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 Benchmark		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	261	270	96.67%
	February 2005	268	269	99.63%
	January 2005	269	269	100.00%
	December 2004	269	269	100.00%
	November 2004	269	269	100.00%
	October 2004	269	269	100.00%
	September 2004	269	269	100.00%
	PO-19B Stand-Alone Test Environment (SATE) Accuracy Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		182	186	97.85%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		194	200	97.00%
September 2004		0	0	0.00%
PO-20P4 Manual Service Order Accuracy (Phase 4) Resale & UNE-P (POTS) Diagnostic		August 2005	0	0
	July 2005	1868	1872	99.79%
	June 2005	2080	2086	99.71%
	May 2005	1999	2056	97.23%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
PO-20P4 Manual Service Order Accuracy (Phase 4) Unbundled Loops Diagnostic	August 2005	0	0	0.00%
	July 2005	956	956	100.00%
	June 2005	1070	1080	99.07%
	May 2005	814	969	84.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Frame Relay Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-3A Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-3B Out of Service Cleared within 24 Hours Centrex Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Centrex 21 Parity		August 2005	0	0
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-3B Out of Service Cleared within 24 Hours Line Sharing Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004	0	0	0.00%	
September 2004	0	0	0.00%	

MR-3B Out of Service Cleared within 24 Hours Line Splitting Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-3E Out of Service Cleared within 24 Hours Qwest DSL Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - XDSL Parity		August 2005	0	0
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours PBX Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	2	100.00%
	September 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Centrex Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Line Sharing Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Line Splitting Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%

MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-5A All Troubles Cleared within 4 Hours Frame Relay Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours ISDN Primary Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	MR-5B All Troubles Cleared within 4 Hours DS3 Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours Frame Relay Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	August 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded	July 2005	0	0	0.00%
Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	August 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-6A Mean Time to Restore Basic Rate	August 2005	0	0	0:00
ISDN Diagnostic	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6B Mean Time to Restore Basic Rate	August 2005	0	0	0:00
ISDN Diagnostic	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00

	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6B Mean Time to Restore Centrex Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6B Mean Time to Restore Line Sharing Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6B Mean Time to Restore Line Splitting Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6B Mean Time to Restore UNE P (Centrex 21) Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
October 2004	0	0	0:00	
September 2004	0	0	0:00	

MR-6C Mean Time to Restore Basic Rate ISDN Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	MR-6D Mean Time to Restore Frame Relay Diagnostic	August 2005	0	0
July 2005		0	0	0:00
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
September 2004		0	0	0:00
MR-6D Mean Time to Restore ISDN Primary Diagnostic		August 2005	0	0
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
	MR-6E Mean Time to Restore DS3 Diagnostic	August 2005	0	0
July 2005		0	0	0:00
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
September 2004		0	0	0:00
MR-6E Mean Time to Restore Frame Relay Diagnostic		August 2005	0	0
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00

	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - DS3 Capable Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - XDSLi Parity	August 2005	0	0	0:00
	July 2005	0.16319444	1	3:55
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	September 2004	0	0	0:00
MR-7A Repair Repeat Report Rate Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Basic	August 2005	0	0	0.00%
Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Centrex	August 2005	0	0	0.00%
Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Line	August 2005	0	0	0.00%
Sharing Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Line	August 2005	0	0	0.00%
Splitting Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%

MR-7B Repair Repeat Report Rate UNE P (Centrex 21) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7C Repair Repeat Report Rate Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7C Repair Repeat Report Rate Centrex Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	1	0.00%
MR-7D Repair Repeat Report Rate Dark Fiber - IOF Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate DS3 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Frame	August 2005	0	0	0.00%
Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate DS3	August 2005	0	0	0.00%
Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate Frame	August 2005	0	0	0.00%
Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate	August 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded	July 2005	0	0	0.00%
Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate	August 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate	August 2005	0	0	0.00%
Unbundled Loop - XDSLi Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-9A Repair Appointments Met PBX Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-9B Repair Appointments Met Centrex Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%

MR-9C Repair Appointments Met PBX Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
NP-1A NXX Code Activation All Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-15A Interval for Pending Orders Delayed Past Due Date Basic Rate ISDN Diagnostic	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex Diagnostic	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex 21 Diagnostic	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00

	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
<hr/>				
OP-15A Interval for Pending Orders	August 2005	0	0	0.00
Delayed Past Due Date DS0 Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	12	1	12.00
	September 2004	0	0	0.00
<hr/>				
OP-15A Interval for Pending Orders	August 2005	0	0	0.00
Delayed Past Due Date DS1 Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
<hr/>				
OP-15A Interval for Pending Orders	August 2005	0	0	0.00
Delayed Past Due Date DS3 Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
<hr/>				
OP-15A Interval for Pending Orders	August 2005	0	0	0.00
Delayed Past Due Date Frame Relay	July 2005	0	0	0.00
Diagnostic	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00

	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-15A Interval for Pending Orders	August 2005	0	0	0.00
Delayed Past Due Date Line Splitting	July 2005	0	0	0.00
Diagnostic	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	42	1	42.00
OP-15A Interval for Pending Orders	August 2005	0	0	0.00
Delayed Past Due Date LIS Trunk Parity	July 2005	12	1	12.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	2	2	1.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	65	8	8.13
	September 2004	0	0	0.00
OP-15A Interval for Pending Orders	August 2005	0	0	0
Delayed Past Due Date PBX Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15A Interval for Pending Orders	August 2005	0	0	0
Delayed Past Due Date UDIT DS1	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0

OP-15A Interval for Pending Orders	August 2005	0	0	0
Delayed Past Due Date Unbundled Loop - 4	July 2005	0	0	0
Wire Non-Loaded Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15A Interval for Pending Orders	August 2005	0	0	0
Delayed Past Due Date Unbundled Loop -	July 2005	0	0	0
DS3 Capable Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15A Interval for Pending Orders	August 2005	0	0	0
Delayed Past Due Date UNE P (Centrex 21)	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15A Interval for Pending Orders	August 2005	0	0	0
Delayed Past Due Date UNE P (Centrex)	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed	August 2005	0	0	0
for Facilities Reasons Basic Rate ISDN	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex 21 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS0 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	1	0
	September 2004	0	0	0
<hr/>				
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS1 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS3 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Frame Relay Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Splitting Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	1	1	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons PBX Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0

OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT DS1 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS3 Capable Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex 21) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-3A Installation Commitments Met Basic	August 2005	0	0	0.00%
Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-3A Installation Commitments Met	August 2005	0	0	0.00%
Centrex Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-3A Installation Commitments Met	August 2005	0	0	0.00%
Centrex 21 Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-3A Installation Commitments Met DS0	August 2005	0	0	0.00%
Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3A Installation Commitments Met PBX Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3B Installation Commitments Met Centrex Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3B Installation Commitments Met Centrex 21 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3B Installation Commitments Met Line Sharing Benchmark	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%

OP-3B Installation Commitments Met Line Splitting Benchmark	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	OP-3B Installation Commitments Met PBX Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-3B Installation Commitments Met UNE P (Centrex 21) Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	OP-3C Installation Commitments Met Basic Rate ISDN Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-3C Installation Commitments Met Centrex Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-3C Installation Commitments Met	August 2005	0	0	0.00%
Centrex 21 Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-3C Installation Commitments Met ISDN	August 2005	0	0	0.00%
Primary Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-3C Installation Commitments Met PBX	August 2005	0	0	0.00%
Parity	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-3D Installation Commitments Met Basic	August 2005	0	0	0.00%
Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3D Installation Commitments Met DS0	August 2005	0	0	0.00%
Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3D Installation Commitments Met DS3	August 2005	0	0	0.00%
Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3D Installation Commitments Met	August 2005	0	0	0.00%
Frame Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3D Installation Commitments Met ISDN	August 2005	0	0	0.00%
Primary Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%

OP-3D Installation Commitments Met	August 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded	July 2005	0	0	0.00%
Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met Basic	August 2005	0	0	0.00%
Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met DS3	August 2005	0	0	0.00%
Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met	August 2005	0	0	0.00%
Frame Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met	August 2005	0	0	0.00%
Qwest DSL Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met	August 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded	July 2005	0	0	0.00%
Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met	August 2005	0	0	0.00%
Unbundled Loop - XDSLi Benchmark	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-4A Installation Interval Centrex	August 2005	0	0	0.00
Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-4A Installation Interval Centrex 21	August 2005	0	0	0.00
Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00

	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-4A Installation Interval DS0 Diagnostic	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-4A Installation Interval PBX Diagnostic	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-4A Installation Interval UNE P (Centrex 21) Diagnostic	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	3	1	3.00
	September 2004	0	0	0.00
OP-4B Installation Interval Centrex Diagnostic	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00

OP-4B Installation Interval Centrex 21 Diagnostic	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
	OP-4B Installation Interval Line Sharing Benchmark	August 2005	0	0
July 2005		0	0	0.00
June 2005		0	0	0.00
May 2005		0	0	0.00
April 2005		0	0	0.00
March 2005		0	0	0.00
February 2005		0	0	0.00
January 2005		0	0	0.00
December 2004		0	0	0.00
November 2004		0	0	0.00
October 2004		0	0	0.00
September 2004		0	0	0.00
OP-4B Installation Interval Line Splitting Benchmark		August 2005	0	0
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
	OP-4B Installation Interval PBX Diagnostic	August 2005	0	0
July 2005		0	0	0.00
June 2005		0	0	0.00
May 2005		0	0	0.00
April 2005		0	0	0.00
March 2005		0	0	0.00
February 2005		0	0	0.00
January 2005		0	0	0.00
December 2004		0	0	0.00
November 2004		0	0	0.00
October 2004		0	0	0.00
September 2004		0	0	0.00
OP-4B Installation Interval UNE P (Centrex 21) Diagnostic		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4B Installation Interval UNE P (Centrex) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4C Installation Interval Centrex Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4C Installation Interval Centrex 21 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4C Installation Interval PBX Parity	August 2005	0	0	0
	July 2005	5	1	5
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4D Installation Interval Basic Rate ISDN Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4D Installation Interval DS0 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4D Installation Interval DS3 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-4D Installation Interval Frame Relay Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0

OP-4D Installation Interval ISDN Primary Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	OP-4D Installation Interval Unbundled Loop 4 Wire Non-Loaded Diagnostic	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-4E Installation Interval Basic Rate ISDN Diagnostic		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	OP-4E Installation Interval DS3 Diagnostic	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-4E Installation Interval Frame Relay Diagnostic		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-4E Installation Interval Qwest DSL	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-4E Installation Interval Unbundled Loop	August 2005	0	0	0
4 Wire Non-Loaded Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-4E Installation Interval Unbundled Loop	August 2005	0	0	0
XDSLi Benchmark	July 2005	5	1	5
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair Basic Rate ISDN	July 2005	0	0	0.00%
Diagnostic	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair Centrex Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair Centrex 21 Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair DS3 Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5A New Service Installation Quality	August 2005	0	0	0.00%
Reported to Repair Frame Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%

OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 4 Wire Non-Loaded Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	OP-5B New Service Provisioning Quality Basic Rate ISDN Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-5B New Service Provisioning Quality Centrex Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	OP-5B New Service Provisioning Quality Centrex 21 Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-5B New Service Provisioning Quality DS3 Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-5B New Service Provisioning Quality	August 2005	0	0	0.00%
Frame Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate Basic Rate ISDN Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate Centrex Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate Centrex 21 Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate DS0 Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate DS1 Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate DS3 Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	August 2005	0	0	0.00%
Rate Frame Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%

OP-5R New Service Quality Multiple Report Rate PBX Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	OP-5T New Service Installation Quality Total Basic Rate ISDN Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-5T New Service Installation Quality Total Centrex Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
	OP-5T New Service Installation Quality Total Centrex 21 Diagnostic	August 2005	0	0
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
September 2004		0	0	0.00%
OP-5T New Service Installation Quality Total DS3 Diagnostic		August 2005	0	0
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%

	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-5T New Service Installation Quality	August 2005	0	0	0.00%
Total Frame Relay Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
<hr/>				
OP-6A-1 Delayed Days for Non-Facility	August 2005	0	0	0.00
Reasons Basic Rate ISDN Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
<hr/>				
OP-6A-1 Delayed Days for Non-Facility	August 2005	0	0	0.00
Reasons Business Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
<hr/>				
OP-6A-1 Delayed Days for Non-Facility	August 2005	0	0	0.00
Reasons Centrex Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00

	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-6A-1 Delayed Days for Non-Facility	August 2005	0	0	0.00
Reasons Centrex 21 Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-6A-1 Delayed Days for Non-Facility	August 2005	0	0	0.00
Reasons DS0 Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
OP-6A-1 Delayed Days for Non-Facility	August 2005	0	0	0.00
Reasons Line Sharing Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	1	1	1.00
	September 2004	2	2	1.00
OP-6A-1 Delayed Days for Non-Facility	August 2005	0	0	0.00
Reasons UNE P (Centrex 21) Diagnostic	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00

OP-6A-2 Delayed Days for Non-Facility Reasons Business Diagnostic	August 2005	0	0	0.00
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
	OP-6A-2 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic	August 2005	0	0
July 2005		0	0	0.00
June 2005		0	0	0.00
May 2005		0	0	0.00
April 2005		0	0	0.00
March 2005		0	0	0.00
February 2005		0	0	0.00
January 2005		0	0	0.00
December 2004		0	0	0.00
November 2004		0	0	0.00
October 2004		0	0	0.00
September 2004		0	0	0.00
OP-6A-2 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic		August 2005	0	0
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00
	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	0	0	0.00
	September 2004	0	0	0.00
	OP-6A-2 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic	August 2005	0	0
July 2005		0	0	0.00
June 2005		0	0	0.00
May 2005		0	0	0.00
April 2005		0	0	0.00
March 2005		0	0	0.00
February 2005		0	0	0.00
January 2005		0	0	0.00
December 2004		0	0	0.00
November 2004		0	0	0.00
October 2004		0	0	0.00
September 2004		0	0	0.00
OP-6A-2 Delayed Days for Non-Facility Reasons Qwest DSL Diagnostic		August 2005	0	0
	July 2005	0	0	0.00
	June 2005	0	0	0.00
	May 2005	0	0	0.00

	April 2005	0	0	0.00
	March 2005	0	0	0.00
	February 2005	0	0	0.00
	January 2005	0	0	0.00
	December 2004	0	0	0.00
	November 2004	0	0	0.00
	October 2004	1	1	1.00
	September 2004	0	0	0.00
<hr/>				
OP-6A-2	Delayed Days for Non-Facility	August 2005	0	0
Reasons UNE P (Centrex 21)	Diagnostic	July 2005	0	0
		June 2005	0	0
		May 2005	0	0
		April 2005	0	0
		March 2005	0	0
		February 2005	0	0
		January 2005	0	0
		December 2004	0	0
		November 2004	0	0
		October 2004	0	0
		September 2004	0	0
<hr/>				
OP-6A-3	Delayed Days for Non-Facility	August 2005	0	0
Reasons Business	Diagnostic	July 2005	0	0
		June 2005	0	0
		May 2005	0	0
		April 2005	0	0
		March 2005	0	0
		February 2005	0	0
		January 2005	0	0
		December 2004	0	0
		November 2004	0	0
		October 2004	0	0
		September 2004	0	0
<hr/>				
OP-6A-3	Delayed Days for Non-Facility	August 2005	0	0
Reasons Centrex	Diagnostic	July 2005	0	0
		June 2005	0	0
		May 2005	0	0
		April 2005	0	0
		March 2005	0	0
		February 2005	0	0
		January 2005	0	0
		December 2004	0	0
		November 2004	0	0
		October 2004	0	0
		September 2004	0	0
<hr/>				
OP-6A-3	Delayed Days for Non-Facility	August 2005	0	0
Reasons Centrex 21	Diagnostic	July 2005	0	0
		June 2005	0	0
		May 2005	0	0
		April 2005	0	0
		March 2005	0	0
		February 2005	0	0
		January 2005	0	0

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-3 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons ISDN Primary Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-3 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons Line Sharing Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	14	2	7
	September 2004	2	1	2
OP-6A-3 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons Line Splitting Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-3 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons UNE P (Centrex 21) Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0

OP-6A-3 Delayed Days for Non-Facility Reasons UNE P (Centrex) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	OP-6A-4 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons DS0 Diagnostic		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	OP-6A-4 Delayed Days for Non-Facility Reasons DS1 Diagnostic	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons DS3 Diagnostic		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons Frame Relay Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons ISDN Primary Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons PBX Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons Qwest DSL Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons UDIT Above DS1 Level Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons UDIT DS1 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons Unbundled Loop - 4 Wire Non-	July 2005	0	0	0
Loaded Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility	August 2005	0	0	0
Reasons Unbundled Loop - DS3 Capable	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0

OP-6A-5 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons DS0 Diagnostic	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons DS1 Diagnostic		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons DS3 Diagnostic	August 2005	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
September 2004		0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic		August 2005	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Parity	August 2005	2	1	2
	July 2005	1	1	1
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	9	1	9
	September 2004	1	1	1
<hr/>				
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	0	0	0
	July 2005	5	1	5
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	4	1	4
<hr/>				
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS3 Capable Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons Centrex Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons Centrex 21 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons Line Sharing Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0

OP-6B-1 Delayed Days for Facility Reasons	August 2005	0	0	0
Line Splitting Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	August 2005	0	0	0
Qwest DSL Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	August 2005	0	0	0
UNE P (Centrex 21) Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	August 2005	0	0	0
UNE P (Centrex) Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-2 Delayed Days for Facility Reasons	August 2005	0	0	0
Business Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6B-2 Delayed Days for Facility Reasons	August 2005	0	0	0
Line Sharing Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6B-2 Delayed Days for Facility Reasons	August 2005	0	0	0
Line Splitting Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6B-2 Delayed Days for Facility Reasons	August 2005	0	0	0
Qwest DSL Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6B-3 Delayed Days for Facility Reasons	August 2005	0	0	0
Line Sharing Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-3 Delayed Days for Facility Reasons	August 2005	0	0	0
Line Splitting Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-3 Delayed Days for Facility Reasons	August 2005	0	0	0
Qwest DSL Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-3 Delayed Days for Facility Reasons	August 2005	0	0	0
UNE - P (POTS) Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
Basic Rate ISDN Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0

OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
DS0 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
DS1 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
DS3 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
ISDN Primary Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
PBX Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
UDIT Above DS1 Level Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
UDIT DS1 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop - 4 Wire Non-Loaded	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop - DS3 Capable Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Basic Rate ISDN Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
DS0 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
DS3 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Frame Relay Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0

OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
PBX Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Qwest DSL Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
UDIT Above DS1 Level Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
UDIT DS1 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop - 4 Wire Non-Loaded	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop - ADSL Qualified	July 2005	0	0	0
Diagnostic	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	30	4	7.5
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop - DS3 Capable Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
PO-19 Stand-Alone Test Environment	August 2005	0	0	0.00%
(SATE) Accuracy Rel. 14.0 Benchmark	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	262	263	99.62%
	October 2004	263	263	100.00%
	September 2004	263	263	100.00%
<hr/>				
MR-11A LNP Trouble Reports Cleared	August 2005	1	1	100.00%
within 4 Hours LNP Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%

	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Centrex Parity	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	1	1	100.00%
MR-7A Repair Repeat Report Rate PBX Parity	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	2	0.00%
	September 2004	0	0	0.00%
OP-3E Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2004	0	0	0.00%
OP-4E Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic	August 2005	4	1	4
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0

OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
DS0 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
DS3 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Frame Relay Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
PBX Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Qwest DSL Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0

	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
UDIT Above DS1 Level Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
UDIT DS1 Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop - 4 Wire Non-Loaded Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop - ADSL Qualified Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0

	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	30	4	7.5
	September 2004	1	1	1
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	August 2005	0	0	0
Unbundled Loop - DS3 Capable Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2004	0	0	0
<hr/>				
PO-19 Stand-Alone Test Environment	August 2005	0	0	0.00%
(SATE) Accuracy Rel. 14.0 Benchmark	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	262	263	99.62%
	November 2004	263	263	100.00%
	October 2004	263	263	100.00%
	September 2004	263	263	100.00%

0

0

_____0

_____0

_____0

_____0

_____0

_____ 0

_____ 0

_____ 0

Standard Deviation	Qwest Numerator	Qwest Denominator	Q Result	Modified Z	Parity
0.77	16574871.00	6096135.00	17:16	-839.38	-511.30
0.81	16046575.00	5692031.00	19:40	-746.70	-454.96
0.94	18036172.00	6427183.00	19:26	-799.41	-487.01
0.71	16523070.00	7326834.00	18:43	-800.59	-487.73
0.82	21266998.00	5949178.00	7:12	-868.37	-528.93
0.84	25606179.00	6441867.00	11:16	-978.07	-595.62
0.8	19818671.00	7388506.00	5:02	-777.88	-473.92
41.46	23774729.00	6176426.00	11:45	6610.12	4017.67
1.01	26400929.00	6808773.00	9:50	-967.11	-588.96
0.92	23808403.00	7746236.00	8:38	-841.06	-512.33
1.05	26755739.00	7082972.00	15:36	-890.55	-542.41
0.78	27754291.00	8043295.00	10:48	-873.71	-532.18
0.0005	0.00	0.00	0:00	0.00	-0.16
0.0008	0.00	0.00	0:00	0.00	-0.16
0.0012	0.00	0.00	0:00	0.00	-0.16
0.0027	0.00	0.00	0:00	0.00	-0.16
0.0011	0.00	0.00	0:00	0.00	-0.16
0.0025	0.00	0.00	0:00	0.00	-0.16
0	0.00	0.00	0:00	0.00	-0.16
0	0.00	0.00	0:00	0.00	-0.16
0.0027	0.00	0.00	0:00	0.00	-0.16
0	0.00	0.00	0:00	0.00	-0.16
0.0033	0.00	0.00	0:00	0.00	-0.16
0.0012	0.00	0.00	0:00	0.00	-0.16
0.71	16574871.00	6096135.00	17:16	-244.65	-149.74
0.83	16046575.00	5692031.00	19:40	-591.61	-360.68
0.81	18036172.00	6427183.00	19:26	-630.84	-384.52
0.74	16523070.00	7326834.00	18:43	-645.12	-393.21
0.81	21266998.00	5949178.00	7:12	-737.46	-449.34
0.82	25606179.00	6441867.00	11:16	-837.78	-510.34
0.79	19818671.00	7388506.00	5:02	-654.58	-398.95
53.93	23774729.00	6176426.00	11:45	12517.13	7608.87
0.92	26400929.00	6808773.00	9:50	-830.95	-506.18
0.78	23808403.00	7746236.00	8:38	-734.86	-447.76
1.19	26755739.00	7082972.00	15:36	-781.24	-475.96
0.82	27754291.00	8043295.00	10:48	-749.65	-456.75
0.77	16574871.00	6096135.00	17:16	-844.37	-514.34
0.75	16046575.00	5692031.00	19:40	-831.97	-506.80
1.02	18036172.00	6427183.00	19:26	-876.91	-534.12
0.63	16523070.00	7326834.00	18:43	-884.98	-539.03
0.79	21266998.00	5949178.00	7:12	-906.44	-552.08
0.83	25606179.00	6441867.00	11:16	-1009.69	-614.84
0.77	19818671.00	7388506.00	5:02	-815.49	-496.79
1.1	23774729.00	6176426.00	11:45	-941.26	-573.24

1.08	26400929.00	6808773.00	9:50	-989.91	-602.82
1.03	23808403.00	7746236.00	8:38	-851.22	-518.51
0.86	26755739.00	7082972.00	15:36	-896.14	-545.81
0.72	27754291.00	8043295.00	10:48	-893.76	-544.37
0	0.00	0.00	0.00%	0.00	0.00
0.0729	0.00	0.00	0.00%	0.00	0.00
0.033	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0342	0.00	0.00	0.00%	0.00	0.00
0.0572	0.00	0.00	0.00%	0.00	0.00
0.036	0.00	0.00	0.00%	0.00	0.00
0.0508	0.00	0.00	0.00%	0.00	0.00
0.0344	0.00	0.00	0.00%	0.00	0.00
0.0388	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0404	76153208.00	76717272.00	99.26%	-161.94	-99.45
0.0134	77125030.00	77661037.00	99.31%	-191.11	-117.19
0.0486	80816186.00	81532574.00	99.12%	-175.27	-107.56
0.013	79610225.00	81438580.00	99.34%	-204.44	-125.29
0.4114	79484901.00	80136688.00	99.46%	7026.49	4270.81
0.4176	79018695.00	79913969.00	98.83%	4585.74	2786.93
0.0353	78803570.00	79952333.00	98.77%	-234.40	-143.51
0.1226	78671496.00	79784446.00	98.89%	100.01	59.80
0.4157	78882398.00	79556521.00	99.34%	7455.05	4531.35
0.0927	80189840.00	79403348.00	98.99%	-32.94	-21.03
0.0255	80818583.00	81007257.00	99.24%	-182.12	-111.72
0.0766	80269537.00	81186829.00	98.87%	-116.34	-71.73
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.3397	0.00	0.00	0.00%	0.00	0.26
0.1363	0.00	0.00	0.00%	0.00	-0.10
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0043	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0258	172247.00	173518.00	99.27%	-15.16	-10.22
0.0693	172381.00	173421.00	99.40%	-2.58	-2.57
0.0576	165315.00	166174.00	99.48%	-4.13	-3.51
0	167952.00	202854.00	99.41%	-6.01	-4.65
0.056	174786.00	168942.00	99.47%	-4.89	-3.98
0.0454	165516.00	175721.00	99.21%	-10.73	-7.52
0.0313	170002.00	166836.00	99.30%	-11.79	-8.17
0.0706	172856.00	171202.00	99.09%	-6.51	-4.96
0.0673	167321.00	174446.00	99.38%	-3.46	-3.10
0.0362	181393.00	168369.00	99.55%	-8.29	-6.04
0.0456	201957.00	182220.00	99.56%	-6.35	-4.86
0.0369	195712.00	196833.00	99.43%	-9.67	-6.88

0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.078	0.00	0.00	0.00%	0.00	-0.14
0.0718	0.00	0.00	0.00%	0.00	-0.14
0.2705	0.00	0.00	0.00%	0.00	0.09
0.1576	0.00	0.00	0.00%	0.00	-0.08
0.2108	0.00	0.00	0.00%	0.00	-0.01
0.1173	0.00	0.00	0.00%	0.00	-0.11
0.2822	0.00	0.00	0.00%	0.00	0.12
0	0.00	0.00	0.00%	0.00	-0.16
0.0971	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0.1564	0.00	0.00	0.00%	0.00	-0.08
0.1471	0.00	0.00	0.00%	0.00	-0.09
0.3158	0.00	0.00	0.00%	0.00	0.20
0.2043	0.00	0.00	0.00%	0.00	-0.02
0.1702	0.00	0.00	0.00%	0.00	-0.06
0.2869	0.00	0.00	0.00%	0.00	0.13
0.1704	0.00	0.00	0.00%	0.00	-0.06
0	0.00	0.00	0.00%	0.00	-0.16
0.1461	0.00	0.00	0.00%	0.00	-0.09
0.0727	0.00	0.00	0.00%	0.00	-0.14
0.2907	0.00	0.00	0.00%	0.00	0.14
0.0724	0.00	0.00	0.00%	0.00	-0.14
0.0803	0.00	0.00	0.00%	0.00	-0.14
0.1546	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0	0.00	0.00
6.9	0.00	0.00	0	0.00	-0.68
2.17	0.00	0.00	0	0.00	-0.91
8.35	0.00	0.00	0	0.00	-0.48
9.02	0.00	0.00	0	0.00	-0.88
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	-0.70
0	0.00	0.00	0	0.00	-0.50
0	0.00	0.00	0	0.00	-1.20
16.97	0.00	0.00	0	0.00	-0.60
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	-0.23
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
9.58	0.00	0.00	0	0.00	-0.49

1.5	0.00	0.00	0	0.00	-0.68
2.24	0.00	0.00	0	0.00	-0.30
1.15	0.00	0.00	0	0.00	-0.30
0	0.00	0.00	0	0.00	-0.60
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	7.70	1.00	16:48	0.00	0.00
0	8.10	1.00	2:24	0.00	0.00
0	8.20	1.00	4:48	0.00	0.00
0	7.10	1.00	2:24	0.00	0.00
0	7.51	1.00	12:14	0.00	0.00
0	7.70	1.00	16:48	0.00	0.00
0	7.12	1.00	2:52	0.00	0.00
0	7.81	1.00	19:26	0.00	0.00
0	6.98	1.00	23:31	0.00	0.00
0	7.12	1.00	2:52	0.00	0.00
0	7.84	1.00	20:09	0.00	0.00
0	7.47	1.00	11:16	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.038194444	0.00	0.00	0	0.00	0.00
0.036111111	0.00	0.00	0	0.00	0.00
0.010416667	0.00	0.00	0	0.00	0.00
0.080555556	0.00	0.00	0	0.00	0.00
0.011805556	0.00	0.00	0	0.00	0.00
0.009722222	0.00	0.00	0	0.00	0.00
0.011111111	0.00	0.00	0	0.00	0.00
0.013194444	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.17	0.00	0.00	0	0.00	0.00
0.22	0.00	0.00	0	0.00	0.00
0.29	0.00	0.00	0	0.00	0.00
0.29	0.00	0.00	0	0.00	0.00
0.28	0.00	0.00	0	0.00	0.00
0.27	0.00	0.00	0	0.00	0.00
0.29	0.00	0.00	0	0.00	0.00
0.27	0.00	0.00	0	0.00	0.00

0.43	0.00	0.00	0	0.00	0.00
0.42	0.00	0.00	0	0.00	0.00
0.42	0.00	0.00	0	0.00	0.00
0.42	0.00	0.00	0	0.00	0.00
0.41	0.00	0.00	0	0.00	0.00
0.45	0.00	0.00	0	0.00	0.00
0.47	0.00	0.00	0	0.00	0.00
0.4	0.00	0.00	0	0.00	0.00
0.39	0.00	0.00	0	0.00	0.00
0.39	0.00	0.00	0	0.00	0.00
0.38	0.00	0.00	0	0.00	0.00
0.38	0.00	0.00	0	0.00	0.00
0.1393	0.00	0.00	0.00%	0.00	0.00
0.1114	0.00	0.00	0.00%	0.00	0.00
0.1276	0.00	0.00	0.00%	0.00	0.00
0.1347	0.00	0.00	0.00%	0.00	0.00
0.1346	0.00	0.00	0.00%	0.00	0.00
0.1301	0.00	0.00	0.00%	0.00	0.00
0.1267	0.00	0.00	0.00%	0.00	0.00
0.1254	0.00	0.00	0.00%	0.00	0.00
0.119	0.00	0.00	0.00%	0.00	0.00
0.119	0.00	0.00	0.00%	0.00	0.00
0.1206	0.00	0.00	0.00%	0.00	0.00
0.1286	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.01
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.01
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.01
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	-0.02
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	0.00
0.4969	1363.00	3516.00	38.77%	0.35	-0.79
0.4899	1177.00	3256.00	36.15%	0.25	-0.84
0.4899	1334.00	3404.00	39.19%	0.06	-0.95
0.3499	1322.00	3405.00	39.16%	-1.90	-2.16
0.4989	1188.00	3376.00	39.04%	0.60	-0.64
0.467	1203.00	3043.00	38.24%	-0.66	-1.40
0.493	1084.00	3146.00	40.64%	0.10	-0.93
0.4714	1335.00	2667.00	38.63%	-0.53	-1.32
0.4684	1248.00	3456.00	38.66%	-0.80	-1.48
0.4714	1293.00	3228.00	40.39%	-0.78	-1.48
0.488	1302.00	3201.00	38.24%	0.09	-0.94
0.4714	1350.00	3510.00	38.46%	2.65	0.56
0	48.00	153.00	31.37%	-1.16	-1.71
0	0.00	0.00	0.00%	0.00	0.00
0	58.00	172.00	33.72%	-0.71	-1.43
0	43.00	177.00	28.86%	-0.63	-1.39
0	54.00	149.00	34.18%	1.38	-0.42
0	51.00	158.00	32.90%	-0.98	-1.60
0	0.00	155.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	44.00	0.00	29.33%	0.00	0.00
0	60.00	150.00	33.90%	0.00	0.00
0.4714	51.00	178.00	28.65%	0.18	-0.90
0.4714	77.00	252.00	30.56%	0.15	-0.90
0.4518	89.00	251.00	35.46%	-0.38	-1.23
0.4899	112.00	265.00	42.26%	-0.10	-1.06
0.433	96.00	303.00	38.25%	-0.54	-1.33
0	86.00	251.00	32.82%	-0.98	-1.60
0.4969	106.00	262.00	36.68%	0.48	-0.72
0.4714	76.00	289.00	33.48%	-0.01	-1.00
0.4841	83.00	227.00	29.86%	1.99	0.11
0.5	93.00	278.00	38.75%	0.56	-0.68
0.4714	112.00	240.00	34.78%	-0.05	-1.03
0	110.00	322.00	36.30%	-1.30	-1.79
0	101.00	291.00	34.71%	-1.26	-1.76
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	188.00	427.00	33.75%	-0.71	-1.43
0.5	244.00	557.00	42.66%	0.21	-0.90
0	214.00	572.00	39.56%	1.23	-0.48
0	212.00	541.00	48.18%	1.04	-0.57
0	0.00	440.00	0.00%	0.00	0.00
0	180.00	0.00	41.00%	-1.44	-1.87
0	175.00	439.00	42.68%	1.63	-0.18
0	169.00	410.00	39.58%	0.00	0.00
0.4714	192.00	511.00	37.57%	-0.15	-1.09

0	91.00	365.00	24.93%	-0.58	-1.35
0	85.00	346.00	24.57%	-0.57	-1.35
0	100.00	335.00	29.85%	-0.92	-1.56
0	0.00	367.00	0.00%	0.00	0.00
0.3143	93.00	0.00	28.62%	-1.15	-1.70
0	82.00	325.00	23.70%	-0.56	-1.34
0	73.00	346.00	24.01%	-0.56	-1.34
0	0.00	304.00	0.00%	0.00	0.00
0.5	71.00	0.00	21.13%	1.00	-0.52
0	46.00	336.00	13.98%	0.00	0.00
0	71.00	329.00	19.35%	-0.49	-1.30
0	69.00	387.00	17.83%	2.14	-0.18
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	100.00%	0.00	0.00
0	1.00	1.00	20.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	71.00	0.00%	0.00	0.00
0	42.00	0.00	56.76%	-1.60	-1.97
0	0.00	74.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	26.00	0.00	46.43%	0.00	0.00
0	30.00	56.00	42.25%	0.00	0.00
0	30.00	53.00	56.60%	0.00	0.00
0.4658	11.00	27.00	40.74%	-0.63	-1.38
0.4997	7.00	10.00	70.00%	-1.29	-1.78
0.4852	16.00	32.00	50.00%	0.94	-0.44
0.4856	0.00	13.00	0.00%	0.00	1.41
0.4985	5.00	15.00	50.00%	0.18	-0.93
0.4957	8.00	10.00	47.06%	0.59	-0.67
0.4191	1.00	17.00	10.00%	5.88	1.18
0.481	7.00	10.00	53.85%	-1.00	-1.61
0.4714	2.00	13.00	22.22%	0.61	-0.73
0.4989	9.00	9.00	69.23%	-1.29	-1.78
0.4949	7.00	13.00	53.85%	-0.57	-1.35
0.4961	10.00	18.00	55.56%	-0.69	-1.42
0.5	37.00	113.00	32.74%	0.52	-0.75
0.5	34.00	83.00	40.96%	0.43	-0.76
0.4714	50.00	130.00	38.46%	0.99	-0.47
0.433	37.00	88.00	44.05%	-0.75	-1.46

0	35.00	84.00	40.23%	1.70	-0.13
0	42.00	87.00	43.30%	-0.87	-1.53
0	32.00	97.00	35.96%	-0.75	-1.45
0.4714	33.00	89.00	32.67%	1.24	-0.35
0	37.00	101.00	39.78%	-0.81	-1.49
0	43.00	93.00	34.96%	1.36	-0.43
0.433	32.00	123.00	36.36%	-0.46	-1.28
0	49.00	114.00	42.98%	1.15	-0.52
0.4213	14789.00	20575.00	71.88%	0.40	-0.79
0.4997	12784.00	17534.00	72.91%	-2.46	-2.50
0.3884	12863.00	17684.00	72.74%	1.02	-0.39
0.4747	13093.00	16876.00	71.77%	-0.80	-1.48
0.467	12837.00	18242.00	72.15%	-0.51	-1.31
0.4899	14342.00	17793.00	78.61%	-2.27	-2.38
0.4792	14073.00	18245.00	87.48%	-2.62	-2.59
0.5	14150.00	16088.00	85.38%	-4.70	-3.85
0.4949	13312.00	16572.00	83.39%	-2.88	-2.75
0.4969	11967.00	15964.00	84.13%	-3.32	-3.02
0.4648	13383.00	14224.00	79.30%	-1.17	-1.71
0	11638.00	15137.00	76.88%	0.95	-0.54
0.48	8818.00	25927.00	34.01%	0.51	-0.69
0.4998	8662.00	26062.00	33.24%	3.55	1.10
0.499	8570.00	24823.00	34.52%	3.12	0.86
0.5	9075.00	26911.00	36.58%	3.05	0.82
0.4911	8067.00	24811.00	37.07%	0.73	-0.55
0.4922	8548.00	21759.00	35.44%	1.38	-0.17
0.4963	7614.00	24121.00	38.67%	1.03	-0.37
0.4999	11191.00	19688.00	40.33%	2.06	0.24
0.4975	10423.00	27749.00	38.73%	1.36	-0.18
0.4895	9855.00	26915.00	39.13%	0.15	-0.91
0.4784	10115.00	25188.00	37.59%	-0.46	-1.28
0.4994	9945.00	27498.00	36.17%	2.40	0.44
0	3.00	11.00	27.27%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0.5	1.00	7.00	14.29%	1.97	-0.19
0.4714	4.00	12.00	44.44%	0.67	-0.71
0.4899	3.00	9.00	27.27%	0.53	-0.75
0.5	3.00	11.00	37.50%	0.52	-0.85
0	5.00	8.00	55.56%	-1.43	-1.87
0	3.00	9.00	37.50%	1.22	-0.53
0.5	5.00	8.00	55.56%	-0.14	-1.09
0.4	2.00	9.00	16.67%	0.17	-0.95
0.4714	6.00	12.00	50.00%	-0.52	-1.31
0.5	3.00	7.00	42.86%	0.18	-1.00
0	91.00	365.00	24.93%	-1.28	-1.78
0	85.00	346.00	24.57%	-0.57	-1.35
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	367.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	82.00	0.00	23.70%	1.79	-0.28
0	0.00	346.00	0.00%	0.00	0.00
0	89.00	0.00	24.18%	1.77	-0.29

0	71.00	368.00	21.13%	-0.52	-1.31
0	46.00	336.00	13.98%	0.00	0.00
0.4714	71.00	329.00	19.35%	0.61	-0.67
0	69.00	387.00	17.83%	0.00	0.00
0.4798	43.00	135.00	31.85%	0.58	-0.66
0.4841	40.00	98.00	40.82%	-0.25	-1.15
0.4714	30.00	99.00	30.30%	0.24	-0.86
0.4885	36.00	130.00	36.36%	0.38	-0.78
0.4785	62.00	99.00	43.66%	-1.08	-1.66
0.4831	32.00	142.00	31.68%	0.72	-0.57
0.4821	39.00	101.00	32.23%	0.57	-0.66
0.4648	43.00	121.00	41.75%	-1.25	-1.76
0.4653	32.00	103.00	24.62%	1.17	-0.32
0.4967	33.00	130.00	31.13%	1.76	0.02
0.4463	34.00	106.00	26.15%	0.18	-0.89
0.4735	49.00	153.00	32.03%	0.26	-0.84
0	0.00	0.00	0.00%	0.00	0.00
0	85.00	346.00	24.57%	-0.57	-1.35
0	0.00	0.00	0.00%	0.00	0.00
0	99.00	367.00	27.20%	-0.61	-1.37
0	0.00	364.00	0.00%	0.00	0.00
0	82.00	0.00	23.70%	-0.79	-1.48
0	73.00	346.00	24.01%	-0.56	-1.34
0	0.00	304.00	0.00%	0.00	0.00
0	71.00	0.00	21.13%	-0.52	-1.31
0	46.00	336.00	13.98%	0.00	0.00
0	71.00	329.00	19.35%	0.00	0.00
0	69.00	387.00	17.83%	-0.66	-1.40
0.5	14789.00	20575.00	71.88%	-0.69	-1.42
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	13093.00	16883.00	71.77%	0.63	-0.78
0	12837.00	18242.00	72.15%	-2.28	-2.38
0	14342.00	17793.00	78.61%	-3.83	-3.33
0	14073.00	18245.00	87.48%	0.38	-0.91
0.5	14151.00	16088.00	85.38%	-1.42	-1.86
0	13313.00	16574.00	83.39%	-2.24	-2.36
0	11972.00	15965.00	84.13%	0.61	-0.77
0.5	13388.00	14231.00	79.30%	-1.02	-1.62
0	11641.00	15145.00	76.86%	0.00	0.00
0.422	91.00	365.00	24.93%	-0.42	-1.25
0.3714	85.00	346.00	24.57%	-1.74	-2.06
0.3549	100.00	335.00	29.85%	-3.05	-2.85
0.4022	99.00	367.00	27.20%	-1.55	-1.94
0.3898	93.00	364.00	28.62%	-1.97	-2.20
0.4096	82.00	325.00	23.70%	-0.55	-1.34
0.4542	73.00	346.00	24.01%	1.15	-0.32
0.3895	89.00	304.00	24.18%	-1.22	-1.74
0.3608	71.00	368.00	21.13%	-1.25	-1.76
0.3646	46.00	336.00	13.98%	0.48	-0.71
0.3794	71.00	329.00	19.35%	-0.44	-1.27
0.385	69.00	387.00	17.83%	0.06	-0.96

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	4.00	12.00	44.44%	-0.85	-1.52
0	0.00	9.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	16.67%	0.00	0.00
0	6.00	12.00	50.00%	0.00	0.00
0	3.00	7.00	42.86%	0.00	0.00
0.3143	0.00	3.00	0.00%	0.00	-0.88
0.4919	1.00	3.00	33.33%	0.91	-0.55
0.4917	1.00	3.00	33.33%	0.27	-0.91
0.4	1.00	3.00	20.00%	0.00	-1.00
0	0.00	5.00	0.00%	0.00	0.00
0.4714	1.00	0.00	33.33%	0.00	-1.00
0.433	1.00	3.00	33.33%	-0.23	-1.14
0	1.00	3.00	25.00%	-0.92	-1.56
0	0.00	4.00	0.00%	0.00	0.00
0.5	2.00	5.00	33.33%	0.43	-0.88
0.4899	1.00	6.00	33.33%	0.19	-1.02
0.433	1.00	5.00	20.00%	0.19	-0.99
0.456	10181.00	29443.00	34.58%	-2.27	-2.38
0.473	9839.00	29318.00	33.56%	0.10	-0.93
0.466	9904.00	28227.00	35.09%	-1.20	-1.73
0.4573	10397.00	30316.00	36.89%	-2.90	-2.76
0.4658	9255.00	28187.00	37.32%	-1.99	-2.21
0.4581	9751.00	24802.00	35.76%	-2.17	-2.32
0.4455	8698.00	27267.00	38.91%	-3.81	-3.32
0.483	12526.00	22355.00	40.14%	-1.21	-1.73
0.4718	11671.00	31205.00	38.72%	-1.97	-2.20
0.4749	11148.00	30143.00	39.27%	-1.89	-2.15
0.4794	11417.00	28389.00	37.66%	-0.70	-1.43
0.4617	11295.00	31008.00	36.43%	-2.19	-2.33
0.3927	43.00	135.00	31.85%	-1.17	-1.71
0.4714	40.00	98.00	40.82%	-0.78	-1.47
0.3727	30.00	99.00	30.30%	-1.61	-1.98
0.3222	36.00	130.00	36.36%	-2.57	-2.56
0.379	62.00	99.00	43.66%	-2.36	-2.43
0.4532	32.00	142.00	31.68%	-0.34	-1.20
0.2957	39.00	101.00	32.23%	-2.40	-2.46
0.4642	43.00	121.00	41.75%	-1.07	-1.65
0.3927	29.00	103.00	22.83%	-0.51	-1.31
0.3432	33.00	127.00	31.13%	-1.61	-1.98
0.4606	34.00	106.00	26.15%	0.53	-0.68
0.4403	48.00	152.00	31.58%	-0.47	-1.28
0.4817	10181.00	29443.00	34.58%	0.27	-0.83
0.4774	9839.00	29318.00	33.56%	0.20	-0.87
0.4688	9904.00	28227.00	35.09%	-0.35	-1.21
0.493	10397.00	30316.00	36.89%	0.59	-0.64

0.5	9255.00	28187.00	37.32%	1.89	0.13
0.4865	9751.00	24802.00	35.76%	0.41	-0.75
0.4846	8698.00	27267.00	38.91%	-0.21	-1.13
0.4896	12526.00	22355.00	40.14%	-0.07	-1.04
0.4892	11671.00	31205.00	38.72%	0.67	-0.59
0.4887	11148.00	30143.00	39.27%	0.12	-0.93
0.4872	11417.00	28389.00	37.66%	0.80	-0.51
0.4875	11295.00	31008.00	36.43%	1.84	0.12
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	303.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	83.00	0.00	29.86%	-0.92	-1.56
0.4841	93.00	278.00	38.75%	-0.10	-1.06
0	112.00	240.00	34.78%	-1.77	-2.08
0.4714	110.00	322.00	36.30%	-0.18	-1.11
0.4949	101.00	291.00	34.71%	0.45	-0.74
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	177.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4917	66.00	0.00	31.58%	0.90	-0.47
0.4994	60.00	209.00	28.71%	2.41	0.38
0.4878	44.00	209.00	29.33%	1.21	-0.29
0.499	60.00	150.00	33.90%	2.11	0.23
0.4995	51.00	178.00	28.65%	2.56	0.47
0.3415	452379.00	559751.00	80.82%	-17.83	0.00
0.3674	364192.00	444187.00	81.99%	-5.80	0.00
0.3449	374120.00	457190.00	81.83%	-13.43	0.00
0.301	336733.00	525922.00	82.45%	-21.41	0.00
0.3092	317198.00	408419.00	82.11%	-20.32	0.00
0.2892	315383.00	386322.00	81.68%	-25.36	0.00
0.2738	302532.00	386135.00	81.34%	-27.61	0.00
0.2721	359961.00	371933.00	83.18%	-24.54	0.00
0.3161	360438.00	432733.00	86.03%	-8.24	0.00
0.3708	361912.00	418959.00	80.61%	-10.61	0.00
0.374	421259.00	448953.00	80.10%	-8.91	0.00
0.3181	456267.00	550489.00	82.88%	-17.50	0.00
0	847.00	1039.00	81.52%	-0.82	-1.50
0	881.00	1032.00	85.37%	-0.58	-1.36
0	859.00	988.00	86.94%	-0.77	-1.47
0.4518	888.00	1069.00	84.41%	0.94	-0.47
0	848.00	1052.00	89.17%	-0.70	-1.42
0.4157	895.00	951.00	91.70%	1.51	-0.22
0.3499	683.00	976.00	92.05%	0.62	-0.64
0.3727	917.00	742.00	84.83%	0.10	-0.90

0.3608	839.00	1081.00	85.79%	0.12	-0.89
0.3	785.00	978.00	87.61%	-0.23	-1.14
0	955.00	896.00	89.34%	-0.97	-1.59
0.4714	843.00	1007.00	83.71%	0.80	-0.58
0.5	39.00	41.00	95.12%	2.89	-0.07
0	0.00	0.00	0.00%	0.00	0.00
0	47.00	55.00	85.45%	-0.41	-1.25
0	43.00	59.00	86.00%	2.45	-0.12
0	0.00	50.00	0.00%	0.00	0.00
0.5	45.00	0.00	97.83%	4.54	0.10
0	0.00	46.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	57.00	0.00	96.61%	0.00	0.00
0	53.00	59.00	89.83%	0.00	0.00
0	64.00	69.00	92.75%	-0.28	-1.17
0.4714	62.00	80.00	77.50%	0.44	-0.76
0	78.00	92.00	84.78%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0	68.00	99.00	76.40%	-0.95	-1.58
0	75.00	89.00	82.42%	-0.65	-1.39
0	90.00	91.00	93.75%	-0.51	-1.31
0	68.00	96.00	87.18%	-0.38	-1.23
0.5	72.00	78.00	84.71%	1.35	-0.39
0	68.00	85.00	93.15%	-0.38	-1.23
0	90.00	73.00	86.54%	0.00	0.00
0	92.00	104.00	92.93%	0.00	0.00
0	74.00	88.00	84.09%	-0.61	-1.37
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4899	7414.00	8935.00	82.98%	1.37	-0.28
0.433	7269.00	9609.00	78.69%	0.18	-0.86
0.433	6737.00	9238.00	85.79%	0.62	-0.65
0	7906.00	7853.00	89.50%	-0.48	-1.29
0.433	6071.00	8834.00	88.43%	0.84	-0.55
0.4969	7568.00	6865.00	78.37%	1.66	-0.09
0.4841	7316.00	9657.00	77.83%	1.04	-0.41
0.4899	7059.00	9400.00	82.53%	1.88	0.01
0.4841	8167.00	8553.00	84.99%	2.52	0.33
0.4518	7630.00	9768.00	78.11%	4.48	1.36
0	19.00	29.00	65.52%	-1.50	-1.91
0	13.00	19.00	68.42%	-1.09	-1.66
0	17.00	34.00	50.00%	-1.89	-2.15
0	0.00	21.00	0.00%	0.00	0.00
0.4714	10.00	0.00	76.92%	1.62	-0.24
0.4615	19.00	13.00	67.86%	-0.09	-1.05
0	1.00	28.00	50.00%	-1.15	-1.70
0	13.00	2.00	54.17%	1.48	-0.24
0.433	39.00	24.00	57.35%	-0.69	-1.42
0	30.00	68.00	63.83%	-1.45	-1.88
0	14.00	47.00	66.67%	-1.15	-1.70
0.4714	3.00	12.00	25.00%	-1.92	-2.17

0	0.00	0.00	0.00%	0.00	0.00
0	8.00	8.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	19.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	23.00	0.00	92.00%	0.00	0.00
0	18.00	25.00	94.74%	-0.32	-1.19
0	11.00	12.00	91.67%	0.00	0.00
0.4157	7200.00	9013.00	79.88%	0.42	-0.73
0.45	8195.00	9797.00	83.65%	2.00	0.14
0.3967	6555.00	7947.00	82.48%	0.36	-0.76
0.3534	6381.00	8540.00	77.95%	-1.14	-1.69
0.3646	5889.00	8186.00	85.32%	0.19	-0.86
0.2311	7011.00	6902.00	89.22%	-1.20	-1.73
0.2291	5388.00	7858.00	88.00%	-1.19	-1.72
0.3465	6651.00	6123.00	77.55%	-1.33	-1.81
0.4714	6477.00	8576.00	76.91%	1.57	-0.08
0.4485	6274.00	8422.00	81.94%	1.67	-0.03
0.2948	7212.00	7657.00	84.45%	-1.18	-1.72
0.2799	6787.00	8761.00	77.47%	-1.97	-2.20
0.2291	8047.00	10052.00	80.05%	-1.53	-1.93
0	9076.00	10829.00	83.81%	-1.64	-2.00
0	7414.00	8935.00	82.98%	-1.50	-1.91
0	7269.00	9609.00	78.69%	-1.73	-2.05
0.2764	6737.00	9238.00	85.79%	-0.58	-1.35
0	7906.00	7853.00	89.50%	-1.53	-1.93
0.2935	6071.00	8834.00	88.43%	-0.29	-1.18
0	7568.00	6865.00	78.37%	-2.92	-2.78
0.3053	7316.00	9657.00	77.83%	-5.51	-4.35
0.2688	7059.00	9400.00	82.53%	-4.69	-3.85
0.2581	8167.00	8553.00	84.99%	-4.24	-3.58
0.2961	7630.00	9768.00	78.11%	-5.86	-4.56
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	99.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	72.00	0.00	84.71%	-0.42	-1.26
0.4	68.00	85.00	93.15%	1.13	-0.47
0	90.00	73.00	86.54%	-0.77	-1.47
0	92.00	104.00	92.93%	-0.39	-1.23
0	74.00	88.00	84.09%	-0.43	-1.26
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	59.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	65.00	0.00	84.42%	-1.01	-1.62
0	62.00	77.00	72.09%	-2.22	-2.35
0.2875	57.00	86.00	96.61%	0.96	-0.57
0.3143	53.00	59.00	89.83%	0.09	-0.95
0	64.00	69.00	92.75%	-0.89	-1.54
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	200.00	214.00	86.58%	-0.55	-1.34
0	169.00	231.00	95.48%	-0.22	-1.13
0	0.00	177.00	0.00%	0.00	0.00
0	127.00	0.00	86.39%	-0.40	-1.24
0.5	186.00	147.00	87.74%	1.62	-0.30
0	0.00	212.00	0.00%	0.00	0.00
0	201.00	0.00	92.20%	-0.50	-1.30
0	194.00	218.00	90.65%	0.00	0.00
0	207.00	238.00	86.97%	-0.39	-1.23
0	6.00	6.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	6.00	100.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	0.00	100.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	4.00	3.00	100.00%	0.00	0.00
0	5.00	4.00	83.33%	0.00	0.00
0	7.00	8.00	87.50%	0.00	0.00
0.4518	1822.00	2319.00	78.57%	0.65	-0.60
0.4714	1456.00	1909.00	76.27%	0.55	-0.67
0.4615	2049.00	2435.00	84.15%	1.47	-0.18
0.4714	1593.00	2080.00	78.59%	0.71	-0.59
0.2875	1471.00	2027.00	86.12%	-0.46	-1.28
0.4714	1778.00	1708.00	88.11%	1.62	-0.18
0.3	1108.00	2018.00	82.20%	-0.64	-1.39
0	1470.00	1348.00	76.40%	-1.66	-2.01
0	1576.00	1924.00	83.25%	-1.18	-1.72
0	1436.00	1893.00	80.27%	-1.21	-1.74
0.3727	1752.00	1789.00	84.23%	0.06	-0.92
0.4714	1556.00	1958.00	79.47%	1.98	-0.04
0	2036.00	2565.00	79.38%	-0.72	-1.44
0	0.00	0.00	0.00%	0.00	0.00
0	2263.00	2674.00	84.63%	-1.47	-1.90
0.4714	1793.00	2294.00	79.41%	0.55	-0.69
0	1640.00	2258.00	87.00%	-0.86	-1.52
0	1957.00	1885.00	88.55%	-0.51	-1.31
0	1235.00	2210.00	82.61%	-1.02	-1.62
0.3499	1656.00	1495.00	77.53%	-0.73	-1.44

0.1972	1742.00	2136.00	83.95%	-2.76	-2.68
0.3389	1637.00	2075.00	81.56%	-1.09	-1.66
0.234	1946.00	2007.00	84.83%	-2.37	-2.44
0.2379	1763.00	2196.00	80.28%	-3.08	-2.87
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	66.67%	-0.61	-1.37
0	0.00	3.00	0.00%	0.00	0.00
0	8.00	0.00	88.89%	0.00	0.00
0	2.00	9.00	66.67%	0.00	0.00
0	5.00	7.00	71.43%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	176.00	180.00	97.78%	-0.21	-1.13
0	0.00	219.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	169.00	0.00	98.83%	-0.11	-1.07
0	148.00	171.00	99.33%	-0.14	-1.09
0	192.00	149.00	98.97%	-0.18	-1.11
0	190.00	194.00	97.94%	-0.20	-1.12
0	190.00	194.00	97.94%	-0.25	-1.15
0	211.00	194.00	96.35%	0.00	0.00
0	233.00	238.00	97.90%	-0.15	-1.09
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	26.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	17.00	0.00	100.00%	0.00	0.00
0	26.00	17.00	100.00%	0.00	0.00
0	27.00	27.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	1394.00	1439.00	96.87%	3.81	0.14
0	0.00	0.00	0.00%	0.00	0.00
0	1166.00	1703.00	97.33%	-0.23	-1.14
0	1070.00	1198.00	98.89%	-0.26	-1.16
0	1450.00	1082.00	98.77%	-0.16	-1.10
0	1120.00	1468.00	98.77%	-0.16	-1.10
0	1232.00	1134.00	98.01%	-0.14	-1.09
0	1486.00	1257.00	95.99%	-0.29	-1.18
0	1515.00	1548.00	97.18%	0.00	0.00
0	1655.00	1559.00	97.18%	-0.48	-1.29
0	1968.00	2077.00	94.75%	-0.74	-1.45

0	0.00	0.00	0.00%	0.00	0.00
0	47.00	48.00	97.92%	-0.14	-1.09
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	232.00	0.00%	0.00	0.00
0	70.00	0.00	98.59%	-0.23	-1.14
0	100.00	71.00	96.15%	-0.20	-1.12
0	105.00	104.00	86.78%	-0.39	-1.24
0	247.00	121.00	98.41%	-0.13	-1.08
0	200.00	251.00	96.62%	-0.19	-1.11
0	194.00	207.00	98.98%	-0.17	-1.11
0	227.00	196.00	97.84%	-0.21	-1.13
0	311.00	323.00	96.28%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	30.00	30.00	100.00%	0.00	0.00
0	54.00	54.00	100.00%	0.00	0.00
0	21.00	29.00	100.00%	0.00	0.00
0	0.00	21.00	0.00%	0.00	0.00
0	26.00	0.00	100.00%	0.00	0.00
0	0.00	26.00	0.00%	0.00	0.00
0	26.00	0.00	96.30%	-0.19	-1.12
0	0.00	27.00	0.00%	0.00	0.00
0	42.00	0.00	100.00%	0.00	0.00
0	29.00	42.00	100.00%	0.00	0.00
0	36.00	36.00	100.00%	0.00	0.00
0	1143.00	1189.00	96.13%	-0.49	-1.30
0	1223.00	1267.00	96.53%	-0.42	-1.26
0	1227.00	1250.00	98.16%	-0.41	-1.25
0	1003.00	1484.00	97.10%	-0.39	-1.23
0	925.00	1033.00	98.93%	-0.15	-1.09
0	1281.00	935.00	98.77%	-0.19	-1.12
0	972.00	1297.00	98.68%	-0.20	-1.12
0	1040.00	985.00	97.84%	-0.21	-1.13
0	1296.00	1063.00	95.72%	-0.42	-1.26
0	1325.00	1354.00	97.07%	-0.46	-1.28
0	1444.00	1365.00	97.30%	-0.33	-1.20
0.3307	1735.00	1839.00	94.34%	0.84	-0.54
0	1290.00	1343.00	96.05%	-0.35	-1.21
0	1394.00	1439.00	96.87%	-0.25	-1.15
0	1403.00	1430.00	98.11%	-0.24	-1.15
0	1166.00	1703.00	97.33%	-0.23	-1.14
0	1070.00	1198.00	98.89%	-0.11	-1.06
0	1450.00	1082.00	98.77%	-0.11	-1.07
0	1120.00	1468.00	98.77%	-0.19	-1.12
0	1232.00	1134.00	98.01%	-0.38	-1.23
0.1204	1486.00	1257.00	95.99%	-1.04	-1.63
0.126	1515.00	1548.00	97.18%	-0.56	-1.34
0.1132	1655.00	1559.00	97.18%	-0.79	-1.48
0.1443	1968.00	2077.00	94.75%	-1.33	-1.81
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	25.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	29.00	0.00	100.00%	0.00	0.00
0	25.00	29.00	100.00%	0.00	0.00
0	34.00	35.00	97.14%	-0.24	-1.14
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	26.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	38.00	0.00	100.00%	0.00	0.00
0	29.00	38.00	100.00%	0.00	0.00
0	17.00	29.00	100.00%	0.00	0.00
0	26.00	17.00	100.00%	0.00	0.00
0	27.00	27.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	59.00	66.00	89.39%	4.04	0.53
0	0.00	0.00	0.00%	0.00	0.00
0	71.00	238.00	86.59%	-0.39	-1.24
0	76.00	82.00	95.00%	-0.23	-1.14
0	0.00	80.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	238.00	0.00	94.07%	3.98	0.15
0	0.00	253.00	0.00%	0.00	0.00
0	209.00	0.00	92.07%	0.00	0.00
0	226.00	227.00	94.96%	0.00	0.00
0	285.00	304.00	93.75%	0.00	0.00
0	87.00	87.00	100.00%	0.00	0.00
0	48.00	49.00	97.96%	-0.31	-1.19
0	58.00	59.00	98.31%	-0.31	-1.19
0	59.00	85.00	98.33%	-0.50	-1.31
0	70.00	60.00	98.59%	-0.51	-1.31
0	60.00	71.00	98.36%	-0.59	-1.36
0	75.00	61.00	100.00%	0.00	0.00
0	53.00	75.00	98.15%	-0.58	-1.35
0.1666	89.00	54.00	100.00%	0.00	-0.33
0	62.00	89.00	100.00%	0.00	0.00
0	83.00	62.00	97.65%	-0.62	-1.38
0	87.00	88.00	98.86%	-0.47	-1.29
0	68.00	89.00	76.40%	-0.55	-1.34
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	238.00	0.00%	0.00	0.00
0	76.00	0.00	95.00%	-0.23	-1.14
0	0.00	80.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	213.00	0.00	85.89%	-0.40	-1.25
0	209.00	248.00	91.67%	0.00	0.00
0	226.00	228.00	94.96%	0.00	0.00
0	285.00	304.00	93.75%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	4.00	2.00	100.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	2.00	0.00	100.00%	0.00	0.00
0	1.00	2.00	100.00%	0.00	0.00
0	3.00	1.00	100.00%	0.00	0.00
0	4.00	3.00	100.00%	0.00	0.00
0	3.00	4.00	100.00%	0.00	0.00
0	2.00	3.00	100.00%	0.00	0.00
0	3.00	4.00	75.00%	-0.76	-1.46
0.2544	9124.00	11172.00	81.67%	-4.41	-3.68
0.246	10303.00	12096.00	85.18%	-3.31	-3.01
0.2875	8618.00	10165.00	84.78%	-2.10	-2.28
0.3229	8295.00	11083.00	80.59%	-2.59	-2.58
0.1714	7664.00	10293.00	87.19%	-3.34	-3.03
0.1849	9156.00	8790.00	90.67%	-2.34	-2.43
0.1622	7058.00	10098.00	89.77%	-2.60	-2.58
0.201	8657.00	7862.00	80.41%	-4.95	-4.01
0.1979	8549.00	10766.00	79.96%	-4.80	-3.92
0	8308.00	10691.00	84.41%	-5.52	-4.36
0.2199	9604.00	9842.00	86.66%	-3.02	-2.83
0.2203	9322.00	11556.00	80.67%	-4.74	-3.88
0	87.00	87.00	100.00%	0.00	0.00
0	48.00	49.00	97.96%	-0.46	-1.28
0	58.00	59.00	98.31%	-0.52	-1.31
0	59.00	85.00	98.33%	-0.48	-1.29
0	70.00	60.00	98.59%	-0.37	-1.22
0	60.00	71.00	98.36%	-0.46	-1.28
0	75.00	61.00	100.00%	0.00	0.00
0.2575	53.00	75.00	98.15%	1.31	-0.51
0.2575	89.00	54.00	100.00%	0.00	-0.05
0.3	62.00	89.00	100.00%	0.00	-0.05
0.2494	83.00	62.00	97.65%	1.02	-0.55
0	87.00	88.00	98.86%	-0.25	-1.15
0	5.00	5.00	100.00%	0.00	0.00
0	8.00	9.00	88.89%	-0.53	-1.32
0	10.00	10.00	100.00%	0.00	0.00
0	3.00	11.00	100.00%	0.00	0.00
0	8.00	3.00	88.89%	-0.70	-1.43
0	8.00	9.00	100.00%	0.00	0.00
0	7.00	8.00	100.00%	0.00	0.00
0	6.00	7.00	100.00%	0.00	0.00
0	9.00	6.00	100.00%	0.00	0.00
0	11.00	9.00	100.00%	0.00	0.00
0	11.00	11.00	100.00%	0.00	0.00
0	16.00	16.00	100.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	19.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	7.00	0.00	87.50%	-0.56	-1.34
0	0.00	8.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	17.00	0.00	89.47%	0.00	0.00
0	17.00	19.00	89.47%	0.00	0.00
0	31.00	33.00	93.94%	0.00	0.00
0	2249.00	2788.00	80.67%	-2.71	-2.65
0.2106	1820.00	2325.00	78.28%	-2.69	-2.64
0	2462.00	2874.00	85.66%	-1.87	-2.14
0	1933.00	2523.00	80.51%	-1.90	-2.15
0.2039	1783.00	2401.00	87.83%	-1.14	-1.69
0	2157.00	2030.00	89.35%	-1.46	-1.89
0	1368.00	2414.00	83.82%	-1.45	-1.88
0.2764	1799.00	1632.00	78.77%	-1.09	-1.66
0	1995.00	2284.00	85.55%	-1.48	-1.90
0.2039	1903.00	2332.00	83.57%	-1.56	-1.95
0	2164.00	2277.00	85.77%	-1.77	-2.08
0	2039.00	2485.00	82.05%	-1.62	-1.98
0	5.00	5.00	100.00%	0.00	0.00
0	8.00	9.00	88.89%	-0.75	-1.46
0	10.00	10.00	100.00%	0.00	0.00
0	3.00	11.00	100.00%	0.00	0.00
0	8.00	3.00	88.89%	-0.53	-1.32
0	8.00	9.00	100.00%	0.00	0.00
0	7.00	8.00	100.00%	0.00	0.00
0.433	6.00	7.00	100.00%	0.00	-0.49
0.3499	9.00	6.00	100.00%	0.00	-0.54
0	11.00	9.00	100.00%	0.00	0.00
0	11.00	11.00	100.00%	0.00	0.00
0	16.00	16.00	100.00%	0.00	0.00
0	1180.00	1225.00	96.33%	-0.39	-1.24
0	1203.00	1229.00	97.88%	-0.29	-1.18
0	1173.00	1209.00	97.02%	-0.35	-1.21
0	1187.00	1238.00	95.80%	-0.59	-1.36
0	1147.00	1239.00	98.45%	-0.31	-1.19
0	1159.00	1165.00	97.97%	-0.48	-1.29
0	900.00	1183.00	97.51%	-0.50	-1.31
0	1254.00	923.00	96.39%	-0.47	-1.29
0	1155.00	1301.00	96.17%	-0.91	-1.55
0	1060.00	1201.00	97.79%	-0.52	-1.32
0	1206.00	1084.00	97.42%	-0.54	-1.33
0	1191.00	1224.00	97.30%	-0.33	-1.20
0	44.00	45.00	97.78%	-0.21	-1.13
0	0.00	0.00	0.00%	0.00	0.00
0	66.00	68.00	97.06%	-0.17	-1.11
0	58.00	63.00	96.67%	-0.18	-1.11

0	0.00	60.00	0.00%	0.00	0.00
0	54.00	0.00	98.18%	-0.19	-1.11
0	0.00	55.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	66.00	0.00	98.51%	0.00	0.00
0	61.00	67.00	96.83%	0.00	0.00
0	74.00	75.00	98.67%	-0.12	-1.07
0	99.00	103.00	96.12%	-0.34	-1.21
0	96.00	100.00	96.00%	-0.29	-1.17
0	0.00	0.00	0.00%	0.00	0.00
0	97.00	121.00	93.27%	-0.46	-1.28
0	115.00	104.00	96.64%	-0.26	-1.16
0	112.00	119.00	100.00%	0.00	0.00
0	98.00	112.00	98.00%	-0.28	-1.17
0	114.00	100.00	96.61%	-0.26	-1.16
0	91.00	118.00	100.00%	0.00	0.00
0	128.00	91.00	97.71%	0.00	0.00
0	118.00	131.00	97.52%	0.00	0.00
0	108.00	109.00	99.08%	-0.13	-1.08
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	11022.00	11424.00	96.48%	-0.43	-1.26
0	10944.00	11893.00	94.25%	-0.49	-1.30
0	9813.00	11612.00	97.46%	-0.32	-1.20
0	11076.00	10069.00	98.17%	-0.19	-1.12
0	8544.00	11283.00	97.22%	-0.34	-1.21
0.4157	11987.00	8788.00	95.25%	2.46	0.10
0.3307	11505.00	12585.00	94.78%	0.93	-0.50
0.3	10548.00	12138.00	96.91%	1.26	-0.38
0.3903	11495.00	10884.00	96.65%	3.42	0.46
0	11673.00	12206.00	95.63%	-0.80	-1.49
0	891.00	982.00	90.73%	-0.71	-1.43
0	757.00	831.00	91.10%	-0.54	-1.33
0	804.00	902.00	89.14%	-0.85	-1.52
0	721.00	894.00	86.87%	-0.55	-1.33
0	555.00	830.00	88.66%	-0.62	-1.38
0.2665	737.00	626.00	90.10%	-0.26	-1.16
0	481.00	818.00	83.80%	-1.07	-1.65
0	518.00	574.00	89.62%	-0.48	-1.29
0.4	651.00	578.00	80.07%	0.00	-0.96
0	447.00	813.00	86.80%	-0.78	-1.47
0	774.00	515.00	86.58%	-0.68	-1.41
0	706.00	857.00	82.38%	-1.30	-1.79
0.2684	10640.00	11176.00	95.20%	1.13	-0.34
0	11589.00	12044.00	96.22%	-1.25	-1.76
0.1414	9849.00	10215.00	96.42%	-0.58	-1.35
0	9757.00	10655.00	94.06%	-1.63	-1.99
0	8666.00	10373.00	97.33%	-1.05	-1.64
0	9917.00	8904.00	98.19%	-1.00	-1.61
0	7644.00	10100.00	97.19%	-1.02	-1.62
0.1414	10733.00	7865.00	95.12%	-0.92	-1.56

0.1474	10350.00	11284.00	94.63%	-0.93	-1.57
0	9488.00	10937.00	96.82%	-1.21	-1.74
0	10289.00	9800.00	96.56%	-1.41	-1.86
0	10482.00	10982.00	95.45%	-1.36	-1.83
0.2179	11820.00	12401.00	95.31%	0.07	-0.90
0	12792.00	13273.00	96.38%	-0.78	-1.47
0	11022.00	11424.00	96.48%	-0.66	-1.40
0.2575	10944.00	11893.00	94.25%	0.22	-0.81
0	9813.00	11612.00	97.46%	-0.60	-1.37
0	11076.00	10069.00	98.17%	-0.65	-1.40
0	8544.00	11283.00	97.22%	-0.86	-1.52
0	11987.00	8788.00	95.25%	-1.45	-1.88
0.0872	11505.00	12585.00	94.78%	-4.48	-3.72
0.0803	10548.00	12138.00	96.91%	-2.97	-2.80
0.1081	11495.00	10884.00	96.65%	-2.65	-2.61
0.0882	11673.00	12206.00	95.63%	-3.88	-3.36
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	121.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	114.00	0.00	96.61%	-0.19	-1.11
0	91.00	118.00	100.00%	0.00	0.00
0	128.00	91.00	97.71%	-0.30	-1.18
0	118.00	131.00	97.52%	-0.27	-1.17
0	108.00	109.00	99.08%	-0.10	-1.06
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	63.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	79.00	0.00	95.18%	-0.53	-1.32
0	90.00	83.00	95.74%	-0.76	-1.46
0	66.00	94.00	98.51%	-0.43	-1.26
0	61.00	67.00	96.83%	-0.55	-1.34
0	74.00	75.00	98.67%	-0.43	-1.26
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	287.00	269.00	96.96%	-0.25	-1.15
0	209.00	296.00	98.12%	-0.14	-1.08
0	240.00	213.00	98.77%	-0.11	-1.07
0	187.00	243.00	96.39%	-0.19	-1.12
0	261.00	194.00	95.60%	-0.48	-1.29
0	221.00	273.00	98.22%	-0.13	-1.08
0	267.00	225.00	98.16%	-0.24	-1.14
0	264.00	272.00	98.14%	0.00	0.00
0	274.00	288.00	95.14%	-0.32	-1.19

0	6.00	6.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	4.00	6.00	100.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	0.00	100.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	5.00	3.00	100.00%	0.00	0.00
0	6.00	5.00	100.00%	0.00	0.00
0	8.00	9.00	88.89%	0.00	0.00
0.2421	2844.00	3010.00	94.49%	0.13	-0.87
0	2371.00	2533.00	93.60%	-0.64	-1.39
0.2665	3000.00	3126.00	95.97%	0.67	-0.60
0	2552.00	2663.00	94.00%	-0.62	-1.38
0	2184.00	2715.00	96.51%	-0.63	-1.38
0	2549.00	2263.00	97.18%	-0.45	-1.27
0	1787.00	2623.00	95.92%	-0.68	-1.41
0	2467.00	1863.00	93.87%	-0.85	-1.51
0.3	2489.00	2628.00	95.84%	0.92	-0.50
0	2321.00	2597.00	95.99%	-0.54	-1.33
0	2573.00	2418.00	96.62%	-0.46	-1.28
0.433	2419.00	2569.00	94.16%	1.63	-0.27
0	3127.00	3309.00	94.50%	-0.34	-1.21
0	2666.00	2843.00	93.77%	-0.36	-1.22
0	3294.00	3425.00	96.18%	-0.72	-1.44
0	2839.00	2932.00	94.29%	-0.49	-1.30
0	2393.00	3011.00	96.65%	-0.49	-1.30
0	2789.00	2476.00	97.31%	-0.37	-1.23
0	1974.00	2866.00	95.96%	-0.58	-1.35
0.2494	2728.00	2057.00	94.04%	0.11	-0.88
0.0985	2710.00	2901.00	96.03%	-1.52	-1.92
0.0953	2588.00	2822.00	96.21%	-1.54	-1.94
0	2837.00	2690.00	96.76%	-1.96	-2.19
0.0921	2693.00	2857.00	94.26%	-2.23	-2.35
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	66.67%	-0.61	-1.37
0	0.00	3.00	0.00%	0.00	0.00
0	11.00	0.00	100.00%	0.00	0.00
0	2.00	11.00	66.67%	0.00	0.00
0	7.00	9.00	77.78%	0.00	0.00
0	423.00	426.00	99.30%	-0.08	-1.05
0	419.00	419.00	100.00%	0.00	0.00
0	486.00	488.00	99.59%	-0.14	-1.09
0	422.00	532.00	99.29%	-0.12	-1.07

0	420.00	425.00	100.00%	0.00	0.00
0	458.00	420.00	100.00%	0.00	0.00
0	381.00	458.00	100.00%	0.00	0.00
0	458.00	381.00	100.00%	0.00	0.00
0	473.00	458.00	100.00%	0.00	0.00
0	466.00	473.00	100.00%	0.00	0.00
0	530.00	466.00	99.62%	-0.09	-1.05
0	593.00	593.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2772.00	2774.00	99.93%	-0.05	-1.03
0	0.00	0.00	0.00%	0.00	0.00
0	2650.00	3614.00	99.51%	-0.12	-1.07
0	2537.00	2663.00	99.96%	-0.05	-1.03
0	2917.00	2538.00	99.93%	-0.04	-1.02
0	2375.00	2919.00	99.87%	-0.05	-1.03
0	2633.00	2378.00	99.89%	-0.05	-1.03
0	2943.00	2636.00	99.93%	-0.04	-1.02
0	3139.00	2945.00	99.84%	0.00	0.00
0	3604.00	3144.00	99.72%	-0.15	-1.09
0	4176.00	4196.00	99.52%	-0.22	-1.13
0	0.00	0.00	0.00%	0.00	0.00
0	3532.00	3605.00	97.98%	-0.14	-1.09
0	0.00	0.00	0.00%	0.00	0.00
0	3892.00	2273.00	98.28%	-0.26	-1.16
0	4007.00	3960.00	98.28%	-0.26	-1.16
0	2676.00	4077.00	96.43%	-0.19	-1.12
0	1125.00	2775.00	95.02%	-0.32	-1.20
0	1374.00	1184.00	87.35%	-0.54	-1.33
0	1457.00	1573.00	96.04%	-0.35	-1.21
0	1437.00	1517.00	93.55%	-0.52	-1.32
0	2125.00	1536.00	93.49%	-0.46	-1.28
0	1938.00	2222.00	87.22%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	34.00	34.00	100.00%	0.00	0.00
0	55.00	55.00	100.00%	0.00	0.00
0	25.00	30.00	100.00%	0.00	0.00
0	0.00	25.00	0.00%	0.00	0.00
0	27.00	0.00	100.00%	0.00	0.00
0	0.00	27.00	0.00%	0.00	0.00
0	29.00	0.00	96.67%	-0.18	-1.11
0	0.00	30.00	0.00%	0.00	0.00
0	44.00	0.00	100.00%	0.00	0.00
0	30.00	44.00	100.00%	0.00	0.00
0	40.00	40.00	100.00%	0.00	0.00
0	2388.00	2393.00	99.79%	-0.15	-1.09
0	2353.00	2355.00	99.92%	-0.10	-1.06
0	2448.00	2452.00	99.84%	-0.14	-1.08
0	2228.00	3082.00	99.55%	-0.21	-1.13
0	2117.00	2238.00	99.95%	-0.05	-1.03
0	2459.00	2118.00	99.92%	-0.09	-1.06
0	1994.00	2461.00	99.85%	-0.08	-1.05
0	2175.00	1997.00	99.86%	-0.08	-1.05

0	2470.00	2178.00	99.92%	-0.06	-1.04
0	2673.00	2472.00	99.81%	-0.14	-1.08
0	3074.00	2678.00	99.74%	-0.12	-1.08
0	3583.00	3603.00	99.44%	-0.24	-1.14
0	2811.00	2819.00	99.72%	-0.11	-1.06
0	2772.00	2774.00	99.93%	-0.07	-1.04
0	2934.00	2940.00	99.80%	-0.11	-1.07
0	2650.00	3614.00	99.51%	-0.12	-1.07
0	2537.00	2663.00	99.96%	-0.04	-1.03
0	2917.00	2538.00	99.93%	-0.05	-1.03
0	2375.00	2919.00	99.87%	-0.09	-1.06
0	2633.00	2378.00	99.89%	-0.14	-1.09
0	2943.00	2636.00	99.93%	-0.29	-1.17
0	3139.00	2945.00	99.84%	-0.44	-1.27
0	3604.00	3144.00	99.72%	-0.65	-1.39
0	4176.00	4196.00	99.52%	-0.91	-1.55
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	53.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	38.00	0.00	100.00%	0.00	0.00
0	59.00	38.00	100.00%	0.00	0.00
0	53.00	59.00	100.00%	0.00	0.00
0	62.00	62.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	40.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	53.00	0.00	100.00%	0.00	0.00
0	45.00	53.00	100.00%	0.00	0.00
0	25.00	45.00	100.00%	0.00	0.00
0	40.00	25.00	100.00%	0.00	0.00
0	36.00	36.00	100.00%	0.00	0.00
0	3804.00	4059.00	93.72%	-0.37	-1.22
0	3066.00	3197.00	95.90%	-0.58	-1.35
0	3450.00	3559.00	96.94%	-0.40	-1.24
0	3589.00	2409.00	96.32%	-0.65	-1.39
0	3483.00	3726.00	96.46%	-0.57	-1.35
0	2617.00	3611.00	94.37%	-0.77	-1.47
0	1301.00	2773.00	90.47%	-0.72	-1.44
0	1480.00	1438.00	91.58%	-0.86	-1.52
0	1677.00	1616.00	89.11%	-0.70	-1.42
0.3499	1439.00	1882.00	91.54%	0.55	-0.67
0	2186.00	1572.00	90.74%	-0.71	-1.43
0	2037.00	2383.00	85.48%	0.00	0.00

0	87.00	87.00	100.00%	0.00	0.00
0	48.00	49.00	97.96%	-0.36	-1.22
0	59.00	59.00	100.00%	0.00	0.00
0	60.00	85.00	100.00%	0.00	0.00
0	71.00	60.00	100.00%	0.00	0.00
0	61.00	71.00	100.00%	0.00	0.00
0	75.00	61.00	100.00%	0.00	0.00
0	53.00	75.00	98.15%	-0.63	-1.38
0	89.00	54.00	100.00%	0.00	0.00
0	62.00	89.00	100.00%	0.00	0.00
0	84.00	62.00	98.82%	-0.51	-1.31
0	88.00	88.00	100.00%	0.00	0.00
0	3804.00	4059.00	93.72%	-0.26	-1.16
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2411.00	0.00%	0.00	0.00
0	3483.00	0.00	96.46%	-0.27	-1.16
0	0.00	3611.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1677.00	0.00	89.11%	-0.35	-1.21
0	1441.00	1882.00	91.55%	0.00	0.00
0	2188.00	1574.00	90.75%	-0.32	-1.19
0	2042.00	2388.00	85.51%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	4.00	2.00	100.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	2.00	0.00	100.00%	0.00	0.00
0	1.00	2.00	100.00%	0.00	0.00
0	3.00	1.00	100.00%	0.00	0.00
0	4.00	3.00	100.00%	0.00	0.00
0	3.00	4.00	100.00%	0.00	0.00
0	2.00	3.00	100.00%	0.00	0.00
0	4.00	4.00	100.00%	0.00	0.00
0	14187.00	14774.00	96.03%	-3.45	-3.10
0.0638	15185.00	15668.00	96.92%	-2.40	-2.46
0	13518.00	13925.00	97.08%	-2.40	-2.46
0.2571	13249.00	15046.00	95.13%	1.65	-0.04
0	12008.00	13927.00	97.90%	-1.96	-2.19
0	13572.00	12265.00	98.49%	-1.75	-2.06
0	10607.00	13780.00	97.74%	-1.99	-2.21
0.0949	14267.00	10852.00	95.96%	-2.34	-2.42
0	14020.00	14868.00	95.67%	-3.02	-2.84
0	13201.00	14655.00	97.49%	-2.30	-2.40
0.0714	14640.00	13541.00	97.30%	-1.87	-2.14
0.0659	15287.00	15836.00	96.53%	-2.49	-2.51
0	87.00	87.00	100.00%	0.00	0.00
0	48.00	49.00	97.96%	-0.49	-1.30
0	59.00	59.00	100.00%	0.00	0.00
0	60.00	85.00	100.00%	0.00	0.00

0	71.00	60.00	100.00%	0.00	0.00
0	61.00	71.00	100.00%	0.00	0.00
0	75.00	61.00	100.00%	0.00	0.00
0	53.00	75.00	98.15%	-0.52	-1.32
0	89.00	54.00	100.00%	0.00	0.00
0	62.00	89.00	100.00%	0.00	0.00
0	84.00	62.00	98.82%	-0.41	-1.25
0	88.00	88.00	100.00%	0.00	0.00
0	1593.00	1726.00	92.29%	-0.29	-1.18
0.4	1484.00	1553.00	95.56%	1.69	-0.26
0	0.00	0.00	0.00%	0.00	0.00
0	1327.00	1081.00	93.32%	-0.27	-1.16
0	0.00	1422.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	639.00	0.00	79.68%	-0.87	-1.53
0	0.00	802.00	0.00%	0.00	0.00
0	606.00	0.00	88.73%	-0.36	-1.22
0	988.00	683.00	91.40%	-0.31	-1.19
0	949.00	1115.00	85.11%	0.00	0.00
0	5.00	5.00	100.00%	0.00	0.00
0	9.00	9.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	3.00	11.00	100.00%	0.00	0.00
0	9.00	3.00	100.00%	0.00	0.00
0	8.00	9.00	100.00%	0.00	0.00
0	7.00	8.00	100.00%	0.00	0.00
0	6.00	7.00	100.00%	0.00	0.00
0	9.00	6.00	100.00%	0.00	0.00
0	11.00	9.00	100.00%	0.00	0.00
0	11.00	11.00	100.00%	0.00	0.00
0	16.00	16.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1081.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1061.00	0.00	94.06%	-0.50	-1.31
0	0.00	1128.00	0.00%	0.00	0.00
0	639.00	0.00	79.68%	-0.50	-1.31
0	0.00	802.00	0.00%	0.00	0.00
0	606.00	0.00	88.73%	0.00	0.00
0	988.00	683.00	91.40%	0.00	0.00
0	949.00	1115.00	85.11%	0.00	0.00
0	3571.00	3755.00	95.10%	-1.28	-1.78
0	3045.00	3222.00	94.51%	-1.57	-1.95
0	3732.00	3864.00	96.58%	-0.92	-1.56
0	3184.00	3393.00	94.79%	-1.12	-1.68
0	2735.00	3359.00	97.05%	-0.95	-1.58
0	3210.00	2818.00	97.63%	-0.81	-1.49
0	2286.00	3288.00	96.42%	-0.74	-1.45
0	3081.00	2371.00	94.68%	-0.95	-1.57

0	3138.00	3254.00	96.55%	-0.78	-1.47
0	3074.00	3250.00	96.76%	-0.93	-1.57
0	3296.00	3177.00	97.14%	-0.80	-1.49
0	3255.00	3423.00	95.09%	-0.96	-1.58
0	5.00	5.00	100.00%	0.00	0.00
0	9.00	9.00	100.00%	0.00	0.00
0	10.00	10.00	100.00%	0.00	0.00
0	3.00	11.00	100.00%	0.00	0.00
0	9.00	3.00	100.00%	0.00	0.00
0	8.00	9.00	100.00%	0.00	0.00
0	7.00	8.00	100.00%	0.00	0.00
0	6.00	7.00	100.00%	0.00	0.00
0.3	9.00	6.00	100.00%	0.00	-0.61
0	11.00	9.00	100.00%	0.00	0.00
0	11.00	11.00	100.00%	0.00	0.00
0	16.00	16.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	169.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	138.00	0.00	85.71%	-0.70	-1.43
0	116.00	161.00	89.23%	0.00	0.00
0	140.00	130.00	82.84%	0.00	0.00
0	187.00	211.00	88.63%	-0.50	-1.31
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	151.00	0.00%	0.00	0.00
0	75.00	0.00	76.53%	-0.55	-1.33
0	111.00	98.00	83.46%	2.24	-0.16
0	97.00	133.00	82.20%	2.14	-0.18
0	0.00	118.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	125.00	0.00	86.81%	0.00	0.00
0	127.00	144.00	84.11%	-0.43	-1.26
0	115.00	141.00	81.56%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	100.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4789	97.00	138.00	70.29%	0.89	-0.47
0.4172	107.00	144.00	74.31%	-0.45	-1.27
0.4139	99.00	126.00	78.57%	0.07	-0.95
0.4673	115.00	151.00	78.23%	1.64	-0.06
0.4234	75.00	147.00	76.53%	-0.01	-1.01
0.4103	111.00	98.00	83.46%	0.74	-0.56
0.4465	97.00	133.00	82.20%	1.39	-0.22
0.4503	111.00	118.00	76.55%	0.67	-0.60
0.4172	107.00	145.00	78.10%	0.08	-0.95
0.4573	125.00	137.00	86.81%	2.92	0.50
0.4234	127.00	144.00	84.11%	1.23	-0.30
0.3631	115.00	141.00	81.56%	-0.37	-1.23
0.3143	10.00	10.00	100.00%	0.00	-0.59
0	3.00	3.00	100.00%	0.00	0.00
0.3143	11.00	11.00	100.00%	0.00	-0.56
0	10.00	4.00	100.00%	0.00	0.00
0	3.00	10.00	100.00%	0.00	0.00
0.4	7.00	3.00	100.00%	0.00	-0.52
0	8.00	7.00	100.00%	0.00	0.00
0	3.00	8.00	100.00%	0.00	0.00
0.433	2.00	3.00	100.00%	0.00	-0.79
0.4714	3.00	2.00	75.00%	0.25	-0.97
0	4.00	4.00	100.00%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	6.00	6.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.433	2.00	2.00	100.00%	0.00	-0.79
0	2.00	5.00	100.00%	0.00	0.00
0	7.00	2.00	100.00%	0.00	0.00
0.433	4.00	7.00	100.00%	0.00	-0.63
0	1.00	4.00	100.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0.4714	5.00	3.00	62.50%	-0.13	-1.08
0	4.00	8.00	80.00%	-0.60	-1.36
0	3.00	3.00	100.00%	0.00	0.00
0.433	97.00	138.00	70.29%	1.95	0.04
0	107.00	144.00	74.31%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	151.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	125.00	0.00	86.81%	0.00	0.00
0	127.00	144.00	84.11%	-0.43	-1.26
0	115.00	141.00	81.56%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	107.00	144.00	74.31%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0	115.00	151.00	78.23%	-0.53	-1.32
0	0.00	147.00	0.00%	0.00	0.00
0	111.00	0.00	83.46%	-0.62	-1.38
0	97.00	133.00	82.20%	2.14	-0.18
0	0.00	118.00	0.00%	0.00	0.00
0	107.00	0.00	78.10%	-0.53	-1.32
0	125.00	137.00	86.81%	0.00	0.00
0	127.00	144.00	84.11%	0.00	0.00
0.5	115.00	141.00	81.56%	1.14	-0.46
0.4985	97.00	138.00	70.29%	2.77	0.59
0.4606	107.00	144.00	74.31%	0.77	-0.57
0.47	99.00	126.00	78.57%	2.00	0.12
0.474	115.00	151.00	78.23%	2.22	0.24
0.499	75.00	147.00	76.53%	3.65	0.97
0.4676	111.00	98.00	83.46%	3.17	0.67
0.4632	97.00	133.00	82.20%	2.39	0.29
0.4615	111.00	118.00	76.55%	1.29	-0.25
0.429	107.00	145.00	78.10%	0.41	-0.76
0.467	125.00	137.00	86.81%	4.08	1.03
0.4757	127.00	144.00	84.11%	3.67	0.91
0.4698	115.00	141.00	81.56%	2.62	0.43
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	5.00	100.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	0.00	62.50%	0.00	0.00
0	4.00	8.00	80.00%	0.00	0.00
0	3.00	3.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	138.00	89.00	85.19%	-0.42	-1.25
0	110.00	162.00	85.94%	-0.40	-1.24
0	0.00	128.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	83.00	0.00	79.05%	0.00	0.00
0	72.00	105.00	80.90%	0.00	0.00
0	92.00	108.00	85.19%	0.00	0.00
0	104.00	136.00	76.47%	-0.55	-1.34
0	77.00	117.00	65.81%	-0.72	-1.44
0	79.00	109.00	72.48%	-0.86	-1.53
0	0.00	145.00	0.00%	0.00	0.00
0.3499	107.00	0.00	79.85%	-0.38	-1.23
0	0.00	134.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	101.00	0.00	78.91%	-0.52	-1.31
0	117.00	128.00	84.17%	0.00	0.00
0	116.00	139.00	80.00%	0.00	0.00
0	149.00	177.00	84.18%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	100.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0.3903	104.00	136.00	76.47%	-0.43	-1.26
0	77.00	117.00	65.81%	3.04	0.74
0.433	79.00	109.00	72.48%	-0.19	-1.11
0.4077	88.00	145.00	74.58%	-0.41	-1.25
0	107.00	118.00	79.85%	4.37	1.19
0.4	115.00	134.00	87.79%	0.99	-0.44
0.4422	98.00	131.00	86.73%	1.44	-0.22
0.4714	102.00	113.00	76.12%	0.81	-0.52
0	101.00	134.00	78.91%	-0.73	-1.44
0.3499	117.00	128.00	84.17%	-0.11	-1.07
0.4103	116.00	139.00	80.00%	0.13	-0.91
0.5	149.00	177.00	84.18%	3.14	0.59
0	5.00	6.00	83.33%	-0.77	-1.47
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	5.00	100.00%	0.00	0.00
0	5.00	2.00	100.00%	0.00	0.00
0.4714	2.00	5.00	100.00%	0.00	-0.71
0	2.00	2.00	100.00%	0.00	0.00
0	1.00	2.00	100.00%	0.00	-0.59
0	3.00	1.00	100.00%	0.00	0.00
0.5	3.00	3.00	60.00%	0.30	-0.92
0	0.00	5.00	0.00%	0.00	0.00
0	2.00	0.00	100.00%	0.00	-0.37
0	3.00	5.00	60.00%	-0.75	-1.45

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	1.00	0.00	100.00%	0.00	-0.59
0	0.00	1.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	50.00%	-0.82	-1.50
0	1.00	2.00	100.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	104.00	136.00	76.47%	-0.55	-1.34
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	145.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	101.00	0.00	78.91%	-0.52	-1.31
0	117.00	128.00	84.17%	0.00	0.00
0	116.00	139.00	80.00%	-0.50	-1.30
0	149.00	177.00	84.18%	0.00	0.00
0.433	104.00	136.00	76.47%	0.12	-0.92
0.4714	77.00	117.00	65.81%	-0.08	-1.05
0.4865	79.00	109.00	72.48%	0.83	-0.51
0.4979	88.00	145.00	74.58%	2.88	0.59
0.4841	107.00	118.00	79.85%	1.19	-0.34
0.2875	115.00	134.00	87.79%	-0.30	-1.18
0.4714	98.00	131.00	86.73%	6.20	1.79
0.4	102.00	113.00	76.12%	-0.20	-1.12
0.4949	101.00	134.00	78.91%	1.90	0.04
0.5	117.00	128.00	84.17%	3.11	0.57
0.5	116.00	139.00	80.00%	2.50	0.33
0.4899	149.00	177.00	84.18%	2.04	0.07
0.34722222	0.00	1225.00	72.64%	-0.63	-1.38
0.56388888	0.00	1229.00	67.64%	-0.41	-1.25
0.37916666	0.00	1209.00	64.24%	-0.47	-1.29
0.63680555	0.00	1238.00	66.04%	-0.09	-1.05
0.30347222	0.00	1239.00	54.38%	-0.73	-1.44
0.59444444	0.00	1165.00	51.46%	0.64	-0.57
0.56805555	0.00	1183.00	52.57%	0.27	-0.71
0.39097222	0.00	923.00	64.65%	-0.42	-1.25
0.42986111	0.00	1301.00	67.15%	-0.28	-1.17
0.54236111	0.00	1201.00	57.08%	-0.48	-1.29
0.34583333	0.00	1084.00	56.18%	-0.73	-1.44
0.47916666	0.00	1224.00	62.15%	-0.33	-1.20
0.57083333	22.46	45.00	49.93%	2.11	0.05
0	0.00	0.00	0.00%	0.00	0.00
0	35.80	68.00	52.64%	0.48	-0.34
0	37.42	63.00	62.36%	1.16	0.17

0	0.00	60.00	0.00%	0.00	0.00
0.654166667	21.75	0.00	39.51%	0.48	-0.49
0	0.00	55.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	31.41	0.00	46.88%	0.00	0.00
0	29.92	67.00	47.50%	0.00	0.00
0	32.11	75.00	42.78%	-0.45	-1.27
0.636111111	70.80	103.00	16:30	-0.02	-1.01
0.334027778	68.53	100.00	16:27	-0.83	-1.51
0	0.00	0.00	0:00	0.00	0.00
0.353472222	81.21	121.00	18:44	-0.73	-1.44
0.01875	74.97	104.00	15:07	0.51	-0.59
0.311805556	50.80	119.00	10:53	-0.72	-1.44
0.124305556	53.25	112.00	12:47	-1.22	-1.74
0.849305556	73.38	100.00	14:56	1.97	-0.09
0.490277778	48.87	118.00	12:53	-0.94	-1.57
0	75.91	91.00	13:54	0.00	0.00
0	71.14	131.00	14:07	0.00	0.00
0.002083333	61.71	109.00	13:35	-1.22	-1.74
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.425694444	0.00	11424.00	18:39	0.38	-0.60
0.571527778	0.00	11893.00	19:42	0.42	-0.60
0.395833333	0.00	11612.00	16:57	-0.05	-1.03
0.584027778	0.00	10069.00	15:19	-0.19	-1.11
0.125694444	0.00	11283.00	16:08	0.63	-0.38
0.754861111	0.00	8788.00	20:07	1.54	-0.12
0.619444444	0.00	12585.00	19:33	0.77	-0.51
0.793055556	0.00	12138.00	17:55	1.66	-0.09
0.765277778	0.00	10884.00	17:18	1.69	-0.02
0.347916667	0.00	12206.00	19:32	1.48	-0.01
0.331944444	0.00	982.00	10:41	-0.39	-1.24
0.144444444	0.00	831.00	7:54	-0.26	-1.16
0.310416667	0.00	902.00	5:31	-0.95	-1.58
0.488888889	0.00	894.00	7:31	-0.70	-1.43
0.631944444	0.00	830.00	7:40	-0.53	-1.32
0.684027778	0.00	626.00	8:28	-0.53	-1.32
0.450694444	0.00	818.00	13:31	-0.71	-1.43
0.094444444	0.00	574.00	4:14	-0.04	-1.03
0.797916667	0.00	578.00	14:27	-0.87	-1.53
0.397916667	0.00	813.00	10:09	-0.80	-1.49
0.505555556	0.00	515.00	11:22	-0.35	-1.21
0.654861111	0.00	857.00	8:25	-0.67	-1.41
0	0.00	0.00	0:00	0.00	0.00
0	0.67	8.00	2:00	-0.93	-1.57
0	0.00	0.00	0:00	0.00	0.00
0	0.00	20.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0	16.80	0.00	13:54	0.00	0.00
0.111805556	5.84	29.00	7:00	-0.25	-1.15
0	6.61	13.00	12:12	0.00	0.00
0.934722222	0.00	11176.00	20:07	1.09	-0.31
0.371527778	0.00	12044.00	19:00	0.07	-0.92
0.482638889	0.00	10215.00	19:02	-1.18	-1.72
0.470833333	0.00	10655.00	20:10	-2.68	-2.63
0.401388889	0.00	10373.00	17:28	-0.67	-1.41
0.375694444	0.00	8904.00	15:40	-2.65	-2.61
0.414583333	0.00	10100.00	16:33	-0.10	-1.06
0.493055556	0.00	7865.00	20:39	-1.57	-1.95
0.676388889	0.00	11284.00	19:55	-0.02	-1.01
0.35625	0.00	10937.00	18:23	0.27	-0.74
0.390972222	0.00	9800.00	17:45	-0.90	-1.55
0.415277778	0.00	10982.00	20:03	-1.28	-1.78
0.670833333	0.00	12401.00	19:51	-0.62	-1.37
0.279861111	0.00	13273.00	18:45	-2.34	-2.42
0.305555556	0.00	11424.00	18:39	-1.29	-1.79
0.697916667	0.00	11893.00	19:42	-0.58	-1.36
0.297222222	0.00	11612.00	16:57	-0.75	-1.46
0.334027778	0.00	10069.00	15:19	-1.04	-1.63
0.45625	0.00	11283.00	16:08	-1.15	-1.70
0.346527778	0.00	8788.00	20:07	-3.58	-3.18
0.465972222	0.00	12585.00	19:33	-7.37	-5.48
0.457638889	0.00	12138.00	17:55	-6.70	-5.08
0.456944444	0.00	10884.00	17:18	-6.44	-4.92
0.452777778	0.00	12206.00	19:32	-7.66	-5.66
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	121.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	73.38	0.00	14:56	-0.70	-1.43
0.608333333	48.87	118.00	12:53	0.92	-0.52
0.277083333	75.91	91.00	13:54	-0.47	-1.29
0.022222222	71.14	131.00	14:07	-1.13	-1.69
0	61.71	109.00	13:35	0.45	-0.83
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	63.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.045833333	46.37	0.00	13:24	-1.82	-2.11
0.106944444	60.25	83.00	15:23	-2.71	-2.65
0.350694444	31.41	94.00	11:15	-1.16	-1.71
0.372916667	29.92	67.00	11:24	-0.45	-1.27
0.390277778	32.11	75.00	10:16	0.73	-0.55

0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.022916667	148.12	269.00	12:01	-0.89	-1.54
0	90.75	296.00	10:13	-0.63	-1.38
0	105.72	213.00	10:26	0.91	-0.47
0	107.56	243.00	13:18	-0.76	-1.46
0.395833333	157.10	194.00	13:49	-0.92	-1.56
0	110.15	273.00	11:45	-0.86	-1.52
0.114583333	116.71	225.00	10:18	-0.74	-1.45
0	156.83	272.00	14:00	0.00	0.00
0.040972222	163.26	288.00	13:36	-0.93	-1.56
0	0.00	0.00	0:00	0.00	0.00
0	4.68	10.00	11:14	0.62	-0.57
0	0.00	0.00	0:00	0.00	0.00
0	0.00	15.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	8.28	0.00	8:39	-0.93	-1.57
0	0.00	23.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	3.78	0.00	8:15	0.00	0.00
0	9.88	11.00	15:48	0.00	0.00
0	3.21	13.00	5:56	0.00	0.00
0	1.43	6.00	5:42	-0.24	-1.15
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.389583333	1.41	6.00	8:26	-0.03	-1.02
0	0.00	4.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	1.54	0.00	7:24	-0.82	-1.50
0	0.00	5.00	0:00	0.00	0.00
0	0.14	0.00	1:07	6.02	1.26
0	2.04	3.00	9:48	0.00	0.00
0	2.52	5.00	10:04	0.00	0.00
0	6.91	9.00	18:26	0.00	0.00
0.683333333	0.00	3010.00	19:44	0.00	-0.88
0.484722222	0.00	2533.00	20:05	0.54	-0.60
0.555555556	0.00	3126.00	17:01	0.25	-0.73
0.498611111	0.00	2663.00	19:06	-0.94	-1.57
0.376388889	0.00	2715.00	15:44	0.17	-0.81
0.470833333	0.00	2263.00	14:36	-0.63	-1.38
0.41875	0.00	2623.00	17:35	-0.90	-1.54
0.374305556	0.00	1863.00	19:59	-1.91	-2.16
0.572916667	0.00	2628.00	17:17	0.00	-1.00
0.38125	0.00	2597.00	17:44	-1.19	-1.73
0.458333333	0.00	2418.00	16:27	-0.48	-1.29
2.013888889	0.00	2569.00	19:07	3.16	0.41
0.29375	0.00	3309.00	19:32	-0.17	-1.10
0.296527778	0.00	2843.00	19:47	-0.97	-1.59
0.329861111	0.00	3425.00	16:35	-1.63	-1.99
0.425	0.00	2932.00	18:24	-1.04	-1.63

0.324305556	0.00	3011.00	15:16	-1.28	-1.78
0.107638889	0.00	2476.00	14:15	-1.67	-2.02
0.349305556	0.00	2866.00	17:11	-1.79	-2.09
0.835416667	0.00	2057.00	19:24	-0.94	-1.57
0.473611111	0.00	2901.00	16:51	-4.27	-3.59
0.413194444	0.00	2822.00	16:59	-5.00	-4.04
0.35	0.00	2690.00	16:14	-3.86	-3.35
0.576388889	0.00	2857.00	18:34	-4.25	-3.59
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	3.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	3.24	0.00	1:54	-0.60	-1.36
0	0.00	3.00	0:00	0.00	0.00
0	2.53	0.00	5:31	0.00	0.00
0	3.31	11.00	2:28	0.00	0.00
0	7.86	9.00	20:58	0.00	0.00
0	58.34	426.00	3:17	-0.23	-1.14
0.014583333	52.14	419.00	2:59	-0.70	-1.42
0.131944444	55.67	488.00	2:44	0.32	-0.65
0.0125	198.51	532.00	11:13	-0.09	-1.05
0	39.57	425.00	2:16	-0.31	-1.19
0.085416667	48.88	420.00	2:34	-0.88	-1.53
0.063194444	42.20	458.00	2:40	-0.49	-1.30
0.044444444	44.64	381.00	2:20	-0.42	-1.25
0.088888889	55.47	458.00	2:49	-0.30	-1.18
0.315972222	71.12	473.00	3:40	0.25	-0.78
0.022222222	71.54	466.00	3:14	-0.33	-1.20
0	90.35	593.00	3:39	0.41	-0.35
0	4.72	35.00	3:14	-0.61	-1.37
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	40.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	2.94	0.00	2:49	0.00	0.00
0	3.50	25.00	2:06	0.00	0.00
0	5.05	36.00	3:22	-0.49	-1.29
0	3.86	39.00	2:23	-0.32	-1.19
0	7.44	41.00	4:21	-0.26	-1.16
0.507638889	4.83	48.00	2:25	2.43	0.03
0	0.00	53.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	7.30	0.00	3:26	-0.24	-1.15

0	0.00	51.00	0:00	0.00	0.00
0	7.14	0.00	2:54	-0.57	-1.35
0.0277777778	8.55	59.00	3:52	-1.01	-1.61
0	11.13	62.00	4:18	-0.59	-1.36
0	0.00	0.00	0:00	0.00	0.00
0.7097222222	0.00	2774.00	4:30	1.77	-0.05
0	0.00	0.00	0:00	0.00	0.00
0.1083333333	0.00	3614.00	6:05	-0.09	-1.06
0.2055555556	367.76	2663.00	3:29	0.07	-0.85
0.0666666667	0.00	2538.00	3:52	-0.36	-1.22
0.0243055556	354.98	2919.00	3:35	-0.53	-1.32
0.0180555556	394.38	2378.00	3:35	-0.62	-1.38
0.3618055556	0.00	2636.00	4:23	0.42	-0.63
0	0.00	2945.00	4:40	0.00	0.00
0.3333333333	0.00	3144.00	5:06	0.37	-0.65
0.0902777778	0.00	4196.00	6:04	-1.22	-1.74
0	0.00	0.00	0:00	0.00	0.00
0	0.00	3605.00	4:57	-0.25	-1.15
0	0.00	0.00	0:00	0.00	0.00
0.0006944444	0.00	2273.00	3:34	-0.59	-1.36
0.0861111111	0.00	3960.00	3:19	0.02	-0.61
0	0.00	4077.00	6:55	-0.04	-1.03
0.0006944444	0.00	2775.00	12:43	-0.08	-1.05
0.0979166667	0.00	1184.00	21:14	-0.56	-1.34
0.0326388889	0.00	1573.00	12:38	-0.39	-1.23
0.0993055556	0.00	1517.00	18:03	-0.46	-1.28
0.1972222222	0.00	1536.00	13:52	-0.47	-1.28
0	0.00	2222.00	12:50	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.0194444444	2.89	34.00	2:02	-0.35	-1.21
0	2.93	55.00	1:17	-0.21	-1.13
0	0.86	30.00	0:49	0.04	-0.71
0	0.00	25.00	0:00	0.00	0.00
0	0.95	0.00	0:51	-0.70	-1.43
0	0.00	27.00	0:00	0.00	0.00
0	4.61	0.00	3:41	-0.24	-1.14
0	0.00	30.00	0:00	0.00	0.00
0	2.96	0.00	1:37	0.00	0.00
0	1.73	44.00	1:23	-0.22	-1.14
0	2.13	40.00	1:17	0.00	0.00
0.1555555556	0.00	2393.00	4:46	-1.26	-1.77
0.2222222222	0.00	2355.00	4:47	-1.32	-1.80
0.0722222222	0.00	2452.00	4:46	-1.28	-1.78
0.2152777778	0.00	3082.00	5:07	-0.20	-1.12
0.125	328.19	2238.00	3:43	-0.23	-1.14
0.0777777778	0.00	2118.00	4:07	-1.49	-1.91
0.3048611111	312.78	2461.00	3:46	0.60	-0.56
0.125	349.74	1997.00	3:51	-0.45	-1.27
0.4111111111	0.00	2178.00	4:41	1.42	-0.19
0.4090277778	0.00	2472.00	4:50	1.07	-0.32
0.625	0.00	2678.00	5:25	0.71	-0.42
0.4055555556	0.00	3603.00	6:28	1.05	-0.33

0.370138889	0.00	2819.00	4:33	0.08	-0.82
0.170138889	0.00	2774.00	4:30	-0.61	-1.37
0.011111111	0.00	2940.00	4:26	-1.37	-1.83
0.01875	0.00	3614.00	6:05	-0.12	-1.07
0.054861111	367.76	2663.00	3:29	-0.82	-1.50
0.083333333	0.00	2538.00	3:52	-0.82	-1.50
0.060416667	354.98	2919.00	3:35	-0.93	-1.56
0.123611111	394.38	2378.00	3:35	-1.10	-1.67
0.256944444	0.00	2636.00	4:23	-0.82	-1.50
0.256944444	0.00	2945.00	4:40	-1.15	-1.70
0.217361111	0.00	3144.00	5:06	-2.56	-2.55
0.269444444	0.00	4196.00	6:04	-2.98	-2.81
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	53.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.077777778	5.86	0.00	3:42	-0.61	-1.37
0.003472222	7.14	38.00	2:54	-0.80	-1.48
0.079166667	8.55	59.00	3:52	-0.34	-1.21
0.052083333	11.13	62.00	4:18	-0.84	-1.51
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	40.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.038194444	6.00	0.00	2:43	-0.77	-1.47
0.31875	4.97	53.00	2:39	2.41	0.06
0.261111111	2.94	45.00	2:49	0.69	-0.60
0.023611111	3.50	25.00	2:06	0.62	-0.65
0.06875	5.05	36.00	3:22	-0.82	-1.50
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	169.00	0:00	0.00	0.00

0.534027778	15.18	145.00	2:40	4.44	-0.07
0.108333333	14.75	137.00	2:28	0.52	-0.69
0.10625	14.31	144.00	2:16	1.34	-0.29
0.091666667	16.29	141.00	2:46	-0.02	-1.01
0.059027778	0.33	10.00	0:47	0.98	-0.63
0.03125	0.25	3.00	1:58	-0.75	-1.45
0.08125	0.49	11.00	1:04	1.51	-0.78
0.022916667	0.49	4.00	1:11	-0.94	-1.57
0.01875	0.10	10.00	0:46	1.54	-0.95
0.068055556	0.26	3.00	0:54	2.63	0.14
0.0375	0.17	7.00	0:30	0.72	-0.60
0.047222222	0.12	8.00	0:59	0.71	-0.93
0.078472222	0.09	3.00	1:05	2.19	-0.64
0.120833333	0.61	2.00	3:40	-0.10	-1.06
0.0375	0.09	4.00	0:33	1.76	-0.40
0.029861111	0.09	3.00	0:44	0.49	-0.80
0.265972222	0.00	4059.00	14:39	0.21	-0.40
0.685416667	0.00	3197.00	12:01	0.30	-0.41
0.425	0.00	3559.00	9:23	-0.47	-1.28
0.565277778	0.00	2409.00	9:10	-0.22	-1.13
0.455555556	0.00	3726.00	8:19	-0.12	-1.07
0.391666667	0.00	3611.00	14:48	-0.67	-1.40
0.081944444	0.00	2773.00	7:54	-0.68	-1.42
0.708333333	0.00	1438.00	18:54	-0.75	-1.46
0.020138889	0.00	1616.00	20:57	-0.68	-1.41
3.120833333	0.00	1882.00	22:48	0.24	-0.46
0.520833333	0.00	1572.00	22:13	-0.54	-1.33
0	0.00	2383.00	5:37	0.00	0.00
0	0.38	6.00	1:30	1.25	-0.17
0	0.00	0.00	0:00	0.00	0.00
0.265972222	0.01	2.00	0:05	256.81	1.26
0	0.13	5.00	1:33	-0.05	-1.03
0.030555556	0.34	2.00	1:10	0.72	-0.49
0.053472222	0.16	7.00	0:58	3.26	1.26
0	0.06	4.00	1:30	0.00	0.00
0	0.00	1.00	0:00	0.00	0.00
0	0.18	0.00	1:28	0.40	-1.01
0.200694444	0.83	3.00	2:29	0.89	-0.33
0.0375	0.43	8.00	2:05	-0.16	-1.10
0	0.12	3.00	0:58	0.56	-0.77
0.085416667	21.69	138.00	3:46	0.35	-0.73
0	16.07	144.00	2:41	-0.10	-1.06
0	0.00	0.00	0:00	0.00	0.00
0	0.00	151.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	14.75	0.00	2:28	0.00	0.00
0	14.31	144.00	2:16	-0.29	-1.18
0	16.29	141.00	2:46	0.00	0.00

0.134027778	12.67	87.00	3:30	-0.11	-1.07
0.127777778	7.38	49.00	3:37	-0.06	-1.04
0.063194444	7.90	59.00	3:13	-0.69	-1.42
0.127083333	9.24	85.00	3:42	0.25	-0.86
0.156944444	8.66	60.00	2:56	1.11	-0.50
0.064583333	6.32	71.00	2:29	0.20	-0.89
0.229166667	5.46	61.00	1:45	4.15	0.44
0.145138889	6.18	75.00	2:45	0.77	-0.82
0.251388889	10.32	54.00	2:47	1.70	-0.22
0.170138889	7.67	89.00	2:58	0.32	-0.87
0.079861111	11.24	62.00	3:10	-0.29	-1.18
0.09375	10.20	88.00	2:47	0.22	-0.85
0	0.00	0.00	0:00	0.00	0.00
0	16.07	144.00	2:41	0.22	-0.64
0	0.00	0.00	0:00	0.00	0.00
0	24.73	151.00	4:02	-0.20	-1.12
0	0.00	147.00	0:00	0.00	0.00
0.003472222	12.38	0.00	2:14	-0.26	-1.16
0	13.34	133.00	2:43	0.42	-0.47
0	0.00	118.00	0:00	0.00	0.00
0	15.18	0.00	2:40	-0.18	-1.11
0	14.75	137.00	2:28	0.00	0.00
0	14.31	144.00	2:16	0.00	0.00
0.179861111	16.29	141.00	2:46	1.14	-0.24
0	0.00	4059.00	14:39	-0.19	-1.11
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	2411.00	0:00	0.00	0.00
0.086111111	0.00	0.00	8:19	-0.35	-1.21
0	0.00	3611.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	20:57	-0.33	-1.20
0	0.00	1882.00	22:48	0.00	0.00
0	0.00	1574.00	22:11	-0.27	-1.17
0	0.00	2388.00	5:30	0.00	0.00
0.30625	21.69	138.00	3:46	3.90	1.37
0.138888889	16.07	144.00	2:41	2.77	0.49
0.138194444	14.00	126.00	2:40	3.15	0.41
0.446527778	24.73	151.00	4:02	2.77	0.26
0.314583333	11.69	147.00	2:52	5.57	0.75
0.163194444	12.38	98.00	2:14	5.00	1.26
0.116666667	13.34	133.00	2:43	1.76	-0.13
0.225694444	17.99	118.00	2:59	3.50	0.49
0.122222222	15.18	145.00	2:40	1.84	0.04
0.159722222	14.75	137.00	2:28	2.07	-0.14
0.179861111	14.31	144.00	2:16	3.81	0.75
0.277083333	16.29	141.00	2:46	3.91	0.57
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.13	5.00	1:33	-0.98	-1.60

0	0.00	2.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.83	0.00	2:29	0.00	0.00
0	0.43	8.00	2:05	0.00	0.00
0	0.12	3.00	0:58	0.00	0.00
0.049305556	0.08	3.00	0:41	3.16	-0.46
0.098611111	0.00	0.00	0:00	0.00	0.00
0.115277778	0.13	1.00	3:10	0.00	0.00
0.158333333	0.20	2.00	1:13	7.23	-0.21
0	0.00	4.00	0:00	0.00	0.00
0.027777778	1.49	0.00	17:52	-2.28	-2.39
0.109027778	0.01	2.00	0:18	0.00	0.00
0.102083333	0.19	1.00	1:29	0.84	-0.71
0.0625	0.28	3.00	1:40	0.02	-0.77
0	0.12	4.00	0:58	0.37	-0.45
0.064583333	0.06	3.00	0:46	1.53	-0.72
0.057638889	1.43	4.00	8:35	-0.49	-1.30
0.40625	0.00	14774.00	17:24	-5.61	-4.41
0.390277778	0.00	15668.00	16:35	-5.18	-4.15
0.371527778	0.00	13925.00	16:05	-4.57	-3.78
0.689583333	0.00	15046.00	17:13	-2.09	-2.27
0.355555556	0.00	13927.00	14:33	-2.99	-2.82
0.344444444	0.00	12265.00	13:16	-5.74	-4.49
0.3125	0.00	13780.00	13:45	-5.32	-4.23
0.415972222	0.00	10852.00	17:35	-5.80	-4.53
0.348611111	0.00	14868.00	16:55	-7.78	-5.73
0.300694444	0.00	14655.00	15:19	-7.53	-5.58
0.370833333	0.00	13541.00	14:45	-4.86	-3.95
0.365972222	0.00	15836.00	16:28	-6.27	-4.81
0.177083333	12.67	87.00	3:30	1.63	-0.15
0.222222222	7.38	49.00	3:37	0.61	-0.65
0.1875	7.90	59.00	3:13	0.54	-0.68
0.104166667	9.24	85.00	3:42	0.03	-0.93
0.203472222	8.66	60.00	2:56	0.92	-0.47
0.156944444	6.32	71.00	2:29	0.88	-0.54
0.327083333	5.46	61.00	1:45	3.37	-0.02
0.3	6.18	75.00	2:45	1.72	-0.45
0.265277778	10.32	54.00	2:47	2.14	-0.02
0.320138889	7.67	89.00	2:58	3.09	0.25
0.243055556	11.24	62.00	3:10	0.39	-0.70
0.061805556	10.20	88.00	2:47	0.56	-0.58
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	20.42	89.00	3:01	-0.03	-1.02
0	11.67	162.00	2:11	-0.71	-1.43
0	0.00	128.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0	19.03	0.00	4:21	0.00	0.00
0	10.29	105.00	2:46	0.00	0.00
0	11.66	108.00	2:35	0.00	0.00
0	19.93	136.00	3:31	0.01	-0.68
0	18.35	117.00	3:46	-0.30	-1.19
0.015972222	13.79	109.00	3:02	-0.83	-1.50
0	0.00	145.00	0:00	0.00	0.00
0.093055556	15.95	0.00	2:51	-0.52	-1.32
0	0.00	134.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	14.18	0.00	2:40	-0.13	-1.08
0	13.91	128.00	2:24	0.00	0.00
0	18.30	139.00	3:02	0.00	0.00
0	17.81	177.00	2:25	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.16	0.00	1:58	0.00	0.00
0	0.00	2.00	0:00	0.00	0.00
0	0.06	1.00	1:27	0.00	0.00
0.158333333	19.93	136.00	3:31	-0.10	-1.06
0.051388889	18.35	117.00	3:46	1.10	-0.24
0.151388889	13.79	109.00	3:02	-0.27	-1.17
0.134027778	16.70	145.00	3:24	-0.24	-1.14
0.102083333	15.95	118.00	2:51	3.08	0.44
0.13125	12.40	134.00	2:16	1.10	-0.41
0.163888889	10.13	131.00	2:09	2.50	0.26
0.147916667	16.91	113.00	3:02	1.02	-0.45
0.011111111	14.18	134.00	2:40	-0.95	-1.58
0.078472222	13.91	128.00	2:24	0.08	-0.71
0.216666667	18.30	139.00	3:02	0.22	-0.78
0.105555556	17.81	177.00	2:25	2.56	0.17
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	13.00	0:00	0.00	0.00
0.028472222	0.47	0.00	0:46	1.82	-0.30
0	0.00	15.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.67	0.00	1:37	0.00	0.00
0	0.52	10.00	0:57	0.00	0.00
0	0.23	8.00	0:42	0.00	0.00

0.020833333	0.70	6.00	2:49	-0.73	-1.45
0.025	0.00	0.00	0:00	0.00	0.00
0.064583333	0.24	5.00	1:10	0.82	-0.34
0.002777778	0.07	2.00	0:19	0.77	-0.64
0.178472222	0.01	5.00	0:08	20.80	-0.18
0.046527778	0.06	2.00	0:43	2.26	-0.53
0	0.01	2.00	0:18	0.00	0.00
0.006944444	0.06	1.00	0:30	-0.29	-1.17
0.195138889	0.84	3.00	4:02	0.47	-0.49
0.057638889	0.00	5.00	0:00	0.00	0.00
0	0.03	0.00	0:23	0.00	0.00
0	0.86	5.00	4:09	-0.16	-1.09
0	0.00	1726.00	16:54	-0.30	-1.18
1.390277778	0.00	1553.00	12:55	0.34	-0.32
0	0.00	0.00	0:00	0.00	0.00
0	0.00	1081.00	13:37	0.73	-0.11
0	0.00	1422.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.089583333	0.00	0.00	12:31	-1.01	-1.61
0	0.00	802.00	0:00	0.00	0.00
0	0.00	0.00	4:54	-0.37	-1.22
0	0.00	683.00	19:21	0.00	-1.00
0	0.00	1115.00	3:23	0.00	0.00
0	19.93	136.00	3:31	0.02	-0.63
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	145.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	14.18	0.00	2:40	-0.58	-1.35
0	13.91	128.00	2:24	0.00	0.00
0	18.30	139.00	3:02	-0.18	-1.11
0	17.81	177.00	2:25	0.00	0.00
0.09375	0.67	5.00	3:12	-0.71	-1.43
0.074305556	2.86	9.00	7:38	-0.79	-1.48
0.083333333	1.55	10.00	3:43	-0.59	-1.36
0	0.50	11.00	4:01	0.92	-0.42
0.070138889	1.60	3.00	4:16	-0.18	-1.11
0.044444444	0.30	9.00	0:53	1.93	-0.13
0.114583333	0.54	8.00	1:51	0.79	-0.65
0.149305556	0.21	7.00	0:51	6.37	0.75
0.13125	1.37	6.00	3:39	-0.32	-1.19
0.363194444	0.98	9.00	2:08	3.09	-0.49
0.13125	0.88	11.00	1:55	1.01	-0.40
0.015972222	1.50	16.00	2:15	-0.54	-1.33
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	1081.00	0:00	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0.038888889	0.00	0.00	16:49	-0.52	-1.32
0	0.00	1128.00	0:00	0.00	0.00
0	0.00	0.00	12:31	-0.59	-1.36
0	0.00	802.00	0:00	0.00	0.00
0	0.00	0.00	4:54	0.00	0.00
0	0.00	683.00	19:21	0.00	0.00
0	0.00	1115.00	3:23	0.00	0.00
0.096527778	19.93	136.00	3:31	-0.57	-1.35
0.105555556	18.35	117.00	3:46	-0.62	-1.37
0.090972222	13.79	109.00	3:02	0.51	-0.52
0.221527778	16.70	145.00	3:24	1.95	-0.02
0.090972222	15.95	118.00	2:51	0.92	-0.43
0.145138889	12.40	134.00	2:16	0.50	-0.61
0.329861111	10.13	131.00	2:09	8.59	1.26
0.05	16.91	113.00	3:02	-0.39	-1.24
0.131944444	14.18	134.00	2:40	2.02	-0.02
0.217361111	13.91	128.00	2:24	2.02	-0.08
0.572222222	18.30	139.00	3:02	3.73	0.26
0.265972222	17.81	177.00	2:25	3.60	0.49
0.355555556	0.00	3755.00	17:44	-2.45	-2.49
0.352083333	0.00	3222.00	17:58	-3.01	-2.83
0.246527778	0.00	3864.00	15:14	-2.91	-2.77
0.308333333	0.00	3393.00	18:02	-0.67	-1.41
0.26875	0.00	3359.00	13:49	-2.36	-2.43
0.3	0.00	2818.00	12:52	-2.04	-2.24
0.279861111	0.00	3288.00	15:25	-1.69	-2.03
0.383333333	0.00	2371.00	17:38	-0.64	-1.39
0.266666667	0.00	3254.00	15:18	-2.92	-2.77
0.275694444	0.00	3250.00	15:02	-3.35	-3.03
0.245138889	0.00	3177.00	14:43	-2.16	-2.31
0.285416667	0.00	3423.00	16:26	-2.32	-2.41
0.1625	0.67	5.00	3:12	0.70	-0.74
0.096527778	2.86	9.00	7:38	-0.82	-1.50
0.153472222	1.55	10.00	3:43	0.40	-0.80
0.350694444	0.50	11.00	4:01	0.49	-1.05
0.068055556	1.60	3.00	4:16	-0.07	-1.04
0.161805556	0.30	9.00	0:53	7.43	0.13
0.15625	0.54	8.00	1:51	7.53	0.67
0.468055556	0.21	7.00	0:51	18.99	1.26
1.956944444	1.37	6.00	3:39	8.41	-0.78
0.185416667	0.98	9.00	2:08	1.66	-0.48
0.1125	0.88	11.00	1:55	0.90	-0.65
0.055555556	1.50	16.00	2:15	0.38	-0.64
0	0.00	0.00	0:00	0.00	0.00
0	113.00	1309.00	2:04	-0.61	-1.37
0.433	129.00	1272.00	2:26	0.98	-0.49
0	127.00	1294.00	2:18	-0.92	-1.56
0	111.00	1317.00	2:12	-0.78	-1.47
0.3857	98.00	1211.00	1:54	1.25	-0.32
0	96.00	1233.00	2:19	-1.03	-1.63
0.3727	139.00	988.00	2:25	0.53	-0.68

0.213	113.00	1375.00	2:08	-0.66	-1.40
0.2764	90.00	1267.00	1:53	0.06	-0.91
0.3727	114.00	1146.00	2:06	0.96	-0.45
0	118.00	1267.00	2:14	-0.64	-1.39
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	8.00	73.00	2:37	-0.35	-1.21
0	8.00	73.00	3:02	-0.38	-1.23
0	0.00	63.00	0:00	0.00	0.00
0	8.00	0.00	3:11	-0.55	-1.33
0	0.00	60.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	2.00	0.00	0:41	0.00	0.00
0	3.00	70.00	0:59	0.00	0.00
0	5.00	81.00	1:28	-0.25	-1.15
0	0.00	0.00	0.00%	0.00	0.00
0	9.00	110.00	8.18%	-0.51	-1.31
0	10.00	92.00	10.87%	-0.35	-1.21
0.4714	16.00	123.00	14.68%	0.90	-0.55
0	9.00	109.00	7.44%	-0.40	-1.24
0	5.00	121.00	4.24%	-0.41	-1.25
0.5	11.00	118.00	10.48%	2.53	0.12
0	12.00	105.00	9.60%	-0.46	-1.28
0.4714	7.00	125.00	7.29%	1.71	-0.28
0	10.00	96.00	7.14%	-0.28	-1.17
0	13.00	140.00	10.57%	0.00	0.00
0	12.00	114.00	10.53%	-0.48	-1.29
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	163.00	903.00	18.05%	-1.05	-1.64
0.4899	160.00	894.00	19.28%	1.17	-0.37
0.4	97.00	830.00	15.65%	0.27	-0.82
0	112.00	620.00	13.69%	-0.56	-1.34
0.433	61.00	818.00	10.63%	0.93	-0.52
0.4157	74.00	574.00	12.80%	0.84	-0.51
0.4157	78.00	578.00	9.59%	1.28	-0.31
0.3	56.00	813.00	10.87%	-0.09	-1.05
0.3307	125.00	515.00	13.98%	-0.17	-1.10
0.2421	105.00	857.00	12.25%	-0.73	-1.44
0	0.00	0.00	0.00%	0.00	0.00
0	170.00	832.00	20.43%	-0.88	-1.53
0	163.00	903.00	18.05%	-1.15	-1.70
0	160.00	894.00	19.28%	-0.69	-1.42
0	97.00	830.00	15.65%	-0.74	-1.45
0.2665	112.00	620.00	13.69%	-0.62	-1.38
0	61.00	818.00	10.63%	-0.84	-1.51
0.5	74.00	574.00	12.80%	1.57	-0.31
0	78.00	578.00	9.59%	-0.73	-1.44
0	56.00	813.00	10.87%	-0.70	-1.42
0	125.00	515.00	13.98%	-0.70	-1.42
0	105.00	857.00	12.25%	-1.05	-1.64

0	0.00	0.00	0.00%	0.00	0.00
0.2575	1091.00	12414.00	8.79%	-0.38	-1.23
0.1373	920.00	10580.00	8.70%	-1.73	-2.05
0.2083	998.00	10985.00	9.33%	-1.09	-1.66
0.149	815.00	10702.00	8.81%	-1.53	-1.93
0.2215	894.00	9246.00	8.58%	-0.92	-1.56
0	693.00	10416.00	8.49%	-1.82	-2.11
0.2375	1031.00	8161.00	8.82%	-0.70	-1.43
0.2039	1045.00	11686.00	9.22%	-1.14	-1.69
0.1443	884.00	11330.00	8.69%	-1.59	-1.97
0.3022	921.00	10167.00	8.38%	0.49	-0.68
0.3307	1053.00	11326.00	9.30%	0.70	-0.57
0	0.00	0.00	0.00%	0.00	0.00
0	1204.00	13723.00	8.77%	-1.24	-1.75
0.3727	1049.00	11852.00	8.85%	0.95	-0.46
0.3499	1125.00	12279.00	9.36%	0.63	-0.61
0.3499	926.00	12019.00	8.86%	0.71	-0.57
0.2039	992.00	10457.00	8.52%	-0.72	-1.43
0.3552	789.00	11649.00	8.62%	1.14	-0.34
0.2875	1170.00	9149.00	8.96%	0.03	-0.94
0.2903	1158.00	13061.00	9.19%	0.08	-0.95
0.2705	974.00	12597.00	8.61%	-0.50	-1.31
0.2603	1035.00	11313.00	8.43%	-0.90	-1.55
0.2665	1171.00	12593.00	9.30%	-1.24	-1.75
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	123.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	12.00	0.00	9.60%	1.92	-0.22
0.3499	7.00	125.00	7.29%	0.69	-0.64
0	10.00	96.00	7.14%	-0.55	-1.33
0	13.00	140.00	10.57%	-0.59	-1.36
0	12.00	114.00	10.53%	-0.34	-1.21
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	73.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	0.00	3.49%	-0.48	-1.29
0	7.00	86.00	7.14%	-1.03	-1.63
0.3307	2.00	98.00	2.86%	2.09	-0.16
0	3.00	70.00	4.11%	-0.64	-1.39
0	5.00	81.00	6.17%	-0.98	-1.60
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	31.00	274.00	10.03%	-0.47	-1.29

0	0.00	4.00	0.00%	0.00	0.00
0	3.00	0.00	27.27%	0.00	0.00
0	1.00	11.00	25.00%	0.00	0.00
0	0.00	9.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	43.00	427.00	10.07%	-0.47	-1.29
0	52.00	489.00	10.63%	-0.77	-1.47
0	50.00	535.00	11.68%	-0.51	-1.31
0	39.00	428.00	9.26%	-0.32	-1.19
0.3499	43.00	421.00	9.35%	0.45	-0.72
0	43.00	460.00	11.23%	-0.61	-1.37
0.4	55.00	383.00	11.93%	0.55	-0.68
0	52.00	461.00	10.90%	-0.78	-1.47
0.5	62.00	477.00	13.08%	2.18	0.03
0	60.00	474.00	11.21%	-0.50	-1.31
0	74.00	599.00	12.35%	-0.38	-1.23
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	41.00	12.20%	-0.37	-1.22
0	3.00	48.00	6.25%	-0.36	-1.22
0	0.00	54.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	0.00	5.88%	-0.25	-1.15
0	0.00	51.00	0.00%	0.00	0.00
0	13.00	0.00	22.03%	-0.53	-1.32
0	6.00	59.00	11.11%	-0.60	-1.36
0	10.00	62.00	16.13%	2.26	-0.15
0	0.00	0.00	0.00%	0.00	0.00
0.5	400.00	3605.00	11.10%	2.48	0.12
0	0.00	0.00	0.00%	0.00	0.00
0	425.00	2273.00	10.73%	-0.60	-1.36
0.4714	439.00	3960.00	10.77%	1.78	-0.12
0.5	269.00	4076.00	9.69%	1.93	-0.21
0.5	138.00	2775.00	11.66%	1.69	-0.27
0	205.00	1184.00	13.03%	-0.55	-1.33
0	181.00	1573.00	11.93%	-0.52	-1.32
0	168.00	1517.00	10.94%	0.00	0.00
0.3143	323.00	1536.00	14.21%	-0.27	-1.16
0.4979	309.00	2222.00	13.91%	3.02	0.52
0	0.00	0.00	0.00%	0.00	0.00
0	400.00	3605.00	11.10%	-0.35	-1.21
0	0.00	0.00	0.00%	0.00	0.00
0	425.00	2273.00	10.73%	-0.69	-1.42
0	439.00	3960.00	10.77%	-0.69	-1.42
0	269.00	4076.00	9.69%	3.05	0.01
0	138.00	2775.00	11.66%	-0.51	-1.31
0.5	205.00	1184.00	13.03%	1.55	-0.32
0	181.00	1573.00	11.93%	-0.64	-1.39
0	168.00	1517.00	10.94%	-0.70	-1.43
0	323.00	1536.00	14.21%	-0.81	-1.49
0	309.00	2222.00	13.91%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	2.00	34.00	5.88%	-0.34	-1.21
0	2.00	55.00	3.64%	-0.19	-1.12
0	1.00	30.00	4.00%	-0.20	-1.12
0	0.00	25.00	0.00%	0.00	0.00
0	1.00	0.00	3.70%	-0.19	-1.12
0	0.00	27.00	0.00%	0.00	0.00
0	3.00	0.00	10.00%	-0.33	-1.20
0	0.00	30.00	0.00%	0.00	0.00
0	4.00	0.00	9.09%	0.00	0.00
0	1.00	44.00	3.33%	-0.18	-1.11
0	2.00	40.00	5.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4454	365.00	2364.00	15.44%	1.08	-0.38
0.3727	344.00	2459.00	13.99%	0.27	-0.81
0	327.00	3090.00	14.59%	-1.30	-1.79
0	302.00	2241.00	14.24%	-0.91	-1.55
0.4454	324.00	2121.00	13.13%	1.39	-0.24
0.433	265.00	2467.00	13.24%	0.69	-0.61
0.4	265.00	2002.00	12.13%	0.54	-0.68
0	305.00	2185.00	12.31%	-0.84	-1.51
0.4	318.00	2478.00	11.84%	0.80	-0.53
0	448.00	2686.00	14.50%	-1.01	-1.61
0.3	515.00	3611.00	14.26%	-0.38	-1.23
0	0.00	0.00	0.00%	0.00	0.00
0	408.00	2791.00	14.62%	-1.01	-1.62
0.3727	396.00	2948.00	13.43%	0.23	-0.83
0	377.00	3625.00	14.13%	-0.70	-1.43
0.4	341.00	2669.00	13.41%	0.43	-0.73
0.433	367.00	2542.00	12.54%	0.75	-0.59
0.3499	308.00	2927.00	12.91%	0.11	-0.89
0.2291	320.00	2385.00	12.09%	-0.85	-1.52
0.3227	357.00	2646.00	12.08%	-0.09	-1.06
0.3053	380.00	2955.00	12.03%	-0.55	-1.33
0.3589	508.00	3160.00	14.01%	0.42	-0.74
0.345	589.00	4210.00	13.99%	-0.07	-1.04
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	54.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	2.00	0.00	5.26%	2.10	-0.23
0.5	13.00	38.00	22.03%	0.94	-0.55
0.4714	6.00	59.00	11.11%	1.19	-0.45
0.4714	10.00	62.00	16.13%	0.79	-0.60
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	40.00	0.00%	0.00	0.00

0.3278	18.00	145.00	13.14%	-0.16	-1.10
0.3758	21.00	137.00	14.58%	0.41	-0.75
0.4661	25.00	144.00	16.56%	2.47	0.33
0.174	15.00	141.00	10.64%	-1.24	-1.76
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	28.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	20.00	3.57%	0.00	0.00
0	0.00	15.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0.3143	0.00	11.00	0.00%	0.00	-0.56
0	3.00	4.00	30.00%	-1.27	-1.77
0	0.00	10.00	0.00%	0.00	0.00
0	1.00	3.00	14.29%	-0.70	-1.42
0	0.00	7.00	0.00%	0.00	0.00
0.2875	0.00	8.00	0.00%	0.00	-0.92
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3307	444.00	3198.00	13.88%	-0.11	-1.07
0.4	441.00	3561.00	12.38%	0.52	-0.69
0	473.00	2409.00	12.69%	-1.26	-1.77
0.3	427.00	3726.00	11.87%	-0.18	-1.11
0.3	305.00	3596.00	11.00%	-0.10	-1.06
0.4	151.00	2773.00	10.50%	0.69	-0.61
0.3307	182.00	1438.00	11.26%	0.11	-0.89
0.433	191.00	1616.00	10.15%	0.98	-0.49
0.3499	175.00	1882.00	11.13%	0.26	-0.81
0	316.00	1572.00	13.12%	-0.87	-1.53
0	286.00	2383.00	12.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	-0.24
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	1.00	0.00	33.33%	-0.61	-1.37
0	0.00	3.00	0.00%	0.00	0.00
0.5	0.00	8.00	0.00%	0.00	-0.32
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	22.00	144.00	15.28%	-0.42	-1.26
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	151.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	21.00	0.00	14.58%	0.00	0.00
0	25.00	144.00	16.56%	-0.44	-1.27
0	15.00	141.00	10.64%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	49.00	10.20%	-1.31	-1.80
0	6.00	59.00	10.17%	-0.89	-1.54
0	4.00	85.00	6.67%	-1.27	-1.77
0.2386	10.00	60.00	14.29%	-1.11	-1.68
0.1666	6.00	70.00	9.84%	-1.11	-1.67
0.1889	11.00	61.00	14.67%	-1.38	-1.84
0.3182	7.00	75.00	12.96%	-0.21	-1.13
0.3168	18.00	54.00	20.22%	-1.28	-1.78
0.1856	6.00	89.00	9.68%	-0.91	-1.55
0	17.00	62.00	20.00%	-2.35	-2.43
0.2799	10.00	88.00	11.36%	-0.44	-1.27
0	0.00	0.00	0.00%	0.00	0.00
0	22.00	144.00	15.28%	-0.42	-1.26
0	0.00	0.00	0.00%	0.00	0.00
0	21.00	151.00	14.29%	-0.41	-1.25
0	0.00	147.00	0.00%	0.00	0.00
0	17.00	0.00	12.78%	-0.54	-1.33
0	8.00	133.00	6.78%	-0.27	-1.16
0	0.00	118.00	0.00%	0.00	0.00
0	18.00	0.00	13.14%	-0.39	-1.24
0	21.00	137.00	14.58%	0.00	0.00
0	25.00	144.00	16.56%	0.00	0.00
0	15.00	141.00	10.64%	-0.48	-1.29
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2411.00	0.00%	0.00	0.00

0	427.00	0.00	11.87%	-0.52	-1.32
0	0.00	3596.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	191.00	0.00	10.15%	-0.34	-1.20
0	175.00	1882.00	11.12%	0.00	0.00
0	316.00	1574.00	13.11%	-0.39	-1.24
0	286.00	2388.00	11.98%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.433	22.00	144.00	15.28%	1.87	0.00
0.292	17.00	127.00	13.39%	-0.83	-1.51
0.376	21.00	151.00	14.29%	0.59	-0.66
0.38	10.00	147.00	10.42%	1.53	-0.19
0.3529	17.00	96.00	12.78%	0.40	-0.77
0.3213	8.00	133.00	6.78%	1.33	-0.30
0.3383	21.00	118.00	14.48%	-0.28	-1.17
0.3686	18.00	145.00	13.14%	0.63	-0.63
0.3499	21.00	137.00	14.58%	-0.06	-1.04
0.4129	25.00	144.00	16.56%	1.01	-0.42
0.3877	15.00	141.00	10.64%	1.77	-0.05
0	0.00	0.00	0.00%	0.00	0.00
0.2609	1550.00	16133.00	9.61%	-1.19	-1.72
0.2103	1375.00	14361.00	9.57%	-2.32	-2.41
0.2504	1449.00	15443.00	10.11%	-1.77	-2.08
0.2665	1207.00	14339.00	9.54%	-0.84	-1.51
0.2454	1296.00	12657.00	9.16%	-1.33	-1.81
0.289	1054.00	14153.00	9.39%	-0.09	-1.05
0.2441	1432.00	11220.00	9.33%	-1.50	-1.91
0.2443	1474.00	15353.00	9.75%	-1.61	-1.98
0.3069	1287.00	15124.00	9.20%	0.66	-0.59
0.2403	1469.00	13983.00	9.51%	-1.59	-1.97
0.2044	1664.00	16236.00	10.25%	-2.91	-2.77
0	0.00	0.00	0.00%	0.00	0.00
0.2494	5.00	49.00	10.20%	-0.40	-1.24
0.3941	6.00	59.00	10.17%	1.27	-0.33
0.325	4.00	85.00	6.67%	0.90	-0.53
0.3399	10.00	60.00	14.29%	-0.10	-1.06
0	6.00	70.00	9.84%	-1.37	-1.83
0.3927	11.00	61.00	14.67%	0.50	-0.71
0.3	7.00	75.00	12.96%	-0.34	-1.20
0.2764	18.00	54.00	20.22%	-1.29	-1.78
0.3499	6.00	89.00	9.68%	0.53	-0.70
0.2353	17.00	62.00	20.00%	-1.33	-1.81
0.3499	10.00	88.00	11.36%	0.23	-0.86
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	18.00	89.00	11.11%	-0.35	-1.21
0	22.00	162.00	18.33%	-0.47	-1.29
0	0.00	120.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	13.00	0.00	12.38%	0.00	0.00
0	16.00	105.00	17.98%	0.00	0.00
0	15.00	108.00	13.89%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	16.00	117.00	13.68%	2.50	-0.10
0	15.00	108.00	13.89%	-0.56	-1.34
0	0.00	145.00	0.00%	0.00	0.00
0.3307	17.00	0.00	14.41%	-0.15	-1.09
0	0.00	118.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	16.00	0.00	12.50%	-0.38	-1.23
0	21.00	128.00	15.11%	0.00	0.00
0	37.00	139.00	25.52%	0.00	0.00
0	19.00	177.00	10.73%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	16.00	117.00	13.68%	-0.87	-1.53
0.4714	15.00	108.00	13.89%	1.85	-0.04
0.3069	21.00	145.00	17.80%	-0.77	-1.47
0.3499	17.00	118.00	14.41%	-0.01	-1.01
0.4583	11.00	118.00	8.40%	3.24	0.51
0.4714	11.00	131.00	9.73%	2.90	0.37
0.2494	15.00	113.00	11.19%	-0.53	-1.32
0	16.00	134.00	12.50%	-0.53	-1.32
0	21.00	128.00	15.11%	-1.09	-1.66
0.4103	37.00	139.00	25.52%	-0.34	-1.20
0	19.00	177.00	10.73%	-1.16	-1.71
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	13.00	0.00%	0.00	0.00
0	1.00	0.00	7.14%	-0.37	-1.22
0	0.00	14.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	10.00%	0.00	0.00
0	0.00	10.00	0.00%	0.00	0.00
0	0.00	8.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0.4	0.00	2.00	0.00%	0.00	-0.84
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	5.00	20.00%	-0.46	-1.28

0	0.00	0.00	0.00%	0.00	0.00
0.4899	200.00	1552.00	12.89%	1.81	-0.11
0	0.00	0.00	0.00%	0.00	0.00
0	168.00	1081.00	11.81%	-0.37	-1.22
0	156.00	1422.00	11.49%	-0.36	-1.22
0	0.00	1358.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	139.00	0.00	17.33%	2.25	0.06
0	0.00	802.00	0.00%	0.00	0.00
0	76.00	0.00	11.13%	-0.35	-1.21
0	174.00	683.00	16.10%	-0.44	-1.27
0	175.00	1115.00	15.70%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	145.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	16.00	0.00	12.50%	-0.38	-1.23
0	21.00	128.00	15.11%	0.00	0.00
0	37.00	139.00	25.52%	-0.58	-1.35
0	19.00	177.00	10.73%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	9.00	11.11%	-0.59	-1.36
0	2.00	10.00	20.00%	-0.65	-1.39
0	0.00	11.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	3.00	9.00	37.50%	-1.26	-1.77
0	0.00	8.00	0.00%	0.00	0.00
0	1.00	7.00	16.67%	-0.69	-1.42
0	0.00	6.00	0.00%	0.00	0.00
0	2.00	9.00	18.18%	-0.93	-1.56
0.4518	4.00	11.00	36.36%	-0.34	-1.20
0	1.00	16.00	6.25%	-0.34	-1.21
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1081.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0.5	117.00	0.00	10.37%	2.59	0.15
0	0.00	1128.00	0.00%	0.00	0.00
0	139.00	0.00	17.33%	-0.46	-1.28
0	0.00	802.00	0.00%	0.00	0.00
0	76.00	0.00	11.13%	0.00	0.00
0	174.00	683.00	16.10%	0.00	0.00
0	175.00	1115.00	15.70%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1998	16.00	117.00	13.68%	-1.24	-1.75
0	15.00	108.00	13.89%	-1.37	-1.83
0.3857	21.00	145.00	17.80%	0.04	-0.96
0.3307	17.00	118.00	14.41%	-0.15	-1.09
0	11.00	118.00	8.40%	-0.96	-1.59
0.4479	11.00	131.00	9.73%	2.40	0.18
0.4	15.00	113.00	11.19%	0.61	-0.66
0.2575	16.00	134.00	12.50%	-0.58	-1.35
0	21.00	128.00	15.11%	-1.40	-1.85
0.3727	37.00	139.00	25.52%	-0.68	-1.41
0.3	19.00	177.00	10.73%	-0.07	-1.04
0	0.00	0.00	0.00%	0.00	0.00
0.2106	367.00	3346.00	10.97%	-1.32	-1.80
0	403.00	3962.00	10.17%	-1.64	-2.00
0.2039	347.00	3456.00	10.06%	-0.91	-1.55
0	306.00	3451.00	10.59%	-1.88	-2.14
0	333.00	2890.00	9.90%	-1.72	-2.04
0.2494	217.00	3363.00	8.90%	-0.30	-1.18
0.3903	377.00	2437.00	11.33%	0.93	-0.45
0.2353	313.00	3326.00	9.35%	-0.49	-1.30
0	335.00	3348.00	10.28%	-1.72	-2.05
0.2875	423.00	3258.00	12.24%	-0.45	-1.27
0.2291	371.00	3477.00	10.67%	-0.70	-1.43
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	9.00	11.11%	-0.75	-1.46
0	2.00	10.00	20.00%	-1.09	-1.66
0	0.00	11.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0.3307	3.00	9.00	37.50%	-1.03	-1.63
0.3499	0.00	8.00	0.00%	0.00	-0.63
0.5	1.00	7.00	16.67%	1.39	-0.43
0.3	0.00	6.00	0.00%	0.00	-0.61
0.4	2.00	9.00	18.18%	0.09	-1.00
0.3307	4.00	11.00	36.36%	-1.07	-1.65
0	1.00	16.00	6.25%	-0.57	-1.35
0	92.00	7859.00	1.17%	-0.36	-1.22
0	59.00	7934.00	0.74%	-0.29	-1.17
0	69.00	8019.00	0.86%	-0.31	-1.19
0	63.00	9266.00	0.78%	-0.29	-1.18
0	80.00	8119.00	0.96%	-0.34	-1.21
0	69.00	8362.00	0.81%	-0.31	-1.19
0	82.00	8472.00	0.95%	-0.34	-1.21
0	60.00	8623.00	0.69%	-0.29	-1.18

0	98.00	8658.00	1.11%	-0.37	-1.22
0	73.00	8804.00	0.82%	-0.31	-1.19
0	96.00	8912.00	1.04%	-0.38	-1.23
0	104.00	9367.00	1.11%	-0.42	-1.26
0.047	2153.00	326287.00	0.66%	-2.57	-2.56
0.05	2079.00	324549.00	0.64%	-2.38	-2.45
0.0611	2070.00	323380.00	0.64%	-1.62	-1.98
0.0709	2054.00	321993.00	0.64%	-0.81	-1.49
0.058	1855.00	322130.00	0.58%	-1.53	-1.93
0.0859	1943.00	321692.00	0.61%	0.90	-0.45
0.0663	1583.00	321023.00	0.49%	-0.43	-1.26
0.0693	2121.00	320073.00	0.66%	-1.27	-1.77
0.0792	1980.00	320371.00	0.62%	0.12	-0.92
0.0689	1908.00	321192.00	0.59%	-0.98	-1.59
0.064	2103.00	321417.00	0.65%	-1.74	-2.06
0.0451	2160.00	321346.00	0.67%	-3.34	-3.03
0.0828	105.00	70685.00	0.15%	2.92	0.31
0	118.00	71260.00	0.17%	-0.85	-1.52
0.0478	114.00	71433.00	0.16%	0.36	-0.74
0.0474	106.00	75295.00	0.15%	0.42	-0.71
0	104.00	71610.00	0.14%	-0.80	-1.49
0.0665	104.00	71751.00	0.14%	1.70	-0.15
0	132.00	73135.00	0.18%	-0.90	-1.55
0	143.00	73983.00	0.19%	-0.94	-1.57
0	149.00	74096.00	0.20%	-0.96	-1.58
0	106.00	74529.00	0.14%	-1.09	-1.66
0	117.00	74926.00	0.16%	-1.14	-1.69
0.0478	127.00	75933.00	0.17%	0.45	-0.73
0.069	175.00	47230.00	0.37%	0.51	-0.69
0.0767	162.00	48651.00	0.33%	1.29	-0.21
0.0635	153.00	49594.00	0.31%	0.47	-0.71
0.0671	155.00	53468.00	0.31%	0.67	-0.59
0.0556	176.00	50445.00	0.35%	-0.16	-1.10
0.0874	183.00	50735.00	0.36%	1.75	0.07
0.0782	151.00	51204.00	0.29%	1.51	-0.08
0.0708	195.00	51431.00	0.38%	0.50	-0.69
0.0782	147.00	51791.00	0.28%	1.38	-0.24
0.066	210.00	52175.00	0.40%	0.14	-0.87
0.1017	193.00	52821.00	0.36%	1.93	-0.02
0.1017	190.00	54032.00	0.35%	1.98	0.00
0	314.00	130815.00	0.24%	-1.29	-1.78
0	348.00	133060.00	0.26%	-1.35	-1.82
0	332.00	131359.00	0.25%	-1.39	-1.85
0.0344	369.00	106265.00	0.28%	-0.90	-1.55
0.0344	328.00	129584.00	0.25%	-0.78	-1.47
0	327.00	129513.00	0.25%	-1.46	-1.89
0	228.00	128350.00	0.18%	-1.22	-1.74
0	273.00	128965.00	0.25%	-1.12	-1.68
0.0765	259.00	109555.00	0.24%	1.63	-0.01
0	235.00	109398.00	0.22%	-1.06	-1.64
0	258.00	107647.00	0.24%	-1.13	-1.69
0.0574	319.00	103807.00	0.31%	0.11	-0.94

0.0822	274.00	14887.00	1.84%	-1.04	-1.63
0.1132	261.00	14814.00	1.76%	-0.31	-1.19
0.1571	235.00	14845.00	1.58%	0.67	-0.58
0	265.00	15921.00	1.80%	-1.20	-1.73
0.3051	232.00	14749.00	1.49%	6.44	1.59
0.1098	264.00	15589.00	1.67%	-0.32	-1.19
0.1104	231.00	15838.00	1.45%	-0.16	-1.10
0	279.00	15917.00	1.76%	-1.22	-1.74
0.1091	265.00	15866.00	1.67%	-0.33	-1.20
0	283.00	15877.00	1.78%	-1.25	-1.76
0.1054	296.00	15863.00	1.86%	-0.51	-1.31
0	318.00	15888.00	2.00%	-1.51	-1.92
0	8.00	1370.00	0.58%	-0.20	-1.12
0	5.00	1360.00	0.37%	-0.17	-1.10
0.3307	6.00	1369.00	0.44%	5.15	0.27
0	0.00	1211.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	5.00	0.00	0.41%	-0.06	-1.04
0	0.00	1208.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	0.00	0.83%	0.00	0.00
0	6.00	1209.00	0.50%	0.00	0.00
0	4.00	1206.00	0.33%	0.00	0.00
0	2.00	2765.00	0.07%	-0.65	-1.40
0	0.00	2744.00	0.00%	0.00	0.00
0	2.00	2646.00	0.08%	-0.64	-1.39
0.0559	0.00	2026.00	0.00%	0.00	0.00
0	1.00	2750.00	0.04%	-0.44	-1.27
0	1.00	2608.00	0.05%	-0.49	-1.30
0	0.00	1978.00	0.00%	0.00	0.00
0	0.00	1966.00	0.00%	0.00	0.00
0.0397	0.00	1968.00	0.00%	0.00	0.00
0	4.00	2031.00	0.20%	-0.98	-1.59
0	0.00	2031.00	0.00%	0.00	0.00
0.0401	1.00	1998.00	0.05%	1.08	-0.34
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3069	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1704	274.00	14887.00	1.84%	4.27	1.60
0.1439	261.00	14814.00	1.76%	1.25	-0.24
0.1457	235.00	14845.00	1.58%	2.15	0.31
0.1786	265.00	15921.00	1.80%	5.10	2.10

0.1498	232.00	14749.00	1.49%	2.97	0.80
0.1661	264.00	15589.00	1.67%	4.01	1.44
0.1591	231.00	15838.00	1.45%	4.15	1.52
0.1712	279.00	15917.00	1.76%	4.07	1.47
0.1601	265.00	15866.00	1.67%	3.13	0.90
0.1682	283.00	15877.00	1.78%	3.48	1.11
0.1816	296.00	15863.00	1.86%	4.62	1.81
0.1606	318.00	15888.00	2.00%	1.80	0.09
0	70.00	6560.00	1.07%	-0.27	-1.17
0	55.00	6713.00	0.82%	-0.24	-1.15
0	41.00	6841.00	0.60%	-0.21	-1.12
0	45.00	7805.00	0.65%	-0.21	-1.13
0	50.00	6942.00	0.70%	-0.30	-1.18
0	55.00	7164.00	0.75%	-0.31	-1.19
0	41.00	7300.00	0.55%	-0.29	-1.18
0	54.00	7434.00	0.71%	-0.31	-1.19
0	49.00	7561.00	0.64%	-0.30	-1.18
0	74.00	7634.00	0.96%	-0.36	-1.22
0	63.00	7689.00	0.81%	-0.31	-1.19
0	67.00	7907.00	0.85%	-0.31	-1.19
0	32.00	60837.00	0.05%	-0.27	-1.17
0	27.00	59998.00	0.05%	-0.27	-1.17
0	29.00	59403.00	0.05%	-0.29	-1.17
0	24.00	55178.00	0.04%	-0.26	-1.16
0.1085	32.00	58085.00	0.05%	6.32	0.76
0	27.00	59115.00	0.05%	-0.28	-1.17
0	27.00	58851.00	0.05%	-0.21	-1.13
0	26.00	57929.00	0.05%	-0.21	-1.13
0	21.00	56894.00	0.04%	-0.21	-1.13
0	30.00	55929.00	0.05%	-0.25	-1.15
0	41.00	55571.00	0.07%	-0.31	-1.19
0	23.00	54362.00	0.04%	-0.26	-1.16
0	19262.00	1740794.00	1.11%	-8.56	-6.20
0.0242	19479.00	1744411.00	1.12%	-8.29	-6.04
0.0265	18323.00	1751970.00	1.05%	-8.06	-5.90
0.033	17790.00	1788541.00	1.01%	-7.72	-5.69
0.0379	15547.00	1756510.00	0.88%	-6.88	-5.18
0.0224	17516.00	1762850.00	0.99%	-8.45	-6.14
0.027	13657.00	1767448.00	0.77%	-7.22	-5.39
0.0359	18679.00	1770661.00	1.05%	-8.33	-6.06
0.0349	18472.00	1775455.00	1.04%	-8.56	-6.20
0.0324	17241.00	1779098.00	0.97%	-8.56	-6.20
0.05	18899.00	1783492.00	1.06%	-7.86	-5.78
0.0511	19713.00	1788456.00	1.10%	-8.14	-5.95
0.0848	5785.00	194762.00	2.97%	-3.47	-3.11
0.0742	4750.00	190801.00	2.49%	-3.33	-3.03
0.0897	4820.00	187761.00	2.57%	-3.01	-2.83
0.09	5148.00	165080.00	2.78%	-3.23	-2.97
0.0972	4956.00	185112.00	2.71%	-2.93	-2.78
0.1385	3901.00	182607.00	2.15%	-0.35	-1.21
0.1064	2015.00	181791.00	1.12%	0.05	-0.97
0.0758	2419.00	179164.00	1.38%	-1.80	-2.09

0.1085	2651.00	175633.00	1.55%	-0.74	-1.45
0.1085	2257.00	171424.00	1.34%	-0.34	-1.21
0.1029	3492.00	168218.00	2.12%	-1.85	-2.13
0.1126	3503.00	160818.00	2.18%	-1.53	-1.93
0.0095	16.00	123081.00	0.01%	-0.92	-1.56
0.0091	3.00	124089.00	0.00%	3.20	0.94
0.008	16.00	126558.00	0.01%	-1.49	-1.90
0.0068	15.00	123197.00	0.01%	-1.79	-2.09
0.0058	5.00	127566.00	0.00%	-0.22	-1.13
0.0074	9.00	128369.00	0.01%	-0.53	-1.32
0.0051	9.00	127701.00	0.01%	-1.46	-1.89
0.0086	6.00	125925.00	0.00%	1.02	-0.38
0.0065	7.00	124233.00	0.01%	-0.53	-1.32
0.0065	4.00	122344.00	0.00%	0.49	-0.70
0.0065	6.00	123982.00	0.00%	-0.23	-1.14
0.0067	8.00	123917.00	0.01%	-0.66	-1.40
0.0356	76.00	61261.00	0.12%	0.03	-0.98
0.0618	49.00	61990.00	0.08%	3.01	0.83
0.0359	80.00	62401.00	0.13%	0.00	-1.00
0.0623	47.00	66264.00	0.07%	3.17	0.93
0	52.00	62697.00	0.08%	-0.79	-1.48
0.036	55.00	63513.00	0.09%	0.41	-0.75
0.0351	57.00	63877.00	0.09%	0.34	-0.79
0.0347	68.00	64646.00	0.10%	0.14	-0.91
0.0348	56.00	64976.00	0.09%	0.35	-0.79
0	80.00	65521.00	0.12%	-1.00	-1.61
0.0602	56.00	65671.00	0.08%	2.74	0.67
0	65.00	66800.00	0.10%	-0.90	-1.55
0.0455	5785.00	194762.00	2.97%	-6.17	-4.75
0.0955	4750.00	190801.00	2.49%	-3.77	-3.29
0.0605	4820.00	187761.00	2.57%	-5.11	-4.11
0.0959	5148.00	165080.00	2.78%	-4.04	-3.45
0.0852	4956.00	185112.00	2.71%	-4.27	-3.60
0.0915	3901.00	182607.00	2.15%	-3.08	-2.87
0.0657	2015.00	181791.00	1.12%	-2.22	-2.35
0.0986	2418.00	179164.00	1.38%	-1.13	-1.69
0.0609	2651.00	175633.00	1.55%	-3.11	-2.89
0.0873	2255.00	171424.00	1.34%	-1.60	-1.97
0.0767	3490.00	168218.00	2.11%	-3.36	-3.04
0	3498.00	160818.00	2.18%	-4.63	-3.82
0.1807	17109.00	1414507.00	1.21%	10.56	5.42
0.1404	17400.00	1419862.00	1.23%	3.90	1.37
0.1547	16253.00	1428590.00	1.14%	6.94	3.22
0.1362	15736.00	1466548.00	1.10%	4.29	1.61
0.1423	13692.00	1434380.00	0.95%	6.20	2.77
0.1542	15573.00	1441158.00	1.08%	7.41	3.50
0.1309	12074.00	1446425.00	0.83%	5.42	2.29
0.1496	16558.00	1450588.00	1.14%	5.82	2.54
0.1385	16492.00	1455084.00	1.13%	4.35	1.65
0.141	15333.00	1457906.00	1.05%	5.45	2.31
0.1486	16796.00	1462075.00	1.15%	5.86	2.56
0.1315	17553.00	1467110.00	1.20%	2.87	0.74

0.0727	8.00	1370.00	0.58%	-0.09	-1.05
0	5.00	1360.00	0.37%	-0.73	-1.44
0.1581	6.00	1369.00	0.44%	3.81	0.49
0.0798	5.00	1206.00	0.37%	0.54	-0.70
0.1386	8.00	1368.00	0.67%	1.83	-0.11
0.1581	5.00	1186.00	0.41%	3.94	0.50
0.1114	4.00	1208.00	0.33%	1.90	-0.15
0	5.00	1203.00	0.42%	-0.76	-1.46
0.0791	4.00	1193.00	0.33%	0.61	-0.67
0.1543	10.00	1206.00	0.83%	2.13	0.03
0.1104	6.00	1204.00	0.50%	1.25	-0.36
0.0776	4.00	1201.00	0.33%	0.57	-0.69
0.1626	274.00	14887.00	1.84%	0.88	-0.46
0.0739	261.00	14814.00	1.76%	-1.24	-1.75
0	235.00	14845.00	1.58%	-1.67	-2.01
0	265.00	15921.00	1.80%	-1.73	-2.05
0	232.00	14749.00	1.49%	-1.59	-1.97
0	264.00	15589.00	1.67%	-1.67	-2.02
0	231.00	15838.00	1.45%	-1.57	-1.95
0	279.00	15917.00	1.76%	-1.72	-2.05
0.0767	265.00	15866.00	1.67%	-1.09	-1.66
0	283.00	15877.00	1.78%	-1.77	-2.07
0.106	296.00	15863.00	1.86%	-0.71	-1.43
0	318.00	15888.00	2.00%	-1.87	-2.14
0.1201	92.00	7824.00	1.18%	1.21	-0.27
0.0592	58.00	7898.00	0.73%	-2.05	-2.25
0.0589	69.00	7983.00	0.86%	-2.57	-2.56
0.0666	63.00	9266.00	0.78%	-2.43	-2.48
0.07	80.00	8083.00	0.96%	-3.08	-2.87
0.0698	69.00	8326.00	0.82%	-2.33	-2.42
0.0629	82.00	8433.00	0.96%	-3.67	-3.23
0.071	60.00	8584.00	0.69%	-1.43	-1.87
0.0855	98.00	8658.00	1.11%	-2.29	-2.39
0.0671	73.00	8804.00	0.82%	-2.60	-2.58
0.0709	96.00	8912.00	1.04%	-3.36	-3.04
0.0718	104.00	9367.00	1.11%	-3.60	-3.19
0	274.00	14887.00	1.84%	-1.87	-2.13
0.0727	261.00	14814.00	1.76%	-1.27	-1.77
0	235.00	14845.00	1.58%	-1.73	-2.05
0.0724	265.00	15921.00	1.80%	-1.31	-1.80
0	232.00	14749.00	1.49%	-1.69	-2.03
0.1018	264.00	15589.00	1.67%	-0.67	-1.40
0.072	231.00	15838.00	1.45%	-1.07	-1.65
0	279.00	15917.00	1.76%	-1.84	-2.12
0.0716	265.00	15866.00	1.67%	-1.25	-1.76
0	283.00	15877.00	1.78%	-1.88	-2.14
0	296.00	15863.00	1.86%	-1.92	-2.17
0.1	318.00	15888.00	2.00%	-0.99	-1.60
0.0607	5785.00	194762.00	2.97%	-2.51	-2.53
0	4750.00	190801.00	2.49%	-2.64	-2.61
0	4820.00	187761.00	2.57%	-2.70	-2.64
0	5148.00	165080.00	2.78%	-2.87	-2.75

0.0823	4956.00	185112.00	2.71%	-2.14	-2.30
0.1151	3901.00	182607.00	2.15%	-0.96	-1.58
0	2015.00	181791.00	1.12%	-1.86	-2.13
0.0563	2419.00	179164.00	1.38%	-1.61	-1.98
0.0553	2651.00	175633.00	1.55%	-1.81	-2.10
0	2257.00	171424.00	1.34%	-2.14	-2.30
0.0538	3492.00	168218.00	2.12%	-2.35	-2.43
0	3503.00	160818.00	2.18%	-2.81	-2.71
0.1372	274.00	14887.00	1.84%	0.38	-0.77
0.125	261.00	14814.00	1.76%	-0.87	-1.53
0.1268	235.00	14845.00	1.58%	0.27	-0.83
0.1348	265.00	15921.00	1.80%	0.27	-0.84
0.1207	232.00	14749.00	1.49%	-0.05	-1.03
0.1344	264.00	15589.00	1.67%	0.88	-0.46
0.1274	231.00	15838.00	1.45%	1.08	-0.34
0.1283	279.00	15917.00	1.76%	-0.42	-1.25
0.1231	265.00	15866.00	1.67%	-0.66	-1.40
0.1291	283.00	15877.00	1.78%	-0.43	-1.26
0.126	296.00	15863.00	1.86%	-1.17	-1.71
0.1242	318.00	15888.00	2.00%	-1.99	-2.21
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3307	5.00	1206.00	0.37%	5.67	0.31
0	0.00	1368.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	0.00	0.83%	0.00	0.00
0	6.00	1204.00	0.50%	0.00	0.00
0	4.00	1201.00	0.33%	0.00	0.00
0.0364	3.00	64.00	4.69%	-1.71	-2.04
0.0521	2.00	67.00	2.99%	-1.30	-1.79
0.0675	2.00	73.00	2.74%	-1.19	-1.72
0.152	4.00	88.00	5.41%	-0.96	-1.59
0	3.00	74.00	4.00%	-1.47	-1.89
0.1069	2.00	75.00	2.60%	-0.66	-1.40
0.1298	2.00	77.00	2.47%	-0.36	-1.22
0.197	3.00	81.00	3.66%	0.15	-0.97
0.1538	5.00	82.00	5.88%	-1.10	-1.67
0.0776	4.00	85.00	4.65%	-1.44	-1.88
0.1328	2.00	86.00	2.27%	-0.24	-1.15
0.1336	4.00	92.00	4.35%	-0.95	-1.58
0.0691	19262.00	1740794.00	1.11%	-15.32	-10.31
0.0662	19479.00	1744411.00	1.12%	-16.17	-10.83
0.0605	18323.00	1751970.00	1.05%	-15.98	-10.72
0.0697	17790.00	1788541.00	1.01%	-12.25	-8.45
0.0611	15547.00	1756510.00	0.88%	-12.69	-8.71
0.0635	17516.00	1762850.00	0.99%	-13.87	-9.43
0.0577	13657.00	1767448.00	0.77%	-11.68	-8.10
0.0645	18679.00	1770661.00	1.05%	-14.52	-9.83

0.0625	18472.00	1775455.00	1.04%	-14.90	-10.06
0.0645	17241.00	1779098.00	0.97%	-13.12	-8.98
0.062	18899.00	1783492.00	1.06%	-15.32	-10.31
0.0663	19713.00	1788456.00	1.10%	-14.76	-9.98
0.0852	92.00	7824.00	1.18%	-1.74	-2.06
0.1004	58.00	7898.00	0.73%	1.42	-0.14
0.1204	69.00	7983.00	0.86%	2.80	0.70
0.1109	63.00	9198.00	0.78%	2.29	0.39
0.0884	80.00	8083.00	0.96%	-0.76	-1.46
0.1133	69.00	8326.00	0.82%	2.34	0.42
0.1051	82.00	8433.00	0.96%	0.73	-0.55
0.0971	60.00	8584.00	0.70%	1.36	-0.18
0.1148	98.00	8619.00	1.12%	0.92	-0.44
0.0854	73.00	8763.00	0.82%	-0.44	-1.27
0.0972	96.00	8850.00	1.04%	-0.40	-1.24
0.0724	104.00	9297.00	1.12%	-2.56	-2.56
0.0757	19262.00	1740794.00	1.11%	-3.40	-3.07
0.0716	19479.00	1744411.00	1.12%	-3.90	-3.37
0.0796	18323.00	1751970.00	1.05%	-2.80	-2.70
0.0643	17790.00	1788541.00	1.01%	-4.24	-3.58
0.0696	15547.00	1756510.00	0.88%	-3.08	-2.87
0.0751	17516.00	1762850.00	0.99%	-3.21	-2.95
0.0848	13657.00	1767448.00	0.77%	-0.42	-1.25
0.0811	18679.00	1770661.00	1.05%	-4.10	-3.49
0.09	18472.00	1775455.00	1.04%	-6.54	-4.98
0.0863	17241.00	1779098.00	0.97%	-6.65	-5.04
0.0901	18899.00	1783492.00	1.06%	-7.06	-5.29
0.0908	19713.00	1788456.00	1.10%	-7.93	-5.82
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	53468.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1166	195.00	0.00	0.38%	1.97	-0.05
0.0905	147.00	51791.00	0.28%	3.53	1.15
0.0696	210.00	52175.00	0.40%	0.49	-0.70
0.0662	193.00	52821.00	0.36%	0.48	-0.71
0.0543	190.00	54032.00	0.35%	-0.35	-1.21
0	105.00	70685.00	0.15%	-0.04	-1.02
0	118.00	71260.00	0.17%	-0.04	-1.02
0	114.00	71433.00	0.16%	-0.04	-1.02
0	106.00	75295.00	0.15%	-0.04	-1.02
0	104.00	71610.00	0.14%	-0.04	-1.02
0	104.00	71751.00	0.14%	-0.04	-1.02
0	132.00	73135.00	0.18%	-0.07	-1.04
0.0757	143.00	73983.00	0.19%	4.09	1.49
0.0595	149.00	74096.00	0.20%	2.57	0.56
0.064	106.00	74529.00	0.14%	5.39	2.27
0.0485	117.00	74926.00	0.16%	1.56	-0.05
0.0605	127.00	75933.00	0.17%	3.80	1.31

0.433	1248.00	1377.00	90.63%	1.07	-0.46
0	1222.00	1309.00	93.35%	-0.53	-1.32
0	1172.00	1272.00	92.14%	-0.58	-1.35
0.3307	1177.00	1294.00	89.37%	0.17	-0.86
0.3727	1115.00	1317.00	92.07%	0.79	-0.56
0.481	1135.00	1211.00	92.05%	3.47	0.59
0.4	915.00	1233.00	92.61%	1.52	-0.21
0	1219.00	988.00	88.65%	-0.87	-1.53
0.3927	1118.00	1375.00	88.24%	1.03	-0.40
0.3727	1047.00	1267.00	91.36%	0.98	-0.44
0.2764	1175.00	1146.00	90.80%	-0.10	-1.06
0	1166.00	1267.00	92.03%	-0.59	-1.36
0	51.00	56.00	91.07%	-0.44	-1.26
0	0.00	0.00	0.00%	0.00	0.00
0	54.00	66.00	81.82%	2.11	-0.19
0	44.00	69.00	72.13%	1.60	-0.34
0	0.00	61.00	0.00%	0.00	0.00
0	45.00	0.00	81.82%	-0.65	-1.40
0	0.00	55.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	48.00	0.00	77.42%	0.00	0.00
0	54.00	62.00	78.26%	0.00	0.00
0	50.00	75.00	66.67%	-0.70	-1.43
0.4714	110.00	121.00	90.91%	1.44	-0.35
0	96.00	110.00	87.27%	-0.65	-1.40
0	84.00	92.00	91.30%	-0.31	-1.19
0.4714	88.00	123.00	80.73%	0.61	-0.68
0	106.00	109.00	87.60%	-0.53	-1.32
0.433	108.00	121.00	91.53%	1.17	-0.44
0	100.00	118.00	95.24%	-0.44	-1.27
0.5	109.00	105.00	87.20%	1.56	-0.32
0	83.00	125.00	86.46%	-0.68	-1.41
0	125.00	96.00	89.29%	-0.35	-1.21
0	116.00	140.00	94.31%	0.00	0.00
0	98.00	114.00	85.96%	-0.57	-1.34
0.2353	10801.00	11599.00	93.12%	-0.32	-1.20
0	11640.00	12414.00	93.77%	-1.67	-2.01
0.1373	9965.00	10580.00	94.19%	-1.20	-1.73
0	9799.00	10985.00	91.56%	-2.01	-2.22
0.149	8725.00	10702.00	94.37%	-0.96	-1.59
0	9947.00	9246.00	95.50%	-1.65	-2.00
0.1643	7751.00	10416.00	94.98%	-0.62	-1.37
0.196	10798.00	8161.00	92.40%	-0.96	-1.58
0.1458	10496.00	11686.00	92.64%	-1.34	-1.82
0.1443	9611.00	11330.00	94.53%	-1.01	-1.61
0.2197	10364.00	10167.00	94.35%	-0.19	-1.11
0	10607.00	11326.00	93.65%	-1.64	-2.00
0.3571	12049.00	12976.00	92.86%	1.36	-0.25
0.2421	12862.00	13723.00	93.73%	0.00	-1.00
0.2764	11137.00	11852.00	93.97%	0.33	-0.76
0.4792	10976.00	12279.00	91.32%	3.59	0.69

0.4792	9840.00	12019.00	94.10%	4.73	1.01
0.4125	11082.00	10457.00	95.13%	3.76	0.72
0.3143	8666.00	11649.00	94.72%	1.35	-0.25
0.3432	12017.00	9149.00	92.01%	1.38	-0.21
0.4138	11614.00	13061.00	92.20%	11.97	6.27
0.4082	10658.00	12597.00	94.21%	14.07	3.83
0.3816	11539.00	11313.00	93.97%	10.95	5.66
0.4014	11773.00	12593.00	93.49%	12.39	6.53
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	274.00	274.00	88.67%	-0.50	-1.31
0	203.00	309.00	91.03%	-0.31	-1.19
0	229.00	223.00	91.60%	-0.30	-1.18
0	191.00	250.00	90.09%	-0.33	-1.20
0	246.00	212.00	86.32%	-0.88	-1.54
0	212.00	285.00	89.83%	-0.34	-1.20
0	265.00	236.00	92.01%	-0.59	-1.36
0	235.00	288.00	85.77%	0.00	0.00
0	269.00	294.00	91.50%	-0.43	-1.26
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	11.00	72.73%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	16.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	22.00	0.00	91.67%	-0.30	-1.18
0	0.00	24.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	0.00	72.73%	0.00	0.00
0	15.00	11.00	93.75%	0.00	0.00
0	12.00	14.00	85.71%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	4.00	4.00	100.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	0.00	75.00%	-0.52	-1.31
0	0.00	4.00	0.00%	0.00	0.00
0	1.00	0.00	100.00%	0.00	0.00
0	3.00	1.00	100.00%	0.00	0.00
0	2.00	3.00	50.00%	0.00	0.00
0	5.00	8.00	62.50%	0.00	0.00
0.3812	2896.00	3110.00	93.12%	1.75	-0.08
0	2419.00	2622.00	92.26%	-0.77	-1.47
0.2665	3041.00	3214.00	94.62%	0.37	-0.74
0	2638.00	2721.00	94.45%	-0.59	-1.36
0	2239.00	2793.00	96.30%	-0.65	-1.39
0	2589.00	2325.00	96.25%	-0.56	-1.34
0	1817.00	2690.00	95.08%	-0.75	-1.46
0.2875	2558.00	1911.00	95.20%	0.66	-0.61

0	2561.00	2687.00	95.42%	-0.69	-1.42
0.3307	2377.00	2684.00	95.85%	1.18	-0.41
0	2599.00	2480.00	95.52%	-0.53	-1.32
0	2498.00	2616.00	95.49%	-0.43	-1.26
0.5	3203.00	3455.00	92.71%	2.32	-0.11
0	2710.00	2965.00	91.40%	-0.43	-1.26
0.4213	3316.00	3523.00	94.12%	2.63	0.24
0.433	2912.00	2995.00	93.87%	1.57	-0.29
0.4518	2442.00	3102.00	95.84%	3.23	0.30
0.4899	2818.00	2548.00	95.85%	4.02	0.47
0.4714	2008.00	2940.00	94.58%	3.69	0.55
0.4714	2804.00	2123.00	94.35%	4.63	0.99
0.4199	2773.00	2972.00	94.97%	8.21	2.66
0.4745	2642.00	2920.00	95.45%	14.71	3.83
0.4139	2834.00	2768.00	94.62%	7.99	2.66
0.4752	2767.00	2910.00	95.09%	14.61	3.83
0	424.00	431.00	98.38%	-0.13	-1.08
0	423.00	427.00	99.06%	-0.14	-1.08
0	482.00	489.00	98.57%	-0.27	-1.16
0	422.00	535.00	98.60%	-0.17	-1.10
0	418.00	428.00	99.29%	-0.08	-1.05
0	455.00	421.00	98.91%	-0.28	-1.17
0	377.00	460.00	98.43%	-0.22	-1.13
0	459.00	383.00	99.57%	-0.15	-1.09
0	472.00	461.00	98.95%	-0.23	-1.14
0	469.00	477.00	98.95%	-0.21	-1.13
0	531.00	474.00	99.25%	-0.12	-1.07
0	593.00	599.00	99.00%	-0.10	-1.06
0	22.00	22.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	33.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	20.00	0.00	100.00%	0.00	0.00
0	30.00	20.00	90.91%	0.00	0.00
0	27.00	28.00	96.43%	-0.19	-1.11
0	38.00	39.00	97.44%	-0.16	-1.10
0	39.00	41.00	95.12%	-0.22	-1.14
0	46.00	48.00	95.83%	-0.29	-1.18
0	0.00	54.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	50.00	0.00	98.04%	-0.14	-1.09
0	0.00	51.00	0.00%	0.00	0.00
0	59.00	0.00	100.00%	0.00	0.00
0	54.00	59.00	100.00%	0.00	0.00
0	61.00	62.00	98.39%	-0.13	-1.08

0	2368.00	2400.00	98.67%	-0.38	-1.23
0	2343.00	2364.00	99.11%	-0.31	-1.19
0	2439.00	2459.00	99.19%	-0.31	-1.19
0	2223.00	3090.00	99.20%	-0.28	-1.17
0	2118.00	2241.00	99.86%	-0.08	-1.05
0	2456.00	2121.00	99.55%	-0.22	-1.13
0	1984.00	2467.00	99.10%	-0.19	-1.12
0	2171.00	2002.00	99.36%	-0.18	-1.11
0	2465.00	2185.00	99.48%	-0.16	-1.10
0	2668.00	2478.00	99.33%	-0.26	-1.16
0	3061.00	2686.00	99.06%	-0.24	-1.14
0	3581.00	3611.00	99.17%	-0.29	-1.18
0	2792.00	2831.00	98.62%	-0.24	-1.14
0	2766.00	2791.00	99.10%	-0.23	-1.14
0	2921.00	2948.00	99.08%	-0.24	-1.14
0	2645.00	3625.00	99.10%	-0.16	-1.10
0	2536.00	2669.00	99.76%	-0.11	-1.07
0	2911.00	2542.00	99.45%	-0.15	-1.09
0	2361.00	2927.00	98.99%	-0.27	-1.16
0	2630.00	2385.00	99.40%	-0.33	-1.20
0.1245	2937.00	2646.00	99.39%	1.37	-0.28
0.153	3137.00	2955.00	99.27%	2.16	0.06
0.1571	3592.00	3160.00	99.09%	2.10	0.07
0.147	4174.00	4210.00	99.14%	1.94	0.01
0.0008	0.00	32420.00	0.00%	0.00	-2.98
0.0006	4.00	31008.00	0.01%	-3.72	-3.26
0.0006	31.00	31008.00	0.10%	-20.94	-13.73
0	0.00	32617.00	0.00%	0.00	-2.98
0.0008	7.00	30384.00	0.02%	-10.89	-2.97
0.0007	7.00	30360.00	0.02%	-10.03	-2.98
0.0004	1.00	30360.00	0.00%	0.54	-2.99
0.0016	14.00	30576.00	0.04%	-6.54	-2.92
0.0007	0.00	32400.00	0.00%	0.00	-2.98
0.0005	2.00	33241.00	0.01%	-1.94	-2.18
0.0005	4.00	32617.00	0.01%	-10.41	-7.33
0.0008	0.00	32617.00	0.00%	420.10	254.40
0.0586	0.00	53489.00	0.00%	39280.39	23879.78
0.0002	0.00	53969.00	0.00%	103.81	62.11
0.0006	3.00	53969.00	0.00%	0.25	-0.85
0	0.00	58572.00	0.00%	249.46	150.66
0.0007	0.00	53969.00	0.00%	207.30	-2.98
0.0007	0.00	53969.00	0.00%	1151.42	-2.97
0.0008	0.00	54041.00	0.00%	272.25	-2.97
0.0008	32.00	55841.00	0.05%	-8.34	-2.96
0.0003	0.00	58764.00	0.00%	136.26	-2.99
0.0007	177.00	59124.00	0.30%	-13.23	-9.04
0.0006	30.00	58476.00	0.05%	-14.19	-9.63
0.0002	0.00	28623.00	0.00%	0.00	0.00
0.0093	0.00	0.00	0.00%	0.00	0.00
0.0349	0.00	0.00	0.00%	0.00	0.00
0.0017	0.00	0.00	0.00%	0.00	0.00
0	0.00	32617.00	0.00%	0.00	0.00

0.0019	7.00	0.00	0.02%	-2.85	-2.73
0.0061	7.00	30360.00	0.02%	6.78	3.12
0.0009	1.00	30360.00	0.00%	23.34	13.19
0.008	14.00	30576.00	0.04%	26.38	15.04
0.0033	0.00	32400.00	0.00%	0.00	0.00
0.0026	2.00	33241.00	0.01%	24.19	13.71
0.005	4.00	32617.00	0.01%	53.83	31.73
0.0199	0.00	32617.00	0.00%	6061.98	3684.42
0.0588	0.00	0.00	0.00%	0.00	0.00
0.0034	0.00	0.00	0.00%	0.00	0.00
0.0108	0.00	0.00	0.00%	0.00	0.00
0	0.00	58572.00	0.00%	0.00	0.00
0.011	0.00	0.00	0.00%	2481.98	1507.94
0.0126	0.00	53969.00	0.00%	7116.71	4325.66
0.0166	0.00	54041.00	0.00%	9040.09	5494.99
0.055	32.00	55841.00	0.05%	200.97	121.18
0.0484	0.00	58764.00	0.00%	36457.94	22163.85
0.0348	177.00	59124.00	0.30%	6.98	3.24
0.0303	30.00	58476.00	0.05%	105.17	62.94
0.017	0.00	28623.00	0.00%	0.00	0.00
0.0889	0.00	0.00	0.00%	0.00	-0.13
0.0626	0.00	0.00	0.00%	0.00	-0.15
0.0856	0.00	0.00	0.00%	0.00	-0.13
0.0928	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0729	0.00	0.00	0.00%	0.00	-0.14
0	0.00	0.00	0.00%	0.00	-0.16
0.0898	0.00	0.00	0.00%	0.00	-0.13
0.0894	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0.3143	0.00	0.00	0.00%	0.00	0.19
0.3222	0.00	0.00	0.00%	0.00	0.21
0.3499	0.00	0.00	0.00%	0.00	0.29
0.2764	0.00	0.00	0.00%	0.00	0.11
0.3571	0.00	0.00	0.00%	0.00	0.32
0	0.00	0.00	0.00%	0.00	-0.16
0.169	0.00	0.00	0.00%	0.00	-0.07
0.3069	0.00	0.00	0.00%	0.00	0.17
0	0.00	0.00	0.00%	0.00	-0.16
0.481	0.00	0.00	0.00%	0.00	0.99
0.1825	0.00	0.00	0.00%	0.00	-0.05
0.2799	0.00	0.00	0.00%	0.00	0.11
0.063	0.00	0.00	0.00%	0.00	0.00
0.0626	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0928	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

282.33	0.00	0.00	0:00	0.00	0.00
277.59	0.00	0.00	0:00	0.00	0.00
225.57	0.00	0.00	0:00	0.00	0.00
251.81	0.00	0.00	0:00	0.00	0.00
148.8	0.00	0.00	0:00	0.00	0.00
193.77	0.00	0.00	0:00	0.00	0.00
179.29	0.00	0.00	0:00	0.00	0.00
148.8	0.00	0.00	0:00	0.00	0.00
182.14	0.00	0.00	0:00	0.00	0.00
130.54	0.00	0.00	0:00	0.00	0.00
137.9	0.00	0.00	0:00	0.00	0.00
147.08	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	15.00	0:00	0.00	0.00
0	205.00	0.00	1:55	-0.67	-1.41
0	0.00	12.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	2102.00	0.00	19:26	0.00	0.00
0	295.00	31.00	16:04	0.00	0.00
0	390.00	24.00	6:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	51.00	0:00	0.00	0.00
0	1782.00	0.00	10:19	1.68	-0.11
0	2051.00	42.00	0:28	1.31	-0.24
0	1666.00	41.00	1:55	0.81	-0.38
0	1532.00	26.00	1:26	0.97	-0.34
0	1432.00	34.00	21:50	0.84	-0.23
56.57	2203.00	35.00	1:26	-0.07	-1.04
0	2472.00	50.00	11:16	0.15	-0.58
21.92	4546.00	62.00	7:40	-0.87	-1.53
53.74	30469.00	197.00	15:50	-0.83	-1.50
0	10327.00	103.00	6:14	-0.27	-1.17
26.87	4021.00	70.00	10:33	-0.49	-1.30
0	1994.00	51.00	7:40	-0.13	-1.08
0	0.00	82.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	1532.00	0.00	1:26	-0.55	-1.34
0	0.00	34.00	0:00	0.00	0.00
0	2203.00	0.00	1:26	0.00	0.00
0	2472.00	50.00	11:16	-0.62	-1.38
0	4546.00	62.00	7:40	0.00	0.00
5.03	9633.00	217.00	9:21	-1.03	-1.63
4.95	6226.00	207.00	1:55	-0.94	-1.57
0	6483.00	216.00	0:14	-0.76	-1.46
12.73	6271.00	292.00	20:52	-0.58	-1.35

8.19	7123.00	225.00	12:00	-1.22	-1.74
0	7357.00	185.00	17:16	1.40	-0.20
70.97	5367.00	190.00	12:57	1.35	-0.28
67.63	3846.00	151.00	15:21	1.92	0.10
46.92	4740.00	150.00	15:07	0.64	-0.64
34.34	8926.00	178.00	15:36	-0.48	-1.29
19.88	8511.00	282.00	3:36	-1.37	-1.83
15.61	17444.00	379.00	0:43	-1.37	-1.83
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	4.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	35.00	0.00	16:04	4.61	1.26
0	0.00	3.00	0:00	0.00	0.00
0	110.00	0.00	7:55	0.00	0.00
0	81.00	6.00	6:00	0.00	0.00
0	240.00	4.00	0:00	0.00	0.00
164.39	35392.00	73.00	19:40	-9.72	-6.91
154.97	8970.00	30.00	0:00	-1.66	-2.01
145.68	2594.00	17.00	14:09	0.50	-0.77
138.96	875.00	13.00	5:16	1.42	-0.42
138.07	2062.00	9.00	6:57	0.10	-0.96
133.48	1830.00	14.00	17:02	0.32	-0.78
129.21	1938.00	14.00	4:48	-0.24	-1.15
125.47	1675.00	15.00	6:28	-0.70	-1.42
128.04	1882.00	11.00	19:55	-0.73	-1.44
160.66	1702.00	12.00	22:04	0.04	-0.93
158	1526.00	13.00	9:07	0.12	-0.89
147.4	2134.00	18.00	13:26	-0.50	-1.30
42.46	1935.00	31.00	10:04	-0.73	-1.44
124.33	1047.00	40.00	4:19	4.28	0.53
108.45	1394.00	59.00	15:07	4.37	0.37
108.91	983.00	39.00	13:55	3.82	0.17
107.48	741.00	40.00	9:36	2.05	-0.04
83.12	690.00	15.00	0:00	1.27	-0.33
80.7	609.00	15.00	14:24	1.70	-0.19
73.77	498.00	15.00	13:40	0.62	-0.51
65.94	304.00	14.00	0:00	0.02	-0.98
70	1318.00	8.00	21:36	1.54	-0.29
46.76	1612.00	49.00	7:55	0.09	-0.74
29.1	2413.00	67.00	0:14	-0.21	-1.13
92.54	8248.00	219.00	15:50	1.19	-0.33
83.63	5443.00	202.00	22:48	2.79	0.20
59.01	5444.00	220.00	18:00	0.67	-0.58
73	5444.00	248.00	18:43	3.84	0.75
63.93	6089.00	239.00	5:16	0.50	-0.72
41.11	6646.00	189.00	17:16	-2.80	-2.70
50.21	4719.00	181.00	2:24	0.79	-0.51
34.99	3576.00	147.00	3:50	0.12	-0.88

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.4714	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.4949	0.00	0.00	0	0.00	0.00
0.4	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.4	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.5	0.00	0.00	0	0.00	0.00
0.4714	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	15.00	0	0.00	0.00
0	3.00	0.00	0	-1.00	-1.61
0	0.00	12.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	3.00	0.00	0	0.00	0.00
0	1.00	31.00	0	0.00	0.00
0	5.00	24.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	51.00	0	0.00	0.00
0	22.00	0.00	1	0.94	-0.63
0	18.00	42.00	0	1.12	-0.54
0	10.00	41.00	0	1.24	-0.49
0	14.00	26.00	0	1.18	-0.51
0	9.00	34.00	0	1.68	-0.32
0	23.00	35.00	0	1.50	-0.23
0	26.00	50.00	1	0.97	-0.61
0.5	22.00	62.00	0	0.42	-0.80
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	9.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	9.00	0	0.00	0.00
0	0.00	9.00	0	0.00	0.00
0.5	92.00	197.00	0	0.09	-0.97
0	43.00	103.00	0	-0.84	-1.51
0.5	36.00	70.00	1	-0.04	-1.02
0	38.00	51.00	0	-0.92	-1.56
0	0.00	82.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	14.00	0.00	0	-0.82	-1.50
0	0.00	34.00	0	0.00	0.00
0	23.00	0.00	0	0.00	0.00
0	26.00	50.00	1	-1.01	-1.61
0	22.00	62.00	0	0.00	0.00
0.4714	0.00	0.00	0	0.00	0.00
0.5	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	292.00	0	0.00	0.00
0.4714	50.00	0.00	0	0.24	-0.86
0	55.00	185.00	0	-0.64	-1.39
0	52.00	190.00	0	-1.43	-1.87
0.4714	60.00	151.00	0	-0.23	-1.14
0	48.00	150.00	0	-1.34	-1.81
0	63.00	178.00	0	-1.30	-1.79
0.2665	65.00	282.00	0	-1.24	-1.75
0	91.00	379.00	0	-1.75	-2.07
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	4.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	3.00	0	0.00	0.00
0	2.00	0.00	0	0.00	0.00
0	2.00	6.00	1	0.00	0.00
0	1.00	4.00	0	0.00	0.00
0.3777	0.00	0.00	0	0.00	0.00
0.2818	0.00	0.00	0	0.00	0.00
0.2818	0.00	0.00	0	0.00	0.00
0	0.00	13.00	0	0.00	0.00
0.3368	3.00	0.00	0	4.71	1.42
0.213	3.00	14.00	0	5.21	1.74
0.379	1.00	14.00	0	9.17	1.90
0.213	0.00	15.00	0	0.00	2.37

0.4583	0.00	11.00	0	0.00	1.45
0.3368	1.00	12.00	0	8.57	1.90
0.2875	1.00	13.00	0	8.93	2.05
0.2764	2.00	18.00	0	8.22	2.30
0.4714	0.00	0.00	0	0.00	0.00
0.433	0.00	0.00	0	0.00	0.00
0.4899	0.00	0.00	0	0.00	0.00
0	0.00	39.00	0	0.00	0.00
0	5.00	0.00	0	1.88	-0.07
0.433	5.00	15.00	0	1.57	-0.17
0	11.00	15.00	1	0.95	-0.50
0.433	8.00	15.00	1	0.64	-0.69
0.433	3.00	14.00	0	1.26	-0.39
0.5	13.00	8.00	0	0.74	-0.65
0.4714	8.00	49.00	0	1.91	-0.08
0.5	21.00	67.00	0	0.78	-0.58
0.4556	0.00	0.00	0	0.00	0.00
0.433	0.00	0.00	0	0.00	0.00
0.4051	0.00	0.00	0	0.00	0.00
1	0.00	248.00	0	0.00	0.00
0.5	71.00	0.00	0	1.09	-0.35
0.4	69.00	189.00	0	-2.14	-2.30
0.3608	64.00	181.00	0	2.86	0.75
0.477	72.00	147.00	0	-1.15	-1.70
0.4979	60.00	148.00	0	1.36	-0.21
0.4763	75.00	174.00	0	3.67	1.07
0.4957	73.00	259.00	0	1.41	-0.17
0.3678	100.00	337.00	0	-1.58	-1.96
0	0.00	0.00	0	0.00	0.00
0.5	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	12.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.5	3.00	0.00	0	0.92	-0.61
0	0.00	14.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	1.00	10.00	0	-0.30	-1.18
0	1.00	11.00	0	0.00	0.00
0	2.00	17.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	362.00	0	0.00	0.00
0	80.00	0.00	0	-1.20	-1.73
0	79.00	245.00	0	-1.18	-1.72
0	73.00	247.00	0	-1.36	-1.83
0	81.00	190.00	0	-1.42	-1.87
0.2818	69.00	199.00	0	-2.03	-2.23
0.3174	86.00	240.00	0	-1.88	-2.14
0.2542	84.00	355.00	0	-2.98	-2.81
0.1414	122.00	491.00	0	-4.77	-3.90

0.0125	0.00	0.00	0.00%	0.00	-0.05
0.0172	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0.0628	0.00	0.00	0.00%	0.00	-0.04
0	0.00	0.00	0.00%	0.00	-0.05
0.0194	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	-0.05
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.26	1690662.00	2417677.00	69.93%	-66.33	0.00
0.2947	1456845.00	2108334.00	69.10%	-58.34	0.00
0.2406	1747155.00	2223194.00	78.59%	-48.64	0.00
0	1567353.00	2540565.00	76.38%	0.00	0.00
0.1882	1657570.00	1051961.00	81.16%	-49.22	0.00
0.1615	1871791.00	2042248.00	82.19%	-51.93	0.00
0.1603	1628462.00	2277286.00	78.88%	-55.62	0.00
0.1089	1954501.00	2064597.00	83.77%	-52.18	0.00
0.1847	1998521.00	2333287.00	86.23%	-40.45	0.00
0.1747	1744701.00	2317687.00	72.08%	-78.25	0.00
0.1394	2070335.00	2420635.00	81.49%	-63.76	0.00
0.1616	2121022.00	2764870.00	76.71%	-73.18	0.00
0	2024	2127	95.16%	-0.23	-1.14
0	1784	1851	96.38%	-0.39	-1.24
0	2111	2210	95.52%	-0.53	-1.32
0	1994	2340	96.47%	-0.38	-1.23
0	1989	2067	94.71%	-0.58	-1.35
1	2135	2100	97.09%	3.96	0.16
0	1881	2199	96.81%	-0.48	-1.29
0	1852	1943	96.96%	-0.25	-1.15
0	1761	1910	96.76%	-0.48	-1.29
0	2029	1820	96.07%	-0.64	-1.39
0	2241	2112	95.77%	-0.21	-1.13
0	2137	2248	95.06%	-0.46	-1.28
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	10954	0.00%	0.00	0.00

0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	9314	0	96.63%	-0.37	-1.23
0	10552	9639	96.33%	1.06	-0.45
0	11826	12345	95.80%	-0.26	-1.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	10954	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	0.19
0	0	0	0.00%	0.00	0.47
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	0.47
0	9314	0	96.63%	-0.26	-1.16
0	10552	9639	96.33%	-0.39	-1.24
0	11826	12345	95.80%	-0.42	-1.25
0	6249	6414	97.43%	-1.09	-1.66
0	4688	4779	98.10%	0.41	-0.72
0	4247	4335	97.97%	0.38	-0.74
0	3781	3143	98.41%	-0.80	-1.49
0	3503	3842	98.34%	2.08	-0.02
0	3413	3562	98.90%	0.96	-0.48
0	3238	3451	98.30%	0.93	-0.49
0	3672	3294	99.19%	-0.48	-1.29
0	2991	3702	97.81%	0.18	-0.84
0	2833	3058	98.44%	0.71	-0.59
0	3085	2878	98.15%	0.28	-0.79
0	3367	3443	97.79%	-0.02	-1.01
0	7321	7683	95.29%	-1.35	-1.82
0	6828	7090	96.30%	-3.43	-3.08
0	7587	7859	96.54%	-2.76	-2.68
0	6977	8614	97.19%	-2.83	-2.72
0	7004	7179	97.06%	-3.07	-2.87
0	7658	7216	97.90%	-2.14	-2.30
0	6415	7822	97.42%	-0.84	-1.51
0	6293	6585	96.90%	-2.70	-2.64
0	7075	6494	96.51%	-2.35	-2.43
0	7285	7331	96.78%	-1.28	-1.78
0	8311	7527	96.48%	-2.43	-2.48
0	9689	10097	95.96%	-2.94	-2.79
0	9345	9810	95.26%	1.91	-0.20
0	8612	8941	96.32%	-0.20	-1.12
0	9698	10069	96.32%	-0.52	-1.31
0	8971	10954	97.03%	-0.43	-1.26
0	8993	9246	96.53%	-0.38	-1.23
0	9793	9316	97.72%	-0.34	-1.21
0	8296	10021	97.28%	-0.41	-1.25
0	8145	8528	96.92%	1.19	-0.35

0	8836	8404	96.56%	-1.36	-1.83
0	9314	9151	96.63%	-1.41	-1.85
0	10552	9639	96.33%	-3.17	-2.93
0	11826	12345	95.80%	-1.06	-1.64
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	67	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	71	0	98.61%	-0.12	-1.07
0	66	72	98.51%	-0.17	-1.10
0	78	80	97.50%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	303	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	292	0	98.32%	-0.18	-1.11
0	188	297	93.53%	-0.37	-1.22
0	425	201	91.40%	0.70	-0.61
1	285	465	94.06%	2.63	-0.05
0	314	322	97.52%	-0.32	-1.19
0	277	292	94.86%	-0.23	-1.14
0	242	256	94.53%	-0.24	-1.15
0	301	309	97.41%	-0.16	-1.10
0	268	306	95.04%	-0.23	-1.14
0	0	282	0.00%	0.00	0.00
0	291	0	97.65%	-0.15	-1.09
0	248	298	97.25%	-0.17	-1.10
0	242	255	97.58%	-0.16	-1.10
0	238	248	97.94%	-0.14	-1.09
0	256	243	92.42%	0.00	0.00
0	296	277	96.73%	-0.18	-1.11
0	282	293	96.25%	-0.20	-1.12
0	750	784	95.66%	-0.21	-1.13
0	587	603	97.35%	-0.43	-1.26
0	497	504	98.61%	-0.20	-1.12
0	0	383	0.00%	0.00	0.00
0	363	0	97.84%	-0.21	-1.13
0	361	371	98.90%	-0.18	-1.11
0	327	365	97.90%	-0.29	-1.18
0	0	334	0.00%	0.00	0.00
0	376	0	98.95%	-0.15	-1.09
0	373	380	98.16%	-0.19	-1.12
0	379	380	98.96%	2.59	-0.08
0	369	374	98.66%	-0.16	-1.10

0	1119	1175	95.23%	-0.62	-1.38
0	1149	1231	93.34%	-1.90	-2.16
0	1329	1403	94.73%	-1.56	-1.95
0	1091	1416	93.73%	-1.87	-2.14
0	1188	1164	96.51%	-1.38	-1.84
0	1250	1231	96.75%	-0.06	-1.03
0	1031	1292	96.81%	-0.76	-1.46
0	1015	1065	96.12%	-1.25	-1.76
0	1176	1056	96.16%	-1.21	-1.74
0	1243	1223	95.76%	-0.46	-1.28
0	1363	1298	96.26%	-1.46	-1.89
0	1396	1496	93.32%	0.32	-0.77
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1630	1712	95.21%	-0.32	-1.19
0	0	1722	0.00%	0.00	0.00
0	1436	0	96.64%	-0.19	-1.11
0	0	1486	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1257	0	96.40%	0.87	-0.52
0	1414	1304	96.45%	-0.16	-1.10
0	1499	1466	95.17%	-1.00	-1.61
0	1659	1575	96.34%	-1.02	-1.62
0	1678	1789	93.80%	-1.22	-1.74
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	13	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	4	0	100.00%	0.00	0.00
0	13	4	100.00%	0.00	0.00
0	4	4	100.00%	0.00	0.00
0	695	705	99%	-0.17	-1.10
0	697	709	98%	-0.43	-1.26
0	799	802	100%	-0.14	-1.08
0	767	708	100%	-0.20	-1.12

0	898	770	99%	-0.23	-1.14
0	825	904	100%	-0.21	-1.13
0	654	829	99%	-0.27	-1.17
0	616	659	99%	-0.34	-1.21
0	724	625	99%	-0.54	-1.33
0	654	735	100%	-0.17	-1.11
0	706	656	100%	-0.13	-1.08
0	653	658	99%	-0.19	-1.12
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	23736	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	22068	0	100%	-0.15	-1.09
0	23705	22130	100%	2.59	-0.04
0	26513	26583	100%	-0.22	-1.14
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	23736	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	22068	0	100%	-0.41	-1.25
0	23705	22130	100%	-0.26	-1.16
0	26513	26583	100%	-0.40	-1.24
0	8521	8539	100%	-0.32	-1.20
0	7957	7967	100%	-0.26	-1.16
0	7715	7732	100%	-0.35	-1.21
0	7410	9767	100%	-0.32	-1.20
0	7131	7423	100%	3.62	0.11
0	7946	7139	100%	-0.23	-1.14
0	7355	7953	100%	-0.14	-1.09
0	8931	7360	100%	-0.21	-1.13
0	10735	8940	100%	-0.14	-1.09
0	8966	10744	100%	-0.14	-1.08
0	9755	8974	100%	-0.15	-1.09
0	9457	9478	100%	-0.11	-1.06
0	21815	21845	100%	-0.13	-1.08
0	20425	20469	100%	-1.65	-2.00
0	22091	22129	100%	-0.36	-1.22
0	19607	23028	100%	-1.86	-2.13
0	20358	19655	100%	-0.50	-1.30
0	20740	20392	100%	-0.81	-1.49
0	18082	20776	100%	-0.70	-1.43
0	18306	18119	100%	-1.32	-1.80

0	19871	18344	100%	-1.54	-1.93
0	21414	19920	100%	-1.27	-1.77
0	22999	21474	100%	-0.54	-1.33
0	25860	25925	100%	-1.48	-1.90
0	22510	22550	100%	-0.04	-1.03
0	21122	21178	100%	-0.09	-1.05
0	22890	22931	100%	-0.10	-1.06
0	20374	23736	100%	-0.09	-1.05
0	21256	20425	100%	-0.14	-1.08
0	21565	21296	100%	-0.15	-1.09
0	18736	21605	100%	-0.30	-1.18
0	18922	18778	100%	-0.52	-1.31
0	20595	18969	100%	-0.73	-1.44
0	22068	20655	100%	-2.93	-2.78
0	23705	22130	100%	-2.13	-2.30
0	26513	26583	100%	-1.57	-1.96
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	5	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	12	0	92%	-0.28	-1.17
0	8	13	100%	0.00	0.00
0	5	8	100%	0.00	0.00
0	5	6	83%	0.00	0.00
0	27	39	69%	-0.66	-1.40
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	112	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	89	0	88%	-0.37	-1.22
0	94	101	84%	0.00	0.00
0	91	107	85%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	2.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00

0	27	39	69%	-3.71	-3.25
0	57	62	92%	-1.31	-1.79
0	74	83	89%	-0.67	-1.41
0	53	112	88%	-1.41	-1.86
0	59	60	97%	3.71	0.36
0	54	61	90%	-0.39	-0.06
0	44	60	94%	0.05	-1.01
0	37	47	90%	-1.30	-1.79
0	123	41	91%	-1.45	-1.88
0	89	135	88%	-1.28	-1.78
0	94	101	84%	-2.94	-2.79
0	91	107	85%	-0.79	-1.48
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	24	24	100%	0.00	0.00
0	12	12	100%	0.00	0.00
0	6	8	75%	-1.14	-1.69
0	3	13	100%	0.00	-0.65
0	19	3	100%	0.00	0.00
0	17	19	100%	0.00	-0.60
0	6	17	100%	0.00	0.00
0	6	6	86%	-0.90	-1.55
0	4	7	100%	0.00	-0.60
0	12	4	100%	0.00	0.28
0	12	12	92%	-0.70	-1.43
0	9	15	60%	-2.00	-2.22
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	19	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	14	0	82%	-0.45	-1.27
0	14	17	74%	0.00	0.00
0	5	9	56%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	5	0%	0.00	0.00

0	0	0	0%	0.00	0.00
0	12	0	92%	-0.28	-1.17
0	0	13	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	2	0	100%	0.00	0.00
0	5	2	100%	0.00	0.00
0	10	11	91%	-0.41	-1.25
0	16	24	67%	-1.31	-1.80
0	0	0	0%	0.00	0.00
0	43	52	83%	-0.45	-1.28
0	8	22	80%	-0.48	-1.29
0	0	10	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	14	0	61%	-1.31	-1.79
0	0	23	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	8	0	47%	0.00	0.00
0	15	17	68%	-0.67	-1.41
0	12	18	67%	-1.40	-1.85
0	27	39	69%	-0.92	-1.56
0	0	0	0%	0.00	0.00
0	74	83	89%	-0.35	-1.21
0	0	112	0%	0.00	0.00
0	59	0	97%	-0.31	-1.19
0	0	61	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	37	0	90%	-0.32	-1.20
0	123	41	91%	-0.44	-1.27
0	89	135	88%	-0.37	-1.22
0	94	101	84%	-0.61	-1.37
0	91	107	85%	-0.59	-1.36
0	48	57	84%	-2.56	-2.56
0	27	32	84%	-2.15	-2.31
0	42	49	86%	-2.33	-2.42
0	56	56	92%	-1.68	-2.02
0	48	61	91%	-2.04	-2.24
0	59	53	94%	-1.55	-1.94
0	53	63	96%	-1.08	-0.31
0	39	55	89%	-1.76	-2.07
0	34	44	83%	-2.53	-2.54
0	44	41	83%	-2.79	-2.70
0	53	53	95%	-1.06	-1.65
0	41	44	93%	-0.84	-1.51
0	6250	6415	97%	-0.67	-1.41
0	4688	4779	98%	-0.52	-1.32
0	4247	4335	98%	1.45	-0.32
0	3782	3144	98%	-0.47	-1.29
0	3503	3843	98%	-0.32	-0.33
0	3415	3562	99%	-0.21	-0.33
0	3238	3453	98%	-0.32	-0.33
0	3673	3294	99%	-0.20	-0.33

0	2991	3703	98%	-0.63	-0.33
0	2834	3058	98%	2.01	-0.17
0	3086	2879	98%	2.07	-0.02
0	3372	3448	98%	3.53	0.49
0.2362	27.00	39.00	69.23%	-2.91	-2.77
0.2517	57.00	62.00	91.94%	-0.29	-1.18
0.2106	74.00	83.00	89.16%	-1.42	-1.86
0.2441	53.00	112.00	88.33%	-1.03	-1.63
0.2154	59.00	60.00	96.72%	0.57	-0.76
0.2684	54.00	61.00	90.00%	-0.47	-1.28
0.2741	44.00	60.00	93.62%	0.42	-0.81
0.1533	37.00	47.00	90.24%	-1.30	-1.79
0.2421	123.00	41.00	91.11%	-0.73	-1.44
0.1753	89.00	135.00	88.12%	-2.01	-2.22
0.3074	94.00	101.00	83.93%	-1.15	-1.70
0.3217	91.00	107.00	85.05%	-0.71	-1.43
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	22.00	80.00%	-0.48	-1.29
0	0.00	10.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	14.00	0.00	60.87%	-0.78	-1.48
0	0.00	23.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	0.00	47.06%	0.00	0.00
0	15.00	17.00	68.18%	-0.67	-1.41
0	12.00	18.00	66.67%	0.00	0.00
0.2764	0.00	0.00	0.00%	0.00	-0.06
0	0.00	0.00	0.00%	0.00	-0.33
0.3	0.00	0.00	0.00%	0.00	0.00
0	0.00	3144.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.4	0.00	0.00	0.00%	0.00	0.33
0	2834.00	0.00	98.44%	-0.25	-1.15
0	3086.00	2879.00	98.16%	-0.41	-1.25
0.3727	3372.00	3448.00	97.80%	2.41	-0.08
0.1018	9345.00	9810.00	95.26%	-8.49	-6.16
0.0846	8612.00	8941.00	96.32%	-9.77	-6.94
0.0774	9698.00	10069.00	96.32%	-8.01	-5.87
0.1131	8971.00	10954.00	97.03%	-3.43	-3.09
0.163	8993.00	9246.00	96.53%	-1.29	-0.24
0.081	9793.00	9316.00	97.72%	-3.75	-0.31
0.1662	8296.00	10021.00	97.28%	0.25	-0.24
0.15	8145.00	8528.00	96.92%	-1.39	-0.26
0.1879	8836.00	8404.00	96.56%	0.40	-0.21
0.2146	9314.00	9151.00	96.63%	2.65	0.61
0.1701	10552.00	9639.00	96.33%	-1.25	-1.76
0.2092	11826.00	12345.00	95.80%	0.64	-0.61

0.4157	0.00	0.00	0.00%	0.00	0.41
0.3608	0.00	0.00	0.00%	0.00	0.18
0.3499	0.00	0.00	0.00%	0.00	0.14
0	0.00	0.00	0.00%	0.00	-0.33
0.4	0.00	0.00	0.00%	0.00	0.33
0.4899	0.00	0.00	0.00%	0.00	1.00
0.4714	0.00	0.00	0.00%	0.00	0.78
0.3	0.00	0.00	0.00%	0.00	0.00
0.3727	0.00	0.00	0.00%	0.00	0.22
0.4714	0.00	0.00	0.00%	0.00	0.78
0.3571	0.00	0.00	0.00%	0.00	0.17
0.4479	0.00	0.00	0.00%	0.00	0.59
0.379	48.00	57.00	84.21%	0.18	-0.90
0.2665	27.00	32.00	84.38%	-0.92	-1.56
0.3143	42.00	49.00	85.71%	-0.38	-1.23
0	56.00	56.00	91.80%	-1.37	-1.83
0	48.00	61.00	90.57%	-1.35	-1.82
0	59.00	53.00	93.65%	-1.29	-1.78
0.1923	53.00	63.00	96.36%	0.05	-0.99
0.2421	39.00	55.00	88.64%	-0.69	-1.42
0	34.00	44.00	82.93%	-1.87	-2.14
0	43.00	41.00	84.31%	-1.97	-2.19
0.1601	53.00	51.00	94.64%	-0.58	-1.35
0.2261	41.00	44.00	93.18%	-0.25	-1.15
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	23.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	53.00	0.00	76.81%	-1.55	-1.94
0	16.00	69.00	69.57%	0.00	0.00
0	12.00	21.00	57.14%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	178.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	46.00	0.00	82.14%	2.13	-0.19
0	0.00	56.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	117.00	0.00	81.82%	0.00	0.00
0	139.00	143.00	78.09%	0.00	0.00
0	85.00	134.00	63.43%	0.00	0.00
0.3307	33.00	56.00	58.93%	-1.54	-1.93
0.3307	38.00	49.00	77.55%	-0.63	-1.38
0.4157	35.00	47.00	74.47%	-0.21	-1.13
0	25.00	178.00	67.57%	-2.15	-2.31

0	0.00	0.00	0.00%	0.00	0.00
0	11.00	0.00	91.67%	0.00	0.00
0	4.00	12.00	50.00%	0.00	0.00
0	6.00	9.00	66.67%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	38.00	49.00	77.55%	-0.53	-1.32
0	35.00	47.00	74.47%	-0.58	-1.35
0	0.00	178.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	27.00	0.00	65.85%	-0.71	-1.43
0	0.00	41.00	0.00%	0.00	0.00
0	117.00	0.00	81.82%	0.00	0.00
0.4714	139.00	143.00	78.09%	0.47	-0.74
0	85.00	134.00	63.43%	1.31	-0.45
0	11.00	12.00	91.67%	-0.85	-1.52
0.213	10.00	13.00	76.92%	-1.23	-1.75
0	13.00	17.00	76.47%	-1.70	-2.03
0	15.00	10.00	75.00%	-1.94	-2.18
0	10.00	20.00	83.33%	-1.10	-0.33
0	14.00	12.00	77.78%	-1.74	-0.33
0	17.00	18.00	85.00%	-1.27	-0.33
0	17.00	20.00	89.47%	-0.95	-0.33
0	16.00	19.00	88.89%	-1.03	-1.63
0	10.00	18.00	71.43%	-1.83	-2.11
0	6.00	14.00	60.00%	-2.19	-2.33
0.3499	17.00	24.00	70.83%	-1.10	-1.67
0	750.00	784.00	95.66%	-0.60	-1.36
0	587.00	603.00	97.35%	-0.54	-1.33
0	497.00	504.00	98.61%	-0.47	-1.28
0	459.00	383.00	97.66%	-0.38	-1.23
0	363.00	470.00	97.84%	-0.60	-0.33
0	361.00	371.00	98.90%	-0.39	-0.33
0	327.00	365.00	97.90%	-0.43	-0.33
0	400.00	334.00	98.52%	-0.76	-0.33
0	376.00	406.00	98.95%	-0.37	-0.33
0.1856	373.00	380.00	98.16%	0.66	-0.64
0.2233	379.00	380.00	98.96%	1.77	-0.27
0.4	369.00	374.00	98.66%	6.17	0.90
0.3307	33.00	56.00	58.93%	-1.54	-1.93
0	38.00	49.00	77.55%	-1.61	-1.98
0.5	35.00	47.00	74.47%	1.08	-0.43
0.3927	25.00	178.00	67.57%	-1.05	-1.64
0.2575	23.00	37.00	74.19%	-1.32	-1.81
0.2039	22.00	31.00	88.00%	-0.82	-1.50
0	46.00	25.00	82.14%	-1.60	-1.97
0.2764	27.00	56.00	65.85%	-1.66	-2.01
0.3307	54.00	41.00	73.97%	-0.83	-1.50
0.1889	117.00	73.00	81.82%	-1.79	-2.09
0.3927	139.00	143.00	78.09%	-0.30	-1.18
0.3	85.00	134.00	63.43%	-1.68	-2.02

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	8.00	40.00%	-1.12	-1.68
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	6.00	0.00	75.00%	-0.54	-1.33
0	0.00	8.00	0.00%	0.00	0.00
0	3.00	0.00	42.86%	-1.08	-1.66
0	11.00	7.00	91.67%	-0.29	-1.18
0	4.00	12.00	50.00%	0.00	0.00
0	6.00	9.00	66.67%	0.00	0.00
0	1396.00	1467.00	95.16%	-4.70	-3.86
0.0876	1391.00	1487.00	93.54%	-4.91	-3.98
0.1009	1630.00	1712.00	95.21%	-3.89	-3.36
0.2935	1359.00	1722.00	93.98%	0.94	-0.44
0.2743	1436.00	1446.00	96.64%	2.05	-0.06
0.2018	1541.00	1486.00	96.92%	0.46	-0.19
0.0995	1279.00	1590.00	96.89%	-1.17	-0.30
0.1005	1257.00	1320.00	96.40%	-1.32	-0.30
0	1414.00	1304.00	96.45%	-1.71	-0.33
0	1499.00	1466.00	95.17%	-2.44	-2.48
0.1786	1659.00	1575.00	96.34%	-0.18	-1.11
0.2012	1678.00	1789.00	93.80%	-0.68	-1.41
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	1.33
0.5	0.00	0.00	0.00%	0.00	1.33
0.5	0.00	0.00	0.00%	0.00	1.33
0	0.00	0.00	0.00%	0.00	3.00
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	0.00
0.4899	0.00	0.00	0.00%	0.00	1.00
0.3	11.00	12.00	91.67%	0.14	-0.97
0	10.00	13.00	76.92%	-1.45	-1.88
0	13.00	17.00	76.47%	-1.66	-2.01
0.2353	15.00	10.00	75.00%	-1.34	-1.81
0	10.00	20.00	83.33%	-0.69	-1.42
0	14.00	12.00	77.78%	-1.26	-1.76
0	17.00	18.00	85.00%	-0.96	-1.58
0	17.00	20.00	89.47%	-0.91	-1.55
0	16.00	19.00	88.89%	-0.92	-1.56
0	10.00	18.00	71.43%	-1.67	-2.02
0.2575	6.00	14.00	60.00%	-1.62	-1.98
0.2353	17.00	24.00	70.83%	-1.62	-1.98
0	6348.00	1599.00	4	-0.23	-1.14
1.53	5079.00	1315.00	4	0.23	-0.48
0	6101.00	1610.00	4	-0.44	-1.27
0	5333.00	1603.00	4	-0.35	-1.21

0	5457.00	1504.00	4	-0.38	-1.23
0	5583.00	1480.00	3	5.03	0.57
0.82	4919.00	1616.00	3	-0.53	-1.32
8.49	4653.00	1410.00	4	2.49	0.10
0.45	4379.00	1327.00	3	-0.15	-1.09
0.38	5353.00	1268.00	4	-0.34	-1.21
0	6698.00	1454.00	4	-0.03	-1.02
1.41	7626.00	1685.00	5	-0.24	-1.15
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	7999.00	0	0.00	0.00
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	25245.00	0.00	4	-0.31	-1.19
0.32	33712.00	6972.00	4	-0.98	-1.60
0.6	43992.00	9462.00	5	-4.03	-3.45
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	7999.00	0	0.00	-0.27
0.33	0.00	0.00	0	0.00	-0.37
0.35	0.00	0.00	0	0.00	-0.16
0.5	0.00	0.00	0	0.00	-0.05
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	25245.00	0.00	4	-0.31	-1.19
0	33712.00	6972.00	4	-0.68	-1.41
0	43992.00	9462.00	5	-0.91	-1.55
1.43	26070.00	5455.00	5	-1.08	-1.66
1.14	18585.00	3766.00	5	-0.78	-1.47
3.03	16362.00	2994.00	5	1.31	-0.22
2.16	14868.00	2032.00	5	-1.00	-1.61
6.08	12807.00	2737.00	5	1.43	0.12
1.96	11966.00	2339.00	5	-0.18	-1.11
0.38	13058.00	2261.00	5	-0.79	-1.48
1.65	12396.00	2409.00	5	-1.14	-1.69
2.95	9126.00	2411.00	5	1.51	-0.12
4.09	8153.00	1762.00	5	2.39	0.37
4.88	10666.00	1698.00	5	2.02	0.01
1.24	12192.00	2257.00	5	-1.32	-1.80
1.61	23112.00	5785.00	4	0.58	-0.65
1.27	19522.00	5251.00	4	2.74	0.67
0.97	19975.00	5734.00	3	0.65	-0.60
1.53	17952.00	6396.00	3	-0.44	-1.27
1.17	16806.00	5273.00	3	0.34	-0.79
0.92	19530.00	5031.00	3	1.35	-0.18
0.36	16196.00	5871.00	3	-1.22	-1.74
1.11	16962.00	4933.00	3	2.57	0.56

1.22	18605.00	5057.00	3	1.41	-0.14
1.52	19892.00	5497.00	4	3.59	1.18
1.59	27014.00	5518.00	4	0.60	-0.63
1.49	36366.00	7777.00	5	-2.55	-2.55
0	29460.00	7384.00	4	0.01	-0.89
0	24601.00	6566.00	4	-0.28	-1.17
0.84	26076.00	7344.00	4	-0.29	-1.18
0.89	23285.00	7999.00	3	-0.45	-1.27
0.5	22263.00	6777.00	3	-0.13	-1.08
0	25113.00	6511.00	3	-0.33	-1.20
0.71	21115.00	7487.00	3	0.08	-0.59
0.96	21615.00	6343.00	3	0.25	-0.59
2.73	22984.00	6384.00	3	2.07	0.26
1.84	25245.00	6765.00	4	1.81	0.10
1.93	33712.00	6972.00	4	0.39	-0.76
2.85	43992.00	9462.00	5	3.81	1.32
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	208.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	915.00	0.00	4	-0.34	-1.21
0	495.00	210.00	4	-0.55	-1.33
1.5	1639.00	133.00	5	-0.88	-1.54
0	715.00	321.00	3	-0.34	-1.21
1.5	785.00	252.00	3	-0.95	-1.58
0	988.00	225.00	4	-0.21	-1.13
0	796.00	196.00	4	-0.17	-1.11
0	751.00	222.00	3	-0.26	-1.16
0	797.00	228.00	4	-0.23	-1.14
0	0.00	210.00	0	0.00	0.00
0	730.00	0.00	3	-0.12	-1.07
0	639.00	216.00	3	-0.15	-1.09
0	613.00	192.00	3	-0.11	-1.07
0	642.00	191.00	3	0.23	-0.26
0	704.00	192.00	4	0.00	0.00
0	832.00	180.00	4	-0.25	-1.15
0	757.00	216.00	4	-0.26	-1.16
0	0.00	0.00	0	0.00	0.00
0	2378.00	510.00	5	0.65	-0.36
0	0.00	0.00	0	0.00	0.00
0	0.00	254.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	1267.00	0.00	5	1.29	0.09
0	1497.00	254.00	5	-0.14	-1.09
0	1297.00	284.00	5	0.00	0.00
0	1384.00	277.00	5	0.00	-1.88

2.1	3641.00	934.00	4	-0.63	-1.38
0.75	3659.00	964.00	4	-0.77	-1.47
0.82	3910.00	1073.00	4	-1.09	-1.67
0.39	3236.00	1122.00	4	-1.30	-1.79
0.73	3250.00	877.00	3	-0.65	-1.39
1.01	3388.00	947.00	3	-0.07	-1.04
0.26	2812.00	1033.00	3	-0.55	-1.34
2.44	2746.00	865.00	3	1.28	-0.21
0.82	3220.00	865.00	3	0.19	-0.60
0.56	3524.00	975.00	4	-0.65	-1.40
1.05	4271.00	982.00	4	-0.53	-1.32
1.4	4158.00	1153.00	4	0.66	-0.42
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	4661.00	1295.00	4	-0.37	-1.22
0	0.00	1350.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
5.06	3359.00	0.00	3	3.31	0.20
1.12	3862.00	1056.00	3	0.12	-0.70
2.44	4228.00	1167.00	4	0.13	-0.69
1.17	5103.00	1162.00	4	-0.67	-1.41
1.55	4915.00	1369.00	4	0.89	-0.42
0	1405.00	474.00	3	-0.34	-1.21
1.17	1274.00	427.00	3	-1.18	-1.72
0.58	1578.00	547.00	3	-0.22	-1.13
0.45	1445.00	397.00	3	-0.42	-1.26
0	1514.00	472.00	3	-0.12	-1.07
1.11	1958.00	493.00	3	-1.10	-1.67
0.76	1290.00	580.00	3	-1.09	-1.66
1.73	1230.00	413.00	3	-1.00	-1.61
0.69	1300.00	393.00	3	-0.81	-1.49
0	1235.00	429.00	3	-0.13	-1.08
1	1213.00	389.00	3	-0.72	-1.44
1.15	1278.00	414.00	3	-0.65	-1.40
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	17396.00	0	0.00	-0.27

0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0	53425.00	0.00	3	-0.48	-1.29
0.25	55271.00	16405.00	3	-1.10	-1.67
0.35	63536.00	20071.00	3	-2.71	-2.64
0	0.00	0.00	0	0.00	-0.27
0	0.00	0.00	0	0.00	-0.27
0.62	0.00	0.00	0	0.00	-0.46
0.16	0.00	17396.00	0	0.00	-0.29
0.16	0.00	0.00	0	0.00	-0.29
0.13	0.00	0.00	0	0.00	-0.29
0.15	0.00	0.00	0	0.00	-0.29
0.84	0.00	0.00	0	0.00	-0.23
0.15	0.00	0.00	0	0.00	-0.29
0	53425.00	0.00	3	-1.57	-1.96
0.14	55271.00	16405.00	3	-1.20	-1.73
0.18	63536.00	20071.00	3	-1.27	-1.77
0.27	14075.00	5014.00	3	1.14	0.10
1.7	22054.00	5573.00	4	0.47	-0.59
0.69	31926.00	6499.00	5	-0.42	-1.25
0.38	30951.00	8212.00	5	-0.15	-1.09
1.25	28780.00	6311.00	5	-2.79	-2.70
0.91	32677.00	5893.00	5	-2.58	-2.57
1.21	29829.00	6679.00	5	-3.49	-3.12
0.81	36732.00	6105.00	5	-2.01	-2.22
0.51	39207.00	7474.00	5	-0.36	-1.22
1.4	36519.00	8000.00	5	-2.76	-2.68
0.35	40387.00	7469.00	5	-0.18	-1.11
1.64	38536.00	7888.00	5	-2.18	-2.33
0.43	51626.00	15764.00	3	-8.61	-6.24
0.43	47996.00	14898.00	3	-6.15	-4.74
0.34	53679.00	16402.00	3	-6.56	-4.99
0.34	46624.00	16999.00	3	-6.69	-5.07
0.34	46501.00	14312.00	3	-3.84	-3.34
0.38	50045.00	14715.00	3	-3.76	-3.28
0.5	44480.00	15875.00	3	-2.03	-2.23
0.4	45734.00	14058.00	3	-3.57	-3.17
0.41	46484.00	14456.00	3	-2.12	-2.29
0.31	52190.00	15161.00	3	-5.99	-4.64
0.85	54058.00	16016.00	3	-4.08	-3.48
0.71	62258.00	19657.00	3	-4.85	-3.95
0	0.00	0.00	0	0.00	0.00
0.71	49270.00	15325.00	3	-0.94	-1.57
0	55257.00	16949.00	3	-0.43	-1.26
0	48069.00	17396.00	3	-0.21	-1.13
0	48015.00	14784.00	3	-0.31	-1.19
0	52003.00	15208.00	3	-0.27	-1.16
0	45770.00	16455.00	3	-0.64	-1.39
0.37	46964.00	14471.00	3	-1.29	-1.79

0.4	47784.00	14849.00	3	-2.78	-2.69
0.32	53425.00	15590.00	3	-9.42	-6.73
0.27	55271.00	16405.00	3	-8.98	-6.46
0.3	63536.00	20071.00	3	-7.09	-5.31
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	18.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	59.00	0.00	3	0.05	-1.51
0	51.00	20.00	3	0.00	0.00
0	143.00	18.00	8	-0.36	-1.22
0	45.00	15.00	3	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	2.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	17.00	0.00	2	-1.10	-1.67
0	0.00	7.00	0	0.00	0.00
0	23.00	0.00	12	0.00	0.00
0	3.00	1.00	3	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	548.00	107.00	10	-0.04	-1.03
0	0.00	53.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	775.00	0.00	10	0.08	-0.65
0	1074.00	81.00	10	0.00	0.00
0	1457.00	109.00	13	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
2.24	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0.49	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00

1.13	1891.00	70.00	27.01	-6.63	-5.03
3.04	792.00	74.00	10.7	-3.77	-3.29
1.4	886.00	94.00	9.43	-4.10	-3.49
1.14	548.00	107.00	10.34	-3.79	-3.30
1.96	526.00	53.00	9.39	-5.78	-4.52
2.43	890.00	56.00	10.35	-5.75	-0.41
0.86	785.00	86.00	12.08	-5.19	-4.16
1.37	643.00	65.00	13.12	-5.41	-4.29
1.89	1415.00	49.00	9.43	-2.75	-2.67
2.25	775.00	150.00	9.57	-4.50	-3.74
2.95	1074.00	81.00	10.04	-4.14	-3.51
3.62	1457.00	109.00	13.37	-3.87	-3.35
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
5.92	487.00	26.00	18.73	-1.18	-1.72
4.04	230.00	13.00	17.69	-4.59	-3.79
5.67	166.00	8.00	20.75	-3.88	-3.36
10.44	42.00	12.00	14	0.13	-0.98
7.59	342.00	3.00	17.1	-1.03	-1.63
9.55	250.00	20.00	15.63	-0.47	-1.29
5.24	53.00	16.00	10.6	2.30	0.18
7.38	90.00	5.00	15	0.02	-1.15
8.66	70.00	6.00	23.33	-1.15	-1.70
6.52	289.00	3.00	22.23	-2.83	-2.72
5.48	212.00	13.00	17.67	-3.32	-3.02
6.14	435.00	15.00	29	-1.94	-2.18
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	19.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	319.00	0.00	17.72	-0.39	-1.24
0	174.00	18.00	9.16	0.00	0.00
0	118.00	12.00	9.83	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	2.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	53.00	0.00	4.08	0.25	-0.54
0	0.00	13.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	3.00	0.00	3	0.00	0.00
0	14.00	1.00	7	0.00	0.00
1.41	46.00	9.00	5.11	-0.81	-1.49
0.64	347.00	26.00	13.35	-2.29	-2.39
0	0.00	0.00	0	0.00	0.00
0	635.00	40.00	15.88	-1.81	-2.10
0	101.00	23.00	10.1	-0.41	-1.25
0	0.00	10.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.41	487.00	0.00	21.17	-1.24	-1.75
0	0.00	23.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.41	431.00	0.00	25.35	-1.64	-2.00
0	450.00	17.00	19.57	-0.39	-1.24
0.82	294.00	23.00	12.78	-0.18	-1.11
0.71	1891.00	70.00	27.01	-1.38	-1.84
0	792.00	74.00	10.7	-0.66	-1.40
0	886.00	94.00	9.43	-0.88	-1.54
0	0.00	107.00	0	0.00	0.00
0	526.00	0.00	9.39	-1.11	-1.68
0	0.00	56.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	643.00	0.00	13.12	-1.09	-1.67
0	0.00	49.00	0	0.00	0.00
0	775.00	0.00	9.57	0.00	0.00
0	1074.00	81.00	10.04	-0.79	-1.48
1.41	1457.00	109.00	13.37	-0.96	-1.58
1.18	286.00	49.00	5.84	-2.46	-2.49
1.14	287.00	35.00	8.2	-3.33	-3.02
1.41	281.00	46.00	6.11	-3.30	-3.01
1.33	353.00	56.00	6.19	-2.80	-2.70
1.31	459.00	57.00	8.35	-3.90	-3.37
1.37	444.00	55.00	7.53	-3.26	-2.98
1.18	340.00	59.00	6.8	-4.23	-1.06
1.45	259.00	50.00	6.32	-2.40	-2.46
1.4	361.00	41.00	8.6	-3.33	-1.06
1.49	374.00	42.00	6.8	-2.84	-2.73
1.42	334.00	55.00	5.96	-2.47	-2.50
1.63	236.00	44.00	5.36	-3.54	-3.15
0.54	26074.00	5456.00	4.78	0.05	-0.87
0.28	18585.00	3766.00	4.93	-0.01	-1.01
0.85	16362.00	2994.00	5.46	-1.22	-1.74
0.85	14873.00	2033.00	5.43	-1.51	-1.92
0.98	12807.00	2738.00	5.48	-1.05	-0.92
1	11975.00	2339.00	5.29	-0.87	-1.00
1.21	13058.00	2263.00	5.42	-1.42	-0.83
0	12406.00	2409.00	5.14	-0.16	-0.50

0.62	9126.00	2412.00	5.18	-0.96	-0.67
0.79	8156.00	1762.00	4.8	-0.53	-1.32
1.11	10668.00	1699.00	5.25	-2.51	-2.53
4.31	12213.00	2262.00	5.4	1.88	0.06
2.34	1891.00	70.00	27.01	-5.83	-4.55
2.2	792.00	74.00	10.7	-4.17	-3.53
2.67	886.00	94.00	9.43	-4.66	-3.83
1.21	548.00	107.00	10.34	-4.21	-3.56
0.98	526.00	53.00	9.39	-7.33	-5.46
2.58	890.00	56.00	10.35	-6.34	-0.25
1.43	785.00	86.00	12.08	-5.42	-4.30
1.47	643.00	65.00	13.12	-5.56	-4.38
1.96	1415.00	49.00	9.43	-3.41	-3.07
1.39	775.00	150.00	9.57	-6.31	-4.84
3.01	1074.00	81.00	10.04	-4.81	-3.92
3.85	1457.00	109.00	13.37	-4.17	-3.53
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	101.00	23.00	10.1	-0.67	-1.41
0	0.00	10.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	487.00	0.00	21.17	-0.83	-1.51
0	0.00	23.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	431.00	0.00	25.35	0.00	0.00
0	450.00	17.00	19.57	-0.49	-1.30
0	294.00	23.00	12.78	0.00	0.00
1.12	0.00	0.00	0	0.00	-0.82
1	0.00	0.00	0	0.00	-0.75
1.05	0.00	0.00	0	0.00	-0.56
1.41	0.00	2033.00	0	0.00	-1.00
0	0.00	0.00	0	0.00	-0.50
1.1	0.00	0.00	0	0.00	-1.10
0.84	0.00	0.00	0	0.00	-0.90
1.36	0.00	0.00	0	0.00	-1.06
0.82	0.00	0.00	0	0.00	-1.00
1.15	8156.00	0.00	4.8	-0.86	-1.52
0.89	10668.00	1699.00	5.25	-1.56	-1.95
2.17	12213.00	2262.00	5.4	-0.23	-1.14
1.72	29460.00	7384.00	3.99	9.93	5.04
1.19	24601.00	6566.00	3.75	12.85	6.81
1.14	26076.00	7344.00	3.55	15.54	8.45
0.82	23285.00	7999.00	3.44	17.60	9.70
1.11	22263.00	6777.00	3.42	16.62	-0.46
1.31	25113.00	6511.00	3.35	19.36	-0.49
2.25	21115.00	7487.00	3.33	16.47	-0.48
1.04	21615.00	6343.00	3.39	16.05	-0.47
1.91	22984.00	6384.00	3.4	15.68	-0.43
2.05	25245.00	6765.00	3.62	13.23	7.05
1.08	33712.00	6972.00	4.21	5.80	2.52
2.03	43992.00	9462.00	4.65	4.17	1.54

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	692.00	0.00	8.99	-1.83	-2.11
0	187.00	77.00	6.93	0.00	0.00
0	559.00	24.00	23.29	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	141.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	985.00	0.00	12.63	-0.51	-1.31
0	0.00	78.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	1096.00	0.00	11.42	0.00	0.00
0	1774.00	96.00	12.58	0.00	0.00
0	1877.00	111.00	16.91	0.00	0.00
2.73	1175.00	65.00	18.08	-1.53	-1.93
1.14	662.00	58.00	11.41	-1.73	-2.05
1.17	1223.00	68.00	17.99	-1.43	-1.87
1.51	639.00	141.00	14.86	-1.31	-1.79
0	463.00	43.00	10.77	-2.15	-2.31
0.5	833.00	43.00	21.36	-0.85	-0.63
3.4	985.00	39.00	12.63	-2.47	-2.50
4.2	853.00	78.00	18.54	-2.23	-2.36
2.81	1041.00	46.00	13.01	-0.83	-1.50
3.06	1096.00	80.00	11.42	-2.27	-2.38
2.11	1774.00	96.00	12.58	-1.81	-2.10
2.24	1877.00	111.00	16.91	-2.43	-2.48
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	856.00	53.00	19.45	-0.62	-1.38
0	448.00	44.00	12.11	-0.96	-1.58
0	775.00	37.00	12.92	-0.82	-1.50
0	0.00	60.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	296.00	0.00	12.33	0.00	0.00
0	963.00	24.00	18.17	0.00	0.00
0	1092.00	55.00	19.85	0.00	0.00
5.8	290.00	13.00	22.31	-1.32	-1.80
8.87	458.00	24.00	19.08	-1.41	-1.86
8.32	143.00	8.00	17.88	0.04	-0.93
8.46	301.00	40.00	27.36	-2.23	-2.36
5.99	412.00	11.00	18.73	-3.16	-2.92
5.82	849.00	22.00	21.77	-0.62	-1.38
2.89	619.00	39.00	20.63	-0.45	-1.27
10.69	707.00	30.00	35.35	-0.75	-1.45
4.15	983.00	20.00	89.36	-1.98	-2.20
10.14	243.00	11.00	22.09	-2.69	-2.64
0	808.00	11.00	20.2	-1.19	-1.72
1.05	383.00	25.00	15.32	1.02	-0.40
0	0.00	0.00	0	0.00	0.00
0	334.00	16.00	20.88	-0.56	-1.34
0	0.00	0.00	0	0.00	0.00
1.41	79.00	16.00	9.88	-0.85	-1.52
0	0.00	8.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	148.00	0.00	11.38	0.00	0.00
0	191.00	13.00	11.94	0.00	0.00
0	145.00	10.00	14.5	0.00	0.00
1	97.00	4.00	24.25	-1.30	-1.79
2.83	79.00	3.00	26.33	-0.94	-1.57
0	0.00	0.00	0	0.00	0.00
0	0.00	10.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	157.00	0.00	26.17	-0.90	-1.55
0	218.00	6.00	24.22	0.00	0.00
0	566.00	9.00	56.6	0.00	0.00
0	416.00	14.00	29.71	-0.55	-1.33
0	0.00	0.00	0	0.00	0.00
0	662.00	58.00	11.41	-1.05	-1.64
0	0.00	0.00	0	0.00	0.00
0	0.00	141.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	853.00	0.00	18.54	-0.82	-1.50
0	0.00	46.00	0	0.00	0.00
0	1096.00	0.00	11.42	0.00	0.00
4.95	1774.00	96.00	12.58	-0.25	-1.15
0	1877.00	111.00	16.91	-0.65	-1.40

0.68	89.00	14.00	6.36	-1.11	-1.67
1.47	98.00	12.00	8.17	-0.94	-1.57
1.05	152.00	17.00	8.94	-1.85	-2.12
0.88	228.00	11.00	9.5	-2.38	-2.45
1.05	68.00	24.00	5.67	-1.63	-1.00
1.07	132.00	12.00	6.95	-4.03	-0.92
1.01	142.00	19.00	7.47	-1.45	-0.91
1.04	127.00	19.00	7.94	-1.93	-0.96
0.97	155.00	16.00	8.16	-1.32	-1.80
1.47	201.00	19.00	12.56	-1.71	-2.04
1.16	106.00	16.00	9.64	-2.99	-2.82
3.69	273.00	23.00	11.87	-1.44	-1.88
0.41	3333.00	712.00	4.68	0.11	-0.72
0.35	2378.00	510.00	4.66	0.29	-0.73
0.55	2121.00	392.00	5.41	-1.20	-1.73
0.55	1914.00	254.00	5.36	-1.23	-1.75
0.44	1559.00	357.00	5.57	-1.28	-0.62
1.06	1500.00	280.00	5.26	-2.13	-0.88
0	1471.00	285.00	5.33	-0.63	-0.50
1.45	1508.00	276.00	5.15	-3.08	-1.06
0	1267.00	293.00	4.99	0.04	-0.50
0.94	1497.00	254.00	5.27	-1.16	-1.70
0.5	1297.00	284.00	5.11	-0.51	-1.31
4.58	1384.00	277.00	5	5.29	0.53
0.84	1175.00	65.00	18.08	-1.49	-1.91
0	662.00	58.00	11.41	-1.77	-2.07
0.58	1223.00	68.00	17.99	-1.07	-1.65
0.96	639.00	141.00	14.86	-1.54	-1.94
0.93	463.00	43.00	10.77	-3.25	-2.98
1.05	833.00	43.00	21.36	-1.75	-0.84
0.36	985.00	39.00	12.63	-3.77	-3.29
0.63	853.00	78.00	18.54	-1.78	-2.08
3.05	1041.00	46.00	13.01	-1.31	-1.79
0.7	1096.00	80.00	11.42	-2.84	-2.72
1.37	1774.00	96.00	12.58	-2.64	-2.60
0.84	1877.00	111.00	16.91	-1.67	-2.02
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	263.00	10.00	32.88	-1.18	-1.72
0	0.00	8.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	388.00	0.00	38.8	-1.66	-2.01
0	0.00	10.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	218.00	0.00	24.22	0.00	0.00
0	566.00	9.00	56.6	0.00	0.00
0	416.00	14.00	29.71	0.00	0.00
0.64	4629.00	1159.00	3.99	1.68	-0.13
2.36	4455.00	1160.00	3.84	1.84	-0.05
3.26	4661.00	1295.00	3.6	7.20	1.26
0.93	4033.00	1350.00	3.71	1.43	-0.25

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	45.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	89.00	0.00	96.74%	-0.53	-1.32
0	39.00	92.00	86.67%	0.00	0.00
0	35.00	43.00	81.40%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	110.00	323.00	94.02%	-0.25	-1.15
0	0.00	117.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	128.00	0.00	95.52%	-0.22	-1.13
0	0.00	134.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	246.00	0.00	91.79%	-0.30	-1.18
0	285.00	268.00	88.24%	0.00	0.00
0	263.00	286.00	91.96%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2039	133.00	144.00	92.36%	-1.04	-1.63
0.2271	156.00	173.00	90.17%	-1.20	-1.73
0.2197	110.00	323.00	94.02%	-0.29	-1.18
0.2457	110.00	117.00	94.02%	0.14	-0.93
0.2675	119.00	117.00	94.44%	0.75	-0.59
0.2875	128.00	126.00	95.52%	1.73	-0.14
0.2342	96.00	134.00	94.12%	-0.02	-1.01
0.2048	223.00	102.00	95.30%	-0.13	-1.08
0.1499	246.00	234.00	91.79%	-1.74	-2.06
0.3042	285.00	268.00	88.24%	-0.43	-1.26
0.3143	263.00	286.00	91.96%	1.00	-0.43

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	83.00	112.00	93.26%	-0.53	-1.32
0	73.00	89.00	96.05%	4.90	0.22
0	146.00	76.00	96.05%	-0.49	-1.30
0	0.00	152.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	107.00	0.00	96.40%	0.00	0.00
0	106.00	111.00	94.64%	0.00	0.00
0	111.00	117.00	94.87%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	36533.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3499	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2665	0.00	0.00	0.00%	0.00	0.00
0.3608	0.00	0.00	0.00%	0.00	0.00
0	31153.00	0.00	93.21%	-0.97	-1.59
0.1674	34030.00	33423.00	93.15%	-1.60	-1.97
0.1696	37979.00	40845.00	92.98%	-3.66	-3.23
0	0.00	0.00	0.00%	0.00	0.00
0.2799	12093.00	13364.00	90.49%	-0.19	-1.11
0.1714	11471.00	12592.00	91.10%	-1.18	-1.72
0.1979	10596.00	13310.00	90.14%	-1.35	-1.82
0.3359	10127.00	11755.00	91.22%	1.08	-0.36
0.2818	10903.00	11102.00	92.45%	0.36	-0.75
0.2271	10317.00	11793.00	93.38%	-0.35	-1.21
0.2353	12389.00	11048.00	94.85%	0.24	-0.82
0.2353	13437.00	13061.00	94.65%	0.17	-0.85
0.2895	11527.00	14196.00	94.20%	1.18	-0.31
0.1324	12483.00	12237.00	93.79%	-1.37	-1.83
0.1727	12282.00	13322.00	92.19%	-1.42	-1.86
0	0.00	0.00	0.00%	0.00	0.00
0	37.00	37.00	100.00%	0.00	0.00
0.149	16.00	16.00	100.00%	0.00	-0.85
0	14.00	54.00	100.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	36.00	36.00	100.00%	0.00	0.00
0	59.00	59.00	100.00%	0.00	0.00
0	18.00	38.00	94.74%	-0.38	-1.23
0	0.00	19.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	33.00	0.00	97.06%	2.99	-0.12
0	12.00	34.00	100.00%	0.00	0.00
0	49.00	12.00	98.00%	-0.27	-1.17
0.5	28.00	50.00	93.33%	2.38	-0.17
0	38.00	30.00	100.00%	0.00	0.00
0	44.00	44.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	133.00	144.00	92.36%	-0.74	-1.45
0	156.00	173.00	90.17%	-0.97	-1.59
0	0.00	323.00	0.00%	0.00	0.00
0	110.00	0.00	94.02%	-0.43	-1.26
0	0.00	117.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	96.00	0.00	94.12%	-0.35	-1.21
0	223.00	102.00	95.30%	-0.31	-1.19
0	246.00	234.00	91.79%	-0.30	-1.18
0.4	285.00	268.00	88.24%	0.57	-0.67
0	263.00	286.00	91.96%	-0.51	-1.31
0	0.00	0.00	0.00%	0.00	0.00
0.1372	42.00	47.00	89.36%	-1.83	-2.11
0.1466	64.00	67.00	95.52%	-0.83	-1.50
0.1158	83.00	69.00	96.51%	-0.97	-1.59
0.1587	58.00	86.00	85.29%	-2.58	-2.57
0.1613	82.00	68.00	96.47%	-0.39	-1.23
0.1467	69.00	85.00	90.79%	-1.90	-2.15
0.1753	56.00	76.00	87.50%	-2.06	-2.25
0.1673	56.00	64.00	91.80%	-1.40	-1.85
0.156	73.00	61.00	97.33%	-0.09	-1.05
0.1864	64.00	75.00	92.75%	-1.09	-1.66
0.182	65.00	69.00	94.20%	-0.78	-1.47
0	0.00	0.00	0.00%	0.00	0.00
0.325	4856.00	5394.00	90.03%	0.34	-0.76
0	4387.00	4852.00	90.42%	-1.78	-2.08
0.2179	3877.00	3537.00	89.64%	-0.78	-1.48
0.2818	3585.00	4325.00	90.90%	-0.07	-1.04
0	3511.00	3944.00	91.77%	-1.30	-1.79
0.2421	3367.00	3826.00	92.68%	-0.16	-1.10
0.2018	3867.00	3633.00	94.00%	-0.50	-1.31
0	3199.00	4114.00	92.91%	-1.53	-1.93
0.1543	3009.00	3443.00	92.24%	-1.26	-1.77
0.2353	3278.00	3262.00	92.68%	-0.39	-1.24
0.3307	3474.00	3832.00	90.66%	0.68	-0.57

0	0.00	0.00	0.00%	0.00	0.00
0.1313	133.00	144.00	92.36%	-1.77	-2.07
0.2225	156.00	173.00	90.17%	-1.34	-1.82
0.2241	110.00	323.00	94.02%	-0.23	-1.14
0.2601	110.00	117.00	94.02%	0.44	-0.77
0.2479	119.00	117.00	94.44%	0.37	-0.80
0.2299	128.00	126.00	95.52%	0.44	-0.76
0.1731	96.00	134.00	94.12%	-0.84	-1.51
0.1998	223.00	102.00	95.30%	-0.22	-1.14
0.2219	246.00	234.00	91.79%	-1.09	-1.66
0.2143	285.00	268.00	88.24%	-2.15	-2.31
0.2339	263.00	286.00	91.96%	-0.82	-1.50
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	18.00	38.00	94.74%	-0.32	-1.19
0	0.00	19.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	33.00	0.00	97.06%	-0.24	-1.15
0	0.00	34.00	0.00%	0.00	0.00
0	49.00	0.00	98.00%	-0.14	-1.09
0	28.00	50.00	93.33%	-0.26	-1.16
0	38.00	30.00	100.00%	0.00	0.00
0	44.00	44.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	12093.00	13364.00	90.49%	-0.72	-1.44
0	11471.00	12592.00	91.10%	-0.99	-1.60
0	10596.00	13310.00	90.14%	-0.57	-1.35
0	10127.00	11755.00	91.22%	-0.69	-1.42
0	10903.00	11102.00	92.45%	-0.81	-1.49
0	10317.00	11793.00	93.38%	-0.75	-1.46
0	12389.00	11048.00	94.85%	-0.74	-1.45
0	13437.00	13061.00	94.65%	-0.53	-1.32
0	11527.00	14196.00	94.20%	-0.50	-1.30
0	12483.00	12237.00	93.79%	-0.81	-1.49
0.4714	12282.00	13322.00	92.19%	2.33	0.06
0	0.00	0.00	0.00%	0.00	0.00
0.1319	9751.00	10478.00	93.06%	-13.42	-9.16
0.1112	11056.00	11842.00	93.36%	-11.65	-8.08
0.1385	10088.00	12758.00	94.02%	-6.03	-4.67
0.1294	10176.00	10730.00	93.80%	-6.20	-4.77
0.0991	10971.00	10849.00	94.19%	-7.31	-5.45
0.12	9316.00	11648.00	94.18%	-6.46	-4.92
0.1081	9137.00	9892.00	93.76%	-6.79	-5.13
0.142	10000.00	9745.00	93.75%	-5.92	-4.60
0.1532	10547.00	10667.00	93.58%	-5.65	-4.44
0.1584	11955.00	11271.00	93.71%	-5.44	-4.30
0.1529	13267.00	14218.00	93.31%	-6.01	-4.65
0	0.00	0.00	0.00%	0.00	0.00
0.2875	42.00	47.00	89.36%	-0.25	-1.15
0.2764	64.00	67.00	95.52%	0.99	-0.51
0.325	83.00	69.00	96.51%	2.61	0.10

0	58.00	86.00	85.29%	-1.92	-2.16
0.2738	82.00	68.00	96.47%	1.40	-0.33
0.169	69.00	85.00	90.79%	-1.05	-1.64
0	56.00	76.00	87.50%	-2.00	-2.22
0.2179	56.00	64.00	91.80%	-0.57	-1.35
0.2197	71.00	61.00	97.26%	0.82	-0.60
0.2291	64.00	73.00	92.75%	-0.36	-1.22
0.2215	65.00	69.00	94.20%	-0.15	-1.09
0	0.00	0.00	0.00%	0.00	0.00
0	29339.00	31671.00	92.64%	-0.56	-1.34
0.2494	32334.00	34787.00	92.95%	-0.06	-1.04
0	29113.00	36533.00	93.40%	-0.80	-1.48
0	30043.00	31169.00	93.41%	-1.03	-1.63
0.3222	31108.00	32163.00	93.44%	0.87	-0.49
0	26697.00	33293.00	93.09%	-1.85	-2.12
0.2502	26852.00	28679.00	93.49%	0.10	-0.91
0.1804	29230.00	28723.00	93.22%	-8.24	-6.01
0.175	31153.00	31355.00	93.21%	-10.17	-7.19
0.166	34030.00	33423.00	93.15%	-11.72	-8.13
0.1727	37979.00	40845.00	92.98%	-10.09	-7.13
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	110.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	81.00	0.00	86%	-0.40	-1.24
0	106.00	94.00	90%	-0.34	-1.20
0	99.00	118.00	90%	-1.01	-1.61
0	105.00	118.00	89%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	323.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.5	291.00	0.00	93%	2.31	-0.12
0	213.00	314.00	96%	-0.33	-1.20
0	468.00	221.00	98%	-0.36	-1.22
0	300.00	478.00	93%	-0.39	-1.24
0	219.00	336.00	65%	-1.45	-1.88
0	0.00	0.00	0%	0.00	0.00
0.2421	0.00	0.00	0%	0.00	0.09
0	0.00	0.00	0%	0.00	-0.11
0	0.00	3384.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	0.00

0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	112.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	111.00	0.00	100%	0.00	0.00
0	112.00	111.00	100%	0.00	0.00
0	117.00	117.00	100%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.1414	0.00	0.00	0%	0.00	-0.05
0	0.00	0.00	0%	0.00	-0.11
0	0.00	13310.00	0%	0.00	-0.11
0.1776	0.00	0.00	0%	0.00	-0.01
0.14	0.00	0.00	0%	0.00	-0.05
0.2215	0.00	0.00	0%	0.00	0.05
0.1972	0.00	0.00	0%	0.00	0.00
0.2098	0.00	0.00	0%	0.00	0.00
0.1872	12237.00	0.00	100%	0.00	1.67
0.1187	13310.00	12237.00	100%	0.00	0.76
0.1336	13322.00	13322.00	100%	0.00	0.80
0	0.00	0.00	0%	0.00	0.00
0.0645	0.00	0.00	0%	0.00	-0.10
0.0481	0.00	0.00	0%	0.00	-0.10
0.0307	0.00	33149.00	0%	0.00	-0.11
0.0564	0.00	0.00	0%	0.00	-0.10
0.0318	0.00	0.00	0%	0.00	-0.11
0	0.00	0.00	0%	0.00	-0.11
0.0379	0.00	0.00	0%	0.00	0.00
0.0526	0.00	0.00	0%	0.00	0.00
0.0333	30364.00	0.00	100%	0.00	0.00
0.0447	33149.00	30364.00	100%	0.00	0.00
0.0266	37621.00	37621.00	100%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00

0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.3499	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.3499	0.00	0.00	0%	0.00	0.00
0.2875	0.00	0.00	0%	0.00	0.00
0.3	0.00	0.00	0%	0.00	0.00
0.3307	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.4	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	7.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	1.00	0.00	17%	0.00	0.00
0	1.00	6.00	14%	0.00	0.00
0	0.00	6.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.4714	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.4	0.00	0.00	0%	0.00	0.00
0.3646	0.00	0.00	0%	0.00	0.00

0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.3499	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.4899	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.3307	0.00	0.00	0%	0.00	0.00
0	0.00	0.00	0%	0.00	0.00
0.2764	0.00	979.00	0%	0.00	0.00
0.3857	0.00	0.00	0%	0.00	0.00
0.2875	0.00	0.00	0%	0.00	0.00
0.4213	0.00	0.00	0%	0.00	0.00
0.3857	0.00	0.00	0%	0.00	0.00
0.4213	0.00	0.00	0%	0.00	0.00
0	116.00	0.00	14%	-0.98	-1.60
0	144.00	831.00	15%	-0.93	-1.56
0	184.00	1235.00	15%	-0.59	-1.36
0	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00
0.2206	0.00	0.00	0.00%	0.00	0.00
0.2068	0.00	2473.00	0.00%	0.00	0.00
0.1923	0.00	0.00	0.00%	0.00	0.00
0.1947	0.00	0.00	0.00%	0.00	0.00
0.2146	0.00	0.00	0.00%	0.00	0.00
0.2619	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2723	187.00	0.00	8.27%	-0.06	-1.04
0.2094	204.00	2260.00	8.25%	-1.22	-1.74
0.2619	230.00	2839.00	8.10%	-0.19	-1.11
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0.3727	0.00	0.00	0.00%	0.00	0.00
0.3	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2875	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2444	0.00	0.00	0.00%	0.00	0.00
0.2665	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2083	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2764	0.00	0.00	0.00%	0.00	0.00
0.2353	0.00	0.00	0.00%	0.00	0.00
0.2534	0.00	0.00	0.00%	0.00	0.00
0.2764	0.00	0.00	0.00%	0.00	0.00
0.2967	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4422	0.00	0.00	0.00%	0.00	0.00
0.3548	0.00	0.00	0.00%	0.00	0.00
0.2432	0.00	0.00	0.00%	0.00	0.00
0.2734	0.00	0.00	0.00%	0.00	0.00
0.3291	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0.1372	0.00	0.00	0.00%	0.00	0.00
0.1466	0.00	0.00	0.00%	0.00	0.00
0.1158	0.00	0.00	0.00%	0.00	0.00
0.1587	0.00	0.00	0.00%	0.00	0.00
0.1613	0.00	0.00	0.00%	0.00	0.00
0.1467	0.00	0.00	0.00%	0.00	0.00
0.1753	0.00	0.00	0.00%	0.00	0.00
0.1752	0.00	0.00	0.00%	0.00	0.00
0.156	0.00	0.00	0.00%	0.00	0.00
0.1864	0.00	0.00	0.00%	0.00	0.00
0.182	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.325	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2179	0.00	0.00	0.00%	0.00	0.00
0.2818	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2421	0.00	0.00	0.00%	0.00	0.00
0.2018	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1543	0.00	0.00	0.00%	0.00	0.00
0.2353	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1313	0.00	0.00	0.00%	0.00	0.00
0.2225	0.00	0.00	0.00%	0.00	0.00
0.2241	0.00	0.00	0.00%	0.00	0.00
0.2601	0.00	0.00	0.00%	0.00	0.00
0.2479	0.00	0.00	0.00%	0.00	0.00
0.2299	0.00	0.00	0.00%	0.00	0.00
0.1731	0.00	0.00	0.00%	0.00	0.00
0.1998	0.00	0.00	0.00%	0.00	0.00
0.2219	0.00	0.00	0.00%	0.00	0.00
0.2283	0.00	0.00	0.00%	0.00	0.00
0.2339	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1334	0.00	0.00	0.00%	0.00	0.00
0.1112	0.00	0.00	0.00%	0.00	0.00
0.1608	0.00	0.00	0.00%	0.00	0.00

0.1294	0.00	0.00	0.00%	0.00	0.00
0.0991	0.00	0.00	0.00%	0.00	0.00
0.1286	0.00	0.00	0.00%	0.00	0.00
0.1289	0.00	0.00	0.00%	0.00	0.00
0.142	0.00	0.00	0.00%	0.00	0.00
0.1578	0.00	0.00	0.00%	0.00	0.00
0.1626	0.00	0.00	0.00%	0.00	0.00
0.1529	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2875	0.00	0.00	0.00%	0.00	0.00
0.2764	0.00	0.00	0.00%	0.00	0.00
0.325	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2738	0.00	0.00	0.00%	0.00	0.00
0.169	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2179	0.00	0.00	0.00%	0.00	0.00
0.2197	0.00	0.00	0.00%	0.00	0.00
0.2291	0.00	0.00	0.00%	0.00	0.00
0.2215	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2494	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3222	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2615	0.00	0.00	0.00%	0.00	0.00
0.1882	0.00	0.00	0.00%	0.00	0.00
0.1786	0.00	0.00	0.00%	0.00	0.00
0.1695	0.00	0.00	0.00%	0.00	0.00
0.1766	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	250.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	44.00	0.00	1.52	-0.48	-1.29
0	110.00	29.00	3.24	-0.46	-1.28
0	0.00	34.00	0.00	0.00	0.00
0	133.00	0.00	3.41	-0.28	-1.17
0	875.00	39.00	4.56	0.00	0.00
0	1336.00	192.00	5.34	0.00	0.00
0	996.00	359.00	2.77	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	87.00	63.00	1.38	-0.49	-1.30
3.54	160.00	65.00	2.46	0.85	-0.45
0	0.00	41.00	0.00	0.00	0.00
0	132.00	0.00	3.47	-0.61	-1.37
0	44.00	38.00	1.52	-0.48	-1.29
0	110.00	29.00	3.24	-0.46	-1.28
0	0.00	34.00	0.00	0.00	0.00
0	133.00	0.00	3.41	0.12	-0.49
0	56.00	39.00	1.87	-0.43	-1.26
0	76.00	30.00	1.85	0.00	0.00
0	120.00	49.00	2.45	-0.52	-1.32
1.19	525.00	265.00	1.98	-0.25	-1.15
2	515.00	172.00	2.99	0.18	-0.41
1.33	449.00	165.00	2.72	-0.55	-1.33
0	364.00	181.00	3.37	-0.79	-1.48
0.58	234.00	108.00	2.15	-0.28	-1.17
5.29	395.00	109.00	4.65	0.07	-0.68
2.83	393.00	85.00	4.85	-0.19	-1.12
0	281.00	81.00	2.51	-0.65	-1.39
2.12	695.00	112.00	4.34	-0.26	-1.16
2.28	550.00	160.00	3.87	-0.42	-1.26
2.51	555.00	142.00	3.07	-0.41	-1.25
1.41	709.00	284.00	2.50	-0.30	-1.19
0	798.00	333.00	2.40	-0.35	-1.21
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	250.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
1.41	506.00	0.00	3.29	-0.35	-1.21
5.49	895.00	154.00	4.52	0.09	-0.77
1	875.00	198.00	4.56	-0.90	-1.55
1.53	1336.00	192.00	5.34	-0.66	-1.40
1.1	996.00	359.00	2.77	-0.80	-1.48

0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	17.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	67.00	0.00	4.19	-0.39	-1.24
0	22.00	16.00	1.29	-0.37	-1.23
0	38.00	8.00	4.75	0.00	0.00
0	152.00	37.00	4.11	-0.41	-1.25
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	40.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.41	88.00	0.00	5.5	-0.09	-1.06
0	0.00	16.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	64.00	0.00	2.13	0.95	-0.56
0	108.00	30.00	4.15	0.00	0.00
0	306.00	26.00	7.65	0.00	0.00
0	90.00	51.00	1.76	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	47.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	32.00	0.00	1.68	-0.53	-1.32
0	0.00	19.00	0	0.00	0.00
4.95	191.00	0.00	4.66	-0.02	-1.01
0	340.00	41.00	7.23	-0.50	-1.30
0	131.00	63.00	2.08	1.04	-0.26
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	7.00	0	0.00	0.00
0	8.00	0.00	2.67	-0.69	-1.42
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	133.00	0.00	19	0.00	0.00
0	25.00	7.00	3.57	0.00	0.00
0	53.00	13.00	4.08	0.00	0.00
0.71	60.00	24.00	2.5	-0.48	-1.29
0	0.00	0.00	0	0.00	0.00
0	150.00	34.00	4.41	-0.36	-1.22
0	0.00	29.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	20.00	2.00	10	-0.82	-1.50
0	0.00	1.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.6	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.26	0.00	0.00	0	0.00	0.00
6.34	0.00	0.00	0	0.00	0.00
0	11.00	0.00	11	0.00	0.00
0	88.00	6.00	14.67	0.00	0.00
1.5	18.00	5.00	3.6	-0.38	-1.23
4.24	34.00	3.00	11.33	-1.67	-2.01
3.21	16.00	6.00	2.67	0.78	-0.36
2.74	25.00	2.00	8.33	-0.67	-1.40
0	6.00	3.00	3	0.00	0.00
3.79	37.00	2.00	12.33	-0.48	-1.29
0.71	0.00	3.00	0	0.00	0.00
4.55	21.00	0.00	5.25	0.12	-1.13
2.89	34.00	4.00	5.67	0.40	-0.83
3.08	4.00	6.00	1.33	6.32	-0.35
2.7	4.00	3.00	2	2.57	0.03
4.32	1.00	1.00	1	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	160.00	65.00	2.46	-0.44	-1.26
0	0.00	41.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	56.00	0.00	1.87	0.07	-0.79
0	76.00	30.00	1.85	0.00	0.00
8.02	120.00	49.00	2.45	4.42	0.75
6.25	1075.00	22.00	48.86	-6.54	-4.98
0	121.00	6.00	20.17	-0.63	-1.39
10.12	22.00	2.00	11	-0.34	-1.21
3.54	98.00	10.00	12.25	-0.85	-1.52
0.71	37.00	8.00	9.25	-1.79	-2.09
7.06	96.00	4.00	8.73	-0.07	-1.04
2.97	119.00	11.00	11.9	-0.86	-1.52
0	80.00	10.00	13.33	-0.95	-1.58
0.58	257.00	6.00	19.77	-1.19	-1.72
1.41	45.00	13.00	15	-1.80	-2.09
6.82	104.00	3.00	10.4	-1.65	-2.00
3.15	366.00	21.00	17.43	-1.42	-1.86

4.21	798.00	333.00	2.4	2.63	0.27
3.31	697.00	209.00	3.33	0.96	-0.52
3.67	755.00	213.00	3.54	0.77	-0.56
2.85	533.00	250.00	3.68	0.74	-0.60
1.01	445.00	145.00	2.99	5.18	1.26
2.54	558.00	149.00	4.57	0.58	-0.54
7.42	570.00	122.00	4.79	0.86	-0.57
1.06	506.00	119.00	3.29	0.88	-0.51
10.83	895.00	154.00	4.52	1.49	-0.22
2.51	875.00	198.00	4.56	0.16	-0.84
4.05	1336.00	192.00	5.34	-0.22	-1.13
4.83	996.00	359.00	2.77	3.83	0.88
0	579.00	21.00	27.57	-0.80	-1.49
0	116.00	12.00	9.67	-1.00	-1.61
0	414.00	15.00	27.6	-0.94	-1.57
0	0.00	29.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
4.95	296.00	0.00	19.73	-0.94	-1.57
0	641.00	15.00	35.61	0.00	0.00
0	444.00	18.00	15.31	0.00	0.00
2.83	646.00	40.00	16.15	-0.72	-1.44
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	272.00	11.00	18.13	-0.74	-1.45
0	0.00	15.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	78.00	0.00	13	0.00	0.00
0	170.00	6.00	15.45	0.00	0.00
0	486.00	29.00	16.76	0.00	0.00
0	9.00	2.00	4.5	2.50	-1.02
0	0.00	0.00	0	0.00	0.00
1.41	0.00	0.00	0	0.00	0.00
0	0.00	5.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	768.00	0.00	128	-3.46	-3.11
0	0.00	6.00	0	0.00	0.00
0	47.00	0.00	9.4	0.00	0.00
0	12.00	4.00	3	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	8.00	3.00	8	0.00	0.00

0	0.00	1.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	2.00	0.00	2	0.00	0.00
0	24.00	1.00	8	0.00	0.00
0	122.00	6.00	20.33	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	1.00	0.00	1	0.00	0.00
0	5.00	1.00	1.67	-1.00	-1.61
0	1.00	1.00	1	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	414.00	15.00	27.6	-0.94	-1.57
0	0.00	29.00	0	0.00	0.00
0	65.00	0.00	9.29	-0.88	-1.53
0	0.00	7.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	115.00	0.00	14.38	-1.39	-1.85
0	296.00	8.00	19.73	-0.57	-1.35
0	641.00	15.00	35.61	0.00	0.00
0	444.00	18.00	15.31	0.00	0.00
0	646.00	40.00	16.15	-0.65	-1.40
0	0.00	0.00	0	0.00	0.00
2.12	235.00	52.00	4.52	0.24	-0.39
0	191.00	45.00	4.24	-0.51	-1.31
0	173.00	47.00	3.84	-0.45	-1.27
0	164.00	45.00	5.86	0.20	-0.65
0	0.00	28.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	191.00	0.00	4.66	0.00	0.00
0	340.00	41.00	7.23	0.00	0.00
5.77	131.00	63.00	2.08	3.38	0.32
0	1.00	1.00	1	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	20.00	1.00	10	0.06	-1.40
0	0.00	2.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	21.00	0.00	21	0.00	0.00
0	7.00	1.00	7	0.00	0.00
0	35.00	1.00	35	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	49.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	277.00	0.00	9.23	0.88	-0.42
0	0.00	30.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	258.00	0.00	6.79	0.00	0.00
0	298.00	38.00	6.08	0.00	0.00
0	324.00	47.00	6.89	0.00	0.00
5.66	640.00	111.00	5.77	0.27	-0.67
0	435.00	106.00	4.1	-0.02	-1.01
1.41	607.00	121.00	5.02	0.54	-0.65
0	483.00	145.00	4.78	-0.34	-1.21
0	0.00	101.00	0	0.00	0.00
3.54	454.00	0.00	4.93	-0.08	-1.05
2.52	434.00	92.00	4.17	-0.31	-1.19
0	490.00	104.00	5.05	-0.63	-1.39
4.08	601.00	97.00	5.27	-0.22	-1.13
2.65	557.00	114.00	4.57	0.16	-0.78
0	898.00	122.00	6.19	0.00	0.00
0	676.00	137.00	4.93	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	194.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
4.16	797.00	0.00	5.61	0.28	-0.45
2.78	815.00	142.00	5.09	-0.05	-1.03
0	1196.00	160.00	6.16	-0.50	-1.30
6.06	1000.00	184.00	5.43	2.15	0.11
0	141.00	25.00	5.64	0.99	-0.61
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	25.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	291.00	0.00	8.56	-0.47	-1.28
0	198.00	34.00	7.92	0.00	0.00
0	313.00	53.00	5.91	-0.63	-1.38

0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	30.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
4.24	199.00	0.00	7.65	-0.24	-1.15
0	355.00	26.00	8.45	-0.49	-1.30
0	209.00	42.00	6.97	0.00	0.00
3.54	329.00	55.00	5.98	-0.56	-1.34
12.61	41.00	4.00	10.25	-0.31	-1.19
2.08	40.00	3.00	13.33	-1.84	-2.12
4.24	3.00	1.00	3	0.00	0.00
0	32.00	1.00	16	-0.29	-1.18
0.71	31.00	2.00	7.75	-1.21	-1.74
9.9	4.00	4.00	4	0.00	0.00
0	6.00	1.00	3	0.00	-1.00
3.51	6.00	2.00	6	0.00	0.00
6.36	58.00	1.00	29	-4.15	-3.53
2.65	50.00	2.00	8.33	-0.44	-1.27
0	3.00	6.00	3	0.00	0.00
4.36	6.00	2.00	3	3.10	-0.63
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	21.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	123.00	0.00	12.3	-0.80	-1.49
0	0.00	10.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	165.00	0.00	10.31	0.00	0.00
0.71	152.00	16.00	7.24	-1.55	-1.94
0	195.00	31.00	6.29	-0.24	-1.14
0	180.00	11.00	16.36	6.40	-0.18
4.5	9.00	2.00	4.5	2.02	-0.76
0	48.00	8.00	6	-1.14	-1.69
1.67	10.00	12.00	5	-2.03	-2.23
0.5	6.00	2.00	3	-1.02	-1.62
1.34	1.00	2.00	1	0.00	0.00
6.68	4.00	1.00	4	0.00	0.00
0	53.00	1.00	26.5	-29.44	-18.90
7	43.00	2.00	7.17	-1.27	-1.77
4.24	93.00	6.00	7.75	-1.71	-2.04
5.67	128.00	12.00	10.67	-1.14	-1.69
10.11	45.00	6.00	7.5	0.79	-0.54
4.67	956.00	155.00	6.17	-1.75	-2.06
4.71	648.00	143.00	4.53	3.20	0.49
9.9	1055.00	183.00	5.77	0.47	-0.56
0	0.00	194.00	0	0.00	0.00

0	954.00	0.00	5.07	-0.37	-1.22
0	0.00	188.00	0	0.00	0.00
6.58	721.00	0.00	5.3	2.04	0.04
0.45	654.00	136.00	5.45	-0.74	-1.45
17.21	797.00	120.00	5.61	1.62	-0.03
7.44	815.00	142.00	5.09	-0.61	-1.37
2.22	1196.00	160.00	6.16	-0.45	-1.27
0	1000.00	184.00	5.43	0.64	-0.39
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	17.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	20.00	0.00	6.67	-2.00	-2.22
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	65.00	0.00	7.22	0.00	0.00
0	367.00	9.00	21.59	0.00	0.00
0	113.00	14.00	8.07	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	6.00	0	0.00	0.00
0	51.00	0.00	17	-2.67	-2.62
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	46.00	0.00	15.33	0.00	0.00
0	178.00	3.00	29.67	0.00	0.00
0	66.00	4.00	16.5	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	39.00	3.00	13	-0.76	-1.46
0	0.00	3.00	0	0.00	0.00
0	11.00	0.00	2.75	3.80	-0.33
0	0.00	4.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	51.00	0.00	12.75	0.00	0.00
0	29.00	4.00	9.67	0.00	0.00
7.07	118.00	6.00	19.67	-0.51	-1.31
0	57.00	6.00	9.5	-0.52	-1.31
0	0.00	0.00	0	0.00	0.00
0	203.00	6.00	33.83	-1.30	-1.79
0.5	31.00	17.00	10.33	-1.56	-1.95
0	0.00	3.00	0	0.00	0.00
0	173.00	0.00	57.67	-0.85	-1.51
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00

0	0.00	0.00	0	0.00	0.00
0	65.00	0.00	7.22	-0.74	-1.45
1.5	367.00	9.00	21.59	-2.22	-2.35
0	113.00	14.00	8.07	0.00	0.00
0	0.00	0.00	0	0.00	0.00
1.15	502.00	50.00	10.04	-0.29	-1.17
5.2	183.00	43.00	4.26	6.69	1.26
0	281.00	30.00	6.11	-0.76	-1.46
0	142.00	46.00	4.73	0.40	-0.46
0	196.00	30.00	6.32	2.21	-0.03
0	83.00	31.00	3.32	-0.11	-1.07
0	186.00	25.00	5.81	-0.24	-1.14
0	0.00	32.00	0	0.00	0.00
0	355.00	0.00	8.45	0.00	0.00
0	209.00	42.00	6.97	-0.95	-1.58
0	329.00	55.00	5.98	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	38.00	4.00	9.5	-0.75	-1.46
0	0.00	3.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	0.00	0.00	0	0.00	0.00
0	51.00	0.00	12.75	0.00	0.00
0	29.00	4.00	9.67	0.00	0.00
0	118.00	6.00	19.67	-0.64	-1.39
0.015972222	0.00	0.00	0:00	0.00	0.00
0.008333333	0.00	0.00	0:00	0.00	0.00
0.002777778	0.00	0.00	0:00	0.00	0.00
0.002777778	0.00	0.00	0:00	0.00	0.00
0.004166667	0.00	0.00	0:00	0.00	0.00
0.002083333	0.00	0.00	0:00	0.00	0.00
0.002777778	0.00	0.00	0:00	0.00	0.00
0.002083333	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.003472222	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.002777778	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.004166667	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.009722222	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.001388889	0.00	0.00	0:00	0.00	0.00
0.009027778	0.00	0.00	0:00	0.00	0.00
0.005555556	0.00	0.00	0:00	0.00	0.00

0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.038	0.00	0.00	0.00%	0.00	-0.15
0.038	0.00	0.00	0.00%	0.00	-0.15
0.0459	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.1342	0.00	0.00	0.00%	0.00	-0.10
0.0775	0.00	0.00	0.00%	0.00	-0.14
0.0844	0.00	0.00	0.00%	0.00	-0.14
0.0462	0.00	0.00	0.00%	0.00	-0.15
0.0963	0.00	0.00	0.00%	0.00	-0.13
0.0448	0.00	0.00	0.00%	0.00	-0.15
0.0241	0.00	0.00	0.00%	0.00	-0.16
0.0841	0.00	0.00	0.00%	0.00	-0.14
0.0351	0.00	0.00	0.00%	0.00	-0.15
0.0265	0.00	0.00	0.00%	0.00	-0.16
0.066	0.00	0.00	0.00%	0.00	-0.14
0.0544	0.00	0.00	0.00%	0.00	-0.15
0.0668	0.00	0.00	0.00%	0.00	-0.14
0.0414	0.00	0.00	0.00%	0.00	-0.15
0.0772	0.00	0.00	0.00%	0.00	-0.14
0.0893	0.00	0.00	0.00%	0.00	-0.13
0	8.11	1.00	2:38	0.00	0.00
0	7.78	1.00	18:43	0.00	0.00
0	8.21	1.00	5:02	0.00	0.00
0	7.86	1.00	20:38	0.00	0.00
0	7.35	1.00	8:24	0.00	0.00
0	7.65	1.00	15:36	0.00	0.00
0	7.56	1.00	13:26	0.00	0.00
0	7.09	1.00	2:09	0.00	0.00
0	7.59	1.00	14:09	0.00	0.00
0	7.17	1.00	4:04	0.00	0.00
0	7.13	1.00	3:07	0.00	0.00
0	7.16	1.00	3:50	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.24
0	0.00	0.00	0.00%	0.00	-0.24
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.24
0	0.00	0.00	0.00%	0.00	-0.24
0	0.00	0.00	0.00%	0.00	-0.24
0	0.00	0.00	0.00%	0.00	-0.24
1.72	0.00	0.00	0:00	0.00	0.00
1.45	0.00	0.00	0:00	0.00	0.00
5.93	0.00	0.00	0:00	0.00	0.00
2.25	0.00	0.00	0:00	0.00	0.00

1.74	0.00	0.00	0:00	0.00	-1.70
2.98	0.00	0.00	0:00	0.00	-1.70
1.76	0.00	0.00	0:00	0.00	-1.73
1.62	0.00	0.00	0:00	0.00	-1.83
4.39	0.00	0.00	0:00	0.00	-1.74
2.9	0.00	0.00	0:00	0.00	-1.76
10.35	0.00	0.00	0:00	0.00	-1.80
3.14	0.00	0.00	0:00	0.00	-1.79
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.42
0	0.00	0.00	0:00	0.00	-2.43
0	0.00	0.00	0:00	0.00	-2.42
0	0.00	0.00	0:00	0.00	-2.42
0	0.00	0.00	0:00	0.00	-2.44
0	0.00	0.00	0:00	0.00	-2.45
0	0.00	0.00	0:00	0.00	-2.47
0	0.00	0.00	0:00	0.00	-2.43
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.88	0.00	0.00	0:00	0.00	0.00
1.75	0.00	0.00	0:00	0.00	0.00
0.32	0.00	0.00	0:00	0.00	0.00
0.35	0.00	0.00	0:00	0.00	0.00
3.97	0.00	0.00	0:00	0.00	0.00
0.34	0.00	0.00	0:00	0.00	0.00
0.65	0.00	0.00	0:00	0.00	0.00
0.42	0.00	0.00	0:00	0.00	0.00
0.53	0.00	0.00	0:00	0.00	0.00
1.08	0.00	0.00	0:00	0.00	0.00
0.5	0.00	0.00	0:00	0.00	0.00
0.38	0.00	0.00	0:00	0.00	0.00
0.56	0.00	0.00	0:00	0.00	0.00
0.7	0.00	0.00	0:00	0.00	0.00
2.04	0.00	0.00	0:00	0.00	0.00
2.27	0.00	0.00	0:00	0.00	0.00
2.85	0.00	0.00	0:00	0.00	0.00
0.62	0.00	0.00	0:00	0.00	0.00
4.75	0.00	0.00	0:00	0.00	-2.47
3.61	0.00	0.00	0:00	0.00	-2.51
2.24	0.00	0.00	0:00	0.00	-2.52
0.84	0.00	0.00	0:00	0.00	-2.54

2.02	0.00	0.00	0:00	0.00	-2.53
0.95	0.00	0.00	0:00	0.00	-2.53
3.92	0.00	0.00	0:00	0.00	-2.50
3.06	0.00	0.00	0:00	0.00	-2.47
0.00	0.00	0.00	0:00	0.00	0.00
0.00	0.00	0.00	0:00	0.00	0.00
0.00	0.00	0.00	0:00	0.00	0.00
0.00	0.00	0.00	0:00	0.00	0.00
0.00	0.00	0.00	0:00	0.00	-2.58
0.00	0.00	0.00	0:00	0.00	-2.57
0.00	0.00	0.00	0:00	0.00	-2.58
0.00	0.00	0.00	0:00	0.00	-2.57
0.00	0.00	0.00	0:00	0.00	-2.57
0.00	0.00	0.00	0:00	0.00	-2.58
0.00	0.00	0.00	0:00	0.00	-2.40
0.00	0.00	0.00	0:00	0.00	-1.82
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
1	0.00	0.00	0:00	0.00	0.00
3.09	0.00	0.00	0:00	0.00	0.00
0.35	0.00	0.00	0:00	0.00	0.00
0.44	0.00	0.00	0:00	0.00	0.00
0.4	0.00	0.00	0:00	0.00	0.00
0.41	0.00	0.00	0:00	0.00	0.00
0.48	0.00	0.00	0:00	0.00	0.00
0.43	0.00	0.00	0:00	0.00	0.00
0.43	0.00	0.00	0:00	0.00	0.00
1.39	0.00	0.00	0:00	0.00	0.00
0.61	0.00	0.00	0:00	0.00	0.00
0.6	0.00	0.00	0:00	0.00	0.00
2.95	0.00	0.00	0:00	0.00	0.00
0.1	0.00	0.00	0:00	0.00	0.00
6.06	0.00	0.00	0:00	0.00	0.00
5.73	0.00	0.00	0:00	0.00	0.00
5.89	0.00	0.00	0:00	0.00	0.00
7.27	0.00	0.00	0:00	0.00	0.00
7.11	0.00	0.00	0:00	0.00	-2.39
6.26	0.00	0.00	0:00	0.00	-2.40
5.89	0.00	0.00	0:00	0.00	-2.40
5.13	0.00	0.00	0:00	0.00	-2.39
6.07	0.00	0.00	0:00	0.00	-2.40
5.69	0.00	0.00	0:00	0.00	-2.39
10.73	0.00	0.00	0:00	0.00	-2.37
6.56	0.00	0.00	0:00	0.00	-2.32

0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.54
0	0.00	0.00	0:00	0.00	-2.53
0	0.00	0.00	0:00	0.00	-2.53
0	0.00	0.00	0:00	0.00	-2.52
0	0.00	0.00	0:00	0.00	-2.53
0	0.00	0.00	0:00	0.00	-2.56
0	0.00	0.00	0:00	0.00	-2.54
0	0.00	0.00	0:00	0.00	-2.47
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.11	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
4.46	0.00	0.00	0:00	0.00	0.00
4.22	0.00	0.00	0:00	0.00	0.00
4.13	0.00	0.00	0:00	0.00	0.00
5.52	0.00	0.00	0:00	0.00	0.00
5.12	0.00	0.00	0:00	0.00	0.00
5.42	0.00	0.00	0:00	0.00	0.00
5.41	0.00	0.00	0:00	0.00	0.00
4.65	0.00	0.00	0:00	0.00	0.00
4.36	0.00	0.00	0:00	0.00	0.00
4.36	0.00	0.00	0:00	0.00	0.00
4.29	0.00	0.00	0:00	0.00	0.00
4.63	0.00	0.00	0:00	0.00	0.00
2.52	0.00	0.00	0:00	0.00	0.00
4.11	0.00	0.00	0:00	0.00	0.00
1.82	0.00	0.00	0:00	0.00	0.00
1.3	0.00	0.00	0:00	0.00	0.00
2.99	0.00	0.00	0:00	0.00	-2.37
1.19	0.00	0.00	0:00	0.00	-2.38
2.5	0.00	0.00	0:00	0.00	-2.35
1.17	0.00	0.00	0:00	0.00	-2.37
2.52	0.00	0.00	0:00	0.00	-2.33
1.46	0.00	0.00	0:00	0.00	-2.33
1	0.00	0.00	0:00	0.00	-2.33
1.84	0.00	0.00	0:00	0.00	-2.29
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00

0	0.00	0.00	0:00	0.00	-2.38
0	0.00	0.00	0:00	0.00	-2.36
0	0.00	0.00	0:00	0.00	-2.35
0	0.00	0.00	0:00	0.00	-2.32
0	0.00	0.00	0:00	0.00	-2.32
0	0.00	0.00	0:00	0.00	-2.31
0	0.00	0.00	0:00	0.00	-2.13
0	0.00	0.00	0:00	0.00	-1.62
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
1.29	0.00	0.00	0:00	0.00	0.00
2.42	0.00	0.00	0:00	0.00	0.00
2.1	0.00	0.00	0:00	0.00	0.00
2.04	0.00	0.00	0:00	0.00	0.00
1.88	0.00	0.00	0:00	0.00	0.00
1.95	0.00	0.00	0:00	0.00	0.00
2.27	0.00	0.00	0:00	0.00	0.00
2.43	0.00	0.00	0:00	0.00	0.00
2.31	0.00	0.00	0:00	0.00	0.00
2.42	0.00	0.00	0:00	0.00	0.00
2.82	0.00	0.00	0:00	0.00	0.00
2.69	0.00	0.00	0:00	0.00	0.00
3.34	0.00	0.00	0:00	0.00	0.00
2.33	0.00	0.00	0:00	0.00	0.00
1.87	0.00	0.00	0:00	0.00	0.00
2.52	0.00	0.00	0:00	0.00	0.00
2.02	0.00	0.00	0:00	0.00	0.00
1.77	0.00	0.00	0:00	0.00	0.00
1.88	0.00	0.00	0:00	0.00	-2.08
2.51	0.00	0.00	0:00	0.00	-2.10
2.02	0.00	0.00	0:00	0.00	-2.09
1.16	0.00	0.00	0:00	0.00	-2.09
4.13	0.00	0.00	0:00	0.00	-1.98
2.69	0.00	0.00	0:00	0.00	-2.03
3.23	0.00	0.00	0:00	0.00	-2.37
2.21	0.00	0.00	0:00	0.00	-2.40
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-1.91
0	0.00	0.00	0:00	0.00	-1.91
0	0.00	0.00	0:00	0.00	-1.93
0	0.00	0.00	0:00	0.00	-1.93

0	0.00	0.00	0:00	0.00	-1.92
0	0.00	0.00	0:00	0.00	-1.92
0	0.00	0.00	0:00	0.00	-1.58
0	0.00	0.00	0:00	0.00	-1.10
0.31	0.00	0.00	0:00	0.00	0.00
0.32	0.00	0.00	0:00	0.00	0.00
0.31	0.00	0.00	0:00	0.00	0.00
0.33	0.00	0.00	0:00	0.00	0.00
0.34	0.00	0.00	0:00	0.00	0.00
0.35	0.00	0.00	0:00	0.00	0.00
0.35	0.00	0.00	0:00	0.00	0.00
0.36	0.00	0.00	0:00	0.00	0.00
0.36	0.00	0.00	0:00	0.00	0.00
0.33	0.00	0.00	0:00	0.00	0.00
1.67	0.00	0.00	0:00	0.00	0.00
2.78	0.00	0.00	0:00	0.00	0.00
1.16	0.00	0.00	0:00	0.00	0.00
1.16	0.00	0.00	0:00	0.00	0.00
1.3	0.00	0.00	0:00	0.00	0.00
1.34	0.00	0.00	0:00	0.00	0.00
1.47	0.00	0.00	0:00	0.00	0.00
1.65	0.00	0.00	0:00	0.00	0.00
1.29	0.00	0.00	0:00	0.00	0.00
1.43	0.00	0.00	0:00	0.00	0.00
1.32	0.00	0.00	0:00	0.00	0.00
1.41	0.00	0.00	0:00	0.00	0.00
2.64	0.00	0.00	0:00	0.00	0.00
3.41	0.00	0.00	0:00	0.00	0.00
4.84	0.00	0.00	0:00	0.00	0.00
5.65	0.00	0.00	0:00	0.00	0.00
2.07	0.00	0.00	0:00	0.00	0.00
2.31	0.00	0.00	0:00	0.00	0.00
2.24	0.00	0.00	0:00	0.00	-2.16
3.6	0.00	0.00	0:00	0.00	-2.17
2.28	0.00	0.00	0:00	0.00	-2.12
2.49	0.00	0.00	0:00	0.00	-2.15
2.8	0.00	0.00	0:00	0.00	-2.13
1.73	0.00	0.00	0:00	0.00	-2.13
3.31	0.00	0.00	0:00	0.00	-2.00
3.5	0.00	0.00	0:00	0.00	-1.84
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.23
0	0.00	0.00	0:00	0.00	-2.22
0	0.00	0.00	0:00	0.00	-2.21
0	0.00	0.00	0:00	0.00	-2.21
0	0.00	0.00	0:00	0.00	-2.16
0	0.00	0.00	0:00	0.00	-2.14
0	0.00	0.00	0:00	0.00	-1.58
0	0.00	0.00	0:00	0.00	-0.11

0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.95	0.00	0.00	0:00	0.00	0.00
1.67	0.00	0.00	0:00	0.00	0.00
6.71	0.00	0.00	0:00	0.00	0.00
5.47	0.00	0.00	0:00	0.00	0.00
1.54	0.00	0.00	0:00	0.00	0.00
2.24	0.00	0.00	0:00	0.00	0.00
1.84	0.00	0.00	0:00	0.00	0.00
2.03	0.00	0.00	0:00	0.00	0.00
1.94	0.00	0.00	0:00	0.00	0.00
1.47	0.00	0.00	0:00	0.00	0.00
2.53	0.00	0.00	0:00	0.00	0.00
2.14	0.00	0.00	0:00	0.00	0.00
4.17	0.00	0.00	0:00	0.00	0.00
1.64	0.00	0.00	0:00	0.00	0.00
1.04	0.00	0.00	0:00	0.00	0.00
1.11	0.00	0.00	0:00	0.00	0.00
5.82	0.00	0.00	0:00	0.00	0.00
2.18	0.00	0.00	0:00	0.00	0.00
2.13	0.00	0.00	0:00	0.00	-1.94
3.48	0.00	0.00	0:00	0.00	-1.93
1.68	0.00	0.00	0:00	0.00	-1.99
1.96	0.00	0.00	0:00	0.00	-2.01
3.68	0.00	0.00	0:00	0.00	-1.93
2.41	0.00	0.00	0:00	0.00	-1.98
10.48	0.00	0.00	0:00	0.00	-1.83
3.35	0.00	0.00	0:00	0.00	-1.52
0.1	0.00	0.00	0:00	0.00	0.00
0.1	0.00	0.00	0:00	0.00	0.00
2.02	0.00	0.00	0:00	0.00	0.00
0.13	0.00	0.00	0:00	0.00	0.00
0.25	0.00	0.00	0:00	0.00	0.00
0.23	0.00	0.00	0:00	0.00	0.00
0.25	0.00	0.00	0:00	0.00	0.00
0.15	0.00	0.00	0:00	0.00	0.00
0.12	0.00	0.00	0:00	0.00	0.00
0.16	0.00	0.00	0:00	0.00	0.00
0.97	0.00	0.00	0:00	0.00	0.00
0.18	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00

0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
1.45	0.00	0.00	0:00	0.00	0.00
3.11	0.00	0.00	0:00	0.00	0.00
1.51	0.00	0.00	00:00	0.00	0.00
1.95	0.00	0.00	00:00	0.00	0.00
1.32	0.00	0.00	00:00	0.00	0.00
1.55	0.00	0.00	00:00	0.00	0.00
7.3	0.00	0.00	00:00	0.00	-2.15
13.2	0.00	0.00	00:00	0.00	-1.69
7.73	0.00	0.00	00:00	0.00	-1.88
14.45	0.00	0.00	00:00	0.00	-1.43
8.39	0.00	0.00	00:00	0.00	-1.78
10.88	0.00	0.00	00:00	0.00	-1.78
12.29	0.00	0.00	00:00	0.00	-1.49
18.97	0.00	0.00	00:00	0.00	-0.39
7.49	0.00	0.00	00:00	0.00	0.00
4.53	0.00	0.00	00:00	0.00	0.00
5.58	0.00	0.00	00:00	0.00	0.00
6.01	0.00	0.00	00:00	0.00	0.00
7.16	0.00	0.00	00:00	0.00	-1.91
5.32	0.00	0.00	00:00	0.00	-2.03
6.74	0.00	0.00	00:00	0.00	-1.97
4.34	0.00	0.00	00:00	0.00	-2.04
8.19	0.00	0.00	00:00	0.00	-1.89
5.14	0.00	0.00	00:00	0.00	-1.97
6.99	0.00	0.00	00:00	0.00	-1.89
6.9	0.00	0.00	00:00	0.00	-1.86
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	-2.18
0	0.00	0.00	0:00	0.00	-2.15
0	0.00	0.00	0:00	0.00	-2.10
0	0.00	0.00	0:00	0.00	-2.06
0	0.00	0.00	0:00	0.00	-2.14
0	0.00	0.00	0:00	0.00	-2.12
0	0.00	0.00	0:00	0.00	-1.91
0	0.00	0.00	0:00	0.00	-1.61
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0.1	0.00	0.00	0:00	0.00	0.00
0.01	0.00	0.00	0:00	0.00	0.00
7.32	0.00	0.00	0:00	0.00	0.00
4.69	0.00	0.00	0:00	0.00	0.00
3.5	0.00	0.00	0:00	0.00	0.00
6.53	0.00	0.00	0:00	0.00	0.00
4.21	0.00	0.00	0:00	0.00	0.00
4.64	0.00	0.00	0:00	0.00	0.00
5.57	0.00	0.00	0:00	0.00	0.00
7.43	0.00	0.00	0:00	0.00	0.00
4.45	0.00	0.00	0:00	0.00	0.00
5.61	0.00	0.00	0:00	0.00	0.00
5.65	0.00	0.00	0:00	0.00	0.00
5.66	0.00	0.00	0:00	0.00	0.00
0.0086	0.00	0.00	0:00	0.00	0.00
0.0251	0.00	0.00	0:00	0.00	0.00
0.04	0.00	0.00	0:00	0.00	0.00
0.014	0.00	0.00	0:00	0.00	0.00
0.0199	0.00	0.00	0:00	0.00	-2.77
0.0185	0.00	0.00	0:00	0.00	-2.80
0.0225	0.00	0.00	0:00	0.00	-2.69
0.0267	0.00	0.00	0:00	0.00	-2.57
0.0637	0.00	0.00	0:00	0.00	-0.56
0.0507	0.00	0.00	0:00	0.00	-1.46
0.0429	0.00	0.00	0:00	0.00	-1.90
0.0337	0.00	0.00	0:00	0.00	-2.32
0.0407	0.00	0.00	0:00	0.00	0.00
0.0686	0.00	0.00	0:00	0.00	0.00
0.0521	0.00	0.00	0:00	0.00	0.00
0.0359	0.00	0.00	0:00	0.00	0.00
0.0267	0.00	0.00	0:00	0.00	-2.57
0.0271	0.00	0.00	0:00	0.00	-2.56
0.026	0.00	0.00	0:00	0.00	-2.59
0.0329	0.00	0.00	0:00	0.00	-2.35
0.0643	0.00	0.00	0:00	0.00	-0.51
0.0142	0.00	0.00	0:00	0.00	-2.88
0.0685	0.00	0.00	0:00	0.00	-0.17
0.0697	0.00	0.00	0:00	0.00	-0.07
3.32	0.00	0.00	0:00	0.00	0.00
2.61	0.00	0.00	0:00	0.00	0.00
2.99	0.00	0.00	0:00	0.00	0.00
2.14	0.00	0.00	0:00	0.00	0.00
2.2	0.00	0.00	0:00	0.00	0.00
4.05	0.00	0.00	0:00	0.00	0.00
3.7	0.00	0.00	0:00	0.00	0.00
3.27	0.00	0.00	0:00	0.00	0.00

4.46	0.00	0.00	0:00	0.00	0.00
3.15	0.00	0.00	0:00	0.00	0.00
4.52	0.00	0.00	0:00	0.00	0.00
4.86	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.28	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.29	0.00	0.00	0:00	0.00	0.00
0.47	0.00	0.00	0:00	0.00	0.00
4.18	0.00	0.00	0:00	0.00	0.00
5.04	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.04	0.00	0.00	0.00%	0.00	-0.09
0.0309	0.00	0.00	0.00%	0.00	-0.09
0.0441	0.00	0.00	0.00%	0.00	-0.09
0.0444	0.00	0.00	0.00%	0.00	-0.09
0.0228	0.00	0.00	0.00%	0.00	-0.09
0.0751	0.00	0.00	0.00%	0.00	-0.08
0.0277	0.00	0.00	0.00%	0.00	-0.09
0.0704	0.00	0.00	0.00%	0.00	-0.08
0.0668	0.00	0.00	0.00%	0.00	-0.08
0.0659	0.00	0.00	0.00%	0.00	-0.08
0.0628	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.09
0.0304	0.00	0.00	0.00%	0.00	-0.09
0.0556	0.00	0.00	0.00%	0.00	-0.08
0.0522	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0.00%	0.00	-0.09
0.0357	0.00	0.00	0.00%	0.00	-0.09
0.0723	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0.00%	0.00	-0.09
0.0533	0.00	0.00	0.00%	0.00	-0.08
0.046	0.00	0.00	0.00%	0.00	-0.09
0.0331	0.00	0.00	0.00%	0.00	-0.09
0	0.00	0.00	0.00%	0.00	0.00
0.04	0.00	0.00	0.00%	0.00	-0.12
0.0309	0.00	0.00	0.00%	0.00	-0.12
0.0441	0.00	0.00	0.00%	0.00	-0.12
0.0444	0.00	0.00	0.00%	0.00	-0.12
0.0228	0.00	0.00	0.00%	0.00	-0.12
0.0751	0.00	0.00	0.00%	0.00	-0.11
0.0277	0.00	0.00	0.00%	0.00	-0.12
0.0736	0.00	0.00	0.00%	0.00	-0.11
0.0695	0.00	0.00	0.00%	0.00	-0.11
0.0659	0.00	0.00	0.00%	0.00	-0.11
0.0628	0.00	0.00	0.00%	0.00	-0.11

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.13
0.0304	0.00	0.00	0.00%	0.00	-0.12
0.0556	0.00	0.00	0.00%	0.00	-0.12
0.0522	0.00	0.00	0.00%	0.00	-0.12
0	0.00	0.00	0.00%	0.00	-0.13
0.0357	0.00	0.00	0.00%	0.00	-0.12
0.0723	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.13
0.0533	0.00	0.00	0.00%	0.00	-0.12
0.046	0.00	0.00	0.00%	0.00	-0.12
0.0331	0.00	0.00	0.00%	0.00	-0.12
0	0.00	0.00	0.00%	0.00	0.00
0.04	0.00	0.00	0.00%	0.00	-0.15
0.0309	0.00	0.00	0.00%	0.00	-0.15
0.0441	0.00	0.00	0.00%	0.00	-0.15
0.0444	0.00	0.00	0.00%	0.00	-0.15
0.0228	0.00	0.00	0.00%	0.00	-0.16
0.0802	0.00	0.00	0.00%	0.00	-0.14
0.0277	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.16
0.0304	0.00	0.00	0.00%	0.00	-0.15
0.0556	0.00	0.00	0.00%	0.00	-0.15
0.0522	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0.0357	0.00	0.00	0.00%	0.00	-0.15
0.0723	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4739	0.00	0.00	0.00%	0.00	0.00
0.4606	0.00	0.00	0.00%	0.00	0.00
0.4435	0.00	0.00	0.00%	0.00	0.00
0.4472	0.00	0.00	0.00%	0.00	0.00
0.3997	0.00	0.00	0.00%	0.00	0.00

0.4364	0.00	0.00	0.00%	0.00	0.00
0.4332	0.00	0.00	0.00%	0.00	0.00
0.4451	0.00	0.00	0.00%	0.00	0.00
0.456	0.00	0.00	0.00%	0.00	0.00
0.4901	0.00	0.00	0.00%	0.00	0.00
0.4912	0.00	0.00	0.00%	0.00	0.00
0.496	0.00	0.00	0.00%	0.00	0.00
0.4957	0.00	0.00	0.00%	0.00	0.00
0.3213	0.00	0.00	0.00%	0.00	0.00
0.3429	0.00	0.00	0.00%	0.00	0.00
0.3553	0.00	0.00	0.00%	0.00	0.00
0.3843	0.00	0.00	0.00%	0.00	0.00
0.4	0.00	0.00	0.00%	0.00	0.00
0.3668	0.00	0.00	0.00%	0.00	0.00
0.4189	0.00	0.00	0.00%	0.00	0.00
0.3685	0.00	0.00	0.00%	0.00	0.00
0.3989	0.00	0.00	0.00%	0.00	0.00
0.3712	0.00	0.00	0.00%	0.00	0.00
0.325	0.00	0.00	0.00%	0.00	0.00
0.3789	0.00	0.00	0.00%	0.00	0.00
0.4987	0.00	0.00	0.00%	0.00	0.00
0.4995	0.00	0.00	0.00%	0.00	0.00
0.4952	0.00	0.00	0.00%	0.00	0.00
0.4857	0.00	0.00	0.00%	0.00	0.00
0.474	0.00	0.00	0.00%	0.00	0.00
0.4956	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0.4997	0.00	0.00	0.00%	0.00	0.00
0.4882	0.00	0.00	0.00%	0.00	0.00
0.4739	0.00	0.00	0.00%	0.00	0.00
0.4859	0.00	0.00	0.00%	0.00	0.00
0.4801	0.00	0.00	0.00%	0.00	0.00
0.1932	0.00	0.00	0.00%	0.00	0.00
0.3903	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0.4989	0.00	0.00	0.00%	0.00	0.00
0.4454	0.00	0.00	0.00%	0.00	0.00
0.3671	0.00	0.00	0.00%	0.00	0.00
0.4609	0.00	0.00	0.00%	0.00	0.00
0.4903	0.00	0.00	0.00%	0.00	0.00
0.3859	0.00	0.00	0.00%	0.00	0.00
0.3319	0.00	0.00	0.00%	0.00	0.00
0.3299	0.00	0.00	0.00%	0.00	0.00
0.337	0.00	0.00	0.00%	0.00	0.00
0.1932	0.00	0.00	0.00%	0.00	0.00
0.3903	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0.4989	0.00	0.00	0.00%	0.00	0.00
0.4454	0.00	0.00	0.00%	0.00	0.00
0.3671	0.00	0.00	0.00%	0.00	0.00
0.4609	0.00	0.00	0.00%	0.00	0.00
0.4903	0.00	0.00	0.00%	0.00	0.00

0.3859	0.00	0.00	0.00%	0.00	0.00
0.3318	0.00	0.00	0.00%	0.00	0.00
0.3305	0.00	0.00	0.00%	0.00	0.00
0.3372	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4157	0.00	0.00	0.00%	0.00	0.00
0.4518	0.00	0.00	0.00%	0.00	0.00
0.3	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00
0.477	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0.4382	0.00	0.00	0.00%	0.00	0.00
0.4116	0.00	0.00	0.00%	0.00	0.00
0.4224	0.00	0.00	0.00%	0.00	0.00
0.4176	0.00	0.00	0.00%	0.00	0.00
0.4426	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0.4226	0.00	0.00	0.00%	0.00	0.00
0.4342	0.00	0.00	0.00%	0.00	0.00
0.4121	0.00	0.00	0.00%	0.00	0.00
0.4091	0.00	0.00	0.00%	0.00	0.00
0.4257	0.00	0.00	0.00%	0.00	0.00
0.4217	0.00	0.00	0.00%	0.00	0.00
0.4598	0.00	0.00	0.00%	0.00	0.00
0.4742	0.00	0.00	0.00%	0.00	0.00
0.3	0.00	0.00	0.00%	0.00	0.00
0.3432	0.00	0.00	0.00%	0.00	0.00
0.3927	0.00	0.00	0.00%	0.00	0.00
0.2179	0.00	0.00	0.00%	0.00	0.00
0.3143	0.00	0.00	0.00%	0.00	0.00
0.4259	0.00	0.00	0.00%	0.00	0.00
0.4979	0.00	0.00	0.00%	0.00	0.00
0.3	0.00	0.00	0.00%	0.00	0.00
0.4	0.00	0.00	0.00%	0.00	0.00
0.3	0.00	0.00	0.00%	0.00	0.00
0.4824	0.00	0.00	0.00%	0.00	0.00
0.4832	0.00	0.00	0.00%	0.00	0.00
0.4496	0.00	0.00	0.00%	0.00	0.00
0.316	0.00	0.00	0.00%	0.00	0.00
0.3613	0.00	0.00	0.00%	0.00	0.00
0.4508	0.00	0.00	0.00%	0.00	0.00
0.4717	0.00	0.00	0.00%	0.00	0.00
0.4788	0.00	0.00	0.00%	0.00	0.00
0.4827	0.00	0.00	0.00%	0.00	0.00
0.4965	0.00	0.00	0.00%	0.00	0.00
0.4987	0.00	0.00	0.00%	0.00	0.00
0.4922	0.00	0.00	0.00%	0.00	0.00
0.4907	0.00	0.00	0.00%	0.00	0.00
0.4843	0.00	0.00	0.00%	0.00	0.00

0.2116	0.00	0.00	0.00%	0.00	0.00
0.2061	0.00	0.00	0.00%	0.00	0.00
0.2467	0.00	0.00	0.00%	0.00	0.00
0.2993	0.00	0.00	0.00%	0.00	0.00
0.2451	0.00	0.00	0.00%	0.00	0.00
0.3875	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00
0.3143	0.00	0.00	0.00%	0.00	0.00
0.3414	0.00	0.00	0.00%	0.00	0.00
0.3162	0.00	0.00	0.00%	0.00	0.00
0.3166	0.00	0.00	0.00%	0.00	0.00
0.3199	0.00	0.00	0.00%	0.00	0.00
0.2116	0.00	0.00	0.00%	0.00	0.00
0.2061	0.00	0.00	0.00%	0.00	0.00
0.2467	0.00	0.00	0.00%	0.00	0.00
0.2993	0.00	0.00	0.00%	0.00	0.00
0.2451	0.00	0.00	0.00%	0.00	0.00
0.3875	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00
0.3143	0.00	0.00	0.00%	0.00	0.00
0.3414	0.00	0.00	0.00%	0.00	0.00
0.3162	0.00	0.00	0.00%	0.00	0.00
0.3166	0.00	0.00	0.00%	0.00	0.00
0.3199	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2386	0.00	0.00	0.00%	0.00	0.00
0.1724	0.00	0.00	0.00%	0.00	-0.06
0.1601	0.00	0.00	0.00%	0.00	-0.07
0.207	0.00	0.00	0.00%	0.00	-0.02
0.1682	0.00	0.00	0.00%	0.00	-0.07
0.2074	0.00	0.00	0.00%	0.00	-0.02
0.1897	0.00	0.00	0.00%	0.00	-0.04
0.174	0.00	0.00	0.00%	0.00	-0.06
0.1873	0.00	0.00	0.00%	0.00	-0.04
0.1976	0.00	0.00	0.00%	0.00	-0.03
0.1729	0.00	0.00	0.00%	0.00	-0.06
0.2291	0.00	0.00	0.00%	0.00	0.02
0.1926	0.00	0.00	0.00%	0.00	-0.04
0.1629	0.00	0.00	0.00%	0.00	-0.07
0.1721	0.00	0.00	0.00%	0.00	-0.06
0.1642	0.00	0.00	0.00%	0.00	-0.07
0.1771	0.00	0.00	0.00%	0.00	-0.06

0.2212	0.00	0.00	0.00%	0.00	0.01
0.2544	0.00	0.00	0.00%	0.00	0.06
0.2269	0.00	0.00	0.00%	0.00	0.01
0.2245	0.00	0.00	0.00%	0.00	0.01
0.3089	0.00	0.00	0.00%	0.00	0.18
0.2392	0.00	0.00	0.00%	0.00	0.03
0.2704	0.00	0.00	0.00%	0.00	0.09
0.3198	0.00	0.00	0.00%	0.00	0.21
0.2436	0.00	0.00	0.00%	0.00	-0.31
0.2397	0.00	0.00	0.00%	0.00	-0.31
0.2333	0.00	0.00	0.00%	0.00	-0.33
0.201	0.00	0.00	0.00%	0.00	-0.38
0.2139	0.00	0.00	0.00%	0.00	-0.36
0.2003	0.00	0.00	0.00%	0.00	-0.38
0.2097	0.00	0.00	0.00%	0.00	-0.37
0.2491	0.00	0.00	0.00%	0.00	-0.29
0.2729	0.00	0.00	0.00%	0.00	-0.24
0.2241	0.00	0.00	0.00%	0.00	-0.34
0.1921	0.00	0.00	0.00%	0.00	-0.39
0.2175	0.00	0.00	0.00%	0.00	-0.35
0.0995	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.3143	0.00	0.00	0.00%	0.00	0.19
0.4	0.00	0.00	0.00%	0.00	0.47
0.2909	0.00	0.00	0.00%	0.00	0.14
0.273	0.00	0.00	0.00%	0.00	0.10
0.2405	0.00	0.00	0.00%	0.00	0.04
0.201	0.00	0.00	0.00%	0.00	-0.02
0.1495	0.00	0.00	0.00%	0.00	-0.09
0.1232	0.00	0.00	0.00%	0.00	-0.11
0.1523	0.00	0.00	0.00%	0.00	-0.08
0.0995	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.3143	0.00	0.00	0.00%	0.00	0.19
0.4	0.00	0.00	0.00%	0.00	0.47
0.2909	0.00	0.00	0.00%	0.00	0.14
0.273	0.00	0.00	0.00%	0.00	0.10
0.2405	0.00	0.00	0.00%	0.00	0.04
0.2014	0.00	0.00	0.00%	0.00	-0.02
0.1495	0.00	0.00	0.00%	0.00	-0.09
0.1244	0.00	0.00	0.00%	0.00	-0.11
0.1528	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0.00%	0.00	0.00
0.433	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00
0.2875	0.00	0.00	0.00%	0.00	0.00
0.2233	0.00	0.00	0.00%	0.00	0.00
0.3307	0.00	0.00	0.00%	0.00	0.00

0.4479	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2875	0.00	0.00	0.00%	0.00	0.00
0.2215	0.00	0.00	0.00%	0.00	0.00
0.199	0.00	0.00	0.00%	0.00	-0.03
0.1481	0.00	0.00	0.00%	0.00	-0.09
0.176	0.00	0.00	0.00%	0.00	-0.06
0.1852	0.00	0.00	0.00%	0.00	-0.05
0.1532	0.00	0.00	0.00%	0.00	-0.08
0.215	0.00	0.00	0.00%	0.00	0.00
0.1955	0.00	0.00	0.00%	0.00	-0.03
0.1825	0.00	0.00	0.00%	0.00	-0.05
0.2293	0.00	0.00	0.00%	0.00	0.02
0.1823	0.00	0.00	0.00%	0.00	-0.05
0.1633	0.00	0.00	0.00%	0.00	-0.07
0.174	0.00	0.00	0.00%	0.00	-0.06
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.2353	0.00	0.00	0.00%	0.00	0.03
0.3727	0.00	0.00	0.00%	0.00	0.37
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.2665	0.00	0.00	0.00%	0.00	0.09
0.3884	0.00	0.00	0.00%	0.00	0.43
0.1385	0.00	0.00	0.00%	0.00	-0.46
0.0605	0.00	0.00	0.00%	0.00	-0.52
0.1123	0.00	0.00	0.00%	0.00	-0.48
0.1495	0.00	0.00	0.00%	0.00	-0.45
0.1797	0.00	0.00	0.00%	0.00	-0.41
0.1661	0.00	0.00	0.00%	0.00	-0.43
0.1973	0.00	0.00	0.00%	0.00	-0.39
0.2811	0.00	0.00	0.00%	0.00	-0.22
0.3104	0.00	0.00	0.00%	0.00	-0.15
0.1688	0.00	0.00	0.00%	0.00	-0.43
0.2061	0.00	0.00	0.00%	0.00	-0.37
0.173	0.00	0.00	0.00%	0.00	-0.42
0.1632	0.00	0.00	0.00%	0.00	-0.07
0.1226	0.00	0.00	0.00%	0.00	-0.11
0.1204	0.00	0.00	0.00%	0.00	-0.11
0.2377	0.00	0.00	0.00%	0.00	0.03
0.1643	0.00	0.00	0.00%	0.00	-0.07
0.3549	0.00	0.00	0.00%	0.00	0.31
0.3061	0.00	0.00	0.00%	0.00	0.17
0.2849	0.00	0.00	0.00%	0.00	0.12
0.1929	0.00	0.00	0.00%	0.00	-0.04
0.1505	0.00	0.00	0.00%	0.00	-0.08
0.1733	0.00	0.00	0.00%	0.00	-0.06
0.1924	0.00	0.00	0.00%	0.00	-0.04

0.1632	0.00	0.00	0.00%	0.00	-0.07
0.1226	0.00	0.00	0.00%	0.00	-0.11
0.1204	0.00	0.00	0.00%	0.00	-0.11
0.2377	0.00	0.00	0.00%	0.00	0.03
0.1643	0.00	0.00	0.00%	0.00	-0.07
0.3549	0.00	0.00	0.00%	0.00	0.31
0.3061	0.00	0.00	0.00%	0.00	0.17
0.2849	0.00	0.00	0.00%	0.00	0.12
0.1929	0.00	0.00	0.00%	0.00	-0.04
0.1505	0.00	0.00	0.00%	0.00	-0.08
0.1733	0.00	0.00	0.00%	0.00	-0.06
0.1924	0.00	0.00	0.00%	0.00	-0.04
0.190972222	0.00	0.00	0:00	0.00	-1.74
0.140277778	0.00	0.00	0:00	0.00	-1.90
0.115972222	0.00	0.00	0:00	0.00	-2.05
0.134027778	0.00	0.00	0:00	0.00	-2.05
0.106944444	0.00	0.00	0:00	0.00	-2.09
0.129166667	0.00	0.00	0:00	0.00	-2.10
0.128472222	0.00	0.00	0:00	0.00	-2.05
1.663194444	0.00	0.00	0:00	0.00	-1.55
1.870138889	0.00	0.00	0:00	0.00	-1.02
1.952777778	0.00	0.00	0:00	0.00	-1.28
0.154166667	0.00	0.00	0:00	0.00	-2.39
0.08125	0.00	0.00	0:00	0.00	-2.55
0.006944444	0.00	0.00	0:00	0.00	-1.84
0.007638889	0.00	0.00	0:00	0.00	-1.89
0.007638889	0.00	0.00	0:00	0.00	-1.87
0.009722222	0.00	0.00	0:00	0.00	-1.85
0.009722222	0.00	0.00	0:00	0.00	-1.93
0.009027778	0.00	0.00	0:00	0.00	-1.80
0.006944444	0.00	0.00	0:00	0.00	-1.84
0.007638889	0.00	0.00	0:00	0.00	-1.94
0.016666667	0.00	0.00	0:00	0.00	-1.86
0.009722222	0.00	0.00	0:00	0.00	-1.87
0.009027778	0.00	0.00	0:00	0.00	-2.01
0.008333333	0.00	0.00	0:00	0.00	-1.97
1.202083333	0.00	0.00	0:00	0.00	-1.37
0.131944444	0.00	0.00	0:00	0.00	-2.05
0.110416667	0.00	0.00	0:00	0.00	-2.25
0.1625	0.00	0.00	0:00	0.00	-2.06
0.166666667	0.00	0.00	0:00	0.00	-2.04
0.522222222	0.00	0.00	0:00	0.00	-2.03
0.2	0.00	0.00	0:00	0.00	-2.26
0.107638889	0.00	0.00	0:00	0.00	-2.43
1.389583333	0.00	0.00	0:00	0.00	-1.65
0.103472222	0.00	0.00	0:00	0.00	-2.42
0.108333333	0.00	0.00	0:00	0.00	-2.34
0.080555556	0.00	0.00	0:00	0.00	-2.51
0.005555556	0.00	0.00	0:00	0.00	-2.27
0.00625	0.00	0.00	0:00	0.00	-1.85
0.00625	0.00	0.00	0:00	0.00	-1.70
0.00625	0.00	0.00	0:00	0.00	-1.63

0.004861111	0.00	0.00	0:00	0.00	-1.89
0.009027778	0.00	0.00	0:00	0.00	-0.99
0.00625	0.00	0.00	0:00	0.00	-1.40
0.005555556	0.00	0.00	0:00	0.00	-1.91
0.009027778	0.00	0.00	0:00	0.00	-1.39
0.013888889	0.00	0.00	0:00	0.00	0.69
0.004166667	0.00	0.00	0:00	0.00	-2.23
0.004861111	0.00	0.00	0:00	0.00	-2.10
0.542361111	0.00	0.00	0:00	0.00	-0.84
0.472916667	0.00	0.00	0:00	0.00	-1.65
0.625694444	0.00	0.00	0:00	0.00	-1.28
0.447916667	0.00	0.00	0:00	0.00	-2.02
0.688888889	0.00	0.00	0:00	0.00	-0.79
0.429861111	0.00	0.00	0:00	0.00	-1.57
0.330555556	0.00	0.00	0:00	0.00	-2.34
0.565277778	0.00	0.00	0:00	0.00	-1.36
0.747916667	0.00	0.00	0:00	0.00	-1.19
0.440277778	0.00	0.00	0:00	0.00	-1.64
0.347222222	0.00	0.00	0:00	0.00	-1.72
0.579861111	0.00	0.00	0:00	0.00	-1.65
0.1443	0.00	0.00	0.00%	0.00	0.00
0.1438	0.00	0.00	0.00%	0.00	0.00
0.1415	0.00	0.00	0.00%	0.00	0.00
0.149	0.00	0.00	0.00%	0.00	0.00
0.1487	0.00	0.00	0.00%	0.00	0.00
0.1384	0.00	0.00	0.00%	0.00	0.00
0.1236	0.00	0.00	0.00%	0.00	0.00
0.1051	0.00	0.00	0.00%	0.00	0.00
0.1118	0.00	0.00	0.00%	0.00	0.00
0.1128	0.00	0.00	0.00%	0.00	0.00
0.1271	0.00	0.00	0.00%	0.00	0.00
0.1293	0.00	0.00	0.00%	0.00	0.00
0.4826	0.00	0.00	0.00%	0.00	0.00
0.4894	0.00	0.00	0.00%	0.00	0.00
0.4847	0.00	0.00	0.00%	0.00	0.00
0.4855	0.00	0.00	0.00%	0.00	0.00
0.4893	0.00	0.00	0.00%	0.00	0.00
0.4877	0.00	0.00	0.00%	0.00	0.00
0.4907	0.00	0.00	0.00%	0.00	0.00
0.4833	0.00	0.00	0.00%	0.00	0.00
0.4449	0.00	0.00	0.00%	0.00	0.00
0.4366	0.00	0.00	0.00%	0.00	0.00
0.4191	0.00	0.00	0.00%	0.00	0.00
0.4447	0.00	0.00	0.00%	0.00	0.00
0.1139	0.00	0.00	0.00%	0.00	0.00
0.1167	0.00	0.00	0.00%	0.00	0.00
0.1051	0.00	0.00	0.00%	0.00	0.00
0.1222	0.00	0.00	0.00%	0.00	0.00
0.1407	0.00	0.00	0.00%	0.00	0.00
0.1404	0.00	0.00	0.00%	0.00	0.00
0.1398	0.00	0.00	0.00%	0.00	0.00
0.142	0.00	0.00	0.00%	0.00	0.00

0.1259	0.00	0.00	0.00%	0.00	0.00
0.1149	0.00	0.00	0.00%	0.00	0.00
0.1323	0.00	0.00	0.00%	0.00	0.00
0.1365	0.00	0.00	0.00%	0.00	0.00
0.4938	0.00	0.00	0.00%	0.00	0.00
0.4918	0.00	0.00	0.00%	0.00	0.00
0.4973	0.00	0.00	0.00%	0.00	0.00
0.494	0.00	0.00	0.00%	0.00	0.00
0.4971	0.00	0.00	0.00%	0.00	0.00
0.4857	0.00	0.00	0.00%	0.00	0.00
0.4968	0.00	0.00	0.00%	0.00	0.00
0.4986	0.00	0.00	0.00%	0.00	0.00
0.481	0.00	0.00	0.00%	0.00	0.00
0.4992	0.00	0.00	0.00%	0.00	0.00
0.4442	0.00	0.00	0.00%	0.00	0.00
0.4427	0.00	0.00	0.00%	0.00	0.00
0.3903	0.00	0.00	0.00%	0.00	0.00
0.4841	0.00	0.00	0.00%	0.00	0.00
0.5	0.00	0.00	0.00%	0.00	0.00
0.379	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	0.00	0.00%	0.00	0.00
0.4403	0.00	0.00	0.00%	0.00	0.00
0.4688	0.00	0.00	0.00%	0.00	0.00
0.4629	0.00	0.00	0.00%	0.00	0.00
0.4991	0.00	0.00	0.00%	0.00	0.00
0.4841	0.00	0.00	0.00%	0.00	0.00
0.45	0.00	0.00	0.00%	0.00	0.00
0.4389	0.00	0.00	0.00%	0.00	0.00
0.0811	0.00	0.00	0.00%	0.00	-0.14
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0827	0.00	0.00	0.00%	0.00	-0.14
0.1055	0.00	0.00	0.00%	0.00	-0.12
0.1141	0.00	0.00	0.00%	0.00	-0.12
0.0125	0.00	0.00	0.00%	0.00	-0.16
0.0132	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0467	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0624	0.00	0.00	0.00%	0.00	-0.15
0.1011	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16

0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.124	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0651	0.00	0.00	0.00%	0.00	-0.14
0.134	0.00	0.00	0.00%	0.00	-0.10
0.087	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.028	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.09	0.00	0.00	0.00%	0.00	-0.13
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0803	0.00	0.00	0.00%	0.00	-0.14
0.1572	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.0424	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0.112	0.00	0.00	0.00%	0.00	-0.12
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0.019	0.00	0.00	0.00%	0.00	-0.33
0.0442	0.00	0.00	0.00%	0.00	-0.33
0.0346	0.00	0.00	0.00%	0.00	-0.33
0.0423	0.00	0.00	0.00%	0.00	-0.33

0.0413	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.0919	0.00	0.00	0.00%	0.00	-0.30
0.0626	0.00	0.00	0.00%	0.00	-0.32
0.0815	0.00	0.00	0.00%	0.00	-0.31
0.0642	0.00	0.00	0.00%	0.00	-0.32
0.0638	0.00	0.00	0.00%	0.00	-0.32
0.116	0.00	0.00	0.00%	0.00	-0.29
0.0919	0.00	0.00	0.00%	0.00	-0.30
0.0627	0.00	0.00	0.00%	0.00	-0.32
0.0663	0.00	0.00	0.00%	0.00	-0.32
0.0966	0.00	0.00	0.00%	0.00	-0.30
0.0928	0.00	0.00	0.00%	0.00	-0.30
0.0838	0.00	0.00	0.00%	0.00	-0.31
0.0959	0.00	0.00	0.00%	0.00	-0.30
0.0641	0.00	0.00	0.00%	0.00	-0.32
0.0844	0.00	0.00	0.00%	0.00	-0.31
0.067	0.00	0.00	0.00%	0.00	-0.32
0.0658	0.00	0.00	0.00%	0.00	-0.32
0.1209	0.00	0.00	0.00%	0.00	-0.28
0.0973	0.00	0.00	0.00%	0.00	-0.30
0.0533	0.00	0.00	0.00%	0.00	-0.32
0.0688	0.00	0.00	0.00%	0.00	-0.32
0.0996	0.00	0.00	0.00%	0.00	-0.30
0.0959	0.00	0.00	0.00%	0.00	-0.30
0.0871	0.00	0.00	0.00%	0.00	-0.31
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.4714	0.00	0.00	0.00%	0.00	1.89
0.433	0.00	0.00	0.00%	0.00	0.50
0	0.00	0.00	0.00%	0.00	-0.33
0.2665	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0.00%	0.00	-0.33
0.2353	0.00	0.00	0.00%	0.00	-0.14
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0	0.00	0.00	0.00%	0.00	-0.33
0.3857	0.00	0.00	0.00%	0.00	0.27
0.3069	0.00	0.00	0.00%	0.00	0.02

0.142361111	0.00	0.00	0.00%	0.00	-2.83
0.413888889	0.00	0.00	0.00%	0.00	-2.64
0.165972222	0.00	0.00	0.00%	0.00	-2.80
0.071527778	0.00	0.00	0.00%	0.00	-2.90
0.130555556	0.00	0.00	0.00%	0.00	-2.50
0.345833333	0.00	0.00	0.00%	0.00	-2.73
0.132638889	0.00	0.00	0.00%	0.00	-2.76
0.134722222	0.00	0.00	0.00%	0.00	-2.69
0.089583333	0.00	0.00	0.00%	0.00	-2.79
0.252777778	0.00	0.00	0.00%	0.00	-2.14
0.05625	0.00	0.00	0.00%	0.00	-2.85
0.091666667	0.00	0.00	0.00%	0.00	-2.85
0.063888889	0.00	0.00	0.00%	0.00	-2.90
0.133333333	0.00	0.00	0.00%	0.00	-2.59
0.251388889	0.00	0.00	0.00%	0.00	-2.63
0.76875	0.00	0.00	0.00%	0.00	-2.66
0.134722222	0.00	0.00	0.00%	0.00	-2.29
0.104166667	0.00	0.00	0.00%	0.00	-2.72
0.141666667	0.00	0.00	0.00%	0.00	-2.71
0.220833333	0.00	0.00	0.00%	0.00	-2.50
0.0262	254615.00	254615.00	100.00%	0.00	0.00
0	266066.00	266066.00	100.00%	0.00	0.00
0.0539	272546.00	272546.00	100.00%	0.00	0.00
0	251110.00	279103.00	100.00%	0.00	0.00
0	256359.00	251110.00	100.00%	0.00	0.00
0	291885.00	256359.00	100.00%	0.00	0.00
0	241231.00	291885.00	100.00%	0.00	0.00
0.0154	303041.00	241231.00	100.00%	0.00	0.00
0.0231	292289.00	303041.00	100.00%	0.00	0.00
0.15	263106.00	292289.00	100.00%	0.00	0.00
0.0103	279103.00	263106.00	100.00%	0.00	0.00
0.01	328288.00	328288.00	100.00%	0.00	0.00
0	254615.00	254615.00	100.00%	0.00	0.00
0	266066.00	266066.00	100.00%	0.00	0.00
0	272546.00	272546.00	100.00%	0.00	0.00
0	251110.00	279103.00	100.00%	0.00	0.00
0	256359.00	251110.00	100.00%	0.00	0.00
0	291885.00	256359.00	100.00%	0.00	0.00
0	241231.00	291885.00	100.00%	0.00	0.00
0	303041.00	241231.00	100.00%	0.00	0.00
0	292289.00	303041.00	100.00%	0.00	0.00
0	263106.00	292289.00	100.00%	0.00	0.00
0	279103.00	263106.00	100.00%	0.00	0.00
0	328288.00	328288.00	100.00%	0.00	0.00
0	128.00	54.00	8:52	0.09	-1.49
2.16	67.00	44.00	12:28	-1.90	-2.16
0.87	99.00	57.00	17:45	-0.21	-1.13
6.81	60.00	65.00	9:36	-5.52	-4.36
0.52	148.00	43.00	19:12	-0.32	-1.20
1.49	87.00	82.00	17:02	-0.05	-1.03
1.5	54.00	51.00	0:57	-2.02	-2.23
1.1	85.00	52.00	1:40	-0.87	-1.53

1	111.00	41.00	7:26	-0.23	-1.14
3.46	208.00	48.00	10:19	-0.04	-1.02
2.46	272.00	47.00	4:19	0.34	-0.85
1.1	243.00	58.00	4:33	1.18	-0.24
7.38	128.00	54.00	8:52	-7.05	-5.28
3.06	67.00	44.00	12:28	-15.21	-10.25
2.36	99.00	57.00	17:45	-4.70	-3.86
2.61	60.00	65.00	9:36	-7.55	-5.59
3.18	148.00	43.00	19:12	-4.14	-3.52
1.8	87.00	82.00	17:02	-4.74	-3.88
3.08	54.00	51.00	0:57	-7.66	-5.65
3.56	85.00	52.00	1:40	-5.60	-4.41
5.17	111.00	41.00	7:26	-2.37	-2.44
3.33	208.00	48.00	10:19	0.47	-0.67
4.01	272.00	47.00	4:19	-0.51	-1.31
1.95	243.00	58.00	4:33	0.49	-0.73
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	65.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	85.00	0.00	1:40	0.03	-1.33
4.88	111.00	41.00	7:26	-1.28	-1.78
2.01	208.00	48.00	10:19	1.03	-0.31
1.31	272.00	47.00	4:19	0.80	-0.50
3.35	243.00	58.00	4:33	0.66	-0.58
0	24.00	557.00	4.31%	0.98	-0.44
0.4	27.00	479.00	5.64%	-1.39	-1.84
0.481	26.00	506.00	5.14%	-4.64	-3.82
0	16.00	520.00	4.01%	0.41	-0.91
0	47.00	399.00	11.27%	0.94	-0.51
0.4714	23.00	417.00	7.12%	-3.02	-2.83
0.3307	20.00	323.00	6.41%	-0.69	-1.42
0.433	14.00	312.00	3.94%	-2.15	-2.31
0.4899	17.00	355.00	3.95%	-4.11	-3.50
0	8.00	430.00	1.59%	0.38	-0.94
0	12.00	502.00	2.31%	0.50	-0.84
0	12.00	720.00	1.67%	0.37	-0.94
0.4915	24.00	557.00	4.31%	-18.14	-12.03
0.4493	27.00	479.00	5.64%	-6.94	-5.22
0.433	26.00	506.00	5.14%	-5.48	-4.33
0.4888	16.00	520.00	4.01%	-10.65	-7.47
0.3083	47.00	399.00	11.27%	0.13	-0.96
0.4852	23.00	417.00	7.12%	-6.18	-4.76
0.3958	20.00	323.00	6.41%	-3.02	-2.84
0.4774	14.00	312.00	3.94%	-9.28	-6.64
0.413	17.00	355.00	3.95%	-6.40	-4.89
0.333	8.00	430.00	1.59%	-6.63	-5.03
0.4213	12.00	502.00	2.31%	-10.51	-7.39
0.3359	12.00	720.00	1.67%	-8.55	-6.20

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	13.00	0.00%	0.00	0.00
0	24.00	557.00	4.31%	0.21	-1.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	520.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	14.00	0.00	3.94%	-3.34	-3.03
0	17.00	355.00	3.95%	0.77	-0.62
0.3399	8.00	430.00	1.59%	-3.58	-3.18
0	12.00	502.00	2.31%	0.40	-0.91
0.3307	12.00	720.00	1.67%	-4.68	-3.85
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.5	1.00	7.00	14.29%	1.27	-0.55
0	0.00	12.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	16.67%	0.00	0.00
0	6.00	12.00	50.00%	0.00	0.00
0	3.00	7.00	42.86%	0.00	0.00
0	2811.00	2819.00	99.72%	-0.05	-1.03
0	2772.00	2774.00	99.93%	-0.03	-1.02
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3614.00	0.00%	0.00	0.00
0	2537.00	0.00	99.96%	-0.03	-0.16
0	0.00	2538.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.433	2633.00	0.00	99.89%	14.75	0.63
0	0.00	2636.00	0.00%	0.00	0.00
0	3139.00	0.00	99.84%	-0.06	-1.03
0	3604.00	3144.00	99.72%	-0.05	-1.03
0	4176.00	4196.00	99.52%	0.00	0.00
0	14.00	14.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	17.00	17.00	100.00%	0.00	0.00
0	0.00	25.00	0.00%	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	1.00	0:00	0.00	0.00
0	0.06	0.00	1:22	0.00	0.00
0	0.00	1.00	0:00	0.00	0.00
0	0.07	0.00	0:32	1.42	-0.43
0	0.00	3.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.37	0.00	4:25	-0.69	-1.42
0	0.06	2.00	1:33	0.00	0.00
0	0.09	1.00	2:03	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	6.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	6.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	1.00	5.00	16.67%	0.00	0.00
0	1.00	9.00	11.11%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	5.00	0.00%	0.00	0.00

0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	8.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.2665	0.00	1.00	0.00%	0.00	-1.06
0	1.00	2.00	25.00%	-0.82	-1.50
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.4714	0.00	2.00	0.00%	0.00	-0.90
0.4949	0.00	1.00	0.00%	0.00	-0.29
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0.4714	1.00	3.00	50.00%	-0.37	-1.22
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0.1643	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.1643	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.174	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.174	0.00	0.00	0.00%	0.00	0.00

0	0.00	72.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	5.00	3.00	100.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0.0924	0.00	0.00	0.00%	0.00	-0.08
0	0.00	0.00	0.00%	0.00	-0.11
0.0981	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	41.00	0.00%	0.00	-0.11
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	246.00	0.00	91.79%	-0.30	-1.18
0	285.00	268.00	88.24%	0.00	0.00
0	263.00	286.00	91.96%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	41.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	39.00	0.00	97.50%	-0.16	-1.10
0	39.00	40.00	95.12%	0.00	0.00
0	32.00	34.00	94.12%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	18.00	5.00	3.60	0.76	-0.83
0	34.00	3.00	11.33	-1.73	-2.05
0	16.00	6.00	2.67	-0.83	-1.50
0	0.00	2.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	21.00	0.00	5.25	-0.45	-1.27
0	0.00	4.00	0.00	0.00	0.00
0	3.00	0.00	1.50	0.00	0.00
0	4.00	2.00	2.00	0.00	0.00
2.12	1.00	1.00	1.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	25.00	4.00	6.25	-0.66	-1.40
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00

0	0.00	0.00	0.00	0.00	0.00
0	35.00	0.00	5.00	0.00	0.00
0	0.00	7.00	0.00	0.00	0.00
0	12.00	6.00	2.00	0.00	0.00
8.39	41.00	4.00	10.25	-0.23	-1.14
2.52	40.00	3.00	13.33	-1.33	-1.81
0.71	3.00	1.00	3.00	0.00	0.00
0	0.00	1.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	0.00	0.00	0.00	0.00	0.00
0	6.00	0.00	6.00	0.00	0.00
0	0.00	1.00	0.00	0.00	0.00
0	50.00	0.00	8.33	0.00	0.00
5.13	3.00	6.00	3.00	0.00	0.00
0	6.00	2.00	3.00	1.15	-0.60
0.31	0.00	0.00	0.00	0.00	0.00
0.25	0.00	0.00	0.00	0.00	0.00
0.34	0.00	0.00	0.00	0.00	0.00
0.35	980.00	55810.00	0.02	46.32	27.16
0.36	805.00	47752.00	0.02	52.55	30.95
0.41	838.00	47955.00	0.02	63.30	37.49
0.4	803.00	50015.00	0.02	55.57	32.78
0.38	775.00	44029.00	0.02	49.50	29.09
0.29	980.00	46011.00	0.02	29.91	17.18
0.29	1208.00	50146.00	0.02	23.80	13.47
0.26	985.00	51352.00	0.02	31.46	18.12
0.3	1037.00	60424.00	0.02	36.59	21.25
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.12
0	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.14
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.15
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	-0.16
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0.0958	0.00	0.00	0.00%	0.00	0.00
0.3666	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	130.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	33.00	0.00	31.13%	0.00	0.00
0	34.00	106.00	26.15%	0.00	0.00
0	49.00	153.00	32.03%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	105.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	16.00	0.00	17.78%	0.00	0.00
0	42.00	90.00	40.00%	0.00	0.00
0	47.00	114.00	41.23%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	38.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	34.00	0.00	100.00%	0.00	0.00
0	36.00	34.00	94.74%	0.00	0.00
0	41.00	42.00	97.62%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	3.00	0.00	100.00%	0.00	0.00
0	4.00	3.00	100.00%	0.00	0.00
0	5.00	5.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	3.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	0.00	88.89%	0.00	0.00
0	2.00	9.00	66.67%	0.00	0.00
0	5.00	7.00	71.43%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	8.00	9.00	88.89%	-0.34	-1.20
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	12.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	0.00	100.00%	0.00	0.00
0	10.00	10.00	83.33%	0.00	0.00
0	9.00	10.00	90.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2294.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1637.00	0.00	81.56%	0.00	0.00
0	1946.00	2007.00	84.83%	0.00	0.00
0	1763.00	2196.00	80.28%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	4.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	0.00	50.00%	0.00	0.00
0	2.00	4.00	50.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	12.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	10.00	0.00	100.00%	0.00	0.00
0	10.00	10.00	83.33%	0.00	0.00
0	9.00	10.00	90.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	54.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	36.00	0.00	100.00%	0.00	0.00
0	54.00	36.00	100.00%	0.00	0.00
0	57.00	57.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	19.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	17.00	0.00	89.47%	0.00	0.00
0	17.00	19.00	89.47%	0.00	0.00
0	31.00	33.00	93.94%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	11.00	0.00	100.00%	0.00	0.00
0	2.00	11.00	66.67%	0.00	0.00
0	7.00	9.00	77.78%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	2932.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	2588.00	0.00	96.21%	0.00	0.00
0	2837.00	2690.00	96.76%	0.00	0.00
0	2693.00	2857.00	94.26%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	325.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	163.00	0.00	79.13%	0.00	0.00
0	277.00	206.00	85.23%	0.00	0.00
0	347.00	424.00	81.84%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	15.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	54.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	36.00	0.00	100.00%	0.00	0.00
0	54.00	36.00	100.00%	0.00	0.00
0	57.00	57.00	100.00%	0.00	0.00

0	0.00	0.00	0.00%	0.00	0.00
0	2.00	2.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	100.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	27.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	34.00	0.00	80.95%	0.00	0.00
0	16.00	42.00	59.26%	0.00	0.00
0	27.00	35.00	77.14%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	28.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	18.00	0.00	90.00%	0.00	0.00
0	28.00	20.00	100.00%	0.00	0.00
0	14.00	15.00	93.33%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	1.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	1.00	0.00	50.00%	0.00	0.00
0	1.00	2.00	100.00%	0.00	0.00
0	1.00	1.00	100.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	0.00	0.00%	0.00	0.00
0	0.00	36.00	0.00%	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0	0.47	0.00	3:43	0.00	0.00
0	0.63	3.00	3:48	0.00	0.00
0	0.88	5.00	4:15	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	3.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	2.53	0.00	5:31	0.00	0.00
0	3.31	11.00	2:28	0.00	0.00
0	7.86	9.00	20:58	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	2932.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	16:59	0.00	0.00
0	0.00	2690.00	16:14	0.00	0.00
0	0.00	2857.00	18:34	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	325.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	2:02	0.00	0.00
0	0.00	206.00	10:38	0.00	0.00
0	0.00	424.00	8:55	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	15.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	3.78	0.00	8:15	0.00	0.00
0	9.88	11.00	15:48	0.00	0.00
0	3.21	13.00	5:56	0.00	0.00

0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	54.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	1.99	0.00	1:20	0.00	0.00
0	2.92	36.00	1:18	0.00	0.00
0	2.97	57.00	1:15	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	27.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	4.73	0.00	2:42	0.00	0.00
0	3.71	42.00	3:18	0.00	0.00
0	4.01	35.00	2:45	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	28.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	1.91	0.00	2:18	0.00	0.00
0	1.10	20.00	0:57	0.00	0.00
0	1.69	15.00	2:42	0.00	0.00
0	0.00	0.00	0:00	0.00	0.00
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	1	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0.367361111	0	4:25	0	0
0	0.064583333	2	1:33	0	0
0	0.085416667	1	2:03	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	36	0:00	0	0

0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	2.541666667	0	1:54	0	0
0	2.338194444	32	1:34	0	0
0	1.960416667	32	1:28	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	145	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	13.90902778	0	2:24	0	0
0	18.29791667	139	3:02	0	0
0	17.81319444	177	2:25	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	1	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0.367361111	0	4:25	0	0
0	0.064583333	2	1:33	0	0
0	0.085416667	1	2:03	0	0
0	0	0	0:00	0	0
0	0.115972222	2	1:24	11.66247544	1.26100148
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0:00	0	0
0	0.365972222	0	8:47	0	0
0	0	1	0:00	0	0
0	0	0	0:00	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	38	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0.00%	0	0
0	4	0	11.76%	0	0
0	7	34	18.42%	0	0
0	9	42	21.43%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	4	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	0	33.33%	0	0
0	3	3	75.00%	0	0
0	0	5	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	4	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	3	0	27.27%	0	0
0	1	11	25.00%	0	0
0	0	9	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	325	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	27	0	13.11%	0	0
0	42	206	12.92%	0	0
0	47	424	11.08%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	325	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	27	0	13.11%	0	0
0	42	206	12.92%	0	0
0	47	424	11.08%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	16	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	11	6.25%	0	0
0	1	14	7.14%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	54	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	3	0	8.33%	0	0
0	11	36	20.37%	0	0
0	2	57	3.51%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	40	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	5	0	20.00%	0	0
0	4	25	10.00%	0	0
0	3	37	8.11%	-0.29311	-1.178198
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	0	5	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	8	0.00%	0	0
0	0	3	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	27	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	6	0	14.29%	0	0
0	3	42	11.11%	0	0
0	3	35	8.57%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	36	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	2	0	6.25%	0	0
0	6	32	16.67%	0	0
0	3	32	9.38%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	145	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0.00%	0	0
0	21	0	15.11%	0	0
0	37	139	25.52%	0	0
0	19	177	10.73%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	11	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	18	0	85.71%	0	0
0	9	21	81.82%	0	0
0	9	11	81.82%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	4	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	3	0	37.50%	0	0
0	2	8	50.00%	0	0
0	6	9	66.67%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	5	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	8	0	100.00%	0	0
0	5	8	100.00%	0	0
0	13	13	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	13	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	1702	0	130.92	0	0
0	1526	13	117.38	0	0
0	2134	18	118.56	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	29	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	75	0	7.50	0	0
0	294	10	10.14	0	0
0	171	6	28.50	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	4	0.00	0	0

0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	599	0	149.75	0	0
0	585	4	146.25	0	0
0	540	5	108.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	13	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	461	0	38.42	0	0
0	505	12	38.85	-0.615105	-1.373957
0	505	15	33.67	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	39	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	1318	0	26.90	0	0
0	1612	49	41.33	0	0
0	2413	67	36.01	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	17	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	268	0	20.62	0	0
0	317	13	18.65	0	0
0	379	11	34.45	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	2	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0

0	0	0	0.00	0	0
0	71	0	17.75	0	0
0	19	4	9.50	0	0
0	77	4	19.25	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	51	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	2203	0	44.06	0	0
0	2472	50	48.47	0	0
0	4546	62	73.32	-0.382913	-1.232795
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	9	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	688	0	76.44	0	0
6.73	514	9	57.11	-1.900565	-2.155461
0	389	9	43.22	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	14	0	3.5	0	0
0	260	4	86.67	0	0
0	234	6	39	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	39	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1318	0	26.9	0	0
0	1612	49	41.33	0	0
0	2413	67	36.01	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	39	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1318	0	26.9	0	0
0	1612	49	41.33	0	0
0	2413	67	36.01	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	110	0	18.33	0	0
0	81	6	20.25	0	0
0	240	4	60	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	599	0	149.75	0	0
0	585	4	146.25	0	0
0	540	5	108	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	29	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	75	0	7.5	0	0
0	294	10	10.14	0	0
0	171	6	28.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	13	0	0	0

0	0	0	0	0	0
0	13	0	0.2653	0	0
0	8	49	0.2051	0	0
0	21	67	0.3134	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	17	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	0.2308	0	0
0	4	13	0.2353	0	0
0	5	11	0.4545	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	51	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	23	0	0.46	0	0
0	26	50	0.5098	0	0
0	22	62	0.3548	1.337655	-0.441417
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1	4	0.3333	0	0
0	0	6	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	39	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	13	0	0.2653	0	0
0	8	49	0.2051	0	0
0	21	67	0.3134	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	39	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	13	0	0.2653	0	0
0	8	49	0.2051	0	0
0	21	67	0.3134	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	2	0	0.3333	0	0
0	2	6	0.5	0	0
0	1	4	0.25	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1	0	0.25	0	0
0	0	4	0	0	0
0	2	5	0.4	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	29	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	6	0	0.6	0	0
0	27	10	0.931	0	0
0	1	6	0.1667	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	303	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	425	0	91.40%	0	0
0	285	465	94.06%	0	0
0	314	322	97.52%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	67	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	71	0	98.61%	0	0
0	66	72	98.51%	0	0
0	78	80	97.50%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	5	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0.00%	0	0
0	2	0	100.00%	0	0
0	3	2	60.00%	0	0
0	2	3	66.67%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	5	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	3	0	100.00%	0	0
0	5	3	100.00%	0	0
0	7	7	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	13	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	4	0	100.00%	0	0
0	13	4	100.00%	0	0
0	4	4	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	7	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	19	0	90.48%	0	0
0	7	21	100.00%	0	0
0	10	10	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1722	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1499	0	95.17%	0	0
0	1659	1575	96.34%	0	0
0	1678	1789	93.80%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1722	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1499	0	95.17%	0	0
0	1659	1575	96.34%	0	0
0	1678	1789	93.80%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	0	100.00%	0	0
0	0	1	0.00%	0	0
0	1	1	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	7	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	19	0	90.48%	0	0
0	7	21	100.00%	0	0
0	10	10	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	0	100.00%	0	0
0	0	1	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	5	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	8	0	100.00%	0	0
0	5	8	100.00%	0	0
0	5	6	83.33%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	34	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	25	0	100.00%	0	0
0	31	25	91.18%	0	0
0	29	29	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	4	0	100.00%	0	0
0	0	4	0.00%	0	0
0	2	2	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	56	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0.00%	0	0
0	43	0	84.31%	0	0
0	53	51	94.64%	0	0
0	41	44	93.18%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	7	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	6	0	50.00%	0	0
0	4	12	57.14%	0	0
0	9	11	81.82%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	22	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	8	0	47.06%	0	0
0	15	17	68.18%	0	0
0	12	18	66.67%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	25	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	30	0	88.24%	0	0
0	23	34	92.00%	0	0
0	43	45	95.56%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	57	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	74	0	92.50%	0	0
0	31	80	54.39%	0	0
0	22	50	44.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	112	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	89	0	88.12%	0	0
0	94	101	83.93%	0	0
0	91	107	85.05%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	10	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	10	0	71.43%	0	0
0	6	14	60.00%	0	0
0	17	24	70.83%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	8	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	11	0	91.67%	0	0
0	4	12	50.00%	0	0
0	6	9	66.67%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	24	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	12	0	66.67%	0	0
0	14	18	58.33%	0	0
0	24	30	80.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	2	50.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	178	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	117	0	81.82%	0	0
0	139	143	78.09%	0	0
0	85	134	63.43%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	-0.3333333333
0	0	0	0.00%	0	0
0	0	383	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	373	0	98.16%	0	0
0	379	380	98.96%	0	0
0	369	374	98.66%	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	208	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	1639	0	5.11	0	0
0	715	321	3.44	0	0
0	785	252	3.12	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	54	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0

0	0	0	0.00	0	0
0	182	0	3.43	0	0
0	225	53	4.17	0	0
0	356	62	5.74	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	5	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	8	0	4.00	0	0
0	19	2	3.80	0	0
0	4	2	2.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	4	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	12	1	3.00	0	0
0	18	7	2.57	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	54	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	182	0	3.43	0	0
0	225	53	4.17	-0.284104	-1.172723
0	356	62	5.74	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	7	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	3	0	3.00	0	0
0	24	1	3.43	0	0
0	17	3	5.67	0	0

0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	6	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	45	0	4.09	0	0
0	16	11	2.67	0	0
0	24	9	2.67	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	1350	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	4228	0	3.64	0	0
0	5103	1162	3.78	0	0
0	4915	1369	3.59	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	1350	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	4228	0	3.64	0	0
0	5103	1162	3.78	0	0
0	4915	1369	3.59	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	3	0	3.00	0	0
0	0	1	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0

0	0	0	0	0	0
0	6	0	2	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	56	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	374	0	6.8	0	0
0	334	55	5.96	0	0
0	236	44	5.36	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	13	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	131	0	10.92	0	0
0	204	12	15.69	0	0
0	161	16	10.06	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	23	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	431	0	25.35	0	0
0	450	17	19.57	0	0
0	294	23	12.78	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	33	0	11	0	0
0	260	23	11.3	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	55	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	693	0	8.56	0	0
0	1236	81	22.47	0	0
0	821	51	16.1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	107	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	775	0	9.57	0	0
0	1074	81	10.04	0	0
0	1457	109	13.37	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	11	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	201	0	12.56	0	0
0	106	16	9.64	0	0
0	273	23	11.87	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	10	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	218	0	24.22	0	0
0	566	9	56.6	0	0
0	416	14	29.71	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	14	0	14	0	0
0	132	12	11	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	8	1	8	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	141	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1096	0	11.42	0	0
0	1774	96	12.58	0	0
0	1877	111	16.91	0	0
0	0	0	0	0	0
0	0	0	0	0	-0.5
0	0	0	0	0	0
0	0	254	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	1497	0	5.27	0	0
0	1297	284	5.11	0	0
0	1384	277	5	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	69	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0.00%	0	0
0	73	0	97.33%	0	0
0	64	75	92.75%	0	0
0	65	69	94.20%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	323	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	468	0	97.91%	0	0
0	300	478	92.88%	0	0
0	219	336	65.18%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	110	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	106	0	89.83%	0	0
0	99	118	90.00%	0	0
0	105	118	88.98%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	38	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	28	0	93.33%	0	0
0	38	30	100.00%	0	0
0	44	44	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	61	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	59	0	100.00%	0	0
0	59	59	96.72%	0	0
0	74	78	94.87%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	323	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	246	0	91.79%	0	0
0	285	268	88.24%	0	0
0	263	286	91.96%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	69	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	75	0	100.00%	0	0
0	69	75	100.00%	0	0
0	69	69	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	323	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	478	0	100.00%	0	0
0	323	478	100.00%	0	0
0	336	336	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	110	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	118	0	100.00%	0	0
0	110	118	100.00%	0	0
0	118	118	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	38	0.00%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	30	0	100.00%	0	0
0	38	30	100.00%	0	0
0	44	44	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	61	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	59	0	100.00%	0	0
0	61	59	100.00%	0	0
0	78	78	100.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	6	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	0	33.33%	0	0
0	1	3	16.67%	0	0
0	3	7	42.86%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	17	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	2	12	11.76%	0	0
0	2	11	18.18%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	14	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0.00%	0	0
0	2	0	15.38%	0	0
0	2	13	14.29%	0	0
0	0	13	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	7	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	1	3	14.29%	0	0
0	2	10	20.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	45	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	6	22	13.33%	0	0
0	7	31	22.58%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	2	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	3	7	42.86%	0	0

0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	3	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	1	0.00%	0	0
0	0	2	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	69	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	73	0	97.33%	0	0
0	64	75	92.75%	0	0
0	65	69	94.20%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	323	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	468	0	97.91%	0	0
0	300	478	92.88%	0	0
0	219	336	65.18%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	110	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	106	0	89.83%	0	0
0	99	118	90.00%	0	0
0	105	118	88.98%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	38	0.00%	0	0

0	0	0	0.00	0	0
0	67	0	4.19	0	0
0	22	16	1.29	0	0
0	38	8	4.75	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	1	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	3	0	3.00	0	0
0	12	1	12.00	0	0
0	129	2	64.50	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	2	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	250	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	875	0	4.56	0	0
0	1336	192	5.34	-0.328872	-1.19994
0	996	359	2.77	-0.53335	-1.324254
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	1	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	3	0	3.00	0	0
0	12	1	12.00	0	0
0	129	2	64.50	0	0

0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	7	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	83	0	5.53	0	0
0	34	15	4.86	0	0
0	41	12	3.42	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	60	0	30.00	0	0
0	0	2	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	47	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	191	0	4.66	0	0
0	340	41	7.23	0	0
0	131	63	2.08	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	47	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	191	0	4.66	0	0
0	340	41	7.23	0	0
0	131	63	2.08	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	0	0.00	0	0
0	0	3	0.00	0	0

0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	102	0	34	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	2	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	58	0	29	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	32	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	294	0	4.98	0	0	0
7.07	137	59	4.28	0.523068	-0.499108	
0	294	65	4.52	-0.31131	-1.189263	
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	32	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	294	0	4.98	0	0	0
0	137	59	4.28	0	0	0
0	294	65	4.52	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	3	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	102	0	34	0	0	0
0	0	0	0	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	11	0	11	0	0
0	19	1	19	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	1.5	0	0
0	4	2	2	0	0
0	1	1	1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	41	0	13.67	0	0
0	10	3	3.33	0	0
0	47	3	15.67	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	10	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	45	0	15	0	0
0	104	3	10.4	0	0
0	366	21	17.43	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	5	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	4	1	4	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	5	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	153	0	19.13	0	0
0	61	8	12.2	0	0
0	69	6	11.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	10	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	45	0	15	0	0
0	104	3	10.4	0	0
0	366	21	17.43	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	10	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	45	0	15	0	0
0	104	3	10.4	0	0
0	366	21	17.43	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	5	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	153	0	19.13	0	0
0	61	8	12.2	0	0
0	69	6	11.5	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	21	0	21	0	0
0	7	1	7	0	0
0	35	1	35	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	137	0	9.79	0	0
0	41	14	6.83	0	0
0	175	7	25	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	29	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	641	0	35.61	0	0
0	444	18	15.31	0	0
0	646	40	16.15	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	61	0	30.5	0	0
0	102	4	25.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	8	0	0	0

0	0	0	0	0	0
0	641	0	35.61	0	0
0	444	18	15.31	0	0
0	646	40	16.15	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	61	0	30.5	0	0
0	102	4	25.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	488	0	19.52	0	0
0	7	25	7	0	0
0	2	2	1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	20	0	20	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	815	0	5.09	0	0
0	1196	160	6.16	0	0
0	1000	184	5.43	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	194	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	815	0	5.09	0	0
0	1196	160	6.16	0	0
0	1000	184	5.43	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	21	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	165	0	10.31	0	0
0	152	16	7.24	0	0
0	195	31	6.29	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	20	0	20	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	488	0	19.52	0	0
0	7	25	7	0	0
0	2	2	1	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	5	0	0	0

0	0	0	0	0	0
0	35	0	5	0	0
0	0	7	0	0	0
0	12	6	2	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	35	0	5	0	0
0	0	7	0	0	0
0	12	6	2	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	5	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	7	0	7	0	0
0	37	1	7.4	0	0
0	125	8	15.63	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	35	0	5	0	0
0	0	7	0	0	0
0	12	6	2	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	50	0	8.33	0	0
0	3	6	3	0	0
0	6	2	3	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	27	0	6.75	0	0
0	75	4	25	0	0
0	12	2	6	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	12	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	93	0	7.75	0	0
0	128	12	10.67	0	0
0	45	6	7.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	21	0	21	0	0
0	161	1	53.67	0	0
0	71	3	23.67	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	6	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	188	0	31.33	0	0
0	45	3	15	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0

0	0	0	0	0	0
0	21	0	21	0	0
0	161	1	53.67	0	0
0	71	3	23.67	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	51	0	12.75	0	0
0	29	4	9.67	0	0
0	118	6	19.67	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	55	0	13.75	0	0
0	3	4	3	0	0
0	107	3	35.67	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	58	0	58	0	0
0	239	1	59.75	0	0
0	154	2	77	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	3	0	0
0	36	1	18	0	0
0	25	1	25	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	54	0	27	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	10	1	10	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	58	0	58	0	0
0	239	1	59.75	0	0
0	154	2	77	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	17	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	65	0	7.22	0	0
0	367	9	21.59	0	0
0	113	14	8.07	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	17	0	0	0

0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	65	0	7.22	0	0	0
0	367	9	21.59	0	0	0
0	113	14	8.07	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	1	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	97	0	16.17	0	0	0
0	21	6	21	0	0	0
6.24	8	4	2	5.5	-0.234531	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	4	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	58	0	58	0	0	0
0	239	1	59.75	0	0	0
0	154	2	77	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	-0.145888	0
0	0	0	0.00%	0	-0.157895	0
0	0	0	0.00%	0	-0.157895	0
0	686	1343	51.08%	-0.978270593	-1.594746291	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	1703	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	0	0	0.00%	0	0	0
0	816	0	64.92%	1.359731	3	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	3	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	55	0	13.75	0	0
0	3	4	3	0	0
0	107	1	35.67	0	0
0	30	4	7.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	58	0	58	0	0
0	239	1	59.75	0	0
0	154	4	77	0	0
0	122	2	61	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	3	0	0
0	36	1	18	0	0
0	25	2	25	0	0
0	61	2	30.5	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	54	0	27	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	10	0	10	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	58	0	58	0	0
0	239	1	59.75	0	0
0	154	4	77	0	0
0	122	2	61	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	14	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	65	0	7.22	0	0
0	367	9	21.59	0	0
0	113	17	8.07	0	0
0	107	7	15.29	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	14	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	65	0	7.22	0	0
0	367	9	21.59	0	0
0	113	17	8.07	0	0
0	107	7	15.29	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	4	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0

0	97	0	16.17	0	0
0	21	6	21	0	0
6.24	8	1	2	5.5	-0.234531
0	72	10	7.2	-1.939606	-2.179197
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	58	0	58	0	0
0	239	1	59.75	0	0
0	154	4	77	0	0
0	122	2	61	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	-0.145888
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895

PID	Description	Product_Description	Standard
BI-1A	Time to Provide Usage Records	UNEs and Resale Aggregate	Parity
BI-1B	Time to Provide Usage Records	Jointly-provided Switched Access	Benchmark
BI-1C-1	Time to Provide Usage Records	[CAT11] UNEs and Resale Aggregate	Parity
BI-1C-2	Time to Provide Usage Records	[CAT10] UNEs and Resale Aggregate	Parity
BI-2	Invoices Delivered within 10 Days	All	Diagnostic
BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Parity
BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic
BI-4A	Billing Completeness	UNEs and Resale Aggregate	Parity
BI-4B	Billing Completeness	Reciprocal Compensation	Diagnostic
BI-5A	Billing Accuracy & Claims Processing - Acknowledgment	All	Benchmark
BI-5B	Billing Accuracy & Claims Processing - Resolution	All	Benchmark
CP-1A	Scheduled Interval	90 Calendar Days or Less	All Benchmark
CP-1B	Scheduled Interval	91 to 120 Calendar Days	All Benchmark
CP-1C	Scheduled Interval	121 to 150 Calendar Days	All Benchmark
CP-2B	Non-Forecasted & Late Forecasted Collocations	All	Benchmark
CP-2C	Collocations with Intervals Longer than 120 Days	All	Benchmark
CP-3	Collocation Feasibility Study Interval	All	Benchmark
CP-4	Collocation Feasibility Study Commitments Met	All	Benchmark
DA-1	Speed of Answer - Directory Assistance		Diagnostic
DB-1A	Time to Update Databases	E911	Diagnostic
DB-1B	Time to Update Databases	LIDB	Diagnostic
DB-1C-1	Time to Update Databases	Directory Listing	Diagnostic
DB-2C-1	Accurate Database Updates	Directory Listing	Diagnostic
GA-1	Gateway Availability - IMA-GUI	All	Diagnostic
GA-1	Gateway Availability - IMA-GUI	SIA	Diagnostic
GA-2	Gateway Availability - IMA-EDI		Diagnostic
GA-3	Gateway Availability - EB-TA		Diagnostic
GA-4	System Availability - EXACT		Diagnostic
GA-6	Gateway Availability - GUI - Repair		Diagnostic
GA-7	Timely Outage Resolution following Software Releases		Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	Basic Rate ISDN	Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	Business	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Centrex	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Centrex 21	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS0	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS1	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS3	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	E911	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Frame Relay	Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	ISDN Primary	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	LIS Trunk	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	PBX	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Qwest DSL	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Residence	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	UDIT Above DS1 Level	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	UDIT DS1	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - 2 Wire Non-Loaded	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - 4 Wire Non-Loaded	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - ADSL Qualified	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - DS1 Capable	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - DS3 Capable	Parity

MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - XDSLi Parity
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop Analog Parity
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop ISDN Capable Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE - P (POTS) Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex 21) Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex) Parity
MR-11A LNP Trouble Reports Cleared within 4 Hours LNP Parity
MR-11B LNP Trouble Reports Cleared within 48 Hours - All Volumes LNP Parity
MR-2 Calls Answered within 20 seconds - Interconnect Repair Center All Diagnostic
MR-3A Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3A Out of Service Cleared within 24 Hours Business Parity
MR-3A Out of Service Cleared within 24 Hours Centrex Parity
MR-3A Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3A Out of Service Cleared within 24 Hours Line Sharing Parity
MR-3A Out of Service Cleared within 24 Hours Line Splitting Parity
MR-3A Out of Service Cleared within 24 Hours PBX Parity
MR-3A Out of Service Cleared within 24 Hours Residence Parity
MR-3A Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex 21) Parity
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex) Parity
MR-3B Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3B Out of Service Cleared within 24 Hours Business Parity
MR-3B Out of Service Cleared within 24 Hours Centrex Diagnostic
MR-3B Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3B Out of Service Cleared within 24 Hours Line Sharing Diagnostic
MR-3B Out of Service Cleared within 24 Hours Line Splitting Diagnostic
MR-3B Out of Service Cleared within 24 Hours PBX Parity
MR-3B Out of Service Cleared within 24 Hours Residence Parity
MR-3B Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex) Parity
MR-3C Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3C Out of Service Cleared within 24 Hours Business Parity
MR-3C Out of Service Cleared within 24 Hours Centrex Diagnostic
MR-3C Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3C Out of Service Cleared within 24 Hours Line Sharing Parity
MR-3C Out of Service Cleared within 24 Hours Line Splitting Parity
MR-3C Out of Service Cleared within 24 Hours PBX Parity
MR-3C Out of Service Cleared within 24 Hours Residence Parity
MR-3C Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex) Diagnostic
MR-3D Out of Service Cleared within 24 Hours Qwest DSL Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity
MR-3E Out of Service Cleared within 24 Hours Qwest DSL Diagnostic
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity

MR-3E Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity
MR-4A All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4A All Troubles Cleared within 48 Hours Business Parity
MR-4A All Troubles Cleared within 48 Hours Centrex Parity
MR-4A All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4A All Troubles Cleared within 48 Hours Line Sharing Parity
MR-4A All Troubles Cleared within 48 Hours Line Splitting Parity
MR-4A All Troubles Cleared within 48 Hours PBX Parity
MR-4A All Troubles Cleared within 48 Hours Residence Parity
MR-4A All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex 21) Parity
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex) Parity
MR-4B All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4B All Troubles Cleared within 48 Hours Business Parity
MR-4B All Troubles Cleared within 48 Hours Centrex Diagnostic
MR-4B All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4B All Troubles Cleared within 48 Hours Line Sharing Diagnostic
MR-4B All Troubles Cleared within 48 Hours Line Splitting Diagnostic
MR-4B All Troubles Cleared within 48 Hours PBX Parity
MR-4B All Troubles Cleared within 48 Hours Residence Parity
MR-4B All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex) Parity
MR-4C All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4C All Troubles Cleared within 48 Hours Business Parity
MR-4C All Troubles Cleared within 48 Hours Centrex Parity
MR-4C All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4C All Troubles Cleared within 48 Hours Line Sharing Parity
MR-4C All Troubles Cleared within 48 Hours Line Splitting Parity
MR-4C All Troubles Cleared within 48 Hours PBX Parity
MR-4C All Troubles Cleared within 48 Hours Residence Parity
MR-4C All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex) Diagnostic
MR-4D All Troubles Cleared within 48 Hours Qwest DSL Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity
MR-4E All Troubles Cleared within 48 Hours Qwest DSL Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity
MR-5A All Troubles Cleared within 4 Hours DS0 Parity
MR-5A All Troubles Cleared within 4 Hours DS1 Parity
MR-5A All Troubles Cleared within 4 Hours DS3 Parity
MR-5A All Troubles Cleared within 4 Hours E911 Parity
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS0 Capable Diagnostic

MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS3 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Frame Relay Diagnostic
MR-5A All Troubles Cleared within 4 Hours ISDN Primary Diagnostic
MR-5A All Troubles Cleared within 4 Hours LIS Trunk Parity
MR-5A All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity
MR-5A All Troubles Cleared within 4 Hours UDIT DS1 Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - 4 Wire Non-Loaded Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Parity
MR-5B All Troubles Cleared within 4 Hours DS0 Parity
MR-5B All Troubles Cleared within 4 Hours DS1 Parity
MR-5B All Troubles Cleared within 4 Hours DS3 Diagnostic
MR-5B All Troubles Cleared within 4 Hours E911 Parity
MR-5B All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity
MR-5B All Troubles Cleared within 4 Hours Frame Relay Diagnostic
MR-5B All Troubles Cleared within 4 Hours ISDN Primary Parity
MR-5B All Troubles Cleared within 4 Hours LIS Trunk Parity
MR-5B All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity
MR-5B All Troubles Cleared within 4 Hours UDIT DS1 Parity
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Diagnostic
MR-6A Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6A Mean Time to Restore Business Parity
MR-6A Mean Time to Restore Centrex Parity
MR-6A Mean Time to Restore Centrex 21 Parity
MR-6A Mean Time to Restore Line Sharing Parity
MR-6A Mean Time to Restore Line Splitting Parity
MR-6A Mean Time to Restore PBX Parity
MR-6A Mean Time to Restore Residence Parity
MR-6A Mean Time to Restore UNE - P (POTS) Parity
MR-6A Mean Time to Restore UNE P (Centrex 21) Parity
MR-6A Mean Time to Restore UNE P (Centrex) Parity
MR-6B Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6B Mean Time to Restore Business Parity
MR-6B Mean Time to Restore Centrex Diagnostic
MR-6B Mean Time to Restore Centrex 21 Parity
MR-6B Mean Time to Restore Line Sharing Diagnostic
MR-6B Mean Time to Restore Line Splitting Diagnostic
MR-6B Mean Time to Restore PBX Parity
MR-6B Mean Time to Restore Residence Parity
MR-6B Mean Time to Restore UNE - P (POTS) Parity
MR-6B Mean Time to Restore UNE P (Centrex 21) Diagnostic
MR-6B Mean Time to Restore UNE P (Centrex) Parity
MR-6C Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6C Mean Time to Restore Business Parity
MR-6C Mean Time to Restore Centrex Parity
MR-6C Mean Time to Restore Centrex 21 Parity
MR-6C Mean Time to Restore Line Sharing Parity
MR-6C Mean Time to Restore Line Splitting Parity
MR-6C Mean Time to Restore PBX Parity

MR-6C Mean Time to Restore Residence Parity
MR-6C Mean Time to Restore UNE - P (POTS) Parity
MR-6C Mean Time to Restore UNE P (Centrex 21) Parity
MR-6C Mean Time to Restore UNE P (Centrex) Parity
MR-6D Mean Time to Restore Dark Fiber - IOF Parity
MR-6D Mean Time to Restore Dark Fiber - Loop Parity
MR-6D Mean Time to Restore DS0 Parity
MR-6D Mean Time to Restore DS1 Parity
MR-6D Mean Time to Restore DS3 Parity
MR-6D Mean Time to Restore E911 Parity
MR-6D Mean Time to Restore Enhanced Extended Loops - DS0 Capable Diagnostic
MR-6D Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity
MR-6D Mean Time to Restore Enhanced Extended Loops - DS3 Capable Parity
MR-6D Mean Time to Restore Frame Relay Diagnostic
MR-6D Mean Time to Restore ISDN Primary Diagnostic
MR-6D Mean Time to Restore LIS Trunk Parity
MR-6D Mean Time to Restore Qwest DSL Parity
MR-6D Mean Time to Restore UDIT Above DS1 Level Parity
MR-6D Mean Time to Restore UDIT DS1 Parity
MR-6D Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity
MR-6D Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Parity
MR-6D Mean Time to Restore Unbundled Loop - ADSL Qualified Parity
MR-6D Mean Time to Restore Unbundled Loop - DS1 Capable Parity
MR-6D Mean Time to Restore Unbundled Loop - DS3 Capable Parity
MR-6D Mean Time to Restore Unbundled Loop - XDSLi Parity
MR-6D Mean Time to Restore Unbundled Loop Analog Parity
MR-6D Mean Time to Restore Unbundled Loop ISDN Capable Parity
MR-6E Mean Time to Restore DS0 Parity
MR-6E Mean Time to Restore DS1 Parity
MR-6E Mean Time to Restore DS3 Diagnostic
MR-6E Mean Time to Restore E911 Parity
MR-6E Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity
MR-6E Mean Time to Restore Frame Relay Diagnostic
MR-6E Mean Time to Restore ISDN Primary Parity
MR-6E Mean Time to Restore LIS Trunk Parity
MR-6E Mean Time to Restore Qwest DSL Parity
MR-6E Mean Time to Restore UDIT Above DS1 Level Parity
MR-6E Mean Time to Restore UDIT DS1 Parity
MR-6E Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity
MR-6E Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-6E Mean Time to Restore Unbundled Loop - ADSL Qualified Parity
MR-6E Mean Time to Restore Unbundled Loop - DS1 Capable Parity
MR-6E Mean Time to Restore Unbundled Loop - DS3 Capable Diagnostic
MR-6E Mean Time to Restore Unbundled Loop - XDSLi Parity
MR-6E Mean Time to Restore Unbundled Loop Analog Parity
MR-6E Mean Time to Restore Unbundled Loop ISDN Capable Parity
MR-7A Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7A Repair Repeat Report Rate Business Parity
MR-7A Repair Repeat Report Rate Centrex Parity
MR-7A Repair Repeat Report Rate Centrex 21 Parity
MR-7A Repair Repeat Report Rate Line Sharing Parity
MR-7A Repair Repeat Report Rate Line Splitting Parity

MR-7A Repair Repeat Report Rate PBX Parity
MR-7A Repair Repeat Report Rate Residence Parity
MR-7A Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7A Repair Repeat Report Rate UNE P (Centrex 21) Parity
MR-7A Repair Repeat Report Rate UNE P (Centrex) Parity
MR-7B Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7B Repair Repeat Report Rate Business Parity
MR-7B Repair Repeat Report Rate Centrex Diagnostic
MR-7B Repair Repeat Report Rate Centrex 21 Parity
MR-7B Repair Repeat Report Rate Line Sharing Diagnostic
MR-7B Repair Repeat Report Rate Line Splitting Diagnostic
MR-7B Repair Repeat Report Rate PBX Parity
MR-7B Repair Repeat Report Rate Residence Parity
MR-7B Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7B Repair Repeat Report Rate UNE P (Centrex 21) Diagnostic
MR-7B Repair Repeat Report Rate UNE P (Centrex) Diagnostic
MR-7C Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7C Repair Repeat Report Rate Business Parity
MR-7C Repair Repeat Report Rate Centrex Diagnostic
MR-7C Repair Repeat Report Rate Centrex 21 Parity
MR-7C Repair Repeat Report Rate Line Sharing Parity
MR-7C Repair Repeat Report Rate Line Splitting Parity
MR-7C Repair Repeat Report Rate PBX Parity
MR-7C Repair Repeat Report Rate Residence Parity
MR-7C Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7C Repair Repeat Report Rate UNE P (Centrex 21) Parity
MR-7C Repair Repeat Report Rate UNE P (Centrex) Parity
MR-7D Repair Repeat Report Rate Dark Fiber - IOF Parity
MR-7D Repair Repeat Report Rate Dark Fiber - Loop Parity
MR-7D Repair Repeat Report Rate DS0 Parity
MR-7D Repair Repeat Report Rate DS1 Parity
MR-7D Repair Repeat Report Rate DS3 Parity
MR-7D Repair Repeat Report Rate E911 Parity
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS3 Capable Diagnostic
MR-7D Repair Repeat Report Rate Frame Relay Diagnostic
MR-7D Repair Repeat Report Rate ISDN Primary Diagnostic
MR-7D Repair Repeat Report Rate LIS Trunk Parity
MR-7D Repair Repeat Report Rate Qwest DSL Parity
MR-7D Repair Repeat Report Rate UDIT Above DS1 Level Parity
MR-7D Repair Repeat Report Rate UDIT DS1 Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - DS1 Capable Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - DS3 Capable Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - XDSLi Parity
MR-7D Repair Repeat Report Rate Unbundled Loop Analog Parity
MR-7D Repair Repeat Report Rate Unbundled Loop ISDN Capable Parity
MR-7E Repair Repeat Report Rate DS0 Parity
MR-7E Repair Repeat Report Rate DS1 Parity

MR-7E Repair Repeat Report Rate DS3 Diagnostic
MR-7E Repair Repeat Report Rate E911 Parity
MR-7E Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity
MR-7E Repair Repeat Report Rate Frame Relay Diagnostic
MR-7E Repair Repeat Report Rate ISDN Primary Parity
MR-7E Repair Repeat Report Rate LIS Trunk Parity
MR-7E Repair Repeat Report Rate Qwest DSL Parity
MR-7E Repair Repeat Report Rate UDIT Above DS1 Level Parity
MR-7E Repair Repeat Report Rate UDIT DS1 Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - DS1 Capable Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - DS3 Capable Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop - XDSLi Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop Analog Parity
MR-7E Repair Repeat Report Rate Unbundled Loop ISDN Capable Parity
MR-8 Trouble Rate Basic Rate ISDN Parity
MR-8 Trouble Rate Business Parity
MR-8 Trouble Rate Centrex Parity
MR-8 Trouble Rate Centrex 21 Parity
MR-8 Trouble Rate Dark Fiber - IOF Diagnostic
MR-8 Trouble Rate Dark Fiber - Loop Diagnostic
MR-8 Trouble Rate DS0 Parity
MR-8 Trouble Rate DS1 Parity
MR-8 Trouble Rate DS3 Parity
MR-8 Trouble Rate E911 Parity
MR-8 Trouble Rate Enhanced Extended Loops - DS0 Capable Diagnostic
MR-8 Trouble Rate Enhanced Extended Loops - DS1 Capable Parity
MR-8 Trouble Rate Enhanced Extended Loops - DS3 Capable Diagnostic
MR-8 Trouble Rate Frame Relay Parity
MR-8 Trouble Rate ISDN Primary Parity
MR-8 Trouble Rate Line Sharing Parity
MR-8 Trouble Rate Line Splitting Parity
MR-8 Trouble Rate LIS Trunk Parity
MR-8 Trouble Rate PBX Parity
MR-8 Trouble Rate Qwest DSL Parity
MR-8 Trouble Rate Residence Parity
MR-8 Trouble Rate Sub-Loop Unbundling Diagnostic
MR-8 Trouble Rate UDIT Above DS1 Level Parity
MR-8 Trouble Rate UDIT DS1 Parity
MR-8 Trouble Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-8 Trouble Rate Unbundled Loop - 4 Wire Non-Loaded Parity
MR-8 Trouble Rate Unbundled Loop - ADSL Qualified Parity
MR-8 Trouble Rate Unbundled Loop - DS1 Capable Parity
MR-8 Trouble Rate Unbundled Loop - DS3 Capable Parity
MR-8 Trouble Rate Unbundled Loop - XDSLi Parity
MR-8 Trouble Rate Unbundled Loop Analog Parity
MR-8 Trouble Rate Unbundled Loop ISDN Capable Parity
MR-8 Trouble Rate UNE - P (POTS) Parity
MR-8 Trouble Rate UNE P (Centrex 21) Parity
MR-8 Trouble Rate UNE P (Centrex) Parity

MR-9A Repair Appointments Met Business Parity
MR-9A Repair Appointments Met Centrex Parity
MR-9A Repair Appointments Met Centrex 21 Parity
MR-9A Repair Appointments Met PBX Diagnostic
MR-9A Repair Appointments Met Residence Parity
MR-9A Repair Appointments Met UNE - P (POTS) Parity
MR-9B Repair Appointments Met Business Parity
MR-9B Repair Appointments Met Centrex Diagnostic
MR-9B Repair Appointments Met Centrex 21 Parity
MR-9B Repair Appointments Met PBX Parity
MR-9B Repair Appointments Met Residence Parity
MR-9B Repair Appointments Met UNE - P (POTS) Parity
MR-9C Repair Appointments Met Business Parity
MR-9C Repair Appointments Met Centrex Parity
MR-9C Repair Appointments Met Centrex 21 Parity
MR-9C Repair Appointments Met PBX Diagnostic
MR-9C Repair Appointments Met Residence Parity
MR-9C Repair Appointments Met UNE - P (POTS) Parity
NI-1A Trunk Blockage to Qwest Tandem Offices LIS Trunk Parity
NI-1B Trunk Blockage to Qwest End Offices LIS Trunk Parity
NI-1C Trunk Blockage to Qwest Tandem Offices LIS Trunk Diagnostic
NI-1D Trunk Blockage to Qwest End Offices LIS Trunk Diagnostic
NP-1A NXX Code Activation All Parity
OP-13A Coordinated Cuts Completed on Time Unbundled Loop - Analog Benchmark
OP-13A Coordinated Cuts Completed on Time Unbundled Loop Other Benchmark
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop - Analog Diagnostic
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop Other Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Basic Rate ISDN Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Business Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex 21 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - IOF Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS0 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS1 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS3 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Enhanced Extended Loops (EELs) Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Frame Relay Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date ISDN Primary Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Line Sharing Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Line Splitting Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date LIS Trunk Parity
OP-15A Interval for Pending Orders Delayed Past Due Date PBX Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Qwest DSL Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Residence Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UDIT Above DS1 Level Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UDIT DS1 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 2 Wire Non-Loaded Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS1 Capable Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS3 Capable Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop Analog Parity

OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop ISDN Capable Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UNE - P (POTS) Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex 21) Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Basic Rate ISDN Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Business Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex 21 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - IOF Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - Loop Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS0 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS1 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS3 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Enhanced Extended Loops (EELs) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Frame Relay Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons ISDN Primary Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Sharing Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Splitting Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons LIS Trunk Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons PBX Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Qwest DSL Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Residence Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT DS1 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Loaded Diagnos
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnos
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex 21) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex) Diagnostic
OP-17A Timeliness of Disconnects associated with LNP Orders LNP Benchmark
OP-17B Timeliness of Disconnects associated with LNP Orders LNP Diagnostic
OP-2 Calls Answered within Twenty Seconds - Interconnect Provisioning Center Diagnostic
OP-3A Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3A Installation Commitments Met Business Parity
OP-3A Installation Commitments Met Centrex Diagnostic
OP-3A Installation Commitments Met Centrex 21 Diagnostic
OP-3A Installation Commitments Met DS0 Diagnostic
OP-3A Installation Commitments Met Line Sharing Benchmark
OP-3A Installation Commitments Met Line Splitting Benchmark
OP-3A Installation Commitments Met PBX Diagnostic
OP-3A Installation Commitments Met Qwest DSL Parity
OP-3A Installation Commitments Met Residence Parity
OP-3A Installation Commitments Met UNE - P (POTS) Parity
OP-3A Installation Commitments Met UNE P (Centrex 21) Parity
OP-3A Installation Commitments Met UNE P (Centrex) Parity
OP-3B Installation Commitments Met Business Parity
OP-3B Installation Commitments Met Centrex Diagnostic
OP-3B Installation Commitments Met Centrex 21 Diagnostic

OP-3B Installation Commitments Met Line Sharing Benchmark
OP-3B Installation Commitments Met Line Splitting Benchmark
OP-3B Installation Commitments Met PBX Diagnostic
OP-3B Installation Commitments Met Qwest DSL Parity
OP-3B Installation Commitments Met Residence Parity
OP-3B Installation Commitments Met Sub-Loop Unbundling Diagnostic
OP-3B Installation Commitments Met UNE - P (POTS) Parity
OP-3B Installation Commitments Met UNE P (Centrex 21) Diagnostic
OP-3B Installation Commitments Met UNE P (Centrex) Diagnostic
OP-3C Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3C Installation Commitments Met Business Parity
OP-3C Installation Commitments Met Centrex Diagnostic
OP-3C Installation Commitments Met Centrex 21 Diagnostic
OP-3C Installation Commitments Met ISDN Primary Diagnostic
OP-3C Installation Commitments Met Line Sharing Benchmark
OP-3C Installation Commitments Met Line Splitting Benchmark
OP-3C Installation Commitments Met PBX Parity
OP-3C Installation Commitments Met Qwest DSL Parity
OP-3C Installation Commitments Met Residence Parity
OP-3C Installation Commitments Met UNE - P (POTS) Parity
OP-3C Installation Commitments Met UNE P (Centrex 21) Parity
OP-3C Installation Commitments Met UNE P (Centrex) Parity
OP-3D Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3D Installation Commitments Met Dark Fiber - IOF Diagnostic
OP-3D Installation Commitments Met Dark Fiber - Loop Diagnostic
OP-3D Installation Commitments Met DS0 Diagnostic
OP-3D Installation Commitments Met DS1 Parity
OP-3D Installation Commitments Met DS3 Diagnostic
OP-3D Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark
OP-3D Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity
OP-3D Installation Commitments Met Enhanced Extended Loops - DS3 Capable Benchmark
OP-3D Installation Commitments Met Frame Relay Diagnostic
OP-3D Installation Commitments Met ISDN Primary Diagnostic
OP-3D Installation Commitments Met LIS Trunk Parity
OP-3D Installation Commitments Met PBX Parity
OP-3D Installation Commitments Met Qwest DSL Parity
OP-3D Installation Commitments Met UDIT Above DS1 Level Parity
OP-3D Installation Commitments Met UDIT DS1 Parity
OP-3D Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Parity
OP-3D Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-3D Installation Commitments Met Unbundled Loop - ADSL Qualified Parity
OP-3D Installation Commitments Met Unbundled Loop - DS1 Capable Parity
OP-3D Installation Commitments Met Unbundled Loop - DS3 Capable Parity
OP-3D Installation Commitments Met Unbundled Loop - XDSLi Benchmark
OP-3D Installation Commitments Met Unbundled Loop Analog Parity
OP-3D Installation Commitments Met Unbundled Loop Conditioned Benchmark
OP-3D Installation Commitments Met Unbundled Loop ISDN Capable Parity
OP-3E Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3E Installation Commitments Met DS0 Parity
OP-3E Installation Commitments Met DS1 Parity
OP-3E Installation Commitments Met DS3 Diagnostic
OP-3E Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark

OP-3E Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity
OP-3E Installation Commitments Met Frame Relay Diagnostic
OP-3E Installation Commitments Met ISDN Primary Parity
OP-3E Installation Commitments Met LIS Trunk Parity
OP-3E Installation Commitments Met PBX Parity
OP-3E Installation Commitments Met Qwest DSL Diagnostic
OP-3E Installation Commitments Met UDIT Above DS1 Level Parity
OP-3E Installation Commitments Met UDIT DS1 Parity
OP-3E Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Parity
OP-3E Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-3E Installation Commitments Met Unbundled Loop - ADSL Qualified Parity
OP-3E Installation Commitments Met Unbundled Loop - DS1 Capable Parity
OP-3E Installation Commitments Met Unbundled Loop - DS3 Capable Parity
OP-3E Installation Commitments Met Unbundled Loop - XDSLi Benchmark
OP-3E Installation Commitments Met Unbundled Loop Analog Parity
OP-3E Installation Commitments Met Unbundled Loop Conditioned Benchmark
OP-3E Installation Commitments Met Unbundled Loop ISDN Capable Parity
OP-4A Installation Interval Business Parity
OP-4A Installation Interval Centrex Diagnostic
OP-4A Installation Interval Centrex 21 Diagnostic
OP-4A Installation Interval DS0 Diagnostic
OP-4A Installation Interval Line Sharing Benchmark
OP-4A Installation Interval Line Splitting Benchmark
OP-4A Installation Interval PBX Diagnostic
OP-4A Installation Interval Qwest DSL Parity
OP-4A Installation Interval Residence Parity
OP-4A Installation Interval UNE - P (POTS) Parity
OP-4A Installation Interval UNE P (Centrex 21) Diagnostic
OP-4A Installation Interval UNE P (Centrex) Parity
OP-4B Installation Interval Business Parity
OP-4B Installation Interval Centrex Diagnostic
OP-4B Installation Interval Centrex 21 Diagnostic
OP-4B Installation Interval Line Sharing Benchmark
OP-4B Installation Interval Line Splitting Benchmark
OP-4B Installation Interval PBX Diagnostic
OP-4B Installation Interval Qwest DSL Parity
OP-4B Installation Interval Residence Parity
OP-4B Installation Interval Sub-Loop Unbundling Diagnostic
OP-4B Installation Interval UNE - P (POTS) Parity
OP-4B Installation Interval UNE P (Centrex 21) Diagnostic
OP-4B Installation Interval UNE P (Centrex) Diagnostic
OP-4C Installation Interval Business Parity
OP-4C Installation Interval Centrex Diagnostic
OP-4C Installation Interval Centrex 21 Diagnostic
OP-4C Installation Interval Line Sharing Benchmark
OP-4C Installation Interval Line Splitting Benchmark
OP-4C Installation Interval PBX Parity
OP-4C Installation Interval Qwest DSL Parity
OP-4C Installation Interval Residence Parity
OP-4C Installation Interval UNE - P (POTS) Parity
OP-4C Installation Interval UNE P (Centrex 21) Parity
OP-4C Installation Interval UNE P (Centrex) Parity

OP-4D Installation Interval Basic Rate ISDN Diagnostic
OP-4D Installation Interval Dark Fiber - IOF Diagnostic
OP-4D Installation Interval Dark Fiber - Loop Diagnostic
OP-4D Installation Interval DS0 Diagnostic
OP-4D Installation Interval DS1 Parity
OP-4D Installation Interval DS3 Diagnostic
OP-4D Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic
OP-4D Installation Interval Enhanced Extended Loops - DS1 Capable Parity
OP-4D Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic
OP-4D Installation Interval Frame Relay Diagnostic
OP-4D Installation Interval ISDN Primary Diagnostic
OP-4D Installation Interval LIS Trunk Parity
OP-4D Installation Interval PBX Parity
OP-4D Installation Interval Qwest DSL Parity
OP-4D Installation Interval UDIT Above DS1 Level Parity
OP-4D Installation Interval UDIT DS1 Parity
OP-4D Installation Interval Unbundled Loop - 2 Wire Non-Loaded Parity
OP-4D Installation Interval Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-4D Installation Interval Unbundled Loop - ADSL Qualified Parity
OP-4D Installation Interval Unbundled Loop - DS1 Capable Parity
OP-4D Installation Interval Unbundled Loop - DS3 Capable Parity
OP-4D Installation Interval Unbundled Loop - XDSLi Benchmark
OP-4D Installation Interval Unbundled Loop Analog Parity
OP-4D Installation Interval Unbundled Loop Conditioned Benchmark
OP-4D Installation Interval Unbundled Loop ISDN Capable Parity
OP-4E Installation Interval Basic Rate ISDN Diagnostic
OP-4E Installation Interval Dark Fiber - IOF Diagnostic
OP-4E Installation Interval Dark Fiber - Loop Diagnostic
OP-4E Installation Interval DS0 Parity
OP-4E Installation Interval DS1 Parity
OP-4E Installation Interval DS3 Diagnostic
OP-4E Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic
OP-4E Installation Interval Enhanced Extended Loops - DS1 Capable Parity
OP-4E Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic
OP-4E Installation Interval Frame Relay Diagnostic
OP-4E Installation Interval ISDN Primary Parity
OP-4E Installation Interval LIS Trunk Parity
OP-4E Installation Interval PBX Parity
OP-4E Installation Interval Qwest DSL Diagnostic
OP-4E Installation Interval UDIT Above DS1 Level Parity
OP-4E Installation Interval UDIT DS1 Parity
OP-4E Installation Interval Unbundled Loop - 2 Wire Non-Loaded Parity
OP-4E Installation Interval Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-4E Installation Interval Unbundled Loop - ADSL Qualified Parity
OP-4E Installation Interval Unbundled Loop - DS1 Capable Parity
OP-4E Installation Interval Unbundled Loop - DS3 Capable Parity
OP-4E Installation Interval Unbundled Loop - XDSLi Benchmark
OP-4E Installation Interval Unbundled Loop Analog Parity
OP-4E Installation Interval Unbundled Loop Conditioned Benchmark
OP-4E Installation Interval Unbundled Loop ISDN Capable Parity
OP-5A New Service Installation Quality Reported to Repair Basic Rate ISDN Diagnostic
OP-5A New Service Installation Quality Reported to Repair Business Parity

OP-5A New Service Installation Quality Reported to Repair Centrex Diagnostic
OP-5A New Service Installation Quality Reported to Repair Centrex 21 Diagnostic
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - IOF Diagnostic
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - Loop Diagnostic
OP-5A New Service Installation Quality Reported to Repair DS0 Parity
OP-5A New Service Installation Quality Reported to Repair DS1 Parity
OP-5A New Service Installation Quality Reported to Repair DS3 Diagnostic
OP-5A New Service Installation Quality Reported to Repair E911 Parity
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS0 Capable Diagnosti
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS1 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS3 Capable Diagnosti
OP-5A New Service Installation Quality Reported to Repair Frame Relay Diagnostic
OP-5A New Service Installation Quality Reported to Repair ISDN Primary Parity
OP-5A New Service Installation Quality Reported to Repair Line Sharing Parity
OP-5A New Service Installation Quality Reported to Repair Line Splitting Parity
OP-5A New Service Installation Quality Reported to Repair LIS Trunk Parity
OP-5A New Service Installation Quality Reported to Repair PBX Parity
OP-5A New Service Installation Quality Reported to Repair Qwest DSL Parity
OP-5A New Service Installation Quality Reported to Repair Residence Parity
OP-5A New Service Installation Quality Reported to Repair Sub-Loop Unbundling Diagnostic
OP-5A New Service Installation Quality Reported to Repair UDIT Above DS1 Level Parity
OP-5A New Service Installation Quality Reported to Repair UDIT DS1 Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 2 Wire Non-Loaded Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - ADSL Qualified Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS1 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS3 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - XDSLi Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop Analog Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop ISDN Capable Parity
OP-5A New Service Installation Quality Reported to Repair UNE - P (POTS) Parity
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex 21) Parity
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex) Parity
OP-5B New Service Provisioning Quality Basic Rate ISDN Diagnostic
OP-5B New Service Provisioning Quality Business Benchmark
OP-5B New Service Provisioning Quality Centrex Diagnostic
OP-5B New Service Provisioning Quality Centrex 21 Diagnostic
OP-5B New Service Provisioning Quality Dark Fiber - Loop Diagnostic
OP-5B New Service Provisioning Quality DS0 Diagnostic
OP-5B New Service Provisioning Quality DS1 Benchmark
OP-5B New Service Provisioning Quality DS3 Diagnostic
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS0 Capable Benchmark
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS1 Capable Benchmark
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS3 Capable Benchmark
OP-5B New Service Provisioning Quality Frame Relay Diagnostic
OP-5B New Service Provisioning Quality ISDN Primary Benchmark
OP-5B New Service Provisioning Quality Line Sharing Benchmark
OP-5B New Service Provisioning Quality Line Splitting Benchmark
OP-5B New Service Provisioning Quality PBX Benchmark
OP-5B New Service Provisioning Quality Qwest DSL Benchmark
OP-5B New Service Provisioning Quality Residence Benchmark
OP-5B New Service Provisioning Quality Sub-Loop Unbundling Diagnostic

OP-5B New Service Provisioning Quality Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - ADSL Qualified Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - DS1 Capable Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - DS3 Capable Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - XDSLi Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop Analog Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop ISDN Capable Benchmark
OP-5B New Service Provisioning Quality UNE - P (POTS) Benchmark
OP-5B New Service Provisioning Quality UNE P (Centrex 21) Diagnostic
OP-5B New Service Provisioning Quality UNE P (Centrex) Diagnostic
OP-5R New Service Quality Multiple Report Rate Basic Rate ISDN Diagnostic
OP-5R New Service Quality Multiple Report Rate Business Diagnostic
OP-5R New Service Quality Multiple Report Rate Centrex Diagnostic
OP-5R New Service Quality Multiple Report Rate Centrex 21 Diagnostic
OP-5R New Service Quality Multiple Report Rate Dark Fiber - Loop Diagnostic
OP-5R New Service Quality Multiple Report Rate DS0 Diagnostic
OP-5R New Service Quality Multiple Report Rate DS1 Diagnostic
OP-5R New Service Quality Multiple Report Rate DS3 Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS1 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Frame Relay Diagnostic
OP-5R New Service Quality Multiple Report Rate ISDN Primary Diagnostic
OP-5R New Service Quality Multiple Report Rate Line Sharing Diagnostic
OP-5R New Service Quality Multiple Report Rate Line Splitting Diagnostic
OP-5R New Service Quality Multiple Report Rate LIS Trunk Diagnostic
OP-5R New Service Quality Multiple Report Rate PBX Diagnostic
OP-5R New Service Quality Multiple Report Rate Qwest DSL Diagnostic
OP-5R New Service Quality Multiple Report Rate Residence Diagnostic
OP-5R New Service Quality Multiple Report Rate UDIT Above DS1 Level Diagnostic
OP-5R New Service Quality Multiple Report Rate UDIT DS1 Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - 2 Wire Non-Loaded Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - ADSL Qualified Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - DS1 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - XDSLi Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop Analog Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop ISDN Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate UNE - P (POTS) Diagnostic
OP-5R New Service Quality Multiple Report Rate UNE P (Centrex) Diagnostic
OP-5T New Service Installation Quality Total Basic Rate ISDN Diagnostic
OP-5T New Service Installation Quality Total Business Diagnostic
OP-5T New Service Installation Quality Total Centrex Diagnostic
OP-5T New Service Installation Quality Total Centrex 21 Diagnostic
OP-5T New Service Installation Quality Total Dark Fiber - Loop Diagnostic
OP-5T New Service Installation Quality Total DS0 Parity
OP-5T New Service Installation Quality Total DS1 Diagnostic
OP-5T New Service Installation Quality Total DS3 Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS1 Capable Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS3 Capable Diagnostic
OP-5T New Service Installation Quality Total Frame Relay Diagnostic
OP-5T New Service Installation Quality Total ISDN Primary Diagnostic
OP-5T New Service Installation Quality Total Line Sharing Diagnostic

OP-5T New Service Installation Quality Total Line Splitting Diagnostic
OP-5T New Service Installation Quality Total PBX Diagnostic
OP-5T New Service Installation Quality Total Qwest DSL Diagnostic
OP-5T New Service Installation Quality Total Residence Diagnostic
OP-5T New Service Installation Quality Total Sub-Loop Unbundling Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - 2 Wire Non-Loaded Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - ADSL Qualified Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - DS1 Capable Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - DS3 Capable Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - XDSLi Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop Analog Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop ISDN Capable Diagnostic
OP-5T New Service Installation Quality Total UNE - P (POTS) Diagnostic
OP-5T New Service Installation Quality Total UNE P (Centrex 21) Diagnostic
OP-5T New Service Installation Quality Total UNE P (Centrex) Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Business Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Centrex Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Line Splitting Parity
OP-6A-1 Delayed Days for Non-Facility Reasons Qwest DSL Parity
OP-6A-1 Delayed Days for Non-Facility Reasons Residence Parity
OP-6A-1 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex) Parity
OP-6A-2 Delayed Days for Non-Facility Reasons Business Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Qwest DSL Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Residence Parity
OP-6A-2 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
OP-6A-2 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Business Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Centrex Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Qwest DSL Parity
OP-6A-3 Delayed Days for Non-Facility Reasons Residence Parity
OP-6A-3 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
OP-6A-3 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons UNE P (Centrex) Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS1 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS3 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS0 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity

OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS3 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons LIS Trunk Parity
OP-6A-4 Delayed Days for Non-Facility Reasons PBX Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Qwest DSL Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS1 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS3 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons ISDN Primary Parity
OP-6A-5 Delayed Days for Non-Facility Reasons LIS Trunk Parity
OP-6A-5 Delayed Days for Non-Facility Reasons PBX Parity
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Parity
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6B-1 Delayed Days for Facility Reasons Business Parity
OP-6B-1 Delayed Days for Facility Reasons Centrex Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Centrex 21 Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Residence Parity
OP-6B-1 Delayed Days for Facility Reasons UNE - P (POTS) Parity
OP-6B-1 Delayed Days for Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6B-1 Delayed Days for Facility Reasons UNE P (Centrex) Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Business Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Residence Parity
OP-6B-2 Delayed Days for Facility Reasons UNE - P (POTS) Parity
OP-6B-3 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Qwest DSL Diagnostic

OP-6B-3 Delayed Days for Facility Reasons Residence Parity
OP-6B-3 Delayed Days for Facility Reasons UNE - P (POTS) Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Basic Rate ISDN Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS0 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS1 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS3 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons ISDN Primary Diagnostic
OP-6B-4 Delayed Days for Facility Reasons PBX Diagnostic
OP-6B-4 Delayed Days for Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6B-4 Delayed Days for Facility Reasons UDIT DS1 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop Analog Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6B-5 Delayed Days for Facility Reasons Basic Rate ISDN Diagnostic
OP-6B-5 Delayed Days for Facility Reasons DS0 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons DS1 Parity
OP-6B-5 Delayed Days for Facility Reasons DS3 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Frame Relay Diagnostic
OP-6B-5 Delayed Days for Facility Reasons ISDN Primary Parity
OP-6B-5 Delayed Days for Facility Reasons PBX Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-5 Delayed Days for Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6B-5 Delayed Days for Facility Reasons UDIT DS1 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - ADSL Qualified Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop Analog Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity
OP-7 OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops" Unbundled Loop - Analog Diagnostic
OP-7 OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops" Unbundled Loop Other Diagnostic
OP-8B Number Portability Timeliness LNP Benchmark
OP-8C Percentage of LNP Triggers Set Prior to the Frame Due Time LNP Benchmark
OS-1 Speed of Answer - Operator Services Diagnostic
PO-15 Number of Due Date Changes per Order All Diagnostic
PO-16 Timely Release Notifications Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 14.0 Benchmark
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 16.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 17.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI Diagnostic
PO-19A Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 Benchmark
PO-19B Stand-Alone Test Environment (SATE) Accuracy Diagnostic
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) EDI Request/Response Diagnostic
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Aggregate Diagnostic
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Request Diagnostic
PO-1A-1 Pre-Order Response Times (Appt. Scheduler) IMA Response/Accept Diagnostic

PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) EDI Request/Response Diagnostic
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Aggregate Diagnostic
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Request Diagnostic
PO-1A-10 Pre-Order Response Times (Meet Point Inquiry) IMA Response Diagnostic
PO-1A-2 Pre-Order Response Times (Service Availability) EDI Request/Response Diagnostic
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Aggregate Diagnostic
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Request Diagnostic
PO-1A-2 Pre-Order Response Times (Service Availability) IMA Response Diagnostic
PO-1A-3 Pre-Order Response Times (Facility Check) EDI Request/Response Diagnostic
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Aggregate Diagnostic
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Request Diagnostic
PO-1A-3 Pre-Order Response Times (Facility Check) IMA Response Diagnostic
PO-1A-4 Pre-Order Response Times (Address Validation) EDI Request/Response Diagnostic
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Aggregate Diagnostic
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Request Diagnostic
PO-1A-4 Pre-Order Response Times (Address Validation) IMA Response Diagnostic
PO-1A-5 Pre-Order Response Times (Get CSR) EDI Request/Response Diagnostic
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Aggregate Diagnostic
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Request Diagnostic
PO-1A-5 Pre-Order Response Times (Get CSR) IMA Response Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) EDI Request/Response Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Accept Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Aggregate Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Request Diagnostic
PO-1A-6 Pre-Order Response Times (TN Reservation) IMA Response Diagnostic
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) EDI Request/Response Diagnostic
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Aggregate Diagnostic
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Request Diagnostic
PO-1A-7 Pre-Order Response Times (Loop Qualification Tools) IMA Response Diagnostic
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) EDI Request/Response Diagnostic
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Aggregate Diagnostic
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Request Diagnostic
PO-1A-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Response Diagnostic
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) EDI Request/Response Diagnostic
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Aggregate Diagnostic
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Request Diagnostic
PO-1A-9 Pre-Order Response Times (Connecting Facility Assignment) IMA Response Diagnostic
PO-1C Pre-Order Response Times (Timeout) EDI Total Diagnostic
PO-1C Pre-Order Response Times (Timeout) IMA Total Diagnostic
PO-1D Pre-Order Response Times (Rejected Query) EDI Total Diagnostic
PO-1D Pre-Order Response Times (Rejected Query) IMA Total Diagnostic
PO-20 Manual Service Order Accuracy Resale & UNE-P (POTS) Benchmark
PO-20 Manual Service Order Accuracy Unbundled Loops Benchmark
PO-20P2 Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) Benchmark
PO-20P2 Manual Service Order Accuracy (Phase 2) Unbundled Loops Benchmark
PO-20P3 Manual Service Order Accuracy (Phase 3) Resale & UNE-P (POTS) Benchmark
PO-20P3 Manual Service Order Accuracy (Phase 3) Unbundled Loops Benchmark
PO-20P4 Manual Service Order Accuracy (Phase 4) Resale & UNE-P (POTS) Diagnostic
PO-20P4 Manual Service Order Accuracy (Phase 4) Unbundled Loops Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Line Sharing Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA LNP Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Diagnostic

PO-2A-1 Electronic Flow-through for LSRs Received via IMA Unbundled Loop Aggregate Diagnostic
 PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE - P (POTS) Diagnostic
 PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE P (POTS AGG) Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI Line Sharing Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI LNP Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI Unbundled Loop Aggregate Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE - P (POTS) Diagnostic
 PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE P (POTS AGG) Diagnostic
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Line Sharing Diagnostic
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA LNP Benchmark
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS E
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Unbundled Loop Aggregate Benchmark
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE - P (POTS) Benchmark
 PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE P (POTS AGG) Benchmark
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Line Sharing Diagnostic
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI LNP Benchmark
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS B
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Unbundled Loop Aggregate Benchmark
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE - P (POTS) Benchmark
 PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE P (POTS AGG) Benchmark
 PO-3A-1 LSR Rejection Notice Interval for IMA - Rejected Manually Product Aggregate Benchmark
 PO-3A-2 LSR Rejection Notice Interval for IMA - Auto-Rejected Product Aggregate Benchmark
 PO-3B-1 LSR Rejection Notice Interval for EDI - Rejected Manually Product Aggregate Benchmark
 PO-3B-2 LSR Rejection Notice Interval for EDI - Auto-Rejected Product Aggregate Benchmark
 PO-3C LSR Rejection Notice Interval for Manual and IIS Product Aggregate Benchmark
 PO-4A-1 LSRs Rejected for IMA - Rejected Manually Product Aggregate Diagnostic
 PO-4A-2 LSRs Rejected for IMA - Auto-Rejected Product Aggregate Diagnostic
 PO-4B-1 LSRs Rejected for EDI - Rejected Manually Product Aggregate Diagnostic
 PO-4B-2 LSRs Rejected for EDI - Auto-Rejected Product Aggregate Diagnostic
 PO-4C LSRs Received via Facsimile Product Aggregate Diagnostic
 PO-5A-1(a) FOCs On Time for Fully Electronic LSRs Received Via IMA Resale Aggregate Benchmark
 PO-5A-1(b) FOCs On Time for Fully Electronic LSRs Received Via IMA Unbundled Loop Aggregate Benchmark
 PO-5A-1(c) FOCs On Time for Fully Electronic LSRs Received Via IMA LNP Benchmark
 PO-5A-2(a) FOCs On Time for Fully Electronic LSRs Received Via EDI Resale Aggregate Benchmark
 PO-5A-2(b) FOCs On Time for Fully Electronic LSRs Received Via EDI Unbundled Loop Aggregate Benchmark
 PO-5A-2(c) FOCs On Time for Fully Electronic LSRs Received Via EDI LNP Benchmark
 PO-5B-1(a) FOCs On Time For Electronic/Manual LSRs Received Via IMA Resale Aggregate Benchmark
 PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop AGG-EELs Benchm
 PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop Aggregate Benchm
 PO-5B-1(c) FOCs On Time For Electronic/Manual LSRs Received Via IMA LNP Benchmark
 PO-5B-2(a) FOCs On Time For Electronic/Manual LSRs Received Via EDI Resale Aggregate Benchmark
 PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop AGG-EELs Benchm
 PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop Aggregate Benchm
 PO-5B-2(c) FOCs On Time For Electronic/Manual LSRs Received Via EDI LNP Benchmark
 PO-5C-(a) FOCs on Time for Manual Resale Aggregate Benchmark
 PO-5C-(b) FOCs on Time for Manual Unbundled Loop AGG-EELs Benchmark
 PO-5C-(b) FOCs on Time for Manual Unbundled Loop Aggregate Benchmark
 PO-5C-(c) FOCs on Time for Manual LNP Benchmark
 PO-5D Firm Order Confirmations (FOCs) On Time LIS Trunk Benchmark
 PO-6A Notices Made Available via IMA - GUI All Benchmark
 PO-6B Notices Transmitted via IMA - EDI All Benchmark

PO-7A,C Notices Made Available via IMA - GUI / Billing System Posting Completions All Parity
PO-7B,C Notices Transmitted via IMA - EDI / Billing System Posting Completions All Parity
PO-8A Jeopardy Notice Interval Non-Designed Services Parity
PO-8B Jeopardy Notice Interval Unbundled Loops and Number Portability Parity
PO-8D Jeopardy Notice Interval UNE - P (POTS) Parity
PO-9A Timely Jeopardy Notices Non-Designed Services Parity
PO-9B Timely Jeopardy Notices Unbundled Loops and Number Portability Parity
PO-9C Timely Jeopardy Notices LIS Trunk Parity
PO-9D Timely Jeopardy Notices UNE - P (POTS) Parity

Parity
Parity
Parity
Parity
Parity
Parity
Parity 95.00%
Parity 95.00%
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity

Parity
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity

Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity

Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity 1.00%
Parity 1.00%
Diagnostic
Diagnostic
Parity
Benchmark 95.00%
Benchmark 95.00%
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Parity

Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Benchmark 98.25%
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Benchmark 95.00%
Benchmark 95.00%
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Diagnostic

Benchmark	95.00%
Benchmark	95.00%
Diagnostic	
Parity	
Parity	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	95.00%
Parity	
Parity	
Parity	
Parity	
Parity	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Benchmark	0.9
Parity	0.9
Benchmark	90.00%
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Parity	
Parity	0.9
Diagnostic	
Parity	90.00%
Parity	
Parity	
Benchmark	0.9
Parity	0.9
Benchmark	90.00%
Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Benchmark	0.9

Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Parity	6
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Parity	6
Diagnostic	
Parity	6
Parity	5.5
Parity	
Benchmark	6
Parity	6
Benchmark	15
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Diagnostic	
Diagnostic	
Parity	6
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Diagnostic	
Parity	
Parity	6
Diagnostic	
Parity	6
Parity	5.5
Parity	
Benchmark	6
Parity	6
Benchmark	15
Parity	
Diagnostic	
Parity	

Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Benchmark 0.965
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Benchmark 0.965
Diagnostic
Benchmark 0.965
Benchmark 0.965
Benchmark 96.50%
Diagnostic
Benchmark 96.50%
Benchmark 96.50%
Benchmark 96.50%
Benchmark 0.965
Benchmark 96.50%
Benchmark 96.50%
Diagnostic

Benchmark	96.50%
Benchmark	96.50%
Benchmark	96.50%
Benchmark	0.965
Benchmark	96.50%
Benchmark	0.965
Benchmark	96.50%
Benchmark	96.50%

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Parity

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic

Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic

Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Benchmark 0.95
Benchmark 0.95
Diagnostic
Diagnostic
Diagnostic 0.925
Diagnostic 0.95
Benchmark 0.95
Diagnostic 0.95
Diagnostic 0.95
Diagnostic 0.95
Benchmark 0.95
Diagnostic 95.00%
Diagnostic 1000.00%
Diagnostic 10
Diagnostic
Diagnostic

Diagnostic	3000.00%
Diagnostic	3000.00%
Diagnostic	
Diagnostic	
Diagnostic	2500.00%
Diagnostic	2500.00%
Diagnostic	
Diagnostic	
Diagnostic	25
Diagnostic	25
Diagnostic	
Diagnostic	
Diagnostic	10
Diagnostic	10
Diagnostic	
Diagnostic	
Diagnostic	12.5
Diagnostic	12.5
Diagnostic	
Diagnostic	
Diagnostic	10
Diagnostic	
Diagnostic	10
Diagnostic	
Diagnostic	
Diagnostic	20
Diagnostic	
Diagnostic	
Diagnostic	20
Diagnostic	20
Diagnostic	
Diagnostic	
Diagnostic	20
Diagnostic	25
Diagnostic	25
Diagnostic	
Diagnostic	
Diagnostic	0.005
Diagnostic	0.005
Diagnostic	
Diagnostic	
Benchmark	0.97
Benchmark	0.97
Benchmark	0.96
Benchmark	0.96
Benchmark	0.95
Benchmark	0.95
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	

Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Benchmark	0.85
Benchmark	0.95
Benchmark	0.95
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Benchmark	0.85
Benchmark	0.95
Benchmark	0.95
Benchmark	50.00%
Benchmark	1.25%
Benchmark	50.00%
Benchmark	1.25%
Benchmark	100.00%
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	95.00%
Benchmark	22:48
Benchmark	22:48
Benchmark	22:48
Benchmark	22:48
Benchmark	22:48:00
Benchmark	0.9
Benchmark	0.9
Benchmark	0.9
Benchmark	0.9
Benchmark	0.9
Benchmark	90.00%
Benchmark	90.00%
Benchmark	90.00%
Benchmark	90.00%
Benchmark	90.00%
Benchmark	90.00%
Benchmark	90.00%
Benchmark	85.00%
Benchmark	25.00%
Benchmark	25.00%

Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity