

**CASCADE NATURAL GAS CORPORATION**

Revised Substitute Eighth Revision Sheet No. 300-A

Canceling

WN U-3

Seventh Revision Sheet No. 300-A

**SCHEDULE 300**

**RESIDENTIAL CONSERVATION INCENTIVE PROGRAM**

**MEASURES AND INCENTIVES (continued)**

Ceiling/Attic Insulation Tier I <sup>1</sup>	Equal to or greater than R-38	\$0.75/sqft	
Ceiling/Attic Insulation Tier II <sup>1</sup>	Equal to or greater than R-49	\$1.00/sqft	
Floor Insulation <sup>1,3</sup>	Equal to or greater than R-30 or to fill cavity	\$0.75/sqft	(T)
Duct Insulation <sup>7</sup>	R-8	\$0.50/linear ft	(T)
Duct Sealing <sup>7</sup>	Min 4 CFM25 per 100 square feet of conditioned space	\$150/household	(T)
High Efficiency Exterior Door	Equal to or less than U 0.21	\$100	(D)
Whole Home Air Sealing <sup>1,8</sup>	Min. 400 CFM50 reduction	\$150	(T)
Windows Tier I <sup>9</sup> -	Less than or equal to 0.27 U Factor	\$7.00/sqft	(I)(T)
Windows Tier II <sup>9</sup> -	Less than or equal to 0.30 U Factor	\$5.00/sqft	(N)
Programmable Thermostat <sup>1</sup>	Existing Homes Only	\$25	(C)
Condensing Boiler <sup>1</sup>	95% AFUE	\$750	
Bundles <sup>4</sup>	Bundle A: Any two weatherization measures covering a minimum of 1,000 sqft. Bundle B: Air sealing and any two insulation measures covering a minimum of 1,000 sqft.	Bundle A: \$250 Bundle B: \$500	

- <sup>1</sup> To qualify for rebate, dwelling must use Natural Gas as primary heat source. Homes utilizing either VRF heat pumps or multizone ductless heat pumps with gas furnace back up are ineligible.
- <sup>2</sup> To qualify for rebate, dwelling must utilize Natural Gas for water heating.
- <sup>3</sup> To fill cavity, R-value must be R-19 or greater.
- <sup>4</sup> Bundles are subject to change in consultation with the Cascade Conservation Advisory Group (CAG).
- <sup>5</sup> Use of tankless water heater is acceptable for combined space and water heating with a Uniform Energy Factor of 0.95 or higher. Combined use of indirect, non-fired tank is acceptable for use with approved 95% AFUE Boiler where required.
- <sup>6</sup> Specifically per CSA P.4-15 Testing Standard referenced to downloadable Natural Resources Canada EnerGuide database of December 3, 2018 and later. Eligibility for older models not referenced in the December 2018 or later downloadable database, based per CSA P.4 Testing Standard referenced to downloadable Natural Resources Canada EnerGuide database of February 14, 2017.
- <sup>7</sup> Requires that a minimum of 30% of applicable ductwork is outside of conditioned space.
- <sup>8</sup> Leakage reduction required to be verified and documented through pre and post blower door testing.
- <sup>9</sup> Pre-existing window type must be single pane window.

**PROGRAM COST RECOVERY**

The administrative and program delivery costs associated with this program will be accounted for and recovered through an annual deferral amortization.

**PROGRAM SPECIFICATIONS**

1. All installations of weatherization and equipment must comply with all codes and permit requirements applicable in the state of Washington and must be properly inspected, if required, by appropriate agencies.
2. The customer must submit documentation demonstrating the purchase and installation of the measure. The paperwork must comply with the terms and instructions on the Company's current rebate form.
3. The Company reserves the right to verify installation prior to payment of any rebates.
4. Additional information about Cascade's conservation incentive programs is available on the Company's website at <http://www.cngc.com>.

CNG/W21-01-01  
Issued January 1, 2021

Effective for Service on and after  
February 1, 2021

**Issued by CASCADE NATURAL GAS CORPORATION**

By: 

Michael Parvinen

Director, Regulatory Affairs