

Performance Results
Washington
October 2004 - September 2005
Qwest's Performance Assurance Plans (PAPs)

Combined	Month	CLEC Numerator	CLEC Denominator	CLEC Result
BI-1A Time to Provide Usage Records UNEs and Resale Aggregate Parity	September 2005	35351908	22068706	14:24
	August 2005	37020441	24916078	11:45
	July 2005	83640677	46982795	18:43
	June 2005	87454917	50284683	17:45
	May 2005	81948703	48965405	16:04
	April 2005	90108629	48807284	20:24
	March 2005	98874099	53894234	19:55
	February 2005	85483188	46213570	20:24
	January 2005	781578290	52054954	0:14
	December 2004	100153135	53134114	21:07
	November 2004	92151225	49094957	21:07
	October 2004	89131775	48329358	20:09
BI-1B Time to Provide Usage Records Jointly-provided Switched Access Benchmark	September 2005	22233524	22233798	0:00
	August 2005	20579311	20579317	0:00
	July 2005	19001960	19001973	0:00
	June 2005	18102094	18102122	0:00
	May 2005	4363795	4363828	0:00
	April 2005	837808	837809	0:00
	March 2005	820609	820614	0:00
	February 2005	666082	666082	0:00
	January 2005	686266	686266	0:00
	December 2004	674208	674213	0:00
	November 2004	615371	615371	0:00
	October 2004	636778	636785	0:00
BI-1C-1 Time to Provide Usage Records [CAT11] UNEs and Resale Aggregate Parity	September 2005	1498338	773321	22:33
	August 2005	1581902	874318	19:26
	July 2005	46946156	24019053	22:48
	June 2005	46497666	24285992	21:50
	May 2005	47077048	25519616	20:09
	April 2005	48816378	24459132	0:00
	March 2005	53368452	26868884	23:45
	February 2005	45739211	22887858	0:00
	January 2005	739736598	28057053	8:52
	December 2004	53246142	26391306	0:28
	November 2004	49204081	24769632	23:45
	October 2004	49064985	24896695	23:16
BI-1C-2 Time to Provide Usage Records [CAT10] UNEs and Resale Aggregate Parity	September 2005	33853570	21295385	14:09
	August 2005	35438539	24041760	11:16
	July 2005	36694521	22963742	14:24
	June 2005	40957251	25998691	13:55
	May 2005	34871655	23445789	11:45
	April 2005	41292251	24348152	16:48
	March 2005	45505647	27025350	16:19
February 2005	39743977	23325712	16:48	

	January 2005	41841692	23997901	17:45
	December 2004	46906993	26742808	18:00
	November 2004	42947144	24325325	18:28
	October 2004	40066790	23432663	17:02
BI-2 Invoices Delivered within 10 Days All Diagnostic	September 2005	860	860	100.00%
	August 2005	937	937	100.00%
	July 2005	930	935	99.47%
	June 2005	917	918	99.89%
	May 2005	791	792	99.87%
	April 2005	854	855	99.88%
	March 2005	910	913	99.67%
	February 2005	770	771	99.87%
	January 2005	771	773	99.74%
	December 2004	843	844	99.88%
	November 2004	662	663	99.85%
	October 2004	812	812	100.00%
BI-3A Billing Accuracy - Adjustments for Errors UNEs and Resale Aggregate Parity	September 2005	5933439	5960619	99.54%
	August 2005	6328465	6338830	99.84%
	July 2005	5965596	5966672	99.98%
	June 2005	7039191	7055897	99.76%
	May 2005	7262399	7263633	99.98%
	April 2005	5041745	6429641	78.41%
	March 2005	4425656	5710968	77.49%
	February 2005	5862385	5869707	99.88%
	January 2005	6847698	6953903	98.47%
	December 2004	6716481	8635483	77.78%
	November 2004	5721170	5771219	99.13%
	October 2004	5513972	5517554	99.94%
BI-3B Billing Accuracy - Adjustments for Errors Reciprocal Compensation Diagnostic	September 2005	64738	64738	100.00%
	August 2005	65586	65586	100.00%
	July 2005	62400	62400	100.00%
	June 2005	64649	64649	100.00%
	May 2005	75286	75286	100.00%
	April 2005	78206	78206	100.00%
	March 2005	51265	59136	86.69%
	February 2005	62373	63578	98.11%
	January 2005	60081	60081	100.00%
	December 2004	58247	58247	100.00%
	November 2004	64631	64631	100.00%
	October 2004	62060	62062	100.00%
BI-4A Billing Completeness UNEs and Resale Aggregate Parity	September 2005	32135	32180	99.86%
	August 2005	48110	48142	99.93%
	July 2005	34249	34415	99.52%
	June 2005	30796	30899	99.67%
	May 2005	33308	33412	99.69%
	April 2005	31651	31751	99.69%
	March 2005	31364	31429	99.79%
	February 2005	31536	31567	99.90%
	January 2005	26008	26139	99.50%
	December 2004	31270	31413	99.54%
	November 2004	35689	35736	99.87%
	October 2004	38707	38788	99.79%

BI-4B Billing Completeness Reciprocal Compensation Diagnostic	September 2005	64738	64738	100.00%
	August 2005	65586	65586	100.00%
	July 2005	62400	62400	100.00%
	June 2005	64649	64649	100.00%
	May 2005	75286	75286	100.00%
	April 2005	78206	78206	100.00%
	March 2005	59136	59136	100.00%
	February 2005	63578	63578	100.00%
	January 2005	60081	60081	100.00%
	December 2004	58247	58247	100.00%
	November 2004	64631	64631	100.00%
	October 2004	62062	62062	100.00%
	BI-5A Billing Accuracy & Claims Processing - Acknowledgment All Benchmark	September 2005	221	225
August 2005		325	327	99.39%
July 2005		192	193	99.48%
June 2005		278	302	92.05%
May 2005		153	157	97.45%
April 2005		184	193	95.34%
March 2005		212	215	98.60%
February 2005		293	321	91.28%
January 2005		294	294	100.00%
December 2004		208	210	99.05%
November 2004		204	204	100.00%
October 2004		233	239	97.49%
BI-5B Billing Accuracy & Claims Processing - Resolution All Benchmark		September 2005	280	285
	August 2005	237	267	88.76%
	July 2005	241	252	95.63%
	June 2005	325	335	97.01%
	May 2005	211	232	90.95%
	April 2005	227	234	97.01%
	March 2005	219	219	100.00%
	February 2005	269	275	97.82%
	January 2005	187	188	99.47%
	December 2004	146	161	90.68%
	November 2004	189	190	99.47%
	October 2004	306	308	99.35%
	CP-1A Scheduled Interval 90 Calendar Days or Less All Benchmark	September 2005	64	1
August 2005		0	0	0
July 2005		973	14	69.5
June 2005		314	5	62.8
May 2005		302	4	75.5
April 2005		191	3	63.67
March 2005		0	0	0
February 2005		0	0	0
January 2005		69	1	69
December 2004		75	1	75
November 2004		54	1	54
October 2004		144	2	72
CP-1B Scheduled Interval 91 to 120 Calendar Days All Benchmark		September 2005	118	1
	August 2005	111	1	111
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	503	5	100.6
	April 2005	0	0	0
	March 2005	71	1	71
	February 2005	0	0	0
	January 2005	71	1	71
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
CP-1C Scheduled Interval 121 to 150	September 2005	239	2	119.5
Calendar Days All Benchmark	August 2005	832	7	118.86
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	722	6	120.33
	April 2005	698	6	116.33
	March 2005	64	1	64
	February 2005	257	3	85.67
	January 2005	0	0	0
	December 2004	123	1	123
	November 2004	134	2	67
	October 2004	251	2	125.5
CP-2B Non-Forecasted & Late Forecasted	September 2005	2	2	100.00%
Collocations All Benchmark	August 2005	1	1	100.00%
	July 2005	14	14	100.00%
	June 2005	5	5	100.00%
	May 2005	9	9	100.00%
	April 2005	3	3	100.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	2	2	100.00%
CP-2C Collocations with Intervals Longer	September 2005	5	5	100.00%
than 120 Days All Benchmark	August 2005	7	7	100.00%
	July 2005	3	3	100.00%
	June 2005	0	0	0.00%
	May 2005	6	6	100.00%
	April 2005	7	7	100.00%
	March 2005	1	1	100.00%
	February 2005	4	4	100.00%
	January 2005	3	3	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	October 2004	2	2	100.00%
CP-3 Collocation Feasibility Study Interval	September 2005	25	3	8.33
All Benchmark	August 2005	83	10	8.3
	July 2005	71	8	8.88
	June 2005	19	2	9.5
	May 2005	236	25	9.44
	April 2005	106	13	8.15
	March 2005	10	1	10
	February 2005	64	7	9.14

	January 2005	105	11	9.55
	December 2004	31	4	7.75
	November 2004	45	5	9
	October 2004	36	4	9
CP-4 Collocation Feasibility Study	September 2005	3	3	100.00%
Commitments Met All Benchmark	August 2005	10	10	100.00%
	July 2005	8	8	100.00%
	June 2005	2	2	100.00%
	May 2005	25	25	100.00%
	April 2005	13	13	100.00%
	March 2005	5	5	100.00%
	February 2005	9	9	100.00%
	January 2005	11	11	100.00%
	December 2004	4	4	100.00%
	November 2004	6	6	100.00%
	October 2004	4	4	100.00%
DA-1 Speed of Answer - Directory Assistance Diagnostic	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
DB-1A Time to Update Databases E911 Diagnostic	September 2005	0	126340	0:23
	August 2005	0	136891	0:21
	July 2005	0	144188	0:27
	June 2005	0	151816	0:49
	May 2005	0	144195	0:46
	April 2005	0	143995	0:37
	March 2005	0	137418	0:25
	February 2005	0	171935	0:31
	January 2005	0	288079	1:06
	December 2004	0	197074	0:24
	November 2004	0	213857	0:20
	October 2004	0	191506	0:33
DB-1B Time to Update Databases LIDB Diagnostic	September 2005	5142112	4990613	0:43
	August 2005	5338818	5175450	0:43
	July 2005	7138765	6897206	0:57
	June 2005	6033069	5849705	0:43
	May 2005	4740550	4579868	0:57
	April 2005	5344238	5199546	0:43
	March 2005	5425077	5262607	0:43
	February 2005	4448444	4277374	0:57
	January 2005	4310690	4145982	0:57
	December 2004	5305844	5077119	1:12
	November 2004	4582329	4438879	0:43
	October 2004	5093661	4919094	0:57

DB-1C-1 Time to Update Databases Directory Listing Diagnostic	September 2005	78332.27	299144	6:14
	August 2005	82323.16	338294	5:45
	July 2005	78615.22	350575	5:16
	June 2005	78886.6	342549	5:31
	May 2005	63746.77	283984	5:16
	April 2005	63880.94	295497	5:16
	March 2005	95793.21	339270	6:43
	February 2005	86576.31	262370	7:55
	January 2005	52165.35	254458	5:02
	December 2004	51211.96	279505	4:19
	November 2004	50742.94	275126	4:19
	October 2004	56329.32	317211	4:19
	DB-2C-1 Accurate Database Updates Directory Listing Diagnostic	September 2005	237852	241757
August 2005		269842	275295	98.02%
July 2005		299171	302982	98.74%
June 2005		282332	287085	98.34%
May 2005		231430	235787	98.15%
April 2005		240173	244687	98.16%
March 2005		275492	280321	98.28%
February 2005		215910	219490	98.37%
January 2005		206916	210277	98.40%
December 2004		228735	232072	98.56%
November 2004		224400	227669	98.56%
October 2004		263762	267712	98.52%
GA-1 Gateway Availability - IMA-GUI All Diagnostic		September 2005	29252	29280
	August 2005	30341	30360	99.94%
	July 2005	28931	28980	99.83%
	June 2005	28770	28800	99.90%
	May 2005	29096	29160	99.78%
	April 2005	28066	28140	99.74%
	March 2005	29834	29880	99.85%
	February 2005	26588	26640	99.80%
	January 2005	28955	28980	99.91%
	December 2004	29744	29880	99.54%
	November 2004	28800	28800	100.00%
	October 2004	28365	28500	99.53%
	GA-1 Gateway Availability - IMA-GUI SIA Diagnostic	September 2005	29280	29280
August 2005		29880	29880	100.00%
July 2005		28980	28980	100.00%
June 2005		28800	28800	100.00%
May 2005		29160	29160	100.00%
April 2005		28620	28620	100.00%
March 2005		29880	29880	100.00%
February 2005		26640	26640	100.00%
January 2005		28980	28980	100.00%
December 2004		29880	29880	100.00%
November 2004		28800	28800	100.00%
October 2004		28980	28980	100.00%
GA-2 Gateway Availability - IMA-EDI Diagnostic		September 2005	29252	29280
	August 2005	30360	30360	100.00%
	July 2005	28802	28980	99.39%
	June 2005	28770	28800	99.90%

	May 2005	29160	29160	100.00%
	April 2005	28140	28140	100.00%
	March 2005	29834	29880	99.85%
	February 2005	26640	26640	100.00%
	January 2005	28971	28980	99.97%
	December 2004	29744	29880	99.54%
	November 2004	28800	28800	100.00%
	October 2004	28421	28500	99.72%
GA-3 Gateway Availability - EB-TA Diagnostic	September 2005	41760	41760	100.00%
	August 2005	43200	43200	100.00%
	July 2005	41824	41850	99.94%
	June 2005	41340	41340	100.00%
	May 2005	42900	42900	100.00%
	April 2005	41700	41700	100.00%
	March 2005	43200	43200	100.00%
	February 2005	38880	38880	100.00%
	January 2005	42840	42840	100.00%
	December 2004	42660	42660	100.00%
	November 2004	41501	41760	99.38%
	October 2004	42720	42720	100.00%
GA-4 System Availability - EXACT Diagnostic	September 2005	21960	21960	100.00%
	August 2005	22860	22860	100.00%
	July 2005	21600	21600	100.00%
	June 2005	21960	21960	100.00%
	May 2005	21960	21960	100.00%
	April 2005	21600	21600	100.00%
	March 2005	22860	22860	100.00%
	February 2005	20160	20160	100.00%
	January 2005	21600	21600	100.00%
	December 2004	22860	22860	100.00%
	November 2004	21960	21960	100.00%
	October 2004	21600	21600	100.00%
GA-6 Gateway Availability - GUI - Repair Diagnostic	September 2005	37761	37770	99.98%
	August 2005	38870	39075	99.48%
	July 2005	37714	37740	99.93%
	June 2005	37410	37410	100.00%
	May 2005	38850	38850	100.00%
	April 2005	37650	37650	100.00%
	March 2005	38647	38655	99.98%
	February 2005	35108	35160	99.85%
	January 2005	38730	38730	100.00%
	December 2004	38542	38595	99.86%
	November 2004	37723	37770	99.88%
	October 2004	38604	38610	99.98%
GA-7 Timely Outage Resolution following Software Releases Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Business Parity	September 2005	6	8	75.00%
	August 2005	4	9	44.44%
	July 2005	4	10	40.00%
	June 2005	6	15	40.00%
	May 2005	2	14	14.29%
	April 2005	7	15	46.67%
	March 2005	9	28	32.14%
	February 2005	10	24	41.67%
	January 2005	8	24	33.33%
	December 2004	13	40	32.50%
	November 2004	10	30	33.33%
	October 2004	9	23	39.13%
MR-10 Customer and Non-Qwest Related Trouble Reports Centrex Parity	September 2005	1	1	100.00%
	August 2005	0	3	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	1	1	100.00%
	March 2005	0	2	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Centrex 21 Parity	September 2005	2	7	28.57%
	August 2005	2	6	33.33%
	July 2005	2	7	28.57%
	June 2005	2	5	40.00%
	May 2005	1	4	25.00%
	April 2005	0	2	0.00%
	March 2005	4	9	44.44%
	February 2005	2	6	33.33%
	January 2005	5	8	62.50%
	December 2004	3	6	50.00%
	November 2004	1	3	33.33%
	October 2004	0	3	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports DS0 Parity	September 2005	0	1	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	1	2	50.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	3	0.00%
	November 2004	2	2	100.00%
	October 2004	0	0	0.00%

MR-10 Customer and Non-Qwest Related Trouble Reports DS1 Parity	September 2005	0	3	0.00%
	August 2005	0	1	0.00%
	July 2005	0	1	0.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	1	9	11.11%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	1	2	50.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports E911 Parity	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		1	3	33.33%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	0	0.00%
October 2004		1	1	100.00%
MR-10 Customer and Non-Qwest Related Trouble Reports ISDN Primary Parity		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports LIS Trunk Parity	September 2005	8	19
August 2005		7	22	31.82%
July 2005		13	27	48.15%
June 2005		18	29	62.07%
May 2005		13	21	61.90%
April 2005		7	13	53.85%
March 2005		13	23	56.52%
February 2005		17	22	77.27%
January 2005		8	22	36.36%
December 2004		4	12	33.33%
November 2004		7	15	46.67%
October 2004		6	14	42.86%
MR-10 Customer and Non-Qwest Related Trouble Reports PBX Parity		September 2005	0	2
	August 2005	1	2	50.00%
	July 2005	3	6	50.00%
	June 2005	2	3	66.67%

	May 2005	1	4	25.00%
	April 2005	2	2	100.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	2	3	66.67%
	December 2004	0	1	0.00%
	November 2004	1	1	100.00%
	October 2004	1	4	25.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Qwest DSL Parity	September 2005	11	16	68.75%
	August 2005	10	13	76.92%
	July 2005	14	27	51.85%
	June 2005	22	27	81.48%
	May 2005	23	35	65.71%
	April 2005	19	28	67.86%
	March 2005	15	25	60.00%
	February 2005	9	14	64.29%
	January 2005	11	22	50.00%
	December 2004	3	7	42.86%
	November 2004	10	18	55.56%
	October 2004	13	19	68.42%
MR-10 Customer and Non-Qwest Related Trouble Reports Residence Parity	September 2005	60	146	41.10%
	August 2005	54	150	36.00%
	July 2005	57	117	48.72%
	June 2005	68	145	46.90%
	May 2005	60	120	50.00%
	April 2005	41	101	40.59%
	March 2005	54	131	41.22%
	February 2005	40	91	43.96%
	January 2005	64	130	49.23%
	December 2004	50	111	45.05%
	November 2004	43	108	39.81%
	October 2004	39	110	35.45%
MR-10 Customer and Non-Qwest Related Trouble Reports UDIT Above DS1 Level Parity	September 2005	0	1	0.00%
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	4	8	50.00%
	May 2005	2	3	66.67%
	April 2005	2	5	40.00%
	March 2005	4	8	50.00%
	February 2005	0	2	0.00%
	January 2005	1	1	100.00%
	December 2004	1	2	50.00%
	November 2004	1	5	20.00%
	October 2004	1	3	33.33%
MR-10 Customer and Non-Qwest Related Trouble Reports UDIT DS1 Parity	September 2005	0	0	0.00%
	August 2005	0	5	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%

	January 2005	1	1	100.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	1	3	33.33%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	17	48	35.42%
	August 2005	23	64	35.94%
	July 2005	6	16	37.50%
	June 2005	5	15	33.33%
	May 2005	24	61	39.34%
	April 2005	22	62	35.48%
	March 2005	23	62	37.10%
	February 2005	18	49	36.73%
	January 2005	18	57	31.58%
	December 2004	26	82	31.71%
	November 2004	27	61	44.26%
	October 2004	14	51	27.45%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - 4 Wire Non-Loaded Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - ADSL Qualified Parity	September 2005	0	1	0.00%
	August 2005	1	2	50.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	2	0.00%
	March 2005	0	4	0.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	0	1	0.00%
	November 2004	2	2	100.00%
	October 2004	1	2	50.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - DS1 Capable Parity	September 2005	16	87	18.39%
	August 2005	35	151	23.18%
	July 2005	19	115	16.52%
	June 2005	17	115	14.78%
	May 2005	28	138	20.29%
	April 2005	20	107	18.69%
	March 2005	29	136	21.32%
	February 2005	39	134	29.10%
	January 2005	22	118	18.64%
	December 2004	16	104	15.38%
	November 2004	18	114	15.79%
	October 2004	19	109	17.43%

MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - DS3 Capable Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - XDSL Parity	September 2005	1	4
August 2005		1	9	11.11%
July 2005		23	39	58.97%
June 2005		18	44	40.91%
May 2005		1	5	20.00%
April 2005		0	0	0.00%
March 2005		1	3	33.33%
February 2005		1	4	25.00%
January 2005		0	7	0.00%
December 2004		0	4	0.00%
November 2004		1	2	50.00%
October 2004		2	5	40.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop Analog Parity		September 2005	95	315
	August 2005	136	461	29.50%
	July 2005	147	435	33.79%
	June 2005	102	320	31.88%
	May 2005	117	393	29.77%
	April 2005	99	311	31.83%
	March 2005	98	327	29.97%
	February 2005	71	260	27.31%
	January 2005	139	375	37.07%
	December 2004	111	332	33.43%
	November 2004	123	358	34.36%
	October 2004	121	338	35.80%
	MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop ISDN Capable Parity	September 2005	4	11
August 2005		4	21	19.05%
July 2005		12	36	33.33%
June 2005		7	42	16.67%
May 2005		4	34	11.76%
April 2005		4	23	17.39%
March 2005		13	45	28.89%
February 2005		3	31	9.68%
January 2005		11	35	31.43%
December 2004		8	42	19.05%
November 2004		3	22	13.64%
October 2004		11	36	30.56%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE - P (POTS) Parity		September 2005	12	26
	August 2005	15	41	36.59%
	July 2005	13	37	35.14%
	June 2005	15	46	32.61%

	May 2005	15	36	41.67%
	April 2005	26	52	50.00%
	March 2005	20	52	38.46%
	February 2005	26	69	37.68%
	January 2005	51	128	39.84%
	December 2004	506	1276	39.66%
	November 2004	465	1179	39.44%
	October 2004	507	1308	38.76%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex 21) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	2	0.00%
	December 2004	6	16	37.50%
	November 2004	0	6	0.00%
	October 2004	3	9	33.33%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	9	22	40.91%
	December 2004	19	40	47.50%
	November 2004	16	41	39.02%
	October 2004	17	32	53.13%
MR-2 Calls Answered within 20 seconds - Interconnect Repair Center All Diagnostic	September 2005	11365	13290	85.52%
	August 2005	13497	15601	86.52%
	July 2005	11580	13799	83.92%
	June 2005	12475	14472	86.20%
	May 2005	10995	12227	89.92%
	April 2005	10818	12115	89.29%
	March 2005	10851	11952	90.79%
	February 2005	9923	10805	91.84%
	January 2005	10338	11243	91.95%
	December 2004	10104	11386	88.74%
	November 2004	17899	21424	83.55%
	October 2004	11357	13653	83.18%
MR-3A Out of Service Cleared within 24 Hours Business Parity	September 2005	0	0	0.00%
	August 2005	3	3	100.00%
	July 2005	2	2	100.00%
	June 2005	4	4	100.00%
	May 2005	5	7	71.43%
	April 2005	4	4	100.00%
	March 2005	7	9	77.78%
	February 2005	6	7	85.71%

	January 2005	5	6	83.33%
	December 2004	11	13	84.62%
	November 2004	9	10	90.00%
	October 2004	8	8	100.00%
MR-3A Out of Service Cleared within 24 Hours Centrex Parity	September 2005	0	0	0.00%
	August 2005	1	2	50.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	1	2	50.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3A Out of Service Cleared within 24 Hours Centrex 21 Parity	September 2005	1	1	100.00%
	August 2005	2	3	66.67%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	2	2	100.00%
	March 2005	4	4	100.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3A Out of Service Cleared within 24 Hours Line Sharing Parity	September 2005	3	4	75.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	3	5	60.00%
	May 2005	3	4	75.00%
	April 2005	3	4	75.00%
	March 2005	2	2	100.00%
	February 2005	3	4	75.00%
	January 2005	5	9	55.56%
	December 2004	5	8	62.50%
	November 2004	6	10	60.00%
	October 2004	10	16	62.50%
MR-3A Out of Service Cleared within 24 Hours Line Splitting Parity	September 2005	2	3	66.67%
	August 2005	5	5	100.00%
	July 2005	3	3	100.00%
	June 2005	4	4	100.00%
	May 2005	0	0	0.00%
	April 2005	1	3	33.33%
	March 2005	9	13	69.23%
	February 2005	4	4	100.00%
	January 2005	0	2	0.00%
	December 2004	3	4	75.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%

MR-3A Out of Service Cleared within 24 Hours PBX Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	2	100.00%
MR-3A Out of Service Cleared within 24 Hours Residence Parity	September 2005	49	57	85.96%
	August 2005	49	63	77.78%
	July 2005	28	39	71.79%
	June 2005	37	46	80.43%
	May 2005	35	41	85.37%
	April 2005	32	38	84.21%
	March 2005	50	53	94.34%
	February 2005	34	36	94.44%
	January 2005	37	43	86.05%
	December 2004	28	42	66.67%
	November 2004	31	43	72.09%
	October 2004	47	52	90.38%
MR-3A Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	September 2005	5	5	100.00%
	August 2005	17	18	94.44%
	July 2005	14	14	100.00%
	June 2005	11	11	100.00%
	May 2005	11	11	100.00%
	April 2005	11	12	91.67%
	March 2005	20	20	100.00%
	February 2005	19	21	90.48%
	January 2005	31	31	100.00%
	December 2004	353	394	89.59%
	November 2004	329	357	92.16%
	October 2004	362	390	92.82%
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex 21) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	4	5	80.00%
	November 2004	4	4	100.00%
	October 2004	2	2	100.00%
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	6	6	100.00%
	December 2004	15	15	100.00%
	November 2004	10	11	90.91%
	October 2004	8	9	88.89%
MR-3B Out of Service Cleared within 24 Hours Business Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours PBX Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Residence Parity	September 2005	13	13	100.00%
	August 2005	10	14	71.43%
	July 2005	4	6	66.67%
	June 2005	9	13	69.23%
	May 2005	4	6	66.67%
	April 2005	10	11	90.91%
	March 2005	4	6	66.67%
	February 2005	9	10	90.00%
	January 2005	9	9	100.00%
	December 2004	7	7	100.00%
	November 2004	6	6	100.00%
	October 2004	5	6	83.33%
MR-3B Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	September 2005	2	3	66.67%
	August 2005	2	2	100.00%
	July 2005	0	0	0.00%
	June 2005	12	12	100.00%
	May 2005	2	3	66.67%
	April 2005	5	5	100.00%
	March 2005	2	2	100.00%
	February 2005	5	5	100.00%

	January 2005	12	14	85.71%
	December 2004	71	74	95.95%
	November 2004	59	68	86.76%
	October 2004	81	86	94.19%
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-3C Out of Service Cleared within 24 Hours Business Parity	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		2	2	100.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		1	1	100.00%
February 2005		3	3	100.00%
January 2005		3	3	100.00%
December 2004		2	2	100.00%
November 2004		3	3	100.00%
October 2004		0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Centrex Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-3C Out of Service Cleared within 24 Hours Line Sharing Parity	September 2005	1	1
August 2005		0	0	0.00%
July 2005		1	2	50.00%
June 2005		0	0	0.00%
May 2005		2	2	100.00%
April 2005		6	6	100.00%
March 2005		2	2	100.00%
February 2005		2	2	100.00%
January 2005		1	1	100.00%
December 2004		2	2	100.00%
November 2004	0	0	0.00%	
October 2004	8	8	100.00%	

MR-3C Out of Service Cleared within 24 Hours Line Splitting Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	4	4	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	October 2004	2	2	100.00%
MR-3C Out of Service Cleared within 24 Hours PBX Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
MR-3C Out of Service Cleared within 24 Hours Residence Parity	September 2005	7	7	100.00%
	August 2005	6	6	100.00%
	July 2005	5	5	100.00%
	June 2005	9	9	100.00%
	May 2005	5	5	100.00%
	April 2005	2	2	100.00%
	March 2005	3	3	100.00%
	February 2005	3	3	100.00%
	January 2005	2	2	100.00%
	December 2004	4	4	100.00%
	November 2004	7	7	100.00%
	October 2004	4	4	100.00%
MR-3C Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	September 2005	1	1	100.00%
	August 2005	3	3	100.00%
	July 2005	2	2	100.00%
	June 2005	3	3	100.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	3	3	100.00%
	January 2005	7	7	100.00%
	December 2004	67	68	98.53%
	November 2004	61	62	98.39%
	October 2004	76	77	98.70%
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	3	3	100.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
MR-3D Out of Service Cleared within 24 Hours Qwest DSL Parity	September 2005	2	2	100.00%
	August 2005	0	0	0.00%
	July 2005	0	2	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	18	18	100.00%
	August 2005	26	26	100.00%
	July 2005	5	5	100.00%
	June 2005	6	6	100.00%
	May 2005	20	20	100.00%
	April 2005	24	24	100.00%
	March 2005	32	32	100.00%
	February 2005	20	20	100.00%
	January 2005	27	27	100.00%
	December 2004	34	35	97.14%
	November 2004	20	20	100.00%
	October 2004	20	20	100.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity	September 2005	1	1	100.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity	September 2005	3	3	100.00%
	August 2005	7	7	100.00%
	July 2005	12	12	100.00%
	June 2005	14	14	100.00%
	May 2005	4	4	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	7	7	100.00%
	December 2004	3	3	100.00%
	November 2004	1	1	100.00%
	October 2004	2	2	100.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity	September 2005	137	149	91.95%
	August 2005	214	230	93.04%
	July 2005	188	201	93.53%
	June 2005	140	154	90.91%
	May 2005	164	186	88.17%
	April 2005	128	132	96.97%
	March 2005	136	141	96.45%
	February 2005	108	111	97.30%
	January 2005	159	166	95.78%
	December 2004	141	147	95.92%
	November 2004	168	168	100.00%
	October 2004	149	157	94.90%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity	September 2005	4	4	100.00%
	August 2005	4	4	100.00%
	July 2005	13	13	100.00%
	June 2005	21	21	100.00%
	May 2005	18	18	100.00%
	April 2005	11	11	100.00%
	March 2005	16	16	100.00%
	February 2005	15	15	100.00%
	January 2005	13	14	92.86%
	December 2004	13	14	92.86%
	November 2004	9	10	90.00%
	October 2004	14	15	93.33%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	1	1	100.00%
	August 2005	6	6	100.00%
	July 2005	3	3	100.00%
	June 2005	2	2	100.00%
	May 2005	1	1	100.00%
	April 2005	7	7	100.00%
	March 2005	3	3	100.00%
	February 2005	4	4	100.00%
	January 2005	4	4	100.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
	October 2004	6	6	100.00%

MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	3	3	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity	September 2005	33	37	89.19%
	August 2005	31	31	100.00%
	July 2005	41	43	95.35%
	June 2005	21	21	100.00%
	May 2005	15	15	100.00%
	April 2005	22	23	95.65%
	March 2005	18	18	100.00%
	February 2005	11	11	100.00%
	January 2005	11	12	91.67%
	December 2004	13	13	100.00%
	November 2004	22	23	95.65%
	October 2004	19	19	100.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity	September 2005	1	1	100.00%
	August 2005	9	9	100.00%
	July 2005	9	9	100.00%
	June 2005	8	8	100.00%
	May 2005	3	3	100.00%
	April 2005	3	3	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	3	4	75.00%
	December 2004	6	7	85.71%
	November 2004	5	5	100.00%
	October 2004	5	5	100.00%
MR-4A All Troubles Cleared within 48 Hours Business Parity	September 2005	0	0	0.00%
	August 2005	4	4	100.00%
	July 2005	4	4	100.00%
	June 2005	4	4	100.00%
	May 2005	8	8	100.00%
	April 2005	6	6	100.00%
	March 2005	11	11	100.00%
	February 2005	10	10	100.00%
	January 2005	6	6	100.00%
	December 2004	21	21	100.00%
	November 2004	12	12	100.00%
	October 2004	11	11	100.00%
MR-4A All Troubles Cleared within 48 Hours Centrex Parity	September 2005	0	0	0.00%
	August 2005	2	2	100.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%

	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours Centrex 21 Parity	September 2005	1	1	100.00%
	August 2005	3	3	100.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	2	2	100.00%
	March 2005	4	4	100.00%
	February 2005	4	4	100.00%
	January 2005	2	2	100.00%
	December 2004	3	3	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours Line Sharing Parity	September 2005	4	4	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	5	5	100.00%
	May 2005	4	4	100.00%
	April 2005	4	4	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	7	9	77.78%
	December 2004	7	8	87.50%
	November 2004	9	10	90.00%
	October 2004	13	16	81.25%
MR-4A All Troubles Cleared within 48 Hours Line Splitting Parity	September 2005	4	4	100.00%
	August 2005	5	5	100.00%
	July 2005	3	3	100.00%
	June 2005	6	6	100.00%
	May 2005	2	2	100.00%
	April 2005	3	3	100.00%
	March 2005	12	13	92.31%
	February 2005	6	6	100.00%
	January 2005	2	2	100.00%
	December 2004	4	5	80.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
MR-4A All Troubles Cleared within 48 Hours Residence Parity	September 2005	60	60	100.00%
	August 2005	59	64	92.19%
	July 2005	40	40	100.00%
	June 2005	48	49	97.96%
	May 2005	42	42	100.00%
	April 2005	40	40	100.00%
	March 2005	55	55	100.00%
	February 2005	36	36	100.00%

	January 2005	48	49	97.96%
	December 2004	44	45	97.78%
	November 2004	45	45	100.00%
	October 2004	56	56	100.00%
MR-4A All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	September 2005	6	6	100.00%
	August 2005	19	20	95.00%
	July 2005	16	16	100.00%
	June 2005	12	12	100.00%
	May 2005	13	14	92.86%
	April 2005	14	14	100.00%
	March 2005	23	23	100.00%
	February 2005	26	26	100.00%
	January 2005	42	42	100.00%
	December 2004	518	522	99.23%
	November 2004	459	462	99.35%
	October 2004	501	507	98.82%
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex 21) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	7	7	100.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	6	6	100.00%
	December 2004	15	15	100.00%
	November 2004	15	15	100.00%
	October 2004	11	11	100.00%
MR-4B All Troubles Cleared within 48 Hours Business Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	5	5	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%

MR-4B All Troubles Cleared within 48 Hours PBX Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-4B All Troubles Cleared within 48 Hours Residence Parity	September 2005	15	15
August 2005		15	16	93.75%
July 2005		6	6	100.00%
June 2005		12	13	92.31%
May 2005		6	6	100.00%
April 2005		11	11	100.00%
March 2005		7	7	100.00%
February 2005		11	11	100.00%
January 2005		11	11	100.00%
December 2004		9	10	90.00%
November 2004		7	7	100.00%
October 2004		6	6	100.00%
MR-4B All Troubles Cleared within 48 Hours UNE - P (POTS) Parity		September 2005	3	3
	August 2005	2	2	100.00%
	July 2005	2	2	100.00%
	June 2005	13	13	100.00%
	May 2005	4	4	100.00%
	April 2005	7	7	100.00%
	March 2005	5	5	100.00%
	February 2005	8	8	100.00%
	January 2005	14	15	93.33%
	December 2004	101	102	99.02%
	November 2004	108	109	99.08%
	October 2004	120	120	100.00%
	MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex) Parity	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		1	1	100.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Business Parity		September 2005	0	0
	August 2005	1	1	100.00%
	July 2005	2	2	100.00%
	June 2005	5	5	100.00%

	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	2	2	100.00%
MR-4C All Troubles Cleared within 48 Hours Line Sharing Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	3	3	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	6	6	100.00%
	March 2005	2	2	100.00%
	February 2005	2	2	100.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
MR-4C All Troubles Cleared within 48 Hours Line Splitting Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	4	4	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	2	2	100.00%
	December 2004	3	3	100.00%
	November 2004	4	4	100.00%
	October 2004	3	3	100.00%
MR-4C All Troubles Cleared within 48 Hours PBX Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
MR-4C All Troubles Cleared within 48 Hours Residence Parity	September 2005	8	8	100.00%
	August 2005	11	11	100.00%
	July 2005	11	11	100.00%
	June 2005	12	12	100.00%
	May 2005	10	10	100.00%
	April 2005	5	5	100.00%
	March 2005	11	11	100.00%
	February 2005	4	4	100.00%

	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	10	10	100.00%
	October 2004	6	6	100.00%
MR-4C All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	September 2005	3	3	100.00%
	August 2005	4	4	100.00%
	July 2005	6	6	100.00%
	June 2005	6	6	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	4	4	100.00%
	February 2005	7	7	100.00%
	January 2005	18	18	100.00%
	December 2004	127	127	100.00%
	November 2004	124	124	100.00%
	October 2004	158	158	100.00%
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	3	3	100.00%
	November 2004	2	2	100.00%
	October 2004	3	3	100.00%
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	9	9	100.00%
	October 2004	4	4	100.00%
MR-4D All Troubles Cleared within 48 Hours Qwest DSL Parity	September 2005	5	5	100.00%
	August 2005	2	2	100.00%
	July 2005	8	8	100.00%
	June 2005	5	5	100.00%
	May 2005	11	11	100.00%
	April 2005	9	9	100.00%
	March 2005	10	10	100.00%
	February 2005	5	5	100.00%
	January 2005	8	8	100.00%
	December 2004	4	4	100.00%
	November 2004	6	7	85.71%
	October 2004	5	5	100.00%

MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	30	30	100.00%
	August 2005	35	35	100.00%
	July 2005	7	7	100.00%
	June 2005	8	8	100.00%
	May 2005	36	36	100.00%
	April 2005	33	33	100.00%
	March 2005	35	35	100.00%
	February 2005	27	27	100.00%
	January 2005	35	35	100.00%
	December 2004	53	53	100.00%
	November 2004	28	28	100.00%
	October 2004	30	30	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity	September 2005	1	1	100.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	2	2	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity	September 2005	3	3	100.00%
	August 2005	8	8	100.00%
	July 2005	15	15	100.00%
	June 2005	26	26	100.00%
	May 2005	4	4	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	3	3	100.00%
	January 2005	7	7	100.00%
	December 2004	4	4	100.00%
	November 2004	1	1	100.00%
	October 2004	3	3	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity	September 2005	180	183	98.36%
	August 2005	293	293	100.00%
	July 2005	244	245	99.59%
	June 2005	194	194	100.00%
	May 2005	235	253	92.89%
	April 2005	182	182	100.00%
	March 2005	202	202	100.00%
	February 2005	174	174	100.00%
	January 2005	218	220	99.09%
	December 2004	204	204	100.00%
	November 2004	209	209	100.00%
	October 2004	194	195	99.49%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity	September 2005	6	6	100.00%
	August 2005	8	8	100.00%
	July 2005	15	15	100.00%
	June 2005	26	26	100.00%

	May 2005	25	25	100.00%
	April 2005	15	15	100.00%
	March 2005	24	24	100.00%
	February 2005	21	21	100.00%
	January 2005	20	20	100.00%
	December 2004	24	24	100.00%
	November 2004	14	14	100.00%
	October 2004	17	17	100.00%
MR-4E All Troubles Cleared within 48 Hours Qwest DSL Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	4	5	80.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	3	3	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	1	1	100.00%
	August 2005	6	6	100.00%
	July 2005	3	3	100.00%
	June 2005	2	2	100.00%
	May 2005	1	1	100.00%
	April 2005	7	7	100.00%
	March 2005	4	4	100.00%
	February 2005	4	4	100.00%
	January 2005	4	4	100.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
	October 2004	7	7	100.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	4	4	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity	September 2005	37	37	100.00%
	August 2005	32	32	100.00%
	July 2005	43	43	100.00%
	June 2005	24	24	100.00%
	May 2005	23	23	100.00%
	April 2005	30	30	100.00%
	March 2005	27	27	100.00%
	February 2005	15	15	100.00%

	January 2005	16	16	100.00%
	December 2004	17	17	100.00%
	November 2004	26	26	100.00%
	October 2004	22	22	100.00%
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity	September 2005	1	1	100.00%
	August 2005	9	9	100.00%
	July 2005	9	9	100.00%
	June 2005	9	9	100.00%
	May 2005	5	5	100.00%
	April 2005	4	4	100.00%
	March 2005	8	8	100.00%
	February 2005	7	7	100.00%
	January 2005	4	4	100.00%
	December 2004	9	10	90.00%
	November 2004	5	5	100.00%
	October 2004	8	8	100.00%
MR-5A All Troubles Cleared within 4 Hours DS0 Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	3	3	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours DS1 Parity	September 2005	1	2	50.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
MR-5A All Troubles Cleared within 4 Hours E911 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS0 Capable Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	2	100.00%
	MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity	September 2005	34	60
August 2005		47	73	64.38%
July 2005		38	49	77.55%
June 2005		32	41	78.05%
May 2005		40	59	67.80%
April 2005		36	47	76.60%
March 2005		33	42	78.57%
February 2005		29	40	72.50%
January 2005		33	46	71.74%
December 2004		38	49	77.55%
November 2004		33	47	70.21%
October 2004		36	47	76.60%
MR-5A All Troubles Cleared within 4 Hours LIS Trunk Parity		September 2005	9	9
	August 2005	8	9	88.89%
	July 2005	10	10	100.00%
	June 2005	8	9	88.89%
	May 2005	6	6	100.00%
	April 2005	3	3	100.00%
	March 2005	4	5	80.00%
	February 2005	4	4	100.00%
	January 2005	11	11	100.00%
	December 2004	3	4	75.00%
	November 2004	2	3	66.67%
	October 2004	7	7	100.00%
	MR-5A All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity	September 2005	1	1
August 2005		1	1	100.00%
July 2005		0	0	0.00%
June 2005		3	4	75.00%
May 2005		1	1	100.00%
April 2005		2	2	100.00%
March 2005		3	4	75.00%
February 2005		1	1	100.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		2	3	66.67%
October 2004		2	2	100.00%
MR-5A All Troubles Cleared within 4 Hours UDIT DS1 Parity		September 2005	0	0
	August 2005	1	4	25.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
MR-5A All Troubles Cleared within 4 Hours	September 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours	September 2005	44	65	67.69%
Unbundled Loop - DS1 Capable Parity	August 2005	56	104	53.85%
	July 2005	50	72	69.44%
	June 2005	57	85	67.06%
	May 2005	58	88	65.91%
	April 2005	42	79	53.16%
	March 2005	65	96	67.71%
	February 2005	53	77	68.83%
	January 2005	63	91	69.23%
	December 2004	56	74	75.68%
	November 2004	57	84	67.86%
	October 2004	51	78	65.38%
MR-5A All Troubles Cleared within 4 Hours	September 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	September 2005	0	0	0.00%
DS0 Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours DS1 Parity	September 2005	1	1	100.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	6	7	85.71%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours E911 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity	September 2005	4	4	100.00%
	August 2005	13	16	81.25%
	July 2005	0	5	0.00%
	June 2005	9	12	75.00%
	May 2005	15	19	78.95%
	April 2005	0	5	0.00%
	March 2005	16	20	80.00%
	February 2005	11	15	73.33%
	January 2005	10	15	66.67%
	December 2004	2	2	100.00%
	November 2004	6	7	85.71%
	October 2004	11	14	78.57%
MR-5B All Troubles Cleared within 4 Hours LIS Trunk Parity	September 2005	2	2	100.00%
	August 2005	6	6	100.00%
	July 2005	4	4	100.00%
	June 2005	2	2	100.00%
	May 2005	2	2	100.00%
	April 2005	2	3	66.67%
	March 2005	5	5	100.00%
	February 2005	0	1	0.00%
	January 2005	3	3	100.00%
	December 2004	2	4	50.00%
	November 2004	5	5	100.00%
	October 2004	0	1	0.00%

MR-5B All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity	September 2005	0	0	0.00%	
	August 2005	0	0	0.00%	
	July 2005	0	0	0.00%	
	June 2005	0	0	0.00%	
	May 2005	0	0	0.00%	
	April 2005	0	1	0.00%	
	March 2005	0	0	0.00%	
	February 2005	1	1	100.00%	
	January 2005	0	0	0.00%	
	December 2004	0	0	0.00%	
	November 2004	1	1	100.00%	
	October 2004	0	0	0.00%	
	MR-5B All Troubles Cleared within 4 Hours UDIT DS1 Parity	September 2005	0	0	0.00%
		August 2005	1	1	100.00%
July 2005		0	0	0.00%	
June 2005		0	0	0.00%	
May 2005		0	0	0.00%	
April 2005		0	0	0.00%	
March 2005		0	0	0.00%	
February 2005		0	0	0.00%	
January 2005		0	0	0.00%	
December 2004		1	1	100.00%	
November 2004		0	0	0.00%	
October 2004		1	1	100.00%	
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity		September 2005	4	6	66.67%
		August 2005	9	12	75.00%
	July 2005	16	24	66.67%	
	June 2005	8	13	61.54%	
	May 2005	10	22	45.45%	
	April 2005	5	8	62.50%	
	March 2005	10	11	90.91%	
	February 2005	6	18	33.33%	
	January 2005	4	5	80.00%	
	December 2004	8	14	57.14%	
	November 2004	6	12	50.00%	
	October 2004	6	12	50.00%	
	MR-6A Mean Time to Restore Business Parity	September 2005	0	0	0:00
		August 2005	2.06875	4	12:25
July 2005		2.28125	4	13:41	
June 2005		1.97361111	4	11:50	
May 2005		5.11875	8	15:21	
April 2005		2.30972222	6	9:14	
March 2005		6.78819444	11	14:49	
February 2005		5.77083333	10	13:51	
January 2005		3.21111111	6	12:51	
December 2004		12.8826389	21	14:43	
November 2004		5.78958333	12	11:35	
October 2004		4.80625	11	10:29	
MR-6A Mean Time to Restore Centrex Parity		September 2005	0	0	0:00
		August 2005	2.48194444	2	5:47
	July 2005	0	0	0:00	
	June 2005	0.92986111	1	22:19	

	May 2005	1.84027778	1	20:10
	April 2005	0	0	0:00
	March 2005	1.1375	2	13:39
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6A Mean Time to Restore Centrex 21 Parity	September 2005	0.08402778	1	2:01
	August 2005	2.03541667	3	16:17
	July 2005	0.76805556	2	9:13
	June 2005	0	0	0:00
	May 2005	1.28055556	3	10:15
	April 2005	1.71111111	2	20:32
	March 2005	1.27430556	4	7:39
	February 2005	0.67291667	4	4:02
	January 2005	2.75	2	9:00
	December 2004	0.91805556	3	7:21
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6A Mean Time to Restore Line Sharing Parity	September 2005	2.08888889	4	12:32
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	4.49444444	5	21:34
	May 2005	3.87430556	4	23:15
	April 2005	2.74097222	4	16:27
	March 2005	1.13611111	2	13:38
	February 2005	3.60902778	4	21:39
	January 2005	10.7513889	9	4:40
	December 2004	8.16111111	8	0:29
	November 2004	10.8125	10	1:57
	October 2004	15.9819444	16	23:58
MR-6A Mean Time to Restore Line Splitting Parity	September 2005	3.41666667	4	20:30
	August 2005	3.47430556	5	16:41
	July 2005	2.52638889	3	20:13
	June 2005	4.16319444	6	16:39
	May 2005	1.05972222	2	12:43
	April 2005	2.42638889	3	19:25
	March 2005	11.9645833	13	22:05
	February 2005	4.77222222	6	19:05
	January 2005	2.26875	2	3:13
	December 2004	3.49166667	5	16:46
	November 2004	1.90763889	4	11:27
	October 2004	1.87708333	3	15:01
MR-6A Mean Time to Restore PBX Parity	September 2005	5.16111111	1	3:52
	August 2005	0	0	0:00
	July 2005	0.03194444	1	0:46
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00

	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.44930556	2	5:23
MR-6A Mean Time to Restore Residence Parity	September 2005	38.2194444	60	15:17
	August 2005	60.0340278	64	22:31
	July 2005	31.9590278	40	19:11
	June 2005	32.7895833	49	16:04
	May 2005	23.0465278	42	13:10
	April 2005	25.4625	40	15:17
	March 2005	25.4604167	55	11:07
	February 2005	24.3673611	36	16:15
	January 2005	34.5034722	49	16:54
	December 2004	37.2381944	45	19:52
	November 2004	35.6215278	45	19:00
	October 2004	36.9145833	56	15:49
MR-6A Mean Time to Restore UNE - P (POTS) Parity	September 2005	1.44791667	6	5:47
	August 2005	14.55	20	17:28
	July 2005	6.64930556	16	9:58
	June 2005	6.08888889	12	12:11
	May 2005	9.95833333	14	17:04
	April 2005	7.55902778	14	12:57
	March 2005	12.0236111	23	12:33
	February 2005	13.1625	26	12:09
	January 2005	19.0645833	42	10:54
	December 2004	294.780556	522	13:33
	November 2004	251.170833	462	13:03
	October 2004	268.029861	507	12:41
MR-6A Mean Time to Restore UNE P (Centrex 21) Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.24375	1	5:51
	December 2004	4.80972222	7	16:29
	November 2004	1.82152778	4	10:56
	October 2004	0.38888889	3	3:07
MR-6A Mean Time to Restore UNE P (Centrex) Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.80555556	6	3:13
	December 2004	2.67777778	15	4:17
	November 2004	4.54305556	15	7:16
	October 2004	4.19583333	11	9:09

MR-6B Mean Time to Restore Business Parity	September 2005	0.68680556	1	16:29
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.28472222	2	3:25
	April 2005	0.12638889	1	3:02
	March 2005	0.87569444	1	21:01
	February 2005	0.13819444	1	3:19
	January 2005	1.58263889	5	7:36
	December 2004	0.05	1	1:12
	November 2004	0.58888889	3	4:43
	October 2004	0	0	0:00
	MR-6B Mean Time to Restore Centrex 21 Parity	September 2005	0.80972222	1
August 2005		0	0	0:00
July 2005		0.825	1	19:48
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0.05	1	1:12
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
MR-6B Mean Time to Restore PBX Parity		September 2005	0	0
	August 2005	0.14930556	1	3:35
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.68194444	2	8:11
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0.09861111	1	2:22
	January 2005	0	0	0:00
	December 2004	0.26597222	1	6:23
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	MR-6B Mean Time to Restore Residence Parity	September 2005	6.59791667	15
August 2005		13.1590278	16	19:44
July 2005		5.94861111	6	23:48
June 2005		9.88472222	13	18:15
May 2005		3.09930556	6	12:24
April 2005		7.55694444	11	16:29
March 2005		3.3	7	11:19
February 2005		6.17430556	11	13:28
January 2005		4.73055556	11	10:19
December 2004		7.20069444	10	17:17
November 2004		3.17638889	7	10:53
October 2004		3.44444444	6	13:47
MR-6B Mean Time to Restore UNE - P (POTS) Parity		September 2005	2.025	3
	August 2005	1.40416667	2	16:51
	July 2005	0.59444444	2	7:08
	June 2005	4.74652778	13	8:46

	May 2005	1.56180556	4	9:22
	April 2005	2.38333333	7	8:10
	March 2005	0.82847222	5	3:59
	February 2005	2.54375	8	7:38
	January 2005	9.60138889	15	15:22
	December 2004	44.7097222	102	10:31
	November 2004	43.5625	109	9:36
	October 2004	47.0208333	120	9:24
MR-6B Mean Time to Restore UNE P (Centrex) Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.125	1	3:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6C Mean Time to Restore Business Parity	September 2005	0	0	0:00
	August 2005	0.02569444	1	0:37
	July 2005	0.02777778	2	0:20
	June 2005	0.75277778	5	3:37
	May 2005	0.02013889	2	0:14
	April 2005	0.03611111	1	0:52
	March 2005	0.26875	7	0:55
	February 2005	0.16319444	3	1:18
	January 2005	0.30833333	5	1:29
	December 2004	0.4375	5	2:06
	November 2004	0.74375	4	4:28
	October 2004	0.08402778	2	1:00
MR-6C Mean Time to Restore Centrex Parity	September 2005	0	0	0:00
	August 2005	0.00069444	1	0:01
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6C Mean Time to Restore Centrex 21 Parity	September 2005	0.08680556	2	1:02
	August 2005	0.03263889	1	0:47
	July 2005	0.09861111	1	2:22
	June 2005	0.8125	2	9:45
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00

	January 2005	0.08472222	1	2:02
	December 2004	0	0	0:00
	November 2004	0.00277778	1	0:04
	October 2004	0.05347222	3	0:26
MR-6C Mean Time to Restore Line Sharing Parity	September 2005	0.44930556	1	10:47
	August 2005	0	0	0:00
	July 2005	1.42847222	3	11:26
	June 2005	0	0	0:00
	May 2005	0.23680556	3	1:54
	April 2005	0.9125	6	3:39
	March 2005	0.19166667	2	2:18
	February 2005	0.10694444	2	1:17
	January 2005	0.06319444	2	0:45
	December 2004	0.54375	2	6:31
	November 2004	0	0	0:00
	October 2004	2.11875	8	6:21
MR-6C Mean Time to Restore Line Splitting Parity	September 2005	0.07638889	1	1:50
	August 2005	0	0	0:00
	July 2005	0.06041667	1	1:27
	June 2005	0	0	0:00
	May 2005	0.00486111	4	0:02
	April 2005	0.58541667	4	3:31
	March 2005	0.23680556	1	5:41
	February 2005	0.86458333	2	10:22
	January 2005	0.20486111	2	2:27
	December 2004	0.12361111	3	0:59
	November 2004	0.32569444	4	1:57
	October 2004	0.59097222	3	4:44
MR-6C Mean Time to Restore PBX Parity	September 2005	0.03541667	1	0:51
	August 2005	0	0	0:00
	July 2005	0.08263889	2	1:00
	June 2005	0.03194444	1	0:46
	May 2005	0.03611111	1	0:52
	April 2005	0	0	0:00
	March 2005	0.0125	1	0:18
	February 2005	0	0	0:00
	January 2005	0.02013889	1	0:29
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.04097222	1	0:59
MR-6C Mean Time to Restore Residence Parity	September 2005	2.4875	8	7:28
	August 2005	0.88194444	11	1:55
	July 2005	0.925	11	2:01
	June 2005	0.97847222	12	1:57
	May 2005	1.16041667	10	2:47
	April 2005	0.64513889	5	3:06
	March 2005	0.57847222	11	1:16
	February 2005	0.94513889	4	5:40
	January 2005	0.51944444	5	2:30
	December 2004	1.96319444	5	9:25
	November 2004	3.18125	10	7:38
	October 2004	2.04236111	6	8:10

MR-6C Mean Time to Restore UNE - P (POTS) Parity	September 2005	0.26805556	3	2:09
	August 2005	0.81111111	4	4:52
	July 2005	0.70486111	6	2:49
	June 2005	0.07222222	6	0:17
	May 2005	0.07083333	3	0:34
	April 2005	0.28125	5	1:21
	March 2005	0.22222222	4	1:20
	February 2005	0.41527778	7	1:25
	January 2005	1.42986111	18	1:54
	December 2004	20.3486111	127	3:51
	November 2004	19.6958333	124	3:49
	October 2004	20.5069444	158	3:07
MR-6C Mean Time to Restore UNE P (Centrex 21) Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.1875	3	1:30
	November 2004	0.00763889	2	0:05
	October 2004	0.33888889	3	2:43
MR-6C Mean Time to Restore UNE P (Centrex) Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.31736111	5	1:31
	December 2004	1.42986111	5	6:52
	November 2004	1.47916667	9	3:57
	October 2004	0.45486111	4	2:44
MR-6D Mean Time to Restore Dark Fiber - Loop Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.00555556	1	0:08
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.85486111	1	20:31
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6D Mean Time to Restore DS0 Parity	September 2005	0.02569444	1	0:37
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00

	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.14513889	3	1:10
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6D Mean Time to Restore DS1 Parity	September 2005	0.20069444	2	2:24
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.02430556	1	0:35
	March 2005	0.26875	1	6:27
	February 2005	0.25486111	1	6:07
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.01944444	1	0:28
MR-6D Mean Time to Restore E911 Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.02569444	1	0:37
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6D Mean Time to Restore Enhanced Extended Loops - DS0 Capable Diagnostic	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.12152778	2	1:28
MR-6D Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity	September 2005	11.7486111	60	4:42
	August 2005	15.5729167	73	5:07
	July 2005	6.39722222	49	3:08
	June 2005	4.88472222	41	2:52
	May 2005	11.3541667	59	4:37
	April 2005	7.08541667	47	3:37
	March 2005	5.58055556	42	3:11
	February 2005	5.59861111	40	3:22

	January 2005	6.35416667	46	3:19
	December 2004	9.73333333	49	4:46
	November 2004	5.58472222	47	2:51
	October 2004	5.89027778	47	3:00
MR-6D Mean Time to Restore LIS Trunk Parity	September 2005	0.30763889	9	0:49
	August 2005	0.48402778	9	1:17
	July 2005	0.56736111	10	1:22
	June 2005	0.56944444	9	1:31
	May 2005	0.16458333	6	0:39
	April 2005	0.15277778	3	1:13
	March 2005	0.39861111	5	1:55
	February 2005	0.14166667	4	0:51
	January 2005	0.57013889	11	1:15
	December 2004	0.46388889	4	2:47
	November 2004	0.40208333	3	3:13
	October 2004	0.36111111	7	1:14
MR-6D Mean Time to Restore Qwest DSL Parity	September 2005	3.48680556	5	16:44
	August 2005	2.01458333	2	0:10
	July 2005	5.55763889	8	16:40
	June 2005	0.95486111	5	4:35
	May 2005	3.49444444	11	7:37
	April 2005	2.75069444	9	7:20
	March 2005	1.95833333	10	4:42
	February 2005	0.24930556	5	1:12
	January 2005	3.12986111	8	9:23
	December 2004	0.08958333	4	0:32
	November 2004	8.41458333	7	4:51
	October 2004	1.16944444	5	5:37
MR-6D Mean Time to Restore UDIT Above DS1 Level Parity	September 2005	0.01041667	1	0:15
	August 2005	0.11875	1	2:51
	July 2005	0	0	0:00
	June 2005	0.8875	4	5:19
	May 2005	0.0625	1	1:30
	April 2005	0.15555556	2	1:52
	March 2005	0.45486111	4	2:44
	February 2005	0.10138889	1	2:26
	January 2005	0	0	0:00
	December 2004	0.07777778	1	1:52
	November 2004	0.47152778	3	3:46
	October 2004	0.13888889	2	1:40
MR-6D Mean Time to Restore UDIT DS1 Parity	September 2005	0	0	0:00
	August 2005	0.76527778	4	4:36
	July 2005	0.09791667	1	2:21
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0.05486111	1	1:19

MR-6D Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	4.83263889	30	3:52
	August 2005	4.98055556	35	3:25
	July 2005	1.00069444	7	3:26
	June 2005	0.60625	8	1:49
	May 2005	5.98819444	36	4:00
	April 2005	5.38055556	33	3:55
	March 2005	3.92638889	35	2:42
	February 2005	5.20763889	27	4:38
	January 2005	6.18055556	35	4:14
	December 2004	8.56527778	53	3:53
	November 2004	3.74236111	28	3:12
	October 2004	3.41875	30	2:44
	MR-6D Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Parity	September 2005	0	0
August 2005		0	0	0:00
July 2005		0.14027778	1	3:22
June 2005		0	0	0:00
May 2005		0.1125	1	2:42
April 2005		0	0	0:00
March 2005		0.14513889	2	1:44
February 2005		0.17430556	1	4:11
January 2005		0	0	0:00
December 2004		0.08888889	1	2:08
November 2004		0	0	0:00
October 2004		0	0	0:00
MR-6D Mean Time to Restore Unbundled Loop - ADSL Qualified Parity		September 2005	0.03125	1
	August 2005	0.11736111	1	2:49
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.175	2	2:06
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.0875	1	2:06
	November 2004	0	0	0:00
	October 2004	0.14097222	1	3:23
	MR-6D Mean Time to Restore Unbundled Loop - DS1 Capable Parity	September 2005	10.2458333	65
August 2005		26.4291667	104	6:06
July 2005		11.8166667	72	3:56
June 2005		14.2756944	85	4:02
May 2005		23.8013889	88	6:29
April 2005		18.4291667	79	5:36
March 2005		15.9270833	96	3:59
February 2005		11.5826389	77	3:37
January 2005		17.3597222	91	4:35
December 2004		10.5416667	74	3:25
November 2004		13.0888889	84	3:44
October 2004		13.0555556	78	4:01
MR-6D Mean Time to Restore Unbundled Loop - DS3 Capable Parity		September 2005	0	0
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00

	May 2005	0.03055556	1	0:44
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6D Mean Time to Restore Unbundled Loop - XDSLi Parity	September 2005	0.42777778	3	3:25
	August 2005	0.45208333	8	1:21
	July 2005	2.33888889	15	3:45
	June 2005	4.13333333	26	3:49
	May 2005	0.80625	4	4:50
	April 2005	0	0	0:00
	March 2005	0.28472222	2	3:25
	February 2005	0.56666667	3	4:32
	January 2005	0.68263889	7	2:20
	December 2004	0.28125	4	1:41
	November 2004	0.05486111	1	1:19
	October 2004	0.28055556	3	2:15
MR-6D Mean Time to Restore Unbundled Loop Analog Parity	September 2005	93.5159722	183	12:16
	August 2005	142.857639	293	11:42
	July 2005	118.3	245	11:35
	June 2005	84.9222222	194	10:30
	May 2005	150.4375	253	14:16
	April 2005	78.2451389	182	10:19
	March 2005	68.3395833	202	8:07
	February 2005	50.1590278	174	6:55
	January 2005	101.20625	220	11:02
	December 2004	60.8770833	204	7:10
	November 2004	64.4368056	209	7:24
	October 2004	75.6236111	195	9:18
MR-6D Mean Time to Restore Unbundled Loop ISDN Capable Parity	September 2005	1.89513889	6	7:35
	August 2005	1.91319444	8	5:44
	July 2005	3.06319444	15	4:54
	June 2005	4.21666667	26	3:54
	May 2005	3.8875	25	3:44
	April 2005	2.52291667	15	4:02
	March 2005	3.53541667	24	3:32
	February 2005	3.77916667	21	4:19
	January 2005	5.64236111	20	6:46
	December 2004	4.61388889	24	4:37
	November 2004	3.47361111	14	5:57
	October 2004	2.775	17	3:55
MR-6E Mean Time to Restore DS0 Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.11597222	1	2:47
	April 2005	0.0125	1	0:18
	March 2005	0	0	0:00
	February 2005	0	0	0:00

	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6E Mean Time to Restore DS1 Parity	September 2005	0.05902778	1	1:25
	August 2005	0.14791667	1	3:33
	July 2005	0.09444444	1	2:16
	June 2005	0.03958333	2	0:28
	May 2005	0	0	0:00
	April 2005	0.63263889	7	2:10
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.09305556	1	2:14
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6E Mean Time to Restore E911 Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.025	1	0:36
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.02708333	1	0:39
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6E Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity	September 2005	0.14722222	4	0:53
	August 2005	2.25902778	16	3:23
	July 2005	1.29652778	5	6:13
	June 2005	1.3375	12	2:40
	May 2005	2.47916667	19	3:08
	April 2005	1.58888889	5	7:38
	March 2005	2.49722222	20	3:00
	February 2005	2.3625	15	3:47
	January 2005	2.49097222	15	3:59
	December 2004	0.04166667	2	0:30
	November 2004	0.73402778	7	2:31
	October 2004	1.93541667	14	3:19
MR-6E Mean Time to Restore ISDN Primary Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.16805556	2	2:01
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00

MR-6E Mean Time to Restore LIS Trunk Parity	September 2005	0.10277778	2	1:14
	August 2005	0.18680556	6	0:45
	July 2005	0.17291667	4	1:02
	June 2005	0.14166667	2	1:42
	May 2005	0.04305556	2	0:31
	April 2005	0.40833333	3	3:16
	March 2005	0.37222222	5	1:47
	February 2005	0.42638889	1	10:14
	January 2005	0.04861111	3	0:23
	December 2004	0.87083333	4	5:13
	November 2004	0.49652778	5	2:23
	October 2004	0.70069444	1	16:49
	MR-6E Mean Time to Restore Qwest DSL Parity	September 2005	0	0
August 2005		0.00138889	1	0:02
July 2005		4.36458333	5	20:57
June 2005		0	0	0:00
May 2005		1.9	1	21:36
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0.15763889	3	1:16
December 2004		0	0	0:00
November 2004		0.00069444	1	0:01
October 2004		0.80555556	1	19:20
MR-6E Mean Time to Restore UDIT DS1 Parity		September 2005	0	0
	August 2005	0.15	1	3:36
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.03333333	1	0:48
	November 2004	0	0	0:00
	October 2004	0.09097222	1	2:11
	MR-6E Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	0.09722222	1
August 2005		0.64305556	6	2:34
July 2005		0.35763889	3	2:52
June 2005		0.18819444	2	2:16
May 2005		0.36875	1	8:51
April 2005		1.00069444	7	3:26
March 2005		0.30972222	4	1:52
February 2005		0.44513889	4	2:40
January 2005		0.83958333	4	5:02
December 2004		0.35138889	3	2:49
November 2004		1.27430556	6	5:06
October 2004		0.94513889	7	3:14
MR-6E Mean Time to Restore Unbundled Loop - ADSL Qualified Parity		September 2005	0	0
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00

	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0.25486111	4	1:32
	February 2005	0	0	0:00
	January 2005	0.0375	1	0:54
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - DS1 Capable Parity	September 2005	1.01111111	6	4:03
	August 2005	1.35416667	12	2:42
	July 2005	3.08888889	24	3:05
	June 2005	1.99305556	13	3:41
	May 2005	4.98472222	22	5:26
	April 2005	1.33055556	8	4:00
	March 2005	1.23958333	11	2:42
	February 2005	5.49444444	18	7:20
	January 2005	0.50347222	5	2:25
	December 2004	2.61388889	14	4:29
MR-6E Mean Time to Restore Unbundled Loop Analog Parity	November 2004	2.29375	12	4:35
	October 2004	4.19930556	12	8:24
	September 2005	21.6298611	37	14:02
	August 2005	10.9131944	32	8:11
	July 2005	17.1777778	43	9:35
	June 2005	5.14861111	24	5:09
	May 2005	8.41180556	23	8:47
	April 2005	9.45833333	30	7:34
	March 2005	8.48472222	27	7:33
	February 2005	5.53333333	15	8:51
MR-6E Mean Time to Restore Unbundled Loop ISDN Capable Parity	January 2005	9.95763889	16	14:56
	December 2004	3.55625	17	5:01
	November 2004	5.66875	26	5:14
	October 2004	5.73194444	22	6:15
	September 2005	0.08888889	1	2:08
	August 2005	1.41736111	9	3:47
	July 2005	1.54791667	9	4:08
	June 2005	1.6125	9	4:18
	May 2005	1.17222222	5	5:38
	April 2005	0.64444444	4	3:52
MR-7A Repair Repeat Report Rate Business Parity	March 2005	1.31388889	8	3:57
	February 2005	2.46388889	7	8:27
	January 2005	2.22222222	4	13:20
	December 2004	7.84652778	10	18:50
	November 2004	0.79513889	5	3:49
	October 2004	1.01597222	8	3:03
	September 2005	0	0	0.00%
	August 2005	0	4	0.00%
	July 2005	0	4	0.00%
	June 2005	1	4	25.00%
May 2005	0	8	0.00%	
April 2005	0	6	0.00%	
March 2005	2	11	18.18%	
February 2005	0	10	0.00%	

	January 2005	1	6	16.67%
	December 2004	1	21	4.76%
	November 2004	1	12	8.33%
	October 2004	2	12	16.67%
MR-7A Repair Repeat Report Rate Centrex Parity	September 2005	0	0	0.00%
	August 2005	0	2	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7A Repair Repeat Report Rate Centrex 21 Parity	September 2005	0	0	0.00%
	August 2005	0	3	0.00%
	July 2005	0	3	0.00%
	June 2005	0	1	0.00%
	May 2005	1	3	33.33%
	April 2005	0	2	0.00%
	March 2005	0	4	0.00%
	February 2005	2	4	50.00%
	January 2005	0	2	0.00%
	December 2004	1	3	33.33%
	November 2004	0	1	0.00%
	October 2004	0	0	0.00%
MR-7A Repair Repeat Report Rate Line Sharing Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	5	0.00%
	May 2005	2	5	40.00%
	April 2005	1	5	20.00%
	March 2005	0	2	0.00%
	February 2005	1	4	25.00%
	January 2005	2	9	22.22%
	December 2004	2	9	22.22%
	November 2004	1	10	10.00%
	October 2004	2	16	12.50%
MR-7A Repair Repeat Report Rate Line Splitting Parity	September 2005	0	0	0.00%
	August 2005	1	5	20.00%
	July 2005	0	3	0.00%
	June 2005	0	6	0.00%
	May 2005	0	2	0.00%
	April 2005	0	3	0.00%
	March 2005	1	13	7.69%
	February 2005	0	6	0.00%
	January 2005	1	2	50.00%
	December 2004	0	5	0.00%
	November 2004	0	4	0.00%
	October 2004	0	3	0.00%

MR-7A Repair Repeat Report Rate Residence Parity	September 2005	0	0	0.00%
	August 2005	2	68	2.94%
	July 2005	3	42	7.14%
	June 2005	1	52	1.92%
	May 2005	2	44	4.55%
	April 2005	1	44	2.27%
	March 2005	3	58	5.17%
	February 2005	0	36	0.00%
	January 2005	3	50	6.00%
	December 2004	2	46	4.35%
	November 2004	1	47	2.13%
	October 2004	6	59	10.17%
	MR-7A Repair Repeat Report Rate UNE - P (POTS) Parity	September 2005	0	0
August 2005		1	20	5.00%
July 2005		0	16	0.00%
June 2005		2	12	16.67%
May 2005		2	14	14.29%
April 2005		2	14	14.29%
March 2005		1	23	4.35%
February 2005		4	27	14.81%
January 2005		4	44	9.09%
December 2004		50	538	9.29%
November 2004		38	478	7.95%
October 2004		38	520	7.31%
MR-7A Repair Repeat Report Rate UNE P (Centrex 21) Parity		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	1	7	14.29%
	November 2004	0	4	0.00%
	October 2004	0	3	0.00%
	MR-7A Repair Repeat Report Rate UNE P (Centrex) Parity	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	7	0.00%
December 2004		0	16	0.00%
November 2004		2	16	12.50%
October 2004		0	11	0.00%
MR-7B Repair Repeat Report Rate Business Parity		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	2	0.00%
	April 2005	0	1	0.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	1	5	20.00%
	December 2004	0	1	0.00%
	November 2004	0	4	0.00%
	October 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Centrex 21 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Residence Parity	September 2005	0	0	0.00%
	August 2005	2	17	11.76%
	July 2005	0	7	0.00%
	June 2005	1	13	7.69%
	May 2005	2	6	33.33%
	April 2005	1	11	9.09%
	March 2005	0	8	0.00%
	February 2005	1	11	9.09%
	January 2005	1	11	9.09%
	December 2004	0	10	0.00%
	November 2004	1	8	12.50%
	October 2004	1	6	16.67%
MR-7B Repair Repeat Report Rate UNE - P (POTS) Parity	September 2005	0	0	0.00%
	August 2005	0	2	0.00%
	July 2005	1	2	50.00%
	June 2005	2	13	15.38%
	May 2005	1	4	25.00%
	April 2005	0	7	0.00%
	March 2005	0	5	0.00%
	February 2005	0	9	0.00%
	January 2005	0	15	0.00%
	December 2004	8	105	7.62%
	November 2004	10	111	9.01%
	October 2004	9	123	7.32%
MR-7B Repair Repeat Report Rate UNE P (Centrex) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7C Repair Repeat Report Rate	September 2005	0	0	0.00%
Business Parity	August 2005	0	1	0.00%
	July 2005	0	2	0.00%
	June 2005	0	5	0.00%
	May 2005	0	2	0.00%
	April 2005	0	1	0.00%
	March 2005	1	7	14.29%
	February 2005	0	3	0.00%
	January 2005	1	5	20.00%
	December 2004	0	5	0.00%
	November 2004	2	4	50.00%
	October 2004	0	2	0.00%
MR-7C Repair Repeat Report Rate Centrex	September 2005	0	0	0.00%
Parity	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7C Repair Repeat Report Rate Centrex	September 2005	0	0	0.00%
21 Parity	August 2005	0	1	0.00%
	July 2005	0	1	0.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	3	0.00%
MR-7C Repair Repeat Report Rate Line	September 2005	0	0	0.00%
Sharing Parity	August 2005	0	0	0.00%
	July 2005	2	4	50.00%
	June 2005	0	0	0.00%
	May 2005	0	3	0.00%
	April 2005	2	6	33.33%
	March 2005	1	2	50.00%
	February 2005	1	2	50.00%
	January 2005	0	2	0.00%
	December 2004	0	2	0.00%
	November 2004	0	0	0.00%
	October 2004	1	9	11.11%

MR-7C Repair Repeat Report Rate Line Splitting Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	4	0.00%
	April 2005	0	4	0.00%
	March 2005	1	1	100.00%
	February 2005	0	2	0.00%
	January 2005	1	2	50.00%
	December 2004	0	3	0.00%
	November 2004	0	4	0.00%
	October 2004	0	4	0.00%
	MR-7C Repair Repeat Report Rate PBX Parity	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	2	0.00%
June 2005		0	1	0.00%
May 2005		0	1	0.00%
April 2005		0	0	0.00%
March 2005		0	1	0.00%
February 2005		0	0	0.00%
January 2005		0	1	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	1	0.00%
MR-7C Repair Repeat Report Rate Residence Parity		September 2005	0	0
	August 2005	2	11	18.18%
	July 2005	3	11	27.27%
	June 2005	2	12	16.67%
	May 2005	0	10	0.00%
	April 2005	0	5	0.00%
	March 2005	3	11	27.27%
	February 2005	1	4	25.00%
	January 2005	1	5	20.00%
	December 2004	0	5	0.00%
	November 2004	2	10	20.00%
	October 2004	0	6	0.00%
	MR-7C Repair Repeat Report Rate UNE - P (POTS) Parity	September 2005	0	0
August 2005		0	4	0.00%
July 2005		0	6	0.00%
June 2005		1	6	16.67%
May 2005		0	3	0.00%
April 2005		1	5	20.00%
March 2005		1	4	25.00%
February 2005		1	7	14.29%
January 2005		1	18	5.56%
December 2004		15	127	11.81%
November 2004		13	125	10.40%
October 2004		24	158	15.19%
MR-7C Repair Repeat Report Rate UNE P (Centrex 21) Parity		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	3	33.33%
	November 2004	1	2	50.00%
	October 2004	1	3	33.33%
MR-7C Repair Repeat Report Rate UNE P (Centrex) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	5	20.00%
	December 2004	2	5	40.00%
	November 2004	0	9	0.00%
	October 2004	0	4	0.00%
MR-7D Repair Repeat Report Rate DS0 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	3	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate DS1 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	2	0.00%
MR-7D Repair Repeat Report Rate	September 2005	0	0	0.00%
Enhanced Extended Loops - DS1 Capable Parity	August 2005	13	73	17.81%
	July 2005	6	49	12.24%
	June 2005	6	41	14.63%
	May 2005	4	59	6.78%
	April 2005	10	46	21.74%
	March 2005	4	42	9.52%
	February 2005	12	40	30.00%
	January 2005	11	46	23.91%
	December 2004	6	49	12.24%
	November 2004	8	47	17.02%
	October 2004	15	47	31.91%
MR-7D Repair Repeat Report Rate	September 2005	0	0	0.00%
Enhanced Extended Loops - DS3 Capable Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate ISDN Primary Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate LIS Trunk Parity	September 2005	0	0	0.00%
	August 2005	0	9	0.00%
	July 2005	0	10	0.00%
	June 2005	1	9	11.11%
	May 2005	0	6	0.00%
	April 2005	0	3	0.00%
	March 2005	0	5	0.00%
	February 2005	0	4	0.00%
	January 2005	1	11	9.09%
	December 2004	0	4	0.00%
	November 2004	0	3	0.00%
	October 2004	0	7	0.00%

MR-7D Repair Repeat Report Rate Qwest DSL Parity	September 2005	0	0	0.00%
	August 2005	0	4	0.00%
	July 2005	1	8	12.50%
	June 2005	1	5	20.00%
	May 2005	0	11	0.00%
	April 2005	1	10	10.00%
	March 2005	1	10	10.00%
	February 2005	1	5	20.00%
	January 2005	1	8	12.50%
	December 2004	1	4	25.00%
	November 2004	1	7	14.29%
	October 2004	0	5	0.00%
	MR-7D Repair Repeat Report Rate UDIT Above DS1 Level Parity	September 2005	0	0
August 2005		0	1	0.00%
July 2005		0	0	0.00%
June 2005		0	4	0.00%
May 2005		1	1	100.00%
April 2005		0	2	0.00%
March 2005		0	4	0.00%
February 2005		0	1	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	3	0.00%
October 2004		1	2	50.00%
MR-7D Repair Repeat Report Rate UDIT DS1 Parity		September 2005	0	0
	August 2005	0	4	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
	MR-7D Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	0	0
August 2005		5	35	14.29%
July 2005		0	22	0.00%
June 2005		0	8	0.00%
May 2005		0	36	0.00%
April 2005		2	33	6.06%
March 2005		1	35	2.86%
February 2005		1	27	3.70%
January 2005		4	35	11.43%
December 2004		6	53	11.32%
November 2004		1	28	3.57%
October 2004		0	30	0.00%
MR-7D Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Parity		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%

	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop - ADSL Qualified Parity	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	1	0.00%
MR-7D Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop - DS1 Capable Parity	August 2005	7	104	6.73%
	July 2005	18	72	25.00%
	June 2005	8	85	9.41%
	May 2005	15	88	17.05%
	April 2005	14	80	17.50%
	March 2005	14	96	14.58%
	February 2005	9	77	11.69%
	January 2005	12	91	13.19%
	December 2004	12	74	16.22%
	November 2004	12	84	14.29%
	October 2004	17	78	21.79%
MR-7D Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop Analog Parity	August 2005	25	293	8.53%
	July 2005	18	245	7.35%
	June 2005	9	194	4.64%
	May 2005	17	253	6.72%
	April 2005	14	182	7.69%
	March 2005	13	202	6.44%
	February 2005	16	174	9.20%
	January 2005	14	220	6.36%
	December 2004	13	204	6.37%
	November 2004	22	209	10.53%
	October 2004	12	195	6.15%
MR-7D Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop ISDN Capable Parity	August 2005	0	8	0.00%
	July 2005	1	15	6.67%
	June 2005	5	26	19.23%
	May 2005	3	25	12.00%
	April 2005	2	15	13.33%
	March 2005	0	24	0.00%
	February 2005	4	21	19.05%

	January 2005	2	20	10.00%
	December 2004	2	24	8.33%
	November 2004	2	14	14.29%
	October 2004	1	17	5.88%
MR-7E Repair Repeat Report Rate DS0 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate DS1 Parity	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	1	8	12.50%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
MR-7E Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	2	16	12.50%
	July 2005	0	5	0.00%
	June 2005	4	12	33.33%
	May 2005	2	19	10.53%
	April 2005	1	7	14.29%
MR-7E Repair Repeat Report Rate ISDN Primary Parity	March 2005	6	20	30.00%
	February 2005	5	15	33.33%
	January 2005	1	15	6.67%
	December 2004	0	2	0.00%
	November 2004	0	7	0.00%
	October 2004	3	14	21.43%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
May 2005	0	0	0.00%	
April 2005	0	2	0.00%	
March 2005	0	0	0.00%	
February 2005	0	0	0.00%	
January 2005	0	0	0.00%	
December 2004	0	0	0.00%	
November 2004	0	0	0.00%	
October 2004	0	0	0.00%	

MR-7E Repair Repeat Report Rate LIS Trunk Parity	September 2005	0	0	0.00%
	August 2005	0	6	0.00%
	July 2005	0	4	0.00%
	June 2005	0	2	0.00%
	May 2005	0	2	0.00%
	April 2005	0	3	0.00%
	March 2005	1	5	20.00%
	February 2005	0	1	0.00%
	January 2005	0	3	0.00%
	December 2004	0	4	0.00%
	November 2004	0	5	0.00%
	October 2004	0	1	0.00%
	MR-7E Repair Repeat Report Rate Qwest DSL Parity	September 2005	0	0
August 2005		0	2	0.00%
July 2005		2	5	40.00%
June 2005		0	0	0.00%
May 2005		0	1	0.00%
April 2005		0	1	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		2	3	66.67%
December 2004		0	0	0.00%
November 2004		0	1	0.00%
October 2004		0	1	0.00%
MR-7E Repair Repeat Report Rate UDIT Above DS1 Level Parity		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	October 2004	0	0	0.00%
	MR-7E Repair Repeat Report Rate UDIT DS1 Parity	September 2005	0	0
August 2005		0	1	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	0	0.00%
October 2004		0	1	0.00%
MR-7E Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity		September 2005	0	0
	August 2005	0	6	0.00%
	July 2005	0	4	0.00%
	June 2005	0	2	0.00%

	May 2005	0	1	0.00%
	April 2005	0	7	0.00%
	March 2005	0	4	0.00%
	February 2005	0	4	0.00%
	January 2005	0	4	0.00%
	December 2004	0	3	0.00%
	November 2004	0	6	0.00%
	October 2004	2	7	28.57%
MR-7E Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop - ADSL Qualified Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	2	4	50.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop - DS1 Capable Parity	August 2005	2	12	16.67%
	July 2005	1	24	4.17%
	June 2005	0	13	0.00%
	May 2005	4	22	18.18%
	April 2005	1	8	12.50%
	March 2005	0	11	0.00%
	February 2005	5	18	27.78%
	January 2005	1	5	20.00%
	December 2004	1	14	7.14%
	November 2004	0	12	0.00%
	October 2004	2	12	16.67%
MR-7E Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop Analog Parity	August 2005	2	32	6.25%
	July 2005	2	43	4.65%
	June 2005	0	24	0.00%
	May 2005	1	23	4.35%
	April 2005	0	30	0.00%
	March 2005	0	27	0.00%
	February 2005	1	15	6.67%
	January 2005	3	16	18.75%
	December 2004	1	17	5.88%
	November 2004	0	26	0.00%
	October 2004	2	22	9.09%
MR-7E Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop ISDN Capable Parity	August 2005	2	9	22.22%
	July 2005	0	9	0.00%
	June 2005	0	9	0.00%
	May 2005	0	5	0.00%
	April 2005	0	4	0.00%
	March 2005	1	8	12.50%
	February 2005	1	7	14.29%

	January 2005	2	4	50.00%
	December 2004	1	10	10.00%
	November 2004	1	5	20.00%
	October 2004	1	8	12.50%
MR-8 Trouble Rate Basic Rate ISDN Parity	September 2005	0	11	0.00%
	August 2005	0	11	0.00%
	July 2005	0	11	0.00%
	June 2005	0	11	0.00%
	May 2005	0	11	0.00%
	April 2005	0	12	0.00%
	March 2005	0	12	0.00%
	February 2005	0	12	0.00%
	January 2005	0	12	0.00%
	December 2004	0	12	0.00%
	November 2004	0	12	0.00%
	October 2004	0	14	0.00%
MR-8 Trouble Rate Business Parity	September 2005	2	2216	0.09%
	August 2005	5	2259	0.22%
	July 2005	6	2393	0.25%
	June 2005	9	2398	0.38%
	May 2005	12	2377	0.50%
	April 2005	8	2366	0.34%
	March 2005	19	2554	0.74%
	February 2005	14	3173	0.44%
	January 2005	16	3315	0.48%
	December 2004	27	4276	0.63%
	November 2004	20	4193	0.48%
	October 2004	14	3400	0.41%
MR-8 Trouble Rate Centrex Parity	September 2005	0	432	0.00%
	August 2005	3	435	0.69%
	July 2005	0	437	0.00%
	June 2005	1	437	0.23%
	May 2005	1	445	0.22%
	April 2005	0	445	0.00%
	March 2005	2	450	0.44%
	February 2005	0	456	0.00%
	January 2005	0	457	0.00%
	December 2004	0	464	0.00%
	November 2004	0	849	0.00%
	October 2004	0	849	0.00%
MR-8 Trouble Rate Centrex 21 Parity	September 2005	5	843	0.59%
	August 2005	4	836	0.48%
	July 2005	5	845	0.59%
	June 2005	3	740	0.41%
	May 2005	3	663	0.45%
	April 2005	2	646	0.31%
	March 2005	5	649	0.77%
	February 2005	4	650	0.62%
	January 2005	3	596	0.50%
	December 2004	3	488	0.61%
	November 2004	2	457	0.44%
	October 2004	3	287	1.05%

MR-8 Trouble Rate DS0 Parity	September 2005	1	673	0.15%
	August 2005	0	692	0.00%
	July 2005	0	694	0.00%
	June 2005	0	770	0.00%
	May 2005	1	844	0.12%
	April 2005	1	843	0.12%
	March 2005	0	844	0.00%
	February 2005	0	845	0.00%
	January 2005	0	508	0.00%
	December 2004	3	509	0.59%
	November 2004	0	513	0.00%
	October 2004	0	528	0.00%
	MR-8 Trouble Rate DS1 Parity	September 2005	3	64
August 2005		1	147	0.68%
July 2005		1	77	1.30%
June 2005		2	79	2.53%
May 2005		0	79	0.00%
April 2005		8	77	10.39%
March 2005		1	82	1.22%
February 2005		1	81	1.23%
January 2005		0	84	0.00%
December 2004		1	83	1.20%
November 2004		0	86	0.00%
October 2004		1	89	1.12%
MR-8 Trouble Rate DS3 Parity		September 2005	0	6
	August 2005	0	7	0.00%
	July 2005	0	8	0.00%
	June 2005	1	8	12.50%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-8 Trouble Rate E911 Parity	September 2005	0	771
August 2005		0	745	0.00%
July 2005		0	675	0.00%
June 2005		0	684	0.00%
May 2005		2	638	0.31%
April 2005		0	632	0.00%
March 2005		0	632	0.00%
February 2005		0	634	0.00%
January 2005		0	634	0.00%
December 2004		1	634	0.16%
November 2004		0	634	0.00%
October 2004		0	630	0.00%
MR-8 Trouble Rate Enhanced Extended Loops - DS0 Capable Diagnostic		September 2005	0	27
	August 2005	0	25	0.00%
	July 2005	0	26	0.00%
	June 2005	0	24	0.00%

	May 2005	0	24	0.00%
	April 2005	0	24	0.00%
	March 2005	0	24	0.00%
	February 2005	0	19	0.00%
	January 2005	0	19	0.00%
	December 2004	0	19	0.00%
	November 2004	0	19	0.00%
	October 2004	2	19	10.53%
MR-8 Trouble Rate Enhanced Extended	September 2005	64	3208	2.00%
Loops - DS1 Capable Parity	August 2005	89	2972	2.99%
	July 2005	54	2553	2.12%
	June 2005	53	2444	2.17%
	May 2005	78	2365	3.30%
	April 2005	52	2265	2.30%
	March 2005	62	2184	2.84%
	February 2005	55	2116	2.60%
	January 2005	61	2018	3.02%
	December 2004	51	1937	2.63%
	November 2004	54	1853	2.91%
	October 2004	61	1786	3.42%
MR-8 Trouble Rate Frame Relay Parity	September 2005	0	10	0.00%
	August 2005	0	7	0.00%
	July 2005	0	7	0.00%
	June 2005	0	7	0.00%
	May 2005	0	7	0.00%
	April 2005	0	13	0.00%
	March 2005	0	13	0.00%
	February 2005	0	15	0.00%
	January 2005	0	13	0.00%
	December 2004	0	14	0.00%
	November 2004	0	13	0.00%
	October 2004	0	12	0.00%
MR-8 Trouble Rate ISDN Primary Parity	September 2005	0	144	0.00%
	August 2005	0	144	0.00%
	July 2005	0	168	0.00%
	June 2005	0	168	0.00%
	May 2005	0	168	0.00%
	April 2005	2	168	1.19%
	March 2005	0	168	0.00%
	February 2005	0	96	0.00%
	January 2005	0	96	0.00%
	December 2004	0	120	0.00%
	November 2004	0	120	0.00%
	October 2004	0	133	0.00%
MR-8 Trouble Rate Line Sharing Parity	September 2005	6	6293	0.10%
	August 2005	0	6569	0.00%
	July 2005	4	6808	0.06%
	June 2005	5	7096	0.07%
	May 2005	8	7346	0.11%
	April 2005	11	7635	0.14%
	March 2005	4	7955	0.05%
	February 2005	6	8212	0.07%

	January 2005	11	8513	0.13%
	December 2004	11	9006	0.12%
	November 2004	10	9495	0.11%
	October 2004	25	9987	0.25%
MR-8 Trouble Rate Line Splitting Parity	September 2005	6	654	0.92%
	August 2005	5	691	0.72%
	July 2005	4	722	0.55%
	June 2005	6	739	0.81%
	May 2005	6	735	0.82%
	April 2005	7	734	0.95%
	March 2005	14	716	1.96%
	February 2005	8	698	1.15%
	January 2005	4	692	0.58%
	December 2004	8	671	1.19%
	November 2004	8	672	1.19%
	October 2004	7	654	1.07%
MR-8 Trouble Rate LIS Trunk Parity	September 2005	11	164613	0.01%
	August 2005	15	165764	0.01%
	July 2005	14	168789	0.01%
	June 2005	11	170661	0.01%
	May 2005	8	174115	0.00%
	April 2005	6	176395	0.00%
	March 2005	10	184555	0.01%
	February 2005	5	188633	0.00%
	January 2005	14	188607	0.01%
	December 2004	8	187744	0.00%
	November 2004	8	188752	0.00%
	October 2004	8	186784	0.00%
MR-8 Trouble Rate PBX Parity	September 2005	2	724	0.28%
	August 2005	1	786	0.13%
	July 2005	3	782	0.38%
	June 2005	1	777	0.13%
	May 2005	3	771	0.39%
	April 2005	0	762	0.00%
	March 2005	1	772	0.13%
	February 2005	1	809	0.12%
	January 2005	1	828	0.12%
	December 2004	1	823	0.12%
	November 2004	0	830	0.00%
	October 2004	3	824	0.36%
MR-8 Trouble Rate Qwest DSL Parity	September 2005	5	1509	0.33%
	August 2005	3	1447	0.21%
	July 2005	13	1412	0.92%
	June 2005	5	1360	0.37%
	May 2005	12	1293	0.93%
	April 2005	9	1232	0.73%
	March 2005	10	1185	0.84%
	February 2005	5	1152	0.43%
	January 2005	11	1121	0.98%
	December 2004	4	1076	0.37%
	November 2004	8	1042	0.77%
	October 2004	6	1014	0.59%

MR-8 Trouble Rate Residence Parity	September 2005	86	2877	2.99%
	August 2005	96	2842	3.38%
	July 2005	60	2983	2.01%
	June 2005	77	3139	2.45%
	May 2005	60	3173	1.89%
	April 2005	60	2902	2.07%
	March 2005	77	3158	2.44%
	February 2005	51	2925	1.74%
	January 2005	66	2883	2.29%
	December 2004	61	3118	1.96%
	November 2004	65	3201	2.03%
	October 2004	71	3144	2.26%
	MR-8 Trouble Rate UDIT Above DS1 Level Parity	September 2005	1	187
August 2005		1	188	0.53%
July 2005		0	160	0.00%
June 2005		4	156	2.56%
May 2005		1	156	0.64%
April 2005		3	153	1.96%
March 2005		4	156	2.56%
February 2005		2	159	1.26%
January 2005		0	157	0.00%
December 2004		1	159	0.63%
November 2004		4	164	2.44%
October 2004		2	162	1.23%
MR-8 Trouble Rate UDIT DS1 Parity		September 2005	0	176
	August 2005	5	184	2.72%
	July 2005	1	182	0.55%
	June 2005	0	175	0.00%
	May 2005	0	166	0.00%
	April 2005	0	169	0.00%
	March 2005	0	167	0.00%
	February 2005	0	169	0.00%
	January 2005	0	168	0.00%
	December 2004	1	169	0.59%
	November 2004	0	174	0.00%
	October 2004	2	176	1.14%
	MR-8 Trouble Rate Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	31	8763
August 2005		41	2803	1.46%
July 2005		10	2843	0.35%
June 2005		10	2876	0.35%
May 2005		37	8300	0.45%
April 2005		40	8117	0.49%
March 2005		39	7964	0.49%
February 2005		31	7814	0.40%
January 2005		39	7694	0.51%
December 2004		56	7604	0.74%
November 2004		34	7522	0.45%
October 2004		37	7330	0.50%
MR-8 Trouble Rate Unbundled Loop - 4 Wire Non-Loaded Parity		September 2005	0	187
	August 2005	0	188	0.00%
	July 2005	1	188	0.53%
	June 2005	0	189	0.00%

	May 2005	1	190	0.53%
	April 2005	0	191	0.00%
	March 2005	2	191	1.05%
	February 2005	1	192	0.52%
	January 2005	0	192	0.00%
	December 2004	1	194	0.52%
	November 2004	0	196	0.00%
	October 2004	0	198	0.00%
MR-8 Trouble Rate Unbundled Loop - ADSL Qualified Parity	September 2005	1	267	0.37%
	August 2005	1	270	0.37%
	July 2005	0	274	0.00%
	June 2005	0	277	0.00%
	May 2005	0	289	0.00%
	April 2005	2	293	0.68%
	March 2005	4	298	1.34%
	February 2005	0	305	0.00%
	January 2005	1	314	0.32%
	December 2004	1	326	0.31%
	November 2004	0	338	0.00%
	October 2004	1	344	0.29%
MR-8 Trouble Rate Unbundled Loop - DS1 Capable Parity	September 2005	71	6072	1.17%
	August 2005	116	6044	1.92%
	July 2005	96	6048	1.59%
	June 2005	98	5993	1.64%
	May 2005	110	5941	1.85%
	April 2005	87	5885	1.48%
	March 2005	107	5814	1.84%
	February 2005	95	5759	1.65%
	January 2005	96	5735	1.67%
	December 2004	88	5717	1.54%
	November 2004	96	5658	1.70%
	October 2004	90	5581	1.61%
MR-8 Trouble Rate Unbundled Loop - DS3 Capable Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	8	12.50%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-8 Trouble Rate Unbundled Loop - XDSLi Parity	September 2005	3	173	1.73%
	August 2005	8	6031	0.13%
	July 2005	16	5872	0.27%
	June 2005	26	5685	0.46%
	May 2005	4	169	2.37%
	April 2005	0	167	0.00%
	March 2005	2	173	1.16%
	February 2005	3	175	1.71%

	January 2005	7	173	4.05%
	December 2004	4	165	2.42%
	November 2004	1	165	0.61%
	October 2004	3	167	1.80%
MR-8 Trouble Rate Unbundled Loop Analog Parity	September 2005	220	68114	0.32%
	August 2005	325	67806	0.48%
	July 2005	288	65425	0.44%
	June 2005	218	59363	0.37%
	May 2005	276	56492	0.49%
	April 2005	212	56532	0.38%
	March 2005	229	56611	0.40%
	February 2005	189	56504	0.33%
	January 2005	236	56409	0.42%
	December 2004	221	56364	0.39%
	November 2004	235	56317	0.42%
	October 2004	217	56233	0.39%
MR-8 Trouble Rate Unbundled Loop ISDN Capable Parity	September 2005	7	2305	0.30%
	August 2005	17	2324	0.73%
	July 2005	24	2355	1.02%
	June 2005	35	2380	1.47%
	May 2005	30	2407	1.25%
	April 2005	19	2410	0.79%
	March 2005	32	2461	1.30%
	February 2005	28	2506	1.12%
	January 2005	24	2523	0.95%
	December 2004	34	2546	1.34%
	November 2004	19	2583	0.74%
	October 2004	25	2620	0.95%
MR-8 Trouble Rate UNE - P (POTS) Parity	September 2005	14	4298	0.33%
	August 2005	26	4509	0.58%
	July 2005	24	4656	0.52%
	June 2005	31	4867	0.64%
	May 2005	21	5063	0.41%
	April 2005	26	5340	0.49%
	March 2005	32	5640	0.57%
	February 2005	43	5942	0.72%
	January 2005	77	11621	0.66%
	December 2004	770	94278	0.82%
	November 2004	714	95164	0.75%
	October 2004	801	97753	0.82%
MR-8 Trouble Rate UNE P (Centrex 21) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	145	1.38%
	December 2004	10	1211	0.83%
	November 2004	6	1232	0.49%
	October 2004	6	1362	0.44%

MR-8 Trouble Rate UNE P (Centrex) Parity	September 2005	0	1	0.00%
	August 2005	0	1	0.00%
	July 2005	0	1	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	1	0.00%
	March 2005	0	1	0.00%
	February 2005	0	3	0.00%
	January 2005	13	2255	0.58%
	December 2004	21	5919	0.35%
	November 2004	25	6075	0.41%
	October 2004	15	6372	0.24%
	MR-9A Repair Appointments Met Business Parity	September 2005	1	1
August 2005		3	4	75.00%
July 2005		4	4	100.00%
June 2005		4	4	100.00%
May 2005		7	8	87.50%
April 2005		5	6	83.33%
March 2005		7	11	63.64%
February 2005		8	10	80.00%
January 2005		6	6	100.00%
December 2004		17	21	80.95%
November 2004		10	12	83.33%
October 2004		11	12	91.67%
MR-9A Repair Appointments Met Centrex Parity		September 2005	0	0
	August 2005	2	2	100.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-9A Repair Appointments Met Centrex 21 Parity	September 2005	1	1
August 2005		2	3	66.67%
July 2005		3	3	100.00%
June 2005		1	1	100.00%
May 2005		2	3	66.67%
April 2005		2	2	100.00%
March 2005		3	4	75.00%
February 2005		4	4	100.00%
January 2005		1	2	50.00%
December 2004		3	3	100.00%
November 2004		1	1	100.00%
October 2004		0	0	0.00%
MR-9A Repair Appointments Met Residence Parity		September 2005	60	62
	August 2005	64	68	94.12%
	July 2005	42	42	100.00%
	June 2005	51	52	98.08%

	May 2005	44	44	100.00%
	April 2005	43	44	97.73%
	March 2005	58	58	100.00%
	February 2005	35	36	97.22%
	January 2005	48	50	96.00%
	December 2004	45	46	97.83%
	November 2004	46	47	97.87%
	October 2004	56	59	94.92%
MR-9A Repair Appointments Met UNE - P (POTS) Parity	September 2005	6	8	75.00%
	August 2005	17	20	85.00%
	July 2005	15	16	93.75%
	June 2005	11	12	91.67%
	May 2005	9	14	64.29%
	April 2005	9	14	64.29%
	March 2005	18	23	78.26%
	February 2005	24	27	88.89%
	January 2005	38	44	86.36%
	December 2004	420	538	78.07%
	November 2004	377	478	78.87%
	October 2004	428	520	82.31%
MR-9B Repair Appointments Met Business Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	5	5	100.00%
	December 2004	1	1	100.00%
	November 2004	4	4	100.00%
	October 2004	0	0	0.00%
MR-9B Repair Appointments Met Centrex 21 Parity	September 2005	1	2	50.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-9B Repair Appointments Met PBX Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%

	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-9B Repair Appointments Met Residence Parity	September 2005	16	16	100.00%
	August 2005	14	17	82.35%
	July 2005	7	7	100.00%
	June 2005	12	13	92.31%
	May 2005	6	6	100.00%
	April 2005	11	11	100.00%
	March 2005	8	8	100.00%
	February 2005	11	11	100.00%
	January 2005	10	11	90.91%
	December 2004	10	10	100.00%
	November 2004	7	8	87.50%
	October 2004	6	6	100.00%
MR-9B Repair Appointments Met UNE - P (POTS) Parity	September 2005	1	3	33.33%
	August 2005	1	2	50.00%
	July 2005	2	2	100.00%
	June 2005	10	13	76.92%
	May 2005	3	4	75.00%
	April 2005	5	7	71.43%
	March 2005	3	5	60.00%
	February 2005	6	9	66.67%
	January 2005	10	15	66.67%
	December 2004	81	105	77.14%
	November 2004	73	111	65.77%
	October 2004	96	123	78.05%
MR-9C Repair Appointments Met Business Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	2	2	100.00%
	June 2005	5	5	100.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	2	2	100.00%
MR-9C Repair Appointments Met Centrex Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

MR-9C Repair Appointments Met Centrex 21 Parity	September 2005	2	2	100.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	3	3	100.00%
	MR-9C Repair Appointments Met Residence Parity	September 2005	8	8
August 2005		11	11	100.00%
July 2005		11	11	100.00%
June 2005		12	12	100.00%
May 2005		10	10	100.00%
April 2005		5	5	100.00%
March 2005		11	11	100.00%
February 2005		4	4	100.00%
January 2005		5	5	100.00%
December 2004		5	5	100.00%
November 2004		10	10	100.00%
October 2004		6	6	100.00%
MR-9C Repair Appointments Met UNE - P (POTS) Parity		September 2005	3	3
	August 2005	4	4	100.00%
	July 2005	6	6	100.00%
	June 2005	6	6	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	4	4	100.00%
	February 2005	7	7	100.00%
	January 2005	18	18	100.00%
	December 2004	125	127	98.43%
	November 2004	122	125	97.60%
	October 2004	154	158	97.47%
	NI-1A Trunk Blockage to Qwest Tandem Offices LIS Trunk Parity	September 2005	3	23568
August 2005		2	23016	0.01%
July 2005		1	23184	0.01%
June 2005		1	23064	0.00%
May 2005		2	22560	0.01%
April 2005		2	23928	0.01%
March 2005		2	26448	0.01%
February 2005		1	27024	0.00%
January 2005		7	27624	0.03%
December 2004		2	28320	0.01%
November 2004		2	29712	0.01%
October 2004		1	28080	0.00%
NI-1B Trunk Blockage to Qwest End Offices LIS Trunk Parity		September 2005	39	7296
	August 2005	41	9576	0.43%
	July 2005	0	11328	0.00%
	June 2005	1	15336	0.01%

	May 2005	2	16176	0.01%
	April 2005	1	16224	0.01%
	March 2005	2	16392	0.01%
	February 2005	2	15960	0.01%
	January 2005	2	15552	0.01%
	December 2004	0	16248	0.00%
	November 2004	1	17028	0.01%
	October 2004	1	17148	0.00%
NI-1C Trunk Blockage to Qwest Tandem Offices LIS Trunk Diagnostic	September 2005	39	24144	0.16%
	August 2005	17	23280	0.07%
	July 2005	50	23448	0.21%
	June 2005	5	23304	0.02%
	May 2005	19	23448	0.08%
	April 2005	5	24048	0.02%
	March 2005	9	26520	0.03%
	February 2005	2	27168	0.01%
	January 2005	32	28200	0.11%
	December 2004	11	28656	0.04%
NI-1D Trunk Blockage to Qwest End Offices LIS Trunk Diagnostic	November 2004	4	29736	0.01%
	October 2004	17	28416	0.06%
	September 2005	46	7404	0.61%
	August 2005	45	9612	0.47%
	July 2005	3	11436	0.03%
	June 2005	9	15372	0.06%
	May 2005	9	16284	0.05%
	April 2005	10	16332	0.06%
	March 2005	12	16428	0.07%
	February 2005	51	16764	0.31%
OP-13A Coordinated Cuts Completed on Time Unbundled Loop - Analog Benchmark	January 2005	168	16716	1.00%
	December 2004	109	16764	0.65%
	November 2004	79	17316	0.46%
	October 2004	70	17484	0.40%
	September 2005	233	233	100.00%
	August 2005	249	251	99.20%
	July 2005	253	254	99.61%
	June 2005	269	271	99.26%
	May 2005	228	230	99.13%
	April 2005	222	222	100.00%
OP-13A Coordinated Cuts Completed on Time Unbundled Loop Other Benchmark	March 2005	220	220	100.00%
	February 2005	183	183	100.00%
	January 2005	186	187	99.47%
	December 2004	215	215	100.00%
	November 2004	244	246	99.19%
	October 2004	246	248	99.19%
	September 2005	16	16	100.00%
	August 2005	16	18	88.89%
	July 2005	15	17	88.24%
	June 2005	12	14	85.71%
May 2005	11	12	91.67%	
April 2005	17	20	85.00%	
March 2005	25	25	100.00%	
February 2005	33	34	97.06%	

	January 2005	17	19	89.47%
	December 2004	21	21	100.00%
	November 2004	21	33	63.64%
	October 2004	28	29	96.55%
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop - Analog Diagnostic	September 2005	0	233	0.00%
	August 2005	1	251	0.40%
	July 2005	1	254	0.39%
	June 2005	0	271	0.00%
	May 2005	2	230	0.87%
	April 2005	0	222	0.00%
	March 2005	0	220	0.00%
	February 2005	0	183	0.00%
	January 2005	0	187	0.00%
	December 2004	0	215	0.00%
	November 2004	0	246	0.00%
	October 2004	0	248	0.00%
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop Other Diagnostic	September 2005	0	16	0.00%
	August 2005	0	18	0.00%
	July 2005	0	17	0.00%
	June 2005	0	14	0.00%
	May 2005	1	12	8.33%
	April 2005	0	20	0.00%
	March 2005	0	25	0.00%
	February 2005	0	34	0.00%
	January 2005	0	19	0.00%
	December 2004	0	21	0.00%
	November 2004	12	33	36.36%
	October 2004	0	29	0.00%
OP-15A Interval for Pending Orders Delayed Past Due Date Business Parity	September 2005	56	1	56
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	9	2	5
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	71	1	71
	January 2005	51	1	51
	December 2004	29	1	29
	November 2004	7	1	7
	October 2004	0	0	0

OP-15A Interval for Pending Orders	September 2005	883	3	294
Delayed Past Due Date Enhanced Extended Loops (EELs) Diagnostic	August 2005	852	3	284
	July 2005	793	3	264
	June 2005	751	2	376
	May 2005	723	3	241
	April 2005	1315	4	329
	March 2005	1241	7	177
	February 2005	1145	5	229
	January 2005	1059	4	265
	December 2004	900	5	180
	November 2004	818	3	273
	October 2004	905	6	151
	OP-15A Interval for Pending Orders	September 2005	0	0
Delayed Past Due Date ISDN Primary Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	36	4	9
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-15A Interval for Pending Orders	September 2005	0	0
Delayed Past Due Date Line Sharing Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	188	1	188
	March 2005	167	1	167
	February 2005	144	1	144
	January 2005	124	1	124
	December 2004	102	1	102
	November 2004	80	2	40
	October 2004	59	1	59
	OP-15A Interval for Pending Orders	September 2005	128	2
Delayed Past Due Date Qwest DSL Parity	August 2005	86	2	43
	July 2005	58	1	58
	June 2005	38	2	19
	May 2005	16	1	16
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	1	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	4	1	4
	OP-15A Interval for Pending Orders	September 2005	3	2
Delayed Past Due Date Residence Parity	August 2005	28	3	9
	July 2005	9	2	5
	June 2005	6	1	6

	May 2005	28	2	14
	April 2005	33	3	11
	March 2005	99	1	99
	February 2005	254	4	64
	January 2005	200	3	67
	December 2004	177	5	35
	November 2004	152	6	25
	October 2004	232	13	18
OP-15A Interval for Pending Orders	September 2005	28	1	28
Delayed Past Due Date UDIT Above DS1	August 2005	7	1	7
Level Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	65	1	65
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15A Interval for Pending Orders	September 2005	5071	26	195
Delayed Past Due Date Unbundled Loop - 2	August 2005	4801	29	166
Wire Non-Loaded Parity	July 2005	4331	23	188
	June 2005	4247	23	185
	May 2005	3801	21	181
	April 2005	3516	23	153
	March 2005	3114	21	148
	February 2005	2706	23	118
	January 2005	2402	21	114
	December 2004	2481	20	124
	November 2004	3049	23	133
	October 2004	2688	22	122
OP-15A Interval for Pending Orders	September 2005	28	4	7
Delayed Past Due Date Unbundled Loop -	August 2005	81	3	27
DS1 Capable Parity	July 2005	462	4	116
	June 2005	422	5	84
	May 2005	362	4	91
	April 2005	294	2	147
	March 2005	340	4	85
	February 2005	262	3	87
	January 2005	203	4	51
	December 2004	154	4	39
	November 2004	131	2	66
	October 2004	134	3	45
OP-15A Interval for Pending Orders	September 2005	1007	13	77
Delayed Past Due Date Unbundled Loop	August 2005	927	17	55
Analog Parity	July 2005	853	16	53
	June 2005	829	29	29
	May 2005	919	18	51
	April 2005	728	20	36
	March 2005	655	40	16
	February 2005	530	13	41

	January 2005	503	20	25
	December 2004	309	11	28
	November 2004	605	23	26
	October 2004	346	23	15
OP-15A Interval for Pending Orders	September 2005	54	3	18
Delayed Past Due Date Unbundled Loop	August 2005	25	3	8
ISDN Capable Parity	July 2005	12	2	6
	June 2005	0	1	0
	May 2005	1	1	1
	April 2005	0	0	0
	March 2005	5	2	3
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	2	1	2
	November 2004	12	1	12
	October 2004	0	0	0
OP-15A Interval for Pending Orders	September 2005	0	0	0
Delayed Past Due Date UNE - P (POTS)	August 2005	0	0	0
Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	117	1	117
	April 2005	418	3	139
	March 2005	355	3	118
	February 2005	286	3	95
	January 2005	226	3	75
	December 2004	1311	23	57
	November 2004	1395	44	32
	October 2004	1619	72	22
OP-15B Count of Pending Orders Delayed	September 2005	0	0	0
for Facilities Reasons Dark Fiber - Loop	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	1	0
	January 2005	0	1	0
	December 2004	0	1	0
	November 2004	0	1	0
	October 2004	0	0	0
OP-15B Count of Pending Orders Delayed	September 2005	3	3	1
for Facilities Reasons Enhanced Extended	August 2005	3	3	1
Loops (EELs) Diagnostic	July 2005	2	3	1
	June 2005	2	2	1
	May 2005	3	3	1
	April 2005	4	4	1
	March 2005	4	7	1
	February 2005	4	5	1
	January 2005	4	4	1
	December 2004	4	5	1
	November 2004	3	3	1
	October 2004	3	6	1

OP-15B Count of Pending Orders Delayed for Facilities Reasons ISDN Primary Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	4	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Sharing Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		1	1	1
March 2005		1	1	1
February 2005		1	1	1
January 2005		1	1	1
December 2004		1	1	1
November 2004		2	2	1
October 2004		1	1	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons LIS Trunk Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	1	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	2	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	8	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Qwest DSL Parity	September 2005	1	2
August 2005		1	2	1
July 2005		0	1	0
June 2005		1	2	1
May 2005		0	1	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	1	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	1	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Residence Diagnostic		September 2005	1	2
	August 2005	1	3	0
	July 2005	1	2	1
	June 2005	0	1	0

	May 2005	2	2	1
	April 2005	1	3	0
	March 2005	0	1	0
	February 2005	0	4	0
	January 2005	1	3	0
	December 2004	0	5	0
	November 2004	0	6	0
	October 2004	1	13	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level Diagnostic	September 2005	1	1	1
	August 2005	1	1	1
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	1	0
	December 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Loaded Diagnostic	November 2004	0	0	0
	October 2004	0	0	0
	September 2005	24	26	1
	August 2005	24	29	1
	July 2005	21	23	1
	June 2005	21	23	1
	May 2005	20	21	1
	April 2005	20	23	1
	March 2005	20	21	1
	February 2005	19	23	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable Diagnostic	January 2005	20	21	1
	December 2004	14	20	1
	November 2004	20	23	1
	October 2004	20	22	1
	September 2005	1	4	0
	August 2005	1	3	0
	July 2005	3	4	1
	June 2005	2	5	0
	May 2005	3	4	1
	April 2005	2	2	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog Diagnostic	March 2005	3	4	1
	February 2005	3	3	1
	January 2005	3	4	1
	December 2004	3	4	1
	November 2004	1	2	1
	October 2004	2	3	1
	September 2005	5	13	0
	August 2005	12	17	1
	July 2005	4	16	0
	June 2005	6	29	0
May 2005	9	18	1	
April 2005	10	20	1	
March 2005	8	40	0	
February 2005	11	13	1	

	January 2005	7	20	0
	December 2004	6	11	1
	November 2004	15	23	1
	October 2004	10	23	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable Diagnostic	September 2005	2	3	1
	August 2005	3	3	1
	July 2005	1	2	1
	June 2005	1	1	1
	May 2005	1	1	1
	April 2005	0	0	0
	March 2005	1	2	1
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	1	0
	November 2004	0	1	0
	October 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	1	0
April 2005		0	3	0
March 2005		0	3	0
February 2005		0	3	0
January 2005		0	3	0
December 2004		2	23	0
November 2004		5	44	0
October 2004		5	72	0
OP-17A Timeliness of Disconnects associated with LNP Orders LNP Benchmark		September 2005	4858	4858
	August 2005	6405	6406	99.98%
	July 2005	10153	10156	99.97%
	June 2005	6006	6006	100.00%
	May 2005	3089	3089	100.00%
	April 2005	3969	3969	100.00%
	March 2005	26477	26477	100.00%
	February 2005	10931	10931	100.00%
	January 2005	2515	2525	99.60%
	December 2004	1515	1515	100.00%
	November 2004	10584	10588	99.96%
	October 2004	6792	6792	100.00%
	OP-17B Timeliness of Disconnects associated with LNP Orders LNP Diagnostic	September 2005	4858	4858
August 2005		6406	6406	100.00%
July 2005		10156	10156	100.00%
June 2005		6006	6006	100.00%
May 2005		3089	3089	100.00%
April 2005		3969	3969	100.00%
March 2005		26477	26477	100.00%
February 2005		10931	10931	100.00%
January 2005		2525	2525	100.00%
December 2004		1515	1515	100.00%
November 2004	10588	10588	100.00%	
October 2004	6792	6792	100.00%	

OP-2 Calls Answered within Twenty Seconds - Interconnect Provisioning Center Diagnostic	September 2005	14491	15595	92.92%
	August 2005	16654	17964	92.71%
	July 2005	14605	16158	90.39%
	June 2005	16208	17274	93.83%
	May 2005	15096	15718	96.04%
	April 2005	15645	16242	96.32%
	March 2005	16918	17384	97.32%
	February 2005	14794	15195	97.36%
	January 2005	16301	16499	98.80%
	December 2004	18047	18709	96.46%
	November 2004	19611	20249	96.85%
	October 2004	22199	22648	98.02%
OP-3A Installation Commitments Met Business Parity	September 2005	8	8	100.00%
	August 2005	1	1	100.00%
	July 2005	4	4	100.00%
	June 2005	6	6	100.00%
	May 2005	4	4	100.00%
	April 2005	6	6	100.00%
	March 2005	1	2	50.00%
	February 2005	7	7	100.00%
	January 2005	2	2	100.00%
	December 2004	7	7	100.00%
	November 2004	10	10	100.00%
	October 2004	1	1	100.00%
OP-3A Installation Commitments Met Line Sharing Benchmark	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	5	5	100.00%
	February 2005	9	9	100.00%
	January 2005	7	7	100.00%
	December 2004	3	3	100.00%
	November 2004	4	4	100.00%
	October 2004	9	10	90.00%
OP-3A Installation Commitments Met Line Splitting Benchmark	September 2005	1	1	100.00%
	August 2005	1	1	100.00%
	July 2005	5	5	100.00%
	June 2005	4	4	100.00%
	May 2005	7	7	100.00%
	April 2005	10	10	100.00%
	March 2005	8	9	88.89%
	February 2005	4	5	80.00%
	January 2005	6	6	100.00%
	December 2004	4	5	80.00%
	November 2004	2	2	100.00%
	October 2004	4	4	100.00%
OP-3A Installation Commitments Met Qwest DSL Parity	September 2005	34	36	94.44%
	August 2005	45	45	100.00%
	July 2005	34	35	97.14%
	June 2005	33	34	97.06%

	May 2005	40	40	100.00%
	April 2005	29	31	93.55%
	March 2005	35	36	97.22%
	February 2005	23	24	95.83%
	January 2005	29	29	100.00%
	December 2004	37	38	97.37%
	November 2004	31	32	96.88%
	October 2004	40	41	97.56%
OP-3A Installation Commitments Met	September 2005	514	524	98.09%
Residence Parity	August 2005	555	575	96.52%
	July 2005	519	523	99.24%
	June 2005	595	603	98.67%
	May 2005	541	545	99.27%
	April 2005	515	518	99.42%
	March 2005	610	615	99.19%
	February 2005	277	282	98.23%
	January 2005	464	468	99.15%
	December 2004	391	396	98.74%
	November 2004	530	542	97.79%
	October 2004	561	570	98.42%
OP-3A Installation Commitments Met UNE -	September 2005	2	2	100.00%
P (POTS) Parity	August 2005	3	4	75.00%
	July 2005	1	1	100.00%
	June 2005	7	7	100.00%
	May 2005	6	6	100.00%
	April 2005	4	4	100.00%
	March 2005	5	5	100.00%
	February 2005	6	6	100.00%
	January 2005	27	29	93.10%
	December 2004	471	482	97.72%
	November 2004	661	677	97.64%
	October 2004	551	557	98.92%
OP-3A Installation Commitments Met UNE	September 2005	0	0	0.00%
P (Centrex 21) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	2	2	100.00%
OP-3A Installation Commitments Met UNE	September 2005	0	0	0.00%
P (Centrex) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	5	6	83.33%
	October 2004	1	2	50.00%
OP-3B Installation Commitments Met	September 2005	0	0	0.00%
Business Parity	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
OP-3B Installation Commitments Met	September 2005	2	2	100.00%
Qwest DSL Parity	August 2005	1	1	100.00%
	July 2005	7	7	100.00%
	June 2005	3	3	100.00%
	May 2005	0	0	0.00%
	April 2005	2	2	100.00%
	March 2005	3	3	100.00%
	February 2005	4	4	100.00%
	January 2005	0	0	0.00%
	December 2004	2	2	100.00%
	November 2004	2	2	100.00%
	October 2004	10	11	90.91%
OP-3B Installation Commitments Met	September 2005	75	77	97.40%
Residence Parity	August 2005	63	65	96.92%
	July 2005	53	53	100.00%
	June 2005	45	45	100.00%
	May 2005	55	55	100.00%
	April 2005	55	55	100.00%
	March 2005	62	64	96.88%
	February 2005	18	18	100.00%
	January 2005	40	40	100.00%
	December 2004	38	38	100.00%
	November 2004	36	37	97.30%
	October 2004	57	57	100.00%
OP-3B Installation Commitments Met UNE -	September 2005	0	0	0.00%
P (POTS) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	11	12	91.67%
	December 2004	61	63	96.83%
	November 2004	81	83	97.59%
	October 2004	72	73	98.63%

OP-3B Installation Commitments Met UNE P (Centrex) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	OP-3C Installation Commitments Met Business Parity	September 2005	6	6
August 2005		2	2	100.00%
July 2005		11	11	100.00%
June 2005		5	5	100.00%
May 2005		10	10	100.00%
April 2005		8	8	100.00%
March 2005		9	9	100.00%
February 2005		10	10	100.00%
January 2005		8	8	100.00%
December 2004		20	20	100.00%
November 2004		10	10	100.00%
October 2004		6	6	100.00%
OP-3C Installation Commitments Met Line Sharing Benchmark		September 2005	0	0
	August 2005	2	2	100.00%
	July 2005	1	1	100.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	2	2	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	5	5	100.00%
	December 2004	9	9	100.00%
	November 2004	8	8	100.00%
	October 2004	88	89	98.88%
	OP-3C Installation Commitments Met Line Splitting Benchmark	September 2005	18	18
August 2005		25	25	100.00%
July 2005		30	30	100.00%
June 2005		29	29	100.00%
May 2005		41	41	100.00%
April 2005		43	43	100.00%
March 2005		58	58	100.00%
February 2005		47	47	100.00%
January 2005		45	45	100.00%
December 2004		46	46	100.00%
November 2004		60	60	100.00%
October 2004		51	51	100.00%
OP-3C Installation Commitments Met Qwest DSL Parity		September 2005	56	56
	August 2005	49	49	100%
	July 2005	56	56	100%
	June 2005	57	57	100%

	May 2005	60	60	100%
	April 2005	58	59	98%
	March 2005	60	60	100%
	February 2005	30	30	100%
	January 2005	45	45	100%
	December 2004	25	25	100%
	November 2004	21	21	100%
	October 2004	18	18	100%
OP-3C Installation Commitments Met	September 2005	1761	1764	100%
Residence Parity	August 2005	1596	1598	100%
	July 2005	1340	1340	100%
	June 2005	1510	1512	100%
	May 2005	1517	1517	100%
	April 2005	991	992	100%
	March 2005	1297	1298	100%
	February 2005	988	989	100%
	January 2005	881	881	100%
	December 2004	1004	1004	100%
	November 2004	1217	1218	100%
	October 2004	1371	1372	100%
OP-3C Installation Commitments Met UNE -	September 2005	6	6	100%
P (POTS) Parity	August 2005	1	1	100%
	July 2005	3	3	100%
	June 2005	6	6	100%
	May 2005	3	3	100%
	April 2005	10	10	100%
	March 2005	12	12	100%
	February 2005	40	40	100%
	January 2005	108	108	100%
	December 2004	3631	3639	100%
	November 2004	5082	5084	100%
	October 2004	5753	5754	100%
OP-3C Installation Commitments Met UNE	September 2005	0	0	0%
P (Centrex) Parity	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	1	1	100%
	November 2004	0	0	0%
	October 2004	0	0	0%
OP-3D Installation Commitments Met DS1	September 2005	0	0	0%
Parity	August 2005	1	1	100%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%

	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	1	1	100%
	October 2004	0	0	0%
OP-3D Installation Commitments Met	September 2005	2	2	100%
Enhanced Extended Loops - DS0 Capable Benchmark	August 2005	0	0	0%
	July 2005	1	1	100%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	1	5	20%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	8	8	100%
OP-3D Installation Commitments Met	September 2005	183	189	97%
Enhanced Extended Loops - DS1 Capable Parity	August 2005	470	481	98%
	July 2005	117	120	98%
	June 2005	84	91	92%
	May 2005	91	95	96%
	April 2005	64	75	85%
	March 2005	91	99	92%
	February 2005	85	91	93%
	January 2005	82	84	98%
	December 2004	88	91	97%
	November 2004	56	59	95%
	October 2004	95	96	99%
OP-3D Installation Commitments Met	September 2005	1	1	100%
Enhanced Extended Loops - DS3 Capable Benchmark	August 2005	4	4	100%
	July 2005	0	0	0%
	June 2005	1	1	100%
	May 2005	0	0	0%
	April 2005	1	1	100%
	March 2005	1	1	100%
	February 2005	1	1	100%
	January 2005	1	1	100%
	December 2004	1	1	100%
	November 2004	2	2	100%
	October 2004	0	0	0%
OP-3D Installation Commitments Met LIS Trunk Parity	September 2005	6	7	86%
	August 2005	12	12	100%
	July 2005	10	10	100%
	June 2005	33	35	94%
	May 2005	18	22	82%
	April 2005	10	10	100%
	March 2005	17	18	94%
	February 2005	32	32	100%
	January 2005	16	16	100%
	December 2004	21	25	84%
	November 2004	16	23	70%
	October 2004	11	11	100%

OP-3D Installation Commitments Met PBX Parity	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	1	1	100%
	October 2004	0	0	0%
	OP-3D Installation Commitments Met Qwest DSL Parity	September 2005	0	0
August 2005		0	0	0%
July 2005		0	0	0%
June 2005		0	0	0%
May 2005		0	0	0%
April 2005		0	0	0%
March 2005		1	1	100%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		0	0	0%
October 2004		0	0	0%
OP-3D Installation Commitments Met UDIT Above DS1 Level Parity		September 2005	0	0
	August 2005	4	4	100%
	July 2005	0	0	0%
	June 2005	1	1	100%
	May 2005	1	1	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	3	3	100%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	1	1	100%
	OP-3D Installation Commitments Met UDIT DS1 Parity	September 2005	3	3
August 2005		2	2	100%
July 2005		0	0	0%
June 2005		1	1	100%
May 2005		0	0	0%
April 2005		3	3	100%
March 2005		0	0	0%
February 2005		0	0	0%
January 2005		1	1	100%
December 2004		2	2	100%
November 2004		1	1	100%
October 2004		2	2	100%
OP-3D Installation Commitments Met Unbundled Loop - ADSL Qualified Parity		September 2005	13	13
	August 2005	17	17	100%
	July 2005	14	14	100%
	June 2005	12	13	92%

	May 2005	14	14	100%
	April 2005	6	6	100%
	March 2005	4	4	100%
	February 2005	6	6	100%
	January 2005	5	5	100%
	December 2004	18	18	100%
	November 2004	10	11	91%
	October 2004	26	28	93%
OP-3D Installation Commitments Met	September 2005	102	115	89%
Unbundled Loop - DS1 Capable Parity	August 2005	111	118	94%
	July 2005	96	103	93%
	June 2005	123	129	95%
	May 2005	103	110	94%
	April 2005	117	123	95%
	March 2005	118	128	92%
	February 2005	101	110	92%
	January 2005	81	83	98%
	December 2004	105	112	94%
	November 2004	122	126	97%
	October 2004	110	123	89%
OP-3D Installation Commitments Met	September 2005	2	2	100%
Unbundled Loop - DS3 Capable Parity	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	1	1	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	1	1	100%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	1	1	100%
OP-3D Installation Commitments Met	September 2005	3	3	100%
Unbundled Loop - XDSLi Benchmark	August 2005	11	12	92%
	July 2005	4	4	100%
	June 2005	9	10	90%
	May 2005	3	3	100%
	April 2005	4	4	100%
	March 2005	8	8	100%
	February 2005	8	8	100%
	January 2005	10	10	100%
	December 2004	4	5	80%
	November 2004	4	4	100%
	October 2004	9	9	100%
OP-3D Installation Commitments Met	September 2005	7	9	78%
Unbundled Loop Conditioned Benchmark	August 2005	7	9	78%
	July 2005	11	13	85%
	June 2005	12	14	86%
	May 2005	6	6	100%
	April 2005	4	5	80%
	March 2005	3	5	60%
	February 2005	4	6	67%

	January 2005	9	10	90%
	December 2004	10	12	83%
	November 2004	6	9	67%
	October 2004	17	20	85%
OP-3D Installation Commitments Met	September 2005	28	29	96.55%
Unbundled Loop ISDN Capable Parity	August 2005	19	23	82.61%
	July 2005	36	39	92.31%
	June 2005	24	27	88.89%
	May 2005	32	32	100.00%
	April 2005	26	26	100.00%
	March 2005	40	40	100.00%
	February 2005	25	26	96.15%
	January 2005	30	32	93.75%
	December 2004	29	29	100.00%
	November 2004	35	35	100.00%
	October 2004	37	38	97.37%
OP-3E Installation Commitments Met DS0 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	9	9	100.00%
	October 2004	0	0	0.00%
OP-3E Installation Commitments Met DS1 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3E Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity	September 2005	16	17	94.12%
	August 2005	7	8	87.50%
	July 2005	7	8	87.50%
	June 2005	7	9	77.78%
	May 2005	13	13	100.00%
	April 2005	6	6	100.00%
	March 2005	10	10	100.00%
	February 2005	14	15	93.33%
	January 2005	14	15	93.33%
	December 2004	14	16	87.50%
	November 2004	18	18	100.00%
	October 2004	14	17	82.35%

OP-3E Installation Commitments Met ISDN Primary Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	4	0.00%
	April 2005	0	1	0.00%
	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	OP-3E Installation Commitments Met LIS Trunk Parity	September 2005	29	32
August 2005		8	9	88.89%
July 2005		6	6	100.00%
June 2005		5	7	71.43%
May 2005		13	13	100.00%
April 2005		8	8	100.00%
March 2005		14	14	100.00%
February 2005		21	21	100.00%
January 2005		3	3	100.00%
December 2004		10	13	76.92%
November 2004		5	6	83.33%
October 2004		1	1	100.00%
OP-3E Installation Commitments Met PBX Parity		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	1	2	50.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	OP-3E Installation Commitments Met UDIT Above DS1 Level Parity	September 2005	0	0
August 2005		0	1	0.00%
July 2005		0	1	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
OP-3E Installation Commitments Met UDIT DS1 Parity		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	1	1	100.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	3	66.67%
OP-3E Installation Commitments Met	September 2005	28	29	96.55%
Unbundled Loop - ADSL Qualified Parity	August 2005	8	8	100.00%
	July 2005	11	11	100.00%
	June 2005	16	16	100.00%
	May 2005	6	6	100.00%
	April 2005	17	17	100.00%
	March 2005	14	14	100.00%
	February 2005	9	9	100.00%
	January 2005	42	42	100.00%
	December 2004	13	13	100.00%
	November 2004	27	28	96.43%
	October 2004	18	19	94.74%
OP-3E Installation Commitments Met	September 2005	14	15	93.33%
Unbundled Loop - DS1 Capable Parity	August 2005	7	8	87.50%
	July 2005	11	11	100.00%
	June 2005	2	4	50.00%
	May 2005	17	21	80.95%
	April 2005	13	14	92.86%
	March 2005	22	23	95.65%
	February 2005	15	15	100.00%
	January 2005	11	12	91.67%
	December 2004	7	8	87.50%
	November 2004	26	27	96.30%
	October 2004	17	21	80.95%
OP-3E Installation Commitments Met	September 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
OP-3E Installation Commitments Met	September 2005	0	0	0.00%
Unbundled Loop Conditioned Benchmark	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	1	2	50.00%
	May 2005	1	2	50.00%
	April 2005	1	2	50.00%
	March 2005	0	1	0.00%
	February 2005	2	2	100.00%

	January 2005	4	4	100.00%
	December 2004	1	1	100.00%
	November 2004	10	10	100.00%
	October 2004	0	0	0.00%
OP-3E Installation Commitments Met	September 2005	11	13	84.62%
Unbundled Loop ISDN Capable Parity	August 2005	9	10	90.00%
	July 2005	15	15	100.00%
	June 2005	19	19	100.00%
	May 2005	16	17	94.12%
	April 2005	3	3	100.00%
	March 2005	8	8	100.00%
	February 2005	7	7	100.00%
	January 2005	11	11	100.00%
	December 2004	11	11	100.00%
	November 2004	14	14	100.00%
	October 2004	13	14	92.86%
OP-4A Installation Interval Business Parity	September 2005	26	8	3.25
	August 2005	3	1	3
	July 2005	13	3	4.33
	June 2005	18	6	3
	May 2005	12	4	3
	April 2005	15	5	3
	March 2005	21	1	21
	February 2005	16	6	2.67
	January 2005	18	2	9
	December 2004	16	5	3.2
	November 2004	22	7	3.14
	October 2004	4	1	4
OP-4A Installation Interval Line Sharing Benchmark	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	3	1	3
	March 2005	12	4	3
	February 2005	27	9	3
	January 2005	21	7	3
	December 2004	9	3	3
	November 2004	6	2	3
	October 2004	31	10	3.1
OP-4A Installation Interval Line Splitting Benchmark	September 2005	3	1	3
	August 2005	3	1	3
	July 2005	15	5	3
	June 2005	12	4	3
	May 2005	21	7	3
	April 2005	26	9	2.89
	March 2005	25	8	3.13
	February 2005	13	4	3.25
	January 2005	18	6	3
	December 2004	12	4	3
	November 2004	6	2	3
	October 2004	12	4	3

OP-4A Parity	Installation Interval Qwest DSL	September 2005	75	16	4.69
		August 2005	77	19	4.05
		July 2005	51	12	4.25
		June 2005	34	5	6.8
		May 2005	26	6	4.33
		April 2005	24	3	8
		March 2005	41	8	5.13
		February 2005	34	7	4.86
		January 2005	45	10	4.5
		December 2004	56	9	6.22
		November 2004	34	5	6.8
		October 2004	64	10	6.4
	OP-4A Parity	Installation Interval Residence	September 2005	1920	435
		August 2005	2024	499	4.06
		July 2005	1753	434	4.04
		June 2005	1768	499	3.54
		May 2005	1440	429	3.36
		April 2005	1373	407	3.37
		March 2005	1785	517	3.45
		February 2005	525	173	3.03
		January 2005	1273	347	3.67
		December 2004	1174	328	3.58
		November 2004	1757	435	4.04
		October 2004	2084	485	4.3
OP-4A Parity		Installation Interval UNE - P (POTS)	September 2005	11	2
		August 2005	12	3	4
		July 2005	3	1	3
		June 2005	16	5	3.2
		May 2005	18	6	3
		April 2005	13	4	3.25
		March 2005	15	5	3
		February 2005	7	2	3.5
		January 2005	67	19	3.53
		December 2004	919	244	3.77
		November 2004	1378	353	3.9
		October 2004	1519	354	4.29
	OP-4A Parity	Installation Interval UNE P (Centrex)	September 2005	0	0
		August 2005	0	0	0
		July 2005	0	0	0
		June 2005	0	0	0
		May 2005	0	0	0
		April 2005	0	0	0
		March 2005	0	0	0
		February 2005	0	0	0
		January 2005	3	1	3
		December 2004	6	2	3
		November 2004	9	4	2.25
		October 2004	6	2	3
OP-4B		Installation Interval Business Parity	September 2005	0	0
		August 2005	3	1	3
		July 2005	3	1	3
		June 2005	3	1	3

	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	3	1	3
	February 2005	3	1	3
	January 2005	3	1	3
	December 2004	4	1	4
	November 2004	0	0	0
	October 2004	3	1	3
OP-4B Installation Interval Qwest DSL Parity	September 2005	3	1	3
	August 2005	0	0	0
	July 2005	6	1	6
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	6	1	6
OP-4B Installation Interval Residence Parity	November 2004	10	2	5
	October 2004	0	0	0
	September 2005	283	65	4
	August 2005	175	48	4
	July 2005	151	47	3
	June 2005	115	36	3
	May 2005	138	45	3
	April 2005	145	46	3
	March 2005	176	54	3
	February 2005	44	15	3
OP-4B Installation Interval UNE - P (POTS) Parity	January 2005	103	28	4
	December 2004	116	34	3
	November 2004	68	23	3
	October 2004	176	50	4
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	6	2	3
	May 2005	0	0	0
	April 2005	0	0	0
OP-4C Installation Interval Business Parity	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	40	7	6
	December 2004	98	29	3
	November 2004	94	25	4
	October 2004	118	35	3
	September 2005	15	5	3
	August 2005	2	1	2
	July 2005	13	6	2
	June 2005	8	3	3
May 2005	14	5	3	
April 2005	21	7	3	
March 2005	16	7	2	
February 2005	16	7	2	

	January 2005	6	3	2
	December 2004	46	17	3
	November 2004	12	4	3
	October 2004	10	4	3
OP-4C Installation Interval Line Sharing Benchmark	September 2005	0	0	0
	August 2005	6	2	3
	July 2005	3	1	3
	June 2005	12	4	3
	May 2005	3	1	3
	April 2005	6	2	3
	March 2005	6	2	3
	February 2005	12	4	3
	January 2005	9	3	3
	December 2004	24	8	3
	November 2004	15	5	3
	October 2004	249	82	3
	OP-4C Installation Interval Line Splitting Benchmark	September 2005	54	18
August 2005		69	23	3
July 2005		90	30	3
June 2005		81	29	3
May 2005		122	41	3
April 2005		122	41	3
March 2005		167	56	3
February 2005		134	45	3
January 2005		125	41	3
December 2004		137	46	3
November 2004		165	55	3
October 2004		149	50	3
OP-4C Installation Interval Qwest DSL Parity		September 2005	58	21
	August 2005	43	14	3
	July 2005	114	28	4
	June 2005	170	35	5
	May 2005	220	45	5
	April 2005	173	38	5
	March 2005	207	45	5
	February 2005	79	19	4
	January 2005	139	30	5
	December 2004	87	18	5
OP-4C Installation Interval Residence Parity	September 2005	2907	980	3
	August 2005	2660	897	3
	July 2005	2145	721	3
	June 2005	2137	718	3
	May 2005	2236	754	3
	April 2005	1559	525	3
	March 2005	1956	655	3
	February 2005	1291	424	3
	January 2005	1325	448	3
	December 2004	1614	545	3
November 2004	1775	597	3	
October 2004	1995	666	3	

OP-4C Installation Interval UNE - P (POTS) Parity	September 2005	9	3	3
	August 2005	0	0	0
	July 2005	5	2	3
	June 2005	12	4	3
	May 2005	3	1	3
	April 2005	15	5	3
	March 2005	12	4	3
	February 2005	69	23	3
	January 2005	153	52	3
	December 2004	5942	1988	3
	November 2004	5745	1926	3
	October 2004	10892	3645	3
	OP-4C Installation Interval UNE P (Centrex 21) Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		3	1	3
November 2004		0	0	0
October 2004		9	3	3
OP-4C Installation Interval UNE P (Centrex) Parity		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	1	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-4D Installation Interval DS1 Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		10	1	10
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		10	1	10
October 2004		0	0	0
OP-4D Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic		September 2005	9	2
	August 2005	0	0	0
	July 2005	3	1	3
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	40	5	8
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	30	7	4
OP-4D Installation Interval Enhanced Extended Loops - DS1 Capable Parity	September 2005	580	109	5
	August 2005	953	191	5
	July 2005	357	68	5
	June 2005	404	80	5
	May 2005	376	77	5
	April 2005	317	61	5
	March 2005	393	76	5
	February 2005	309	64	5
	January 2005	317	67	5
	December 2004	353	66	5
	November 2004	275	51	5
October 2004	492	89	6	
OP-4D Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	4	1	4
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	1	1	1
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	10	1	10
	November 2004	0	0	0
October 2004	0	0	0	
OP-4D Installation Interval LIS Trunk Parity	September 2005	42	3	14
	August 2005	131	9	15
	July 2005	68	8	9
	June 2005	428	32	13
	May 2005	189	13	15
	April 2005	100	7	14
	March 2005	213	15	14
	February 2005	272	20	14
	January 2005	166	11	15
	December 2004	305	20	15
	November 2004	65	5	13
October 2004	115	10	12	
OP-4D Installation Interval PBX Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	6	1	6
	October 2004	0	0	0
OP-4D Installation Interval Qwest DSL Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	5	1	5
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
October 2004	0	0	0	
OP-4D Installation Interval UDIT Above DS1 Level Parity	September 2005	5	1	5
	August 2005	97	15	6
	July 2005	0	0	0
	June 2005	10	2	5
	May 2005	7	1	7
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	12	2	6
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	16	2	8
October 2004	8	1	8	
OP-4D Installation Interval UDIT DS1 Parity	September 2005	25	5	5
	August 2005	7	2	4
	July 2005	5	1	5
	June 2005	10	2	5
	May 2005	0	0	0
	April 2005	5	1	5
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	4	1	4
	December 2004	0	0	0
	November 2004	0	0	0
October 2004	4	1	4	
OP-4D Installation Interval Unbundled Loop ADSL Qualified Parity	September 2005	43	9	4.78
	August 2005	77	16	4.81
	July 2005	64	13	4.92
	June 2005	61	13	4.69
	May 2005	56	13	4.31
	April 2005	25	6	4.17
	March 2005	12	3	4
	February 2005	26	6	4.33
	January 2005	20	4	5
	December 2004	70	15	4.67
	November 2004	31	7	4.43
October 2004	118	27	4.37	

OP-4D Installation Interval Unbundled Loop DS1 Capable Parity	September 2005	497	100	4.97
	August 2005	462	92	5.02
	July 2005	431	86	5.01
	June 2005	508	106	4.79
	May 2005	428	95	4.51
	April 2005	454	99	4.59
	March 2005	520	103	5.05
	February 2005	392	80	4.9
	January 2005	276	63	4.38
	December 2004	400	84	4.76
	November 2004	381	85	4.48
	October 2004	514	103	4.99
	OP-4D Installation Interval Unbundled Loop DS3 Capable Parity	September 2005	5	1
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		5	1	5
April 2005		0	0	0
March 2005		0	0	0
February 2005		7	1	7
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		5	1	5
OP-4D Installation Interval Unbundled Loop XDSLi Benchmark		September 2005	15	3
	August 2005	48	11	4.36
	July 2005	18	4	4.5
	June 2005	44	9	4.89
	May 2005	8	2	4
	April 2005	10	2	5
	March 2005	19	5	3.8
	February 2005	21	5	4.2
	January 2005	35	9	3.89
	December 2004	16	4	4
	November 2004	16	4	4
	October 2004	34	8	4.25
	OP-4D Installation Interval Unbundled Loop Conditioned Benchmark	September 2005	66	5
August 2005		145	9	16.11
July 2005		119	13	9.15
June 2005		178	13	13.69
May 2005		49	6	8.17
April 2005		32	4	8
March 2005		64	5	12.8
February 2005		32	5	6.4
January 2005		69	7	9.86
December 2004		114	10	11.4
November 2004		48	6	8
October 2004		222	16	13.88
OP-4D Installation Interval Unbundled Loop ISDN Capable Parity		September 2005	146	29
	August 2005	127	23	5.52
	July 2005	165	39	4.23
	June 2005	119	27	4.41

	May 2005	144	31	4.65
	April 2005	99	26	3.81
	March 2005	160	39	4.1
	February 2005	110	25	4.4
	January 2005	124	30	4.13
	December 2004	105	26	4.04
	November 2004	131	32	4.09
	October 2004	156	37	4.22
OP-4E Installation Interval Dark Fiber - IOF Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	5	1	5
November 2004	0	0	0	
October 2004	19	1	19	
OP-4E Installation Interval Dark Fiber - Loop Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
November 2004	40	2	20	
October 2004	0	0	0	
OP-4E Installation Interval DS0 Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
November 2004	36	9	4	
October 2004	0	0	0	
OP-4E Installation Interval DS1 Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
March 2005	0	0	0	
February 2005	9	1	9	

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4E Installation Interval Enhanced Extended Loops - DS1 Capable Parity	September 2005	54	6	9
	August 2005	36	7	5.14
	July 2005	23	5	4.6
	June 2005	35	6	5.83
	May 2005	65	12	5.42
	April 2005	25	5	5
	March 2005	19	4	4.75
	February 2005	96	13	7.38
	January 2005	70	12	5.83
	December 2004	58	7	8.29
	November 2004	108	17	6.35
	October 2004	85	13	6.54
	OP-4E Installation Interval ISDN Primary Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		56	4	14
April 2005		6	1	6
March 2005		54	6	9
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-4E Installation Interval LIS Trunk Parity		September 2005	309	19
	August 2005	128	9	14.22
	July 2005	56	4	14
	June 2005	108	6	18
	May 2005	179	11	16.27
	April 2005	89	7	12.71
	March 2005	199	11	18.09
	February 2005	224	13	17.23
	January 2005	46	3	15.33
	December 2004	239	10	23.9
	November 2004	57	4	14.25
	October 2004	12	1	12
	OP-4E Installation Interval PBX Parity	September 2005	0	0
August 2005		0	0	0
July 2005		5	1	5
June 2005		0	0	0
May 2005		8	2	4
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
October 2004		0	0	0

OP-4E Installation Interval UDIT Above DS1 Level Parity	September 2005	0	0	0
	August 2005	26	4	6.5
	July 2005	18	2	9
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	56	4	14
	November 2004	0	0	0
	October 2004	0	0	0
	OP-4E Installation Interval UDIT DS1 Parity	September 2005	0	0
August 2005		0	0	0
July 2005		10	2	5
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		4	1	4
December 2004		0	0	0
November 2004		0	0	0
October 2004		21	2	10.5
OP-4E Installation Interval Unbundled Loop ADSL Qualified Parity		September 2005	95	21
	August 2005	29	6	4.83
	July 2005	39	8	4.88
	June 2005	63	13	4.85
	May 2005	27	6	4.5
	April 2005	81	17	4.76
	March 2005	51	12	4.25
	February 2005	45	9	5
	January 2005	66	17	3.88
	December 2004	40	8	5
	November 2004	91	20	4.55
	October 2004	78	16	4.88
	OP-4E Installation Interval Unbundled Loop DS1 Capable Parity	September 2005	59	12
August 2005		27	6	4.5
July 2005		30	6	5
June 2005		16	3	5.33
May 2005		78	16	4.88
April 2005		50	11	4.55
March 2005		87	22	3.95
February 2005		68	14	4.86
January 2005		30	6	5
December 2004		39	7	5.57
November 2004		71	15	4.73
October 2004		90	18	5
OP-4E Installation Interval Unbundled Loop DS3 Capable Parity		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	7	1	7
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4E Installation Interval Unbundled Loop Conditioned Benchmark	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	8	1	8
	May 2005	16	2	8
	April 2005	24	2	12
	March 2005	15	1	15
	February 2005	10	1	10
	January 2005	48	3	16
	December 2004	14	1	14
	November 2004	96	10	9.6
October 2004	0	0	0	
OP-4E Installation Interval Unbundled Loop ISDN Capable Parity	September 2005	65	13	5
	August 2005	43	10	4.3
	July 2005	66	15	4.4
	June 2005	81	18	4.5
	May 2005	84	17	4.94
	April 2005	13	3	4.33
	March 2005	34	7	4.86
	February 2005	30	7	4.29
	January 2005	48	11	4.36
	December 2004	48	11	4.36
	November 2004	64	13	4.92
October 2004	67	14	4.79	
OP-5A New Service Installation Quality Reported to Repair Business Parity	September 2005	0	0	0.00%
	August 2005	3	4	75.00%
	July 2005	13	16	81.25%
	June 2005	12	12	100.00%
	May 2005	14	15	93.33%
	April 2005	14	14	100.00%
	March 2005	12	12	100.00%
	February 2005	14	18	77.78%
	January 2005	11	11	100.00%
	December 2004	25	28	89.29%
	November 2004	19	20	95.00%
October 2004	8	8	100.00%	
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - Loop Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
February 2005	0	0	0.00%	

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair DS0 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	9	9	100.00%
	October 2004	0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair DS1 Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS0 Capable Diagnostic	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	5	5	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	6	8	75.00%
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS1 Capable Parity	September 2005	0	0	0.00%
	August 2005	494	509	97.05%
	July 2005	132	138	95.65%
	June 2005	104	110	94.55%
	May 2005	112	118	94.92%
	April 2005	87	93	93.55%
	March 2005	107	116	92.24%
	February 2005	100	110	90.91%
	January 2005	97	103	94.17%
	December 2004	109	114	95.61%
	November 2004	85	87	97.70%
	October 2004	113	126	89.68%

OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS3 Capable Diagnostic	September 2005	0	0	0.00%
	August 2005	4	4	100.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
	OP-5A New Service Installation Quality Reported to Repair ISDN Primary Parity	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		4	4	100.00%
April 2005		0	1	0.00%
March 2005		6	6	100.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Line Sharing Parity		September 2005	0	0
	August 2005	2	2	100.00%
	July 2005	1	1	100.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	6	7	85.71%
	February 2005	13	13	100.00%
	January 2005	12	13	92.31%
	December 2004	11	13	84.62%
	November 2004	13	13	100.00%
	October 2004	101	104	97.12%
	OP-5A New Service Installation Quality Reported to Repair Line Splitting Parity	September 2005	0	0
August 2005		25	26	96.15%
July 2005		32	35	91.43%
June 2005		32	33	96.97%
May 2005		47	49	95.92%
April 2005		47	54	87.04%
March 2005		63	69	91.30%
February 2005		52	55	94.55%
January 2005		48	51	94.12%
December 2004		48	51	94.12%
November 2004		59	65	90.77%
October 2004		55	56	98.21%
OP-5A New Service Installation Quality Reported to Repair LIS Trunk Parity		September 2005	0	0
	August 2005	21	21	100.00%
	July 2005	16	16	100.00%
	June 2005	43	44	97.73%

	May 2005	35	35	100.00%
	April 2005	18	19	94.74%
	March 2005	43	43	100.00%
	February 2005	54	54	100.00%
	January 2005	19	19	100.00%
	December 2004	39	39	100.00%
	November 2004	29	30	96.67%
	October 2004	14	14	100.00%
OP-5A New Service Installation Quality Reported to Repair PBX Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Qwest DSL Parity	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	92	95	96.84%
	July 2005	86	98	87.76%
	June 2005	89	94	94.68%
	May 2005	90	100	90.00%
	April 2005	85	92	92.39%
	March 2005	92	100	92.00%
	February 2005	51	58	87.93%
OP-5A New Service Installation Quality Reported to Repair Residence Parity	January 2005	67	74	90.54%
	December 2004	58	65	89.23%
	November 2004	51	55	92.73%
	October 2004	66	70	94.29%
	September 2005	0	0	0.00%
	August 2005	2117	2239	94.55%
	July 2005	1822	1917	95.04%
	June 2005	2066	2159	95.69%
	May 2005	2038	2116	96.31%
	April 2005	1475	1565	94.25%
OP-5A New Service Installation Quality Reported to Repair UDIT Above DS1 Level Parity	March 2005	1885	1978	95.30%
	February 2005	1217	1290	94.34%
	January 2005	1325	1390	95.32%
	December 2004	1373	1439	95.41%
	November 2004	1716	1797	95.49%
	October 2004	1899	1999	95.00%
	September 2005	0	0	0.00%
	August 2005	28	29	96.55%
	July 2005	4	4	100.00%
	June 2005	3	3	100.00%
May 2005	3	3	100.00%	
April 2005	0	0	0.00%	
March 2005	0	0	0.00%	
February 2005	2	3	66.67%	

	January 2005	1	1	100.00%
	December 2004	4	4	100.00%
	November 2004	1	2	50.00%
	October 2004	2	2	100.00%
OP-5A New Service Installation Quality Reported to Repair UDIT DS1 Parity	September 2005	0	0	0.00%
	August 2005	2	2	100.00%
	July 2005	7	7	100.00%
	June 2005	9	9	100.00%
	May 2005	0	0	0.00%
	April 2005	3	3	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	1	1	100.00%
	October 2004	4	5	80.00%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	0	0	0.00%
	August 2005	321	337	95.25%
	July 2005	358	365	98.08%
	June 2005	356	364	97.80%
	May 2005	363	368	98.64%
	April 2005	339	348	97.41%
	March 2005	364	374	97.33%
	February 2005	311	318	97.80%
	January 2005	305	315	96.83%
	December 2004	337	347	97.12%
	November 2004	430	441	97.51%
	October 2004	428	444	96.40%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - ADSL Qualified Parity	September 2005	0	0	0.00%
	August 2005	23	26	88.46%
	July 2005	22	25	88.00%
	June 2005	30	30	100.00%
	May 2005	19	20	95.00%
	April 2005	21	23	91.30%
	March 2005	19	19	100.00%
	February 2005	15	16	93.75%
	January 2005	45	47	95.74%
	December 2004	31	31	100.00%
	November 2004	40	41	97.56%
	October 2004	48	51	94.12%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS1 Capable Parity	September 2005	0	0	0.00%
	August 2005	119	127	93.70%
	July 2005	112	114	98.25%
	June 2005	127	134	94.78%
	May 2005	125	132	94.70%
	April 2005	127	137	92.70%
	March 2005	142	152	93.42%
	February 2005	118	125	94.40%
	January 2005	94	97	96.91%
	December 2004	115	120	95.83%
	November 2004	146	154	94.81%
	October 2004	138	145	95.17%

OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS3 Capable Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	2	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - XDSL Parity	September 2005	0	0	0.00%
	August 2005	11	12	91.67%
	July 2005	5	5	100.00%
	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	10	10	100.00%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop Analog Parity	September 2005	0	0	0.00%
	August 2005	3707	3766	98.43%
	July 2005	7317	7449	98.23%
	June 2005	3788	3836	98.75%
	May 2005	1403	1431	98.04%
	April 2005	1211	1232	98.30%
	March 2005	1398	1412	99.01%
	February 2005	1348	1368	98.54%
	January 2005	1170	1184	98.82%
	December 2004	1285	1312	97.94%
	November 2004	1298	1330	97.59%
	October 2004	1362	1398	97.42%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop ISDN Capable Parity	September 2005	0	0	0.00%
	August 2005	32	35	91.43%
	July 2005	50	55	90.91%
	June 2005	44	48	91.67%
	May 2005	44	50	88.00%
	April 2005	31	31	100.00%
	March 2005	45	49	91.84%
	February 2005	33	34	97.06%
	January 2005	50	50	100.00%
	December 2004	38	40	95.00%
	November 2004	56	59	94.92%
	October 2004	51	54	94.44%
OP-5A New Service Installation Quality Reported to Repair UNE - P (POTS) Parity	September 2005	0	0	0.00%
	August 2005	5	5	100.00%
	July 2005	4	4	100.00%
	June 2005	14	15	93.33%

	May 2005	9	9	100.00%
	April 2005	15	15	100.00%
	March 2005	15	17	88.24%
	February 2005	46	46	100.00%
	January 2005	139	149	93.29%
	December 2004	4045	4186	96.63%
	November 2004	5663	5848	96.84%
	October 2004	6205	6386	97.17%
OP-5A New Service Installation Quality	September 2005	0	0	0.00%
Reported to Repair UNE P (Centrex 21)	August 2005	0	0	0.00%
Parity	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	10	10	100.00%
OP-5A New Service Installation Quality	September 2005	0	0	0.00%
Reported to Repair UNE P (Centrex) Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
	October 2004	2	2	100.00%
OP-5B New Service Provisioning Quality	September 2005	0	0	0.00%
Business Benchmark	August 2005	4	4	100.00%
	July 2005	15	16	93.75%
	June 2005	12	12	100.00%
	May 2005	15	15	100.00%
	April 2005	14	14	100.00%
	March 2005	12	12	100.00%
	February 2005	18	18	100.00%
	January 2005	11	11	100.00%
	December 2004	27	28	96.43%
	November 2004	20	20	100.00%
	October 2004	8	8	100.00%
OP-5B New Service Provisioning Quality	September 2005	0	0	0.00%
Dark Fiber - Loop Diagnostic	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	September 2005	0	0	0.00%
DS0 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	9	9	100.00%
	October 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	September 2005	0	0	0.00%
DS1 Benchmark	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	September 2005	0	0	0.00%
Enhanced Extended Loops - DS0 Capable	August 2005	1	1	100.00%
Benchmark	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	5	5	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
OP-5B New Service Provisioning Quality	September 2005	0	0	0.00%
ISDN Primary Benchmark	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	1	1	100.00%
	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

OP-5B New Service Provisioning Quality Line Splitting Benchmark	September 2005	0	0	0.00%
	August 2005	26	26	100.00%
	July 2005	35	35	100.00%
	June 2005	33	33	100.00%
	May 2005	49	49	100.00%
	April 2005	54	54	100.00%
	March 2005	69	69	100.00%
	February 2005	55	55	100.00%
	January 2005	51	51	100.00%
	December 2004	51	51	100.00%
	November 2004	65	65	100.00%
	October 2004	56	56	100.00%
	OP-5B New Service Provisioning Quality Qwest DSL Benchmark	September 2005	0	0
August 2005		95	95	100.00%
July 2005		96	98	97.96%
June 2005		94	94	100.00%
May 2005		100	100	100.00%
April 2005		89	92	96.74%
March 2005		98	100	98.00%
February 2005		55	58	94.83%
January 2005		71	74	95.95%
December 2004		62	65	95.38%
November 2004		53	55	96.36%
October 2004		69	70	98.57%
OP-5B New Service Provisioning Quality Residence Benchmark		September 2005	0	0
	August 2005	2234	2239	99.78%
	July 2005	1909	1917	99.58%
	June 2005	2154	2159	99.77%
	May 2005	2114	2116	99.91%
	April 2005	1560	1565	99.68%
	March 2005	1976	1978	99.90%
	February 2005	1290	1290	100.00%
	January 2005	1388	1390	99.86%
	December 2004	1435	1439	99.72%
	November 2004	1795	1797	99.89%
	October 2004	1995	1999	99.80%
	OP-5B New Service Provisioning Quality Unbundled Loop - DS3 Capable Benchmark	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		2	2	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		2	2	100.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		1	1	100.00%
October 2004		1	1	100.00%
OP-5B New Service Provisioning Quality UNE - P (POTS) Benchmark		September 2005	0	0
	August 2005	5	5	100.00%
	July 2005	4	4	100.00%
	June 2005	15	15	100.00%

	May 2005	9	9	100.00%
	April 2005	15	15	100.00%
	March 2005	17	17	100.00%
	February 2005	46	46	100.00%
	January 2005	147	149	98.66%
	December 2004	4172	4186	99.67%
	November 2004	5839	5848	99.85%
	October 2004	6378	6386	99.87%
OP-5B New Service Provisioning Quality	September 2005	0	0	0.00%
UNE P (Centrex 21) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	10	10	100.00%
OP-5B New Service Provisioning Quality	September 2005	0	0	0%
UNE P (Centrex) Diagnostic	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	2	2	100%
	December 2004	3	3	100%
	November 2004	6	6	100%
	October 2004	2	2	100%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate Enhanced Extended Loops - DS0	August 2005	0	0	0%
Capable Diagnostic	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	2	0%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate Enhanced Extended Loops - DS1	August 2005	5	20	25%
Capable Diagnostic	July 2005	1	7	14%
	June 2005	0	6	0%
	May 2005	0	6	0%
	April 2005	1	7	14%
	March 2005	1	11	9%
	February 2005	1	10	10%

	January 2005	1	8	13%
	December 2004	0	5	0%
	November 2004	0	2	0%
	October 2004	0	13	0%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate ISDN Primary Diagnostic	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	1	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate Line Sharing Diagnostic	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	1	0%
	February 2005	0	0	0%
	January 2005	2	3	67%
	December 2004	0	2	0%
	November 2004	0	0	0%
	October 2004	1	5	20%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate Line Splitting Diagnostic	August 2005	0	0	0%
	July 2005	0	1	0%
	June 2005	0	1	0%
	May 2005	0	1	0%
	April 2005	0	6	0%
	March 2005	1	7	14%
	February 2005	0	2	0%
	January 2005	2	5	40%
	December 2004	0	3	0%
	November 2004	0	6	0%
	October 2004	0	0	0%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate LIS Trunk Diagnostic	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	1	0%
	May 2005	0	0	0%
	April 2005	0	1	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	1	0%
	October 2004	0	0	0%

OP-5R New Service Quality Multiple Report Rate Qwest DSL Diagnostic	September 2005	0	0	0%
	August 2005	0	4	0%
	July 2005	2	16	13%
	June 2005	0	7	0%
	May 2005	1	12	8%
	April 2005	2	11	18%
	March 2005	1	11	9%
	February 2005	3	13	23%
	January 2005	2	11	18%
	December 2004	3	13	23%
	November 2004	0	6	0%
	October 2004	0	5	0%
	OP-5R New Service Quality Multiple Report Rate Residence Diagnostic	September 2005	0	0
August 2005		6	104	6%
July 2005		11	88	13%
June 2005		4	78	5%
May 2005		3	67	4%
April 2005		3	78	4%
March 2005		3	76	4%
February 2005		3	62	5%
January 2005		4	54	7%
December 2004		0	61	0%
November 2004		5	62	8%
October 2004		4	87	5%
OP-5R New Service Quality Multiple Report Rate UDIT Above DS1 Level Diagnostic		September 2005	0	0
	August 2005	0	1	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	1	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	1	0%
	October 2004	0	0	0%
	OP-5R New Service Quality Multiple Report Rate UDIT DS1 Diagnostic	September 2005	0	0
August 2005		0	0	0%
July 2005		0	0	0%
June 2005		0	0	0%
May 2005		0	0	0%
April 2005		0	0	0%
March 2005		0	0	0%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		0	0	0%
October 2004		0	1	0%
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - 2 Wire Non-Loaded Diagnostic		September 2005	0	0
	August 2005	3	19	16%
	July 2005	1	8	13%
	June 2005	1	9	11%

	May 2005	0	5	0%
	April 2005	0	9	0%
	March 2005	0	10	0%
	February 2005	0	7	0%
	January 2005	0	10	0%
	December 2004	0	11	0%
	November 2004	0	11	0%
	October 2004	2	18	11%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate Unbundled Loop - ADSL Qualified	August 2005	0	4	0%
Diagnostic	July 2005	1	4	25%
	June 2005	0	0	0%
	May 2005	0	1	0%
	April 2005	0	2	0%
	March 2005	0	0	0%
	February 2005	1	2	50%
	January 2005	0	2	0%
	December 2004	0	0	0%
	November 2004	0	1	0%
	October 2004	0	3	0%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate Unbundled Loop - DS1 Capable	August 2005	1	9	11%
Diagnostic	July 2005	0	2	0%
	June 2005	1	8	13%
	May 2005	0	7	0%
	April 2005	4	14	29%
	March 2005	2	12	17%
	February 2005	1	8	13%
	January 2005	0	3	0%
	December 2004	1	6	17%
	November 2004	1	10	10%
	October 2004	0	8	0%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate Unbundled Loop - XDSLi Diagnostic	August 2005	0	1	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate Unbundled Loop Analog Diagnostic	August 2005	5	64	8%
	July 2005	9	141	6%
	June 2005	4	52	8%
	May 2005	0	29	0%
	April 2005	1	22	5%
	March 2005	0	14	0%
	February 2005	2	24	8%

	January 2005	1	17	6%
	December 2004	2	29	7%
	November 2004	3	36	8%
	October 2004	4	41	10%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate Unbundled Loop ISDN Capable	August 2005	0	3	0%
Diagnostic	July 2005	0	5	0%
	June 2005	0	4	0%
	May 2005	0	6	0%
	April 2005	0	0	0%
	March 2005	0	4	0%
	February 2005	1	2	50%
	January 2005	0	0	0%
	December 2004	0	2	0%
	November 2004	0	4	0%
	October 2004	0	3	0%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate UNE - P (POTS) Diagnostic	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	1	2	50%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	2	0%
	February 2005	0	0	0%
	January 2005	4	15	27%
	December 2004	26	176	15%
	November 2004	13	206	6%
	October 2004	17	209	8%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0%
Rate UNE P (Centrex) Diagnostic	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	1	0%
	December 2004	0	1	0%
	November 2004	0	0	0%
	October 2004	0	0	0%
OP-5T New Service Installation Quality	September 2005	0	0	0%
Total Business Diagnostic	August 2005	3	4	75%
	July 2005	12	16	75%
	June 2005	12	12	100%
	May 2005	14	15	93%
	April 2005	14	14	100%
	March 2005	12	12	100%
	February 2005	14	18	78%
	January 2005	11	11	100%
	December 2004	24	28	86%
	November 2004	19	20	95%
	October 2004	8	8	100%

OP-5T New Service Installation Quality	September 2005	0	0	0%
Total Dark Fiber - Loop Diagnostic	August 2005	0	0	0%
	July 2005	2	2	100%
	June 2005	0	0	0%
	May 2005	0	1	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	3	3	100%
	October 2004	0	0	0%
OP-5T New Service Installation Quality	September 2005	0	0	0%
Total DS0 Parity	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	9	9	100%
	October 2004	0	0	0%
OP-5T New Service Installation Quality	September 2005	0	0	0%
Total Enhanced Extended Loops - DS0 Capable Diagnostic	August 2005	1	1	100%
	July 2005	1	1	100%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	5	5	100%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	October 2004	6	8	75%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Enhanced Extended Loops - DS1 Capable Diagnostic	August 2005	494	509	97.05%
	July 2005	132	138	95.65%
	June 2005	104	110	94.55%
	May 2005	112	118	94.92%
	April 2005	87	93	93.55%
	March 2005	106	116	91.38%
	February 2005	100	110	90.91%
	January 2005	96	103	93.20%
	December 2004	109	114	95.61%
	November 2004	85	87	97.70%
	October 2004	113	126	89.68%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Enhanced Extended Loops - DS3 Capable Diagnostic	August 2005	3	4	75.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%

	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total ISDN Primary Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	0	1	0.00%
	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Line Sharing Diagnostic	August 2005	2	2	100.00%
	July 2005	1	1	100.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	6	7	85.71%
	February 2005	13	13	100.00%
	January 2005	12	13	92.31%
	December 2004	11	13	84.62%
	November 2004	13	13	100.00%
	October 2004	101	104	97.12%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Line Splitting Diagnostic	August 2005	25	26	96.15%
	July 2005	32	35	91.43%
	June 2005	32	33	96.97%
	May 2005	47	49	95.92%
	April 2005	47	54	87.04%
	March 2005	63	69	91.30%
	February 2005	52	55	94.55%
	January 2005	48	51	94.12%
	December 2004	48	51	94.12%
	November 2004	59	65	90.77%
	October 2004	55	56	98.21%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Qwest DSL Diagnostic	August 2005	92	95	96.84%
	July 2005	85	98	86.73%
	June 2005	89	94	94.68%
	May 2005	90	100	90.00%
	April 2005	83	92	90.22%
	March 2005	90	100	90.00%
	February 2005	48	58	82.76%

	January 2005	65	74	87.84%
	December 2004	55	65	84.62%
	November 2004	49	55	89.09%
	October 2004	65	70	92.86%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Residence Diagnostic	August 2005	2114	2239	94.42%
	July 2005	1817	1917	94.78%
	June 2005	2062	2159	95.51%
	May 2005	2037	2116	96.27%
	April 2005	1471	1565	93.99%
	March 2005	1883	1978	95.20%
	February 2005	1217	1290	94.34%
	January 2005	1324	1390	95.25%
	December 2004	1369	1439	95.14%
	November 2004	1716	1797	95.49%
	October 2004	1895	1999	94.80%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Unbundled Loop - 2 Wire Non-Loaded Diagnostic	August 2005	321	337	95.25%
	July 2005	358	365	98.08%
	June 2005	356	364	97.80%
	May 2005	363	368	98.64%
	April 2005	339	348	97.41%
	March 2005	364	374	97.33%
	February 2005	311	318	97.80%
	January 2005	305	315	96.83%
	December 2004	336	347	96.83%
	November 2004	430	441	97.51%
	October 2004	428	444	96.40%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Unbundled Loop - ADSL Qualified Diagnostic	August 2005	22	26	84.62%
	July 2005	22	25	88.00%
	June 2005	30	30	100.00%
	May 2005	19	20	95.00%
	April 2005	21	23	91.30%
	March 2005	19	19	100.00%
	February 2005	15	16	93.75%
	January 2005	45	47	95.74%
	December 2004	31	31	100.00%
	November 2004	40	41	97.56%
	October 2004	48	51	94.12%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Unbundled Loop - DS1 Capable Diagnostic	August 2005	119	127	93.70%
	July 2005	112	114	98.25%
	June 2005	127	134	94.78%
	May 2005	125	132	94.70%
	April 2005	127	137	92.70%
	March 2005	142	152	93.42%
	February 2005	118	125	94.40%
	January 2005	94	97	96.91%
	December 2004	115	120	95.83%
	November 2004	146	154	94.81%
	October 2004	137	145	94.48%

OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Unbundled Loop - XDSLi Diagnostic	August 2005	11	12	91.67%
	July 2005	5	5	100.00%
	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	10	10	100.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Unbundled Loop Analog Diagnostic	August 2005	3701	3766	98.27%
	July 2005	7314	7449	98.19%
	June 2005	3788	3836	98.75%
	May 2005	1393	1431	97.34%
	April 2005	1211	1232	98.30%
	March 2005	1398	1412	99.01%
	February 2005	1345	1368	98.32%
	January 2005	1164	1184	98.31%
	December 2004	1285	1312	97.94%
	November 2004	1296	1330	97.44%
	October 2004	1360	1398	97.28%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Unbundled Loop ISDN Capable Diagnostic	August 2005	32	35	91.43%
	July 2005	50	55	90.91%
	June 2005	44	48	91.67%
	May 2005	44	50	88.00%
	April 2005	31	31	100.00%
	March 2005	45	49	91.84%
	February 2005	33	34	97.06%
	January 2005	50	50	100.00%
	December 2004	38	40	95.00%
	November 2004	56	59	94.92%
	October 2004	51	54	94.44%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total UNE - P (POTS) Diagnostic	August 2005	5	5	100.00%
	July 2005	4	4	100.00%
	June 2005	14	15	93.33%
	May 2005	9	9	100.00%
	April 2005	15	15	100.00%
	March 2005	15	17	88.24%
	February 2005	46	46	100.00%
	January 2005	138	149	92.62%
	December 2004	4032	4186	96.32%
	November 2004	5655	5848	96.70%
	October 2004	6197	6386	97.04%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total UNE P (Centrex 21) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	10	10	100.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total UNE P (Centrex) Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
	October 2004	2	2	100.00%
OP-6A-1 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Line Splitting Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	1	1	1
	February 2005	1	1	1
	January 2005	0	0	0
	December 2004	2	1	2
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-1 Delayed Days for Non-Facility	September 2005	3	2	1.5
Reasons Qwest DSL Parity	August 2005	0	0	0
	July 2005	1	1	1
	June 2005	9	2	4.5
	May 2005	0	0	0
	April 2005	2	2	1
	March 2005	1	1	1
	February 2005	1	1	1
	January 2005	0	0	0
	December 2004	4	1	4
	November 2004	1	1	1
	October 2004	0	0	0
OP-6A-1 Delayed Days for Non-Facility	September 2005	9	8	1.13
Reasons Residence Parity	August 2005	31	17	1.82
	July 2005	12	3	4
	June 2005	11	6	1.83
	May 2005	3	3	1
	April 2005	5	3	1.67
	March 2005	15	3	5
	February 2005	6	2	3

	January 2005	3	3	1
	December 2004	5	2	2.5
	November 2004	25	9	2.78
	October 2004	22	9	2.44
OP-6A-1 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	September 2005	0	0	0
	August 2005	1	1	1
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	4	2	2
	December 2004	48	10	4.8
	November 2004	15	9	1.67
	October 2004	14	7	2
	OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex) Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		2	1	2
October 2004		1	1	1
OP-6A-2 Delayed Days for Non-Facility Reasons Residence Parity		September 2005	0	0
	August 2005	1	1	1
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	10	2	5
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	4	1	4
	November 2004	0	0	0
	October 2004	0	0	0
	OP-6A-2 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		1	1	1
December 2004		0	0	0
November 2004	9	2	4.5	
October 2004	1	1	1	

OP-6A-3 Delayed Days for Non-Facility Reasons Qwest DSL Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	1	1	1
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-6A-3 Delayed Days for Non-Facility Reasons Residence Parity	September 2005	4	3
August 2005		3	2	1.5
July 2005		0	0	0
June 2005		1	1	1
May 2005		0	0	0
April 2005		2	1	2
March 2005		7	1	7
February 2005		12	3	4
January 2005		1	1	1
December 2004		0	0	0
November 2004		4	1	4
October 2004		2	1	2
OP-6A-3 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	24	8	3
	November 2004	17	3	5.67
	October 2004	7	1	7
	OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS0 Capable Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		12	4	3
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity		September 2005	2	2
	August 2005	8	5	1.6
	July 2005	4	2	2
	June 2005	14	6	2.33

	May 2005	2	1	2
	April 2005	17	6	2.83
	March 2005	7	3	2.33
	February 2005	2	1	2
	January 2005	9	2	4.5
	December 2004	2	1	2
	November 2004	4	1	4
	October 2004	33	2	16.5
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS3 Capable Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
October 2004	13	1	13	
OP-6A-4 Delayed Days for Non-Facility Reasons LIS Trunk Parity	September 2005	3	1	3
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	6	2	3
	May 2005	24	4	6
	April 2005	0	0	0
	March 2005	67	8	8.38
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	67	4	16.75
	November 2004	79	7	11.29
October 2004	0	0	0	
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	49	8	6.13
	August 2005	9	4	2.25
	July 2005	10	2	5
	June 2005	21	6	3.5
	May 2005	15	5	3
	April 2005	4	1	4
	March 2005	17	3	5.67
	February 2005	7	2	3.5
	January 2005	24	4	6
	December 2004	26	4	6.5
	November 2004	20	5	4
October 2004	39	8	4.88	
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
February 2005	0	0	0	

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	2	1	2
	October 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity	September 2005	15	7	2.14
	August 2005	39	6	6.5
	July 2005	8	1	8
	June 2005	35	5	7
	May 2005	7	2	3.5
	April 2005	5	2	2.5
	March 2005	42	5	8.4
	February 2005	18	5	3.6
	January 2005	4	1	4
	December 2004	5	3	1.67
	November 2004	10	2	5
	October 2004	40	8	5
	OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity	September 2005	62	16
August 2005		78	15	5.2
July 2005		187	38	4.92
June 2005		81	17	4.76
May 2005		83	18	4.61
April 2005		233	30	7.77
March 2005		60	10	6
February 2005		168	24	7
January 2005		91	21	4.33
December 2004		277	39	7.1
November 2004		188	39	4.82
October 2004		169	35	4.83
OP-6A-5 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity		September 2005	0	0
	August 2005	4	1	4
	July 2005	1	1	1
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	9	2	4.5
	November 2004	0	0	0
	October 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons ISDN Primary Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		44	4	11
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
October 2004		0	0	0

OP-6A-5 Delayed Days for Non-Facility Reasons LIS Trunk Parity	September 2005	14	3	4.67
	August 2005	11	1	11
	July 2005	0	0	0
	June 2005	10	2	5
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	51	3	17
	November 2004	2	1	2
	October 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons PBX Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		1	1	1
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity		September 2005	1	1
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	1	1	1
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	1	1	1
	December 2004	7	1	7
	November 2004	0	0	0
	October 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity	September 2005	0	0
August 2005		0	0	0
July 2005		13	2	6.5
June 2005		8	4	2
May 2005		2	2	1
April 2005		28	4	7
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity		September 2005	0	0
	August 2005	1	1	1
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	11	1	11
	April 2005	4	1	4
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	5	1	5
OP-6B-1 Delayed Days for Facility Reasons	September 2005	0	0	0
Business Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	16	1	16
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	September 2005	6	2	3
Residence Parity	August 2005	14	2	7
	July 2005	4	1	4
	June 2005	14	2	7
	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	9	2	4.5
	February 2005	10	3	3.33
	January 2005	1	1	1
	December 2004	16	4	4
	November 2004	15	3	5
	October 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	September 2005	0	0	0
UNE - P (POTS) Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	22	3	7.33
	November 2004	45	9	5
	October 2004	2	1	2
OP-6B-2 Delayed Days for Facility Reasons	September 2005	5	2	2.5
Residence Parity	August 2005	10	1	10
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	2	1	2
	October 2004	0	0	0
OP-6B-2 Delayed Days for Facility Reasons	September 2005	0	0	0
UNE - P (POTS) Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	10	2	5
	November 2004	2	1	2
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	September 2005	5	2	2.5
Unbundled Loop - 2 Wire Non-Loaded Parity	August 2005	37	4	9.25
	July 2005	11	3	3.67
	June 2005	20	2	10
	May 2005	9	1	9
	April 2005	5	2	2.5
	March 2005	18	2	9
	February 2005	3	1	3
	January 2005	14	3	4.67
	December 2004	11	2	5.5
	November 2004	18	3	6
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
Unbundled Loop - ADSL Qualified Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	2	1	2
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	3	2	1.5
OP-6B-4 Delayed Days for Facility Reasons	September 2005	28	7	4
Unbundled Loop - DS1 Capable Parity	August 2005	126	1	126
	July 2005	34	6	5.67
	June 2005	1	1	1
	May 2005	13	5	2.6
	April 2005	7	4	1.75
	March 2005	8	5	1.6
	February 2005	20	4	5
	January 2005	1	1	1
	December 2004	18	4	4.5
	November 2004	8	2	4
	October 2004	26	5	5.2

OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop Analog Parity	September 2005	114	8	14.25
	August 2005	55	18	3.06
	July 2005	111	12	9.25
	June 2005	16	2	8
	May 2005	0	0	0
	April 2005	6	2	3
	March 2005	0	0	0
	February 2005	117	13	9
	January 2005	16	5	3.2
	December 2004	77	6	12.83
	November 2004	91	21	4.33
	October 2004	17	4	4.25
	OP-6B-5 Delayed Days for Facility Reasons DS1 Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		4	1	4
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-6B-5 Delayed Days for Facility Reasons ISDN Primary Parity		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	1	1	1
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		6	1	6
April 2005		0	0	0
March 2005		10	1	10
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity		September 2005	0	0
	August 2005	5	1	5
	July 2005	0	0	0
	June 2005	1	1	1

	May 2005	5	4	1.25
	April 2005	0	0	0
	March 2005	1	1	1
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	1	1	1
	October 2004	7	4	1.75
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
Unbundled Loop Analog Parity	August 2005	0	0	0
	July 2005	20	3	6.67
	June 2005	57	3	19
	May 2005	6	2	3
	April 2005	7	1	7
	March 2005	36	2	18
	February 2005	3	1	3
	January 2005	4	1	4
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	3	3	1
OP-6B-5 Delayed Days for Facility Reasons	September 2005	6	2	3
Unbundled Loop ISDN Capable Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	3	1	3
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-7 OP-7 - Coordinated Hot Cut" Interval -	September 2005	1.225	598	0:03
Unbundled Loops" Unbundled Loop - Analog	August 2005	1.7	663	0:04
Diagnostic	July 2005	1.62291667	663	0:04
	June 2005	1.67291667	805	0:03
	May 2005	1.59236111	755	0:03
	April 2005	1.19861111	532	0:03
	March 2005	1.10694444	564	0:03
	February 2005	1.0375	475	0:03
	January 2005	1.12638889	494	0:03
	December 2004	1.01805556	535	0:03
	November 2004	1.22847222	629	0:03
	October 2004	1.43402778	663	0:03
OP-7 OP-7 - Coordinated Hot Cut" Interval -	September 2005	0	0	0:00
Unbundled Loops" Unbundled Loop Other	August 2005	0	0	0:00
Diagnostic	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	1.59236111	755	0:03
	April 2005	0.00763889	5	0:02
	March 2005	0.02152778	7	0:04
	February 2005	0.03333333	12	0:04

	January 2005	0.03958333	7	0:08
	December 2004	0.01736111	8	0:03
	November 2004	0.00763889	5	0:02
	October 2004	0.05416667	10	0:08
OP-8B Number Portability Timeliness LNP Benchmark	September 2005	456	461	98.92%
	August 2005	551	551	100.00%
	July 2005	602	602	100.00%
	June 2005	692	693	99.86%
	May 2005	691	692	99.86%
	April 2005	473	474	99.79%
	March 2005	382	382	100.00%
	February 2005	352	352	100.00%
	January 2005	343	343	100.00%
	December 2004	107	109	98.17%
	November 2004	493	496	99.40%
	October 2004	553	557	99.28%
OP-8C Percentage of LNP Triggers Set Prior to the Frame Due Time LNP Benchmark	September 2005	4151	4152	99.98%
	August 2005	5392	5443	99.06%
	July 2005	9449	9468	99.80%
	June 2005	5177	5180	99.94%
	May 2005	2090	2105	99.29%
	April 2005	3243	3247	99.88%
	March 2005	5691	5695	99.93%
	February 2005	2277	2287	99.56%
	January 2005	1681	1686	99.70%
	December 2004	1112	1117	99.55%
	November 2004	2910	2915	99.83%
	October 2004	1657	1667	99.40%
OS-1 Speed of Answer - Operator Services Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
PO-16 Timely Release Notifications Diagnostic	September 2005	4	4	100.00%
	August 2005	5	5	100.00%
	July 2005	6	6	100.00%
	June 2005	4	4	100.00%
	May 2005	3	3	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	2	50.00%
	January 2005	3	3	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	October 2004	1	1	100.00%

PO-20 Manual Service Order Accuracy Resale & UNE-P (POTS) Benchmark	September 2005	0	0	0.00%
	August 2005	2203	2207	99.82%
	July 2005	1869	1872	99.84%
	June 2005	2084	2086	99.90%
	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1228	1235	99.43%
	January 2005	1303	1304	99.92%
	December 2004	2195	2206	99.50%
	November 2004	2666	2678	99.55%
	October 2004	2740	2752	99.56%
	PO-20 Manual Service Order Accuracy Unbundled Loops Benchmark	September 2005	0	0
August 2005		1020	1022	99.80%
July 2005		956	956	100.00%
June 2005		1079	1080	99.91%
May 2005		966	969	99.69%
April 2005		731	733	99.73%
March 2005		868	868	100.00%
February 2005		784	785	99.87%
January 2005		946	951	99.47%
December 2004		1170	1170	100.00%
November 2004		1050	1053	99.72%
October 2004		942	944	99.79%
PO-20P2 Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) Benchmark		September 2005	0	0
	August 2005	2203	2207	99.82%
	July 2005	1869	1872	99.84%
	June 2005	2084	2086	99.90%
	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1228	1235	99.43%
	January 2005	1303	1304	99.92%
	December 2004	2194	2206	99.46%
	November 2004	2665	2678	99.51%
	October 2004	2740	2752	99.56%
	PO-20P2 Manual Service Order Accuracy (Phase 2) Unbundled Loops Benchmark	September 2005	0	0
August 2005		1020	1022	99.80%
July 2005		956	956	100.00%
June 2005		1079	1080	99.91%
May 2005		966	969	99.69%
April 2005		731	733	99.73%
March 2005		868	868	100.00%
February 2005		784	785	99.87%
January 2005		946	951	99.47%
December 2004		1170	1170	100.00%
November 2004		1050	1053	99.72%
October 2004		942	944	99.79%
PO-20P3 Manual Service Order Accuracy (Phase 3) Resale & UNE-P (POTS) Benchmark		September 2005	0	0
	August 2005	2203	2207	99.82%
	July 2005	1869	1872	99.84%
	June 2005	2084	2086	99.90%

	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1227	1235	99.35%
	January 2005	1303	1304	99.92%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
PO-20P3 Manual Service Order Accuracy (Phase 3) Unbundled Loops Benchmark	September 2005	0	0	0.00%
	August 2005	1020	1022	99.80%
	July 2005	956	956	100.00%
	June 2005	1079	1080	99.91%
	May 2005	966	969	99.69%
	April 2005	731	733	99.73%
	March 2005	868	868	100.00%
	February 2005	784	785	99.87%
	January 2005	946	951	99.47%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	PO-2A-1 Electronic Flow-through for LSRs Received via IMA Line Sharing Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004	8	8	100.00%	
PO-2A-1 Electronic Flow-through for LSRs Received via IMA LNP Diagnostic	September 2005	612	886	69.07%
	August 2005	632	910	69.45%
	July 2005	592	810	73.09%
	June 2005	681	941	72.37%
	May 2005	766	957	80.04%
	April 2005	657	883	74.41%
	March 2005	644	859	74.97%
	February 2005	465	639	72.77%
	January 2005	397	563	70.52%
	December 2004	330	551	59.89%
	November 2004	314	529	59.36%
October 2004	289	513	56.34%	
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Diagnostic	September 2005	408	3076	13.26%
	August 2005	392	3354	11.69%
	July 2005	349	2565	13.61%
	June 2005	456	3076	14.82%
	May 2005	537	2981	18.01%
	April 2005	478	2390	20.00%
	March 2005	455	2840	16.02%
	February 2005	434	1912	22.70%

	January 2005	338	2086	16.20%
	December 2004	418	2105	19.86%
	November 2004	370	2242	16.50%
	October 2004	336	2799	12.00%
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Unbundled Loop Aggregate Diagnostic	September 2005	575	1037	55.45%
	August 2005	680	1269	53.59%
	July 2005	598	1143	52.32%
	June 2005	767	1347	56.94%
	May 2005	727	1175	61.87%
	April 2005	733	1112	65.92%
	March 2005	618	1091	56.65%
	February 2005	455	909	50.06%
	January 2005	590	1220	48.36%
	December 2004	431	1099	39.22%
	November 2004	393	1154	34.06%
	October 2004	501	1311	38.22%
	PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE - P (POTS) Diagnostic	September 2005	438	471
August 2005		99	103	96.12%
July 2005		13	16	81.25%
June 2005		21	28	75.00%
May 2005		8	15	53.33%
April 2005		8	11	72.73%
March 2005		68	81	83.95%
February 2005		34	49	69.39%
January 2005		137	229	59.83%
December 2004		4020	4915	81.79%
November 2004		6191	7084	87.39%
October 2004		5622	6420	87.57%
PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE P (POTS AGG) Diagnostic		September 2005	438	471
	August 2005	99	103	96.12%
	July 2005	13	16	81.25%
	June 2005	21	28	75.00%
	May 2005	8	15	53.33%
	April 2005	8	11	72.73%
	March 2005	68	81	83.95%
	February 2005	34	49	69.39%
	January 2005	137	229	59.83%
	December 2004	4024	4920	81.79%
	November 2004	6198	7091	87.41%
	October 2004	5638	6442	87.52%
	PO-2A-2 Electronic Flow-through for LSRs Received via EDI Line Sharing Diagnostic	September 2005	0	0
August 2005		4	4	100.00%
July 2005		3	6	50.00%
June 2005		4	4	100.00%
May 2005		6	6	100.00%
April 2005		7	9	77.78%
March 2005		10	14	71.43%
February 2005		18	20	90.00%
January 2005		21	24	87.50%
December 2004		13	20	65.00%
November 2004	14	21	66.67%	
October 2004	40	54	74.07%	

PO-2A-2 Electronic Flow-through for LSRs Received via EDI LNP Diagnostic	September 2005	938	1232	76.14%
	August 2005	928	1209	76.76%
	July 2005	871	1124	77.49%
	June 2005	726	991	73.26%
	May 2005	678	904	75.00%
	April 2005	771	1005	76.72%
	March 2005	783	1047	74.79%
	February 2005	603	770	78.31%
	January 2005	700	889	78.74%
	December 2004	526	690	76.23%
	November 2004	505	657	76.86%
	October 2004	390	560	69.64%
	PO-2A-2 Electronic Flow-through for LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Diagnostic	September 2005	10	11
August 2005		18	20	90.00%
July 2005		19	22	86.36%
June 2005		17	21	80.95%
May 2005		19	20	95.00%
April 2005		16	18	88.89%
March 2005		16	21	76.19%
February 2005		5	11	45.45%
January 2005		18	20	90.00%
December 2004		16	20	80.00%
November 2004		18	20	90.00%
October 2004		12	19	63.16%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Unbundled Loop Aggregate Diagnostic		September 2005	1546	2147
	August 2005	1554	2162	71.88%
	July 2005	8124	9154	88.75%
	June 2005	3325	3932	84.56%
	May 2005	1154	1611	71.63%
	April 2005	897	1347	66.59%
	March 2005	1026	1593	64.41%
	February 2005	873	1385	63.03%
	January 2005	813	1455	55.88%
	December 2004	677	1264	53.56%
	November 2004	827	1406	58.82%
	October 2004	924	1551	59.57%
	PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE - P (POTS) Diagnostic	September 2005	75	75
August 2005		142	149	95.30%
July 2005		129	135	95.56%
June 2005		201	215	93.49%
May 2005		172	191	90.05%
April 2005		175	187	93.58%
March 2005		173	212	81.60%
February 2005		231	264	87.50%
January 2005		368	414	88.89%
December 2004		4369	5049	86.53%
November 2004		5227	5891	88.73%
October 2004		6162	6947	88.70%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE P (POTS AGG) Diagnostic		September 2005	75	75
	August 2005	142	149	95.30%
	July 2005	129	135	95.56%
	June 2005	201	215	93.49%

	May 2005	172	191	90.05%
	April 2005	175	187	93.58%
	March 2005	173	212	81.60%
	February 2005	231	264	87.50%
	January 2005	368	414	88.89%
	December 2004	4369	5049	86.53%
	November 2004	5227	5891	88.73%
	October 2004	6162	6947	88.70%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Line Sharing Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	8	8	100.00%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA LNP Benchmark	September 2005	612	636	96.23%
	August 2005	632	652	96.93%
	July 2005	592	608	97.37%
	June 2005	681	713	95.51%
	May 2005	766	789	97.08%
	April 2005	657	688	95.49%
	March 2005	644	669	96.26%
	February 2005	465	480	96.88%
	January 2005	397	412	96.36%
	December 2004	330	344	95.93%
	November 2004	314	324	96.91%
	October 2004	289	306	94.44%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Benchmark	September 2005	408	423	96.45%
	August 2005	392	403	97.27%
	July 2005	349	360	96.94%
	June 2005	456	469	97.23%
	May 2005	537	555	96.76%
	April 2005	478	504	94.84%
	March 2005	455	489	93.05%
	February 2005	434	459	94.55%
	January 2005	338	357	94.68%
	December 2004	418	468	89.32%
	November 2004	370	394	93.91%
	October 2004	336	365	92.05%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Unbundled Loop Aggregate Benchmark	September 2005	575	610	94.26%
	August 2005	680	726	93.66%
	July 2005	598	637	93.88%
	June 2005	767	814	94.23%
	May 2005	727	759	95.78%
	April 2005	733	770	95.19%
	March 2005	618	645	95.81%
	February 2005	455	477	95.39%

	January 2005	590	632	93.35%
	December 2004	431	469	91.90%
	November 2004	393	415	94.70%
	October 2004	501	521	96.16%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE - P (POTS) Benchmark	September 2005	438	455	96.26%
	August 2005	99	100	99.00%
	July 2005	13	13	100.00%
	June 2005	21	21	100.00%
	May 2005	8	9	88.89%
	April 2005	8	10	80.00%
	March 2005	68	75	90.67%
	February 2005	34	37	91.89%
	January 2005	137	146	93.84%
	December 2004	4020	4197	95.78%
	November 2004	6191	6336	97.71%
	October 2004	5622	5710	98.46%
	PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE P (POTS AGG) Benchmark	September 2005	438	455
August 2005		99	100	99.00%
July 2005		13	13	100.00%
June 2005		21	21	100.00%
May 2005		8	9	88.89%
April 2005		8	10	80.00%
March 2005		68	75	90.67%
February 2005		34	37	91.89%
January 2005		137	146	93.84%
December 2004		4024	4202	95.76%
November 2004		6198	6343	97.71%
October 2004		5638	5728	98.43%
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Line Sharing Diagnostic		September 2005	0	0
	August 2005	4	4	100.00%
	July 2005	3	4	75.00%
	June 2005	4	4	100.00%
	May 2005	6	6	100.00%
	April 2005	7	8	87.50%
	March 2005	10	11	90.91%
	February 2005	18	19	94.74%
	January 2005	21	24	87.50%
	December 2004	13	18	72.22%
	November 2004	14	14	100.00%
	October 2004	40	44	90.91%
	PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI LNP Benchmark	September 2005	938	957
August 2005		928	968	95.87%
July 2005		871	891	97.76%
June 2005		726	750	96.80%
May 2005		678	703	96.44%
April 2005		771	790	97.59%
March 2005		783	823	95.14%
February 2005		603	628	96.02%
January 2005		700	725	96.55%
December 2004		526	557	94.43%
November 2004	505	523	96.56%	
October 2004	390	401	97.26%	

PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Benchmark	September 2005	10	10	100.00%
	August 2005	18	18	100.00%
	July 2005	19	19	100.00%
	June 2005	17	17	100.00%
	May 2005	19	19	100.00%
	April 2005	16	16	100.00%
	March 2005	16	17	94.12%
	February 2005	5	6	83.33%
	January 2005	18	18	100.00%
	December 2004	16	16	100.00%
	November 2004	18	18	100.00%
	October 2004	12	13	92.31%
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Unbundled Loop Aggregate Benchmark	September 2005	1546	1579	97.91%
	August 2005	1554	1585	98.04%
	July 2005	8124	8154	99.63%
	June 2005	3325	3368	98.72%
	May 2005	1154	1181	97.71%
	April 2005	897	928	96.66%
	March 2005	1026	1056	97.16%
	February 2005	875	912	95.94%
	January 2005	813	890	91.35%
	December 2004	677	759	89.20%
	November 2004	827	852	97.07%
	October 2004	924	967	95.55%
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE - P (POTS) Benchmark	September 2005	75	75	100.00%
	August 2005	142	146	97.26%
	July 2005	129	131	98.47%
	June 2005	201	204	98.53%
	May 2005	172	183	93.99%
	April 2005	175	180	97.22%
	March 2005	173	203	85.22%
	February 2005	231	258	89.53%
	January 2005	368	404	91.09%
	December 2004	4369	4545	96.13%
	November 2004	5227	5351	97.68%
	October 2004	6162	6359	96.90%
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE P (POTS AGG) Benchmark	September 2005	75	75	100.00%
	August 2005	142	146	97.26%
	July 2005	129	131	98.47%
	June 2005	201	204	98.53%
	May 2005	172	183	93.99%
	April 2005	175	180	97.22%
	March 2005	173	203	85.22%
	February 2005	231	258	89.53%
	January 2005	368	404	91.09%
	December 2004	4369	4545	96.13%
	November 2004	5227	5351	97.68%
	October 2004	6162	6359	96.90%
PO-3A-1 LSR Rejection Notice Interval for IMA - Rejected Manually Product Aggregate Benchmark	September 2005	39.5486111	222	4:17
	August 2005	56.2590278	267	5:03
	July 2005	44.7284722	243	4:25
	June 2005	34.3173611	216	3:49

	May 2005	32.9416667	207	3:49
	April 2005	28.5229167	188	3:38
	March 2005	31.1104167	208	3:35
	February 2005	18.4083333	116	3:49
	January 2005	28.8340278	119	5:49
	December 2004	60.1284722	182	7:56
	November 2004	64.2368056	224	6:53
	October 2004	21.0805556	208	2:26
PO-3A-2 LSR Rejection Notice Interval for IMA - Auto-Rejected Product Aggregate Benchmark	September 2005	132.475	29428	0:06
	August 2005	146.154861	30340	0:07
	July 2005	129.577083	28103	0:07
	June 2005	137.304861	29146	0:07
	May 2005	130.118056	27205	0:07
	April 2005	127.692361	28630	0:06
	March 2005	153.705556	30652	0:07
	February 2005	126.618056	26199	0:07
	January 2005	118.690972	26888	0:06
	December 2004	127.504167	26855	0:07
PO-3B-1 LSR Rejection Notice Interval for EDI - Rejected Manually Product Aggregate Benchmark	November 2004	114.728472	24341	0:07
	October 2004	82.30625	19892	0:06
	September 2005	17.4326389	136	3:05
	August 2005	41.9416667	154	6:32
	July 2005	25.4048611	161	3:47
	June 2005	28.0256944	224	3:00
	May 2005	25.7145833	164	3:46
	April 2005	30.9451389	193	3:51
	March 2005	37.9659722	234	3:54
	February 2005	21.6784722	175	2:58
PO-3B-2 LSR Rejection Notice Interval for EDI - Auto-Rejected Product Aggregate Benchmark	January 2005	16.6423611	176	2:16
	December 2004	50.5638889	224	5:25
	November 2004	24.0520833	249	2:19
	October 2004	29.5770833	269	2:38
	September 2005	104.727083	34218	0:04
	August 2005	132.85625	43402	0:04
	July 2005	135.501389	28367	0:07
	June 2005	274.109028	50733	0:08
	May 2005	170.9625	30033	0:08
	April 2005	143.799306	30970	0:07
PO-3C LSR Rejection Notice Interval for Manual and IIS Product Aggregate Benchmark	March 2005	353.136111	42085	0:12
	February 2005	186.691667	28016	0:10
	January 2005	117.523611	25795	0:07
	December 2004	206.889583	30816	0:10
	November 2004	0	51824	0:22
	October 2004	75.7395833	23462	0:05
	September 2005	5.97916667	32	4:29
	August 2005	2.16111111	3	17:17
	July 2005	2.70486111	6	10:49
	June 2005	7.45	13	13:45
May 2005	1.30625	4	7:50	
April 2005	8.10833333	11	17:41	
March 2005	4.77152778	10	11:27	
February 2005	3.30069444	15	5:17	

	January 2005	7.675	14	13:09
	December 2004	16.2888889	27	14:29
	November 2004	21.7138889	48	10:51
	October 2004	18.8458333	44	10:17
PO-4A-1 LSRs Rejected for IMA - Rejected Manually Product Aggregate Diagnostic	September 2005	1509	77578	0:28
	August 2005	1749	82171	0:30
	July 2005	1493	70658	0:30
	June 2005	1579	77293	0:29
	May 2005	1626	71541	0:32
	April 2005	1632	72125	0:32
	March 2005	1536	78680	0:28
	February 2005	1006	64848	0:22
	January 2005	808	72321	0:16
	December 2004	1251	98819	0:18
	November 2004	1223	94947	0:18
	October 2004	1437	87491	0:23
PO-4A-2 LSRs Rejected for IMA - Auto- Rejected Product Aggregate Diagnostic	September 2005	29428	77578	9:06
	August 2005	30340	82171	8:51
	July 2005	28103	70658	9:32
	June 2005	29146	77293	9:03
	May 2005	27205	71541	9:07
	April 2005	28630	72125	9:31
	March 2005	30652	78680	9:21
	February 2005	26199	64848	9:41
	January 2005	26888	72321	8:55
	December 2004	26855	98819	6:31
	November 2004	24341	94947	6:09
	October 2004	19892	87491	5:27
PO-4B-1 LSRs Rejected for EDI - Rejected Manually Product Aggregate Diagnostic	September 2005	824	61063	0:19
	August 2005	986	75055	0:18
	July 2005	956	69230	0:19
	June 2005	1266	113225	0:16
	May 2005	1077	71032	0:21
	April 2005	1130	55967	0:29
	March 2005	1368	68028	0:28
	February 2005	1004	50317	0:28
	January 2005	989	48047	0:29
	December 2004	1367	84804	0:23
	November 2004	1471	109923	0:19
	October 2004	1546	86723	0:25
PO-4B-2 LSRs Rejected for EDI - Auto- Rejected Product Aggregate Diagnostic	September 2005	34218	61063	13:26
	August 2005	43402	75055	13:52
	July 2005	28367	69230	9:50
	June 2005	50733	113225	10:45
	May 2005	30033	71032	10:08
	April 2005	30970	55967	13:16
	March 2005	42085	68028	14:50
	February 2005	28016	50317	13:21
	January 2005	25795	48047	12:53
	December 2004	30816	84804	8:43
	November 2004	51824	109923	11:18
	October 2004	23462	86723	6:29

PO-4C LSRs Received via Facsimile Product Aggregate Diagnostic	September 2005	32	67	47.76%
	August 2005	3	16	18.75%
	July 2005	6	16	37.50%
	June 2005	13	26	50.00%
	May 2005	4	23	17.39%
	April 2005	11	33	33.33%
	March 2005	10	38	26.32%
	February 2005	15	46	32.61%
	January 2005	14	45	31.11%
	December 2004	27	51	52.94%
	November 2004	48	128	37.50%
	October 2004	44	156	28.21%
PO-5A-1(a) FOCs On Time for Fully Electronic LSRs Received Via IMA Resale Aggregate Benchmark	September 2005	803	803	100.00%
	August 2005	450	453	99.34%
	July 2005	337	337	100.00%
	June 2005	446	446	100.00%
	May 2005	516	516	100.00%
	April 2005	467	467	100.00%
	March 2005	466	466	100.00%
	February 2005	433	436	99.31%
	January 2005	439	444	98.87%
	December 2004	4187	4243	98.68%
	November 2004	6351	6352	99.98%
	October 2004	5770	5771	99.98%
PO-5A-1(b) FOCs On Time for Fully Electronic LSRs Received Via IMA Unbundled Loop Aggregate Benchmark	September 2005	423	423	100.00%
	August 2005	457	458	99.78%
	July 2005	412	412	100.00%
	June 2005	559	559	100.00%
	May 2005	542	542	100.00%
	April 2005	551	551	100.00%
	March 2005	442	442	100.00%
	February 2005	327	327	100.00%
	January 2005	510	512	99.61%
	December 2004	383	387	98.97%
	November 2004	352	352	100.00%
	October 2004	452	452	100.00%
PO-5A-1(c) FOCs On Time for Fully Electronic LSRs Received Via IMA LNP Benchmark	September 2005	595	595	100.00%
	August 2005	607	607	100.00%
	July 2005	579	579	100.00%
	June 2005	666	666	100.00%
	May 2005	752	752	100.00%
	April 2005	641	641	100.00%
	March 2005	609	609	100.00%
	February 2005	455	455	100.00%
	January 2005	378	384	98.44%
	December 2004	317	317	100.00%
	November 2004	301	301	100.00%
	October 2004	278	278	100.00%
PO-5A-2(a) FOCs On Time for Fully Electronic LSRs Received Via EDI Resale Aggregate Benchmark	September 2005	85	85	100.00%
	August 2005	159	159	100.00%
	July 2005	148	148	100.00%
	June 2005	216	216	100.00%

	May 2005	190	190	100.00%
	April 2005	191	191	100.00%
	March 2005	189	189	100.00%
	February 2005	234	235	99.57%
	January 2005	376	383	98.17%
	December 2004	4297	4330	99.24%
	November 2004	5175	5175	100.00%
	October 2004	6084	6084	100.00%
PO-5A-2(b) FOCs On Time for Fully Electronic LSRs Received Via EDI Unbundled Loop Aggregate Benchmark	September 2005	1179	1179	100.00%
	August 2005	1273	1274	99.92%
	July 2005	7750	7750	100.00%
	June 2005	2918	2942	99.18%
	May 2005	800	800	100.00%
	April 2005	532	532	100.00%
	March 2005	689	689	100.00%
	February 2005	618	618	100.00%
	January 2005	612	616	99.35%
	December 2004	500	513	97.47%
PO-5A-2(c) FOCs On Time for Fully Electronic LSRs Received Via EDI LNP Benchmark	November 2004	564	564	100.00%
	October 2004	642	642	100.00%
	September 2005	891	891	100.00%
	August 2005	876	876	100.00%
	July 2005	821	821	100.00%
	June 2005	656	656	100.00%
	May 2005	620	620	100.00%
	April 2005	711	711	100.00%
	March 2005	722	722	100.00%
	February 2005	553	554	99.82%
PO-5B-1(a) FOCs On Time For Electronic/Manual LSRs Received Via IMA Resale Aggregate Benchmark	January 2005	647	647	100.00%
	December 2004	466	472	98.73%
	November 2004	467	467	100.00%
	October 2004	357	357	100.00%
	September 2005	2476	2476	100.00%
	August 2005	2770	2771	99.96%
	July 2005	2036	2040	99.80%
	June 2005	2505	2508	99.88%
	May 2005	2227	2231	99.82%
	April 2005	1740	1740	100.00%
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop AGG-EELs Benchmark	March 2005	2239	2239	100.00%
	February 2005	1324	1325	99.92%
	January 2005	1723	1725	99.88%
	December 2004	2404	2409	99.79%
	November 2004	2693	2696	99.89%
	October 2004	3095	3097	99.94%
	September 2005	702	714	98.32%
	August 2005	1056	1082	97.60%
	July 2005	774	792	97.73%
	June 2005	748	758	98.68%
May 2005	638	650	98.15%	
April 2005	549	554	99.10%	
March 2005	676	687	98.40%	
February 2005	573	580	98.79%	

	January 2005	707	719	98.33%
	December 2004	710	727	97.66%
	November 2004	780	786	99.24%
	October 2004	847	871	97.24%
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop Aggregate Benchmark	September 2005	553	565	97.88%
	August 2005	682	705	96.74%
	July 2005	628	646	97.21%
	June 2005	685	695	98.56%
	May 2005	545	557	97.85%
	April 2005	481	486	98.97%
	March 2005	577	588	98.13%
	February 2005	495	502	98.61%
	January 2005	611	623	98.07%
	December 2004	618	635	97.32%
	November 2004	696	702	99.15%
	October 2004	755	779	96.92%
	PO-5B-1(c) FOCs On Time For Electronic/Manual LSRs Received Via IMA LNP Benchmark	September 2005	241	241
August 2005		243	244	99.59%
July 2005		208	208	100.00%
June 2005		232	232	100.00%
May 2005		174	174	100.00%
April 2005		205	205	100.00%
March 2005		189	189	100.00%
February 2005		154	154	100.00%
January 2005		152	152	100.00%
December 2004		195	195	100.00%
November 2004		194	194	100.00%
October 2004		201	201	100.00%
PO-5B-2(a) FOCs On Time For Electronic/Manual LSRs Received Via EDI Resale Aggregate Benchmark		September 2005	1	1
	August 2005	8	8	100.00%
	July 2005	8	8	100.00%
	June 2005	17	17	100.00%
	May 2005	20	20	100.00%
	April 2005	13	13	100.00%
	March 2005	44	44	100.00%
	February 2005	38	38	100.00%
	January 2005	48	48	100.00%
	December 2004	585	586	99.83%
	November 2004	629	629	100.00%
	October 2004	746	746	100.00%
	PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop AGG-EELs Benchmark	September 2005	855	861
August 2005		814	821	99.15%
July 2005		1264	1269	99.61%
June 2005		892	898	99.33%
May 2005		721	724	99.59%
April 2005		730	733	99.59%
March 2005		796	807	98.64%
February 2005		699	705	99.15%
January 2005		758	761	99.61%
December 2004		677	680	99.56%
November 2004	736	743	99.06%	
October 2004	799	806	99.13%	

PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop Aggregate Benchmark	September 2005	794	800	99.25%
	August 2005	747	754	99.07%
	July 2005	1208	1213	99.59%
	June 2005	831	837	99.28%
	May 2005	662	665	99.55%
	April 2005	687	690	99.57%
	March 2005	731	742	98.52%
	February 2005	622	628	99.04%
	January 2005	699	701	99.71%
	December 2004	628	631	99.52%
	November 2004	691	698	99.00%
	October 2004	747	754	99.07%
	PO-5B-2(c) FOCs On Time For Electronic/Manual LSRs Received Via EDI LNP Benchmark	September 2005	271	272
August 2005		263	263	100.00%
July 2005		231	231	100.00%
June 2005		241	241	100.00%
May 2005		209	209	100.00%
April 2005		219	219	100.00%
March 2005		236	236	100.00%
February 2005		154	154	100.00%
January 2005		174	174	100.00%
December 2004		154	154	100.00%
November 2004		142	142	100.00%
October 2004		160	160	100.00%
PO-5C-(a) FOCs on Time for Manual Resale Aggregate Benchmark		September 2005	0	0
	August 2005	1	3	33.33%
	July 2005	3	4	75.00%
	June 2005	4	4	100.00%
	May 2005	12	13	92.31%
	April 2005	11	11	100.00%
	March 2005	16	17	94.12%
	February 2005	16	16	100.00%
	January 2005	20	20	100.00%
	December 2004	11	11	100.00%
	November 2004	15	15	100.00%
	October 2004	9	11	81.82%
	PO-5C-(b) FOCs on Time for Manual Unbundled Loop AGG-EELs Benchmark	September 2005	4	4
August 2005		2	2	100.00%
July 2005		2	2	100.00%
June 2005		3	3	100.00%
May 2005		1	1	100.00%
April 2005		8	8	100.00%
March 2005		2	2	100.00%
February 2005		4	4	100.00%
January 2005		2	2	100.00%
December 2004		4	4	100.00%
November 2004		4	5	80.00%
October 2004		3	3	100.00%
PO-5C-(b) FOCs on Time for Manual Unbundled Loop Aggregate Benchmark		September 2005	4	4
	August 2005	2	2	100.00%
	July 2005	2	2	100.00%
	June 2005	3	3	100.00%

	May 2005	1	1	100.00%
	April 2005	8	8	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	2	2	100.00%
	December 2004	4	4	100.00%
	November 2004	4	5	80.00%
	October 2004	3	3	100.00%
PO-5C-(c) FOCs on Time for Manual LNP Benchmark	September 2005	30	30	100.00%
	August 2005	8	8	100.00%
	July 2005	1	1	100.00%
	June 2005	6	6	100.00%
	May 2005	5	5	100.00%
	April 2005	3	3	100.00%
	March 2005	4	4	100.00%
	February 2005	6	6	100.00%
	January 2005	5	5	100.00%
	December 2004	6	9	66.67%
	November 2004	59	59	100.00%
	October 2004	96	96	100.00%
PO-5D Firm Order Confirmations (FOCs) On Time LIS Trunk Benchmark	September 2005	40	40	100.00%
	August 2005	43	43	100.00%
	July 2005	73	73	100.00%
	June 2005	71	71	100.00%
	May 2005	82	82	100.00%
	April 2005	70	70	100.00%
	March 2005	51	51	100.00%
	February 2005	124	124	100.00%
	January 2005	70	70	100.00%
	December 2004	90	90	100.00%
	November 2004	55	55	100.00%
	October 2004	58	58	100.00%
PO-6A Notices Made Available via IMA - GUI All Benchmark	September 2005	130.352083	4643	2.78%
	August 2005	152.323611	4405	3.47%
	July 2005	308.036111	3617	8.54%
	June 2005	119.15	4461	2.64%
	May 2005	100.011111	4242	2.36%
	April 2005	50.23125	3541	1.39%
	March 2005	113.625	3814	2.99%
	February 2005	47.375	2807	1.67%
	January 2005	39.1388889	4571	0.83%
	December 2004	306.898611	7295	4.24%
	November 2004	199.957639	8794	2.29%
	October 2004	170.560417	8609	2.01%
PO-6B Notices Transmitted via IMA - EDI All Benchmark	September 2005	63.2465278	2767	2.29%
	August 2005	75.4444444	4300	1.74%
	July 2005	0	7834	7.22%
	June 2005	52.20625	4139	1.25%
	May 2005	23.9798611	1927	1.25%
	April 2005	15.8069444	1971	0.83%
	March 2005	73.0291667	2138	3.40%
	February 2005	57.0166667	1848	3.06%

	January 2005	74.7972222	2673	2.78%
	December 2004	297.7875	4998	5.97%
	November 2004	150.780556	6491	2.29%
	October 2004	149.458333	6127	2.43%
PO-7A,C Notices Made Available via IMA - GUI / Billing System Posting Completions All Parity	September 2005	5729	5730	99.98%
	August 2005	5828	5832	99.93%
	July 2005	4834	4834	100.00%
	June 2005	5807	5824	99.71%
	May 2005	5303	5303	100.00%
	April 2005	4533	4533	100.00%
	March 2005	5350	5350	100.00%
	February 2005	3658	3658	100.00%
	January 2005	4216	4217	99.98%
	December 2004	9341	9346	99.95%
PO-7B,C Notices Transmitted via IMA - EDI / Billing System Posting Completions All Parity	November 2004	12044	12328	97.70%
	October 2004	9469	9470	99.99%
	September 2005	517	517	100.00%
	August 2005	272	272	100.00%
	July 2005	222	222	100.00%
	June 2005	380	380	100.00%
	May 2005	333	333	100.00%
	April 2005	386	386	100.00%
	March 2005	274	274	100.00%
	February 2005	237	237	100.00%
PO-8A Jeopardy Notice Interval Non-Designed Services Parity	January 2005	321	321	100.00%
	December 2004	154	154	100.00%
	November 2004	227	227	100.00%
	October 2004	265	265	100.00%
	September 2005	22	8	2.75
	August 2005	2	1	2
	July 2005	12	4	3
	June 2005	18	9	2
	May 2005	22	3	7.33
	April 2005	14	6	2.33
PO-8B Jeopardy Notice Interval Unbundled Loops and Number Portability Parity	March 2005	14	8	1.75
	February 2005	13	4	3.25
	January 2005	18	6	3
	December 2004	24	9	2.67
	November 2004	36	8	4.5
	October 2004	32	9	3.56
	September 2005	263	67	3.93
	August 2005	593	77	7.7
	July 2005	621	112	5.54
	June 2005	492	112	4.39
May 2005	328	83	3.95	
April 2005	310	70	4.43	
March 2005	306	87	3.52	
February 2005	270	67	4.03	
January 2005	337	71	4.75	
December 2004	341	83	4.11	
November 2004	382	95	4.02	
October 2004	578	126	4.59	

PO-8D Jeopardy Notice Interval UNE - P (POTS) Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	2	1	2
	December 2004	65	17	3.82
	November 2004	69	22	3.14
	October 2004	45	15	3
	PO-9A Timely Jeopardy Notices Non-Designed Services Parity	September 2005	2	15
August 2005		0	22	0.00%
July 2005		1	5	20.00%
June 2005		4	11	36.36%
May 2005		0	4	0.00%
April 2005		0	7	0.00%
March 2005		3	9	33.33%
February 2005		1	8	12.50%
January 2005		1	4	25.00%
December 2004		2	5	40.00%
November 2004		0	9	0.00%
October 2004		0	11	0.00%
PO-9B Timely Jeopardy Notices Unbundled Loops and Number Portability Parity		September 2005	22	55
	August 2005	29	49	59.18%
	July 2005	16	57	28.07%
	June 2005	10	40	25.00%
	May 2005	15	38	39.47%
	April 2005	5	47	10.64%
	March 2005	11	29	37.93%
	February 2005	7	36	19.44%
	January 2005	13	37	35.14%
	December 2004	12	55	21.82%
	November 2004	8	63	12.70%
	October 2004	15	65	23.08%
	PO-9C Timely Jeopardy Notices LIS Trunk Parity	September 2005	0	3
August 2005		0	2	0.00%
July 2005		0	1	0.00%
June 2005		0	2	0.00%
May 2005		0	3	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
PO-9D Timely Jeopardy Notices UNE - P (POTS) Parity		September 2005	0	0
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	0	15	0.00%
	November 2004	2	15	13.33%
	October 2004	0	7	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports DS3 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	1	2	50.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-11B LNP Trouble Reports Cleared within 48 Hours - All Volumes LNP Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	2	2	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	3	4	75.00%
	December 2004	0	0	0.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
MR-3C Out of Service Cleared within 24 Hours Centrex 21 Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
MR-4B All Troubles Cleared within 48 Hours Centrex 21 Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Centrex 21 Parity	September 2005	2	2	100.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	3	3	100.00%
MR-5A All Troubles Cleared within 4 Hours DS3 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS3 Capable Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours ISDN Primary Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	2	2	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

MR-6D Mean Time to Restore Dark Fiber - IOF Parity	September 2005	0	0	0:00
	August 2005	0.11666667	1	2:48
	July 2005	0	0	0:00
	June 2005	0.10347222	1	2:29
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	MR-6D Mean Time to Restore DS3 Parity	September 2005	0	0
August 2005		0	0	0:00
July 2005		0	0	0:00
June 2005		0.0125	1	0:18
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
MR-6D Mean Time to Restore Enhanced Extended Loops - DS3 Capable Parity		September 2005	0	0
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0.05625	1	1:21
	January 2005	0	0	0:00
	December 2004	0.07847222	1	1:53
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	MR-6E Mean Time to Restore UDIT Above DS1 Level Parity	September 2005	0	0
August 2005		0	0	0:00
July 2005		0	0	0:00
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0.17361111	1	4:10
March 2005		0	0	0:00
February 2005		0.05347222	1	1:17
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0.01666667	1	0:24
October 2004		0	0	0:00
MR-7B Repair Repeat Report Rate PBX Parity		September 2005	0	0
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	2	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Dark Fiber - Loop Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate E911 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Unbundled Loop - DS3 Capable Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Unbundled Loop - XDSLi Parity	September 2005	0	0	0.00%
	August 2005	2	8	25.00%
	July 2005	0	0	0.00%
	June 2005	2	26	7.69%
	May 2005	0	4	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	1	3	33.33%

	January 2005	3	7	42.86%
	December 2004	0	4	0.00%
	November 2004	0	1	0.00%
	October 2004	1	3	33.33%
MR-7E Repair Repeat Report Rate E911 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-8 Trouble Rate Dark Fiber - IOF Diagnostic	September 2005	0	36	0.00%
	August 2005	1	36	2.78%
	July 2005	0	36	0.00%
	June 2005	1	36	2.78%
	May 2005	0	36	0.00%
	April 2005	0	32	0.00%
	March 2005	0	32	0.00%
	February 2005	0	32	0.00%
	January 2005	0	32	0.00%
	December 2004	0	29	0.00%
	November 2004	0	29	0.00%
	October 2004	0	29	0.00%
MR-8 Trouble Rate Dark Fiber - Loop Diagnostic	September 2005	0	33	0.00%
	August 2005	0	33	0.00%
	July 2005	0	33	0.00%
	June 2005	0	31	0.00%
	May 2005	1	32	3.13%
	April 2005	0	32	0.00%
	March 2005	0	32	0.00%
	February 2005	0	32	0.00%
	January 2005	1	32	3.13%
	December 2004	0	32	0.00%
	November 2004	0	33	0.00%
	October 2004	0	28	0.00%
MR-8 Trouble Rate Enhanced Extended Loops - DS3 Capable Diagnostic	September 2005	0	55	0.00%
	August 2005	0	55	0.00%
	July 2005	0	52	0.00%
	June 2005	0	52	0.00%
	May 2005	0	52	0.00%
	April 2005	0	52	0.00%
	March 2005	0	50	0.00%
	February 2005	1	50	2.00%
	January 2005	0	48	0.00%
	December 2004	1	48	2.08%
	November 2004	0	46	0.00%
	October 2004	0	44	0.00%

MR-8 Trouble Rate Sub-Loop Unbundling Diagnostic	September 2005	0	15	0.00%
	August 2005	0	15	0.00%
	July 2005	0	16	0.00%
	June 2005	0	17	0.00%
	May 2005	0	17	0.00%
	April 2005	0	17	0.00%
	March 2005	0	21	0.00%
	February 2005	0	21	0.00%
	January 2005	0	21	0.00%
	December 2004	0	21	0.00%
	November 2004	0	22	0.00%
	October 2004	0	22	0.00%
	OP-3C Installation Commitments Met UNE P (Centrex 21) Parity	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
October 2004		8	8	100.00%
OP-3D Installation Commitments Met Dark Fiber - IOF Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	OP-3D Installation Commitments Met Dark Fiber - Loop Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		1	1	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
OP-4D Installation Interval Dark Fiber - IOF Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	71	4	17.75
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	31	2	15.5
	December 2004	18	1	18
	November 2004	0	0	0
	October 2004	0	0	0
OP-4D Installation Interval Dark Fiber - Loop Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	40	2	20
	June 2005	0	0	0
	May 2005	19	1	19
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - IOF Diagnostic	November 2004	20	1	20
	October 2004	0	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair E911 Parity	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
	October 2004	1	1	100.00%
	September 2005	0	0	0.00%
	August 2005	26	26	100.00%
	July 2005	20	20	100.00%
	June 2005	32	32	100.00%
	May 2005	10	10	100.00%
	April 2005	0	0	0.00%
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS1 Capable Benchmark	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
	October 2004	5	5	100.00%
	September 2005	0	0	0.00%
	August 2005	509	509	100.00%
	July 2005	138	138	100.00%
	June 2005	110	110	100.00%
May 2005	118	118	100.00%	
April 2005	93	93	100.00%	
March 2005	115	116	99.14%	
February 2005	110	110	100.00%	

	January 2005	102	103	99.03%
	December 2004	114	114	100.00%
	November 2004	87	87	100.00%
	October 2004	126	126	100.00%
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS3 Capable Benchmark	September 2005	0	0	0.00%
	August 2005	3	4	75.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
	October 2004	1	1	100.00%
	OP-5B New Service Provisioning Quality Line Sharing Benchmark	September 2005	0	0
August 2005		2	2	100.00%
July 2005		1	1	100.00%
June 2005		4	4	100.00%
May 2005		1	1	100.00%
April 2005		3	3	100.00%
March 2005		7	7	100.00%
February 2005		13	13	100.00%
January 2005		13	13	100.00%
December 2004		13	13	100.00%
November 2004		13	13	100.00%
October 2004		104	104	100.00%
OP-5B New Service Provisioning Quality PBX Benchmark		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
	OP-5B New Service Provisioning Quality Unbundled Loop - 2 Wire Non-Loaded Benchmark	September 2005	0	0
August 2005		337	337	100.00%
July 2005		365	365	100.00%
June 2005		364	364	100.00%
May 2005		368	368	100.00%
April 2005		348	348	100.00%
March 2005		374	374	100.00%
February 2005		318	318	100.00%
January 2005		315	315	100.00%
December 2004		346	347	99.71%
November 2004	441	441	100.00%	
October 2004	444	444	100.00%	

OP-5B New Service Provisioning Quality Unbundled Loop - ADSL Qualified Benchmark	September 2005	0	0	0.00%
	August 2005	25	26	96.15%
	July 2005	25	25	100.00%
	June 2005	30	30	100.00%
	May 2005	20	20	100.00%
	April 2005	23	23	100.00%
	March 2005	19	19	100.00%
	February 2005	16	16	100.00%
	January 2005	47	47	100.00%
	December 2004	31	31	100.00%
	November 2004	41	41	100.00%
	October 2004	51	51	100.00%
	OP-5B New Service Provisioning Quality Unbundled Loop - DS1 Capable Benchmark	September 2005	0	0
August 2005		127	127	100.00%
July 2005		114	114	100.00%
June 2005		134	134	100.00%
May 2005		132	132	100.00%
April 2005		137	137	100.00%
March 2005		152	152	100.00%
February 2005		125	125	100.00%
January 2005		97	97	100.00%
December 2004		120	120	100.00%
November 2004		154	154	100.00%
October 2004		144	145	99.31%
OP-5B New Service Provisioning Quality Unbundled Loop - XDSLi Benchmark		September 2005	0	0
	August 2005	12	12	100.00%
	July 2005	5	5	100.00%
	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
	October 2004	10	10	100.00%
	OP-5B New Service Provisioning Quality Unbundled Loop Analog Benchmark	September 2005	0	0
August 2005		3760	3766	99.84%
July 2005		7446	7449	99.96%
June 2005		3836	3836	100.00%
May 2005		1421	1431	99.30%
April 2005		1232	1232	100.00%
March 2005		1412	1412	100.00%
February 2005		1365	1368	99.78%
January 2005		1178	1184	99.49%
December 2004		1312	1312	100.00%
November 2004		1328	1330	99.85%
October 2004		1396	1398	99.86%
OP-5B New Service Provisioning Quality Unbundled Loop ISDN Capable Benchmark		September 2005	0	0
	August 2005	35	35	100.00%
	July 2005	55	55	100.00%
	June 2005	48	48	100.00%

	May 2005	50	50	100.00%
	April 2005	31	31	100.00%
	March 2005	49	49	100.00%
	February 2005	34	34	100.00%
	January 2005	50	50	100.00%
	December 2004	40	40	100.00%
	November 2004	59	59	100.00%
	October 2004	54	54	100.00%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0.00%
Rate Business Diagnostic	August 2005	0	1	0.00%
	July 2005	0	4	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	6	33.33%
	January 2005	0	0	0.00%
	December 2004	2	6	33.33%
	November 2004	0	2	0.00%
	October 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0.00%
Rate Dark Fiber - Loop Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total DS1 Diagnostic	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total PBX Diagnostic	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	October 2004	0	0	0.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Unbundled Loop - DS3 Capable	August 2005	0	0	0.00%
Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	2	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
	October 2004	1	1	100.00%
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity	September 2005	0	0	0
	August 2005	8	1	8
	July 2005	3	1	3
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	6	1	6
	January 2005	1	1	1
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-3 Delayed Days for Facility Reasons Residence Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	2	1	2
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity	September 2005	24	1	24
	August 2005	38	4	9.5
	July 2005	19	3	6.33
	June 2005	3	2	1.5
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	1	1	1
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	16	3	5.33

PO-15 Number of Due Date Changes per Order All Diagnostic	September 2005	595	5424	0.11
	August 2005	713	7270	0.1
	July 2005	614	10229	0.06
	June 2005	717	7040	0.1
	May 2005	622	4633	0.13
	April 2005	539	3693	0.15
	March 2005	718	4509	0.16
	February 2005	600	3629	0.17
	January 2005	537	3655	0.15
	December 2004	619	7842	0.08
	November 2004	751	10118	0.07
	October 2004	751	11382	0.07
PO-19 Stand-Alone Test Environment (SATE) Accuracy Diagnostic	September 2005	895	902	99.22%
	August 2005	611	613	99.67%
	July 2005	611	613	99.67%
	June 2005	611	613	99.67%
	May 2005	604	613	98.53%
	April 2005	611	613	99.67%
	March 2005	872	883	98.75%
	February 2005	600	602	99.67%
	January 2005	601	602	99.83%
	December 2004	600	600	100.00%
	November 2004	861	863	99.77%
	October 2004	861	861	100.00%
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 16.0 Diagnostic	September 2005	281	282	99.65%
	August 2005	278	279	99.64%
	July 2005	278	279	99.64%
	June 2005	278	279	99.64%
	May 2005	278	279	99.64%
	April 2005	278	279	99.64%
	March 2005	278	279	99.64%
	February 2005	277	278	99.64%
	January 2005	278	278	100.00%
	December 2004	276	276	100.00%
	November 2004	275	276	99.64%
	October 2004	276	276	100.00%
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 17.0 Diagnostic	September 2005	281	282	99.65%
	August 2005	278	279	99.64%
	July 2005	278	279	99.64%
	June 2005	278	279	99.64%
	May 2005	271	279	97.13%
	April 2005	278	279	99.64%
	March 2005	278	279	99.64%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI Diagnostic	September 2005	55	55	100.00%
	August 2005	55	55	100.00%
	July 2005	55	55	100.00%
	June 2005	55	55	100.00%

	May 2005	55	55	100.00%
	April 2005	55	55	100.00%
	March 2005	55	55	100.00%
	February 2005	55	55	100.00%
	January 2005	54	55	98.18%
	December 2004	55	55	100.00%
	November 2004	55	55	100.00%
	October 2004	53	53	100.00%
PO-19A Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 Benchmark	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	261	270	96.67%
	February 2005	268	269	99.63%
	January 2005	269	269	100.00%
	December 2004	269	269	100.00%
November 2004	269	269	100.00%	
October 2004	269	269	100.00%	
PO-19B Stand-Alone Test Environment (SATE) Accuracy Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	182	186	97.85%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
November 2004	0	0	0.00%	
October 2004	194	200	97.00%	
MR-10 Customer and Non-Qwest Related Trouble Reports Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
November 2004	0	0	0.00%	
October 2004	0	0	0.00%	
MR-10 Customer and Non-Qwest Related Trouble Reports Frame Relay Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3A Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Centrex Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Centrex 21 Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

MR-3B Out of Service Cleared within 24 Hours Line Sharing Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-3B Out of Service Cleared within 24 Hours Line Splitting Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-3C Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Qwest DSL Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-4A All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours PBX Parity		September 2005	0	1
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	2	2	100.00%
	MR-4B All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
February 2005		0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Centrex Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Line Sharing Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Line Splitting Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

MR-4C All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity	September 2005	0	0
August 2005		0	0	0.00%
July 2005		1	1	100.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours Frame Relay Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-5A All Troubles Cleared within 4 Hours ISDN Primary Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours DS3 Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	September 2005	0	0	0.00%
Frame Relay Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	September 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded	August 2005	0	0	0.00%
Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	September 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-6A Mean Time to Restore Basic Rate	September 2005	0	0	0:00
ISDN Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00

	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6B Mean Time to Restore Basic Rate	September 2005	0	0	0:00
ISDN Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6B Mean Time to Restore Centrex	September 2005	0	0	0:00
Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6B Mean Time to Restore Line Sharing	September 2005	0	0	0:00
Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6B Mean Time to Restore Line Splitting	September 2005	0	0	0:00
Diagnostic	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00

MR-6B Mean Time to Restore UNE P (Centrex 21) Diagnostic	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	MR-6C Mean Time to Restore Basic Rate ISDN Diagnostic	September 2005	0	0
August 2005		0	0	0:00
July 2005		0	0	0:00
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
MR-6D Mean Time to Restore Frame Relay Diagnostic		September 2005	0	0
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
	MR-6D Mean Time to Restore ISDN Primary Diagnostic	September 2005	0	0
August 2005		0	0	0:00
July 2005		0	0	0:00
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
October 2004		0	0	0:00
MR-6E Mean Time to Restore DS3 Diagnostic		September 2005	0	0
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00

	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6E Mean Time to Restore Frame Relay Diagnostic	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Diagnostic	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - DS3 Capable Diagnostic	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - XDSLi Parity	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0.16319444	1	3:55
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00

	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	October 2004	0	0	0:00
MR-7A Repair Repeat Report Rate Basic	September 2005	0	0	0.00%
Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Basic	September 2005	0	0	0.00%
Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Centrex	September 2005	0	0	0.00%
Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Line	September 2005	0	0	0.00%
Sharing Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

MR-7B Repair Repeat Report Rate Line Splitting Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-7B Repair Repeat Report Rate UNE P (Centrex 21) Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
MR-7C Repair Repeat Report Rate Basic Rate ISDN Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	MR-7D Repair Repeat Report Rate Dark Fiber - IOF Parity	September 2005	0	0
August 2005		0	1	0.00%
July 2005		0	0	0.00%
June 2005		0	1	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
MR-7D Repair Repeat Report Rate DS3 Parity		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Frame Relay Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate DS3 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate Frame Relay Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate	September 2005	0	0	0.00%
Unbundled Loop - XDSLi Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-9B Repair Appointments Met Centrex Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-9C Repair Appointments Met PBX Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

NP-1A NXX Code Activation All Parity	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	OP-15A Interval for Pending Orders Delayed Past Due Date Basic Rate ISDN Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-15A Interval for Pending Orders Delayed Past Due Date Centrex 21 Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-15A Interval for Pending Orders Delayed Past Due Date DS0 Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	12	1	12
OP-15A Interval for Pending Orders	September 2005	0	0	0
Delayed Past Due Date DS1 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15A Interval for Pending Orders	September 2005	0	0	0
Delayed Past Due Date DS3 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15A Interval for Pending Orders	September 2005	0	0	0
Delayed Past Due Date Frame Relay	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15A Interval for Pending Orders	September 2005	0	0	0
Delayed Past Due Date Line Splitting	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15A Interval for Pending Orders	September 2005	0	0	0
Delayed Past Due Date LIS Trunk Parity	August 2005	0	0	0
	July 2005	12	1	12
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	2	2	1
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	65	8	8.13
OP-15A Interval for Pending Orders	September 2005	0	0	0
Delayed Past Due Date PBX Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15A Interval for Pending Orders	September 2005	0	0	0
Delayed Past Due Date UDIT DS1	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15A Interval for Pending Orders	September 2005	0	0	0
Delayed Past Due Date Unbundled Loop - 4	August 2005	0	0	0
Wire Non-Loaded Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0

OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS3 Capable Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex 21) Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex) Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Basic Rate ISDN Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex 21 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS0 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	1	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS1 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS3 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Frame Relay Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Splitting Diagnostic	November 2004	0	0	0
	October 2004	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons PBX Diagnostic	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT DS1 Diagnostic	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS3 Capable Diagnostic	November 2004	0	0	0
	October 2004	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex 21) Diagnostic	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex) Diagnostic	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
OP-3A Installation Commitments Met Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3A Installation Commitments Met	September 2005	0	0	0.00%
Centrex Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3A Installation Commitments Met	September 2005	0	0	0.00%
Centrex 21 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3A Installation Commitments Met DS0	September 2005	0	0	0.00%
Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3A Installation Commitments Met PBX	September 2005	0	0	0.00%
Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3B Installation Commitments Met	September 2005	0	0	0.00%
Centrex Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3B Installation Commitments Met	September 2005	0	0	0.00%
Centrex 21 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3B Installation Commitments Met Line	September 2005	0	0	0.00%
Sharing Benchmark	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3B Installation Commitments Met Line	September 2005	0	0	0.00%
Splitting Benchmark	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

OP-3B Installation Commitments Met PBX Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	OP-3B Installation Commitments Met UNE P (Centrex 21) Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
OP-3C Installation Commitments Met Basic Rate ISDN Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	OP-3C Installation Commitments Met Centrex Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
OP-3C Installation Commitments Met Centrex 21 Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-3C Installation Commitments Met ISDN	September 2005	0	0	0.00%
Primary Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-3C Installation Commitments Met PBX	September 2005	0	0	0.00%
Parity	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-3D Installation Commitments Met Basic	September 2005	0	0	0.00%
Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-3D Installation Commitments Met DS0	September 2005	0	0	0.00%
Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3D Installation Commitments Met DS3 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3D Installation Commitments Met Frame Relay Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3D Installation Commitments Met ISDN Primary Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-3D Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

OP-3E Installation Commitments Met Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	OP-3E Installation Commitments Met DS3 Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
OP-3E Installation Commitments Met Frame Relay Diagnostic		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
	OP-3E Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic	September 2005	0	0
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
October 2004		0	0	0.00%
OP-3E Installation Commitments Met Unbundled Loop - XDSLi Benchmark		September 2005	0	0
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-4A Installation Interval Centrex Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-4A Installation Interval Centrex 21 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-4A Installation Interval DS0 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-4A Installation Interval PBX Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4A Installation Interval UNE P (Centrex 21) Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	3	1	3
OP-4B Installation Interval Centrex Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4B Installation Interval Centrex 21 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4B Installation Interval Line Sharing Benchmark	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0

OP-4B Installation Interval Line Splitting Benchmark	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4B Installation Interval PBX Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4B Installation Interval UNE P (Centrex 21) Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4B Installation Interval UNE P (Centrex) Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4C Installation Interval Centrex Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-4C Installation Interval Centrex 21	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-4C Installation Interval PBX Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	5	1	5
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-4D Installation Interval Basic Rate ISDN	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-4D Installation Interval DS0 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4D Installation Interval DS3 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4D Installation Interval Frame Relay Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4D Installation Interval ISDN Primary Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-4D Installation Interval Unbundled Loop 4 Wire Non-Loaded Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0

OP-4E Installation Interval Basic Rate ISDN Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-4E Installation Interval DS3 Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-4E Installation Interval Frame Relay Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-4E Installation Interval Unbundled Loop 4 Wire Non-Loaded Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-4E Installation Interval Unbundled Loop XDSLi Benchmark		September 2005	0	0
	August 2005	0	0	0
	July 2005	5	1	5
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-5A New Service Installation Quality	September 2005	0	0	0.00%
Reported to Repair Basic Rate ISDN	August 2005	0	0	0.00%
Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-5A New Service Installation Quality	September 2005	0	0	0.00%
Reported to Repair Centrex Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-5A New Service Installation Quality	September 2005	0	0	0.00%
Reported to Repair Centrex 21 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-5A New Service Installation Quality	September 2005	0	0	0.00%
Reported to Repair DS3 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5A New Service Installation Quality	September 2005	0	0	0.00%
Reported to Repair Frame Relay Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5A New Service Installation Quality	September 2005	0	0	0.00%
Reported to Repair Unbundled Loop - 4 Wire	August 2005	0	0	0.00%
Non-Loaded Diagnostic	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	September 2005	0	0	0.00%
Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	September 2005	0	0	0.00%
Centrex Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

OP-5B New Service Provisioning Quality Centrex 21 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5B New Service Provisioning Quality DS3 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5B New Service Provisioning Quality Frame Relay Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate Centrex Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-5R New Service Quality Multiple Report	September 2005	0	0	0.00%
Rate Centrex 21 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-5R New Service Quality Multiple Report	September 2005	0	0	0.00%
Rate DS0 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-5R New Service Quality Multiple Report	September 2005	0	0	0.00%
Rate DS1 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-5R New Service Quality Multiple Report	September 2005	0	0	0.00%
Rate DS3 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0.00%
Rate Frame Relay Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	September 2005	0	0	0.00%
Rate PBX Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Basic Rate ISDN Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Centrex Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%

OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Centrex 21 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total DS3 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-5T New Service Installation Quality	September 2005	0	0	0.00%
Total Frame Relay Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-6A-1 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Basic Rate ISDN Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-1 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Business Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-1 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Centrex Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-1 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Centrex 21 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-1 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons DS0 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-1 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Line Sharing Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	1	1	1
OP-6A-1	Delayed Days for Non-Facility			
Reasons UNE P (Centrex 21)	Diagnostic			
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-2	Delayed Days for Non-Facility			
Reasons Business	Diagnostic			
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-2	Delayed Days for Non-Facility			
Reasons Centrex 21	Diagnostic			
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-2	Delayed Days for Non-Facility			
Reasons Line Sharing	Diagnostic			
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0

OP-6A-2 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-6A-2 Delayed Days for Non-Facility Reasons Qwest DSL Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		1	1	1
OP-6A-2 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-6A-3 Delayed Days for Non-Facility Reasons Business Diagnostic	September 2005	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-6A-3 Delayed Days for Non-Facility Reasons Centrex Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-3 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Centrex 21 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-3 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons ISDN Primary Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-3 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Line Sharing Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	14	2	7
<hr/>				
OP-6A-3 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Line Splitting Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-3 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons UNE P (Centrex 21) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-3 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons UNE P (Centrex) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Basic Rate ISDN Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons DS0 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0

OP-6A-4 Delayed Days for Non-Facility Reasons DS1 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons DS3 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons PBX Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons UDIT Above DS1 Level Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons UDIT DS1 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Unbundled Loop - 4 Wire Non-	August 2005	0	0	0
Loaded Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Unbundled Loop - DS3 Capable	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Basic Rate ISDN Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons DS0 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons DS1 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons DS3 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0

OP-6A-5 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Parity	September 2005	0	0
August 2005		2	1	2
July 2005		1	1	1
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	9	1	9
	OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	0	0
August 2005		0	0	0
July 2005		5	1	5
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
October 2004		0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic		September 2005	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6A-5 Delayed Days for Non-Facility	September 2005	0	0	0
Reasons Unbundled Loop - DS3 Capable	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-1 Delayed Days for Facility Reasons	September 2005	0	0	0
Centrex Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-1 Delayed Days for Facility Reasons	September 2005	0	0	0
Centrex 21 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-1 Delayed Days for Facility Reasons	September 2005	0	0	0
Line Sharing Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	September 2005	0	0	0
Line Splitting Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	September 2005	0	0	0
UNE P (Centrex 21) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-1 Delayed Days for Facility Reasons	September 2005	0	0	0
UNE P (Centrex) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-2 Delayed Days for Facility Reasons	September 2005	0	0	0
Business Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0

OP-6B-2 Delayed Days for Facility Reasons	September 2005	0	0	0
Line Sharing Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-2 Delayed Days for Facility Reasons	September 2005	0	0	0
Line Splitting Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-2 Delayed Days for Facility Reasons	September 2005	0	0	0
Qwest DSL Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-3 Delayed Days for Facility Reasons	September 2005	0	0	0
Line Sharing Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-3 Delayed Days for Facility Reasons	September 2005	0	0	0
Line Splitting Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-3 Delayed Days for Facility Reasons	September 2005	0	0	0
Qwest DSL Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-3 Delayed Days for Facility Reasons	September 2005	0	0	0
UNE - P (POTS) Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
Basic Rate ISDN Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
DS0 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
DS1 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
DS3 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
ISDN Primary Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
PBX Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0

OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
UDIT Above DS1 Level Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
UDIT DS1 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
Unbundled Loop - 4 Wire Non-Loaded	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	September 2005	0	0	0
Unbundled Loop - DS3 Capable Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
Basic Rate ISDN Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0

	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
DS0 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
DS3 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
Frame Relay Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
PBX Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
UDIT Above DS1 Level Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
UDIT DS1 Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
Unbundled Loop - 4 Wire Non-Loaded	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
Unbundled Loop - ADSL Qualified	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0

OP-6B-5 Delayed Days for Facility Reasons	September 2005	0	0	0
Unbundled Loop - DS3 Capable Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
PO-19 Stand-Alone Test Environment	September 2005	0	0	0.00%
(SATE) Accuracy Rel. 14.0 Benchmark	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	262	263	99.62%
	October 2004	263	263	100.00%
MR-11A LNP Trouble Reports Cleared within 4 Hours LNP Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Centrex Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
MR-7A Repair Repeat Report Rate PBX Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	2	0.00%
OP-3E Installation Commitments Met	September 2005	0	0	0.00%
Enhanced Extended Loops - DS0 Capable Benchmark	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-4E Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic	September 2005	0	0	0
	August 2005	4	1	4
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
MR-9A Repair Appointments Met PBX Parity	September 2005	0	1	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
OP-15B Count of Pending Orders Delayed for Facilities Reasons Business Diagnostic	September 2005	0	1	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	2	2	1

	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-3D Installation Commitments Met	September 2005	338	346	97.69%
Unbundled Loop - 2 Wire Non-Loaded	August 2005	298	305	97.70%
Benchmark	July 2005	332	336	98.81%
	June 2005	329	335	98.21%
	May 2005	329	335	98.21%
	April 2005	330	332	99.40%
	March 2005	340	344	98.84%
	February 2005	294	296	99.32%
	January 2005	290	297	97.64%
	December 2004	314	318	98.74%
	November 2004	410	417	98.32%
	October 2004	402	410	98.05%
<hr/>				
OP-3D Installation Commitments Met	September 2005	1646	1676	98.21%
Unbundled Loop Analog Benchmark	August 2005	3117	3150	98.95%
	July 2005	6749	6798	99.28%
	June 2005	3131	3150	99.40%
	May 2005	1371	1389	98.70%
	April 2005	1139	1171	97.27%
	March 2005	1355	1364	99.34%
	February 2005	1230	1266	97.16%
	January 2005	1060	1085	97.70%
	December 2004	1183	1228	96.34%
	November 2004	1141	1199	95.16%
	October 2004	1268	1307	97.02%
<hr/>				
OP-3E Installation Commitments Met	September 2005	14	14	100.00%
Unbundled Loop - 2 Wire Non-Loaded	August 2005	24	24	100.00%
Benchmark	July 2005	20	21	95.24%
	June 2005	21	21	100.00%
	May 2005	26	26	100.00%
	April 2005	12	12	100.00%
	March 2005	26	26	100.00%
	February 2005	17	17	100.00%
	January 2005	13	13	100.00%
	December 2004	16	16	100.00%
	November 2004	21	21	100.00%
	October 2004	26	26	100.00%
<hr/>				
OP-3E Installation Commitments Met	September 2005	210	210	100.00%
Unbundled Loop Analog Benchmark	August 2005	616	616	100.00%
	July 2005	641	646	99.23%
	June 2005	674	681	98.97%
	May 2005	38	42	90.48%
	April 2005	56	61	91.80%
	March 2005	45	47	95.74%
	February 2005	99	100	99.00%
	January 2005	97	98	98.98%
	December 2004	84	84	100.00%
	November 2004	127	127	100.00%
	October 2004	88	91	96.70%

OP-4D Installation Interval Unbundled Loop 2 Wire Non-Loaded Benchmark	September 2005	1346	320	4.21
	August 2005	1246	285	4.37
	July 2005	1260	313	4.03
	June 2005	1326	320	4.14
	May 2005	1247	315	3.96
	April 2005	1150	309	3.72
	March 2005	1212	317	3.82
	February 2005	1083	279	3.88
	January 2005	1033	263	3.93
	December 2004	1082	279	3.88
	November 2004	1440	371	3.88
	October 2004	1550	387	4.01
	OP-4D Installation Interval Unbundled Loop Analog Benchmark	September 2005	4078	797
August 2005		3956	787	5.03
July 2005		4153	832	4.99
June 2005		4640	927	5.01
May 2005		4090	819	4.99
April 2005		3716	732	5.08
March 2005		4474	892	5.02
February 2005		4614	916	5.04
January 2005		2989	591	5.06
December 2004		3438	669	5.14
November 2004		3460	671	5.16
October 2004		3527	701	5.03
OP-4E Installation Interval Unbundled Loop 2 Wire Non-Loaded Benchmark		September 2005	53	12
	August 2005	92	20	4.6
	July 2005	112	20	5.6
	June 2005	84	21	4
	May 2005	99	23	4.3
	April 2005	40	10	4
	March 2005	104	25	4.16
	February 2005	71	17	4.18
	January 2005	53	13	4.08
	December 2004	59	14	4.21
	November 2004	79	20	3.95
	October 2004	106	26	4.08
	OP-4E Installation Interval Unbundled Loop Analog Benchmark	September 2005	392	83
August 2005		348	73	4.77
July 2005		253	48	5.27
June 2005		522	98	5.33
May 2005		124	27	4.59
April 2005		210	42	5
March 2005		257	47	5.47
February 2005		387	78	4.96
January 2005		309	64	4.83
December 2004		204	42	4.86
November 2004		468	92	5.09
October 2004		418	85	4.92
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS3 Capable Diagnostic		September 2005	0	0
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%

	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
OP-6A-5 Delayed Days for Non-Facility	September 2005	5	1	5
Reasons Unbundled Loop - ADSL Qualified	August 2005	0	0	0
Parity	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	5	1	5
	October 2004	1	1	1
<hr/>				
OP-6B-1 Delayed Days for Facility Reasons	September 2005	2	1	2
Qwest DSL Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	September 2005	25	1	25
Enhanced Extended Loops - DS1 Capable	August 2005	0	0	0
Diagnostic	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	October 2004	0	0	0
<hr/>				
PO-19 Stand-Alone Test Environment	September 2005	278	283	98.23%
(SATE) Accuracy Rel. 18.0 Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%

	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
PO-1A-1 Total Pre-Order Response Times	September 2005	5248.88	2678	23:02
(Appt. Scheduler) IMA Aggregate Diagnostic	August 2005	5318.1	2799	21:36
	July 2005	4964.46	2559	22:33
	June 2005	6000.93	2691	5:31
	May 2005	4756.35	2571	20:24
	April 2005	4270.08	2224	22:04
	March 2005	4774.14	2526	21:21
	February 2005	4450.58	2306	22:19
	January 2005	5057.58	2607	22:33
	December 2004	4419.36	2376	20:38
	November 2004	4920.16	2674	20:09
	October 2004	4555.02	2559	18:43
<hr/>				
PO-1A-2 Total Pre-Order Response Times	September 2005	17336.23	5156	8:38
(Service Availability) IMA Aggregate Diagnostic	August 2005	18766.02	5351	12:14
	July 2005	16755.08	4915	9:50
	June 2005	16343.06	4968	6:57
	May 2005	19226.59	4868	22:48
	April 2005	15861.14	4168	19:26
	March 2005	19290.26	4933	21:50
	February 2005	17234.2	4367	22:48
	January 2005	19309.17	4869	23:16
	December 2004	17145.87	4368	22:19
	November 2004	18857.95	5090	16:48
	October 2004	18751.77	4875	20:24
<hr/>				
PO-1A-2(a) Pre-Order Response Times	September 2005	526.08	5156	2:24
(Service Availability) IMA Request Diagnostic	August 2005	545.28	5351	2:24
	July 2005	496.86	4915	2:24
	June 2005	506.94	4968	2:24
	May 2005	496.78	4868	2:24
	April 2005	425.44	4168	2:24
	March 2005	503.04	4933	2:24
	February 2005	448.3	4367	2:24
	January 2005	495.34	4869	2:24
	December 2004	444.8	4368	2:24
	November 2004	527.74	5090	2:24
	October 2004	888.99	4875	4:19
<hr/>				
PO-1A-2(b) Pre-Order Response Times	September 2005	16810.15	5156	6:14
(Service Availability) IMA Response Diagnostic	August 2005	18220.74	5351	9:50
	July 2005	16258.22	4915	7:26
	June 2005	15836.12	4968	4:33
	May 2005	18729.81	4868	20:24
	April 2005	15435.7	4168	16:48
	March 2005	18787.22	4933	19:26
	February 2005	16785.9	4367	20:09
	January 2005	18813.83	4869	20:38
	December 2004	16701.07	4368	19:40
	November 2004	18330.21	5090	14:24
	October 2004	17862.78	4875	15:50

PO-1A-3 Total (Facility Check) IMA Aggregate Diagnostic	Pre-Order Response Times	September 2005	5783.29	1069	9:50
		August 2005	6727.6	1210	13:26
		July 2005	5596.64	1064	6:14
		June 2005	6153	1172	6:00
		May 2005	5569.49	1069	5:02
		April 2005	4708.62	909	4:19
		March 2005	5708.46	1069	8:09
		February 2005	4964.19	921	9:21
		January 2005	6085.05	1077	15:36
		December 2004	5646.89	1003	15:07
	November 2004	6458.01	1131	17:02	
	October 2004	7310.94	1014	5:02	
PO-1A-3(a) (Facility Check) IMA Request Diagnostic	Pre-Order Response Times	September 2005	106.9	1069	2:24
		August 2005	121	1210	2:24
		July 2005	106.4	1064	2:24
		June 2005	117.2	1172	2:24
		May 2005	106.9	1069	2:24
		April 2005	90.9	909	2:24
		March 2005	106.9	1069	2:24
		February 2005	92.1	921	2:24
		January 2005	107.7	1077	2:24
		December 2004	100.3	1003	2:24
	November 2004	113.1	1131	2:24	
	October 2004	324.48	1014	7:40	
PO-1A-3(b) (Facility Check) IMA Response Diagnostic	Pre-Order Response Times	September 2005	5676.39	1069	7:26
		August 2005	6606.6	1210	11:02
		July 2005	5490.24	1064	3:50
		June 2005	6035.8	1172	3:36
		May 2005	5462.59	1069	2:38
		April 2005	4617.72	909	1:55
		March 2005	5601.56	1069	5:45
		February 2005	4872.09	921	6:57
		January 2005	5977.35	1077	13:12
		December 2004	5546.59	1003	12:43
	November 2004	6344.91	1131	14:38	
	October 2004	6986.46	1014	21:21	
PO-1A-4 Total (Address Validation) IMA Aggregate Diagnostic	Pre-Order Response Times	September 2005	28869.47	8249	12:00
		August 2005	30475.99	8533	13:40
		July 2005	27178.04	7867	10:48
		June 2005	27367.4	7729	12:57
		May 2005	27674.97	7631	15:07
		April 2005	24759.34	6835	14:52
		March 2005	30682.41	8478	14:52
		February 2005	26830.99	7496	13:55
		January 2005	30628.34	8620	13:12
		December 2004	27704.91	7731	13:55
	November 2004	32268.89	8960	14:24	
	October 2004	39404.03	8298	18:00	
PO-1A-4(a) (Address Validation) IMA Request Diagnostic	Pre-Order Response Times	September 2005	2431.7	8249	6:57
		August 2005	2528.84	8533	7:12
		July 2005	2280.21	7867	6:57
		June 2005	2361.94	7729	7:26

	May 2005	2319.45	7631	7:12
	April 2005	2086.31	6835	7:26
	March 2005	2544.4	8478	7:12
	February 2005	2269.19	7496	7:12
	January 2005	2616.85	8620	7:12
	December 2004	2347.38	7731	7:12
	November 2004	2611.23	8960	6:57
	October 2004	3765.88	8298	10:48
<hr/>				
PO-1A-4(b) Pre-Order Response Times	September 2005	26437.77	8249	4:48
(Address Validation) IMA Response	August 2005	27947.15	8533	6:43
Diagnostic	July 2005	24897.83	7867	3:50
	June 2005	25005.46	7729	5:45
	May 2005	25355.52	7631	7:40
	April 2005	22673.03	6835	7:40
	March 2005	28138.01	8478	7:40
	February 2005	24561.8	7496	6:43
	January 2005	28011.49	8620	6:00
	December 2004	25357.53	7731	6:43
	November 2004	29657.66	8960	7:26
	October 2004	35638.15	8298	6:57
<hr/>				
PO-20P4 Manual Service Order Accuracy	September 2005	0	0	0.00%
(Phase 4) Resale & UNE-P (POTS)	August 2005	2201	2207	99.73%
Benchmark	July 2005	1868	1872	99.79%
	June 2005	2080	2086	99.71%
	May 2005	1999	2056	97.23%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
PO-20P4 Manual Service Order Accuracy	September 2005	0	0	0.00%
(Phase 4) Unbundled Loops Benchmark	August 2005	1018	1022	99.61%
	July 2005	956	956	100.00%
	June 2005	1070	1080	99.07%
	May 2005	814	969	84.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2004	0	0	0.00%
<hr/>				
	September 2005			
	August 2005			
	July 2005			
	June 2005			
	May 2005			
	April 2005			
	March 2005			
	February 2005			

January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005

May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005

January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005

May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005

January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005

May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005

January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005

May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005

January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004

Q Result	Modified Z	Parity
22:19	-819.09	-498.97
17:16	-839.38	-511.30
19:40	-746.70	-454.96
19:26	-799.41	-487.01
18:43	-800.59	-487.73
7:12	-868.37	-528.93
11:16	-978.07	-595.62
5:02	-777.88	-473.92
11:45	6610.12	4017.67
9:50	-967.11	-588.96
8:38	-841.06	-512.33
15:36	-890.55	-542.41
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
0:00	0.00	-0.16
22:19	-242.37	-148.35
17:16	-244.65	-149.74
19:40	-591.61	-360.68
19:26	-630.84	-384.52
18:43	-645.12	-393.21
7:12	-737.46	-449.34
11:16	-837.78	-510.34
5:02	-654.58	-398.95
11:45	12517.13	7608.87
9:50	-830.95	-506.18
8:38	-734.86	-447.76
15:36	-781.24	-475.96
22:19	-823.68	-501.76
17:16	-844.37	-514.34
19:40	-831.97	-506.80
19:26	-876.91	-534.12
18:43	-884.98	-539.03
7:12	-906.44	-552.08
11:16	-1009.69	-614.84
5:02	-815.49	-496.79

11:45	-941.26	-573.24
9:50	-989.91	-602.82
8:38	-851.22	-518.51
15:36	-896.14	-545.81
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
99.12%	-106.42	-65.70
99.26%	-161.94	-99.45
99.31%	-191.11	-117.19
99.12%	-175.27	-107.56
99.34%	-204.44	-125.29
99.46%	7026.49	4270.81
98.83%	4585.74	2786.93
98.77%	-234.40	-143.51
98.89%	100.01	59.80
99.34%	7455.05	4531.35
98.99%	-32.94	-21.03
99.24%	-182.12	-111.72
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	0.26
0.00%	0.00	-0.10
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
99.34%	-10.56	-7.42
99.27%	-15.16	-10.22
99.40%	-2.58	-2.57
99.48%	-4.13	-3.51
99.41%	-6.01	-4.65
99.47%	-4.89	-3.98
99.21%	-10.73	-7.52
99.30%	-11.79	-8.17
99.09%	-6.51	-4.96
99.38%	-3.46	-3.10
99.55%	-8.29	-6.04
99.56%	-6.35	-4.86

0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.10
0.00%	0.00	-0.14
0.00%	0.00	-0.14
0.00%	0.00	0.09
0.00%	0.00	-0.08
0.00%	0.00	-0.01
0.00%	0.00	-0.11
0.00%	0.00	0.12
0.00%	0.00	-0.16
0.00%	0.00	-0.13
0.00%	0.00	-0.16
0.00%	0.00	-0.08
0.00%	0.00	-0.10
0.00%	0.00	0.20
0.00%	0.00	-0.02
0.00%	0.00	-0.06
0.00%	0.00	0.13
0.00%	0.00	-0.06
0.00%	0.00	-0.16
0.00%	0.00	-0.09
0.00%	0.00	-0.14
0.00%	0.00	0.14
0.00%	0.00	-0.14
0.00%	0.00	-0.14
0	0.00	-0.87
0	0.00	0.00
0	0.00	-0.68
0	0.00	-0.91
0	0.00	-0.48
0	0.00	-0.88
0	0.00	0.00
0	0.00	0.00
0	0.00	-0.70
0	0.00	-0.50
0	0.00	-1.20
0	0.00	-0.60
0	0.00	-0.05
0	0.00	-0.23
0	0.00	0.00
0	0.00	0.00

0	0.00	-0.49
0	0.00	0.00
0	0.00	-1.23
0	0.00	0.00
0	0.00	-1.23
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	-0.61
0	0.00	-0.62
0	0.00	0.00
0	0.00	0.00
0	0.00	-0.59
0	0.00	-0.67
0	0.00	-1.72
0	0.00	-1.29
0	0.00	0.00
0	0.00	-0.54
0	0.00	-1.66
0	0.00	-0.49
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	0.00
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0	0.00	-0.50
0	0.00	-0.51
0	0.00	-0.34
0	0.00	-0.15
0	0.00	-0.17
0	0.00	-0.55
0	0.00	0.00
0	0.00	-0.26

0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.01
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	-0.01
0.00%	0.00	-0.02
0.00%	0.00	-0.01
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	-0.02
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.16
39.65%	2.04	0.17
38.77%	0.35	-0.79
36.15%	0.25	-0.84
39.19%	0.06	-0.95
39.16%	-1.90	-2.16
39.04%	0.60	-0.64
38.24%	-0.66	-1.40
40.64%	0.10	-0.93
38.63%	-0.53	-1.32
38.66%	-0.80	-1.48
40.39%	-0.78	-1.48
38.24%	0.09	-0.94
33.57%	1.40	-0.41
31.37%	-1.16	-1.71
0.00%	0.00	0.00
33.72%	-0.71	-1.43
28.86%	-0.63	-1.39
34.18%	1.38	-0.42
32.90%	-0.98	-1.60
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
29.33%	0.00	0.00
33.90%	0.00	0.00
36.82%	-0.45	-1.27
30.56%	0.15	-0.90
35.46%	-0.38	-1.23
42.26%	-0.10	-1.06
38.25%	-0.54	-1.33
32.82%	-0.98	-1.60
36.68%	0.48	-0.72
33.48%	-0.01	-1.00
29.86%	1.99	0.11
38.75%	0.56	-0.68
34.78%	-0.05	-1.03
36.30%	-1.30	-1.79
45.25%	-0.91	-1.55
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
33.75%	-0.71	-1.43
42.66%	0.21	-0.90
39.56%	1.23	-0.48
48.18%	1.04	-0.57
0.00%	0.00	0.00
41.00%	-1.44	-1.87
42.68%	1.63	-0.18
39.58%	0.00	0.00

28.74%	-1.10	-1.67
24.93%	-0.58	-1.35
24.57%	-0.57	-1.35
29.85%	-0.92	-1.56
0.00%	0.00	0.00
28.62%	-1.15	-1.70
23.70%	-0.56	-1.34
24.01%	-0.56	-1.34
0.00%	0.00	0.00
21.13%	1.00	-0.52
13.98%	0.00	0.00
19.35%	-0.49	-1.30
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
20.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
56.76%	-1.60	-1.97
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
46.43%	0.00	0.00
42.25%	0.00	0.00
61.54%	-1.11	-1.67
40.74%	-0.63	-1.38
70.00%	-1.29	-1.78
50.00%	0.94	-0.44
0.00%	0.00	1.41
50.00%	0.18	-0.93
47.06%	0.59	-0.67
10.00%	5.88	1.18
53.85%	-1.00	-1.61
22.22%	0.61	-0.73
69.23%	-1.29	-1.78
53.85%	-0.57	-1.35
45.74%	-1.28	-1.78
32.74%	0.52	-0.75
40.96%	0.43	-0.76
38.46%	0.99	-0.47

44.05%	-0.75	-1.46
40.23%	1.70	-0.13
43.30%	-0.87	-1.53
35.96%	-0.75	-1.45
32.67%	1.24	-0.35
39.78%	-0.81	-1.49
34.96%	1.36	-0.43
36.36%	-0.46	-1.28
74.15%	-0.49	-1.30
71.88%	0.40	-0.79
72.91%	-2.46	-2.50
72.74%	1.02	-0.39
71.77%	-0.80	-1.48
72.15%	-0.51	-1.31
78.61%	-2.27	-2.38
87.48%	-2.62	-2.59
85.38%	-4.70	-3.85
83.39%	-2.88	-2.75
84.13%	-3.32	-3.02
79.30%	-1.17	-1.71
34.79%	1.59	-0.04
34.01%	0.51	-0.69
33.24%	3.55	1.10
34.52%	3.12	0.86
36.58%	3.05	0.82
37.07%	0.73	-0.55
35.44%	1.38	-0.17
38.67%	1.03	-0.37
40.33%	2.06	0.24
38.73%	1.36	-0.18
39.13%	0.15	-0.91
37.59%	-0.46	-1.28
40.00%	-0.75	-1.45
27.27%	-0.59	-1.36
0.00%	0.00	0.00
14.29%	1.97	-0.19
44.44%	0.67	-0.71
27.27%	0.53	-0.75
37.50%	0.52	-0.85
55.56%	-1.43	-1.87
37.50%	1.22	-0.53
55.56%	-0.14	-1.09
16.67%	0.17	-0.95
50.00%	-0.52	-1.31
0.00%	0.00	0.00
24.93%	-1.28	-1.78
24.57%	-0.57	-1.35
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
23.70%	1.79	-0.28
0.00%	0.00	0.00

24.18%	1.77	-0.29
21.13%	-0.52	-1.31
13.98%	0.00	0.00
19.35%	0.61	-0.67
29.52%	0.74	-0.56
31.85%	0.58	-0.66
40.82%	-0.25	-1.15
30.30%	0.24	-0.86
36.36%	0.38	-0.78
43.66%	-1.08	-1.66
31.68%	0.72	-0.57
32.23%	0.57	-0.66
41.75%	-1.25	-1.76
24.62%	1.17	-0.32
31.13%	1.76	0.02
26.15%	0.18	-0.89
0.00%	0.00	0.00
0.00%	0.00	0.00
24.57%	-0.57	-1.35
0.00%	0.00	0.00
27.20%	-0.61	-1.37
0.00%	0.00	0.00
23.70%	-0.79	-1.48
24.01%	-0.56	-1.34
0.00%	0.00	0.00
21.13%	-0.52	-1.31
13.98%	0.00	0.00
19.35%	0.00	0.00
74.15%	-1.69	-2.03
71.88%	-0.69	-1.42
0.00%	0.00	0.00
0.00%	0.00	0.00
71.77%	0.63	-0.78
72.15%	-2.28	-2.38
78.61%	-3.83	-3.33
87.48%	0.38	-0.91
85.38%	-1.42	-1.86
83.39%	-2.24	-2.36
84.13%	0.61	-0.77
79.30%	-1.02	-1.62
28.74%	-1.91	-2.16
24.93%	-0.42	-1.25
24.57%	-1.74	-2.06
29.85%	-3.05	-2.85
27.20%	-1.55	-1.94
28.62%	-1.97	-2.20
23.70%	-0.55	-1.34
24.01%	1.15	-0.32
24.18%	-1.22	-1.74
21.13%	-1.25	-1.76
13.98%	0.48	-0.71
19.35%	-0.44	-1.27

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
44.44%	-0.85	-1.52
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
16.67%	0.00	0.00
50.00%	0.00	0.00
60.00%	-1.07	-1.65
0.00%	0.00	-0.88
33.33%	0.91	-0.55
33.33%	0.27	-0.91
20.00%	0.00	-1.00
0.00%	0.00	0.00
33.33%	0.00	-1.00
33.33%	-0.23	-1.14
25.00%	-0.92	-1.56
0.00%	0.00	0.00
33.33%	0.43	-0.88
33.33%	0.19	-1.02
35.38%	-1.93	-2.17
34.58%	-2.27	-2.38
33.56%	0.10	-0.93
35.09%	-1.20	-1.73
36.89%	-2.90	-2.76
37.32%	-1.99	-2.21
35.76%	-2.17	-2.32
38.91%	-3.81	-3.32
40.14%	-1.21	-1.73
38.72%	-1.97	-2.20
39.27%	-1.89	-2.15
37.66%	-0.70	-1.43
29.52%	0.47	-0.72
31.85%	-1.17	-1.71
40.82%	-0.78	-1.47
30.30%	-1.61	-1.98
36.36%	-2.57	-2.56
43.66%	-2.36	-2.43
31.68%	-0.34	-1.20
32.23%	-2.40	-2.46
41.75%	-1.07	-1.65
22.83%	-0.51	-1.31
31.13%	-1.61	-1.98
26.15%	0.53	-0.68
35.38%	1.15	-0.32
34.58%	0.27	-0.83
33.56%	0.20	-0.87
35.09%	-0.35	-1.21

36.89%	0.59	-0.64
37.32%	1.89	0.13
35.76%	0.41	-0.75
38.91%	-0.21	-1.13
40.14%	-0.07	-1.04
38.72%	0.67	-0.59
39.27%	0.12	-0.93
37.66%	0.80	-0.51
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
29.86%	-0.92	-1.56
38.75%	-0.10	-1.06
34.78%	-1.77	-2.08
36.30%	-0.18	-1.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
31.58%	0.90	-0.47
28.71%	2.41	0.38
29.33%	1.21	-0.29
33.90%	2.11	0.23
82.62%	-8.67	0.00
80.82%	-17.83	0.00
81.99%	-5.80	0.00
81.83%	-13.43	0.00
82.45%	-21.41	0.00
82.11%	-20.32	0.00
81.68%	-25.36	0.00
81.34%	-27.61	0.00
83.18%	-24.54	0.00
86.03%	-8.24	0.00
80.61%	-10.61	0.00
80.10%	-8.91	0.00
0.00%	0.00	0.00
81.52%	-0.82	-1.50
85.37%	-0.58	-1.36
86.94%	-0.77	-1.47
84.41%	0.94	-0.47
89.17%	-0.70	-1.42
91.70%	1.51	-0.22
92.05%	0.62	-0.64

84.83%	0.10	-0.90
85.79%	0.12	-0.89
87.61%	-0.23	-1.14
89.34%	-0.97	-1.59
0.00%	0.00	0.00
95.12%	2.89	-0.07
0.00%	0.00	0.00
85.45%	-0.41	-1.25
86.00%	2.45	-0.12
0.00%	0.00	0.00
97.83%	4.54	0.10
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
96.61%	0.00	0.00
89.83%	0.00	0.00
88.89%	-0.35	-1.21
77.50%	0.44	-0.76
84.78%	-0.59	-1.36
0.00%	0.00	0.00
76.40%	-0.95	-1.58
82.42%	-0.65	-1.39
93.75%	-0.51	-1.31
87.18%	-0.38	-1.23
84.71%	1.35	-0.39
93.15%	-0.38	-1.23
86.54%	0.00	0.00
92.93%	0.00	0.00
81.24%	0.32	-0.79
0.00%	0.00	0.00
0.00%	0.00	0.00
82.98%	1.37	-0.28
78.69%	0.18	-0.86
85.79%	0.62	-0.65
89.50%	-0.48	-1.29
88.43%	0.84	-0.55
78.37%	1.66	-0.09
77.83%	1.04	-0.41
82.53%	1.88	0.01
84.99%	2.52	0.33
44.44%	-0.67	-1.41
65.52%	-1.50	-1.91
68.42%	-1.09	-1.66
50.00%	-1.89	-2.15
0.00%	0.00	0.00
76.92%	1.62	-0.24
67.86%	-0.09	-1.05
50.00%	-1.15	-1.70
54.17%	1.48	-0.24
57.35%	-0.69	-1.42
63.83%	-1.45	-1.88
66.67%	-1.15	-1.70

0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
92.00%	0.00	0.00
94.74%	-0.32	-1.19
81.08%	-0.94	-1.57
79.88%	0.42	-0.73
83.65%	2.00	0.14
82.48%	0.36	-0.76
77.95%	-1.14	-1.69
85.32%	0.19	-0.86
89.22%	-1.20	-1.73
88.00%	-1.19	-1.72
77.55%	-1.33	-1.81
76.91%	1.57	-0.08
81.94%	1.67	-0.03
84.45%	-1.18	-1.72
81.24%	-1.07	-1.65
80.05%	-1.53	-1.93
83.81%	-1.64	-2.00
82.98%	-1.50	-1.91
78.69%	-1.73	-2.05
85.79%	-0.58	-1.35
89.50%	-1.53	-1.93
88.43%	-0.29	-1.18
78.37%	-2.92	-2.78
77.83%	-5.51	-4.35
82.53%	-4.69	-3.85
84.99%	-4.24	-3.58
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
84.71%	-0.42	-1.26
93.15%	1.13	-0.47
86.54%	-0.77	-1.47
92.93%	-0.39	-1.23
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
84.42%	-1.01	-1.62
72.09%	-2.22	-2.35
96.61%	0.96	-0.57
89.83%	0.09	-0.95
84.18%	-0.43	-1.26
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
86.58%	-0.55	-1.34
95.48%	-0.22	-1.13
0.00%	0.00	0.00
86.39%	-0.40	-1.24
87.74%	1.62	-0.30
0.00%	0.00	0.00
92.20%	-0.50	-1.30
90.65%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
83.33%	0.00	0.00
83.44%	-1.60	-1.97
78.57%	0.65	-0.60
76.27%	0.55	-0.67
84.15%	1.47	-0.18
78.59%	0.71	-0.59
86.12%	-0.46	-1.28
88.11%	1.62	-0.18
82.20%	-0.64	-1.39
76.40%	-1.66	-2.01
83.25%	-1.18	-1.72
80.27%	-1.21	-1.74
84.23%	0.06	-0.92
83.50%	0.79	-0.58
79.38%	-0.72	-1.44
0.00%	0.00	0.00
84.63%	-1.47	-1.90
79.41%	0.55	-0.69
87.00%	-0.86	-1.52
88.55%	-0.51	-1.31
82.61%	-1.02	-1.62

77.53%	-0.73	-1.44
83.95%	-2.76	-2.68
81.56%	-1.09	-1.66
84.83%	-2.37	-2.44
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
66.67%	-0.61	-1.37
0.00%	0.00	0.00
88.89%	0.00	0.00
66.67%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
97.78%	-0.21	-1.13
0.00%	0.00	0.00
0.00%	0.00	0.00
98.83%	-0.11	-1.07
99.33%	-0.14	-1.09
98.97%	-0.18	-1.11
97.94%	-0.20	-1.12
97.94%	-0.25	-1.15
96.35%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
98.06%	-0.14	-1.09
0.00%	0.00	0.00
96.87%	3.81	0.14
0.00%	0.00	0.00
97.33%	-0.23	-1.14
98.89%	-0.26	-1.16
98.77%	-0.16	-1.10
98.77%	-0.16	-1.10
98.01%	-0.14	-1.09
95.99%	-0.29	-1.18
97.18%	0.00	0.00
97.18%	-0.48	-1.29

97.30%	-0.16	-1.10
0.00%	0.00	0.00
97.92%	-0.14	-1.09
0.00%	0.00	0.00
0.00%	0.00	0.00
98.59%	-0.23	-1.14
96.15%	-0.20	-1.12
86.78%	-0.39	-1.24
98.41%	-0.13	-1.08
96.62%	-0.19	-1.11
98.98%	-0.17	-1.11
97.84%	-0.21	-1.13
95.24%	-0.22	-1.13
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
96.30%	-0.19	-1.12
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
97.94%	-0.38	-1.23
96.13%	-0.49	-1.30
96.53%	-0.42	-1.26
98.16%	-0.41	-1.25
97.10%	-0.39	-1.23
98.93%	-0.15	-1.09
98.77%	-0.19	-1.12
98.68%	-0.20	-1.12
97.84%	-0.21	-1.13
95.72%	-0.42	-1.26
97.07%	-0.46	-1.28
97.30%	-0.33	-1.20
98.06%	-0.14	-1.09
96.05%	-0.35	-1.21
96.87%	-0.25	-1.15
98.11%	-0.24	-1.15
97.33%	-0.23	-1.14
98.89%	-0.11	-1.06
98.77%	-0.11	-1.07
98.77%	-0.19	-1.12
98.01%	-0.38	-1.23
95.99%	-1.04	-1.63
97.18%	-0.56	-1.34
97.18%	-0.79	-1.48
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
86.96%	-0.54	-1.33
0.00%	0.00	0.00
89.39%	4.04	0.53
0.00%	0.00	0.00
86.59%	-0.39	-1.24
95.00%	-0.23	-1.14
0.00%	0.00	0.00
0.00%	0.00	0.00
94.07%	3.98	0.15
0.00%	0.00	0.00
92.07%	0.00	0.00
94.96%	0.00	0.00
96.92%	-0.67	-1.41
100.00%	0.00	0.00
97.96%	-0.31	-1.19
98.31%	-0.31	-1.19
98.33%	-0.50	-1.31
98.59%	-0.51	-1.31
98.36%	-0.59	-1.36
100.00%	0.00	0.00
98.15%	-0.58	-1.35
100.00%	0.00	-0.33
100.00%	0.00	0.00
97.65%	-0.62	-1.38
86.96%	-0.38	-1.23
76.40%	-0.55	-1.34
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
95.00%	-0.23	-1.14
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
87.50%	-0.56	-1.34
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
89.47%	0.00	0.00
89.47%	0.00	0.00
84.63%	-0.76	-1.46
80.67%	-2.71	-2.65
78.28%	-2.69	-2.64
85.66%	-1.87	-2.14
80.51%	-1.90	-2.15
87.83%	-1.14	-1.69
89.35%	-1.46	-1.89
83.82%	-1.45	-1.88
78.77%	-1.09	-1.66
85.55%	-1.48	-1.90
83.57%	-1.56	-1.95
85.77%	-1.77	-2.08
100.00%	0.00	0.00
100.00%	0.00	0.00
88.89%	-0.75	-1.46
100.00%	0.00	0.00
100.00%	0.00	0.00
88.89%	-0.53	-1.32
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	-0.49
100.00%	0.00	-0.54
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
96.33%	-0.39	-1.24
97.88%	-0.29	-1.18
97.02%	-0.35	-1.21
95.80%	-0.59	-1.36
98.45%	-0.31	-1.19
97.97%	-0.48	-1.29
97.51%	-0.50	-1.31
96.39%	-0.47	-1.29
96.17%	-0.91	-1.55
97.79%	-0.52	-1.32
97.42%	-0.54	-1.33
0.00%	0.00	0.00
97.78%	-0.21	-1.13
0.00%	0.00	0.00
97.06%	-0.17	-1.11

96.67%	-0.18	-1.11
0.00%	0.00	0.00
98.18%	-0.19	-1.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
98.51%	0.00	0.00
96.83%	0.00	0.00
96.67%	-0.18	-1.11
96.12%	-0.34	-1.21
96.00%	-0.29	-1.17
0.00%	0.00	0.00
93.27%	-0.46	-1.28
96.64%	-0.26	-1.16
100.00%	0.00	0.00
98.00%	-0.28	-1.17
96.61%	-0.26	-1.16
100.00%	0.00	0.00
97.71%	0.00	0.00
97.52%	0.00	0.00
96.95%	-0.35	-1.22
0.00%	0.00	0.00
0.00%	0.00	0.00
96.48%	-0.43	-1.26
94.25%	-0.49	-1.30
97.46%	-0.32	-1.20
98.17%	-0.19	-1.12
97.22%	-0.34	-1.21
95.25%	2.46	0.10
94.78%	0.93	-0.50
96.91%	1.26	-0.38
96.65%	3.42	0.46
85.64%	-0.82	-1.50
90.73%	-0.71	-1.43
91.10%	-0.54	-1.33
89.14%	-0.85	-1.52
86.87%	-0.55	-1.33
88.66%	-0.62	-1.38
90.10%	-0.26	-1.16
83.80%	-1.07	-1.65
89.62%	-0.48	-1.29
80.07%	0.00	-0.96
86.80%	-0.78	-1.47
86.58%	-0.68	-1.41
96.90%	-1.38	-1.84
95.20%	1.13	-0.34
96.22%	-1.25	-1.76
96.42%	-0.58	-1.35
94.06%	-1.63	-1.99
97.33%	-1.05	-1.64
98.19%	-1.00	-1.61
97.19%	-1.02	-1.62

95.12%	-0.92	-1.56
94.63%	-0.93	-1.57
96.82%	-1.21	-1.74
96.56%	-1.41	-1.86
96.95%	-0.43	-1.26
95.31%	0.07	-0.90
96.38%	-0.78	-1.47
96.48%	-0.66	-1.40
94.25%	0.22	-0.81
97.46%	-0.60	-1.37
98.17%	-0.65	-1.40
97.22%	-0.86	-1.52
95.25%	-1.45	-1.88
94.78%	-4.48	-3.72
96.91%	-2.97	-2.80
96.65%	-2.65	-2.61
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
96.61%	-0.19	-1.11
100.00%	0.00	0.00
97.71%	-0.30	-1.18
97.52%	-0.27	-1.17
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
95.18%	-0.53	-1.32
95.74%	-0.76	-1.46
98.51%	-0.43	-1.26
96.83%	-0.55	-1.34
96.62%	-0.19	-1.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
96.96%	-0.25	-1.15
98.12%	-0.14	-1.08
98.77%	-0.11	-1.07
96.39%	-0.19	-1.12
95.60%	-0.48	-1.29
98.22%	-0.13	-1.08
98.16%	-0.24	-1.14
98.14%	0.00	0.00

0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
95.65%	-0.82	-1.50
94.49%	0.13	-0.87
93.60%	-0.64	-1.39
95.97%	0.67	-0.60
94.00%	-0.62	-1.38
96.51%	-0.63	-1.38
97.18%	-0.45	-1.27
95.92%	-0.68	-1.41
93.87%	-0.85	-1.51
95.84%	0.92	-0.50
95.99%	-0.54	-1.33
96.62%	-0.46	-1.28
95.73%	-0.37	-1.22
94.50%	-0.34	-1.21
93.77%	-0.36	-1.22
96.18%	-0.72	-1.44
94.29%	-0.49	-1.30
96.65%	-0.49	-1.30
97.31%	-0.37	-1.23
95.96%	-0.58	-1.35
94.04%	0.11	-0.88
96.03%	-1.52	-1.92
96.21%	-1.54	-1.94
96.76%	-1.96	-2.19
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
66.67%	-0.61	-1.37
0.00%	0.00	0.00
100.00%	0.00	0.00
66.67%	0.00	0.00
0.00%	0.00	0.00
99.30%	-0.08	-1.05
100.00%	0.00	0.00
99.59%	-0.14	-1.09

99.29%	-0.12	-1.07
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
99.62%	-0.09	-1.05
99.62%	-0.06	-1.04
0.00%	0.00	0.00
99.93%	-0.05	-1.03
0.00%	0.00	0.00
99.51%	-0.12	-1.07
99.96%	-0.05	-1.03
99.93%	-0.04	-1.02
99.87%	-0.05	-1.03
99.89%	-0.05	-1.03
99.93%	-0.04	-1.02
99.84%	0.00	0.00
99.72%	-0.15	-1.09
91.76%	-0.30	-1.18
0.00%	0.00	0.00
97.98%	-0.14	-1.09
0.00%	0.00	0.00
98.28%	-0.26	-1.16
98.28%	-0.26	-1.16
96.43%	-0.19	-1.12
95.02%	-0.32	-1.20
87.35%	-0.54	-1.33
96.04%	-0.35	-1.21
93.55%	-0.52	-1.32
93.49%	-0.46	-1.28
96.15%	-0.20	-1.12
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
96.67%	-0.18	-1.11
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
99.65%	-0.17	-1.10
99.79%	-0.15	-1.09
99.92%	-0.10	-1.06
99.84%	-0.14	-1.08
99.55%	-0.21	-1.13
99.95%	-0.05	-1.03
99.92%	-0.09	-1.06
99.85%	-0.08	-1.05

99.86%	-0.08	-1.05
99.92%	-0.06	-1.04
99.81%	-0.14	-1.08
99.74%	-0.12	-1.08
99.62%	-0.11	-1.06
99.72%	-0.11	-1.06
99.93%	-0.07	-1.04
99.80%	-0.11	-1.07
99.51%	-0.12	-1.07
99.96%	-0.04	-1.03
99.93%	-0.05	-1.03
99.87%	-0.09	-1.06
99.89%	-0.14	-1.09
99.93%	-0.29	-1.17
99.84%	-0.44	-1.27
99.72%	-0.65	-1.39
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
92.02%	-0.66	-1.40
93.72%	-0.37	-1.22
95.90%	-0.58	-1.35
96.94%	-0.40	-1.24
96.32%	-0.65	-1.39
96.46%	-0.57	-1.35
94.37%	-0.77	-1.47
90.47%	-0.72	-1.44
91.58%	-0.86	-1.52
89.11%	-0.70	-1.42
91.54%	0.55	-0.67
90.74%	-0.71	-1.43

98.46%	-0.57	-1.34
100.00%	0.00	0.00
97.96%	-0.36	-1.22
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
98.15%	-0.63	-1.38
100.00%	0.00	0.00
100.00%	0.00	0.00
98.82%	-0.51	-1.31
92.02%	-0.29	-1.18
93.72%	-0.26	-1.16
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
96.46%	-0.27	-1.16
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
89.11%	-0.35	-1.21
91.55%	0.00	0.00
90.75%	-0.32	-1.19
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
97.40%	-0.81	-1.49
96.03%	-3.45	-3.10
96.92%	-2.40	-2.46
97.08%	-2.40	-2.46
95.13%	1.65	-0.04
97.90%	-1.96	-2.19
98.49%	-1.75	-2.06
97.74%	-1.99	-2.21
95.96%	-2.34	-2.42
95.67%	-3.02	-2.84
97.49%	-2.30	-2.40
97.30%	-1.87	-2.14
98.46%	-0.29	-1.18
100.00%	0.00	0.00
97.96%	-0.49	-1.30
100.00%	0.00	0.00

94.68%	-0.95	-1.57
96.55%	-0.78	-1.47
96.76%	-0.93	-1.57
97.14%	-0.80	-1.49
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	-0.61
100.00%	0.00	0.00
100.00%	0.00	0.00
77.78%	-0.53	-1.32
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
85.71%	-0.70	-1.43
89.23%	0.00	0.00
82.84%	0.00	0.00
74.19%	0.78	-0.62
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
76.53%	-0.55	-1.33
83.46%	2.24	-0.16
82.20%	2.14	-0.18
0.00%	0.00	0.00
0.00%	0.00	0.00
86.81%	0.00	0.00
84.11%	-0.43	-1.26
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
74.19%	2.55	0.43
70.29%	0.89	-0.47
74.31%	-0.45	-1.27
78.57%	0.07	-0.95
78.23%	1.64	-0.06
76.53%	-0.01	-1.01
83.46%	0.74	-0.56
82.20%	1.39	-0.22
76.55%	0.67	-0.60
78.10%	0.08	-0.95
86.81%	2.92	0.50
84.11%	1.23	-0.30
100.00%	0.00	0.00
100.00%	0.00	-0.59
100.00%	0.00	0.00
100.00%	0.00	-0.56
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	-0.52
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	-0.79
75.00%	0.25	-0.97
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	-0.79
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	-0.63
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
62.50%	-0.13	-1.08
80.00%	-0.60	-1.36
0.00%	0.00	0.00
70.29%	1.95	0.04
74.31%	-0.59	-1.36
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
86.81%	0.00	0.00
84.11%	-0.43	-1.26
0.00%	0.00	0.00
0.00%	0.00	0.00
74.31%	-0.59	-1.36
0.00%	0.00	0.00
78.23%	-0.53	-1.32
0.00%	0.00	0.00
83.46%	-0.62	-1.38
82.20%	2.14	-0.18
0.00%	0.00	0.00
78.10%	-0.53	-1.32
86.81%	0.00	0.00
84.11%	0.00	0.00
74.19%	0.97	-0.43
70.29%	2.77	0.59
74.31%	0.77	-0.57
78.57%	2.00	0.12
78.23%	2.22	0.24
76.53%	3.65	0.97
83.46%	3.17	0.67
82.20%	2.39	0.29
76.55%	1.29	-0.25
78.10%	0.41	-0.76
86.81%	4.08	1.03
84.11%	3.67	0.91
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
62.50%	0.00	0.00
80.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
85.19%	-0.42	-1.25
85.94%	-0.40	-1.24
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
79.05%	0.00	0.00
80.90%	0.00	0.00
78.23%	-0.53	-1.32
76.47%	-0.55	-1.34
65.81%	-0.72	-1.44
72.48%	-0.86	-1.53
0.00%	0.00	0.00
79.85%	-0.38	-1.23
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
78.91%	-0.52	-1.31
84.17%	0.00	0.00
80.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
78.23%	-1.04	-1.63
76.47%	-0.43	-1.26
65.81%	3.04	0.74
72.48%	-0.19	-1.11
74.58%	-0.41	-1.25
79.85%	4.37	1.19
87.79%	0.99	-0.44
86.73%	1.44	-0.22
76.12%	0.81	-0.52
78.91%	-0.73	-1.44
84.17%	-0.11	-1.07
80.00%	0.13	-0.91
100.00%	0.00	0.00
83.33%	-0.77	-1.47
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	-0.71
100.00%	0.00	0.00
100.00%	0.00	-0.59
100.00%	0.00	0.00
60.00%	0.30	-0.92
0.00%	0.00	0.00
100.00%	0.00	-0.37

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	-0.59
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
50.00%	-0.82	-1.50
100.00%	0.00	0.00
0.00%	0.00	0.00
76.47%	-0.55	-1.34
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
78.91%	-0.52	-1.31
84.17%	0.00	0.00
80.00%	-0.50	-1.30
78.23%	0.67	-0.62
76.47%	0.12	-0.92
65.81%	-0.08	-1.05
72.48%	0.83	-0.51
74.58%	2.88	0.59
79.85%	1.19	-0.34
87.79%	-0.30	-1.18
86.73%	6.20	1.79
76.12%	-0.20	-1.12
78.91%	1.90	0.04
84.17%	3.11	0.57
80.00%	2.50	0.33
0:00	0.00	0.00
17:26	-0.63	-1.38
16:14	-0.41	-1.25
15:25	-0.47	-1.29
15:51	-0.09	-1.05
13:03	-0.73	-1.44
12:21	0.64	-0.57
12:37	0.27	-0.71
15:31	-0.42	-1.25
16:07	-0.28	-1.17
13:42	-0.48	-1.29
13:29	-0.73	-1.44
0:00	0.00	0.00
11:59	2.11	0.05
0:00	0.00	0.00
12:38	0.48	-0.34

14:58	1.16	0.17
0:00	0.00	0.00
9:29	0.48	-0.49
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
11:15	0.00	0.00
11:24	0.00	0.00
15:23	-0.86	-1.52
16:30	-0.02	-1.01
16:27	-0.83	-1.51
0:00	0.00	0.00
18:44	-0.73	-1.44
15:07	0.51	-0.59
10:53	-0.72	-1.44
12:47	-1.22	-1.74
14:56	1.97	-0.09
12:53	-0.94	-1.57
13:54	0.00	0.00
14:07	0.00	0.00
18:21	-0.57	-1.35
0:00	0.00	0.00
0:00	0.00	0.00
18:39	0.38	-0.60
19:42	0.42	-0.60
16:57	-0.05	-1.03
15:19	-0.19	-1.11
16:08	0.63	-0.38
20:07	1.54	-0.12
19:33	0.77	-0.51
17:55	1.66	-0.09
17:18	1.69	-0.02
20:28	-0.30	-1.18
10:41	-0.39	-1.24
7:54	-0.26	-1.16
5:31	-0.95	-1.58
7:31	-0.70	-1.43
7:40	-0.53	-1.32
8:28	-0.53	-1.32
13:31	-0.71	-1.43
4:14	-0.04	-1.03
14:27	-0.87	-1.53
10:09	-0.80	-1.49
11:22	-0.35	-1.21
6:14	18.96	1.26
0:00	0.00	0.00
2:00	-0.93	-1.57
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00

0:00	0.00	0.00
0:00	0.00	0.00
13:54	0.00	0.00
7:00	-0.25	-1.15
18:40	-1.26	-1.77
20:07	1.09	-0.31
19:00	0.07	-0.92
19:02	-1.18	-1.72
20:10	-2.68	-2.63
17:28	-0.67	-1.41
15:40	-2.65	-2.61
16:33	-0.10	-1.06
20:39	-1.57	-1.95
19:55	-0.02	-1.01
18:23	0.27	-0.74
17:45	-0.90	-1.55
18:21	-1.52	-1.92
19:51	-0.62	-1.37
18:45	-2.34	-2.42
18:39	-1.29	-1.79
19:42	-0.58	-1.36
16:57	-0.75	-1.46
15:19	-1.04	-1.63
16:08	-1.15	-1.70
20:07	-3.58	-3.18
19:33	-7.37	-5.48
17:55	-6.70	-5.08
17:18	-6.44	-4.92
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
14:56	-0.70	-1.43
12:53	0.92	-0.52
13:54	-0.47	-1.29
14:07	-1.13	-1.69
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
13:24	-1.82	-2.11
15:23	-2.71	-2.65
11:15	-1.16	-1.71
11:24	-0.45	-1.27

14:14	0.11	-0.85
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
12:01	-0.89	-1.54
10:13	-0.63	-1.38
10:26	0.91	-0.47
13:18	-0.76	-1.46
13:49	-0.92	-1.56
11:45	-0.86	-1.52
10:18	-0.74	-1.45
14:00	0.00	0.00
10:30	0.80	-0.87
0:00	0.00	0.00
11:14	0.62	-0.57
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
8:39	-0.93	-1.57
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
8:15	0.00	0.00
15:48	0.00	0.00
0:00	0.00	0.00
5:42	-0.24	-1.15
0:00	0.00	0.00
0:00	0.00	0.00
8:26	-0.03	-1.02
0:00	0.00	0.00
0:00	0.00	0.00
7:24	-0.82	-1.50
0:00	0.00	0.00
1:07	6.02	1.26
9:48	0.00	0.00
10:04	0.00	0.00
17:29	-1.54	-1.94
19:44	0.00	-0.88
20:05	0.54	-0.60
17:01	0.25	-0.73
19:06	-0.94	-1.57
15:44	0.17	-0.81
14:36	-0.63	-1.38
17:35	-0.90	-1.54
19:59	-1.91	-2.16
17:17	0.00	-1.00
17:44	-1.19	-1.73
16:27	-0.48	-1.29
17:13	-0.10	-1.06
19:32	-0.17	-1.10
19:47	-0.97	-1.59
16:35	-1.63	-1.99

18:24	-1.04	-1.63
15:16	-1.28	-1.78
14:15	-1.67	-2.02
17:11	-1.79	-2.09
19:24	-0.94	-1.57
16:51	-4.27	-3.59
16:59	-5.00	-4.04
16:14	-3.86	-3.35
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
1:54	-0.60	-1.36
0:00	0.00	0.00
5:31	0.00	0.00
2:28	0.00	0.00
0:00	0.00	0.00
3:17	-0.23	-1.14
2:59	-0.70	-1.42
2:44	0.32	-0.65
11:13	-0.09	-1.05
2:16	-0.31	-1.19
2:34	-0.88	-1.53
2:40	-0.49	-1.30
2:20	-0.42	-1.25
2:49	-0.30	-1.18
3:40	0.25	-0.78
3:14	-0.33	-1.20
0:00	0.00	0.00
3:14	-0.61	-1.37
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:49	0.00	0.00
2:06	0.00	0.00
1:55	-0.45	-1.27
2:23	-0.32	-1.19
4:21	-0.26	-1.16
2:25	2.43	0.03
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00

3:26	-0.24	-1.15
0:00	0.00	0.00
2:54	-0.57	-1.35
3:52	-1.01	-1.61
4:06	0.85	-0.34
0:00	0.00	0.00
4:30	1.77	-0.05
0:00	0.00	0.00
6:05	-0.09	-1.06
3:29	0.07	-0.85
3:52	-0.36	-1.22
3:35	-0.53	-1.32
3:35	-0.62	-1.38
4:23	0.42	-0.63
4:40	0.00	0.00
5:06	0.37	-0.65
11:28	-0.28	-1.17
0:00	0.00	0.00
4:57	-0.25	-1.15
0:00	0.00	0.00
3:34	-0.59	-1.36
3:19	0.02	-0.61
6:55	-0.04	-1.03
12:43	-0.08	-1.05
21:14	-0.56	-1.34
12:38	-0.39	-1.23
18:03	-0.46	-1.28
13:52	-0.47	-1.28
3:40	-0.19	-1.11
0:00	0.00	0.00
2:02	-0.35	-1.21
1:17	-0.21	-1.13
0:49	0.04	-0.71
0:00	0.00	0.00
0:51	-0.70	-1.43
0:00	0.00	0.00
3:41	-0.24	-1.14
0:00	0.00	0.00
1:37	0.00	0.00
1:23	-0.22	-1.14
4:21	1.14	-0.25
4:46	-1.26	-1.77
4:47	-1.32	-1.80
4:46	-1.28	-1.78
5:07	-0.20	-1.12
3:43	-0.23	-1.14
4:07	-1.49	-1.91
3:46	0.60	-0.56
3:51	-0.45	-1.27
4:41	1.42	-0.19
4:50	1.07	-0.32
5:25	0.71	-0.42

4:06	-0.43	-1.26
4:33	0.08	-0.82
4:30	-0.61	-1.37
4:26	-1.37	-1.83
6:05	-0.12	-1.07
3:29	-0.82	-1.50
3:52	-0.82	-1.50
3:35	-0.93	-1.56
3:35	-1.10	-1.67
4:23	-0.82	-1.50
4:40	-1.15	-1.70
5:06	-2.56	-2.55
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
3:42	-0.61	-1.37
2:54	-0.80	-1.48
3:52	-0.34	-1.21
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:43	-0.77	-1.47
2:39	2.41	0.06
2:49	0.69	-0.60
2:06	0.62	-0.65
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
4:46	-0.30	-1.18
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00

2:59	0.58	-0.66
2:40	4.44	-0.07
2:28	0.52	-0.69
2:16	1.34	-0.29
0:46	0.12	-1.00
0:47	0.98	-0.63
1:58	-0.75	-1.45
1:04	1.51	-0.78
1:11	-0.94	-1.57
0:46	1.54	-0.95
0:54	2.63	0.14
0:30	0.72	-0.60
0:59	0.71	-0.93
1:05	2.19	-0.64
3:40	-0.10	-1.06
0:33	1.76	-0.40
18:33	-0.05	-1.03
14:39	0.21	-0.40
12:01	0.30	-0.41
9:23	-0.47	-1.28
9:10	-0.22	-1.13
8:19	-0.12	-1.07
14:48	-0.67	-1.40
7:54	-0.68	-1.42
18:54	-0.75	-1.46
20:57	-0.68	-1.41
22:48	0.24	-0.46
22:13	-0.54	-1.33
0:01	0.00	0.00
1:30	1.25	-0.17
0:00	0.00	0.00
0:05	256.81	1.26
1:33	-0.05	-1.03
1:10	0.72	-0.49
0:58	3.26	1.26
1:30	0.00	0.00
0:00	0.00	0.00
1:28	0.40	-1.01
2:29	0.89	-0.33
2:05	-0.16	-1.10
0:00	0.00	0.00
3:46	0.35	-0.73
2:41	-0.10	-1.06
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:28	0.00	0.00
2:16	-0.29	-1.18

4:49	-0.36	-1.22
3:30	-0.11	-1.07
3:37	-0.06	-1.04
3:13	-0.69	-1.42
3:42	0.25	-0.86
2:56	1.11	-0.50
2:29	0.20	-0.89
1:45	4.15	0.44
2:45	0.77	-0.82
2:47	1.70	-0.22
2:58	0.32	-0.87
3:10	-0.29	-1.18
0:00	0.00	0.00
0:00	0.00	0.00
2:41	0.22	-0.64
0:00	0.00	0.00
4:02	-0.20	-1.12
0:00	0.00	0.00
2:14	-0.26	-1.16
2:43	0.42	-0.47
0:00	0.00	0.00
2:40	-0.18	-1.11
2:28	0.00	0.00
2:16	0.00	0.00
18:33	-0.20	-1.12
14:39	-0.19	-1.11
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
8:19	-0.35	-1.21
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
20:57	-0.33	-1.20
22:48	0.00	0.00
22:11	-0.27	-1.17
3:23	0.35	-0.77
3:46	3.90	1.37
2:41	2.77	0.49
2:40	3.15	0.41
4:02	2.77	0.26
2:52	5.57	0.75
2:14	5.00	1.26
2:43	1.76	-0.13
2:59	3.50	0.49
2:40	1.84	0.04
2:28	2.07	-0.14
2:16	3.81	0.75
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00

1:33	-0.98	-1.60
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:29	0.00	0.00
2:05	0.00	0.00
2:09	0.00	0.00
0:41	3.16	-0.46
0:00	0.00	0.00
3:10	0.00	0.00
1:13	7.23	-0.21
0:00	0.00	0.00
17:52	-2.28	-2.39
0:18	0.00	0.00
1:29	0.84	-0.71
1:40	0.02	-0.77
0:58	0.37	-0.45
0:46	1.53	-0.72
16:05	-2.63	-2.60
17:24	-5.61	-4.41
16:35	-5.18	-4.15
16:05	-4.57	-3.78
17:13	-2.09	-2.27
14:33	-2.99	-2.82
13:16	-5.74	-4.49
13:45	-5.32	-4.23
17:35	-5.80	-4.53
16:55	-7.78	-5.73
15:19	-7.53	-5.58
14:45	-4.86	-3.95
4:49	0.55	-0.44
3:30	1.63	-0.15
3:37	0.61	-0.65
3:13	0.54	-0.68
3:42	0.03	-0.93
2:56	0.92	-0.47
2:29	0.88	-0.54
1:45	3.37	-0.02
2:45	1.72	-0.45
2:47	2.14	-0.02
2:58	3.09	0.25
3:10	0.39	-0.70
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
3:01	-0.03	-1.02
2:11	-0.71	-1.43
0:00	0.00	0.00
0:00	0.00	0.00

0:00	0.00	0.00
0:00	0.00	0.00
4:21	0.00	0.00
2:46	0.00	0.00
2:35	-0.36	-1.22
3:31	0.01	-0.68
3:46	-0.30	-1.19
3:02	-0.83	-1.50
0:00	0.00	0.00
2:51	-0.52	-1.32
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:40	-0.13	-1.08
2:24	0.00	0.00
3:02	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
1:58	0.00	0.00
0:00	0.00	0.00
2:35	-1.05	-1.64
3:31	-0.10	-1.06
3:46	1.10	-0.24
3:02	-0.27	-1.17
3:24	-0.24	-1.14
2:51	3.08	0.44
2:16	1.10	-0.41
2:09	2.50	0.26
3:02	1.02	-0.45
2:40	-0.95	-1.58
2:24	0.08	-0.71
3:02	0.22	-0.78
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:46	1.82	-0.30
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
1:37	0.00	0.00
0:57	0.00	0.00

0:21	2.68	-0.64
2:49	-0.73	-1.45
0:00	0.00	0.00
1:10	0.82	-0.34
0:19	0.77	-0.64
0:08	20.80	-0.18
0:43	2.26	-0.53
0:18	0.00	0.00
0:30	-0.29	-1.17
4:02	0.47	-0.49
0:00	0.00	0.00
0:23	0.00	0.00
0:00	0.00	0.00
16:54	-0.30	-1.18
12:55	0.34	-0.32
0:00	0.00	0.00
13:37	0.73	-0.11
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
12:31	-1.01	-1.61
0:00	0.00	0.00
4:54	-0.37	-1.22
19:21	0.00	-1.00
0:00	0.00	0.00
3:31	0.02	-0.63
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:40	-0.58	-1.35
2:24	0.00	0.00
3:02	-0.18	-1.11
2:35	-0.15	-1.09
3:12	-0.71	-1.43
7:38	-0.79	-1.48
3:43	-0.59	-1.36
4:01	0.92	-0.42
4:16	-0.18	-1.11
0:53	1.93	-0.13
1:51	0.79	-0.65
0:51	6.37	0.75
3:39	-0.32	-1.19
2:08	3.09	-0.49
1:55	1.01	-0.40
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00

0:00	0.00	0.00
0:00	0.00	0.00
16:49	-0.52	-1.32
0:00	0.00	0.00
12:31	-0.59	-1.36
0:00	0.00	0.00
4:54	0.00	0.00
19:21	0.00	0.00
2:35	1.09	-0.40
3:31	-0.57	-1.35
3:46	-0.62	-1.37
3:02	0.51	-0.52
3:24	1.95	-0.02
2:51	0.92	-0.43
2:16	0.50	-0.61
2:09	8.59	1.26
3:02	-0.39	-1.24
2:40	2.02	-0.02
2:24	2.02	-0.08
3:02	3.73	0.26
15:42	-0.57	-1.35
17:44	-2.45	-2.49
17:58	-3.01	-2.83
15:14	-2.91	-2.77
18:02	-0.67	-1.41
13:49	-2.36	-2.43
12:52	-2.04	-2.24
15:25	-1.69	-2.03
17:38	-0.64	-1.39
15:18	-2.92	-2.77
15:02	-3.35	-3.03
14:43	-2.16	-2.31
2:35	-0.27	-1.16
3:12	0.70	-0.74
7:38	-0.82	-1.50
3:43	0.40	-0.80
4:01	0.49	-1.05
4:16	-0.07	-1.04
0:53	7.43	0.13
1:51	7.53	0.67
0:51	18.99	1.26
3:39	8.41	-0.78
2:08	1.66	-0.48
1:55	0.90	-0.65
0.00%	0.00	0.00
10.09%	-0.67	-1.41
8.63%	-0.61	-1.37
10.14%	0.98	-0.49
9.64%	-0.92	-1.56
9.17%	-0.78	-1.47
7.95%	1.25	-0.32
9.72%	-1.03	-1.63

10.11%	0.53	-0.68
8.92%	-0.66	-1.40
7.85%	0.06	-0.91
8.81%	0.96	-0.45
0.00%	0.00	0.00
8.77%	-0.43	-1.26
0.00%	0.00	0.00
10.96%	-0.35	-1.21
12.70%	-0.38	-1.23
0.00%	0.00	0.00
13.33%	-0.55	-1.33
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
2.86%	0.00	0.00
4.11%	0.00	0.00
0.00%	0.00	0.00
9.92%	-0.57	-1.35
8.18%	-0.51	-1.31
10.87%	-0.35	-1.21
14.68%	0.90	-0.55
7.44%	-0.40	-1.24
4.24%	-0.41	-1.25
10.48%	2.53	0.12
9.60%	-0.46	-1.28
7.29%	1.71	-0.28
7.14%	-0.28	-1.17
10.57%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
18.05%	-1.05	-1.64
19.28%	1.17	-0.37
15.65%	0.27	-0.82
13.69%	-0.56	-1.34
10.63%	0.93	-0.52
12.80%	0.84	-0.51
9.59%	1.28	-0.31
10.87%	-0.09	-1.05
13.98%	-0.17	-1.10
0.00%	0.00	0.00
14.68%	0.34	-0.78
20.43%	-0.88	-1.53
18.05%	-1.15	-1.70
19.28%	-0.69	-1.42
15.65%	-0.74	-1.45
13.69%	-0.62	-1.38
10.63%	-0.84	-1.51
12.80%	1.57	-0.31
9.59%	-0.73	-1.44
10.87%	-0.70	-1.42
13.98%	-0.70	-1.42

0.00%	0.00	0.00
9.32%	-1.80	-2.10
8.79%	-0.38	-1.23
8.70%	-1.73	-2.05
9.33%	-1.09	-1.66
8.81%	-1.53	-1.93
8.58%	-0.92	-1.56
8.49%	-1.82	-2.11
8.82%	-0.70	-1.43
9.22%	-1.14	-1.69
8.69%	-1.59	-1.97
8.38%	0.49	-0.68
0.00%	0.00	0.00
9.40%	-0.67	-1.41
8.77%	-1.24	-1.75
8.85%	0.95	-0.46
9.36%	0.63	-0.61
8.86%	0.71	-0.57
8.52%	-0.72	-1.43
8.62%	1.14	-0.34
8.96%	0.03	-0.94
9.19%	0.08	-0.95
8.61%	-0.50	-1.31
8.43%	-0.90	-1.55
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
9.60%	1.92	-0.22
7.29%	0.69	-0.64
7.14%	-0.55	-1.33
10.57%	-0.59	-1.36
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
3.49%	-0.48	-1.29
7.14%	-1.03	-1.63
2.86%	2.09	-0.16
4.11%	-0.64	-1.39
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
27.27%	0.00	0.00
25.00%	0.00	0.00
0.00%	0.00	0.00
9.51%	-0.32	-1.20
10.07%	-0.47	-1.29
10.63%	-0.77	-1.47
11.68%	-0.51	-1.31
9.26%	-0.32	-1.19
9.35%	0.45	-0.72
11.23%	-0.61	-1.37
11.93%	0.55	-0.68
10.90%	-0.78	-1.47
13.08%	2.18	0.03
11.21%	-0.50	-1.31
0.00%	0.00	0.00
5.56%	4.07	0.10
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
20.00%	0.00	0.00
10.00%	0.00	0.00
0.00%	0.00	0.00
17.95%	-0.46	-1.28
12.20%	-0.37	-1.22
6.25%	-0.36	-1.22
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
5.88%	-0.25	-1.15
0.00%	0.00	0.00
22.03%	-0.53	-1.32
11.11%	-0.60	-1.36
0.00%	0.00	0.00
0.00%	0.00	0.00
11.10%	2.48	0.12
0.00%	0.00	0.00
10.73%	-0.60	-1.36
10.77%	1.78	-0.12
9.69%	1.93	-0.21
11.66%	1.69	-0.27
13.03%	-0.55	-1.33
11.93%	-0.52	-1.32
10.94%	0.00	0.00
14.21%	-0.27	-1.16

0.00%	0.00	0.00
0.00%	0.00	0.00
11.10%	-0.35	-1.21
0.00%	0.00	0.00
10.73%	-0.69	-1.42
10.77%	-0.69	-1.42
9.69%	3.05	0.01
11.66%	-0.51	-1.31
13.03%	1.55	-0.32
11.93%	-0.64	-1.39
10.94%	-0.70	-1.43
14.21%	-0.81	-1.49
0.00%	0.00	0.00
0.00%	0.00	0.00
5.88%	-0.34	-1.21
3.64%	-0.19	-1.12
4.00%	-0.20	-1.12
0.00%	0.00	0.00
3.70%	-0.19	-1.12
0.00%	0.00	0.00
10.00%	-0.33	-1.20
0.00%	0.00	0.00
9.09%	0.00	0.00
3.33%	-0.18	-1.11
0.00%	0.00	0.00
13.88%	0.41	-0.73
15.44%	1.08	-0.38
13.99%	0.27	-0.81
14.59%	-1.30	-1.79
14.24%	-0.91	-1.55
13.13%	1.39	-0.24
13.24%	0.69	-0.61
12.13%	0.54	-0.68
12.31%	-0.84	-1.51
11.84%	0.80	-0.53
14.50%	-1.01	-1.61
0.00%	0.00	0.00
13.21%	-0.78	-1.47
14.62%	-1.01	-1.62
13.43%	0.23	-0.83
14.13%	-0.70	-1.43
13.41%	0.43	-0.73
12.54%	0.75	-0.59
12.91%	0.11	-0.89
12.09%	-0.85	-1.52
12.08%	-0.09	-1.06
12.03%	-0.55	-1.33
14.01%	0.42	-0.74
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
15.94%	0.35	-0.79
15.28%	-0.51	-1.31
13.39%	0.20	-0.87
14.29%	-1.39	-1.85
10.42%	2.07	0.06
12.78%	-0.55	-1.34
6.78%	5.05	1.11
14.48%	1.58	-0.12
13.14%	-0.16	-1.10
14.58%	0.41	-0.75
16.56%	2.47	0.33
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
3.57%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.56
30.00%	-1.27	-1.77
0.00%	0.00	0.00
14.29%	-0.70	-1.42
0.00%	0.00	0.00
0.00%	0.00	-0.92
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
13.83%	-0.80	-1.49
13.88%	-0.11	-1.07
12.38%	0.52	-0.69
12.69%	-1.26	-1.77
11.87%	-0.18	-1.11
11.00%	-0.10	-1.06
10.50%	0.69	-0.61
11.26%	0.11	-0.89
10.15%	0.98	-0.49
11.13%	0.26	-0.81
13.12%	-0.87	-1.53
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.24
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
33.33%	-0.61	-1.37
0.00%	0.00	0.00
0.00%	0.00	-0.32
0.00%	0.00	0.00
15.94%	-0.86	-1.52
15.28%	-0.42	-1.26
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
14.58%	0.00	0.00
16.56%	-0.44	-1.27
0.00%	0.00	0.00
17.24%	-0.39	-1.24
10.20%	-1.31	-1.80
10.17%	-0.89	-1.54
6.67%	-1.27	-1.77
14.29%	-1.11	-1.68
9.84%	-1.11	-1.67
14.67%	-1.38	-1.84
12.96%	-0.21	-1.13
20.22%	-1.28	-1.78
9.68%	-0.91	-1.55
20.00%	-2.35	-2.43
0.00%	0.00	0.00
0.00%	0.00	0.00
15.28%	-0.42	-1.26
0.00%	0.00	0.00

14.29%	-0.41	-1.25
0.00%	0.00	0.00
12.78%	-0.54	-1.33
6.78%	-0.27	-1.16
0.00%	0.00	0.00
13.14%	-0.39	-1.24
14.58%	0.00	0.00
16.56%	0.00	0.00
0.00%	0.00	0.00
13.83%	-0.40	-1.24
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
11.87%	-0.52	-1.32
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
10.15%	-0.34	-1.20
11.12%	0.00	0.00
13.11%	-0.39	-1.24
0.00%	0.00	0.00
15.94%	-1.94	-2.18
15.28%	1.87	0.00
13.39%	-0.83	-1.51
14.29%	0.59	-0.66
10.42%	1.53	-0.19
12.78%	0.40	-0.77
6.78%	1.33	-0.30
14.48%	-0.28	-1.17
13.14%	0.63	-0.63
14.58%	-0.06	-1.04
16.56%	1.01	-0.42
0.00%	0.00	0.00
9.79%	-0.72	-1.43
9.61%	-1.19	-1.72
9.57%	-2.32	-2.41
10.11%	-1.77	-2.08
9.54%	-0.84	-1.51
9.16%	-1.33	-1.81
9.39%	-0.09	-1.05
9.33%	-1.50	-1.91
9.75%	-1.61	-1.98
9.20%	0.66	-0.59
9.51%	-1.59	-1.97
0.00%	0.00	0.00
17.24%	-1.24	-1.75
10.20%	-0.40	-1.24
10.17%	1.27	-0.33
6.67%	0.90	-0.53
14.29%	-0.10	-1.06
9.84%	-1.37	-1.83
14.67%	0.50	-0.71

12.96%	-0.34	-1.20
20.22%	-1.29	-1.78
9.68%	0.53	-0.70
20.00%	-1.33	-1.81
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
11.11%	-0.35	-1.21
18.33%	-0.47	-1.29
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
12.38%	0.00	0.00
17.98%	0.00	0.00
0.00%	0.00	0.00
13.24%	2.55	-0.08
13.68%	2.50	-0.10
13.89%	-0.56	-1.34
0.00%	0.00	0.00
14.41%	-0.15	-1.09
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
12.50%	-0.38	-1.23
15.11%	0.00	0.00
25.52%	0.00	0.00
0.00%	0.00	0.00
13.24%	-0.08	-1.05
13.68%	-0.87	-1.53
13.89%	1.85	-0.04
17.80%	-0.77	-1.47
14.41%	-0.01	-1.01
8.40%	3.24	0.51
9.73%	2.90	0.37
11.19%	-0.53	-1.32
12.50%	-0.53	-1.32
15.11%	-1.09	-1.66
25.52%	-0.34	-1.20
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
7.14%	-0.37	-1.22
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
10.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.84
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
16.00%	-0.62	-1.38
12.89%	1.81	-0.11
0.00%	0.00	0.00
11.81%	-0.37	-1.22
11.49%	-0.36	-1.22
0.00%	0.00	0.00
0.00%	0.00	0.00
17.33%	2.25	0.06
0.00%	0.00	0.00
11.13%	-0.35	-1.21
16.10%	-0.44	-1.27
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
13.24%	-0.39	-1.24
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
12.50%	-0.38	-1.23
15.11%	0.00	0.00
25.52%	-0.58	-1.35
0.00%	0.00	0.00
0.00%	0.00	0.00
11.11%	-0.59	-1.36
20.00%	-0.65	-1.39

0.00%	0.00	0.00
0.00%	0.00	0.00
37.50%	-1.26	-1.77
0.00%	0.00	0.00
16.67%	-0.69	-1.42
0.00%	0.00	0.00
18.18%	-0.93	-1.56
36.36%	-0.34	-1.20
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
10.37%	2.59	0.15
0.00%	0.00	0.00
17.33%	-0.46	-1.28
0.00%	0.00	0.00
11.13%	0.00	0.00
16.10%	0.00	0.00
0.00%	0.00	0.00
13.24%	0.34	-0.78
13.68%	-1.24	-1.75
13.89%	-1.37	-1.83
17.80%	0.04	-0.96
14.41%	-0.15	-1.09
8.40%	-0.96	-1.59
9.73%	2.40	0.18
11.19%	0.61	-0.66
12.50%	-0.58	-1.35
15.11%	-1.40	-1.85
25.52%	-0.68	-1.41
0.00%	0.00	0.00
13.04%	-1.14	-1.69
10.97%	-1.32	-1.80
10.17%	-1.64	-2.00
10.06%	-0.91	-1.55
10.59%	-1.88	-2.14
9.90%	-1.72	-2.04
8.90%	-0.30	-1.18
11.33%	0.93	-0.45
9.35%	-0.49	-1.30
10.28%	-1.72	-2.05
12.24%	-0.45	-1.27
0.00%	0.00	0.00
0.00%	0.00	-0.45
11.11%	-0.75	-1.46
20.00%	-1.09	-1.66
0.00%	0.00	0.00
0.00%	0.00	0.00
37.50%	-1.03	-1.63
0.00%	0.00	-0.63

16.67%	1.39	-0.43
0.00%	0.00	-0.61
18.18%	0.09	-1.00
36.36%	-1.07	-1.65
0.95%	-0.32	-1.20
1.17%	-0.36	-1.22
0.74%	-0.29	-1.17
0.86%	-0.31	-1.19
0.78%	-0.29	-1.18
0.96%	-0.34	-1.21
0.81%	-0.31	-1.19
0.95%	-0.34	-1.21
0.69%	-0.29	-1.18
1.11%	-0.37	-1.22
0.82%	-0.31	-1.19
1.04%	-0.38	-1.23
0.57%	-2.99	-2.82
0.66%	-2.57	-2.56
0.64%	-2.38	-2.45
0.64%	-1.62	-1.98
0.64%	-0.81	-1.49
0.58%	-1.53	-1.93
0.61%	0.90	-0.45
0.49%	-0.43	-1.26
0.66%	-1.27	-1.77
0.62%	0.12	-0.92
0.59%	-0.98	-1.59
0.65%	-1.74	-2.06
0.14%	-0.77	-1.47
0.15%	2.92	0.31
0.17%	-0.85	-1.52
0.16%	0.36	-0.74
0.15%	0.42	-0.71
0.14%	-0.80	-1.49
0.14%	1.70	-0.15
0.18%	-0.90	-1.55
0.19%	-0.94	-1.57
0.20%	-0.96	-1.58
0.14%	-1.09	-1.66
0.16%	-1.14	-1.69
0.32%	1.37	-0.17
0.37%	0.51	-0.69
0.33%	1.29	-0.21
0.31%	0.47	-0.71
0.31%	0.67	-0.59
0.35%	-0.16	-1.10
0.36%	1.75	0.07
0.29%	1.51	-0.08
0.38%	0.50	-0.69
0.28%	1.38	-0.24
0.40%	0.14	-0.87
0.36%	1.93	-0.02

0.18%	-0.21	-1.13
0.24%	-1.29	-1.78
0.26%	-1.35	-1.82
0.25%	-1.39	-1.85
0.28%	-0.90	-1.55
0.25%	-0.78	-1.47
0.25%	-1.46	-1.89
0.18%	-1.22	-1.74
0.25%	-1.12	-1.68
0.24%	1.63	-0.01
0.22%	-1.06	-1.64
0.24%	-1.13	-1.69
1.70%	1.84	-0.05
1.84%	-1.04	-1.63
1.76%	-0.31	-1.19
1.58%	0.67	-0.58
1.80%	-1.20	-1.73
1.49%	6.44	1.59
1.67%	-0.32	-1.19
1.45%	-0.16	-1.10
1.76%	-1.22	-1.74
1.67%	-0.33	-1.20
1.78%	-1.25	-1.76
1.86%	-0.51	-1.31
0.22%	-0.12	-1.07
0.58%	-0.20	-1.12
0.37%	-0.17	-1.10
0.44%	5.15	0.27
0.00%	0.00	0.00
0.00%	0.00	0.00
0.41%	-0.06	-1.04
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.83%	0.00	0.00
0.50%	0.00	0.00
0.00%	0.00	0.00
0.07%	-0.65	-1.40
0.00%	0.00	0.00
0.08%	-0.64	-1.39
0.00%	0.00	0.00
0.04%	-0.44	-1.27
0.05%	-0.49	-1.30
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.20%	-0.98	-1.59
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
1.70%	1.17	-0.29
1.84%	4.27	1.60
1.76%	1.25	-0.24
1.58%	2.15	0.31
1.80%	5.10	2.10
1.49%	2.97	0.80
1.67%	4.01	1.44
1.45%	4.15	1.52
1.76%	4.07	1.47
1.67%	3.13	0.90
1.78%	3.48	1.11
1.86%	4.62	1.81
0.73%	-0.27	-1.17
1.07%	-0.27	-1.17
0.82%	-0.24	-1.15
0.60%	-0.21	-1.12
0.65%	-0.21	-1.13
0.70%	-0.30	-1.18
0.75%	-0.31	-1.19
0.55%	-0.29	-1.18
0.71%	-0.31	-1.19
0.64%	-0.30	-1.18
0.96%	-0.36	-1.22
0.81%	-0.31	-1.19
0.07%	-0.32	-1.19
0.05%	-0.27	-1.17
0.05%	-0.27	-1.17
0.05%	-0.29	-1.17
0.04%	-0.26	-1.16
0.05%	6.32	0.76
0.05%	-0.28	-1.17
0.05%	-0.21	-1.13
0.05%	-0.21	-1.13
0.04%	-0.21	-1.13
0.05%	-0.25	-1.15
0.07%	-0.31	-1.19
0.94%	-6.95	-5.22
1.11%	-8.56	-6.20
1.12%	-8.29	-6.04
1.05%	-8.06	-5.90
1.01%	-7.72	-5.69
0.88%	-6.88	-5.18
0.99%	-8.45	-6.14
0.77%	-7.22	-5.39

1.05%	-8.33	-6.06
1.04%	-8.56	-6.20
0.97%	-8.56	-6.20
1.06%	-7.86	-5.78
2.46%	-2.55	-2.55
2.97%	-3.47	-3.11
2.49%	-3.33	-3.03
2.57%	-3.01	-2.83
2.78%	-3.23	-2.97
2.71%	-2.93	-2.78
2.15%	-0.35	-1.21
1.12%	0.05	-0.97
1.38%	-1.80	-2.09
1.55%	-0.74	-1.45
1.34%	-0.34	-1.21
2.12%	-1.85	-2.13
0.00%	1.07	-0.35
0.01%	-0.92	-1.56
0.00%	3.20	0.94
0.01%	-1.49	-1.90
0.01%	-1.79	-2.09
0.00%	-0.22	-1.13
0.01%	-0.53	-1.32
0.01%	-1.46	-1.89
0.00%	1.02	-0.38
0.01%	-0.53	-1.32
0.00%	0.49	-0.70
0.00%	-0.23	-1.14
0.08%	1.77	0.08
0.12%	0.03	-0.98
0.08%	3.01	0.83
0.13%	0.00	-1.00
0.07%	3.17	0.93
0.08%	-0.79	-1.48
0.09%	0.41	-0.75
0.09%	0.34	-0.79
0.10%	0.14	-0.91
0.09%	0.35	-0.79
0.12%	-1.00	-1.61
0.08%	2.74	0.67
2.46%	-5.32	-4.24
2.97%	-6.17	-4.75
2.49%	-3.77	-3.29
2.57%	-5.11	-4.11
2.78%	-4.04	-3.45
2.71%	-4.27	-3.60
2.15%	-3.08	-2.87
1.12%	-2.22	-2.35
1.38%	-1.13	-1.69
1.55%	-3.11	-2.89
1.34%	-1.60	-1.97
2.11%	-3.36	-3.04

1.03%	10.40	5.32
1.21%	10.56	5.42
1.23%	3.90	1.37
1.14%	6.94	3.22
1.10%	4.29	1.61
0.95%	6.20	2.77
1.08%	7.41	3.50
0.83%	5.42	2.29
1.14%	5.82	2.54
1.13%	4.35	1.65
1.05%	5.45	2.31
1.15%	5.86	2.56
0.22%	0.85	-0.58
0.58%	-0.09	-1.05
0.37%	-0.73	-1.44
0.44%	3.81	0.49
0.37%	0.54	-0.70
0.67%	1.83	-0.11
0.41%	3.94	0.50
0.33%	1.90	-0.15
0.42%	-0.76	-1.46
0.33%	0.61	-0.67
0.83%	2.13	0.03
0.50%	1.25	-0.36
1.70%	-1.73	-2.05
1.84%	0.88	-0.46
1.76%	-1.24	-1.75
1.58%	-1.67	-2.01
1.80%	-1.73	-2.05
1.49%	-1.59	-1.97
1.67%	-1.67	-2.02
1.45%	-1.57	-1.95
1.76%	-1.72	-2.05
1.67%	-1.09	-1.66
1.78%	-1.77	-2.07
1.86%	-0.71	-1.43
0.95%	-3.95	-3.40
1.18%	1.21	-0.27
0.73%	-2.05	-2.25
0.86%	-2.57	-2.56
0.78%	-2.43	-2.48
0.96%	-3.08	-2.87
0.82%	-2.33	-2.42
0.96%	-3.67	-3.23
0.69%	-1.43	-1.87
1.11%	-2.29	-2.39
0.82%	-2.60	-2.58
1.04%	-3.36	-3.04
1.70%	-1.79	-2.09
1.84%	-1.87	-2.13
1.76%	-1.27	-1.77
1.58%	-1.73	-2.05

1.80%	-1.31	-1.80
1.49%	-1.69	-2.03
1.67%	-0.67	-1.40
1.45%	-1.07	-1.65
1.76%	-1.84	-2.12
1.67%	-1.25	-1.76
1.78%	-1.88	-2.14
1.86%	-1.92	-2.17
2.46%	-2.20	-2.34
2.97%	-2.51	-2.53
2.49%	-2.64	-2.61
2.57%	-2.70	-2.64
2.78%	-2.87	-2.75
2.71%	-2.14	-2.30
2.15%	-0.96	-1.58
1.12%	-1.86	-2.13
1.38%	-1.61	-1.98
1.55%	-1.81	-2.10
1.34%	-2.14	-2.30
2.12%	-2.35	-2.43
1.70%	-2.69	-2.64
1.84%	0.38	-0.77
1.76%	-0.87	-1.53
1.58%	0.27	-0.83
1.80%	0.27	-0.84
1.49%	-0.05	-1.03
1.67%	0.88	-0.46
1.45%	1.08	-0.34
1.76%	-0.42	-1.25
1.67%	-0.66	-1.40
1.78%	-0.43	-1.26
1.86%	-1.17	-1.71
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.37%	5.67	0.31
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.83%	0.00	0.00
0.50%	0.00	0.00
3.17%	-0.56	-1.34
4.69%	-1.71	-2.04
2.99%	-1.30	-1.79
2.74%	-1.19	-1.72
5.41%	-0.96	-1.59
4.00%	-1.47	-1.89
2.60%	-0.66	-1.40
2.47%	-0.36	-1.22

3.66%	0.15	-0.97
5.88%	-1.10	-1.67
4.65%	-1.44	-1.88
2.27%	-0.24	-1.15
0.94%	-16.43	-10.99
1.11%	-15.32	-10.31
1.12%	-16.17	-10.83
1.05%	-15.98	-10.72
1.01%	-12.25	-8.45
0.88%	-12.69	-8.71
0.99%	-13.87	-9.43
0.77%	-11.68	-8.10
1.05%	-14.52	-9.83
1.04%	-14.90	-10.06
0.97%	-13.12	-8.98
1.06%	-15.32	-10.31
0.95%	-2.81	-2.71
1.18%	-1.74	-2.06
0.73%	1.42	-0.14
0.86%	2.80	0.70
0.78%	2.29	0.39
0.96%	-0.76	-1.46
0.82%	2.34	0.42
0.96%	0.73	-0.55
0.70%	1.36	-0.18
1.12%	0.92	-0.44
0.82%	-0.44	-1.27
1.04%	-0.40	-1.24
0.94%	-4.18	-3.54
1.11%	-3.40	-3.07
1.12%	-3.90	-3.37
1.05%	-2.80	-2.70
1.01%	-4.24	-3.58
0.88%	-3.08	-2.87
0.99%	-3.21	-2.95
0.77%	-0.42	-1.25
1.05%	-4.10	-3.49
1.04%	-6.54	-4.98
0.97%	-6.65	-5.04
1.06%	-7.06	-5.29
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.38%	1.97	-0.05
0.28%	3.53	1.15
0.40%	0.49	-0.70
0.36%	0.48	-0.71

0.14%	-0.04	-1.02
0.15%	-0.04	-1.02
0.17%	-0.04	-1.02
0.16%	-0.04	-1.02
0.15%	-0.04	-1.02
0.14%	-0.04	-1.02
0.14%	-0.04	-1.02
0.18%	-0.07	-1.04
0.19%	4.09	1.49
0.20%	2.57	0.56
0.14%	5.39	2.27
0.16%	1.56	-0.05
91.42%	-0.31	-1.19
90.63%	1.07	-0.46
93.35%	-0.53	-1.32
92.14%	-0.58	-1.35
89.37%	0.17	-0.86
92.07%	0.79	-0.56
92.05%	3.47	0.59
92.61%	1.52	-0.21
88.65%	-0.87	-1.53
88.24%	1.03	-0.40
91.36%	0.98	-0.44
90.80%	-0.10	-1.06
0.00%	0.00	0.00
91.07%	-0.44	-1.26
0.00%	0.00	0.00
81.82%	2.11	-0.19
72.13%	1.60	-0.34
0.00%	0.00	0.00
81.82%	-0.65	-1.40
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
77.42%	0.00	0.00
78.26%	0.00	0.00
85.32%	-0.41	-1.25
90.91%	1.44	-0.35
87.27%	-0.65	-1.40
91.30%	-0.31	-1.19
80.73%	0.61	-0.68
87.60%	-0.53	-1.32
91.53%	1.17	-0.44
95.24%	-0.44	-1.27
87.20%	1.56	-0.32
86.46%	-0.68	-1.41
89.29%	-0.35	-1.21
94.31%	0.00	0.00
93.75%	-0.98	-1.60
93.12%	-0.32	-1.20
93.77%	-1.67	-2.01
94.19%	-1.20	-1.73

91.56%	-2.01	-2.22
94.37%	-0.96	-1.59
95.50%	-1.65	-2.00
94.98%	-0.62	-1.37
92.40%	-0.96	-1.58
92.64%	-1.34	-1.82
94.53%	-1.01	-1.61
94.35%	-0.19	-1.11
93.50%	2.12	0.00
92.86%	1.36	-0.25
93.73%	0.00	-1.00
93.97%	0.33	-0.76
91.32%	3.59	0.69
94.10%	4.73	1.01
95.13%	3.76	0.72
94.72%	1.35	-0.25
92.01%	1.38	-0.21
92.20%	11.97	6.27
94.21%	14.07	3.83
93.97%	10.95	5.66
92.95%	-0.27	-1.17
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
88.67%	-0.50	-1.31
91.03%	-0.31	-1.19
91.60%	-0.30	-1.18
90.09%	-0.33	-1.20
86.32%	-0.88	-1.54
89.83%	-0.34	-1.20
92.01%	-0.59	-1.36
85.77%	0.00	0.00
87.50%	1.43	-0.49
0.00%	0.00	0.00
72.73%	-0.59	-1.36
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
91.67%	-0.30	-1.18
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
72.73%	0.00	0.00
93.75%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
75.00%	-0.52	-1.31

0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
50.00%	0.00	0.00
95.25%	-0.89	-1.54
93.12%	1.75	-0.08
92.26%	-0.77	-1.47
94.62%	0.37	-0.74
94.45%	-0.59	-1.36
96.30%	-0.65	-1.39
96.25%	-0.56	-1.34
95.08%	-0.75	-1.46
95.20%	0.66	-0.61
95.42%	-0.69	-1.42
95.85%	1.18	-0.41
95.52%	-0.53	-1.32
95.05%	4.93	0.64
92.71%	2.32	-0.11
91.40%	-0.43	-1.26
94.12%	2.63	0.24
93.87%	1.57	-0.29
95.84%	3.23	0.30
95.85%	4.02	0.47
94.58%	3.69	0.55
94.35%	4.63	0.99
94.97%	8.21	2.66
95.45%	14.71	3.83
94.62%	7.99	2.66
0.00%	0.00	0.00
98.38%	-0.13	-1.08
99.06%	-0.14	-1.08
98.57%	-0.27	-1.16
98.60%	-0.17	-1.10
99.29%	-0.08	-1.05
98.91%	-0.28	-1.17
98.43%	-0.22	-1.13
99.57%	-0.15	-1.09
98.95%	-0.23	-1.14
98.95%	-0.21	-1.13
99.25%	-0.12	-1.07
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
90.91%	0.00	0.00

100.00%	0.00	0.00
97.44%	-0.16	-1.10
95.12%	-0.22	-1.14
95.83%	-0.29	-1.18
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
98.04%	-0.14	-1.09
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
98.25%	-0.38	-1.23
98.67%	-0.38	-1.23
99.11%	-0.31	-1.19
99.19%	-0.31	-1.19
99.20%	-0.28	-1.17
99.86%	-0.08	-1.05
99.55%	-0.22	-1.13
99.10%	-0.19	-1.12
99.36%	-0.18	-1.11
99.48%	-0.16	-1.10
99.33%	-0.26	-1.16
99.06%	-0.24	-1.14
98.30%	-0.23	-1.14
98.62%	-0.24	-1.14
99.10%	-0.23	-1.14
99.08%	-0.24	-1.14
99.10%	-0.16	-1.10
99.76%	-0.11	-1.07
99.45%	-0.15	-1.09
98.99%	-0.27	-1.16
99.40%	-0.33	-1.20
99.39%	1.37	-0.28
99.27%	2.16	0.06
99.09%	2.10	0.07
0.05%	-12.99	-8.90
0.00%	0.00	-2.98
0.01%	-3.72	-3.26
0.10%	-20.94	-13.73
0.00%	0.00	-2.98
0.02%	-10.89	-2.97
0.02%	-10.03	-2.98
0.00%	0.54	-2.99
0.04%	-6.54	-2.92
0.00%	0.00	-2.98
0.01%	-1.94	-2.18
0.01%	-10.41	-7.33
0.00%	917.39	556.73
0.00%	39280.39	23879.78
0.00%	103.81	62.11
0.00%	0.25	-0.85

0.00%	249.46	150.66
0.00%	207.30	-2.98
0.00%	1151.42	-2.97
0.00%	272.25	-2.97
0.05%	-8.34	-2.96
0.00%	136.26	-2.99
0.30%	-13.23	-9.04
0.05%	-14.19	-9.63
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.02%	-2.85	-2.73
0.02%	6.78	3.12
0.00%	23.34	13.19
0.04%	26.38	15.04
0.00%	0.00	0.00
0.01%	24.19	13.71
0.01%	53.83	31.73
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	2481.98	1507.94
0.00%	7116.71	4325.66
0.00%	9040.09	5494.99
0.05%	200.97	121.18
0.00%	36457.94	22163.85
0.30%	6.98	3.24
0.05%	105.17	62.94
0.00%	0.00	-0.16
0.00%	0.00	-0.13
0.00%	0.00	-0.15
0.00%	0.00	-0.13
0.00%	0.00	-0.13
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.14
0.00%	0.00	-0.16
0.00%	0.00	-0.13
0.00%	0.00	-0.13
0.00%	0.00	-0.16
0.00%	0.00	0.19
0.00%	0.00	0.21
0.00%	0.00	0.29
0.00%	0.00	0.11
0.00%	0.00	0.32
0.00%	0.00	-0.16
0.00%	0.00	-0.07

0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
17	-0.67	-1.41
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
68	0.00	0.00
20	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
42	1.68	-0.11
50	1.31	-0.24
64	0.81	-0.38
45	0.97	-0.34
41	0.84	-0.23
44	-0.07	-1.04
48	0.15	-0.58
26	0.89	-0.16
155	-0.83	-1.50
100	-0.27	-1.17
57	-0.49	-1.30
24	-0.13	-1.08
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
45	-0.55	-1.34
0	0.00	0.00
44	0.00	0.00
48	-0.62	-1.38
30	-1.35	-1.82
44	-1.03	-1.63
30	-0.94	-1.57
30	-0.76	-1.46

28	-0.58	-1.35
39	-1.22	-1.74
39	1.40	-0.20
36	1.35	-0.28
26	1.92	0.10
27	0.64	-0.64
32	-0.48	-1.29
29	-1.37	-1.83
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
12	4.61	1.26
0	0.00	0.00
18	0.00	0.00
20	0.00	0.00
123	1.43	-0.40
485	-9.72	-6.91
299	-1.66	-2.01
153	0.50	-0.77
97	1.42	-0.42
147	0.10	-0.96
131	0.32	-0.78
129	-0.24	-1.15
152	-0.70	-1.42
157	-0.73	-1.44
131	0.04	-0.93
117	0.12	-0.89
46	-1.31	-1.79
62	-0.73	-1.44
26	4.28	0.53
24	4.37	0.37
25	3.82	0.17
49	2.05	-0.04
46	1.27	-0.33
41	1.70	-0.19
36	0.62	-0.51
38	0.02	-0.98
27	1.54	-0.29
41	0.09	-0.74
26	6.65	1.26
38	1.19	-0.33
27	2.79	0.20
25	0.67	-0.58
23	3.84	0.75
32	0.50	-0.72
37	-2.80	-2.70
32	0.79	-0.51

0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	-1.00	-1.61
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
1	0.94	-0.63
0	1.12	-0.54
0	1.24	-0.49
0	1.18	-0.51
0	1.68	-0.32
0	1.50	-0.23
1	0.97	-0.61
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
1	-0.86	-1.52
0	0.09	-0.97
0	-0.84	-1.51
1	-0.04	-1.02
0	-0.92	-1.56
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	-0.82	-1.50
0	0.00	0.00
0	0.00	0.00
1	-1.01	-1.61
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00

0	0.00	0.00
0	0.24	-0.86
0	-0.64	-1.39
0	-1.43	-1.87
0	-0.23	-1.14
0	-1.34	-1.81
0	-1.30	-1.79
0	-1.24	-1.75
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
1	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	4.71	1.42
0	5.21	1.74
0	9.17	1.90
0	0.00	2.37
0	0.00	1.45
0	8.57	1.90
0	8.93	2.05
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	1.88	-0.07
0	1.57	-0.17
1	0.95	-0.50
1	0.64	-0.69
0	1.26	-0.39
0	0.74	-0.65
0	1.91	-0.08
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	1.09	-0.35
0	-2.14	-2.30
0	2.86	0.75

68.79%	-64.81	0.00
69.93%	-66.33	0.00
69.10%	-58.34	0.00
78.59%	-48.64	0.00
76.38%	0.00	0.00
81.16%	-49.22	0.00
82.19%	-51.93	0.00
78.88%	-55.62	0.00
83.77%	-52.18	0.00
86.23%	-40.45	0.00
72.08%	-78.25	0.00
81.49%	-63.76	0.00
96.11%	-0.57	-1.35
95.16%	-0.23	-1.14
96.38%	-0.39	-1.24
95.52%	-0.53	-1.32
96.47%	-0.38	-1.23
94.71%	-0.58	-1.35
97.09%	3.96	0.16
96.81%	-0.48	-1.29
96.96%	-0.25	-1.15
96.76%	-0.48	-1.29
96.07%	-0.64	-1.39
95.77%	-0.21	-1.13
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
96.63%	-0.37	-1.23
96.33%	1.06	-0.45
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	0.19
0.00%	0.00	0.47
0.00%	0.00	-0.16
0.00%	0.00	0.47
96.63%	-0.26	-1.16
96.33%	-0.39	-1.24
97.81%	1.37	-0.27
97.43%	-1.09	-1.66
98.10%	0.41	-0.72
97.97%	0.38	-0.74

98.32%	-0.18	-1.11
93.53%	-0.37	-1.22
91.40%	0.70	-0.61
94.06%	2.63	-0.05
0.00%	0.00	0.00
94.86%	-0.23	-1.14
94.53%	-0.24	-1.15
97.41%	-0.16	-1.10
95.04%	-0.23	-1.14
0.00%	0.00	0.00
97.65%	-0.15	-1.09
97.25%	-0.17	-1.10
97.58%	-0.16	-1.10
97.94%	-0.14	-1.09
92.42%	0.00	0.00
96.73%	-0.18	-1.11
97.82%	-0.21	-1.13
95.66%	-0.21	-1.13
97.35%	-0.43	-1.26
98.61%	-0.20	-1.12
0.00%	0.00	0.00
97.84%	-0.21	-1.13
98.90%	-0.18	-1.11
97.90%	-0.29	-1.18
0.00%	0.00	0.00
98.95%	-0.15	-1.09
98.16%	-0.19	-1.12
98.96%	2.59	-0.08
93.82%	-1.27	-1.77
95.23%	-0.62	-1.38
93.34%	-1.90	-2.16
94.73%	-1.56	-1.95
93.73%	-1.87	-2.14
96.51%	-1.38	-1.84
96.75%	-0.06	-1.03
96.81%	-0.76	-1.46
96.12%	-1.25	-1.76
96.16%	-1.21	-1.74
95.76%	-0.46	-1.28
96.26%	-1.46	-1.89
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
95.21%	-0.32	-1.19
0.00%	0.00	0.00
96.64%	-0.19	-1.11
0.00%	0.00	0.00
0.00%	0.00	0.00
96.40%	0.87	-0.52
96.45%	-0.16	-1.10
95.17%	-1.00	-1.61
96.34%	-1.02	-1.62

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
98.82%	-0.27	-1.16
98.58%	-0.17	-1.10
98.31%	-0.43	-1.26
99.63%	-0.14	-1.08
99.61%	-0.20	-1.12
99.34%	-0.23	-1.14
99.52%	-0.21	-1.13
99.24%	-0.27	-1.17
98.56%	-0.34	-1.21
98.50%	-0.54	-1.33
99.70%	-0.17	-1.11
99.72%	-0.13	-1.08
0.00%	0.00	0.00
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
99.72%	-0.15	-1.09
99.87%	2.59	-0.04
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
99.72%	-0.41	-1.25
99.87%	-0.26	-1.16
100%	-0.32	-1.19
100%	-0.32	-1.20
100%	-0.26	-1.16
100%	-0.35	-1.21

0%	0.00	0.00
0%	0.00	0.00
88%	-0.37	-1.22
84%	0.00	0.00
0%	0.00	-0.33
0%	0.00	0.00
0%	0.00	-0.33
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	2.33
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	-0.33
85%	-2.11	-2.28
69%	-3.71	-3.25
92%	-1.31	-1.79
89%	-0.67	-1.41
88%	-1.41	-1.86
97%	3.71	0.36
90%	-0.39	-0.06
94%	0.05	-1.01
90%	-1.30	-1.79
91%	-1.45	-1.88
88%	-1.28	-1.78
84%	-2.94	-2.79
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	0.00
0%	0.00	-0.33
0%	0.00	0.00
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	0.00
100%	0.00	-0.45
100%	0.00	0.00
100%	0.00	0.00
75%	-1.14	-1.69
100%	0.00	-0.65
100%	0.00	0.00
100%	0.00	-0.60
100%	0.00	0.00
86%	-0.90	-1.55
100%	0.00	-0.60
100%	0.00	0.28
92%	-0.70	-1.43

0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
82%	-0.45	-1.27
74%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
92%	-0.28	-1.17
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
100%	0.00	0.00
100%	0.00	0.00
0%	0.00	0.00
67%	-1.31	-1.80
0%	0.00	0.00
83%	-0.45	-1.28
80%	-0.48	-1.29
0%	0.00	0.00
0%	0.00	0.00
61%	-1.31	-1.79
0%	0.00	0.00
0%	0.00	0.00
47%	0.00	0.00
68%	-0.67	-1.41
85%	-0.70	-1.42
69%	-0.92	-1.56
0%	0.00	0.00
89%	-0.35	-1.21
0%	0.00	0.00
97%	-0.31	-1.19
0%	0.00	0.00
0%	0.00	0.00
90%	-0.32	-1.20
91%	-0.44	-1.27
88%	-0.37	-1.22
84%	-0.61	-1.37
98%	-0.54	-1.33
97%	-0.67	-1.41
98%	-0.52	-1.32
98%	1.45	-0.32

98%	-0.47	-1.29
98%	-0.32	-0.33
99%	-0.21	-0.33
98%	-0.32	-0.33
99%	-0.20	-0.33
98%	-0.63	-0.33
98%	2.01	-0.17
98%	2.07	-0.02
85%	-0.56	-1.34
69%	-2.91	-2.77
92%	-0.29	-1.18
89%	-1.42	-1.86
88%	-1.03	-1.63
97%	0.57	-0.76
90%	-0.47	-1.28
94%	0.42	-0.81
90%	-1.30	-1.79
91%	-0.73	-1.44
88%	-2.01	-2.22
84%	-1.15	-1.70
90%	-0.43	-1.26
0%	0.00	0.00
0%	0.00	0.00
0%	0.00	0.00
80%	-0.48	-1.29
0%	0.00	0.00
0%	0.00	0.00
61%	-0.78	-1.48
0%	0.00	0.00
0%	0.00	0.00
47%	0.00	0.00
68%	-0.67	-1.41
0%	0.00	-0.33
0%	0.00	-0.06
0%	0.00	-0.33
0%	0.00	0.00
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	-0.33
0%	0.00	0.33
98%	-0.25	-1.15
98%	-0.41	-1.25
0%	0.00	0.41
0%	0.00	0.41
0%	0.00	0.18
0%	0.00	0.14
0%	0.00	-0.33
0%	0.00	0.33
0%	0.00	1.00
0%	0.00	0.78

0%	0.00	0.00
0%	0.00	0.22
0%	0.00	0.78
0%	0.00	0.17
96.72%	0.04	-0.99
84.21%	0.18	-0.90
84.38%	-0.92	-1.56
85.71%	-0.38	-1.23
91.80%	-1.37	-1.83
90.57%	-1.35	-1.82
93.65%	-1.29	-1.78
96.36%	0.05	-0.99
88.64%	-0.69	-1.42
82.93%	-1.87	-2.14
84.31%	-1.97	-2.19
94.64%	-0.58	-1.35
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
76.81%	-1.55	-1.94
69.57%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
82.14%	2.13	-0.19
0.00%	0.00	0.00
0.00%	0.00	0.00
81.82%	0.00	0.00
78.09%	0.00	0.00
63.89%	-2.14	-2.30
58.93%	-1.54	-1.93
77.55%	-0.63	-1.38
74.47%	-0.21	-1.13
67.57%	-2.15	-2.31
74.19%	-1.32	-1.80
88.00%	-0.99	-0.33
82.14%	-1.01	-1.61
65.85%	-1.92	-2.17
73.97%	-1.12	-1.68
81.82%	-1.88	-2.15
78.09%	-0.41	-1.25

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
62.50%	2.43	0.40
75.68%	1.74	-0.30
83.33%	-1.04	-1.63
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
70.00%	0.00	0.00
70.37%	0.00	0.00
90.91%	0.03	-1.10
90.00%	0.08	-1.01
91.67%	-0.66	-1.40
100.00%	0.00	-0.28
80.00%	-1.19	-1.72
95.24%	-0.54	-1.33
89.47%	-1.10	-1.67
85.71%	-1.41	-1.86
76.19%	-0.91	-1.55
50.00%	-1.28	-1.78
100.00%	0.00	-0.38
91.89%	-0.29	-1.18
0.00%	0.00	0.00
0.00%	0.00	0.00
61.54%	-0.76	-1.46
0.00%	0.00	0.00
75.00%	0.73	-0.72
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
90.91%	0.00	0.00
71.43%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	-0.15
33.33%	0.61	-0.90
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
91.67%	0.00	0.00
50.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
77.55%	-0.53	-1.32
74.47%	-0.58	-1.35

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
65.85%	-0.71	-1.43
0.00%	0.00	0.00
81.82%	0.00	0.00
78.09%	0.47	-0.74
97.82%	0.46	-0.71
95.66%	-0.60	-1.36
97.35%	-0.54	-1.33
98.61%	-0.47	-1.28
97.66%	-0.38	-1.23
97.84%	-0.60	-0.33
98.90%	-0.39	-0.33
97.90%	-0.43	-0.33
98.52%	-0.76	-0.33
98.95%	-0.37	-0.33
98.16%	0.66	-0.64
98.96%	1.77	-0.27
63.89%	-1.99	-2.21
58.93%	-1.54	-1.93
77.55%	-1.61	-1.98
74.47%	1.08	-0.43
67.57%	-1.05	-1.64
74.19%	-1.32	-1.81
88.00%	-0.82	-1.50
82.14%	-1.60	-1.97
65.85%	-1.66	-2.01
73.97%	-0.83	-1.50
81.82%	-1.79	-2.09
78.09%	-0.30	-1.18
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
40.00%	-1.12	-1.68
0.00%	0.00	0.00
0.00%	0.00	0.00
75.00%	-0.54	-1.33
0.00%	0.00	0.00
42.86%	-1.08	-1.66
91.67%	-0.29	-1.18
50.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.33
0.00%	0.00	0.00
0.00%	0.00	1.33
0.00%	0.00	1.33
0.00%	0.00	1.33
0.00%	0.00	3.00
0.00%	0.00	-0.33

0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	0.00
72.73%	-0.65	-1.40
91.67%	0.14	-0.97
76.92%	-1.45	-1.88
76.47%	-1.66	-2.01
75.00%	-1.34	-1.81
83.33%	-0.69	-1.42
77.78%	-1.26	-1.76
85.00%	-0.96	-1.58
89.47%	-0.91	-1.55
88.89%	-0.92	-1.56
71.43%	-1.67	-2.02
60.00%	-1.62	-1.98
3.94	-0.55	-1.33
3.97	-0.23	-1.14
3.86	0.23	-0.48
3.79	-0.44	-1.27
3.55	-0.35	-1.21
3.69	-0.38	-1.23
3.45	5.03	0.57
3.49	-0.53	-1.32
3.51	2.49	0.10
3.45	-0.15	-1.09
3.68	-0.34	-1.21
4.18	-0.03	-1.02
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
3.62	-0.31	-1.19
4.21	-0.98	-1.60
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.37
0	0.00	-0.16
0	0.00	-0.05
0	0.00	-0.27
0	0.00	-0.27
3.62	-0.31	-1.19
4.21	-0.68	-1.41

4.7	-0.02	-1.02
4.78	-1.08	-1.66
4.93	-0.78	-1.47
5.46	1.31	-0.22
5.43	-1.00	-1.61
5.48	1.43	0.12
5.29	-0.18	-1.11
5.42	-0.79	-1.48
5.14	-1.14	-1.69
5.18	1.51	-0.12
4.8	2.39	0.37
5.25	2.02	0.01
4.31	0.86	-0.48
4	0.58	-0.65
3.72	2.74	0.67
3.48	0.65	-0.60
3.4	-0.44	-1.27
3.34	0.34	-0.79
3.33	1.35	-0.18
3.28	-1.22	-1.74
3.35	2.57	0.56
3.38	1.41	-0.14
3.6	3.59	1.18
4.22	0.60	-0.63
4.24	0.66	-0.33
3.99	0.01	-0.89
3.75	-0.28	-1.17
3.55	-0.29	-1.18
3.44	-0.45	-1.27
3.42	-0.13	-1.08
3.35	-0.33	-1.20
3.33	0.08	-0.59
3.39	0.25	-0.59
3.4	2.07	0.26
3.62	1.81	0.10
4.21	0.39	-0.76
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
4.36	-0.34	-1.21
3.72	-0.55	-1.33
5.11	-0.88	-1.54
3.44	-0.34	-1.21
0	0.00	0.00
4	-0.21	-1.13
4	-0.17	-1.11
3	-0.26	-1.16

4	-0.23	-1.14
0	0.00	0.00
3	-0.12	-1.07
3	-0.15	-1.09
3	-0.11	-1.07
3	0.23	-0.26
4	0.00	0.00
4	-0.25	-1.15
5	-0.65	-1.40
0	0.00	0.00
5	0.65	-0.36
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
5	1.29	0.09
5	-0.14	-1.09
5	0.00	0.00
4	0.27	-0.69
4	-0.63	-1.38
4	-0.77	-1.47
4	-1.09	-1.67
4	-1.30	-1.79
3	-0.65	-1.39
3	-0.07	-1.04
3	-0.55	-1.34
3	1.28	-0.21
3	0.19	-0.60
4	-0.65	-1.40
4	-0.53	-1.32
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
4	-0.37	-1.22
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
3	3.31	0.20
3	0.12	-0.70
4	0.13	-0.69
4	-0.67	-1.41
3	0.66	-0.78
3	-0.34	-1.21
3	-1.18	-1.72
3	-0.22	-1.13
3	-0.42	-1.26
3	-0.12	-1.07
3	-1.10	-1.67
3	-1.09	-1.66

3	-1.00	-1.61
3	-0.81	-1.49
3	-0.13	-1.08
3	-0.72	-1.44
0	0.00	0.00
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
3	-0.48	-1.29
3	-1.10	-1.67
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.27
0	0.00	-0.46
0	0.00	-0.29
0	0.00	-0.29
0	0.00	-0.29
0	0.00	-0.29
0	0.00	-0.23
0	0.00	-0.29
3	-1.57	-1.96
3	-1.20	-1.73
3	-1.81	-2.10
3	1.14	0.10
4	0.47	-0.59
5	-0.42	-1.25
5	-0.15	-1.09
5	-2.79	-2.70
5	-2.58	-2.57
5	-3.49	-3.12
5	-2.01	-2.22
5	-0.36	-1.22
5	-2.76	-2.68
5	-0.18	-1.11
3	-6.24	-4.79
3	-8.61	-6.24
3	-6.15	-4.74
3	-6.56	-4.99
3	-6.69	-5.07
3	-3.84	-3.34
3	-3.76	-3.28
3	-2.03	-2.23
3	-3.57	-3.17
3	-2.12	-2.29
3	-5.99	-4.64
3	-4.08	-3.48

3	-0.27	-1.16
0	0.00	0.00
3	-0.94	-1.57
3	-0.43	-1.26
3	-0.21	-1.13
3	-0.31	-1.19
3	-0.27	-1.16
3	-0.64	-1.39
3	-1.29	-1.79
3	-2.78	-2.69
3	-9.42	-6.73
3	-8.98	-6.46
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
3	0.05	-1.51
3	0.00	0.00
8	-0.36	-1.22
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
2	-1.10	-1.67
0	0.00	0.00
12	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
10	-0.04	-1.03
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
10	0.08	-0.65
10	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00

0	0.00	0.00
0	0.00	0.00
18	-0.39	-1.24
9	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
4	0.25	-0.54
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
3	0.00	0.00
7	0.00	0.00
11	-0.99	-1.60
13	-2.29	-2.39
0	0.00	0.00
16	-1.81	-2.10
10	-0.41	-1.25
0	0.00	0.00
0	0.00	0.00
21	-1.24	-1.75
0	0.00	0.00
0	0.00	0.00
25	-1.64	-2.00
20	-0.39	-1.24
13	-1.21	-1.73
27	-1.38	-1.84
11	-0.66	-1.40
9	-0.88	-1.54
0	0.00	0.00
9	-1.11	-1.68
0	0.00	0.00
0	0.00	0.00
13	-1.09	-1.67
0	0.00	0.00
10	0.00	0.00
10	-0.79	-1.48
4.7	0.08	-0.82
4.78	0.05	-0.87
4.93	-0.01	-1.01
5.46	-1.22	-1.74
5.43	-1.51	-1.92
5.48	-1.05	-0.92
5.29	-0.87	-1.00
5.42	-1.42	-0.83
5.14	-0.16	-0.50
5.18	-0.96	-0.67
4.8	-0.53	-1.32
5.25	-2.51	-2.53

13.29	-3.63	-3.21
27.01	-5.83	-4.55
10.7	-4.17	-3.53
9.43	-4.66	-3.83
10.34	-4.21	-3.56
9.39	-7.33	-5.46
10.35	-6.34	-0.25
12.08	-5.42	-4.30
13.12	-5.56	-4.38
9.43	-3.41	-3.07
9.57	-6.31	-4.84
10.04	-4.81	-3.92
11.4	-0.99	-1.60
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
10.1	-0.67	-1.41
0	0.00	0.00
0	0.00	0.00
21.17	-0.83	-1.51
0	0.00	0.00
0	0.00	0.00
25.35	0.00	0.00
19.57	-0.49	-1.30
0	0.00	-0.50
0	0.00	-0.82
0	0.00	-0.75
0	0.00	-0.56
0	0.00	-1.00
0	0.00	-0.50
0	0.00	-1.10
0	0.00	-0.90
0	0.00	-1.06
0	0.00	-1.00
4.8	-0.86	-1.52
5.25	-1.56	-1.95
0	0.00	-0.36
0	0.00	0.22
0	0.00	-1.17
0	0.00	-0.26
0	0.00	-1.37
0	0.00	-1.40
0	0.00	-0.44
0	0.00	-1.72
0	0.00	-1.03
0	0.00	-0.72
0	0.00	-1.40
0	0.00	-0.23
6.53	-1.24	-1.75
5.84	-0.32	-1.20
8.2	-2.42	-2.47
6.11	-1.86	-2.13

6.19	-1.25	-1.76
8.35	-2.35	-2.43
7.53	-2.07	-2.26
6.8	-2.18	-2.33
6.32	-1.54	-1.93
8.6	-2.14	-2.30
6.8	-1.71	-2.04
5.96	-1.49	-1.90
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
8.99	-1.83	-2.11
6.93	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
12.63	-0.51	-1.31

0	0.00	0.00
0	0.00	0.00
11.42	0.00	0.00
12.58	0.00	0.00
14.35	-1.14	-1.69
18.08	-1.53	-1.93
11.41	-1.73	-2.05
17.99	-1.43	-1.87
14.86	-1.31	-1.79
10.77	-2.15	-2.31
21.36	-0.85	-0.63
12.63	-2.47	-2.50
18.54	-2.23	-2.36
13.01	-0.83	-1.50
11.42	-2.27	-2.38
12.58	-1.81	-2.10
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
19.45	-0.62	-1.38
12.11	-0.96	-1.58
12.92	-0.82	-1.50
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
12.33	0.00	0.00
18.17	0.00	0.00
24	-1.26	-1.77
22.31	-1.32	-1.80
19.08	-1.41	-1.86
17.88	0.04	-0.93
27.36	-2.23	-2.36
18.73	-3.16	-2.92
21.77	-0.62	-1.38
20.63	-0.45	-1.27
35.35	-0.75	-1.45
89.36	-1.98	-2.20
22.09	-2.69	-2.64
20.2	-1.19	-1.72
0	0.00	0.00
0	0.00	0.00
20.88	-0.56	-1.34
0	0.00	0.00
9.88	-0.85	-1.52
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
11.38	0.00	0.00
11.94	0.00	0.00

0	0.00	0.00
24.25	-1.30	-1.79
26.33	-0.94	-1.57
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
26.17	-0.90	-1.55
24.22	0.00	0.00
56.6	0.00	0.00
0	0.00	0.00
0	0.00	0.00
11.41	-1.05	-1.64
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
18.54	-0.82	-1.50
0	0.00	0.00
11.42	0.00	0.00
12.58	-0.25	-1.15
4.51	0.04	-0.93
4.68	0.11	-0.72
4.66	0.29	-0.73
5.41	-1.20	-1.73
5.36	-1.23	-1.75
5.57	-1.28	-0.62
5.26	-2.13	-0.88
5.33	-0.63	-0.50
5.15	-3.08	-1.06
4.99	0.04	-0.50
5.27	-1.16	-1.70
5.11	-0.51	-1.31
14.35	-2.70	-2.64
18.08	-1.49	-1.91
11.41	-1.77	-2.07
17.99	-1.07	-1.65
14.86	-1.54	-1.94
10.77	-3.25	-2.98
21.36	-1.75	-0.84
12.63	-3.77	-3.29
18.54	-1.78	-2.08
13.01	-1.31	-1.79
11.42	-2.84	-2.72
12.58	-2.64	-2.60
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
96.74%	-0.53	-1.32
86.67%	0.00	0.00
0.00%	0.00	0.00
94.37%	-0.24	-1.15
0.00%	0.00	0.00
0.00%	0.00	0.00
94.02%	-0.25	-1.15
0.00%	0.00	0.00
0.00%	0.00	0.00
95.52%	-0.22	-1.13
0.00%	0.00	0.00
0.00%	0.00	0.00
91.79%	-0.30	-1.18
88.24%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
94.37%	-1.23	-1.75
92.36%	-1.04	-1.63
90.17%	-1.20	-1.73
94.02%	-0.29	-1.18
94.02%	0.14	-0.93
94.44%	0.75	-0.59
95.52%	1.73	-0.14
94.12%	-0.02	-1.01
95.30%	-0.13	-1.08
91.79%	-1.74	-2.06
88.24%	-0.43	-1.26

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
93.26%	-0.53	-1.32
96.05%	4.90	0.22
96.05%	-0.49	-1.30
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
96.40%	0.00	0.00
94.64%	0.00	0.00
0.00%	0.00	0.00
93.14%	-0.38	-1.23
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
93.21%	-0.97	-1.59
93.15%	-1.60	-1.97
0.00%	0.00	0.00
90.72%	-0.95	-1.58
90.49%	-0.19	-1.11
91.10%	-1.18	-1.72
90.14%	-1.35	-1.82
91.22%	1.08	-0.36
92.45%	0.36	-0.75
93.38%	-0.35	-1.21
94.85%	0.24	-0.82
94.65%	0.17	-0.85
94.20%	1.18	-0.31
93.79%	-1.37	-1.83
0.00%	0.00	0.00
97.44%	-0.60	-1.36
100.00%	0.00	0.00
100.00%	0.00	-0.85

100.00%	0.00	0.00
100.00%	0.00	-0.37
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	-0.62
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
94.29%	-0.34	-1.21
0.00%	0.00	0.00
92.11%	-0.40	-1.25
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
97.50%	-0.16	-1.10
95.12%	0.00	0.00
0.00%	0.00	0.00
90.72%	-2.05	-2.25
90.49%	0.92	-0.44
91.10%	-1.22	-1.74
90.14%	0.05	-0.95
91.22%	-0.40	-1.24
92.45%	0.17	-0.87
93.38%	1.67	-0.06
94.85%	1.68	-0.06
94.65%	1.94	0.07
94.20%	0.47	-0.69
93.79%	-0.17	-1.10
0.00%	0.00	0.00
93.16%	-2.52	-2.53
92.56%	-4.02	-3.44
92.85%	-4.96	-4.01
93.31%	-5.33	-4.24
93.31%	-1.45	-1.88
93.32%	-3.42	-3.08
92.96%	-1.89	-2.15
93.43%	-2.77	-2.69
93.18%	-3.28	-2.99
93.14%	-3.84	-3.33
93.10%	-3.24	-2.97
0.00%	0.00	0.00
100.00%	0.00	-0.61
100.00%	0.00	0.00
100.00%	0.00	0.00
94.74%	-0.38	-1.23
0.00%	0.00	0.00
0.00%	0.00	0.00
97.06%	2.99	-0.12

100.00%	0.00	0.00
98.00%	-0.27	-1.17
93.33%	2.38	-0.17
100.00%	0.00	0.00
0.00%	0.00	0.00
94.37%	-0.34	-1.21
92.36%	-0.74	-1.45
90.17%	-0.97	-1.59
0.00%	0.00	0.00
94.02%	-0.43	-1.26
0.00%	0.00	0.00
0.00%	0.00	0.00
94.12%	-0.35	-1.21
95.30%	-0.31	-1.19
91.79%	-0.30	-1.18
88.24%	0.57	-0.67
0.00%	0.00	0.00
95.71%	0.17	-0.95
89.36%	-1.83	-2.11
95.52%	-0.83	-1.50
96.51%	-0.97	-1.59
85.29%	-2.58	-2.57
96.47%	-0.39	-1.23
90.79%	-1.90	-2.15
87.50%	-2.06	-2.25
91.80%	-1.40	-1.85
97.33%	-0.09	-1.05
92.75%	-1.09	-1.66
0.00%	0.00	0.00
90.66%	0.38	-0.74
90.03%	0.34	-0.76
90.42%	-1.78	-2.08
89.64%	-0.78	-1.48
90.90%	-0.07	-1.04
91.77%	-1.30	-1.79
92.68%	-0.16	-1.10
94.00%	-0.50	-1.31
92.91%	-1.53	-1.93
92.24%	-1.26	-1.77
92.68%	-0.39	-1.24
0.00%	0.00	0.00
94.37%	0.24	-0.87
92.36%	-1.77	-2.07
90.17%	-1.34	-1.82
94.02%	-0.23	-1.14
94.02%	0.44	-0.77
94.44%	0.37	-0.80
95.52%	0.44	-0.76
94.12%	-0.84	-1.51
95.30%	-0.22	-1.14
91.79%	-1.09	-1.66
88.24%	-2.15	-2.31

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
94.74%	-0.32	-1.19
0.00%	0.00	0.00
0.00%	0.00	0.00
97.06%	-0.24	-1.15
0.00%	0.00	0.00
98.00%	-0.14	-1.09
93.33%	-0.26	-1.16
100.00%	0.00	0.00
0.00%	0.00	0.00
90.72%	-0.11	-1.07
90.49%	-0.72	-1.44
91.10%	-0.99	-1.60
90.14%	-0.57	-1.35
91.22%	-0.69	-1.42
92.45%	-0.81	-1.49
93.38%	-0.75	-1.46
94.85%	-0.74	-1.45
94.65%	-0.53	-1.32
94.20%	-0.50	-1.30
93.79%	-0.81	-1.49
0.00%	0.00	0.00
93.68%	-10.38	-7.31
93.06%	-13.42	-9.16
93.36%	-11.65	-8.08
94.02%	-6.03	-4.67
93.80%	-6.20	-4.77
94.19%	-7.31	-5.45
94.18%	-6.46	-4.92
93.76%	-6.79	-5.13
93.75%	-5.92	-4.60
93.58%	-5.65	-4.44
93.71%	-5.44	-4.30
0.00%	0.00	0.00
95.71%	1.02	-0.53
89.36%	-0.25	-1.15
95.52%	0.99	-0.51
96.51%	2.61	0.10
85.29%	-1.92	-2.16
96.47%	1.40	-0.33
90.79%	-1.05	-1.64
87.50%	-2.00	-2.22
91.80%	-0.57	-1.35
97.26%	0.82	-0.60
92.75%	-0.36	-1.22
0.00%	0.00	0.00
93.14%	-0.61	-1.37
92.64%	-0.56	-1.34
92.95%	-0.06	-1.04

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.05
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.01
0.00%	0.00	-0.05
0.00%	0.00	0.05
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	1.67
100.00%	0.00	0.76
0.00%	0.00	0.00
0.00%	0.00	-0.10
0.00%	0.00	-0.10
0.00%	0.00	-0.10
0.00%	0.00	-0.11
0.00%	0.00	-0.10
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
1.52	-0.48	-1.29
3.24	-0.46	-1.28
0	0.00	0.00
3.41	-0.28	-1.17
4.56	0.00	0.00
5.34	0.00	0.00
2.3	-0.33	-1.20
0	0.00	0.00
1.38	-0.49	-1.30
2.46	0.85	-0.45
0	0.00	0.00
3.47	-0.61	-1.37
1.52	-0.48	-1.29
3.24	-0.46	-1.28
0	0.00	0.00
3.41	0.12	-0.49
1.87	-0.43	-1.26
1.85	0.00	0.00
3.92	-1.00	-1.61
1.98	-0.25	-1.15
2.99	0.18	-0.41
2.72	-0.55	-1.33
3.37	-0.79	-1.48
2.15	-0.28	-1.17
4.65	0.07	-0.68
4.85	-0.19	-1.12

2.51	-0.65	-1.39
4.34	-0.26	-1.16
3.87	-0.42	-1.26
3.07	-0.41	-1.25
0	0.00	0.00
2.4	-0.35	-1.21
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
3.29	-0.35	-1.21
4.52	0.09	-0.77
4.56	-0.90	-1.55
5.34	-0.66	-1.40
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
4.19	-0.39	-1.24
1.29	-0.37	-1.23
0	0.00	0.00
4.11	-0.41	-1.25
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
5.5	-0.09	-1.06
0	0.00	0.00
0	0.00	0.00
2.13	0.95	-0.56
4.15	0.00	0.00
7.65	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
1.68	-0.53	-1.32
0	0.00	0.00
4.66	-0.02	-1.01
7.23	-0.50	-1.30

0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
2.67	-0.69	-1.42
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
19	0.00	0.00
3.57	0.00	0.00
4.95	-0.59	-1.36
2.5	-0.48	-1.29
0	0.00	0.00
4.41	-0.36	-1.22
0	0.00	0.00
3.62	-0.34	-1.21
4	0.64	-0.39
2.74	1.01	-0.47
5.76	-0.50	-1.30
0	0.00	0.00
4.95	-0.14	-1.09
4.59	-0.34	-1.21
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
3.98	-0.53	-1.32
4.98	0.18	-0.66
4.28	0.38	-0.35
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
25.5	-1.55	-1.95
48.86	-6.79	-5.13
20.17	-1.25	-1.76
11	-0.75	-1.46

12.25	-0.74	-1.45
9.25	-2.29	-2.39
8.73	-1.14	-1.69
11.9	-0.53	-1.33
13.33	-1.19	-1.72
19.77	-0.72	-1.44
15	-1.57	-1.95
10.4	1.14	-0.40
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
2	0.00	0.00
0	0.00	0.00
0	0.00	0.00
10	-0.82	-1.50
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
11	0.00	0.00
2	0.00	0.00
3.6	-0.38	-1.23
11.33	-1.67	-2.01
2.67	0.78	-0.36
8.33	-0.67	-1.40
3	0.00	0.00
12.33	-0.48	-1.29
0	0.00	0.00
5.25	0.12	-1.13
5.67	0.40	-0.83
1.33	6.32	-0.35
2	2.57	0.03
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
2.46	-0.44	-1.26
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00

0	0.00	0.00
0	0.00	0.00
1.87	0.07	-0.79
1.85	0.00	0.00
25.5	-2.42	-2.47
48.86	-6.54	-4.98
20.17	-0.63	-1.39
11	-0.34	-1.21
12.25	-0.85	-1.52
9.25	-1.79	-2.09
8.73	-0.07	-1.04
11.9	-0.86	-1.52
13.33	-0.95	-1.58
19.77	-1.19	-1.72
15	-1.80	-2.09
10.4	-1.65	-2.00
3.79	0.05	-0.89
2.4	2.63	0.27
3.33	0.96	-0.52
3.54	0.77	-0.56
3.68	0.74	-0.60
2.99	5.18	1.26
4.57	0.58	-0.54
4.79	0.86	-0.57
3.29	0.88	-0.51
4.52	1.49	-0.22
4.56	0.16	-0.84
5.34	-0.22	-1.13
0	0.00	0.00
27.57	-0.80	-1.49
9.67	-1.00	-1.61
27.6	-0.94	-1.57
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
19.73	-0.94	-1.57
35.61	0.00	0.00
15.31	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
18.13	-0.74	-1.45
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
13	0.00	0.00
15.45	0.00	0.00

4	0.00	0.00
4.5	2.50	-1.02
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
128	-3.46	-3.11
0	0.00	0.00
9.4	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
8	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
2	0.00	0.00
8	0.00	0.00
11.5	-0.59	-1.36
0	0.00	0.00
0	0.00	0.00
27.6	-0.94	-1.57
0	0.00	0.00
9.29	-0.88	-1.53
0	0.00	0.00
0	0.00	0.00
14.38	-1.39	-1.85
19.73	-0.57	-1.35
35.61	0.00	0.00
15.31	0.00	0.00
0	0.00	0.00
0	0.00	0.00
4.52	0.24	-0.39
4.24	-0.51	-1.31
3.84	-0.45	-1.27
5.86	0.20	-0.65
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
4.66	0.00	0.00
7.23	0.00	0.00
0	0.00	0.00
1	0.00	0.00
0	0.00	0.00
0	0.00	0.00

0	0.00	0.00
0	0.00	0.00
8.56	-0.47	-1.28
7.92	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
7.65	-0.24	-1.15
8.45	-0.49	-1.30
6.97	0.00	0.00
1	0.00	0.00
10.25	-0.31	-1.19
13.33	-1.84	-2.12
3	0.00	0.00
16	-0.29	-1.18
7.75	-1.21	-1.74
4	0.00	0.00
3	0.00	-1.00
6	0.00	0.00
29	-4.15	-3.53
8.33	-0.44	-1.27
3	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
12.3	-0.80	-1.49
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
10.31	0.00	0.00
7.24	-1.55	-1.94
23.5	-0.88	-1.54
16.36	6.40	-0.18
4.5	2.02	-0.76
6	-1.14	-1.69
5	-2.03	-2.23
3	-1.02	-1.62
1	0.00	0.00
4	0.00	0.00
26.5	-29.44	-18.90
7.17	-1.27	-1.77
7.75	-1.71	-2.04
10.67	-1.14	-1.69

5.21	4.11	0.88
6.17	-1.75	-2.06
4.53	3.20	0.49
5.77	0.47	-0.56
0	0.00	0.00
5.07	-0.37	-1.22
0	0.00	0.00
5.3	2.04	0.04
5.45	-0.74	-1.45
5.61	1.62	-0.03
5.09	-0.61	-1.37
6.16	-0.45	-1.27
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
6.67	-2.00	-2.22
0	0.00	0.00
0	0.00	0.00
7.22	0.00	0.00
21.59	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
17	-2.67	-2.62
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
15.33	0.00	0.00
29.67	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
13	-0.76	-1.46
0	0.00	0.00
2.75	3.80	-0.33
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
12.75	0.00	0.00
9.67	0.00	0.00
0	0.00	0.00
9.5	-0.52	-1.31
0	0.00	0.00
33.83	-1.30	-1.79

0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0.00%	0.00	-0.12
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.15
0.00%	0.00	-0.15
0.00%	0.00	-0.15
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.10
0.00%	0.00	-0.14
0.00%	0.00	-0.14
0.00%	0.00	-0.16
0.00%	0.00	-0.13
0.00%	0.00	-0.15
0.00%	0.00	-0.16
0.00%	0.00	-0.14
0.00%	0.00	-0.15
0.00%	0.00	-0.16
0.00%	0.00	-0.14
0.00%	0.00	-0.15
0.00%	0.00	-0.14
0.00%	0.00	-0.15
0.00%	0.00	-0.14
7.78	0.00	0.00
8.11	0.00	0.00
7.78	0.00	0.00
8.21	0.00	0.00
7.86	0.00	0.00
7.35	0.00	0.00
7.65	0.00	0.00
7.56	0.00	0.00
7.09	0.00	0.00
7.59	0.00	0.00
7.17	0.00	0.00
7.13	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.24
0.00%	0.00	-0.24
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.24
0.00%	0.00	-0.24
0.00%	0.00	-0.24

0.00%	0.00	0.00
0.00%	0.00	-0.09
0.00%	0.00	-0.09
0.00%	0.00	-0.09
0.00%	0.00	-0.09
0.00%	0.00	-0.09
0.00%	0.00	-0.09
0.00%	0.00	-0.08
0.00%	0.00	-0.09
0.00%	0.00	-0.08
0.00%	0.00	-0.08
0.00%	0.00	-0.08
0.00%	0.00	0.00
0.00%	0.00	-0.09
0.00%	0.00	-0.09
0.00%	0.00	-0.09
0.00%	0.00	-0.08
0.00%	0.00	-0.08
0.00%	0.00	-0.09
0.00%	0.00	-0.09
0.00%	0.00	-0.08
0.00%	0.00	-0.09
0.00%	0.00	-0.08
0.00%	0.00	-0.09
0.00%	0.00	0.00
0.00%	0.00	-0.12
0.00%	0.00	-0.12
0.00%	0.00	-0.12
0.00%	0.00	-0.12
0.00%	0.00	-0.12
0.00%	0.00	-0.12
0.00%	0.00	-0.11
0.00%	0.00	-0.12
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	-0.12
0.00%	0.00	-0.13
0.00%	0.00	-0.12
0.00%	0.00	-0.12
0.00%	0.00	-0.12
0.00%	0.00	-0.13
0.00%	0.00	-0.12
0.00%	0.00	-0.11
0.00%	0.00	-0.13
0.00%	0.00	-0.12
0.00%	0.00	-0.12
0.00%	0.00	0.00
0.00%	0.00	-0.15
0.00%	0.00	-0.15
0.00%	0.00	-0.15

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.04
0.00%	0.00	-0.06
0.00%	0.00	-0.07
0.00%	0.00	-0.02
0.00%	0.00	-0.07
0.00%	0.00	-0.02
0.00%	0.00	-0.04
0.00%	0.00	-0.06
0.00%	0.00	-0.04
0.00%	0.00	-0.03
0.00%	0.00	-0.06
0.00%	0.00	0.02
0.00%	0.00	-0.05
0.00%	0.00	-0.07
0.00%	0.00	-0.06
0.00%	0.00	-0.07
0.00%	0.00	-0.06
0.00%	0.00	0.01
0.00%	0.00	0.06
0.00%	0.00	0.01
0.00%	0.00	0.01
0.00%	0.00	0.18
0.00%	0.00	0.03
0.00%	0.00	0.09
0.00%	0.00	-0.33
0.00%	0.00	-0.31
0.00%	0.00	-0.31
0.00%	0.00	-0.33
0.00%	0.00	-0.38
0.00%	0.00	-0.36
0.00%	0.00	-0.38
0.00%	0.00	-0.37

0.00%	0.00	-0.29
0.00%	0.00	-0.24
0.00%	0.00	-0.34
0.00%	0.00	-0.39
0.00%	0.00	-0.04
0.00%	0.00	-0.13
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	0.19
0.00%	0.00	0.47
0.00%	0.00	0.14
0.00%	0.00	0.10
0.00%	0.00	0.04
0.00%	0.00	-0.02
0.00%	0.00	-0.09
0.00%	0.00	-0.11
0.00%	0.00	-0.04
0.00%	0.00	-0.13
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	0.19
0.00%	0.00	0.47
0.00%	0.00	0.14
0.00%	0.00	0.10
0.00%	0.00	0.04
0.00%	0.00	-0.02
0.00%	0.00	-0.09
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.10
0.00%	0.00	-0.03
0.00%	0.00	-0.09
0.00%	0.00	-0.06
0.00%	0.00	-0.05
0.00%	0.00	-0.08
0.00%	0.00	0.00
0.00%	0.00	-0.03
0.00%	0.00	-0.05
0.00%	0.00	0.02
0.00%	0.00	-0.05
0.00%	0.00	-0.07

0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	0.03
0.00%	0.00	0.37
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	0.09
0.00%	0.00	-0.46
0.00%	0.00	-0.46
0.00%	0.00	-0.52
0.00%	0.00	-0.48
0.00%	0.00	-0.45
0.00%	0.00	-0.41
0.00%	0.00	-0.43
0.00%	0.00	-0.39
0.00%	0.00	-0.22
0.00%	0.00	-0.15
0.00%	0.00	-0.43
0.00%	0.00	-0.37
0.00%	0.00	-0.16
0.00%	0.00	-0.07
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.03
0.00%	0.00	-0.07
0.00%	0.00	0.31
0.00%	0.00	0.17
0.00%	0.00	0.12
0.00%	0.00	-0.04
0.00%	0.00	-0.08
0.00%	0.00	-0.06
0.00%	0.00	-0.16
0.00%	0.00	-0.07
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.03
0.00%	0.00	-0.07
0.00%	0.00	0.31
0.00%	0.00	0.17
0.00%	0.00	0.12
0.00%	0.00	-0.04
0.00%	0.00	-0.08
0.00%	0.00	-0.06
0:00	0.00	-1.93
0:00	0.00	-1.74
0:00	0.00	-1.90
0:00	0.00	-2.05

0:00	0.00	-2.05
0:00	0.00	-2.09
0:00	0.00	-2.10
0:00	0.00	-2.05
0:00	0.00	-1.55
0:00	0.00	-1.02
0:00	0.00	-1.28
0:00	0.00	-2.39
0:00	0.00	-1.92
0:00	0.00	-1.84
0:00	0.00	-1.89
0:00	0.00	-1.87
0:00	0.00	-1.85
0:00	0.00	-1.93
0:00	0.00	-1.80
0:00	0.00	-1.84
0:00	0.00	-1.94
0:00	0.00	-1.86
0:00	0.00	-1.87
0:00	0.00	-2.01
0:00	0.00	-2.23
0:00	0.00	-1.37
0:00	0.00	-2.05
0:00	0.00	-2.25
0:00	0.00	-2.06
0:00	0.00	-2.04
0:00	0.00	-2.03
0:00	0.00	-2.26
0:00	0.00	-2.43
0:00	0.00	-1.65
0:00	0.00	-2.42
0:00	0.00	-2.34
0:00	0.00	-2.27
0:00	0.00	-2.27
0:00	0.00	-1.85
0:00	0.00	-1.70
0:00	0.00	-1.63
0:00	0.00	-1.89
0:00	0.00	-0.99
0:00	0.00	-1.40
0:00	0.00	-1.91
0:00	0.00	-1.39
0:00	0.00	0.69
0:00	0.00	-2.23
0:00	0.00	-2.44
0:00	0.00	-0.84
0:00	0.00	-1.65
0:00	0.00	-1.28
0:00	0.00	-2.02
0:00	0.00	-0.79
0:00	0.00	-1.57
0:00	0.00	-2.34

0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.14
0.00%	0.00	-0.10
0.00%	0.00	-0.13
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.13
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.14
0.00%	0.00	-0.08
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.15
0.00%	0.00	-0.16
0.00%	0.00	-0.12
0.00%	0.00	-0.16
0.00%	0.00	-0.16
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.28
0.00%	0.00	-0.25
0.00%	0.00	-0.26
0.00%	0.00	-0.29
0.00%	0.00	-0.27
0.00%	0.00	-0.30
0.00%	0.00	-0.28
0.00%	0.00	-0.29

0.00%	0.00	-0.28
0.00%	0.00	-0.26
0.00%	0.00	-0.31
0.00%	0.00	-0.24
0.00%	0.00	-0.26
0.00%	0.00	-0.22
0.00%	0.00	-0.24
0.00%	0.00	-0.29
0.00%	0.00	-0.26
0.00%	0.00	-0.30
0.00%	0.00	-0.27
0.00%	0.00	-0.29
0.00%	0.00	-0.27
0.00%	0.00	-0.24
0.00%	0.00	-0.30
0.00%	0.00	-0.23
0.00%	0.00	-0.33
0.00%	0.00	-0.32
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.31
0.00%	0.00	-0.30
0.00%	0.00	-0.32
0.00%	0.00	-0.31
0.00%	0.00	-0.32
0.00%	0.00	-0.32
0.00%	0.00	-0.29
0.00%	0.00	-0.30
0.00%	0.00	-0.32
0.00%	0.00	-0.32
0.00%	0.00	-0.30
0.00%	0.00	-0.30

0.00%	0.00	-0.31
0.00%	0.00	-0.30
0.00%	0.00	-0.32
0.00%	0.00	-0.31
0.00%	0.00	-0.32
0.00%	0.00	-0.32
0.00%	0.00	-0.28
0.00%	0.00	-0.30
0.00%	0.00	-0.32
0.00%	0.00	-0.32
0.00%	0.00	-0.30
0.00%	0.00	-0.30
0.00%	0.00	-0.32
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	0.00
0.00%	0.00	1.89
0.00%	0.00	0.50
0.00%	0.00	-0.33
0.00%	0.00	-0.08
0.00%	0.00	-0.33
0.00%	0.00	-0.14
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33

0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	0.78
0.00%	0.00	-0.33
0.00%	0.00	-0.33
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-0.53
0.00%	0.00	-2.66
0.00%	0.00	-2.59
0.00%	0.00	-1.98
0.00%	0.00	-2.68
0.00%	0.00	-2.72
0.00%	0.00	-2.83
0.00%	0.00	-2.64
0.00%	0.00	-2.80
0.00%	0.00	-2.90
0.00%	0.00	-2.50
0.00%	0.00	-2.73
0.00%	0.00	-2.76
0.00%	0.00	-2.73
0.00%	0.00	-2.79
0.00%	0.00	-2.14
0.00%	0.00	-2.85
0.00%	0.00	-2.85
0.00%	0.00	-2.90
0.00%	0.00	-2.59
0.00%	0.00	-2.63

0.00%	0.00	-2.66
0.00%	0.00	-2.29
0.00%	0.00	-2.72
0.00%	0.00	-2.71
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
1.14	-2.88	-2.75
2.37	0.09	-1.49
1.52	-1.90	-2.16
1.74	-0.21	-1.13
1.4	-5.52	-4.36
1.8	-0.32	-1.20
1.71	-0.05	-1.03
1.04	-2.02	-2.23
2.07	-0.87	-1.53
2.31	-0.23	-1.14
4.43	-0.04	-1.02
4.18	0.34	-0.85
1.14	-9.48	-6.76
2.37	-7.05	-5.28
1.52	-15.21	-10.25
1.74	-4.70	-3.86
1.4	-7.55	-5.59
1.8	-4.14	-3.52
1.71	-4.74	-3.88
1.04	-7.66	-5.65
2.07	-5.60	-4.41
2.31	-2.37	-2.44
4.43	0.47	-0.67
4.18	-0.51	-1.31

0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
2.07	0.03	-1.33
2.31	-1.28	-1.78
4.43	1.03	-0.31
4.18	0.80	-0.50
3.55%	-2.01	-2.22
4.31%	0.98	-0.44
5.64%	-1.39	-1.84
5.14%	-4.64	-3.82
4.01%	0.41	-0.91
11.27%	0.94	-0.51
7.12%	-3.02	-2.83
6.41%	-0.69	-1.42
3.94%	-2.15	-2.31
3.95%	-4.11	-3.50
1.59%	0.38	-0.94
2.31%	0.50	-0.84
3.55%	-13.68	-9.32
4.31%	-18.14	-12.03
5.64%	-6.94	-5.22
5.14%	-5.48	-4.33
4.01%	-10.65	-7.47
11.27%	0.13	-0.96
7.12%	-6.18	-4.76
6.41%	-3.02	-2.84
3.94%	-9.28	-6.64
3.95%	-6.40	-4.89
1.59%	-6.63	-5.03
2.31%	-10.51	-7.39
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
4.31%	0.21	-1.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
3.94%	-3.34	-3.03
3.95%	0.77	-0.62
1.59%	-3.58	-3.18
2.31%	0.40	-0.91
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
14.29%	1.27	-0.55
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
16.67%	0.00	0.00
50.00%	0.00	0.00
0.00%	0.00	0.00
99.72%	-0.05	-1.03
99.93%	-0.03	-1.02
0.00%	0.00	0.00
0.00%	0.00	0.00
99.96%	-0.03	-0.16
0.00%	0.00	0.00
0.00%	0.00	0.00
99.89%	14.75	0.63
0.00%	0.00	0.00
99.84%	-0.06	-1.03
99.72%	-0.05	-1.03
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
93.33%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
62.50%	0.00	0.00
80.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
90.00%	0.00	0.00
92.31%	0.00	0.00

0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:05	7.51	-1.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:29	0.00	0.00
2:05	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
1:22	0.00	0.00
0:00	0.00	0.00
0:32	1.42	-0.43
0:00	0.00	0.00
0:00	0.00	0.00
4:25	-0.69	-1.42
1:33	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
16.67%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.58
0.00%	0.00	0.00
0.00%	0.00	-1.06
25.00%	-0.82	-1.50
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.90

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
91.18%	-0.79	-1.48
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00

0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.08
0.00%	0.00	-0.11

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.67
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.01
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.10
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.09
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.10
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	-0.11
0.00%	0.00	-0.11
0.00%	0.00	-0.11

0.00%	0.00	0.00
0.00%	0.00	0.00
97.50%	-0.16	-1.10
95.12%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0	0.00	0.00
3.6	0.76	-0.83
11.33	-1.73	-2.05
2.67	-0.83	-1.50
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
5.25	-0.45	-1.27
0	0.00	0.00
1.5	0.00	0.00
2	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
6.25	-0.66	-1.40
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
5	0.00	0.00
0	0.00	0.00
1	0.00	0.00
10.25	-0.23	-1.14
13.33	-1.33	-1.81
3	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
6	0.00	0.00
0	0.00	0.00
8.33	0.00	0.00
3	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
17.78%	0.00	0.00
40.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
94.74%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
88.89%	0.00	0.00
66.67%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
88.89%	-0.34	-1.20
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
83.33%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
81.56%	0.00	0.00
84.83%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
50.00%	0.00	0.00
50.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
83.33%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
66.67%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
96.21%	0.00	0.00
96.76%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
79.13%	0.00	0.00
85.23%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
93.33%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
80.95%	0.00	0.00
59.26%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
90.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0:00	0.00	0.00
0:00	0.00	0.00
4:22	0.00	0.00
5:25	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
3:43	0.00	0.00
3:48	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
5:31	0.00	0.00
2:28	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
16:59	0.00	0.00
16:14	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:02	0.00	0.00
10:38	0.00	0.00

0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
8:15	0.00	0.00
15:48	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
1:20	0.00	0.00
1:18	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:42	0.00	0.00
3:18	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:18	0.00	0.00
0:57	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00

0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
4:25	0.00	0.00
1:33	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
1:54	0.00	0.00
1:34	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
2:24	0.00	0.00
3:02	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
4:25	0.00	0.00
1:33	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
1:24	11.66	1.26
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00
0:00	0.00	0.00

0:00	0.00	0.00
0:00	0.00	0.00
8:47	0.00	0.00
0:00	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
11.76%	0.00	0.00
18.42%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
33.33%	0.00	0.00
75.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
27.27%	0.00	0.00
25.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
13.11%	0.00	0.00
12.92%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
15.11%	0.00	0.00
25.52%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
37.50%	0.00	0.00
50.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
130.92	0.00	0.00
117.38	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
7.5	0.00	0.00
10.14	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
149.75	0.00	0.00
146.25	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00

0	0.00	0.00
0	0.00	0.00
44.06	0.00	0.00
48.47	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
76.44	0.00	0.00
57.11	-1.90	-2.16
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
3.5	0.00	0.00
86.67	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
26.9	0.00	0.00
41.33	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
26.9	0.00	0.00
41.33	0.00	0.00

0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
18.33	0.00	0.00
20.25	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
149.75	0.00	0.00
146.25	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
7.5	0.00	0.00
10.14	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.0769	0.00	0.00
0.0769	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00

0	0.00	0.00
0	0.00	0.00
0.2308	0.00	0.00
0.2353	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.46	0.00	0.00
0.5098	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.3333	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.2653	0.00	0.00
0.2051	0.00	0.00

0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.2653	0.00	0.00
0.2051	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.3333	0.00	0.00
0.5	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.25	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0	0.00	0.00
0.6	0.00	0.00
0.931	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
90.48%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
95.17%	0.00	0.00
96.34%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
95.17%	0.00	0.00
96.34%	0.00	0.00

0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
90.48%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
100.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0.00	0.00
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
100.00%	0	0
100.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0

0.00%	0	0
0.00%	0	0
50.00%	0	0
57.14%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
47.06%	0	0
68.18%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
88.24%	0	0
92.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
92.50%	0	0
54.39%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
88.12%	0	0
83.93%	0	0

0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
71.43%	0	0
60.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
91.67%	0	0
50.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
66.67%	0	0
58.33%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
81.82%	0	0
78.09%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	-0.3333333333
0.00%	0	0

0	0	0
0	0	0
0	0	0
3	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
3.43	0	0
4.17	-0.284104	-1.172723
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
3	0	0
3.43	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
4.09	0	0
2.67	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
3.64	0	0
3.78	0	0

0	0	0
0	0	0
10.92	0	0
15.69	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
25.35	0	0
19.57	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
11	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
8.56	0	0
22.47	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
9.57	0	0
10.04	0	0

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
12.56	0	0
9.64	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
24.22	0	0
56.6	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
14	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
11.42	0	0
12.58	0	0
0	0	0
0	0	0
0	0	-0.5
0	0	0

0.00%	0	0
0.00%	0	0
93.33%	0	0
100.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
100.00%	0	0
96.72%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
91.79%	0	0
88.24%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
100.00%	0	0
100.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
100.00%	0	0
100.00%	0	0

0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
100.00%	0	0
100.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
100.00%	0	0
100.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
100.00%	0	0
100.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
33.33%	0	0
16.67%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0

0	0	0
0	0	0
4.56	0	0
5.34	-0.328872	-1.19994
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
3	0	0
12	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
5.53	0	0
4.86	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
30	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
4.66	0	0
7.23	0	0

0	0	0
0	0	0
4.98	0	0
4.28	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
34	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
11	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
1.5	0	0
2	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
13.67	0	0
3.33	0	0

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
15	0	0
10.4	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
19.13	0	0
12.2	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
9.71	0	0
2.5	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
17.33	0	0
26.76	0	0
0	0	0
0	0	0
0	0	0
0	0	0

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
3.4	0	0
12.38	0	0
0	0	0
0	0	0
14.5	-1.417132479	-1.861555372
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
30.5	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
35.61	0	0
15.31	-0.401016	-1.2438
0	0	0
0	0	0
3	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
21	0	0
7	0	0
0	0	0
0	0	0
0	0	0
0	0	0

0	0	0
0	0	0
5.09	0	0
6.16	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
5.09	0	0
6.16	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
20	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
19.52	0	0
7	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
8	0	0
2.2	0	0

0	0	0
0	0	0
6.75	0	0
25	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
7.75	0	0
10.67	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
21	0	0
53.67	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
31.33	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
2	0	0
11.33	0	0

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
21	0	0
53.67	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
7.75	0	0
10.67	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
7.75	0	0
10.67	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
21	0	0
53.67	0	0
0	0	0
0	0	0
0	0	0
0	0	0

0	0	0
0	0	0
0	0	0
27	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
58	0	0
59.75	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
7.22	0	0
21.59	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
7.22	0	0
21.59	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
16.17	0	0
21	0	0

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
58	0	0
59.75	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	-0.145888
0.00%	0	-0.157895
0.00%	0	0
51.08%	-0.978270593	-1.594746291
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
64.92%	1.359731	3
0.00%	0	0
60.87%	0	0
56.37%	0	0
0.00%	0	0
100.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0
100.00%	0	0
100.00%	0	0
0.00%	0	0
0.00%	0	0
11.11%	-0.335410197	-1.203914921
0.00%	0	0

0	0	0
0	0	0
0.3151	0	0
0.2714	0	0
0.00%	0	-0.256262042
84.21%	-2.564598343	-2.559165084
84.38%	-2.148850856	-2.306408559
85.71%	-2.334543763	-2.41930183
91.80%	-1.677473	-2.019831
90.57%	-2.042603	-2.241814
93.65%	-1.552044	-1.943576
96.36%	-1.07715	-0.310811
88.64%	-1.756831	-2.068078
82.93%	-2.532977	-2.539941
83.02%	-2.794776	-2.699103
94.64%	-1.061738	-1.645491
0.00%	0	-0.273667462
95.26%	-8.485039211	-6.158537557
96.32%	-9.766932877	-6.937873569
96.32%	-8.012273708	-5.87111654
97.03%	-3.433304	-3.087301
96.53%	-1.294802	-0.242243
97.72%	-3.753717	-0.311339
97.28%	0.251344	-0.238547
96.92%	-1.394956	-0.256528
96.56%	0.401125	-0.211183
96.63%	2.651564	0.612036
96.33%	-1.246672	-1.757923
0.00%	0	-0.3333333333
91.67%	-0.852802865	-1.518467328
76.92%	-1.231776593	-1.748866995
76.47%	-1.700202417	-2.033649675
75.00%	-1.941164	-2.180144
83.33%	-1.095445	-0.333333
77.78%	-1.743262	-0.333333
85.00%	-1.273429	-0.333333
89.47%	-0.952937	-0.333333
88.89%	-1.028992	-1.625582
71.43%	-1.83303	-2.114403
60.00%	-2.194269	-2.334021
0.00%	0	-0.3333333333
95.16%	-4.697288593	-3.855748691
93.54%	-4.906661572	-3.983038424
95.21%	-3.88825796	-3.363892991
93.98%	0.942255	-0.438913
96.64%	2.051215	-0.060109
96.92%	0.458802	-0.191489
96.89%	-1.17047	-0.3
96.40%	-1.323464	-0.29932
96.45%	-1.709298	-0.333333
95.17%	-2.441003	-2.484025
96.34%	-0.179179	-1.108933

0	0	-0.896875
5.84	-2.458080583	-2.494406884
8.2	-3.330373901	-3.024723566
6.11	-3.297982076	-3.005030735
6.19	-2.798468	-2.701348
8.35	-3.898586	-3.370172
7.53	-3.25556	-2.97924
6.8	-4.227625	-1.05914
6.32	-2.404565	-2.461872
8.6	-3.333972	-1.060932
6.8	-2.84255	-2.728148
5.96	-2.470578	-2.502005
0	0	-0.441656211
3.99	9.927255346	5.03534271
3.75	12.85210649	6.813525942
3.55	15.53982232	8.447541145
3.44	17.597494	9.698517
3.42	16.617159	-0.461749
3.35	19.357461	-0.492152
3.33	16.468791	-0.481441
3.39	16.048444	-0.471235
3.4	15.683924	-0.430493
3.62	13.2347	7.046126
4.21	5.795734	2.523556
0	0	-0.791666667
6.36	-1.108075248	-1.673661917
8.17	-0.944170048	-1.574014631
8.94	-1.846021159	-2.122301175
9.5	-2.384957	-2.449951
5.67	-1.63082	-1
6.95	-4.030255	-0.92
7.47	-1.450302	-0.911765
7.94	-1.928961	-0.961538
8.16	-1.315187	-1.799577
12.56	-1.712611	-2.041194
9.64	-2.993833	-2.820121
0	0	-0.638554217
3.99	1.678324917	-0.129100184
3.84	1.837363524	-0.049627504
3.6	7.204258113	1.26100148
3.71	1.425171	-0.254324
3.45	3.401222	-0.5
3.3	6.363044	-0.265957
3.26	6.589116	-0.519231
3.18	6.334913	-0.585938
3.31	3.11442	-0.571429
3.64	2.972472	0.202155
3.78	2.864775	0.303709
0.00%	0	0
0.00%	0	0
0.00%	0	0
0.00%	0	0

PID	Description	Product_Description	Standard
BI-1A	Time to Provide Usage Records	UNEs and Resale Aggregate	Parity
BI-1B	Time to Provide Usage Records	Jointly-provided Switched Access	Benchmark
BI-1C-1	Time to Provide Usage Records	[CAT11] UNEs and Resale Aggregate	Parity
BI-1C-2	Time to Provide Usage Records	[CAT10] UNEs and Resale Aggregate	Parity
BI-2	Invoices Delivered within 10 Days	All	Diagnostic
BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Parity
BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic
BI-4A	Billing Completeness	UNEs and Resale Aggregate	Parity
BI-4B	Billing Completeness	Reciprocal Compensation	Diagnostic
BI-5A	Billing Accuracy & Claims Processing - Acknowledgment	All	Benchmark
BI-5B	Billing Accuracy & Claims Processing - Resolution	All	Benchmark
CP-1A	Scheduled Interval	90 Calendar Days or Less	All Benchmark
CP-1B	Scheduled Interval	91 to 120 Calendar Days	All Benchmark
CP-1C	Scheduled Interval	121 to 150 Calendar Days	All Benchmark
CP-2B	Non-Forcasted & Late Forecasted Collocations	All	Benchmark
CP-2C	Collocations with Intervals Longer than 120 Days	All	Benchmark
CP-3	Collocation Feasibility Study Interval	All	Benchmark
CP-4	Collocation Feasibility Study Commitments Met	All	Benchmark
DA-1	Speed of Answer - Directory Assistance		Diagnostic
DB-1A	Time to Update Databases	E911	Diagnostic
DB-1B	Time to Update Databases	LIDB	Diagnostic
DB-1C-1	Time to Update Databases	Directory Listing	Diagnostic
DB-2C-1	Accurate Database Updates	Directory Listing	Diagnostic
GA-1	Gateway Availability - IMA-GUI	All	Diagnostic
GA-1	Gateway Availability - IMA-GUI	SIA	Diagnostic
GA-2	Gateway Availability - IMA-EDI		Diagnostic
GA-3	Gateway Availability - EB-TA		Diagnostic
GA-4	System Availability - EXACT		Diagnostic
GA-6	Gateway Availability - GUI - Repair		Diagnostic
GA-7	Timely Outage Resolution following Software Releases		Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	Basic Rate ISDN	Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	Business	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Centrex	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Centrex 21	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS0	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS1	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS3	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	E911	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Frame Relay	Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	ISDN Primary	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	LIS Trunk	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	PBX	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Qwest DSL	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Residence	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	UDIT Above DS1 Level	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	UDIT DS1	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - 2 Wire Non-Loaded	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - 4 Wire Non-Loaded	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - ADSL Qualified	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - DS1 Capable	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - DS3 Capable	Parity

MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - XDSLi Parity
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop Analog Parity
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop ISDN Capable Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE - P (POTS) Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex 21) Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex) Parity
MR-11A LNP Trouble Reports Cleared within 4 Hours LNP Parity
MR-11B LNP Trouble Reports Cleared within 48 Hours - All Volumes LNP Parity
MR-2 Calls Answered within 20 seconds - Interconnect Repair Center All Diagnostic
MR-3A Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3A Out of Service Cleared within 24 Hours Business Parity
MR-3A Out of Service Cleared within 24 Hours Centrex Parity
MR-3A Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3A Out of Service Cleared within 24 Hours Line Sharing Parity
MR-3A Out of Service Cleared within 24 Hours Line Splitting Parity
MR-3A Out of Service Cleared within 24 Hours PBX Parity
MR-3A Out of Service Cleared within 24 Hours Residence Parity
MR-3A Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex 21) Parity
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex) Parity
MR-3B Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3B Out of Service Cleared within 24 Hours Business Parity
MR-3B Out of Service Cleared within 24 Hours Centrex Diagnostic
MR-3B Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3B Out of Service Cleared within 24 Hours Line Sharing Diagnostic
MR-3B Out of Service Cleared within 24 Hours Line Splitting Diagnostic
MR-3B Out of Service Cleared within 24 Hours PBX Parity
MR-3B Out of Service Cleared within 24 Hours Residence Parity
MR-3B Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex) Parity
MR-3C Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3C Out of Service Cleared within 24 Hours Business Parity
MR-3C Out of Service Cleared within 24 Hours Centrex Diagnostic
MR-3C Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3C Out of Service Cleared within 24 Hours Line Sharing Parity
MR-3C Out of Service Cleared within 24 Hours Line Splitting Parity
MR-3C Out of Service Cleared within 24 Hours PBX Parity
MR-3C Out of Service Cleared within 24 Hours Residence Parity
MR-3C Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex) Diagnostic
MR-3D Out of Service Cleared within 24 Hours Qwest DSL Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity
MR-3E Out of Service Cleared within 24 Hours Qwest DSL Diagnostic
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity

MR-3E Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity
MR-4A All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4A All Troubles Cleared within 48 Hours Business Parity
MR-4A All Troubles Cleared within 48 Hours Centrex Parity
MR-4A All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4A All Troubles Cleared within 48 Hours Line Sharing Parity
MR-4A All Troubles Cleared within 48 Hours Line Splitting Parity
MR-4A All Troubles Cleared within 48 Hours PBX Parity
MR-4A All Troubles Cleared within 48 Hours Residence Parity
MR-4A All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex 21) Parity
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex) Parity
MR-4B All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4B All Troubles Cleared within 48 Hours Business Parity
MR-4B All Troubles Cleared within 48 Hours Centrex Diagnostic
MR-4B All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4B All Troubles Cleared within 48 Hours Line Sharing Diagnostic
MR-4B All Troubles Cleared within 48 Hours Line Splitting Diagnostic
MR-4B All Troubles Cleared within 48 Hours PBX Parity
MR-4B All Troubles Cleared within 48 Hours Residence Parity
MR-4B All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex) Parity
MR-4C All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4C All Troubles Cleared within 48 Hours Business Parity
MR-4C All Troubles Cleared within 48 Hours Centrex Parity
MR-4C All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4C All Troubles Cleared within 48 Hours Line Sharing Parity
MR-4C All Troubles Cleared within 48 Hours Line Splitting Parity
MR-4C All Troubles Cleared within 48 Hours PBX Parity
MR-4C All Troubles Cleared within 48 Hours Residence Parity
MR-4C All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex) Diagnostic
MR-4D All Troubles Cleared within 48 Hours Qwest DSL Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity
MR-4E All Troubles Cleared within 48 Hours Qwest DSL Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity
MR-5A All Troubles Cleared within 4 Hours DS0 Parity
MR-5A All Troubles Cleared within 4 Hours DS1 Parity
MR-5A All Troubles Cleared within 4 Hours DS3 Parity
MR-5A All Troubles Cleared within 4 Hours E911 Parity
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS0 Capable Diagnostic

MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS3 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Frame Relay Diagnostic
MR-5A All Troubles Cleared within 4 Hours ISDN Primary Diagnostic
MR-5A All Troubles Cleared within 4 Hours LIS Trunk Parity
MR-5A All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity
MR-5A All Troubles Cleared within 4 Hours UDIT DS1 Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - 4 Wire Non-Loaded Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Parity
MR-5B All Troubles Cleared within 4 Hours DS0 Parity
MR-5B All Troubles Cleared within 4 Hours DS1 Parity
MR-5B All Troubles Cleared within 4 Hours DS3 Diagnostic
MR-5B All Troubles Cleared within 4 Hours E911 Parity
MR-5B All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity
MR-5B All Troubles Cleared within 4 Hours Frame Relay Diagnostic
MR-5B All Troubles Cleared within 4 Hours ISDN Primary Parity
MR-5B All Troubles Cleared within 4 Hours LIS Trunk Parity
MR-5B All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity
MR-5B All Troubles Cleared within 4 Hours UDIT DS1 Parity
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Diagnostic
MR-6A Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6A Mean Time to Restore Business Parity
MR-6A Mean Time to Restore Centrex Parity
MR-6A Mean Time to Restore Centrex 21 Parity
MR-6A Mean Time to Restore Line Sharing Parity
MR-6A Mean Time to Restore Line Splitting Parity
MR-6A Mean Time to Restore PBX Parity
MR-6A Mean Time to Restore Residence Parity
MR-6A Mean Time to Restore UNE - P (POTS) Parity
MR-6A Mean Time to Restore UNE P (Centrex 21) Parity
MR-6A Mean Time to Restore UNE P (Centrex) Parity
MR-6B Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6B Mean Time to Restore Business Parity
MR-6B Mean Time to Restore Centrex Diagnostic
MR-6B Mean Time to Restore Centrex 21 Parity
MR-6B Mean Time to Restore Line Sharing Diagnostic
MR-6B Mean Time to Restore Line Splitting Diagnostic
MR-6B Mean Time to Restore PBX Parity
MR-6B Mean Time to Restore Residence Parity
MR-6B Mean Time to Restore UNE - P (POTS) Parity
MR-6B Mean Time to Restore UNE P (Centrex 21) Diagnostic
MR-6B Mean Time to Restore UNE P (Centrex) Parity
MR-6C Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6C Mean Time to Restore Business Parity
MR-6C Mean Time to Restore Centrex Parity
MR-6C Mean Time to Restore Centrex 21 Parity
MR-6C Mean Time to Restore Line Sharing Parity
MR-6C Mean Time to Restore Line Splitting Parity
MR-6C Mean Time to Restore PBX Parity

MR-6C Mean Time to Restore Residence Parity
MR-6C Mean Time to Restore UNE - P (POTS) Parity
MR-6C Mean Time to Restore UNE P (Centrex 21) Parity
MR-6C Mean Time to Restore UNE P (Centrex) Parity
MR-6D Mean Time to Restore Dark Fiber - IOF Parity
MR-6D Mean Time to Restore Dark Fiber - Loop Parity
MR-6D Mean Time to Restore DS0 Parity
MR-6D Mean Time to Restore DS1 Parity
MR-6D Mean Time to Restore DS3 Parity
MR-6D Mean Time to Restore E911 Parity
MR-6D Mean Time to Restore Enhanced Extended Loops - DS0 Capable Diagnostic
MR-6D Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity
MR-6D Mean Time to Restore Enhanced Extended Loops - DS3 Capable Parity
MR-6D Mean Time to Restore Frame Relay Diagnostic
MR-6D Mean Time to Restore ISDN Primary Diagnostic
MR-6D Mean Time to Restore LIS Trunk Parity
MR-6D Mean Time to Restore Qwest DSL Parity
MR-6D Mean Time to Restore UDIT Above DS1 Level Parity
MR-6D Mean Time to Restore UDIT DS1 Parity
MR-6D Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity
MR-6D Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Parity
MR-6D Mean Time to Restore Unbundled Loop - ADSL Qualified Parity
MR-6D Mean Time to Restore Unbundled Loop - DS1 Capable Parity
MR-6D Mean Time to Restore Unbundled Loop - DS3 Capable Parity
MR-6D Mean Time to Restore Unbundled Loop - XDSLi Parity
MR-6D Mean Time to Restore Unbundled Loop Analog Parity
MR-6D Mean Time to Restore Unbundled Loop ISDN Capable Parity
MR-6E Mean Time to Restore DS0 Parity
MR-6E Mean Time to Restore DS1 Parity
MR-6E Mean Time to Restore DS3 Diagnostic
MR-6E Mean Time to Restore E911 Parity
MR-6E Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity
MR-6E Mean Time to Restore Frame Relay Diagnostic
MR-6E Mean Time to Restore ISDN Primary Parity
MR-6E Mean Time to Restore LIS Trunk Parity
MR-6E Mean Time to Restore Qwest DSL Parity
MR-6E Mean Time to Restore UDIT Above DS1 Level Parity
MR-6E Mean Time to Restore UDIT DS1 Parity
MR-6E Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity
MR-6E Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-6E Mean Time to Restore Unbundled Loop - ADSL Qualified Parity
MR-6E Mean Time to Restore Unbundled Loop - DS1 Capable Parity
MR-6E Mean Time to Restore Unbundled Loop - DS3 Capable Diagnostic
MR-6E Mean Time to Restore Unbundled Loop - XDSLi Parity
MR-6E Mean Time to Restore Unbundled Loop Analog Parity
MR-6E Mean Time to Restore Unbundled Loop ISDN Capable Parity
MR-7A Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7A Repair Repeat Report Rate Business Parity
MR-7A Repair Repeat Report Rate Centrex Parity
MR-7A Repair Repeat Report Rate Centrex 21 Parity
MR-7A Repair Repeat Report Rate Line Sharing Parity
MR-7A Repair Repeat Report Rate Line Splitting Parity

MR-7A Repair Repeat Report Rate PBX Parity
MR-7A Repair Repeat Report Rate Residence Parity
MR-7A Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7A Repair Repeat Report Rate UNE P (Centrex 21) Parity
MR-7A Repair Repeat Report Rate UNE P (Centrex) Parity
MR-7B Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7B Repair Repeat Report Rate Business Parity
MR-7B Repair Repeat Report Rate Centrex Diagnostic
MR-7B Repair Repeat Report Rate Centrex 21 Parity
MR-7B Repair Repeat Report Rate Line Sharing Diagnostic
MR-7B Repair Repeat Report Rate Line Splitting Diagnostic
MR-7B Repair Repeat Report Rate PBX Parity
MR-7B Repair Repeat Report Rate Residence Parity
MR-7B Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7B Repair Repeat Report Rate UNE P (Centrex 21) Diagnostic
MR-7B Repair Repeat Report Rate UNE P (Centrex) Diagnostic
MR-7C Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7C Repair Repeat Report Rate Business Parity
MR-7C Repair Repeat Report Rate Centrex Parity
MR-7C Repair Repeat Report Rate Centrex 21 Parity
MR-7C Repair Repeat Report Rate Line Sharing Parity
MR-7C Repair Repeat Report Rate Line Splitting Parity
MR-7C Repair Repeat Report Rate PBX Parity
MR-7C Repair Repeat Report Rate Residence Parity
MR-7C Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7C Repair Repeat Report Rate UNE P (Centrex 21) Parity
MR-7C Repair Repeat Report Rate UNE P (Centrex) Parity
MR-7D Repair Repeat Report Rate Dark Fiber - IOF Parity
MR-7D Repair Repeat Report Rate Dark Fiber - Loop Parity
MR-7D Repair Repeat Report Rate DS0 Parity
MR-7D Repair Repeat Report Rate DS1 Parity
MR-7D Repair Repeat Report Rate DS3 Parity
MR-7D Repair Repeat Report Rate E911 Parity
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS3 Capable Diagnostic
MR-7D Repair Repeat Report Rate Frame Relay Diagnostic
MR-7D Repair Repeat Report Rate ISDN Primary Diagnostic
MR-7D Repair Repeat Report Rate LIS Trunk Parity
MR-7D Repair Repeat Report Rate Qwest DSL Parity
MR-7D Repair Repeat Report Rate UDIT Above DS1 Level Parity
MR-7D Repair Repeat Report Rate UDIT DS1 Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - DS1 Capable Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - DS3 Capable Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - XDSLi Parity
MR-7D Repair Repeat Report Rate Unbundled Loop Analog Parity
MR-7D Repair Repeat Report Rate Unbundled Loop ISDN Capable Parity
MR-7E Repair Repeat Report Rate DS0 Parity
MR-7E Repair Repeat Report Rate DS1 Parity

MR-7E Repair Repeat Report Rate DS3 Diagnostic
MR-7E Repair Repeat Report Rate E911 Parity
MR-7E Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity
MR-7E Repair Repeat Report Rate Frame Relay Diagnostic
MR-7E Repair Repeat Report Rate ISDN Primary Parity
MR-7E Repair Repeat Report Rate LIS Trunk Parity
MR-7E Repair Repeat Report Rate Qwest DSL Parity
MR-7E Repair Repeat Report Rate UDIT Above DS1 Level Parity
MR-7E Repair Repeat Report Rate UDIT DS1 Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - DS1 Capable Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - DS3 Capable Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop - XDSLi Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop Analog Parity
MR-7E Repair Repeat Report Rate Unbundled Loop ISDN Capable Parity
MR-8 Trouble Rate Basic Rate ISDN Parity
MR-8 Trouble Rate Business Parity
MR-8 Trouble Rate Centrex Parity
MR-8 Trouble Rate Centrex 21 Parity
MR-8 Trouble Rate Dark Fiber - IOF Diagnostic
MR-8 Trouble Rate Dark Fiber - Loop Diagnostic
MR-8 Trouble Rate DS0 Parity
MR-8 Trouble Rate DS1 Parity
MR-8 Trouble Rate DS3 Parity
MR-8 Trouble Rate E911 Parity
MR-8 Trouble Rate Enhanced Extended Loops - DS0 Capable Diagnostic
MR-8 Trouble Rate Enhanced Extended Loops - DS1 Capable Parity
MR-8 Trouble Rate Enhanced Extended Loops - DS3 Capable Diagnostic
MR-8 Trouble Rate Frame Relay Parity
MR-8 Trouble Rate ISDN Primary Parity
MR-8 Trouble Rate Line Sharing Parity
MR-8 Trouble Rate Line Splitting Parity
MR-8 Trouble Rate LIS Trunk Parity
MR-8 Trouble Rate PBX Parity
MR-8 Trouble Rate Qwest DSL Parity
MR-8 Trouble Rate Residence Parity
MR-8 Trouble Rate Sub-Loop Unbundling Diagnostic
MR-8 Trouble Rate UDIT Above DS1 Level Parity
MR-8 Trouble Rate UDIT DS1 Parity
MR-8 Trouble Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-8 Trouble Rate Unbundled Loop - 4 Wire Non-Loaded Parity
MR-8 Trouble Rate Unbundled Loop - ADSL Qualified Parity
MR-8 Trouble Rate Unbundled Loop - DS1 Capable Parity
MR-8 Trouble Rate Unbundled Loop - DS3 Capable Parity
MR-8 Trouble Rate Unbundled Loop - XDSLi Parity
MR-8 Trouble Rate Unbundled Loop Analog Parity
MR-8 Trouble Rate Unbundled Loop ISDN Capable Parity
MR-8 Trouble Rate UNE - P (POTS) Parity
MR-8 Trouble Rate UNE P (Centrex 21) Parity
MR-8 Trouble Rate UNE P (Centrex) Parity

MR-9A Repair Appointments Met Business Parity
MR-9A Repair Appointments Met Centrex Parity
MR-9A Repair Appointments Met Centrex 21 Parity
MR-9A Repair Appointments Met PBX Parity
MR-9A Repair Appointments Met Residence Parity
MR-9A Repair Appointments Met UNE - P (POTS) Parity
MR-9B Repair Appointments Met Business Parity
MR-9B Repair Appointments Met Centrex Diagnostic
MR-9B Repair Appointments Met Centrex 21 Parity
MR-9B Repair Appointments Met PBX Parity
MR-9B Repair Appointments Met Residence Parity
MR-9B Repair Appointments Met UNE - P (POTS) Parity
MR-9C Repair Appointments Met Business Parity
MR-9C Repair Appointments Met Centrex Parity
MR-9C Repair Appointments Met Centrex 21 Parity
MR-9C Repair Appointments Met PBX Diagnostic
MR-9C Repair Appointments Met Residence Parity
MR-9C Repair Appointments Met UNE - P (POTS) Parity
NI-1A Trunk Blockage to Qwest Tandem Offices LIS Trunk Parity
NI-1B Trunk Blockage to Qwest End Offices LIS Trunk Parity
NI-1C Trunk Blockage to Qwest Tandem Offices LIS Trunk Diagnostic
NI-1D Trunk Blockage to Qwest End Offices LIS Trunk Diagnostic
NP-1A NXX Code Activation All Parity
OP-13A Coordinated Cuts Completed on Time Unbundled Loop - Analog Benchmark
OP-13A Coordinated Cuts Completed on Time Unbundled Loop Other Benchmark
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop - Analog Diagnostic
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop Other Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Basic Rate ISDN Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Business Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex 21 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS0 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS1 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS3 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Enhanced Extended Loops (EELs) Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Frame Relay Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date ISDN Primary Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Line Sharing Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Line Splitting Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date LIS Trunk Parity
OP-15A Interval for Pending Orders Delayed Past Due Date PBX Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Qwest DSL Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Residence Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UDIT Above DS1 Level Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UDIT DS1 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 2 Wire Non-Loaded Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS1 Capable Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS3 Capable Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop Analog Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop ISDN Capable Parity

OP-15A Interval for Pending Orders Delayed Past Due Date UNE - P (POTS) Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex 21) Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Basic Rate ISDN Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Business Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex 21 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - Loop Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS0 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS1 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS3 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Enhanced Extended Loops (EELs) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Frame Relay Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons ISDN Primary Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Sharing Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Splitting Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons LIS Trunk Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons PBX Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Qwest DSL Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Residence Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT DS1 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Loaded Diagnos
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnos
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex 21) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex) Diagnostic
OP-17A Timeliness of Disconnects associated with LNP Orders LNP Benchmark
OP-17B Timeliness of Disconnects associated with LNP Orders LNP Diagnostic
OP-2 Calls Answered within Twenty Seconds - Interconnect Provisioning Center Diagnostic
OP-3A Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3A Installation Commitments Met Business Parity
OP-3A Installation Commitments Met Centrex Diagnostic
OP-3A Installation Commitments Met Centrex 21 Diagnostic
OP-3A Installation Commitments Met DS0 Diagnostic
OP-3A Installation Commitments Met Line Sharing Benchmark
OP-3A Installation Commitments Met Line Splitting Benchmark
OP-3A Installation Commitments Met PBX Diagnostic
OP-3A Installation Commitments Met Qwest DSL Parity
OP-3A Installation Commitments Met Residence Parity
OP-3A Installation Commitments Met UNE - P (POTS) Parity
OP-3A Installation Commitments Met UNE P (Centrex 21) Parity
OP-3A Installation Commitments Met UNE P (Centrex) Parity
OP-3B Installation Commitments Met Business Parity
OP-3B Installation Commitments Met Centrex Diagnostic
OP-3B Installation Commitments Met Centrex 21 Diagnostic
OP-3B Installation Commitments Met Line Sharing Benchmark
OP-3B Installation Commitments Met Line Splitting Benchmark

OP-3B Installation Commitments Met PBX Diagnostic
OP-3B Installation Commitments Met Qwest DSL Parity
OP-3B Installation Commitments Met Residence Parity
OP-3B Installation Commitments Met UNE - P (POTS) Parity
OP-3B Installation Commitments Met UNE P (Centrex 21) Diagnostic
OP-3B Installation Commitments Met UNE P (Centrex) Diagnostic
OP-3C Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3C Installation Commitments Met Business Parity
OP-3C Installation Commitments Met Centrex Diagnostic
OP-3C Installation Commitments Met Centrex 21 Diagnostic
OP-3C Installation Commitments Met ISDN Primary Diagnostic
OP-3C Installation Commitments Met Line Sharing Benchmark
OP-3C Installation Commitments Met Line Splitting Benchmark
OP-3C Installation Commitments Met PBX Parity
OP-3C Installation Commitments Met Qwest DSL Parity
OP-3C Installation Commitments Met Residence Parity
OP-3C Installation Commitments Met UNE - P (POTS) Parity
OP-3C Installation Commitments Met UNE P (Centrex 21) Parity
OP-3C Installation Commitments Met UNE P (Centrex) Parity
OP-3D Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3D Installation Commitments Met Dark Fiber - IOF Diagnostic
OP-3D Installation Commitments Met Dark Fiber - Loop Diagnostic
OP-3D Installation Commitments Met DS0 Diagnostic
OP-3D Installation Commitments Met DS1 Parity
OP-3D Installation Commitments Met DS3 Diagnostic
OP-3D Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark
OP-3D Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity
OP-3D Installation Commitments Met Enhanced Extended Loops - DS3 Capable Benchmark
OP-3D Installation Commitments Met Frame Relay Diagnostic
OP-3D Installation Commitments Met ISDN Primary Diagnostic
OP-3D Installation Commitments Met LIS Trunk Parity
OP-3D Installation Commitments Met PBX Parity
OP-3D Installation Commitments Met Qwest DSL Parity
OP-3D Installation Commitments Met UDIT Above DS1 Level Parity
OP-3D Installation Commitments Met UDIT DS1 Parity
OP-3D Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-3D Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-3D Installation Commitments Met Unbundled Loop - ADSL Qualified Parity
OP-3D Installation Commitments Met Unbundled Loop - DS1 Capable Parity
OP-3D Installation Commitments Met Unbundled Loop - DS3 Capable Parity
OP-3D Installation Commitments Met Unbundled Loop - XDSLi Benchmark
OP-3D Installation Commitments Met Unbundled Loop Analog Benchmark
OP-3D Installation Commitments Met Unbundled Loop Conditioned Benchmark
OP-3D Installation Commitments Met Unbundled Loop ISDN Capable Parity
OP-3E Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3E Installation Commitments Met DS0 Parity
OP-3E Installation Commitments Met DS1 Parity
OP-3E Installation Commitments Met DS3 Diagnostic
OP-3E Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark
OP-3E Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity
OP-3E Installation Commitments Met Frame Relay Diagnostic
OP-3E Installation Commitments Met ISDN Primary Parity

OP-3E Installation Commitments Met LIS Trunk Parity
OP-3E Installation Commitments Met PBX Parity
OP-3E Installation Commitments Met UDIT Above DS1 Level Parity
OP-3E Installation Commitments Met UDIT DS1 Parity
OP-3E Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-3E Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-3E Installation Commitments Met Unbundled Loop - ADSL Qualified Parity
OP-3E Installation Commitments Met Unbundled Loop - DS1 Capable Parity
OP-3E Installation Commitments Met Unbundled Loop - DS3 Capable Parity
OP-3E Installation Commitments Met Unbundled Loop - XDSLi Benchmark
OP-3E Installation Commitments Met Unbundled Loop Analog Benchmark
OP-3E Installation Commitments Met Unbundled Loop Conditioned Benchmark
OP-3E Installation Commitments Met Unbundled Loop ISDN Capable Parity
OP-4A Installation Interval Business Parity
OP-4A Installation Interval Centrex Diagnostic
OP-4A Installation Interval Centrex 21 Diagnostic
OP-4A Installation Interval DS0 Diagnostic
OP-4A Installation Interval Line Sharing Benchmark
OP-4A Installation Interval Line Splitting Benchmark
OP-4A Installation Interval PBX Diagnostic
OP-4A Installation Interval Qwest DSL Parity
OP-4A Installation Interval Residence Parity
OP-4A Installation Interval UNE - P (POTS) Parity
OP-4A Installation Interval UNE P (Centrex 21) Diagnostic
OP-4A Installation Interval UNE P (Centrex) Parity
OP-4B Installation Interval Business Parity
OP-4B Installation Interval Centrex Diagnostic
OP-4B Installation Interval Centrex 21 Diagnostic
OP-4B Installation Interval Line Sharing Benchmark
OP-4B Installation Interval Line Splitting Benchmark
OP-4B Installation Interval PBX Diagnostic
OP-4B Installation Interval Qwest DSL Parity
OP-4B Installation Interval Residence Parity
OP-4B Installation Interval UNE - P (POTS) Parity
OP-4B Installation Interval UNE P (Centrex 21) Diagnostic
OP-4B Installation Interval UNE P (Centrex) Diagnostic
OP-4C Installation Interval Business Parity
OP-4C Installation Interval Centrex Diagnostic
OP-4C Installation Interval Centrex 21 Diagnostic
OP-4C Installation Interval Line Sharing Benchmark
OP-4C Installation Interval Line Splitting Benchmark
OP-4C Installation Interval PBX Parity
OP-4C Installation Interval Qwest DSL Parity
OP-4C Installation Interval Residence Parity
OP-4C Installation Interval UNE - P (POTS) Parity
OP-4C Installation Interval UNE P (Centrex 21) Parity
OP-4C Installation Interval UNE P (Centrex) Parity
OP-4D Installation Interval Basic Rate ISDN Diagnostic
OP-4D Installation Interval Dark Fiber - IOF Diagnostic
OP-4D Installation Interval Dark Fiber - Loop Diagnostic
OP-4D Installation Interval DS0 Diagnostic
OP-4D Installation Interval DS1 Parity

OP-4D Installation Interval DS3 Diagnostic
OP-4D Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic
OP-4D Installation Interval Enhanced Extended Loops - DS1 Capable Parity
OP-4D Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic
OP-4D Installation Interval Frame Relay Diagnostic
OP-4D Installation Interval ISDN Primary Diagnostic
OP-4D Installation Interval LIS Trunk Parity
OP-4D Installation Interval PBX Parity
OP-4D Installation Interval Qwest DSL Parity
OP-4D Installation Interval UDIT Above DS1 Level Parity
OP-4D Installation Interval UDIT DS1 Parity
OP-4D Installation Interval Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-4D Installation Interval Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-4D Installation Interval Unbundled Loop - ADSL Qualified Parity
OP-4D Installation Interval Unbundled Loop - DS1 Capable Parity
OP-4D Installation Interval Unbundled Loop - DS3 Capable Parity
OP-4D Installation Interval Unbundled Loop - XDSLi Benchmark
OP-4D Installation Interval Unbundled Loop Analog Benchmark
OP-4D Installation Interval Unbundled Loop Conditioned Benchmark
OP-4D Installation Interval Unbundled Loop ISDN Capable Parity
OP-4E Installation Interval Basic Rate ISDN Diagnostic
OP-4E Installation Interval Dark Fiber - IOF Diagnostic
OP-4E Installation Interval Dark Fiber - Loop Diagnostic
OP-4E Installation Interval DS0 Parity
OP-4E Installation Interval DS1 Parity
OP-4E Installation Interval DS3 Diagnostic
OP-4E Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic
OP-4E Installation Interval Enhanced Extended Loops - DS1 Capable Parity
OP-4E Installation Interval Frame Relay Diagnostic
OP-4E Installation Interval ISDN Primary Parity
OP-4E Installation Interval LIS Trunk Parity
OP-4E Installation Interval PBX Parity
OP-4E Installation Interval UDIT Above DS1 Level Parity
OP-4E Installation Interval UDIT DS1 Parity
OP-4E Installation Interval Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-4E Installation Interval Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-4E Installation Interval Unbundled Loop - ADSL Qualified Parity
OP-4E Installation Interval Unbundled Loop - DS1 Capable Parity
OP-4E Installation Interval Unbundled Loop - DS3 Capable Parity
OP-4E Installation Interval Unbundled Loop - XDSLi Benchmark
OP-4E Installation Interval Unbundled Loop Analog Benchmark
OP-4E Installation Interval Unbundled Loop Conditioned Benchmark
OP-4E Installation Interval Unbundled Loop ISDN Capable Parity
OP-5A New Service Installation Quality Reported to Repair Basic Rate ISDN Diagnostic
OP-5A New Service Installation Quality Reported to Repair Business Parity
OP-5A New Service Installation Quality Reported to Repair Centrex Diagnostic
OP-5A New Service Installation Quality Reported to Repair Centrex 21 Diagnostic
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - IOF Diagnostic
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - Loop Diagnostic
OP-5A New Service Installation Quality Reported to Repair DS0 Parity
OP-5A New Service Installation Quality Reported to Repair DS1 Parity
OP-5A New Service Installation Quality Reported to Repair DS3 Diagnostic

OP-5A New Service Installation Quality Reported to Repair E911 Parity
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS1 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS3 Capable Diagnostic
OP-5A New Service Installation Quality Reported to Repair Frame Relay Diagnostic
OP-5A New Service Installation Quality Reported to Repair ISDN Primary Parity
OP-5A New Service Installation Quality Reported to Repair Line Sharing Parity
OP-5A New Service Installation Quality Reported to Repair Line Splitting Parity
OP-5A New Service Installation Quality Reported to Repair LIS Trunk Parity
OP-5A New Service Installation Quality Reported to Repair PBX Parity
OP-5A New Service Installation Quality Reported to Repair Qwest DSL Parity
OP-5A New Service Installation Quality Reported to Repair Residence Parity
OP-5A New Service Installation Quality Reported to Repair UDIT Above DS1 Level Parity
OP-5A New Service Installation Quality Reported to Repair UDIT DS1 Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 2 Wire Non-Loaded Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - ADSL Qualified Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS1 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS3 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - XDSLi Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop Analog Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop ISDN Capable Parity
OP-5A New Service Installation Quality Reported to Repair UNE - P (POTS) Parity
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex 21) Parity
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex) Parity
OP-5B New Service Provisioning Quality Basic Rate ISDN Diagnostic
OP-5B New Service Provisioning Quality Business Benchmark
OP-5B New Service Provisioning Quality Centrex Diagnostic
OP-5B New Service Provisioning Quality Centrex 21 Diagnostic
OP-5B New Service Provisioning Quality Dark Fiber - Loop Diagnostic
OP-5B New Service Provisioning Quality DS0 Diagnostic
OP-5B New Service Provisioning Quality DS1 Benchmark
OP-5B New Service Provisioning Quality DS3 Diagnostic
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS0 Capable Benchmark
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS1 Capable Benchmark
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS3 Capable Benchmark
OP-5B New Service Provisioning Quality Frame Relay Diagnostic
OP-5B New Service Provisioning Quality ISDN Primary Benchmark
OP-5B New Service Provisioning Quality Line Sharing Benchmark
OP-5B New Service Provisioning Quality Line Splitting Benchmark
OP-5B New Service Provisioning Quality PBX Benchmark
OP-5B New Service Provisioning Quality Qwest DSL Benchmark
OP-5B New Service Provisioning Quality Residence Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - ADSL Qualified Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - DS1 Capable Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - DS3 Capable Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - XDSLi Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop Analog Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop ISDN Capable Benchmark
OP-5B New Service Provisioning Quality UNE - P (POTS) Benchmark
OP-5B New Service Provisioning Quality UNE P (Centrex 21) Diagnostic

OP-5B New Service Provisioning Quality UNE P (Centrex) Diagnostic
OP-5R New Service Quality Multiple Report Rate Basic Rate ISDN Diagnostic
OP-5R New Service Quality Multiple Report Rate Business Diagnostic
OP-5R New Service Quality Multiple Report Rate Centrex Diagnostic
OP-5R New Service Quality Multiple Report Rate Centrex 21 Diagnostic
OP-5R New Service Quality Multiple Report Rate Dark Fiber - Loop Diagnostic
OP-5R New Service Quality Multiple Report Rate DS0 Diagnostic
OP-5R New Service Quality Multiple Report Rate DS1 Diagnostic
OP-5R New Service Quality Multiple Report Rate DS3 Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS1 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS3 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Frame Relay Diagnostic
OP-5R New Service Quality Multiple Report Rate ISDN Primary Diagnostic
OP-5R New Service Quality Multiple Report Rate Line Sharing Diagnostic
OP-5R New Service Quality Multiple Report Rate Line Splitting Diagnostic
OP-5R New Service Quality Multiple Report Rate LIS Trunk Diagnostic
OP-5R New Service Quality Multiple Report Rate PBX Diagnostic
OP-5R New Service Quality Multiple Report Rate Qwest DSL Diagnostic
OP-5R New Service Quality Multiple Report Rate Residence Diagnostic
OP-5R New Service Quality Multiple Report Rate UDIT Above DS1 Level Diagnostic
OP-5R New Service Quality Multiple Report Rate UDIT DS1 Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - 2 Wire Non-Loaded Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - ADSL Qualified Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - DS1 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - XDSL_i Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop Analog Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop ISDN Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate UNE - P (POTS) Diagnostic
OP-5R New Service Quality Multiple Report Rate UNE P (Centrex) Diagnostic
OP-5T New Service Installation Quality Total Basic Rate ISDN Diagnostic
OP-5T New Service Installation Quality Total Business Diagnostic
OP-5T New Service Installation Quality Total Centrex Diagnostic
OP-5T New Service Installation Quality Total Centrex 21 Diagnostic
OP-5T New Service Installation Quality Total Dark Fiber - Loop Diagnostic
OP-5T New Service Installation Quality Total DS0 Parity
OP-5T New Service Installation Quality Total DS1 Diagnostic
OP-5T New Service Installation Quality Total DS3 Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS1 Capable Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS3 Capable Diagnostic
OP-5T New Service Installation Quality Total Frame Relay Diagnostic
OP-5T New Service Installation Quality Total ISDN Primary Diagnostic
OP-5T New Service Installation Quality Total Line Sharing Diagnostic
OP-5T New Service Installation Quality Total Line Splitting Diagnostic
OP-5T New Service Installation Quality Total PBX Diagnostic
OP-5T New Service Installation Quality Total Qwest DSL Diagnostic
OP-5T New Service Installation Quality Total Residence Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - 2 Wire Non-Loaded Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - ADSL Qualified Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - DS1 Capable Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - DS3 Capable Diagnostic

OP-5T New Service Installation Quality Total Unbundled Loop - XDSLi Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop Analog Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop ISDN Capable Diagnostic
OP-5T New Service Installation Quality Total UNE - P (POTS) Diagnostic
OP-5T New Service Installation Quality Total UNE P (Centrex 21) Diagnostic
OP-5T New Service Installation Quality Total UNE P (Centrex) Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Business Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Centrex Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Line Splitting Parity
OP-6A-1 Delayed Days for Non-Facility Reasons Qwest DSL Parity
OP-6A-1 Delayed Days for Non-Facility Reasons Residence Parity
OP-6A-1 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex) Parity
OP-6A-2 Delayed Days for Non-Facility Reasons Business Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Qwest DSL Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Residence Parity
OP-6A-2 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
OP-6A-2 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Business Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Centrex Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Qwest DSL Parity
OP-6A-3 Delayed Days for Non-Facility Reasons Residence Parity
OP-6A-3 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
OP-6A-3 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons UNE P (Centrex) Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS1 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS3 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS0 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS3 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons LIS Trunk Parity
OP-6A-4 Delayed Days for Non-Facility Reasons PBX Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic

OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS1 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS3 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons ISDN Primary Parity
OP-6A-5 Delayed Days for Non-Facility Reasons LIS Trunk Parity
OP-6A-5 Delayed Days for Non-Facility Reasons PBX Parity
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Parity
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6B-1 Delayed Days for Facility Reasons Business Parity
OP-6B-1 Delayed Days for Facility Reasons Centrex Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Centrex 21 Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Qwest DSL Parity
OP-6B-1 Delayed Days for Facility Reasons Residence Parity
OP-6B-1 Delayed Days for Facility Reasons UNE - P (POTS) Parity
OP-6B-1 Delayed Days for Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6B-1 Delayed Days for Facility Reasons UNE P (Centrex) Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Business Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Residence Parity
OP-6B-2 Delayed Days for Facility Reasons UNE - P (POTS) Parity
OP-6B-3 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Residence Parity
OP-6B-3 Delayed Days for Facility Reasons UNE - P (POTS) Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Basic Rate ISDN Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS0 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS1 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS3 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons ISDN Primary Diagnostic
OP-6B-4 Delayed Days for Facility Reasons PBX Diagnostic
OP-6B-4 Delayed Days for Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6B-4 Delayed Days for Facility Reasons UDIT DS1 Diagnostic

OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop Analog Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6B-5 Delayed Days for Facility Reasons Basic Rate ISDN Diagnostic
OP-6B-5 Delayed Days for Facility Reasons DS0 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons DS1 Parity
OP-6B-5 Delayed Days for Facility Reasons DS3 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Enhanced Extended Loops - DS1 Capable Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Frame Relay Diagnostic
OP-6B-5 Delayed Days for Facility Reasons ISDN Primary Parity
OP-6B-5 Delayed Days for Facility Reasons PBX Diagnostic
OP-6B-5 Delayed Days for Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6B-5 Delayed Days for Facility Reasons UDIT DS1 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - ADSL Qualified Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop Analog Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity
OP-7 OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops" Unbundled Loop - Analog Diagnostic
OP-7 OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops" Unbundled Loop Other Diagnostic
OP-8B Number Portability Timeliness LNP Benchmark
OP-8C Percentage of LNP Triggers Set Prior to the Frame Due Time LNP Benchmark
OS-1 Speed of Answer - Operator Services Diagnostic
PO-15 Number of Due Date Changes per Order All Diagnostic
PO-16 Timely Release Notifications Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 14.0 Benchmark
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 16.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 17.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 18.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI Diagnostic
PO-19A Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 Benchmark
PO-19B Stand-Alone Test Environment (SATE) Accuracy Diagnostic
PO-1A-1 Total Pre-Order Response Times (Appt. Scheduler) IMA Aggregate Diagnostic
PO-1A-2 Total Pre-Order Response Times (Service Availability) IMA Aggregate Diagnostic
PO-1A-2(a) Pre-Order Response Times (Service Availability) IMA Request Diagnostic
PO-1A-2(b) Pre-Order Response Times (Service Availability) IMA Response Diagnostic
PO-1A-3 Total Pre-Order Response Times (Facility Check) IMA Aggregate Diagnostic
PO-1A-3(a) Pre-Order Response Times (Facility Check) IMA Request Diagnostic
PO-1A-3(b) Pre-Order Response Times (Facility Check) IMA Response Diagnostic
PO-1A-4 Total Pre-Order Response Times (Address Validation) IMA Aggregate Diagnostic
PO-1A-4(a) Pre-Order Response Times (Address Validation) IMA Request Diagnostic
PO-1A-4(b) Pre-Order Response Times (Address Validation) IMA Response Diagnostic
PO-20 Manual Service Order Accuracy Resale & UNE-P (POTS) Benchmark
PO-20 Manual Service Order Accuracy Unbundled Loops Benchmark
PO-20P2 Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) Benchmark

PO-20P2 Manual Service Order Accuracy (Phase 2) Unbundled Loops Benchmark
PO-20P3 Manual Service Order Accuracy (Phase 3) Resale & UNE-P (POTS) Benchmark
PO-20P3 Manual Service Order Accuracy (Phase 3) Unbundled Loops Benchmark
PO-20P4 Manual Service Order Accuracy (Phase 4) Resale & UNE-P (POTS) Benchmark
PO-20P4 Manual Service Order Accuracy (Phase 4) Unbundled Loops Benchmark
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Line Sharing Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA LNP Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Unbundled Loop Aggregate Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE - P (POTS) Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE P (POTS AGG) Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Line Sharing Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI LNP Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Unbundled Loop Aggregate Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE - P (POTS) Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE P (POTS AGG) Diagnostic
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Line Sharing Diagnostic
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA LNP Benchmark
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS E
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Unbundled Loop Aggregate Benchmark
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE - P (POTS) Benchmark
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE P (POTS AGG) Benchmark
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Line Sharing Diagnostic
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI LNP Benchmark
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS B
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Unbundled Loop Aggregate Benchmark
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE - P (POTS) Benchmark
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE P (POTS AGG) Benchmark
PO-3A-1 LSR Rejection Notice Interval for IMA - Rejected Manually Product Aggregate Benchmark
PO-3A-2 LSR Rejection Notice Interval for IMA - Auto-Rejected Product Aggregate Benchmark
PO-3B-1 LSR Rejection Notice Interval for EDI - Rejected Manually Product Aggregate Benchmark
PO-3B-2 LSR Rejection Notice Interval for EDI - Auto-Rejected Product Aggregate Benchmark
PO-3C LSR Rejection Notice Interval for Manual and IIS Product Aggregate Benchmark
PO-4A-1 LSRs Rejected for IMA - Rejected Manually Product Aggregate Diagnostic
PO-4A-2 LSRs Rejected for IMA - Auto-Rejected Product Aggregate Diagnostic
PO-4B-1 LSRs Rejected for EDI - Rejected Manually Product Aggregate Diagnostic
PO-4B-2 LSRs Rejected for EDI - Auto-Rejected Product Aggregate Diagnostic
PO-4C LSRs Received via Facsimile Product Aggregate Diagnostic
PO-5A-1(a) FOCs On Time for Fully Electronic LSRs Received Via IMA Resale Aggregate Benchmark
PO-5A-1(b) FOCs On Time for Fully Electronic LSRs Received Via IMA Unbundled Loop Aggregate Benchmark
PO-5A-1(c) FOCs On Time for Fully Electronic LSRs Received Via IMA LNP Benchmark
PO-5A-2(a) FOCs On Time for Fully Electronic LSRs Received Via EDI Resale Aggregate Benchmark
PO-5A-2(b) FOCs On Time for Fully Electronic LSRs Received Via EDI Unbundled Loop Aggregate Benchmark
PO-5A-2(c) FOCs On Time for Fully Electronic LSRs Received Via EDI LNP Benchmark
PO-5B-1(a) FOCs On Time For Electronic/Manual LSRs Received Via IMA Resale Aggregate Benchmark
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop AGG-EELs Benchm
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop Aggregate Benchm
PO-5B-1(c) FOCs On Time For Electronic/Manual LSRs Received Via IMA LNP Benchmark
PO-5B-2(a) FOCs On Time For Electronic/Manual LSRs Received Via EDI Resale Aggregate Benchmark
PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop AGG-EELs Benchm
PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop Aggregate Benchm

PO-5B-2(c) FOCs On Time For Electronic/Manual LSRs Received Via EDI LNP Benchmark
PO-5C-(a) FOCs on Time for Manual Resale Aggregate Benchmark
PO-5C-(b) FOCs on Time for Manual Unbundled Loop AGG-EELs Benchmark
PO-5C-(b) FOCs on Time for Manual Unbundled Loop Aggregate Benchmark
PO-5C-(c) FOCs on Time for Manual LNP Benchmark
PO-5D Firm Order Confirmations (FOCs) On Time LIS Trunk Benchmark
PO-6A Notices Made Available via IMA - GUI All Benchmark
PO-6B Notices Transmitted via IMA - EDI All Benchmark
PO-7A,C Notices Made Available via IMA - GUI / Billing System Posting Completions All Parity
PO-7B,C Notices Transmitted via IMA - EDI / Billing System Posting Completions All Parity
PO-8A Jeopardy Notice Interval Non-Designed Services Parity
PO-8B Jeopardy Notice Interval Unbundled Loops and Number Portability Parity
PO-8D Jeopardy Notice Interval UNE - P (POTS) Parity
PO-9A Timely Jeopardy Notices Non-Designed Services Parity
PO-9B Timely Jeopardy Notices Unbundled Loops and Number Portability Parity
PO-9C Timely Jeopardy Notices LIS Trunk Parity
PO-9D Timely Jeopardy Notices UNE - P (POTS) Parity

Parity
Parity
Parity
Parity
Parity
Parity
Parity 95.00%
Parity 95.00%
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity

Parity
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity

Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity 1.00%
Parity 1.00%
Diagnostic
Diagnostic
Parity
Benchmark 95.00%
Benchmark 95.00%
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity

Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Benchmark 0.9825
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Benchmark 0.95
Benchmark 0.95
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Diagnostic
Benchmark 0.95
Benchmark 0.95

Diagnostic	
Parity	
Parity	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Parity	
Parity	
Parity	
Parity	
Parity	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Benchmark	0.9
Parity	0.9
Benchmark	0.9
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Parity	
Benchmark	0.9
Diagnostic	
Parity	0.9
Parity	
Parity	
Benchmark	90.00%
Benchmark	0.9
Benchmark	90.00%
Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Benchmark	0.9
Parity	0.9
Diagnostic	
Parity	

Parity
Parity
Parity
Parity
Benchmark 0.9
Diagnostic
Parity 0.9
Parity
Parity
Benchmark 0.9
Benchmark 90.00%
Benchmark 0.9
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Benchmark 330.00%
Benchmark 3.3
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Benchmark 3.3
Benchmark 3.3
Diagnostic
Parity
Parity
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Benchmark 3.3
Benchmark 3.3
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity

Diagnostic	
Diagnostic	
Parity	6
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Benchmark	6
Diagnostic	
Parity	6
Parity	5.5
Parity	
Benchmark	6
Benchmark	6
Benchmark	15
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Diagnostic	
Diagnostic	
Parity	6
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Benchmark	6
Diagnostic	
Parity	6
Parity	5.5
Parity	
Benchmark	6
Benchmark	6
Benchmark	15
Parity	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Diagnostic	

Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Benchmark 0.965
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Benchmark 0.965
Diagnostic
Benchmark 0.965
Benchmark 0.965
Benchmark 0.965
Diagnostic
Benchmark 0.965
Benchmark 96.50%
Benchmark 0.965
Benchmark 0.965
Benchmark 0.965
Benchmark 0.965
Benchmark 96.50%
Benchmark 0.965
Benchmark 96.50%
Benchmark 96.50%
Benchmark 96.50%
Benchmark 0.965
Benchmark 96.50%
Benchmark 96.50%
Diagnostic

Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Diagnostic

Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Diagnostic	
Diagnostic	
Diagnostic	0.925
Diagnostic	0.95
Benchmark	0.95
Diagnostic	0.95
Diagnostic	0.95
Diagnostic	
Diagnostic	0.95
Benchmark	0.95
Diagnostic	0.95
Diagnostic	10
Diagnostic	25
Diagnostic	
Diagnostic	
Diagnostic	25
Diagnostic	
Diagnostic	
Diagnostic	10
Diagnostic	
Benchmark	0.97
Benchmark	0.97
Benchmark	96.00%

Benchmark	96.00%
Benchmark	95.00%
Benchmark	95.00%
Benchmark	95.00%
Benchmark	95.00%
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Benchmark	0.85
Benchmark	0.95
Benchmark	0.95
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Benchmark	0.85
Benchmark	0.95
Benchmark	0.95
Benchmark	0.5
Benchmark	0.0125
Benchmark	0.5
Benchmark	0.0125
Benchmark	1
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Benchmark	0.95
Benchmark	0.95
Benchmark	0.95
Benchmark	0.95
Benchmark	0.9
Benchmark	0.9
Benchmark	0.9
Benchmark	90.00%
Benchmark	90.00%
Benchmark	0.9
Benchmark	0.9

