- Q. Mr. Mullins argues in this case that the investment in general plant is "generally less time-sensitive" and that "it is probably unnecessary for a Company experiencing low load growth to invest in a new office building?" Do you agree with his statement?
- A. No. Mr. Mullins made the assumption that the only asset types included in the general plant category are those of an office building or those of a facilities-related nature. However, the FERC uniform system of accounts includes a number of other categories in the "General Plant" category, as well. Table No. 9 includes each FERC account within General Plant, along with the AMA balance included in each account, as of December 31, 2016, for both Washington Electric and Natural Gas services:

## Table No. 9:

					Avista Washington	Percent
	Avista Wash	ington Electric	Perce	ent of	Natural Gas Plant	of
FERC Accounts - General Plant	Plant Bala	nce 12.31.16	Bala	ance	<b>Balance as of 12.31.16</b>	Balance
389 Land and land rights		5,855,163		3%	2,160,362	4%
390 Structures and improvements		62,729,604		27%	19,008,592	33%
391 Office furniture and equipment		36,837,169		16%	8,905,991	16%
392 Transportation equipment		29,328,633		13%	9,098,889	16%
393 Stores equipment		2,278,594		1%	653,060	1%
394 Tools, shop and garage equipment	8,724,654	<del></del>		4%	5,392,411	9%
395 Laboratory equipment	640,692	<del>34,907</del>		0%	261,993	0%
396 Power operated equipment	21,417,784	<del>640,692</del>	9%	0%	3,691,203	6%
397 Communication equipment	65,176,536	-21,417,784	28%	9%	7,671,362	13%
398 Miscellaneous equipment	277,762	-65,176,536	0%	<del>28%</del>	60,195	0%
399 Other tangible property		<del>277,762</del>		0%		0%
Total		233,266,591	•	100%	56,904,058	100%

For example, the General Plant category includes assets such as Transportation Equipment, Tools, and Communication Equipment, which are all tied to the everyday operations of the Company. These are items that are no less "time-sensitive" than other asset categories. This table

also shows the relative size of each account as a percentage of the total general plant balance.

Rebuttal Testimony of Karen K. Schuh Avista Corporation Docket Nos. UE-170485 and UG-170486

<sup>&</sup>lt;sup>42</sup> Exh. BGM-1T, p. 18, ll. 10-13.