

**Performance Results
Washington
November 2004 - October 2005
Qwest's Performance Assurance Plans (PAPs)**

Combined	Month	CLEC Numerator	CLEC Denominator	CLEC Result
BI-1A Time to Provide Usage Records	October 2005	29226784	19881266	11:16
UNEs and Resale Aggregate Parity	September 2005	35351908	22068706	14:24
	August 2005	37020441	24916078	11:45
	July 2005	38374731	23830665	14:38
	June 2005	42712711	26922928	14:09
	May 2005	35174150	23506315	12:00
	April 2005	90108629	48807284	20:24
	March 2005	98874099	53894234	19:55
	February 2005	85483188	46213570	20:24
	January 2005	781578290	52054954	0:14
	December 2004	100153135	53134114	21:07
	November 2004	92151225	49094957	21:07
BI-1B Time to Provide Usage Records	October 2005	21462702	21463395	0:00
Jointly-provided Switched Access	September 2005	22233524	22233798	0:00
Benchmark	August 2005	20579311	20579317	0:00
	July 2005	19001960	19001973	0:00
	June 2005	18102094	18102122	0:00
	May 2005	4363795	4363828	0:00
	April 2005	837808	837809	0:00
	March 2005	820609	820614	0:00
	February 2005	666082	666082	0:00
	January 2005	686266	686266	0:00
	December 2004	674208	674213	0:00
	November 2004	615371	615371	0:00
BI-1C-1 Time to Provide Usage Records	October 2005	1194425	661764	19:12
[CAT11] UNEs and Resale Aggregate Parity	September 2005	1498338	773321	22:33
	August 2005	1581902	874318	19:26
	July 2005	1680210	866923	22:33
	June 2005	1755460	924237	21:36
	May 2005	1721615	943886	19:40
	April 2005	48816378	24459132	0:00
	March 2005	53368452	26868884	23:45
	February 2005	45739211	22887858	0:00
	January 2005	739736598	28057053	8:52
	December 2004	53246142	26391306	0:28
	November 2004	49204081	24769632	23:45
BI-1C-2 Time to Provide Usage Records	October 2005	28032359	19219502	11:02
[CAT10] UNEs and Resale Aggregate Parity	September 2005	33853570	21295385	14:09
	August 2005	35438539	24041760	11:16
	July 2005	36694521	22963742	14:24
	June 2005	40957251	25998691	13:55
	May 2005	33452535	22562429	11:31
	April 2005	41292251	24348152	16:48
	March 2005	45505647	27025350	16:19

	February 2005	39743977	23325712	16:48
	January 2005	41841692	23997901	17:45
	December 2004	46906993	26742808	18:00
	November 2004	42947144	24325325	18:28
BI-3A Billing Accuracy - Adjustments for Errors UNEs and Resale Aggregate Parity	October 2005	5878727	5878853	100.00%
	September 2005	5933439	5960619	99.54%
	August 2005	6328465	6338830	99.84%
	July 2005	5965596	5966672	99.98%
	June 2005	7039191	7055897	99.76%
	May 2005	7262399	7263633	99.98%
	April 2005	5041745	6429641	78.41%
	March 2005	4425656	5710968	77.49%
	February 2005	5862385	5869707	99.88%
	January 2005	6847698	6953903	98.47%
	December 2004	6716481	8635483	77.78%
	November 2004	5721170	5771219	99.13%
	BI-4A Billing Completeness UNEs and Resale Aggregate Parity	October 2005	30022	30033
September 2005		32135	32180	99.86%
August 2005		48110	48142	99.93%
July 2005		34249	34415	99.52%
June 2005		30796	30899	99.67%
May 2005		33308	33412	99.69%
April 2005		31651	31751	99.69%
March 2005		31364	31429	99.79%
February 2005		31536	31567	99.90%
January 2005		26008	26139	99.50%
December 2004		31270	31413	99.54%
November 2004		35689	35736	99.87%
BI-5A Billing Accuracy & Claims Processing - Acknowledgment All Benchmark		October 2005	296	301
	September 2005	221	225	98.22%
	August 2005	325	327	99.39%
	July 2005	192	193	99.48%
	June 2005	278	302	92.05%
	May 2005	153	157	97.45%
	April 2005	184	193	95.34%
	March 2005	212	215	98.60%
	February 2005	293	321	91.28%
	January 2005	294	294	100.00%
	December 2004	208	210	99.05%
	November 2004	204	204	100.00%
	BI-5B Billing Accuracy & Claims Processing - Resolution All Benchmark	October 2005	357	382
September 2005		280	285	98.25%
August 2005		237	267	88.76%
July 2005		241	252	95.63%
June 2005		325	335	97.01%
May 2005		211	232	90.95%
April 2005		227	234	97.01%
March 2005		219	219	100.00%
February 2005		269	275	97.82%
January 2005		187	188	99.47%
December 2004		146	161	90.68%
November 2004		189	190	99.47%

CP-1A Scheduled Interval 90 Calendar Days or Less All Benchmark	October 2005	79	1	79
	September 2005	64	1	64
	August 2005	0	0	0
	July 2005	973	14	69.5
	June 2005	314	5	62.8
	May 2005	302	4	75.5
	April 2005	191	3	63.67
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	69	1	69
	December 2004	75	1	75
	November 2004	54	1	54
CP-1B Scheduled Interval 91 to 120 Calendar Days All Benchmark	October 2005	468	5	93.6
	September 2005	118	1	118
	August 2005	111	1	111
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	503	5	100.6
	April 2005	0	0	0
	March 2005	71	1	71
	February 2005	0	0	0
	January 2005	71	1	71
	December 2004	0	0	0
	November 2004	0	0	0
CP-1C Scheduled Interval 121 to 150 Calendar Days All Benchmark	October 2005	0	0	0
	September 2005	239	2	119.5
	August 2005	832	7	118.86
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	722	6	120.33
	April 2005	698	6	116.33
	March 2005	64	1	64
	February 2005	257	3	85.67
	January 2005	0	0	0
	December 2004	123	1	123
	November 2004	134	2	67
CP-2B Non-Forecasted & Late Forecasted Collocations All Benchmark	October 2005	6	6	1
	September 2005	2	2	1
	August 2005	1	1	1
	July 2005	14	14	1
	June 2005	5	5	1
	May 2005	9	9	1
	April 2005	3	3	1
	March 2005	1	1	1
	February 2005	0	0	0
	January 2005	2	2	1
	December 2004	1	1	1
	November 2004	1	1	1
CP-2C Collocations with Intervals Longer than 120 Days All Benchmark	October 2005	2	2	1
	September 2005	5	5	1
	August 2005	7	7	1
	July 2005	3	3	1

	June 2005	0	0	0
	May 2005	6	6	1
	April 2005	7	7	1
	March 2005	1	1	1
	February 2005	4	4	1
	January 2005	3	3	1
	December 2004	1	1	1
	November 2004	3	3	1
CP-3 Collocation Feasibility Study Interval	October 2005	87	9	9.67
All Benchmark	September 2005	25	3	8.33
	August 2005	83	10	8.3
	July 2005	71	8	8.88
	June 2005	19	2	9.5
	May 2005	236	25	9.44
	April 2005	106	13	8.15
	March 2005	10	1	10
	February 2005	64	7	9.14
	January 2005	105	11	9.55
	December 2004	31	4	7.75
	November 2004	45	5	9
CP-4 Collocation Feasibility Study	October 2005	9	9	100.00%
Commitments Met All Benchmark	September 2005	3	3	100.00%
	August 2005	10	10	100.00%
	July 2005	8	8	100.00%
	June 2005	2	2	100.00%
	May 2005	25	25	100.00%
	April 2005	13	13	100.00%
	March 2005	5	5	100.00%
	February 2005	9	9	100.00%
	January 2005	11	11	100.00%
	December 2004	4	4	100.00%
	November 2004	6	6	100.00%
DA-1 Speed of Answer - Directory	October 2005	0	0	0
Assistance Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
DB-1A Time to Update Databases E911	October 2005	0	124143	0:26
Diagnostic	September 2005	0	126340	0:23
	August 2005	0	136891	0:21
	July 2005	0	144188	0:27
	June 2005	0	151816	0:49
	May 2005	0	144195	0:46
	April 2005	0	143995	0:37
	March 2005	0	137418	0:25

	February 2005	0	171935	0:31
	January 2005	0	288079	1:06
	December 2004	0	197074	0:24
	November 2004	0	213857	0:20
DB-1B Time to Update Databases LIDB Diagnostic	October 2005	6232758	6087960	0:28
	September 2005	5142112	4990613	0:43
	August 2005	5338818	5175450	0:43
	July 2005	7138765	6897206	0:57
	June 2005	6033069	5849705	0:43
	May 2005	4740550	4579868	0:57
	April 2005	5344238	5199546	0:43
	March 2005	5425077	5262607	0:43
	February 2005	4448444	4277374	0:57
	January 2005	4310690	4145982	0:57
	December 2004	5305844	5077119	1:12
November 2004	4582329	4438879	0:43	
DB-1C-1 Time to Update Databases Directory Listing Diagnostic	October 2005	81251.81	314689	6:14
	September 2005	78332.27	299144	6:14
	August 2005	82323.16	338294	5:45
	July 2005	78615.22	350575	5:16
	June 2005	78886.6	342549	5:31
	May 2005	63746.77	283984	5:16
	April 2005	63880.94	295497	5:16
	March 2005	95793.21	339270	6:43
	February 2005	86576.31	262370	7:55
	January 2005	52165.35	254458	5:02
	December 2004	51211.96	279505	4:19
November 2004	50742.94	275126	4:19	
DB-2C-1 Accurate Database Updates Directory Listing Diagnostic	October 2005	256443	260725	98%
	September 2005	237852	241757	98%
	August 2005	269842	275295	98%
	July 2005	299171	302982	99%
	June 2005	282332	287085	98%
	May 2005	231430	235787	98%
	April 2005	240173	244687	98%
	March 2005	275492	280321	98%
	February 2005	215910	219490	98%
	January 2005	206916	210277	98%
	December 2004	228735	232072	99%
November 2004	224400	227669	99%	
MR-10 Customer and Non-Qwest Related Trouble Reports Business Parity	October 2005	2	10	20.00%
	September 2005	6	8	75.00%
	August 2005	4	9	44.44%
	July 2005	4	10	40.00%
	June 2005	6	15	40.00%
	May 2005	2	14	14.29%
	April 2005	7	15	46.67%
	March 2005	9	28	32.14%
	February 2005	10	24	41.67%
	January 2005	8	24	33.33%
December 2004	13	40	32.50%	
November 2004	10	30	33.33%	

MR-10 Customer and Non-Qwest Related Trouble Reports Centrex Parity	October 2005	1	2	50.00%
	September 2005	1	1	100.00%
	August 2005	0	3	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	1	1	100.00%
	March 2005	0	2	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports Centrex 21 Parity	October 2005	3	4
September 2005		2	7	28.57%
August 2005		2	6	33.33%
July 2005		2	7	28.57%
June 2005		2	5	40.00%
May 2005		1	4	25.00%
April 2005		0	2	0.00%
March 2005		4	9	44.44%
February 2005		2	6	33.33%
January 2005		5	8	62.50%
December 2004		3	6	50.00%
November 2004		1	3	33.33%
MR-10 Customer and Non-Qwest Related Trouble Reports DS0 Parity		October 2005	0	0
	September 2005	0	1	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	1	2	50.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	3	0.00%
	November 2004	2	2	100.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports DS1 Parity	October 2005	1	3
September 2005		0	3	0.00%
August 2005		0	1	0.00%
July 2005		0	1	0.00%
June 2005		0	2	0.00%
May 2005		0	0	0.00%
April 2005		1	9	11.11%
March 2005		0	1	0.00%
February 2005		0	1	0.00%
January 2005		0	0	0.00%
December 2004		1	2	50.00%
November 2004		0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports E911 Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	1	3	33.33%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports ISDN Primary Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports LIS Trunk Parity	October 2005	16	32	50.00%
	September 2005	8	19	42.11%
	August 2005	7	22	31.82%
	July 2005	13	27	48.15%
	June 2005	18	29	62.07%
	May 2005	13	21	61.90%
	April 2005	7	13	53.85%
	March 2005	13	23	56.52%
	February 2005	17	22	77.27%
	January 2005	8	22	36.36%
	December 2004	4	12	33.33%
	November 2004	7	15	46.67%
MR-10 Customer and Non-Qwest Related Trouble Reports PBX Parity	October 2005	1	3	33.33%
	September 2005	0	2	0.00%
	August 2005	1	2	50.00%
	July 2005	3	6	50.00%
	June 2005	2	3	66.67%
	May 2005	1	4	25.00%
	April 2005	2	2	100.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	2	3	66.67%
	December 2004	0	1	0.00%
	November 2004	1	1	100.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Qwest DSL Parity	October 2005	7	21	33.33%
	September 2005	11	16	68.75%
	August 2005	10	13	76.92%
	July 2005	14	27	51.85%
	June 2005	22	27	81.48%
	May 2005	23	35	65.71%
	April 2005	19	28	67.86%
	March 2005	15	25	60.00%

	February 2005	9	14	64.29%
	January 2005	11	22	50.00%
	December 2004	3	7	42.86%
	November 2004	10	18	55.56%
MR-10 Customer and Non-Qwest Related Trouble Reports Residence Parity	October 2005	64	162	39.51%
	September 2005	60	146	41.10%
	August 2005	54	150	36.00%
	July 2005	57	117	48.72%
	June 2005	68	145	46.90%
	May 2005	60	120	50.00%
	April 2005	41	101	40.59%
	March 2005	54	131	41.22%
	February 2005	40	91	43.96%
	January 2005	64	130	49.23%
	December 2004	50	111	45.05%
	November 2004	43	108	39.81%
MR-10 Customer and Non-Qwest Related Trouble Reports UDIT Above DS1 Level Parity	October 2005	7	9	77.78%
	September 2005	0	1	0.00%
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	4	8	50.00%
	May 2005	2	3	66.67%
	April 2005	2	5	40.00%
	March 2005	4	8	50.00%
	February 2005	0	2	0.00%
	January 2005	1	1	100.00%
	December 2004	1	2	50.00%
	November 2004	1	5	20.00%
MR-10 Customer and Non-Qwest Related Trouble Reports UDIT DS1 Parity	October 2005	2	2	100.00%
	September 2005	0	0	0.00%
	August 2005	0	5	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - 2 Wire Non-Loaded Parity	October 2005	31	88	35.23%
	September 2005	17	48	35.42%
	August 2005	23	64	35.94%
	July 2005	6	16	37.50%
	June 2005	5	15	33.33%
	May 2005	24	61	39.34%
	April 2005	22	62	35.48%
	March 2005	23	62	37.10%
	February 2005	18	49	36.73%
	January 2005	18	57	31.58%
	December 2004	26	82	31.71%
	November 2004	27	61	44.26%

MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - 4 Wire Non-Loaded Parity	October 2005	1	1	100.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - ADSL Qualified Parity	October 2005	3	5
September 2005		0	1	0.00%
August 2005		1	2	50.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		1	1	100.00%
April 2005		0	2	0.00%
March 2005		0	4	0.00%
February 2005		1	1	100.00%
January 2005		1	2	50.00%
December 2004		0	1	0.00%
November 2004		2	2	100.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - DS1 Capable Parity		October 2005	25	168
	September 2005	16	87	18.39%
	August 2005	35	151	23.18%
	July 2005	19	115	16.52%
	June 2005	17	115	14.78%
	May 2005	28	138	20.29%
	April 2005	20	107	18.69%
	March 2005	29	136	21.32%
	February 2005	39	134	29.10%
	January 2005	22	118	18.64%
	December 2004	16	104	15.38%
	November 2004	18	114	15.79%
	MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - DS3 Capable Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	1	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - XDSL Parity		October 2005	0	1
	September 2005	1	4	25.00%
	August 2005	1	9	11.11%
	July 2005	23	39	58.97%

	June 2005	18	44	40.91%
	May 2005	1	5	20.00%
	April 2005	0	0	0.00%
	March 2005	1	3	33.33%
	February 2005	1	4	25.00%
	January 2005	0	7	0.00%
	December 2004	0	4	0.00%
	November 2004	1	2	50.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop Analog Parity	October 2005	201	567	35.45%
	September 2005	95	315	30.16%
	August 2005	136	461	29.50%
	July 2005	147	435	33.79%
	June 2005	102	320	31.88%
	May 2005	117	393	29.77%
	April 2005	99	311	31.83%
	March 2005	98	327	29.97%
	February 2005	71	260	27.31%
	January 2005	139	375	37.07%
	December 2004	111	332	33.43%
	November 2004	123	358	34.36%
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop ISDN Capable Parity	October 2005	10	51	19.61%
	September 2005	4	11	36.36%
	August 2005	4	21	19.05%
	July 2005	12	36	33.33%
	June 2005	7	42	16.67%
	May 2005	4	34	11.76%
	April 2005	4	23	17.39%
	March 2005	13	45	28.89%
	February 2005	3	31	9.68%
	January 2005	11	35	31.43%
	December 2004	8	42	19.05%
	November 2004	3	22	13.64%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE - P (POTS) Parity	October 2005	16	35	45.71%
	September 2005	12	26	46.15%
	August 2005	15	41	36.59%
	July 2005	13	37	35.14%
	June 2005	15	46	32.61%
	May 2005	15	36	41.67%
	April 2005	26	52	50.00%
	March 2005	20	52	38.46%
	February 2005	26	69	37.68%
	January 2005	51	128	39.84%
	December 2004	506	1276	39.66%
	November 2004	465	1179	39.44%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex 21) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	2	0.00%
	December 2004	6	16	37.50%
	November 2004	0	6	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	9	22	40.91%
	December 2004	19	40	47.50%
	November 2004	16	41	39.02%
MR-2 Calls Answered within 20 seconds - Interconnect Repair Center All Diagnostic	October 2005	10772	11731	91.83%
	September 2005	11365	13290	85.52%
	August 2005	13497	15601	86.52%
	July 2005	11580	13799	83.92%
	June 2005	12475	14472	86.20%
	May 2005	10995	12227	89.92%
	April 2005	10818	12115	89.29%
	March 2005	10851	11952	90.79%
	February 2005	9923	10805	91.84%
	January 2005	10338	11243	91.95%
	December 2004	10104	11386	88.74%
	November 2004	17899	21424	83.55%
MR-3A Out of Service Cleared within 24 Hours Business Parity	October 2005	3	3	100.00%
	September 2005	0	0	0.00%
	August 2005	3	3	100.00%
	July 2005	2	2	100.00%
	June 2005	4	4	100.00%
	May 2005	5	7	71.43%
	April 2005	4	4	100.00%
	March 2005	7	9	77.78%
	February 2005	6	7	85.71%
	January 2005	5	6	83.33%
	December 2004	11	13	84.62%
	November 2004	9	10	90.00%
MR-3A Out of Service Cleared within 24 Hours Centrex Parity	October 2005	1	1	100.00%
	September 2005	0	0	0.00%
	August 2005	1	2	50.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	1	2	50.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

MR-3A Out of Service Cleared within 24 Hours Centrex 21 Parity	October 2005	0	0	0.00%
	September 2005	1	1	100.00%
	August 2005	2	3	66.67%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	2	2	100.00%
	March 2005	4	4	100.00%
	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
MR-3A Out of Service Cleared within 24 Hours Line Sharing Parity	October 2005	0	0	0.00%
	September 2005	3	4	75.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	3	5	60.00%
	May 2005	3	4	75.00%
	April 2005	3	4	75.00%
	March 2005	2	2	100.00%
	February 2005	3	4	75.00%
	January 2005	5	9	55.56%
	December 2004	5	8	62.50%
	November 2004	6	10	60.00%
MR-3A Out of Service Cleared within 24 Hours Line Splitting Parity	October 2005	8	8	100.00%
	September 2005	2	3	66.67%
	August 2005	5	5	100.00%
	July 2005	3	3	100.00%
	June 2005	4	4	100.00%
	May 2005	0	0	0.00%
	April 2005	1	3	33.33%
	March 2005	9	13	69.23%
	February 2005	4	4	100.00%
	January 2005	0	2	0.00%
	December 2004	3	4	75.00%
	November 2004	4	4	100.00%
MR-3A Out of Service Cleared within 24 Hours PBX Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3A Out of Service Cleared within 24 Hours Residence Parity	October 2005	61	71	85.92%
	September 2005	49	57	85.96%
	August 2005	49	63	77.78%
	July 2005	28	39	71.79%

	June 2005	37	46	80.43%
	May 2005	35	41	85.37%
	April 2005	32	38	84.21%
	March 2005	50	53	94.34%
	February 2005	34	36	94.44%
	January 2005	37	43	86.05%
	December 2004	28	42	66.67%
	November 2004	31	43	72.09%
MR-3A Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	October 2005	6	8	75.00%
	September 2005	5	5	100.00%
	August 2005	17	18	94.44%
	July 2005	14	14	100.00%
	June 2005	11	11	100.00%
	May 2005	11	11	100.00%
	April 2005	11	12	91.67%
	March 2005	20	20	100.00%
	February 2005	19	21	90.48%
	January 2005	31	31	100.00%
	December 2004	353	394	89.59%
	November 2004	329	357	92.16%
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex 21) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	4	5	80.00%
	November 2004	4	4	100.00%
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	6	6	100.00%
	December 2004	15	15	100.00%
	November 2004	10	11	90.91%
MR-3B Out of Service Cleared within 24 Hours Business Parity	October 2005	1	1	100.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%

	February 2005	1	1	100.00%
	January 2005	1	2	50.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
MR-3B Out of Service Cleared within 24 Hours PBX Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Residence Parity	October 2005	16	21	76.19%
	September 2005	13	13	100.00%
	August 2005	10	14	71.43%
	July 2005	4	6	66.67%
	June 2005	9	13	69.23%
	May 2005	4	6	66.67%
	April 2005	10	11	90.91%
	March 2005	4	6	66.67%
	February 2005	9	10	90.00%
	January 2005	9	9	100.00%
	December 2004	7	7	100.00%
	November 2004	6	6	100.00%
MR-3B Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	October 2005	3	3	100.00%
	September 2005	2	3	66.67%
	August 2005	2	2	100.00%
	July 2005	0	0	0.00%
	June 2005	12	12	100.00%
	May 2005	2	3	66.67%
	April 2005	5	5	100.00%
	March 2005	2	2	100.00%
	February 2005	5	5	100.00%
	January 2005	12	14	85.71%
	December 2004	71	74	95.95%
	November 2004	59	68	86.76%
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

MR-3C Out of Service Cleared within 24 Hours Business Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	3	3	100.00%
	January 2005	3	3	100.00%
	December 2004	2	2	100.00%
	November 2004	3	3	100.00%
MR-3C Out of Service Cleared within 24 Hours Centrex Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Line Sharing Parity	October 2005	0	0	0.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	1	2	50.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	6	6	100.00%
	March 2005	2	2	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Line Splitting Parity	October 2005	1	1	100.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	4	4	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
MR-3C Out of Service Cleared within 24 Hours PBX Parity	October 2005	1	1	100.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%

	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Residence Parity	October 2005	1	1	100.00%
	September 2005	7	7	100.00%
	August 2005	6	6	100.00%
	July 2005	5	5	100.00%
	June 2005	9	9	100.00%
	May 2005	5	5	100.00%
	April 2005	2	2	100.00%
	March 2005	3	3	100.00%
	February 2005	3	3	100.00%
	January 2005	2	2	100.00%
	December 2004	4	4	100.00%
	November 2004	7	7	100.00%
MR-3C Out of Service Cleared within 24 Hours UNE - P (POTS) Parity	October 2005	1	1	100.00%
	September 2005	1	1	100.00%
	August 2005	3	3	100.00%
	July 2005	2	2	100.00%
	June 2005	3	3	100.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	3	3	100.00%
	January 2005	7	7	100.00%
	December 2004	67	68	98.53%
	November 2004	61	62	98.39%
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex) Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	3	3	100.00%
	November 2004	1	1	100.00%
MR-3D Out of Service Cleared within 24 Hours Qwest DSL Parity	October 2005	1	4	25.00%
	September 2005	2	2	100.00%
	August 2005	0	0	0.00%
	July 2005	0	2	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	October 2005	32	32	100.00%
	September 2005	18	18	100.00%
	August 2005	26	26	100.00%
	July 2005	5	5	100.00%
	June 2005	6	6	100.00%
	May 2005	20	20	100.00%
	April 2005	24	24	100.00%
	March 2005	32	32	100.00%
	February 2005	20	20	100.00%
	January 2005	27	27	100.00%
	December 2004	34	35	97.14%
	November 2004	20	20	100.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity	October 2005	1	1	100.00%
	September 2005	1	1	100.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity	October 2005	1	1	100.00%
	September 2005	3	3	100.00%
	August 2005	7	7	100.00%
	July 2005	12	12	100.00%
	June 2005	14	14	100.00%
	May 2005	4	4	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	7	7	100.00%
	December 2004	3	3	100.00%
	November 2004	1	1	100.00%

MR-3D Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity	October 2005	247	264	93.56%
	September 2005	137	149	91.95%
	August 2005	214	230	93.04%
	July 2005	188	201	93.53%
	June 2005	140	154	90.91%
	May 2005	164	186	88.17%
	April 2005	128	132	96.97%
	March 2005	136	141	96.45%
	February 2005	108	111	97.30%
	January 2005	159	166	95.78%
	December 2004	141	147	95.92%
	November 2004	168	168	100.00%
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity	October 2005	20	20	100.00%
	September 2005	4	4	100.00%
	August 2005	4	4	100.00%
	July 2005	13	13	100.00%
	June 2005	21	21	100.00%
	May 2005	18	18	100.00%
	April 2005	11	11	100.00%
	March 2005	16	16	100.00%
	February 2005	15	15	100.00%
	January 2005	13	14	92.86%
	December 2004	13	14	92.86%
	November 2004	9	10	90.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	October 2005	2	2	100.00%
	September 2005	1	1	100.00%
	August 2005	6	6	100.00%
	July 2005	3	3	100.00%
	June 2005	2	2	100.00%
	May 2005	1	1	100.00%
	April 2005	7	7	100.00%
	March 2005	3	3	100.00%
	February 2005	4	4	100.00%
	January 2005	4	4	100.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity	October 2005	1	1	100.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	3	3	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity	October 2005	29	30	96.67%
	September 2005	33	37	89.19%
	August 2005	31	31	100.00%
	July 2005	41	43	95.35%

	June 2005	21	21	100.00%
	May 2005	15	15	100.00%
	April 2005	22	23	95.65%
	March 2005	18	18	100.00%
	February 2005	11	11	100.00%
	January 2005	11	12	91.67%
	December 2004	13	13	100.00%
	November 2004	22	23	95.65%
MR-3E Out of Service Cleared within 24	October 2005	6	6	100.00%
Hours Unbundled Loop ISDN Capable Parity	September 2005	1	1	100.00%
	August 2005	9	9	100.00%
	July 2005	9	9	100.00%
	June 2005	8	8	100.00%
	May 2005	3	3	100.00%
	April 2005	3	3	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	3	4	75.00%
	December 2004	6	7	85.71%
	November 2004	5	5	100.00%
MR-4A All Troubles Cleared within 48	October 2005	7	7	100.00%
Hours Business Parity	September 2005	0	0	0.00%
	August 2005	4	4	100.00%
	July 2005	4	4	100.00%
	June 2005	4	4	100.00%
	May 2005	8	8	100.00%
	April 2005	6	6	100.00%
	March 2005	11	11	100.00%
	February 2005	10	10	100.00%
	January 2005	6	6	100.00%
	December 2004	21	21	100.00%
	November 2004	12	12	100.00%
MR-4A All Troubles Cleared within 48	October 2005	1	1	100.00%
Hours Centrex Parity	September 2005	0	0	0.00%
	August 2005	2	2	100.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48	October 2005	0	0	0.00%
Hours Centrex 21 Parity	September 2005	1	1	100.00%
	August 2005	3	3	100.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	2	2	100.00%
	March 2005	4	4	100.00%

	February 2005	4	4	100.00%
	January 2005	2	2	100.00%
	December 2004	3	3	100.00%
	November 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours Line Sharing Parity	October 2005	0	0	0.00%
	September 2005	4	4	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	5	5	100.00%
	May 2005	4	4	100.00%
	April 2005	4	4	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	7	9	77.78%
	December 2004	7	8	87.50%
	November 2004	9	10	90.00%
MR-4A All Troubles Cleared within 48 Hours Line Splitting Parity	October 2005	9	9	100.00%
	September 2005	4	4	100.00%
	August 2005	5	5	100.00%
	July 2005	3	3	100.00%
	June 2005	6	6	100.00%
	May 2005	2	2	100.00%
	April 2005	3	3	100.00%
	March 2005	12	13	92.31%
	February 2005	6	6	100.00%
	January 2005	2	2	100.00%
	December 2004	4	5	80.00%
	November 2004	4	4	100.00%
MR-4A All Troubles Cleared within 48 Hours Residence Parity	October 2005	70	71	98.59%
	September 2005	60	60	100.00%
	August 2005	59	64	92.19%
	July 2005	40	40	100.00%
	June 2005	48	49	97.96%
	May 2005	42	42	100.00%
	April 2005	40	40	100.00%
	March 2005	55	55	100.00%
	February 2005	36	36	100.00%
	January 2005	48	49	97.96%
	December 2004	44	45	97.78%
	November 2004	45	45	100.00%
MR-4A All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	October 2005	11	11	100.00%
	September 2005	6	6	100.00%
	August 2005	19	20	95.00%
	July 2005	16	16	100.00%
	June 2005	12	12	100.00%
	May 2005	13	14	92.86%
	April 2005	14	14	100.00%
	March 2005	23	23	100.00%
	February 2005	26	26	100.00%
	January 2005	42	42	100.00%
	December 2004	518	522	99.23%
	November 2004	459	462	99.35%

MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex 21) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	7	7	100.00%
	November 2004	4	4	100.00%
	MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex) Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		6	6	100.00%
December 2004		15	15	100.00%
November 2004		15	15	100.00%
MR-4B All Troubles Cleared within 48 Hours Business Parity		October 2005	1	1
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	5	5	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
	MR-4B All Troubles Cleared within 48 Hours PBX Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		1	1	100.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		2	2	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		1	1	100.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Residence Parity		October 2005	19	21
	September 2005	15	15	100.00%
	August 2005	15	16	93.75%
	July 2005	6	6	100.00%

	June 2005	12	13	92.31%
	May 2005	6	6	100.00%
	April 2005	11	11	100.00%
	March 2005	7	7	100.00%
	February 2005	11	11	100.00%
	January 2005	11	11	100.00%
	December 2004	9	10	90.00%
	November 2004	7	7	100.00%
MR-4B All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	October 2005	4	4	100.00%
	September 2005	3	3	100.00%
	August 2005	2	2	100.00%
	July 2005	2	2	100.00%
	June 2005	13	13	100.00%
	May 2005	4	4	100.00%
	April 2005	7	7	100.00%
	March 2005	5	5	100.00%
	February 2005	8	8	100.00%
	January 2005	14	15	93.33%
	December 2004	101	102	99.02%
	November 2004	108	109	99.08%
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Business Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	2	2	100.00%
	June 2005	5	5	100.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
MR-4C All Troubles Cleared within 48 Hours Line Sharing Parity	October 2005	0	0	0.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	3	3	100.00%
	June 2005	0	0	0.00%
	May 2005	3	3	100.00%
	April 2005	6	6	100.00%
	March 2005	2	2	100.00%

	February 2005	2	2	100.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Line Splitting Parity	October 2005	3	3	100.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	4	4	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	2	2	100.00%
	December 2004	3	3	100.00%
	November 2004	4	4	100.00%
MR-4C All Troubles Cleared within 48 Hours PBX Parity	October 2005	1	1	100.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Residence Parity	October 2005	3	3	100.00%
	September 2005	8	8	100.00%
	August 2005	11	11	100.00%
	July 2005	11	11	100.00%
	June 2005	12	12	100.00%
	May 2005	10	10	100.00%
	April 2005	5	5	100.00%
	March 2005	11	11	100.00%
	February 2005	4	4	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	10	10	100.00%
MR-4C All Troubles Cleared within 48 Hours UNE - P (POTS) Parity	October 2005	3	3	100.00%
	September 2005	3	3	100.00%
	August 2005	4	4	100.00%
	July 2005	6	6	100.00%
	June 2005	6	6	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	4	4	100.00%
	February 2005	7	7	100.00%
	January 2005	18	18	100.00%
	December 2004	127	127	100.00%
	November 2004	124	124	100.00%

MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex) Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	3	3	100.00%
	November 2004	2	2	100.00%
	MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex) Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		5	5	100.00%
December 2004		5	5	100.00%
November 2004		9	9	100.00%
MR-4D All Troubles Cleared within 48 Hours Qwest DSL Parity		October 2005	13	14
	September 2005	5	5	100.00%
	August 2005	2	2	100.00%
	July 2005	8	8	100.00%
	June 2005	5	5	100.00%
	May 2005	11	11	100.00%
	April 2005	9	9	100.00%
	March 2005	10	10	100.00%
	February 2005	5	5	100.00%
	January 2005	8	8	100.00%
	December 2004	4	4	100.00%
	November 2004	6	7	85.71%
	MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity	October 2005	55	55
September 2005		30	30	100.00%
August 2005		35	35	100.00%
July 2005		7	7	100.00%
June 2005		8	8	100.00%
May 2005		36	36	100.00%
April 2005		33	33	100.00%
March 2005		35	35	100.00%
February 2005		27	27	100.00%
January 2005		35	35	100.00%
December 2004		53	53	100.00%
November 2004		28	28	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity		October 2005	1	1
	September 2005	1	1	100.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	2	2	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity	October 2005	1	1	100.00%
	September 2005	3	3	100.00%
	August 2005	8	8	100.00%
	July 2005	15	15	100.00%
	June 2005	26	26	100.00%
	May 2005	4	4	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	3	3	100.00%
	January 2005	7	7	100.00%
	December 2004	4	4	100.00%
	November 2004	1	1	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity	October 2005	333	335	99.40%
	September 2005	180	183	98.36%
	August 2005	293	293	100.00%
	July 2005	244	245	99.59%
	June 2005	194	194	100.00%
	May 2005	235	253	92.89%
	April 2005	182	182	100.00%
	March 2005	202	202	100.00%
	February 2005	174	174	100.00%
	January 2005	218	220	99.09%
	December 2004	204	204	100.00%
	November 2004	209	209	100.00%
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity	October 2005	34	34	100.00%
	September 2005	6	6	100.00%
	August 2005	8	8	100.00%
	July 2005	15	15	100.00%
	June 2005	26	26	100.00%
	May 2005	25	25	100.00%
	April 2005	15	15	100.00%
	March 2005	24	24	100.00%
	February 2005	21	21	100.00%
	January 2005	20	20	100.00%
	December 2004	24	24	100.00%
	November 2004	14	14	100.00%
MR-4E All Troubles Cleared within 48 Hours Qwest DSL Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	4	5	80.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	3	3	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
MR-4E All Troubles Cleared within 48	October 2005	2	2	100.00%
Hours Unbundled Loop - 2 Wire Non-Loaded	September 2005	1	1	100.00%
Parity	August 2005	6	6	100.00%
	July 2005	3	3	100.00%
	June 2005	2	2	100.00%
	May 2005	1	1	100.00%
	April 2005	7	7	100.00%
	March 2005	4	4	100.00%
	February 2005	4	4	100.00%
	January 2005	4	4	100.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
MR-4E All Troubles Cleared within 48	October 2005	1	1	100.00%
Hours Unbundled Loop - ADSL Qualified	September 2005	0	0	0.00%
Parity	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	4	4	100.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4E All Troubles Cleared within 48	October 2005	31	31	100.00%
Hours Unbundled Loop Analog Parity	September 2005	37	37	100.00%
	August 2005	32	32	100.00%
	July 2005	43	43	100.00%
	June 2005	24	24	100.00%
	May 2005	23	23	100.00%
	April 2005	30	30	100.00%
	March 2005	27	27	100.00%
	February 2005	15	15	100.00%
	January 2005	16	16	100.00%
	December 2004	17	17	100.00%
	November 2004	26	26	100.00%
MR-4E All Troubles Cleared within 48	October 2005	7	7	100.00%
Hours Unbundled Loop ISDN Capable Parity	September 2005	1	1	100.00%
	August 2005	9	9	100.00%
	July 2005	9	9	100.00%
	June 2005	9	9	100.00%
	May 2005	5	5	100.00%
	April 2005	4	4	100.00%
	March 2005	8	8	100.00%
	February 2005	7	7	100.00%
	January 2005	4	4	100.00%
	December 2004	9	10	90.00%
	November 2004	5	5	100.00%

MR-5A All Troubles Cleared within 4 Hours DS0 Parity	October 2005	0	0	0.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	3	3	100.00%
	November 2004	0	0	0.00%
	MR-5A All Troubles Cleared within 4 Hours DS1 Parity	October 2005	1	1
September 2005		1	2	50.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		1	1	100.00%
March 2005		0	1	0.00%
February 2005		0	1	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours E911 Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity	October 2005	39	52
September 2005		34	60	56.67%
August 2005		47	73	64.38%
July 2005		38	49	77.55%
June 2005		32	41	78.05%
May 2005		40	59	67.80%
April 2005		36	47	76.60%
March 2005		33	42	78.57%
February 2005		29	40	72.50%
January 2005		33	46	71.74%
December 2004		38	49	77.55%
November 2004		33	47	70.21%
MR-5A All Troubles Cleared within 4 Hours LIS Trunk Parity		October 2005	11	11
	September 2005	9	9	100.00%
	August 2005	8	9	88.89%
	July 2005	10	10	100.00%

	June 2005	8	9	88.89%
	May 2005	6	6	100.00%
	April 2005	3	3	100.00%
	March 2005	4	5	80.00%
	February 2005	4	4	100.00%
	January 2005	11	11	100.00%
	December 2004	3	4	75.00%
	November 2004	2	3	66.67%
MR-5A All Troubles Cleared within 4 Hours	October 2005	0	2	0.00%
UDIT Above DS1 Level Parity	September 2005	1	1	100.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	3	4	75.00%
	May 2005	1	1	100.00%
	April 2005	2	2	100.00%
	March 2005	3	4	75.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	2	3	66.67%
MR-5A All Troubles Cleared within 4 Hours	October 2005	0	0	0.00%
UDIT DS1 Parity	September 2005	0	0	0.00%
	August 2005	1	4	25.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours	October 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours	October 2005	68	129	52.71%
Unbundled Loop - DS1 Capable Parity	September 2005	44	65	67.69%
	August 2005	56	104	53.85%
	July 2005	50	72	69.44%
	June 2005	57	85	67.06%
	May 2005	58	88	65.91%
	April 2005	42	79	53.16%
	March 2005	65	96	67.71%

	February 2005	53	77	68.83%
	January 2005	63	91	69.23%
	December 2004	56	74	75.68%
	November 2004	57	84	67.86%
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-5B All Troubles Cleared within 4 Hours DS0 Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		1	1	100.00%
April 2005		1	1	100.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours DS1 Parity		October 2005	1	1
	September 2005	1	1	100.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	6	7	85.71%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
	MR-5B All Troubles Cleared within 4 Hours E911 Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		1	1	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004	1	1	100.00%	
November 2004	0	0	0.00%	

MR-5B All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity	October 2005	9	10	90.00%
	September 2005	4	4	100.00%
	August 2005	13	16	81.25%
	July 2005	0	5	0.00%
	June 2005	9	12	75.00%
	May 2005	15	19	78.95%
	April 2005	0	5	0.00%
	March 2005	16	20	80.00%
	February 2005	11	15	73.33%
	January 2005	10	15	66.67%
	December 2004	2	2	100.00%
	November 2004	6	7	85.71%
	MR-5B All Troubles Cleared within 4 Hours LIS Trunk Parity	October 2005	5	5
September 2005		2	2	100.00%
August 2005		6	6	100.00%
July 2005		4	4	100.00%
June 2005		2	2	100.00%
May 2005		2	2	100.00%
April 2005		2	3	66.67%
March 2005		5	5	100.00%
February 2005		0	1	0.00%
January 2005		3	3	100.00%
December 2004		2	4	50.00%
November 2004		5	5	100.00%
MR-5B All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	MR-5B All Troubles Cleared within 4 Hours UDIT DS1 Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		1	1	100.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity	October 2005	9	14	64.29%
	September 2005	4	6	66.67%
	August 2005	9	12	75.00%
	July 2005	16	24	66.67%

	June 2005	8	13	61.54%
	May 2005	10	22	45.45%
	April 2005	5	8	62.50%
	March 2005	10	11	90.91%
	February 2005	6	18	33.33%
	January 2005	4	5	80.00%
	December 2004	8	14	57.14%
	November 2004	6	12	50.00%
MR-6A Mean Time to Restore Business Parity	October 2005	4.31666667	7	14:48
	September 2005	0	0	0:00
	August 2005	2.06875	4	12:25
	July 2005	2.28125	4	13:41
	June 2005	1.97361111	4	11:50
	May 2005	5.11875	8	15:21
	April 2005	2.30972222	6	9:14
	March 2005	6.78819444	11	14:49
	February 2005	5.77083333	10	13:51
	January 2005	3.21111111	6	12:51
	December 2004	12.8826389	21	14:43
	November 2004	5.78958333	12	11:35
	MR-6A Mean Time to Restore Centrex Parity	October 2005	0.19861111	1
September 2005		0	0	0:00
August 2005		2.48194444	2	5:47
July 2005		0	0	0:00
June 2005		0.92986111	1	22:19
May 2005		1.84027778	1	20:10
April 2005		0	0	0:00
March 2005		1.1375	2	13:39
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0	0	0:00
November 2004		0	0	0:00
MR-6A Mean Time to Restore Centrex 21 Parity		October 2005	0	0
	September 2005	0.08402778	1	2:01
	August 2005	2.03541667	3	16:17
	July 2005	0.76805556	2	9:13
	June 2005	0	0	0:00
	May 2005	1.28055556	3	10:15
	April 2005	1.71111111	2	20:32
	March 2005	1.27430556	4	7:39
	February 2005	0.67291667	4	4:02
	January 2005	2.75	2	9:00
	December 2004	0.91805556	3	7:21
	November 2004	0	0	0:00
	MR-6A Mean Time to Restore Line Sharing Parity	October 2005	0	0
September 2005		2.08888889	4	12:32
August 2005		0	0	0:00
July 2005		0	0	0:00
June 2005		4.49444444	5	21:34
May 2005		3.87430556	4	23:15
April 2005		2.74097222	4	16:27
March 2005		1.13611111	2	13:38

	February 2005	3.60902778	4	21:39
	January 2005	10.7513889	9	4:40
	December 2004	8.16111111	8	0:29
	November 2004	10.8125	10	1:57
MR-6A Mean Time to Restore Line Splitting Parity	October 2005	4.89583333	9	13:03
	September 2005	3.41666667	4	20:30
	August 2005	3.47430556	5	16:41
	July 2005	2.52638889	3	20:13
	June 2005	4.16319444	6	16:39
	May 2005	1.05972222	2	12:43
	April 2005	2.42638889	3	19:25
	March 2005	11.9645833	13	22:05
	February 2005	4.77222222	6	19:05
	January 2005	2.26875	2	3:13
	December 2004	3.49166667	5	16:46
	November 2004	1.90763889	4	11:27
MR-6A Mean Time to Restore PBX Parity	October 2005	0.31111111	1	7:28
	September 2005	5.16111111	1	3:52
	August 2005	0	0	0:00
	July 2005	0.03194444	1	0:46
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6A Mean Time to Restore Residence Parity	October 2005	42.8270833	71	14:29
	September 2005	38.2194444	60	15:17
	August 2005	60.0340278	64	22:31
	July 2005	31.9590278	40	19:11
	June 2005	32.7895833	49	16:04
	May 2005	23.0465278	42	13:10
	April 2005	25.4625	40	15:17
	March 2005	25.4604167	55	11:07
	February 2005	24.3673611	36	16:15
	January 2005	34.5034722	49	16:54
	December 2004	37.2381944	45	19:52
	November 2004	35.6215278	45	19:00
MR-6A Mean Time to Restore UNE - P (POTS) Parity	October 2005	5.87569444	11	12:49
	September 2005	1.44791667	6	5:47
	August 2005	14.55	20	17:28
	July 2005	6.64930556	16	9:58
	June 2005	6.08888889	12	12:11
	May 2005	9.95833333	14	17:04
	April 2005	7.55902778	14	12:57
	March 2005	12.0236111	23	12:33
	February 2005	13.1625	26	12:09
	January 2005	19.0645833	42	10:54
	December 2004	294.780556	522	13:33
	November 2004	251.170833	462	13:03

MR-6A Mean Time to Restore UNE P (Centrex 21) Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.24375	1	5:51
	December 2004	4.80972222	7	16:29
	November 2004	1.82152778	4	10:56
MR-6A Mean Time to Restore UNE P (Centrex) Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.80555556	6	3:13
	December 2004	2.67777778	15	4:17
	November 2004	4.54305556	15	7:16
MR-6B Mean Time to Restore Business Parity	October 2005	0.16180556	1	3:53
	September 2005	0.68680556	1	16:29
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.28472222	2	3:25
	April 2005	0.12638889	1	3:02
	March 2005	0.87569444	1	21:01
	February 2005	0.13819444	1	3:19
	January 2005	1.58263889	5	7:36
	December 2004	0.05	1	1:12
	November 2004	0.58888889	3	4:43
MR-6B Mean Time to Restore Centrex 21 Parity	October 2005	0	0	0:00
	September 2005	0.80972222	1	19:26
	August 2005	0	0	0:00
	July 2005	0.825	1	19:48
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0.05	1	1:12
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6B Mean Time to Restore PBX Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0.14930556	1	3:35
	July 2005	0	0	0:00

	June 2005	0	0	0:00
	May 2005	0.68194444	2	8:11
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0.09861111	1	2:22
	January 2005	0	0	0:00
	December 2004	0.26597222	1	6:23
	November 2004	0	0	0:00
MR-6B Mean Time to Restore Residence Parity	October 2005	14.6458333	21	16:44
	September 2005	6.59791667	15	10:33
	August 2005	13.1590278	16	19:44
	July 2005	5.94861111	6	23:48
	June 2005	9.88472222	13	18:15
	May 2005	3.09930556	6	12:24
	April 2005	7.55694444	11	16:29
	March 2005	3.3	7	11:19
	February 2005	6.17430556	11	13:28
	January 2005	4.73055556	11	10:19
	December 2004	7.20069444	10	17:17
	November 2004	3.17638889	7	10:53
MR-6B Mean Time to Restore UNE - P (POTS) Parity	October 2005	1.18402778	4	7:06
	September 2005	2.025	3	16:12
	August 2005	1.40416667	2	16:51
	July 2005	0.59444444	2	7:08
	June 2005	4.74652778	13	8:46
	May 2005	1.56180556	4	9:22
	April 2005	2.38333333	7	8:10
	March 2005	0.82847222	5	3:59
	February 2005	2.54375	8	7:38
	January 2005	9.60138889	15	15:22
	December 2004	44.7097222	102	10:31
	November 2004	43.5625	109	9:36
MR-6B Mean Time to Restore UNE P (Centrex) Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.125	1	3:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6C Mean Time to Restore Business Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0.02569444	1	0:37
	July 2005	0.02777778	2	0:20
	June 2005	0.75277778	5	3:37
	May 2005	0.02013889	2	0:14
	April 2005	0.03611111	1	0:52
	March 2005	0.26875	7	0:55

	February 2005	0.16319444	3	1:18
	January 2005	0.30833333	5	1:29
	December 2004	0.4375	5	2:06
	November 2004	0.74375	4	4:28
MR-6C Mean Time to Restore Centrex Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0.00069444	1	0:01
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
November 2004	0	0	0:00	
MR-6C Mean Time to Restore Centrex 21 Parity	October 2005	0.08888889	1	2:08
	September 2005	0.08680556	2	1:02
	August 2005	0.03263889	1	0:47
	July 2005	0.09861111	1	2:22
	June 2005	0.8125	2	9:45
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.08472222	1	2:02
	December 2004	0	0	0:00
November 2004	0.00277778	1	0:04	
MR-6C Mean Time to Restore Line Sharing Parity	October 2005	0	0	0:00
	September 2005	0.44930556	1	10:47
	August 2005	0	0	0:00
	July 2005	1.42847222	3	11:26
	June 2005	0	0	0:00
	May 2005	0.23680556	3	1:54
	April 2005	0.9125	6	3:39
	March 2005	0.19166667	2	2:18
	February 2005	0.10694444	2	1:17
	January 2005	0.06319444	2	0:45
	December 2004	0.54375	2	6:31
November 2004	0	0	0:00	
MR-6C Mean Time to Restore Line Splitting Parity	October 2005	0.55277778	3	4:25
	September 2005	0.07638889	1	1:50
	August 2005	0	0	0:00
	July 2005	0.06041667	1	1:27
	June 2005	0	0	0:00
	May 2005	0.00486111	4	0:02
	April 2005	0.58541667	4	3:31
	March 2005	0.23680556	1	5:41
	February 2005	0.86458333	2	10:22
	January 2005	0.20486111	2	2:27
	December 2004	0.12361111	3	0:59
November 2004	0.32569444	4	1:57	

MR-6C Mean Time to Restore PBX Parity	October 2005	0.10138889	1	2:26
	September 2005	0.03541667	1	0:51
	August 2005	0	0	0:00
	July 2005	0.08263889	2	1:00
	June 2005	0.03194444	1	0:46
	May 2005	0.03611111	1	0:52
	April 2005	0	0	0:00
	March 2005	0.0125	1	0:18
	February 2005	0	0	0:00
	January 2005	0.02013889	1	0:29
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6C Mean Time to Restore Residence Parity	October 2005	0.95138889	3	7:37
	September 2005	2.4875	8	7:28
	August 2005	0.88194444	11	1:55
	July 2005	0.925	11	2:01
	June 2005	0.97847222	12	1:57
	May 2005	1.16041667	10	2:47
	April 2005	0.64513889	5	3:06
	March 2005	0.57847222	11	1:16
	February 2005	0.94513889	4	5:40
	January 2005	0.51944444	5	2:30
	December 2004	1.96319444	5	9:25
	November 2004	3.18125	10	7:38
MR-6C Mean Time to Restore UNE - P (POTS) Parity	October 2005	0.18263889	3	1:28
	September 2005	0.26805556	3	2:09
	August 2005	0.81111111	4	4:52
	July 2005	0.70486111	6	2:49
	June 2005	0.07222222	6	0:17
	May 2005	0.07083333	3	0:34
	April 2005	0.28125	5	1:21
	March 2005	0.22222222	4	1:20
	February 2005	0.41527778	7	1:25
	January 2005	1.42986111	18	1:54
	December 2004	20.3486111	127	3:51
	November 2004	19.6958333	124	3:49
MR-6C Mean Time to Restore UNE P (Centrex 21) Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.1875	3	1:30
	November 2004	0.00763889	2	0:05
MR-6C Mean Time to Restore UNE P (Centrex) Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00

	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.31736111	5	1:31
	December 2004	1.42986111	5	6:52
	November 2004	1.47916667	9	3:57
MR-6D Mean Time to Restore Dark Fiber - Loop Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.00555556	1	0:08
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.85486111	1	20:31
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6D Mean Time to Restore DS0 Parity	October 2005	0	0	0:00
	September 2005	0.02569444	1	0:37
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.14513889	3	1:10
	November 2004	0	0	0:00
MR-6D Mean Time to Restore DS1 Parity	October 2005	0.04583333	1	1:06
	September 2005	0.20069444	2	2:24
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.02430556	1	0:35
	March 2005	0.26875	1	6:27
	February 2005	0.25486111	1	6:07
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6D Mean Time to Restore E911 Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.02569444	1	0:37
	April 2005	0	0	0:00
	March 2005	0	0	0:00

	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6D Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity	October 2005	8.01805556	52	3:42
	September 2005	11.7486111	60	4:42
	August 2005	15.5729167	73	5:07
	July 2005	6.39722222	49	3:08
	June 2005	4.88472222	41	2:52
	May 2005	11.3541667	59	4:37
	April 2005	7.08541667	47	3:37
	March 2005	5.58055556	42	3:11
	February 2005	5.59861111	40	3:22
	January 2005	6.35416667	46	3:19
	December 2004	9.73333333	49	4:46
	November 2004	5.58472222	47	2:51
	MR-6D Mean Time to Restore LIS Trunk Parity	October 2005	0.25347222	11
September 2005		0.30763889	9	0:49
August 2005		0.48402778	9	1:17
July 2005		0.56736111	10	1:22
June 2005		0.56944444	9	1:31
May 2005		0.16458333	6	0:39
April 2005		0.15277778	3	1:13
March 2005		0.39861111	5	1:55
February 2005		0.14166667	4	0:51
January 2005		0.57013889	11	1:15
December 2004		0.46388889	4	2:47
November 2004		0.40208333	3	3:13
MR-6D Mean Time to Restore Qwest DSL Parity		October 2005	9.09513889	14
	September 2005	3.48680556	5	16:44
	August 2005	2.01458333	2	0:10
	July 2005	5.55763889	8	16:40
	June 2005	0.95486111	5	4:35
	May 2005	3.49444444	11	7:37
	April 2005	2.75069444	9	7:20
	March 2005	1.95833333	10	4:42
	February 2005	0.24930556	5	1:12
	January 2005	3.12986111	8	9:23
	December 2004	0.08958333	4	0:32
	November 2004	8.41458333	7	4:51
	MR-6D Mean Time to Restore UDIT Above DS1 Level Parity	October 2005	0.92847222	2
September 2005		0.01041667	1	0:15
August 2005		0.11875	1	2:51
July 2005		0	0	0:00
June 2005		0.8875	4	5:19
May 2005		0.0625	1	1:30
April 2005		0.15555556	2	1:52
March 2005		0.45486111	4	2:44
February 2005		0.10138889	1	2:26
January 2005		0	0	0:00
December 2004		0.07777778	1	1:52
November 2004		0.47152778	3	3:46

MR-6D Mean Time to Restore UDIT DS1 Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0.76527778	4	4:36
	July 2005	0.09791667	1	2:21
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6D Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity	October 2005	7.19513889	55	3:08
	September 2005	4.83263889	30	3:52
	August 2005	4.98055556	35	3:25
	July 2005	1.00069444	7	3:26
	June 2005	0.60625	8	1:49
	May 2005	5.98819444	36	4:00
	April 2005	5.38055556	33	3:55
	March 2005	3.92638889	35	2:42
	February 2005	5.20763889	27	4:38
	January 2005	6.18055556	35	4:14
	December 2004	8.56527778	53	3:53
	November 2004	3.74236111	28	3:12
MR-6D Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0.14027778	1	3:22
	June 2005	0	0	0:00
	May 2005	0.1125	1	2:42
	April 2005	0	0	0:00
	March 2005	0.14513889	2	1:44
	February 2005	0.17430556	1	4:11
	January 2005	0	0	0:00
	December 2004	0.08888889	1	2:08
	November 2004	0	0	0:00
MR-6D Mean Time to Restore Unbundled Loop - ADSL Qualified Parity	October 2005	0.12083333	1	2:54
	September 2005	0.03125	1	0:45
	August 2005	0.11736111	1	2:49
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.175	2	2:06
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.0875	1	2:06
	November 2004	0	0	0:00
MR-6D Mean Time to Restore Unbundled Loop - DS1 Capable Parity	October 2005	37.4951389	129	6:59
	September 2005	10.2458333	65	3:47
	August 2005	26.4291667	104	6:06
	July 2005	11.8166667	72	3:56

	June 2005	14.2756944	85	4:02
	May 2005	23.8013889	88	6:29
	April 2005	18.4291667	79	5:36
	March 2005	15.9270833	96	3:59
	February 2005	11.5826389	77	3:37
	January 2005	17.3597222	91	4:35
	December 2004	10.5416667	74	3:25
	November 2004	13.0888889	84	3:44
MR-6D Mean Time to Restore Unbundled Loop - DS3 Capable Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.03055556	1	0:44
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6D Mean Time to Restore Unbundled Loop - XDSLi Parity	October 2005	0.51875	1	12:27
	September 2005	0.42777778	3	3:25
	August 2005	0.45208333	8	1:21
	July 2005	2.33888889	15	3:45
	June 2005	4.13333333	26	3:49
	May 2005	0.80625	4	4:50
	April 2005	0	0	0:00
	March 2005	0.28472222	2	3:25
	February 2005	0.56666667	3	4:32
	January 2005	0.68263889	7	2:20
	December 2004	0.28125	4	1:41
	November 2004	0.05486111	1	1:19
MR-6D Mean Time to Restore Unbundled Loop Analog Parity	October 2005	168.602778	335	12:05
	September 2005	93.5159722	183	12:16
	August 2005	142.857639	293	11:42
	July 2005	118.3	245	11:35
	June 2005	84.9222222	194	10:30
	May 2005	150.4375	253	14:16
	April 2005	78.2451389	182	10:19
	March 2005	68.3395833	202	8:07
	February 2005	50.1590278	174	6:55
	January 2005	101.20625	220	11:02
	December 2004	60.8770833	204	7:10
	November 2004	64.4368056	209	7:24
MR-6D Mean Time to Restore Unbundled Loop ISDN Capable Parity	October 2005	6.44791667	34	4:33
	September 2005	1.89513889	6	7:35
	August 2005	1.91319444	8	5:44
	July 2005	3.06319444	15	4:54
	June 2005	4.21666667	26	3:54
	May 2005	3.8875	25	3:44
	April 2005	2.52291667	15	4:02
	March 2005	3.53541667	24	3:32

	February 2005	3.77916667	21	4:19
	January 2005	5.64236111	20	6:46
	December 2004	4.61388889	24	4:37
	November 2004	3.47361111	14	5:57
MR-6E Mean Time to Restore DS0 Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.11597222	1	2:47
	April 2005	0.0125	1	0:18
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6E Mean Time to Restore DS1 Parity	October 2005	0.02708333	1	0:39
	September 2005	0.05902778	1	1:25
	August 2005	0.14791667	1	3:33
	July 2005	0.09444444	1	2:16
	June 2005	0.03958333	2	0:28
	May 2005	0	0	0:00
	April 2005	0.63263889	7	2:10
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.09305556	1	2:14
	November 2004	0	0	0:00
MR-6E Mean Time to Restore E911 Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0.025	1	0:36
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0.02708333	1	0:39
	November 2004	0	0	0:00
MR-6E Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity	October 2005	0.69583333	10	1:40
	September 2005	0.14722222	4	0:53
	August 2005	2.25902778	16	3:23
	July 2005	1.29652778	5	6:13
	June 2005	1.3375	12	2:40
	May 2005	2.47916667	19	3:08
	April 2005	1.58888889	5	7:38
	March 2005	2.49722222	20	3:00
	February 2005	2.3625	15	3:47
	January 2005	2.49097222	15	3:59
	December 2004	0.04166667	2	0:30
	November 2004	0.73402778	7	2:31

MR-6E Mean Time to Restore ISDN Primary Parity	October 2005	0	0	0:00
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0.16805556	2	2:01
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0	0	0:00
	December 2004	0	0	0:00
	November 2004	0	0	0:00
	MR-6E Mean Time to Restore LIS Trunk Parity	October 2005	0.20763889	5
September 2005		0.10277778	2	1:14
August 2005		0.18680556	6	0:45
July 2005		0.17291667	4	1:02
June 2005		0.14166667	2	1:42
May 2005		0.04305556	2	0:31
April 2005		0.40833333	3	3:16
March 2005		0.37222222	5	1:47
February 2005		0.42638889	1	10:14
January 2005		0.04861111	3	0:23
December 2004		0.87083333	4	5:13
November 2004		0.49652778	5	2:23
MR-6E Mean Time to Restore Qwest DSL Parity		October 2005	0	0
	September 2005	0	0	0:00
	August 2005	0.00138889	1	0:02
	July 2005	4.36458333	5	20:57
	June 2005	0	0	0:00
	May 2005	1.9	1	21:36
	April 2005	0	0	0:00
	March 2005	0	0	0:00
	February 2005	0	0	0:00
	January 2005	0.15763889	3	1:16
	December 2004	0	0	0:00
	November 2004	0.00069444	1	0:01
	MR-6E Mean Time to Restore UDIT DS1 Parity	October 2005	0	0
September 2005		0	0	0:00
August 2005		0.15	1	3:36
July 2005		0	0	0:00
June 2005		0	0	0:00
May 2005		0	0	0:00
April 2005		0	0	0:00
March 2005		0	0	0:00
February 2005		0	0	0:00
January 2005		0	0	0:00
December 2004		0.03333333	1	0:48
November 2004		0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity		October 2005	0.28333333	2
	September 2005	0.09722222	1	2:20
	August 2005	0.64305556	6	2:34
	July 2005	0.35763889	3	2:52

	June 2005	0.18819444	2	2:16
	May 2005	0.36875	1	8:51
	April 2005	1.00069444	7	3:26
	March 2005	0.30972222	4	1:52
	February 2005	0.44513889	4	2:40
	January 2005	0.83958333	4	5:02
	December 2004	0.35138889	3	2:49
	November 2004	1.27430556	6	5:06
MR-6E Mean Time to Restore Unbundled Loop - ADSL Qualified Parity	October 2005	0.01041667	1	0:15
	September 2005	0	0	0:00
	August 2005	0	0	0:00
	July 2005	0	0	0:00
	June 2005	0	0	0:00
	May 2005	0	0	0:00
	April 2005	0	0	0:00
	March 2005	0.25486111	4	1:32
	February 2005	0	0	0:00
	January 2005	0.0375	1	0:54
	December 2004	0	0	0:00
	November 2004	0	0	0:00
MR-6E Mean Time to Restore Unbundled Loop - DS1 Capable Parity	October 2005	3.2375	14	5:33
	September 2005	1.01111111	6	4:03
	August 2005	1.35416667	12	2:42
	July 2005	3.08888889	24	3:05
	June 2005	1.99305556	13	3:41
	May 2005	4.98472222	22	5:26
	April 2005	1.33055556	8	4:00
	March 2005	1.23958333	11	2:42
	February 2005	5.49444444	18	7:20
	January 2005	0.50347222	5	2:25
	December 2004	2.61388889	14	4:29
	November 2004	2.29375	12	4:35
MR-6E Mean Time to Restore Unbundled Loop Analog Parity	October 2005	14.6041667	31	11:18
	September 2005	21.6298611	37	14:02
	August 2005	10.9131944	32	8:11
	July 2005	17.1777778	43	9:35
	June 2005	5.14861111	24	5:09
	May 2005	8.41180556	23	8:47
	April 2005	9.45833333	30	7:34
	March 2005	8.48472222	27	7:33
	February 2005	5.53333333	15	8:51
	January 2005	9.95763889	16	14:56
	December 2004	3.55625	17	5:01
	November 2004	5.66875	26	5:14
MR-6E Mean Time to Restore Unbundled Loop ISDN Capable Parity	October 2005	1.17847222	7	4:02
	September 2005	0.08888889	1	2:08
	August 2005	1.41736111	9	3:47
	July 2005	1.54791667	9	4:08
	June 2005	1.6125	9	4:18
	May 2005	1.17222222	5	5:38
	April 2005	0.64444444	4	3:52
	March 2005	1.31388889	8	3:57

	February 2005	2.46388889	7	8:27
	January 2005	2.22222222	4	13:20
	December 2004	7.84652778	10	18:50
	November 2004	0.79513889	5	3:49
MR-7A Repair Repeat Report Rate Business Parity	October 2005	0	0	0.00%
	September 2005	0	1	0.00%
	August 2005	0	4	0.00%
	July 2005	0	4	0.00%
	June 2005	1	4	25.00%
	May 2005	0	8	0.00%
	April 2005	0	6	0.00%
	March 2005	2	11	18.18%
	February 2005	0	10	0.00%
	January 2005	1	6	16.67%
	December 2004	1	21	4.76%
	November 2004	1	12	8.33%
MR-7A Repair Repeat Report Rate Centrex Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	2	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7A Repair Repeat Report Rate Centrex 21 Parity	October 2005	0	0	0.00%
	September 2005	0	1	0.00%
	August 2005	0	3	0.00%
	July 2005	0	3	0.00%
	June 2005	0	1	0.00%
	May 2005	1	3	33.33%
	April 2005	0	2	0.00%
	March 2005	0	4	0.00%
	February 2005	2	4	50.00%
	January 2005	0	2	0.00%
	December 2004	1	3	33.33%
	November 2004	0	1	0.00%
MR-7A Repair Repeat Report Rate Line Sharing Parity	October 2005	0	0	0.00%
	September 2005	0	4	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	5	0.00%
	May 2005	2	5	40.00%
	April 2005	1	5	20.00%
	March 2005	0	2	0.00%
	February 2005	1	4	25.00%
	January 2005	2	9	22.22%
	December 2004	2	9	22.22%
	November 2004	1	10	10.00%

MR-7A Repair Repeat Report Rate Line Splitting Parity	October 2005	0	0	0.00%
	September 2005	0	4	0.00%
	August 2005	1	5	20.00%
	July 2005	0	3	0.00%
	June 2005	0	6	0.00%
	May 2005	0	2	0.00%
	April 2005	0	3	0.00%
	March 2005	1	13	7.69%
	February 2005	0	6	0.00%
	January 2005	1	2	50.00%
	December 2004	0	5	0.00%
	November 2004	0	4	0.00%
	MR-7A Repair Repeat Report Rate Residence Parity	October 2005	0	0
September 2005		3	62	4.84%
August 2005		2	68	2.94%
July 2005		3	42	7.14%
June 2005		1	52	1.92%
May 2005		2	44	4.55%
April 2005		1	44	2.27%
March 2005		3	58	5.17%
February 2005		0	36	0.00%
January 2005		3	50	6.00%
December 2004		2	46	4.35%
November 2004		1	47	2.13%
MR-7A Repair Repeat Report Rate UNE - P (POTS) Parity		October 2005	0	0
	September 2005	0	8	0.00%
	August 2005	1	20	5.00%
	July 2005	0	16	0.00%
	June 2005	2	12	16.67%
	May 2005	2	14	14.29%
	April 2005	2	14	14.29%
	March 2005	1	23	4.35%
	February 2005	4	27	14.81%
	January 2005	4	44	9.09%
	December 2004	50	538	9.29%
	November 2004	38	478	7.95%
	MR-7A Repair Repeat Report Rate UNE P (Centrex 21) Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		1	2	50.00%
December 2004		1	7	14.29%
November 2004		0	4	0.00%
MR-7A Repair Repeat Report Rate UNE P (Centrex) Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	7	0.00%
	December 2004	0	16	0.00%
	November 2004	2	16	12.50%
MR-7B Repair Repeat Report Rate Business Parity	October 2005	0	0	0.00%
	September 2005	0	1	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	2	0.00%
	April 2005	0	1	0.00%
	March 2005	0	1	0.00%
	February 2005	0	1	0.00%
	January 2005	1	5	20.00%
	December 2004	0	1	0.00%
	November 2004	0	4	0.00%
MR-7B Repair Repeat Report Rate Centrex 21 Parity	October 2005	0	0	0.00%
	September 2005	0	2	0.00%
	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Residence Parity	October 2005	0	0	0.00%
	September 2005	1	16	6.25%
	August 2005	2	17	11.76%
	July 2005	0	7	0.00%
	June 2005	1	13	7.69%
	May 2005	2	6	33.33%
	April 2005	1	11	9.09%
	March 2005	0	8	0.00%
	February 2005	1	11	9.09%
	January 2005	1	11	9.09%
	December 2004	0	10	0.00%
	November 2004	1	8	12.50%
MR-7B Repair Repeat Report Rate UNE - P (POTS) Parity	October 2005	0	0	0.00%
	September 2005	0	3	0.00%
	August 2005	0	2	0.00%
	July 2005	1	2	50.00%
	June 2005	2	13	15.38%
	May 2005	1	4	25.00%
	April 2005	0	7	0.00%
	March 2005	0	5	0.00%

	February 2005	0	9	0.00%
	January 2005	0	15	0.00%
	December 2004	8	105	7.62%
	November 2004	10	111	9.01%
MR-7B Repair Repeat Report Rate UNE P (Centrex) Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7C Repair Repeat Report Rate Business Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	1	0.00%
	July 2005	0	2	0.00%
	June 2005	0	5	0.00%
	May 2005	0	2	0.00%
	April 2005	0	1	0.00%
	March 2005	1	7	14.29%
	February 2005	0	3	0.00%
	January 2005	1	5	20.00%
	December 2004	0	5	0.00%
	November 2004	2	4	50.00%
MR-7C Repair Repeat Report Rate Centrex Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7C Repair Repeat Report Rate Centrex 21 Parity	October 2005	0	0	0.00%
	September 2005	2	2	100.00%
	August 2005	0	1	0.00%
	July 2005	0	1	0.00%
	June 2005	0	2	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%

MR-7C Repair Repeat Report Rate Line Sharing Parity	October 2005	0	0	0.00%
	September 2005	0	2	0.00%
	August 2005	0	0	0.00%
	July 2005	2	4	50.00%
	June 2005	0	0	0.00%
	May 2005	0	3	0.00%
	April 2005	2	6	33.33%
	March 2005	1	2	50.00%
	February 2005	1	2	50.00%
	January 2005	0	2	0.00%
	December 2004	0	2	0.00%
	November 2004	0	0	0.00%
	MR-7C Repair Repeat Report Rate Line Splitting Parity	October 2005	0	0
September 2005		1	2	50.00%
August 2005		0	0	0.00%
July 2005		0	1	0.00%
June 2005		0	0	0.00%
May 2005		0	4	0.00%
April 2005		0	4	0.00%
March 2005		1	1	100.00%
February 2005		0	2	0.00%
January 2005		1	2	50.00%
December 2004		0	3	0.00%
November 2004		0	4	0.00%
MR-7C Repair Repeat Report Rate PBX Parity		October 2005	0	0
	September 2005	0	1	0.00%
	August 2005	0	0	0.00%
	July 2005	0	2	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-7C Repair Repeat Report Rate Residence Parity	October 2005	0	0
September 2005		0	8	0.00%
August 2005		2	11	18.18%
July 2005		3	11	27.27%
June 2005		2	12	16.67%
May 2005		0	10	0.00%
April 2005		0	5	0.00%
March 2005		3	11	27.27%
February 2005		1	4	25.00%
January 2005		1	5	20.00%
December 2004		0	5	0.00%
November 2004		2	10	20.00%
MR-7C Repair Repeat Report Rate UNE - P (POTS) Parity		October 2005	0	0
	September 2005	0	3	0.00%
	August 2005	0	4	0.00%
	July 2005	0	6	0.00%

	June 2005	1	6	16.67%
	May 2005	0	3	0.00%
	April 2005	1	5	20.00%
	March 2005	1	4	25.00%
	February 2005	1	7	14.29%
	January 2005	1	18	5.56%
	December 2004	15	127	11.81%
	November 2004	13	125	10.40%
MR-7C Repair Repeat Report Rate UNE P (Centrex 21) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	3	33.33%
	November 2004	1	2	50.00%
MR-7C Repair Repeat Report Rate UNE P (Centrex) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	5	20.00%
	December 2004	2	5	40.00%
	November 2004	0	9	0.00%
MR-7D Repair Repeat Report Rate DS0 Parity	October 2005	0	0	0.00%
	September 2005	0	1	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	3	0.00%
	November 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate DS1 Parity	October 2005	0	0	0.00%
	September 2005	2	2	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%

	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate	October 2005	0	0	0.00%
Enhanced Extended Loops - DS1 Capable Parity	September 2005	10	60	16.67%
	August 2005	13	73	17.81%
	July 2005	6	49	12.24%
	June 2005	6	41	14.63%
	May 2005	4	59	6.78%
	April 2005	10	46	21.74%
	March 2005	4	42	9.52%
	February 2005	12	40	30.00%
	January 2005	11	46	23.91%
	December 2004	6	49	12.24%
	November 2004	8	47	17.02%
MR-7D Repair Repeat Report Rate	October 2005	0	0	0.00%
Enhanced Extended Loops - DS3 Capable Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate ISDN Primary Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate LIS Trunk Parity	October 2005	0	0	0.00%
	September 2005	1	9	11.11%
	August 2005	0	9	0.00%
	July 2005	0	10	0.00%
	June 2005	1	9	11.11%
	May 2005	0	6	0.00%
	April 2005	0	3	0.00%
	March 2005	0	5	0.00%
	February 2005	0	4	0.00%
	January 2005	1	11	9.09%
	December 2004	0	4	0.00%
	November 2004	0	3	0.00%

MR-7D Repair Repeat Report Rate Qwest DSL Parity	October 2005	0	0	0.00%
	September 2005	0	10	0.00%
	August 2005	0	4	0.00%
	July 2005	1	8	12.50%
	June 2005	1	5	20.00%
	May 2005	0	11	0.00%
	April 2005	1	10	10.00%
	March 2005	1	10	10.00%
	February 2005	1	5	20.00%
	January 2005	1	8	12.50%
	December 2004	1	4	25.00%
	November 2004	1	7	14.29%
	MR-7D Repair Repeat Report Rate UDIT Above DS1 Level Parity	October 2005	0	0
September 2005		0	1	0.00%
August 2005		0	1	0.00%
July 2005		0	0	0.00%
June 2005		0	4	0.00%
May 2005		1	1	100.00%
April 2005		0	2	0.00%
March 2005		0	4	0.00%
February 2005		0	1	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	3	0.00%
MR-7D Repair Repeat Report Rate UDIT DS1 Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	4	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-7D Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity	October 2005	0	0
September 2005		4	30	13.33%
August 2005		5	35	14.29%
July 2005		0	22	0.00%
June 2005		0	8	0.00%
May 2005		0	36	0.00%
April 2005		2	33	6.06%
March 2005		1	35	2.86%
February 2005		1	27	3.70%
January 2005		4	35	11.43%
December 2004		6	53	11.32%
November 2004		1	28	3.57%
MR-7D Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	1	0.00%

	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	2	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate	October 2005	0	0	0.00%
Unbundled Loop - ADSL Qualified Parity	September 2005	0	1	0.00%
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate	October 2005	0	0	0.00%
Unbundled Loop - DS1 Capable Parity	September 2005	2	65	3.08%
	August 2005	7	104	6.73%
	July 2005	18	72	25.00%
	June 2005	8	85	9.41%
	May 2005	15	88	17.05%
	April 2005	14	80	17.50%
	March 2005	14	96	14.58%
	February 2005	9	77	11.69%
	January 2005	12	91	13.19%
	December 2004	12	74	16.22%
	November 2004	12	84	14.29%
MR-7D Repair Repeat Report Rate	October 2005	0	0	0.00%
Unbundled Loop Analog Parity	September 2005	14	183	7.65%
	August 2005	25	293	8.53%
	July 2005	18	245	7.35%
	June 2005	9	194	4.64%
	May 2005	17	253	6.72%
	April 2005	14	182	7.69%
	March 2005	13	202	6.44%
	February 2005	16	174	9.20%
	January 2005	14	220	6.36%
	December 2004	13	204	6.37%
	November 2004	22	209	10.53%
MR-7D Repair Repeat Report Rate	October 2005	0	0	0.00%
Unbundled Loop ISDN Capable Parity	September 2005	0	6	0.00%
	August 2005	0	8	0.00%
	July 2005	1	15	6.67%
	June 2005	5	26	19.23%
	May 2005	3	25	12.00%
	April 2005	2	15	13.33%
	March 2005	0	24	0.00%

	February 2005	4	21	19.05%
	January 2005	2	20	10.00%
	December 2004	2	24	8.33%
	November 2004	2	14	14.29%
MR-7E Repair Repeat Report Rate DS0 Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-7E Repair Repeat Report Rate DS1 Parity	October 2005	0	0
September 2005		0	1	0.00%
August 2005		1	1	100.00%
July 2005		1	1	100.00%
June 2005		0	2	0.00%
May 2005		0	0	0.00%
April 2005		1	8	12.50%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	0	0.00%
MR-7E Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity		October 2005	0	0
	September 2005	0	4	0.00%
	August 2005	2	16	12.50%
	July 2005	0	5	0.00%
	June 2005	4	12	33.33%
	May 2005	2	19	10.53%
	April 2005	1	7	14.29%
	March 2005	6	20	30.00%
	February 2005	5	15	33.33%
	January 2005	1	15	6.67%
	December 2004	0	2	0.00%
	November 2004	0	7	0.00%
	MR-7E Repair Repeat Report Rate ISDN Primary Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	2	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004	0	0	0.00%	
November 2004	0	0	0.00%	

MR-7E Repair Repeat Report Rate LIS Trunk Parity	October 2005	0	0	0.00%
	September 2005	0	2	0.00%
	August 2005	0	6	0.00%
	July 2005	0	4	0.00%
	June 2005	0	2	0.00%
	May 2005	0	2	0.00%
	April 2005	0	3	0.00%
	March 2005	1	5	20.00%
	February 2005	0	1	0.00%
	January 2005	0	3	0.00%
	December 2004	0	4	0.00%
	November 2004	0	5	0.00%
	MR-7E Repair Repeat Report Rate Qwest DSL Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	2	0.00%
July 2005		2	5	40.00%
June 2005		0	0	0.00%
May 2005		0	1	0.00%
April 2005		0	1	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		2	3	66.67%
December 2004		0	0	0.00%
November 2004		0	1	0.00%
MR-7E Repair Repeat Report Rate UDIT Above DS1 Level Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	MR-7E Repair Repeat Report Rate UDIT DS1 Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	1	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	1	0.00%
November 2004		0	0	0.00%
MR-7E Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity		October 2005	0	0
	September 2005	0	1	0.00%
	August 2005	0	6	0.00%
	July 2005	0	4	0.00%

	June 2005	0	2	0.00%
	May 2005	0	1	0.00%
	April 2005	0	7	0.00%
	March 2005	0	4	0.00%
	February 2005	0	4	0.00%
	January 2005	0	4	0.00%
	December 2004	0	3	0.00%
	November 2004	0	6	0.00%
MR-7E Repair Repeat Report Rate	October 2005	0	0	0.00%
Unbundled Loop - ADSL Qualified Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	2	4	50.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate	October 2005	0	0	0.00%
Unbundled Loop - DS1 Capable Parity	September 2005	0	6	0.00%
	August 2005	2	12	16.67%
	July 2005	1	24	4.17%
	June 2005	0	13	0.00%
	May 2005	4	22	18.18%
	April 2005	1	8	12.50%
	March 2005	0	11	0.00%
	February 2005	5	18	27.78%
	January 2005	1	5	20.00%
	December 2004	1	14	7.14%
	November 2004	0	12	0.00%
MR-7E Repair Repeat Report Rate	October 2005	0	0	0.00%
Unbundled Loop Analog Parity	September 2005	3	37	8.11%
	August 2005	2	32	6.25%
	July 2005	2	43	4.65%
	June 2005	0	24	0.00%
	May 2005	1	23	4.35%
	April 2005	0	30	0.00%
	March 2005	0	27	0.00%
	February 2005	1	15	6.67%
	January 2005	3	16	18.75%
	December 2004	1	17	5.88%
	November 2004	0	26	0.00%
MR-7E Repair Repeat Report Rate	October 2005	0	0	0.00%
Unbundled Loop ISDN Capable Parity	September 2005	0	1	0.00%
	August 2005	2	9	22.22%
	July 2005	0	9	0.00%
	June 2005	0	9	0.00%
	May 2005	0	5	0.00%
	April 2005	0	4	0.00%
	March 2005	1	8	12.50%

	February 2005	1	7	14.29%
	January 2005	2	4	50.00%
	December 2004	1	10	10.00%
	November 2004	1	5	20.00%
MR-8 Trouble Rate Basic Rate ISDN Parity	October 2005	0	11	0.00%
	September 2005	0	11	0.00%
	August 2005	0	11	0.00%
	July 2005	0	11	0.00%
	June 2005	0	11	0.00%
	May 2005	0	11	0.00%
	April 2005	0	12	0.00%
	March 2005	0	12	0.00%
	February 2005	0	12	0.00%
	January 2005	0	12	0.00%
	December 2004	0	12	0.00%
	November 2004	0	12	0.00%
MR-8 Trouble Rate Business Parity	October 2005	8	2165	0.37%
	September 2005	2	2216	0.09%
	August 2005	5	2259	0.22%
	July 2005	6	2393	0.25%
	June 2005	9	2398	0.38%
	May 2005	12	2377	0.50%
	April 2005	8	2366	0.34%
	March 2005	19	2554	0.74%
	February 2005	14	3173	0.44%
	January 2005	16	3315	0.48%
	December 2004	27	4276	0.63%
	November 2004	20	4193	0.48%
MR-8 Trouble Rate Centrex Parity	October 2005	1	401	0.25%
	September 2005	0	432	0.00%
	August 2005	3	435	0.69%
	July 2005	0	437	0.00%
	June 2005	1	437	0.23%
	May 2005	1	445	0.22%
	April 2005	0	445	0.00%
	March 2005	2	450	0.44%
	February 2005	0	456	0.00%
	January 2005	0	457	0.00%
	December 2004	0	464	0.00%
	November 2004	0	849	0.00%
MR-8 Trouble Rate Centrex 21 Parity	October 2005	1	855	0.12%
	September 2005	5	843	0.59%
	August 2005	4	836	0.48%
	July 2005	5	845	0.59%
	June 2005	3	740	0.41%
	May 2005	3	663	0.45%
	April 2005	2	646	0.31%
	March 2005	5	649	0.77%
	February 2005	4	650	0.62%
	January 2005	3	596	0.50%
	December 2004	3	488	0.61%
	November 2004	2	457	0.44%

MR-8 Trouble Rate DS0 Parity	October 2005	0	609	0.00%
	September 2005	1	673	0.15%
	August 2005	0	692	0.00%
	July 2005	0	694	0.00%
	June 2005	0	770	0.00%
	May 2005	1	844	0.12%
	April 2005	1	843	0.12%
	March 2005	0	844	0.00%
	February 2005	0	845	0.00%
	January 2005	0	508	0.00%
	December 2004	3	509	0.59%
	November 2004	0	513	0.00%
	MR-8 Trouble Rate DS1 Parity	October 2005	2	49
September 2005		3	64	4.69%
August 2005		1	147	0.68%
July 2005		1	77	1.30%
June 2005		2	79	2.53%
May 2005		0	79	0.00%
April 2005		8	77	10.39%
March 2005		1	82	1.22%
February 2005		1	81	1.23%
January 2005		0	84	0.00%
December 2004		1	83	1.20%
November 2004		0	86	0.00%
MR-8 Trouble Rate DS3 Parity		October 2005	0	6
	September 2005	0	6	0.00%
	August 2005	0	7	0.00%
	July 2005	0	8	0.00%
	June 2005	1	8	12.50%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-8 Trouble Rate E911 Parity	October 2005	0	775
September 2005		0	771	0.00%
August 2005		0	745	0.00%
July 2005		0	675	0.00%
June 2005		0	684	0.00%
May 2005		2	638	0.31%
April 2005		0	632	0.00%
March 2005		0	632	0.00%
February 2005		0	634	0.00%
January 2005		0	634	0.00%
December 2004		1	634	0.16%
November 2004		0	634	0.00%
MR-8 Trouble Rate Enhanced Extended Loops - DS0 Capable Diagnostic		October 2005	1	27
	September 2005	0	27	0.00%
	August 2005	0	25	0.00%
	July 2005	0	26	0.00%

	June 2005	0	24	0.00%
	May 2005	0	24	0.00%
	April 2005	0	24	0.00%
	March 2005	0	24	0.00%
	February 2005	0	19	0.00%
	January 2005	0	19	0.00%
	December 2004	0	19	0.00%
	November 2004	0	19	0.00%
MR-8 Trouble Rate Enhanced Extended Loops - DS1 Capable Parity	October 2005	62	3254	1.91%
	September 2005	64	3208	2.00%
	August 2005	89	2972	2.99%
	July 2005	54	2553	2.12%
	June 2005	53	2444	2.17%
	May 2005	78	2365	3.30%
	April 2005	52	2265	2.30%
	March 2005	62	2184	2.84%
	February 2005	55	2116	2.60%
	January 2005	61	2018	3.02%
	December 2004	51	1937	2.63%
	November 2004	54	1853	2.91%
MR-8 Trouble Rate Frame Relay Parity	October 2005	0	10	0.00%
	September 2005	0	10	0.00%
	August 2005	0	7	0.00%
	July 2005	0	7	0.00%
	June 2005	0	7	0.00%
	May 2005	0	7	0.00%
	April 2005	0	13	0.00%
	March 2005	0	13	0.00%
	February 2005	0	15	0.00%
	January 2005	0	13	0.00%
	December 2004	0	14	0.00%
	November 2004	0	13	0.00%
MR-8 Trouble Rate ISDN Primary Parity	October 2005	0	84	0.00%
	September 2005	0	144	0.00%
	August 2005	0	144	0.00%
	July 2005	0	168	0.00%
	June 2005	0	168	0.00%
	May 2005	0	168	0.00%
	April 2005	2	168	1.19%
	March 2005	0	168	0.00%
	February 2005	0	96	0.00%
	January 2005	0	96	0.00%
	December 2004	0	120	0.00%
	November 2004	0	120	0.00%
MR-8 Trouble Rate Line Sharing Parity	October 2005	1	6069	0.02%
	September 2005	6	6293	0.10%
	August 2005	0	6569	0.00%
	July 2005	4	6808	0.06%
	June 2005	5	7096	0.07%
	May 2005	8	7346	0.11%
	April 2005	11	7635	0.14%
	March 2005	4	7955	0.05%

	February 2005	6	8212	0.07%
	January 2005	11	8513	0.13%
	December 2004	11	9006	0.12%
	November 2004	10	9495	0.11%
MR-8 Trouble Rate Line Splitting Parity	October 2005	13	643	2.02%
	September 2005	6	654	0.92%
	August 2005	5	691	0.72%
	July 2005	4	722	0.55%
	June 2005	6	739	0.81%
	May 2005	6	735	0.82%
	April 2005	7	734	0.95%
	March 2005	14	716	1.96%
	February 2005	8	698	1.15%
	January 2005	4	692	0.58%
	December 2004	8	671	1.19%
	November 2004	8	672	1.19%
MR-8 Trouble Rate LIS Trunk Parity	October 2005	16	167229	0.01%
	September 2005	11	164613	0.01%
	August 2005	15	165764	0.01%
	July 2005	14	168789	0.01%
	June 2005	11	170661	0.01%
	May 2005	8	174115	0.00%
	April 2005	6	176395	0.00%
	March 2005	10	184555	0.01%
	February 2005	5	188633	0.00%
	January 2005	14	188607	0.01%
	December 2004	8	187744	0.00%
	November 2004	8	188752	0.00%
MR-8 Trouble Rate PBX Parity	October 2005	2	652	0.31%
	September 2005	2	724	0.28%
	August 2005	1	786	0.13%
	July 2005	3	782	0.38%
	June 2005	1	777	0.13%
	May 2005	3	771	0.39%
	April 2005	0	762	0.00%
	March 2005	1	772	0.13%
	February 2005	1	809	0.12%
	January 2005	1	828	0.12%
	December 2004	1	823	0.12%
	November 2004	0	830	0.00%
MR-8 Trouble Rate Qwest DSL Parity	October 2005	14	1536	0.91%
	September 2005	5	1509	0.33%
	August 2005	3	1447	0.21%
	July 2005	13	1412	0.92%
	June 2005	5	1360	0.37%
	May 2005	12	1293	0.93%
	April 2005	9	1232	0.73%
	March 2005	10	1185	0.84%
	February 2005	5	1152	0.43%
	January 2005	11	1121	0.98%
	December 2004	4	1076	0.37%
	November 2004	8	1042	0.77%

MR-8 Trouble Rate Residence Parity	October 2005	98	2797	3.50%
	September 2005	86	2877	2.99%
	August 2005	96	2842	3.38%
	July 2005	60	2983	2.01%
	June 2005	77	3139	2.45%
	May 2005	60	3173	1.89%
	April 2005	60	2902	2.07%
	March 2005	77	3158	2.44%
	February 2005	51	2925	1.74%
	January 2005	66	2883	2.29%
	December 2004	61	3118	1.96%
	November 2004	65	3201	2.03%
	MR-8 Trouble Rate UDIT Above DS1 Level Parity	October 2005	2	186
September 2005		1	187	0.53%
August 2005		1	188	0.53%
July 2005		0	160	0.00%
June 2005		4	156	2.56%
May 2005		1	156	0.64%
April 2005		3	153	1.96%
March 2005		4	156	2.56%
February 2005		2	159	1.26%
January 2005		0	157	0.00%
December 2004		1	159	0.63%
November 2004		4	164	2.44%
MR-8 Trouble Rate UDIT DS1 Parity		October 2005	0	179
	September 2005	0	176	0.00%
	August 2005	5	184	2.72%
	July 2005	1	182	0.55%
	June 2005	0	175	0.00%
	May 2005	0	166	0.00%
	April 2005	0	169	0.00%
	March 2005	0	167	0.00%
	February 2005	0	169	0.00%
	January 2005	0	168	0.00%
	December 2004	1	169	0.59%
	November 2004	0	174	0.00%
	MR-8 Trouble Rate Unbundled Loop - 2 Wire Non-Loaded Parity	October 2005	57	9150
September 2005		31	8763	0.35%
August 2005		41	2803	1.46%
July 2005		10	2843	0.35%
June 2005		10	2876	0.35%
May 2005		37	8300	0.45%
April 2005		40	8117	0.49%
March 2005		39	7964	0.49%
February 2005		31	7814	0.40%
January 2005		39	7694	0.51%
December 2004		56	7604	0.74%
November 2004		34	7522	0.45%
MR-8 Trouble Rate Unbundled Loop - 4 Wire Non-Loaded Parity		October 2005	0	186
	September 2005	0	187	0.00%
	August 2005	0	188	0.00%
	July 2005	1	188	0.53%

	June 2005	0	189	0.00%
	May 2005	1	190	0.53%
	April 2005	0	191	0.00%
	March 2005	2	191	1.05%
	February 2005	1	192	0.52%
	January 2005	0	192	0.00%
	December 2004	1	194	0.52%
	November 2004	0	196	0.00%
MR-8 Trouble Rate Unbundled Loop - ADSL Qualified Parity	October 2005	2	258	0.78%
	September 2005	1	267	0.37%
	August 2005	1	270	0.37%
	July 2005	0	274	0.00%
	June 2005	0	277	0.00%
	May 2005	0	289	0.00%
	April 2005	2	293	0.68%
	March 2005	4	298	1.34%
	February 2005	0	305	0.00%
	January 2005	1	314	0.32%
	December 2004	1	326	0.31%
	November 2004	0	338	0.00%
MR-8 Trouble Rate Unbundled Loop - DS1 Capable Parity	October 2005	143	6113	2.34%
	September 2005	71	6072	1.17%
	August 2005	116	6044	1.92%
	July 2005	96	6048	1.59%
	June 2005	98	5993	1.64%
	May 2005	110	5941	1.85%
	April 2005	87	5885	1.48%
	March 2005	107	5814	1.84%
	February 2005	95	5759	1.65%
	January 2005	96	5735	1.67%
	December 2004	88	5717	1.54%
	November 2004	96	5658	1.70%
MR-8 Trouble Rate Unbundled Loop - DS3 Capable Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	8	12.50%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-8 Trouble Rate Unbundled Loop - XDSLi Parity	October 2005	1	170	0.59%
	September 2005	3	173	1.73%
	August 2005	8	6031	0.13%
	July 2005	16	5872	0.27%
	June 2005	26	5685	0.46%
	May 2005	4	169	2.37%
	April 2005	0	167	0.00%
	March 2005	2	173	1.16%

	February 2005	3	175	1.71%
	January 2005	7	173	4.05%
	December 2004	4	165	2.42%
	November 2004	1	165	0.61%
MR-8 Trouble Rate Unbundled Loop Analog Parity	October 2005	366	68119	0.54%
	September 2005	220	68114	0.32%
	August 2005	325	67806	0.48%
	July 2005	288	65425	0.44%
	June 2005	218	59363	0.37%
	May 2005	276	56492	0.49%
	April 2005	212	56532	0.38%
	March 2005	229	56611	0.40%
	February 2005	189	56504	0.33%
	January 2005	236	56409	0.42%
	December 2004	221	56364	0.39%
November 2004	235	56317	0.42%	
MR-8 Trouble Rate Unbundled Loop ISDN Capable Parity	October 2005	41	2282	1.80%
	September 2005	7	2305	0.30%
	August 2005	17	2324	0.73%
	July 2005	24	2355	1.02%
	June 2005	35	2380	1.47%
	May 2005	30	2407	1.25%
	April 2005	19	2410	0.79%
	March 2005	32	2461	1.30%
	February 2005	28	2506	1.12%
	January 2005	24	2523	0.95%
	December 2004	34	2546	1.34%
November 2004	19	2583	0.74%	
MR-8 Trouble Rate UNE - P (POTS) Parity	October 2005	19	4131	0.46%
	September 2005	14	4298	0.33%
	August 2005	26	4509	0.58%
	July 2005	24	4656	0.52%
	June 2005	31	4867	0.64%
	May 2005	21	5063	0.41%
	April 2005	26	5340	0.49%
	March 2005	32	5640	0.57%
	February 2005	43	5942	0.72%
	January 2005	77	11621	0.66%
	December 2004	770	94278	0.82%
November 2004	714	95164	0.75%	
MR-8 Trouble Rate UNE P (Centrex 21) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	145	1.38%
	December 2004	10	1211	0.83%
November 2004	6	1232	0.49%	

MR-8 Trouble Rate UNE P (Centrex) Parity	October 2005	0	1	0.00%
	September 2005	0	1	0.00%
	August 2005	0	1	0.00%
	July 2005	0	1	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	1	0.00%
	March 2005	0	1	0.00%
	February 2005	0	3	0.00%
	January 2005	13	2255	0.58%
	December 2004	21	5919	0.35%
	November 2004	25	6075	0.41%
	MR-9A Repair Appointments Met Business Parity	October 2005	6	7
September 2005		1	1	100.00%
August 2005		3	4	75.00%
July 2005		4	4	100.00%
June 2005		4	4	100.00%
May 2005		7	8	87.50%
April 2005		5	6	83.33%
March 2005		7	11	63.64%
February 2005		8	10	80.00%
January 2005		6	6	100.00%
December 2004		17	21	80.95%
November 2004		10	12	83.33%
MR-9A Repair Appointments Met Centrex Parity		October 2005	1	1
	September 2005	0	0	0.00%
	August 2005	2	2	100.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-9A Repair Appointments Met Centrex 21 Parity	October 2005	0	0
September 2005		1	1	100.00%
August 2005		2	3	66.67%
July 2005		3	3	100.00%
June 2005		1	1	100.00%
May 2005		2	3	66.67%
April 2005		2	2	100.00%
March 2005		3	4	75.00%
February 2005		4	4	100.00%
January 2005		1	2	50.00%
December 2004		3	3	100.00%
November 2004		1	1	100.00%
MR-9A Repair Appointments Met Residence Parity		October 2005	73	74
	September 2005	60	62	96.77%
	August 2005	64	68	94.12%
	July 2005	42	42	100.00%

	June 2005	51	52	98.08%
	May 2005	44	44	100.00%
	April 2005	43	44	97.73%
	March 2005	58	58	100.00%
	February 2005	35	36	97.22%
	January 2005	48	50	96.00%
	December 2004	45	46	97.83%
	November 2004	46	47	97.87%
MR-9A Repair Appointments Met UNE - P (POTS) Parity	October 2005	9	12	75.00%
	September 2005	6	8	75.00%
	August 2005	17	20	85.00%
	July 2005	15	16	93.75%
	June 2005	11	12	91.67%
	May 2005	9	14	64.29%
	April 2005	9	14	64.29%
	March 2005	18	23	78.26%
	February 2005	24	27	88.89%
	January 2005	38	44	86.36%
	December 2004	420	538	78.07%
	November 2004	377	478	78.87%
MR-9B Repair Appointments Met Business Parity	October 2005	1	1	100.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	5	5	100.00%
	December 2004	1	1	100.00%
	November 2004	4	4	100.00%
MR-9B Repair Appointments Met Centrex 21 Parity	October 2005	0	0	0.00%
	September 2005	1	2	50.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-9B Repair Appointments Met PBX Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
MR-9B Repair Appointments Met Residence Parity	October 2005	21	21	100.00%
	September 2005	16	16	100.00%
	August 2005	14	17	82.35%
	July 2005	7	7	100.00%
	June 2005	12	13	92.31%
	May 2005	6	6	100.00%
	April 2005	11	11	100.00%
	March 2005	8	8	100.00%
	February 2005	11	11	100.00%
	January 2005	10	11	90.91%
	December 2004	10	10	100.00%
	November 2004	7	8	87.50%
MR-9B Repair Appointments Met UNE - P (POTS) Parity	October 2005	3	4	75.00%
	September 2005	1	3	33.33%
	August 2005	1	2	50.00%
	July 2005	2	2	100.00%
	June 2005	10	13	76.92%
	May 2005	3	4	75.00%
	April 2005	5	7	71.43%
	March 2005	3	5	60.00%
	February 2005	6	9	66.67%
	January 2005	10	15	66.67%
	December 2004	81	105	77.14%
	November 2004	73	111	65.77%
MR-9C Repair Appointments Met Business Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	2	2	100.00%
	June 2005	5	5	100.00%
	May 2005	2	2	100.00%
	April 2005	1	1	100.00%
	March 2005	7	7	100.00%
	February 2005	3	3	100.00%
	January 2005	5	5	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
MR-9C Repair Appointments Met Centrex Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

MR-9C Repair Appointments Met Centrex 21 Parity	October 2005	1	1	100.00%
	September 2005	2	2	100.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	MR-9C Repair Appointments Met Residence Parity	October 2005	3	3
September 2005		8	8	100.00%
August 2005		11	11	100.00%
July 2005		11	11	100.00%
June 2005		12	12	100.00%
May 2005		10	10	100.00%
April 2005		5	5	100.00%
March 2005		11	11	100.00%
February 2005		4	4	100.00%
January 2005		5	5	100.00%
December 2004		5	5	100.00%
November 2004		10	10	100.00%
MR-9C Repair Appointments Met UNE - P (POTS) Parity		October 2005	3	3
	September 2005	3	3	100.00%
	August 2005	4	4	100.00%
	July 2005	6	6	100.00%
	June 2005	6	6	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	4	4	100.00%
	February 2005	7	7	100.00%
	January 2005	18	18	100.00%
	December 2004	125	127	98.43%
	November 2004	122	125	97.60%
	NI-1A Trunk Blockage to Qwest Tandem Offices LIS Trunk Parity	October 2005	2	24576
September 2005		3	23568	0.01%
August 2005		2	23016	0.01%
July 2005		1	23184	0.01%
June 2005		1	23064	0.00%
May 2005		2	22560	0.01%
April 2005		2	23928	0.01%
March 2005		2	26448	0.01%
February 2005		1	27024	0.00%
January 2005		7	27624	0.03%
December 2004		2	28320	0.01%
November 2004		2	29712	0.01%
NI-1B Trunk Blockage to Qwest End Offices LIS Trunk Parity		October 2005	40	7488
	September 2005	39	7296	0.53%
	August 2005	41	9576	0.43%
	July 2005	0	11328	0.00%

	June 2005	1	15336	0.01%
	May 2005	2	16176	0.01%
	April 2005	1	16224	0.01%
	March 2005	2	16392	0.01%
	February 2005	2	15960	0.01%
	January 2005	2	15552	0.01%
	December 2004	0	16248	0.00%
	November 2004	1	17028	0.01%
NI-1C Trunk Blockage to Qwest Tandem Offices LIS Trunk Diagnostic	October 2005	12	24912	0.05%
	September 2005	39	24144	0.16%
	August 2005	17	23280	0.07%
	July 2005	50	23448	0.21%
	June 2005	5	23304	0.02%
	May 2005	19	23448	0.08%
	April 2005	5	24048	0.02%
	March 2005	9	26520	0.03%
	February 2005	2	27168	0.01%
	January 2005	32	28200	0.11%
	December 2004	11	28656	0.04%
	November 2004	4	29736	0.01%
NI-1D Trunk Blockage to Qwest End Offices LIS Trunk Diagnostic	October 2005	48	7596	0.63%
	September 2005	46	7404	0.61%
	August 2005	45	9612	0.47%
	July 2005	3	11436	0.03%
	June 2005	9	15372	0.06%
	May 2005	9	16284	0.05%
	April 2005	10	16332	0.06%
	March 2005	12	16428	0.07%
	February 2005	51	16764	0.31%
	January 2005	168	16716	1.00%
	December 2004	109	16764	0.65%
	November 2004	79	17316	0.46%
OP-13A Coordinated Cuts Completed on Time Unbundled Loop - Analog Benchmark	October 2005	248	251	98.80%
	September 2005	233	233	100.00%
	August 2005	249	251	99.20%
	July 2005	253	254	99.61%
	June 2005	269	271	99.26%
	May 2005	228	230	99.13%
	April 2005	222	222	100.00%
	March 2005	220	220	100.00%
	February 2005	183	183	100.00%
	January 2005	186	187	99.47%
	December 2004	215	215	100.00%
	November 2004	244	246	99.19%
OP-13A Coordinated Cuts Completed on Time Unbundled Loop Other Benchmark	October 2005	11	12	91.67%
	September 2005	16	16	100.00%
	August 2005	16	18	88.89%
	July 2005	15	17	88.24%
	June 2005	12	14	85.71%
	May 2005	11	12	91.67%
	April 2005	17	20	85.00%
March 2005	25	25	100.00%	

	February 2005	33	34	97.06%
	January 2005	17	19	89.47%
	December 2004	21	21	100.00%
	November 2004	21	33	63.64%
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop - Analog Diagnostic	October 2005	3	251	1.20%
	September 2005	0	233	0.00%
	August 2005	1	251	0.40%
	July 2005	1	254	0.39%
	June 2005	0	271	0.00%
	May 2005	2	230	0.87%
	April 2005	0	222	0.00%
	March 2005	0	220	0.00%
	February 2005	0	183	0.00%
	January 2005	0	187	0.00%
	December 2004	0	215	0.00%
	November 2004	0	246	0.00%
	OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop Other Diagnostic	October 2005	0	12
September 2005		0	16	0.00%
August 2005		0	18	0.00%
July 2005		0	17	0.00%
June 2005		0	14	0.00%
May 2005		1	12	8.33%
April 2005		0	20	0.00%
March 2005		0	25	0.00%
February 2005		0	34	0.00%
January 2005		0	19	0.00%
December 2004		0	21	0.00%
November 2004		12	33	36.36%
OP-15A Interval for Pending Orders Delayed Past Due Date Business Parity		October 2005	0	0
	September 2005	56	1	56
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	9	2	4.5
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		71	1	71
January 2005		51	1	51
December 2004		29	1	29
November 2004		7	1	7

OP-15A Interval for Pending Orders	October 2005	1041	4	260.25
Delayed Past Due Date Enhanced Extended Loops (EELs) Diagnostic	September 2005	883	3	294.33
	August 2005	852	3	284
	July 2005	793	3	264.33
	June 2005	751	2	375.5
	May 2005	723	3	241
	April 2005	1315	4	328.75
	March 2005	1241	7	177.29
	February 2005	1145	5	229
	January 2005	1059	4	264.75
	December 2004	900	5	180
	November 2004	818	3	272.67
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date ISDN Primary Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	36	4	9
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date Line Sharing Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	188	1	188
	March 2005	167	1	167
	February 2005	144	1	144
	January 2005	124	1	124
	December 2004	102	1	102
	November 2004	80	2	40
OP-15A Interval for Pending Orders	October 2005	128	2	64
Delayed Past Due Date Qwest DSL Parity	September 2005	128	2	64
	August 2005	86	2	43
	July 2005	58	1	58
	June 2005	38	2	19
	May 2005	16	1	16
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	1	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	6	3	2
Delayed Past Due Date Residence Parity	September 2005	3	2	1.5
	August 2005	28	3	9.33
	July 2005	9	2	4.5

	June 2005	6	1	6
	May 2005	28	2	14
	April 2005	33	3	11
	March 2005	99	1	99
	February 2005	254	4	63.5
	January 2005	200	3	66.67
	December 2004	177	5	35.4
	November 2004	152	6	25.33
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date UDIT Above DS1	September 2005	28	1	28
Level Parity	August 2005	7	1	7
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	65	1	65
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	5374	31	173.35
Delayed Past Due Date Unbundled Loop - 2	September 2005	5071	26	195.04
Wire Non-Loaded Parity	August 2005	4801	29	165.55
	July 2005	4331	23	188.3
	June 2005	4247	23	184.65
	May 2005	3801	21	181
	April 2005	3516	23	152.87
	March 2005	3114	21	148.29
	February 2005	2706	23	117.65
	January 2005	2402	21	114.38
	December 2004	2481	20	124.05
	November 2004	3049	23	132.57
OP-15A Interval for Pending Orders	October 2005	48	8	6
Delayed Past Due Date Unbundled Loop -	September 2005	28	4	7
DS1 Capable Parity	August 2005	81	3	27
	July 2005	462	4	115.5
	June 2005	422	5	84.4
	May 2005	362	4	90.5
	April 2005	294	2	147
	March 2005	340	4	85
	February 2005	262	3	87.33
	January 2005	203	4	50.75
	December 2004	154	4	38.5
	November 2004	131	2	65.5
OP-15A Interval for Pending Orders	October 2005	1200	20	60
Delayed Past Due Date Unbundled Loop	September 2005	1007	13	77.46
Analog Parity	August 2005	927	17	54.53
	July 2005	853	16	53.31
	June 2005	829	29	28.59
	May 2005	919	18	51.06
	April 2005	728	20	36.4
	March 2005	655	40	16.38

	February 2005	530	13	40.77
	January 2005	503	20	25.15
	December 2004	309	11	28.09
	November 2004	605	23	26.3
OP-15A Interval for Pending Orders	October 2005	80	3	26.67
Delayed Past Due Date Unbundled Loop	September 2005	54	3	18
ISDN Capable Parity	August 2005	25	3	8.33
	July 2005	12	2	6
	June 2005	0	1	0
	May 2005	1	1	1
	April 2005	0	0	0
	March 2005	5	2	2.5
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	2	1	2
	November 2004	12	1	12
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date UNE - P (POTS)	September 2005	0	0	0
Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	117	1	117
	April 2005	418	3	139.33
	March 2005	355	3	118.33
	February 2005	286	3	95.33
	January 2005	226	3	75.33
	December 2004	1311	23	57
	November 2004	1395	44	31.7
OP-15B Count of Pending Orders Delayed	October 2005	0	0	0
for Facilities Reasons Dark Fiber - Loop	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	1	0
	January 2005	0	1	0
	December 2004	0	1	0
	November 2004	0	1	0
OP-15B Count of Pending Orders Delayed	October 2005	3	4	1
for Facilities Reasons Enhanced Extended	September 2005	3	3	1
Loops (EELs) Diagnostic	August 2005	3	3	1
	July 2005	2	3	1
	June 2005	2	2	1
	May 2005	3	3	1
	April 2005	4	4	1
	March 2005	4	7	1
	February 2005	4	5	1
	January 2005	4	4	1
	December 2004	4	5	1
	November 2004	3	3	1

OP-15B Count of Pending Orders Delayed for Facilities Reasons ISDN Primary Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	4	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Sharing Parity	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		1	1	1
March 2005		1	1	1
February 2005		1	1	1
January 2005		1	1	1
December 2004		1	1	1
November 2004		2	2	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons LIS Trunk Diagnostic		October 2005	0	1
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	1	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	2	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Qwest DSL Parity	October 2005	1	2
September 2005		1	2	1
August 2005		1	2	1
July 2005		0	1	0
June 2005		1	2	1
May 2005		0	1	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	1	0
December 2004		0	0	0
November 2004		0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Residence Diagnostic		October 2005	1	3
	September 2005	1	2	1
	August 2005	1	3	0
	July 2005	1	2	1

	June 2005	0	1	0
	May 2005	2	2	1
	April 2005	1	3	0
	March 2005	0	1	0
	February 2005	0	4	0
	January 2005	1	3	0
	December 2004	0	5	0
	November 2004	0	6	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level Diagnostic	October 2005	0	0	0
	September 2005	1	1	1
	August 2005	1	1	1
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	1	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Loaded Diagnostic	October 2005	29	31	1
	September 2005	24	26	1
	August 2005	24	29	1
	July 2005	21	23	1
	June 2005	21	23	1
	May 2005	20	21	1
	April 2005	20	23	1
	March 2005	20	21	1
	February 2005	19	23	1
	January 2005	20	21	1
	December 2004	14	20	1
	November 2004	20	23	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable Diagnostic	October 2005	3	8	0
	September 2005	1	4	0
	August 2005	1	3	0
	July 2005	3	4	1
	June 2005	2	5	0
	May 2005	3	4	1
	April 2005	2	2	1
	March 2005	3	4	1
	February 2005	3	3	1
	January 2005	3	4	1
	December 2004	3	4	1
	November 2004	1	2	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog Diagnostic	October 2005	12	20	1
	September 2005	5	13	0
	August 2005	12	17	1
	July 2005	4	16	0
	June 2005	6	29	0
	May 2005	9	18	1
April 2005	10	20	1	
March 2005	8	40	0	

	February 2005	11	13	1
	January 2005	7	20	0
	December 2004	6	11	1
	November 2004	15	23	1
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable Diagnostic	October 2005	3	3	1
	September 2005	2	3	1
	August 2005	3	3	1
	July 2005	1	2	1
	June 2005	1	1	1
	May 2005	1	1	1
	April 2005	0	0	0
	March 2005	1	2	1
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	1	0
	November 2004	0	1	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	1	0
	April 2005	0	3	0
	March 2005	0	3	0
	February 2005	0	3	0
	January 2005	0	3	0
	December 2004	2	23	0
	November 2004	5	44	0
OP-17A Timeliness of Disconnects associated with LNP Orders LNP Benchmark	October 2005	5729	5729	100%
	September 2005	4858	4858	100%
	August 2005	6405	6406	100%
	July 2005	10153	10156	100%
	June 2005	6006	6006	100%
	May 2005	3089	3089	100%
	April 2005	3969	3969	100%
	March 2005	26477	26477	100%
	February 2005	10931	10931	100%
	January 2005	2515	2525	100%
	December 2004	1515	1515	100%
	November 2004	10584	10588	100%
OP-17B Timeliness of Disconnects associated with LNP Orders LNP Diagnostic	October 2005	5729	5729	100%
	September 2005	4858	4858	100%
	August 2005	6406	6406	100%
	July 2005	10156	10156	100%
	June 2005	6006	6006	100%
	May 2005	3089	3089	100%
	April 2005	3969	3969	100%
	March 2005	26477	26477	100%
	February 2005	10931	10931	100%
	January 2005	2525	2525	100%
	December 2004	1515	1515	100%
	November 2004	10588	10588	100%

OP-2 Calls Answered within Twenty Seconds - Interconnect Provisioning Center Diagnostic	October 2005	12991	14289	91%
	September 2005	14491	15595	93%
	August 2005	16654	17964	93%
	July 2005	14605	16158	90%
	June 2005	16208	17274	94%
	May 2005	15096	15718	96%
	April 2005	15645	16242	96%
	March 2005	16918	17384	97%
	February 2005	14794	15195	97%
	January 2005	16301	16499	99%
	December 2004	18047	18709	96%
	November 2004	19611	20249	97%
OP-3A Installation Commitments Met Business Parity	October 2005	3	3	100%
	September 2005	8	8	100%
	August 2005	1	1	100%
	July 2005	4	4	100%
	June 2005	6	6	100%
	May 2005	4	4	100%
	April 2005	6	6	100%
	March 2005	1	2	50%
	February 2005	7	7	100%
	January 2005	2	2	100%
	December 2004	7	7	100%
	November 2004	10	10	100%
OP-3A Installation Commitments Met Line Sharing Benchmark	October 2005	1	1	100%
	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	1	1	100%
	March 2005	5	5	100%
	February 2005	9	9	100%
	January 2005	7	7	100%
	December 2004	3	3	100%
	November 2004	4	4	100%
OP-3A Installation Commitments Met Line Splitting Benchmark	October 2005	3	3	100%
	September 2005	1	1	100%
	August 2005	1	1	100%
	July 2005	5	5	100%
	June 2005	4	4	100%
	May 2005	7	7	100%
	April 2005	10	10	100%
	March 2005	8	9	89%
	February 2005	4	5	80%
	January 2005	6	6	100%
	December 2004	4	5	80%
	November 2004	2	2	100%
OP-3A Installation Commitments Met Qwest DSL Parity	October 2005	44	46	96%
	September 2005	34	36	94%
	August 2005	45	45	100%
	July 2005	34	35	97%

	June 2005	33	34	97%
	May 2005	40	40	100%
	April 2005	29	31	94%
	March 2005	35	36	97%
	February 2005	23	24	96%
	January 2005	29	29	100%
	December 2004	37	38	97%
	November 2004	31	32	97%
OP-3A Installation Commitments Met	October 2005	560	565	99%
Residence Parity	September 2005	514	524	98%
	August 2005	555	575	97%
	July 2005	519	523	99%
	June 2005	595	603	99%
	May 2005	541	545	99%
	April 2005	515	518	99%
	March 2005	610	615	99%
	February 2005	277	282	98%
	January 2005	464	468	99%
	December 2004	391	396	99%
	November 2004	530	542	98%
OP-3A Installation Commitments Met UNE -	October 2005	3	3	100%
P (POTS) Parity	September 2005	2	2	100%
	August 2005	3	4	75%
	July 2005	1	1	100%
	June 2005	7	7	100%
	May 2005	6	6	100%
	April 2005	4	4	100%
	March 2005	5	5	100%
	February 2005	6	6	100%
	January 2005	27	29	93%
	December 2004	471	482	98%
	November 2004	661	677	98%
OP-3A Installation Commitments Met UNE	October 2005	0	0	0%
P (Centrex 21) Parity	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	1	1	100%
OP-3A Installation Commitments Met UNE	October 2005	0	0	0%
P (Centrex) Parity	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%

	February 2005	0	0	0%
	January 2005	2	2	100%
	December 2004	2	2	100%
	November 2004	5	6	83%
OP-3B Installation Commitments Met	October 2005	0	0	0%
Business Parity	September 2005	0	0	0%
	August 2005	1	1	100%
	July 2005	1	1	100%
	June 2005	1	1	100%
	May 2005	1	1	100%
	April 2005	0	0	0%
	March 2005	1	1	100%
	February 2005	1	1	100%
	January 2005	1	1	100%
	December 2004	1	1	100%
	November 2004	0	0	0%
OP-3B Installation Commitments Met	October 2005	0	0	0%
Qwest DSL Parity	September 2005	2	2	100%
	August 2005	1	1	100%
	July 2005	7	7	100%
	June 2005	3	3	100%
	May 2005	0	0	0%
	April 2005	2	2	100%
	March 2005	3	3	100%
	February 2005	4	4	100%
	January 2005	0	0	0%
	December 2004	2	2	100%
	November 2004	2	2	100%
OP-3B Installation Commitments Met	October 2005	64	66	96.97%
Residence Parity	September 2005	75	77	97.40%
	August 2005	63	65	96.92%
	July 2005	53	53	100.00%
	June 2005	45	45	100.00%
	May 2005	55	55	100.00%
	April 2005	55	55	100.00%
	March 2005	62	64	96.88%
	February 2005	18	18	100.00%
	January 2005	40	40	100.00%
	December 2004	38	38	100.00%
	November 2004	36	37	97.30%
OP-3B Installation Commitments Met UNE -	October 2005	3	3	100.00%
P (POTS) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	11	12	91.67%
	December 2004	61	63	96.83%
	November 2004	81	83	97.59%

OP-3B Installation Commitments Met UNE P (Centrex) Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-3C Installation Commitments Met Business Parity	October 2005	1	1
September 2005		6	6	100.00%
August 2005		2	2	100.00%
July 2005		11	11	100.00%
June 2005		5	5	100.00%
May 2005		10	10	100.00%
April 2005		8	8	100.00%
March 2005		9	9	100.00%
February 2005		10	10	100.00%
January 2005		8	8	100.00%
December 2004		20	20	100.00%
November 2004		10	10	100.00%
OP-3C Installation Commitments Met Line Sharing Benchmark		October 2005	1	1
	September 2005	0	0	0.00%
	August 2005	2	2	100.00%
	July 2005	1	1	100.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	2	2	100.00%
	March 2005	2	2	100.00%
	February 2005	4	4	100.00%
	January 2005	5	5	100.00%
	December 2004	9	9	100.00%
	November 2004	8	8	100.00%
	OP-3C Installation Commitments Met Line Splitting Benchmark	October 2005	22	22
September 2005		18	18	100.00%
August 2005		25	25	100.00%
July 2005		30	30	100.00%
June 2005		29	29	100.00%
May 2005		41	41	100.00%
April 2005		43	43	100.00%
March 2005		58	58	100.00%
February 2005		47	47	100.00%
January 2005		45	45	100.00%
December 2004		46	46	100.00%
November 2004		60	60	100.00%
OP-3C Installation Commitments Met Qwest DSL Parity		October 2005	45	46
	September 2005	56	56	100.00%
	August 2005	49	49	100.00%
	July 2005	56	56	100.00%

	June 2005	57	57	100.00%
	May 2005	60	60	100.00%
	April 2005	58	59	98.31%
	March 2005	60	60	100.00%
	February 2005	30	30	100.00%
	January 2005	45	45	100.00%
	December 2004	25	25	100.00%
	November 2004	21	21	100.00%
OP-3C Installation Commitments Met	October 2005	1494	1497	99.80%
Residence Parity	September 2005	1761	1764	99.83%
	August 2005	1596	1598	99.87%
	July 2005	1340	1340	100.00%
	June 2005	1510	1512	99.87%
	May 2005	1517	1517	100.00%
	April 2005	991	992	99.90%
	March 2005	1297	1298	99.92%
	February 2005	988	989	99.90%
	January 2005	881	881	100.00%
	December 2004	1004	1004	100.00%
	November 2004	1217	1218	99.92%
OP-3C Installation Commitments Met UNE -	October 2005	0	0	0.00%
P (POTS) Parity	September 2005	6	6	100.00%
	August 2005	1	1	100.00%
	July 2005	3	3	100.00%
	June 2005	6	6	100.00%
	May 2005	3	3	100.00%
	April 2005	10	10	100.00%
	March 2005	12	12	100.00%
	February 2005	40	40	100.00%
	January 2005	108	108	100.00%
	December 2004	3631	3639	99.78%
	November 2004	5082	5084	99.96%
OP-3C Installation Commitments Met UNE	October 2005	0	0	0.00%
P (Centrex) Parity	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
OP-3D Installation Commitments Met DS1	October 2005	3	3	100.00%
Parity	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
OP-3D Installation Commitments Met	October 2005	0	0	0.00%
Enhanced Extended Loops - DS0 Capable Benchmark	September 2005	2	2	100.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	5	20.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3D Installation Commitments Met	October 2005	65	66	98.48%
Enhanced Extended Loops - DS1 Capable Parity	September 2005	183	189	96.83%
	August 2005	470	481	97.71%
	July 2005	117	120	97.50%
	June 2005	84	91	92.31%
	May 2005	91	95	95.79%
	April 2005	64	75	85.33%
	March 2005	91	99	91.92%
	February 2005	85	91	93.41%
	January 2005	82	84	97.62%
	December 2004	88	91	96.70%
	November 2004	56	59	94.92%
OP-3D Installation Commitments Met	October 2005	2	2	100.00%
Enhanced Extended Loops - DS3 Capable Benchmark	September 2005	1	1	100.00%
	August 2005	4	4	100.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	1	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
OP-3D Installation Commitments Met LIS Trunk Parity	October 2005	22	23	95.65%
	September 2005	6	7	85.71%
	August 2005	12	12	100.00%
	July 2005	10	10	100.00%
	June 2005	33	35	94.29%
	May 2005	18	22	81.82%
	April 2005	10	10	100.00%
	March 2005	17	18	94.44%
	February 2005	32	32	100.00%
	January 2005	16	16	100.00%
	December 2004	21	25	84.00%
	November 2004	16	23	69.57%

OP-3D Installation Commitments Met PBX Parity	October 2005	2	3	66.67%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	OP-3D Installation Commitments Met Qwest DSL Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		1	1	100.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
OP-3D Installation Commitments Met UDIT Above DS1 Level Parity		October 2005	1	1
	September 2005	0	0	0.00%
	August 2005	4	4	100.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	3	3	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-3D Installation Commitments Met UDIT DS1 Parity	October 2005	4	4
September 2005		3	3	100.00%
August 2005		2	2	100.00%
July 2005		0	0	0.00%
June 2005		1	1	100.00%
May 2005		0	0	0.00%
April 2005		3	3	100.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		1	1	100.00%
December 2004		2	2	100.00%
November 2004		1	1	100.00%
OP-3D Installation Commitments Met Unbundled Loop - ADSL Qualified Parity		October 2005	11	11
	September 2005	13	13	100%
	August 2005	17	17	100%
	July 2005	14	14	100%

	June 2005	12	13	92%
	May 2005	14	14	100%
	April 2005	6	6	100%
	March 2005	4	4	100%
	February 2005	6	6	100%
	January 2005	5	5	100%
	December 2004	18	18	100%
	November 2004	10	11	91%
OP-3D Installation Commitments Met Unbundled Loop - DS1 Capable Parity	October 2005	116	124	94%
	September 2005	102	115	89%
	August 2005	111	118	94%
	July 2005	96	103	93%
	June 2005	123	129	95%
	May 2005	103	110	94%
	April 2005	117	123	95%
	March 2005	118	128	92%
	February 2005	101	110	92%
	January 2005	81	83	98%
	December 2004	105	112	94%
November 2004	122	126	97%	
OP-3D Installation Commitments Met Unbundled Loop - DS3 Capable Parity	October 2005	0	0	0%
	September 2005	2	2	100%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	1	1	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	1	1	100%
	January 2005	0	0	0%
	December 2004	0	0	0%
November 2004	0	0	0%	
OP-3D Installation Commitments Met Unbundled Loop - XDSLi Benchmark	October 2005	2	2	100%
	September 2005	3	3	100%
	August 2005	11	12	92%
	July 2005	4	4	100%
	June 2005	9	10	90%
	May 2005	3	3	100%
	April 2005	4	4	100%
	March 2005	8	8	100%
	February 2005	8	8	100%
	January 2005	10	10	100%
	December 2004	4	5	80%
November 2004	4	4	100%	
OP-3D Installation Commitments Met Unbundled Loop Conditioned Benchmark	October 2005	13	13	100%
	September 2005	7	9	78%
	August 2005	7	9	78%
	July 2005	11	13	85%
	June 2005	12	14	86%
	May 2005	6	6	100%
April 2005	4	5	80%	
March 2005	3	5	60%	

	February 2005	4	6	67%
	January 2005	9	10	90%
	December 2004	10	12	83%
	November 2004	6	9	67%
OP-3D Installation Commitments Met Unbundled Loop ISDN Capable Parity	October 2005	26	28	93%
	September 2005	28	29	97%
	August 2005	19	23	83%
	July 2005	36	39	92%
	June 2005	24	27	89%
	May 2005	32	32	100%
	April 2005	26	26	100%
	March 2005	40	40	100%
	February 2005	25	26	96%
	January 2005	30	32	94%
	December 2004	29	29	100%
	November 2004	35	35	100%
OP-3E Installation Commitments Met DS0 Parity	October 2005	0	0	0%
	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	9	9	100%
OP-3E Installation Commitments Met DS1 Parity	October 2005	7	7	100%
	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	1	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
OP-3E Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity	October 2005	8	8	100%
	September 2005	16	17	94%
	August 2005	7	8	88%
	July 2005	7	8	88%
	June 2005	7	9	78%
	May 2005	13	13	100%
	April 2005	6	6	100%
	March 2005	10	10	100%
	February 2005	14	15	93%
	January 2005	14	15	93%
	December 2004	14	16	88%
	November 2004	18	18	100%

OP-3E Installation Commitments Met ISDN Primary Parity	October 2005	0	0	0%
	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	4	0%
	April 2005	0	1	0%
	March 2005	6	6	100%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	OP-3E Installation Commitments Met LIS Trunk Parity	October 2005	12	12
September 2005		29	32	91%
August 2005		8	9	89%
July 2005		6	6	100%
June 2005		5	7	71%
May 2005		13	13	100%
April 2005		8	8	100%
March 2005		14	14	100%
February 2005		21	21	100%
January 2005		3	3	100%
December 2004		10	13	77%
November 2004		5	6	83%
OP-3E Installation Commitments Met PBX Parity		October 2005	5	5
	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	1	1	100%
	June 2005	0	0	0%
	May 2005	1	2	50%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
	OP-3E Installation Commitments Met UDIT Above DS1 Level Parity	October 2005	0	0
September 2005		0	0	0%
August 2005		0	1	0%
July 2005		0	1	0%
June 2005		0	0	0%
May 2005		0	0	0%
April 2005		0	0	0%
March 2005		0	0	0%
February 2005		0	0	0%
January 2005		0	0	0%
December 2004		0	0	0%
November 2004		0	0	0%
OP-3E Installation Commitments Met UDIT DS1 Parity		October 2005	0	0
	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	1	1	100%

	June 2005	1	1	100%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	1	1	100%
	December 2004	0	0	0%
	November 2004	0	0	0%
OP-3E Installation Commitments Met	October 2005	15	15	100%
Unbundled Loop - ADSL Qualified Parity	September 2005	28	29	97%
	August 2005	8	8	100%
	July 2005	11	11	100%
	June 2005	16	16	100%
	May 2005	6	6	100%
	April 2005	17	17	100%
	March 2005	14	14	100%
	February 2005	9	9	100%
	January 2005	42	42	100%
	December 2004	13	13	100%
	November 2004	27	28	96%
OP-3E Installation Commitments Met	October 2005	17	21	81%
Unbundled Loop - DS1 Capable Parity	September 2005	14	15	93%
	August 2005	7	8	88%
	July 2005	11	11	100%
	June 2005	2	4	50%
	May 2005	17	21	81%
	April 2005	13	14	93%
	March 2005	22	23	96%
	February 2005	15	15	100%
	January 2005	11	12	92%
	December 2004	7	8	88%
	November 2004	26	27	96%
OP-3E Installation Commitments Met	October 2005	0	0	0%
Unbundled Loop - DS3 Capable Parity	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	1	1	100%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	1	1	100%
	January 2005	0	0	0%
	December 2004	1	1	100%
	November 2004	1	1	100%
OP-3E Installation Commitments Met	October 2005	0	0	0%
Unbundled Loop Conditioned Benchmark	September 2005	0	0	0%
	August 2005	1	1	100%
	July 2005	0	0	0%
	June 2005	1	2	50%
	May 2005	1	2	50%
	April 2005	1	2	50%
	March 2005	0	1	0%

	February 2005	2	2	100%
	January 2005	4	4	100%
	December 2004	1	1	100%
	November 2004	10	10	100%
OP-3E Installation Commitments Met	October 2005	13	15	86.67%
Unbundled Loop ISDN Capable Parity	September 2005	11	13	84.62%
	August 2005	9	10	90.00%
	July 2005	15	15	100.00%
	June 2005	19	19	100.00%
	May 2005	16	17	94.12%
	April 2005	3	3	100.00%
	March 2005	8	8	100.00%
	February 2005	7	7	100.00%
	January 2005	11	11	100.00%
	December 2004	11	11	100.00%
	November 2004	14	14	100.00%
OP-4A Installation Interval Business Parity	October 2005	6	2	3
	September 2005	26	8	3.25
	August 2005	3	1	3
	July 2005	13	3	4.33
	June 2005	18	6	3
	May 2005	12	4	3
	April 2005	15	5	3
	March 2005	21	1	21
	February 2005	16	6	2.67
	January 2005	18	2	9
	December 2004	16	5	3.2
	November 2004	22	7	3.14
OP-4A Installation Interval Line Sharing Benchmark	October 2005	3	1	3
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	3	1	3
	March 2005	12	4	3
	February 2005	27	9	3
	January 2005	21	7	3
	December 2004	9	3	3
	November 2004	6	2	3
OP-4A Installation Interval Line Splitting Benchmark	October 2005	9	3	3
	September 2005	3	1	3
	August 2005	3	1	3
	July 2005	15	5	3
	June 2005	12	4	3
	May 2005	21	7	3
	April 2005	26	9	2.89
	March 2005	25	8	3.13
	February 2005	13	4	3.25
	January 2005	18	6	3
	December 2004	12	4	3
	November 2004	6	2	3

OP-4A Installation Interval Qwest DSL Parity	October 2005	134	26	5.15
	September 2005	75	16	4.69
	August 2005	77	19	4.05
	July 2005	51	12	4.25
	June 2005	34	5	6.8
	May 2005	26	6	4.33
	April 2005	24	3	8
	March 2005	41	8	5.13
	February 2005	34	7	4.86
	January 2005	45	10	4.5
	December 2004	56	9	6.22
	November 2004	34	5	6.8
OP-4A Installation Interval Residence Parity	October 2005	2007	469	4.28
	September 2005	1920	435	4.41
	August 2005	2024	499	4.06
	July 2005	1753	434	4.04
	June 2005	1768	499	3.54
	May 2005	1440	429	3.36
	April 2005	1373	407	3.37
	March 2005	1785	517	3.45
	February 2005	525	173	3.03
	January 2005	1273	347	3.67
	December 2004	1174	328	3.58
	November 2004	1757	435	4.04
OP-4A Installation Interval UNE - P (POTS) Parity	October 2005	11	3	3.67
	September 2005	11	2	5.5
	August 2005	12	3	4
	July 2005	3	1	3
	June 2005	16	5	3.2
	May 2005	18	6	3
	April 2005	13	4	3.25
	March 2005	15	5	3
	February 2005	7	2	3.5
	January 2005	67	19	3.53
	December 2004	919	244	3.77
	November 2004	1378	353	3.9
OP-4A Installation Interval UNE P (Centrex) Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	3	1	3
	December 2004	6	2	3
	November 2004	9	4	2.25
OP-4B Installation Interval Business Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	3	1	3
	July 2005	3	1	3

	June 2005	3	1	3
	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	3	1	3
	February 2005	3	1	3
	January 2005	3	1	3
	December 2004	4	1	4
	November 2004	0	0	0
OP-4B Installation Interval Qwest DSL Parity	October 2005	0	0	0
	September 2005	3	1	3
	August 2005	0	0	0
	July 2005	6	1	6
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	6	1	6
	November 2004	10	2	5
OP-4B Installation Interval Residence Parity	October 2005	219	56	3.91
	September 2005	283	65	4.35
	August 2005	175	48	3.65
	July 2005	151	47	3.21
	June 2005	115	36	3.19
	May 2005	138	45	3.07
	April 2005	145	46	3.15
	March 2005	176	54	3.26
	February 2005	44	15	2.93
	January 2005	103	28	3.68
	December 2004	116	34	3.41
	November 2004	68	23	2.96
OP-4B Installation Interval UNE - P (POTS) Parity	October 2005	13	3	4.33
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	6	2	3
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	40	7	5.71
	December 2004	98	29	3.38
	November 2004	94	25	3.76
OP-4C Installation Interval Business Parity	October 2005	0	0	0
	September 2005	15	5	3
	August 2005	2	1	2
	July 2005	13	6	2.17
	June 2005	8	3	2.67
	May 2005	14	5	2.8
	April 2005	21	7	3
	March 2005	16	7	2.29

	February 2005	16	7	2.29
	January 2005	6	3	2
	December 2004	46	17	2.71
	November 2004	12	4	3
OP-4C Installation Interval Line Sharing Benchmark	October 2005	3	1	3
	September 2005	0	0	0
	August 2005	6	2	3
	July 2005	3	1	3
	June 2005	12	4	3
	May 2005	3	1	3
	April 2005	6	2	3
	March 2005	6	2	3
	February 2005	12	4	3
	January 2005	9	3	3
	December 2004	24	8	3
	November 2004	15	5	3
	OP-4C Installation Interval Line Splitting Benchmark	October 2005	65	22
September 2005		54	18	3
August 2005		69	23	3
July 2005		90	30	3
June 2005		81	29	2.79
May 2005		122	41	2.98
April 2005		122	41	2.98
March 2005		167	56	2.98
February 2005		134	45	2.98
January 2005		125	41	3.05
December 2004		137	46	2.98
November 2004		165	55	3
OP-4C Installation Interval Qwest DSL Parity		October 2005	82	26
	September 2005	58	21	2.76
	August 2005	43	14	3.07
	July 2005	114	28	4.07
	June 2005	170	35	4.86
	May 2005	220	45	4.89
	April 2005	173	38	4.55
	March 2005	207	45	4.6
	February 2005	79	19	4.16
	January 2005	139	30	4.63
	December 2004	87	18	4.83
	November 2004	50	12	4.17
	OP-4C Installation Interval Residence Parity	October 2005	1623	563
September 2005		2907	980	2.97
August 2005		2660	897	2.97
July 2005		2145	721	2.98
June 2005		2137	718	2.98
May 2005		2236	754	2.97
April 2005		1559	525	2.97
March 2005		1956	655	2.99
February 2005		1291	424	3.04
January 2005		1325	448	2.96
December 2004		1614	545	2.96
November 2004		1775	597	2.97

OP-4C Installation Interval UNE - P (POTS) Parity	October 2005	0	0	0
	September 2005	9	3	3
	August 2005	0	0	0
	July 2005	5	2	2.5
	June 2005	12	4	3
	May 2005	3	1	3
	April 2005	15	5	3
	March 2005	12	4	3
	February 2005	69	23	3
	January 2005	153	52	2.94
	December 2004	5942	1988	2.99
	November 2004	5745	1926	2.98
OP-4C Installation Interval UNE P (Centrex 21) Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	3	1	3
	November 2004	0	0	0
OP-4C Installation Interval UNE P (Centrex) Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	1	0
	November 2004	0	0	0
OP-4D Installation Interval DS1 Parity	October 2005	10	3	3.33
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	10	1	10
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	10	1	10
OP-4D Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic	October 2005	0	0	0
	September 2005	9	2	5
	August 2005	0	0	0
	July 2005	3	1	3

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	40	5	8
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4D Installation Interval Enhanced Extended Loops - DS1 Capable Parity	October 2005	279	64	4
	September 2005	580	109	5
	August 2005	953	191	5
	July 2005	357	68	5
	June 2005	404	80	5
	May 2005	376	77	5
	April 2005	317	61	5
	March 2005	393	76	5
	February 2005	309	64	5
	January 2005	317	67	5
	December 2004	353	66	5
November 2004	275	51	5	
OP-4D Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic	October 2005	8	1	8
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	4	1	4
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	1	1	1
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	10	1	10
November 2004	0	0	0	
OP-4D Installation Interval LIS Trunk Parity	October 2005	235	14	17
	September 2005	42	3	14
	August 2005	131	9	15
	July 2005	68	8	9
	June 2005	428	32	13
	May 2005	189	13	15
	April 2005	100	7	14
	March 2005	213	15	14
	February 2005	272	20	14
	January 2005	166	11	15
	December 2004	305	20	15
November 2004	65	5	13	
OP-4D Installation Interval PBX Parity	October 2005	13	3	4
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
March 2005	0	0	0	

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	6	1	6
OP-4D Installation Interval Qwest DSL Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	5	1	5
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-4D Installation Interval UDIT Above DS1 Level Parity	October 2005	7	1
September 2005		5	1	5
August 2005		97	15	6
July 2005		0	0	0
June 2005		10	2	5
May 2005		7	1	7
April 2005		0	0	0
March 2005		0	0	0
February 2005		12	2	6
January 2005		0	0	0
December 2004		0	0	0
November 2004		16	2	8
OP-4D Installation Interval UDIT DS1 Parity		October 2005	22	5
	September 2005	25	5	5
	August 2005	7	2	4
	July 2005	5	1	5
	June 2005	10	2	5
	May 2005	0	0	0
	April 2005	5	1	5
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	4	1	4
	December 2004	0	0	0
	November 2004	0	0	0
	OP-4D Installation Interval Unbundled Loop ADSL Qualified Parity	October 2005	44	10
September 2005		43	9	5
August 2005		77	16	5
July 2005		64	13	5
June 2005		61	13	5
May 2005		56	13	4
April 2005		25	6	4
March 2005		12	3	4
February 2005		26	6	4
January 2005		20	4	5
December 2004		70	15	5
November 2004		31	7	4

OP-4D Installation Interval Unbundled Loop DS1 Capable Parity	October 2005	536	106	5
	September 2005	497	100	5
	August 2005	462	92	5
	July 2005	431	86	5
	June 2005	508	106	5
	May 2005	428	95	5
	April 2005	454	99	5
	March 2005	520	103	5
	February 2005	392	80	5
	January 2005	276	63	4
	December 2004	400	84	5
	November 2004	381	85	4
OP-4D Installation Interval Unbundled Loop DS3 Capable Parity	October 2005	0	0	0
	September 2005	5	1	5
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	5	1	5
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	7	1	7
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4D Installation Interval Unbundled Loop XDSLi Benchmark	October 2005	5	1	5
	September 2005	15	3	5
	August 2005	48	11	4
	July 2005	18	4	5
	June 2005	44	9	5
	May 2005	8	2	4
	April 2005	10	2	5
	March 2005	19	5	4
	February 2005	21	5	4
	January 2005	35	9	4
	December 2004	16	4	4
	November 2004	16	4	4
OP-4D Installation Interval Unbundled Loop Conditioned Benchmark	October 2005	121	13	9
	September 2005	66	5	13
	August 2005	145	9	16
	July 2005	119	13	9
	June 2005	178	13	14
	May 2005	49	6	8
	April 2005	32	4	8
	March 2005	64	5	13
	February 2005	32	5	6
	January 2005	69	7	10
	December 2004	114	10	11
	November 2004	48	6	8
OP-4D Installation Interval Unbundled Loop ISDN Capable Parity	October 2005	120	26	5
	September 2005	146	29	5
	August 2005	127	23	6
	July 2005	165	39	4

	June 2005	119	27	4
	May 2005	144	31	5
	April 2005	99	26	4
	March 2005	160	39	4
	February 2005	110	25	4
	January 2005	124	30	4
	December 2004	105	26	4
	November 2004	131	32	4
OP-4E Installation Interval Dark Fiber - IOF Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	5	1	5
	November 2004	0	0	0
OP-4E Installation Interval Dark Fiber - Loop Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	40	2	20
OP-4E Installation Interval DS0 Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	36	9	4
OP-4E Installation Interval DS1 Parity	October 2005	25	7	4
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0

	February 2005	9	1	9
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4E Installation Interval Enhanced Extended Loops - DS1 Capable Parity	October 2005	31	8	4
	September 2005	54	6	9
	August 2005	36	7	5
	July 2005	23	5	5
	June 2005	35	6	6
	May 2005	65	12	5
	April 2005	25	5	5
	March 2005	19	4	5
	February 2005	96	13	7
	January 2005	70	12	6
	December 2004	58	7	8
	November 2004	108	17	6
	OP-4E Installation Interval ISDN Primary Parity	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		56	4	14
April 2005		6	1	6
March 2005		54	6	9
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-4E Installation Interval LIS Trunk Parity		October 2005	143	11
	September 2005	309	19	16
	August 2005	128	9	14
	July 2005	56	4	14
	June 2005	108	6	18
	May 2005	179	11	16
	April 2005	89	7	13
	March 2005	199	11	18
	February 2005	224	13	17
	January 2005	46	3	15
	December 2004	239	10	24
	November 2004	57	4	14
	OP-4E Installation Interval PBX Parity	October 2005	19	5
September 2005		0	0	0
August 2005		0	0	0
July 2005		5	1	5
June 2005		0	0	0
May 2005		8	2	4
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0

OP-4E Installation Interval UDIT Above DS1 Level Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	26	4	6.5
	July 2005	18	2	9
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	56	4	14
	November 2004	0	0	0
	OP-4E Installation Interval UDIT DS1 Parity	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		10	2	5
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		4	1	4
December 2004		0	0	0
November 2004		0	0	0
OP-4E Installation Interval Unbundled Loop ADSL Qualified Parity		October 2005	70	14
	September 2005	95	21	4.52
	August 2005	29	6	4.83
	July 2005	39	8	4.88
	June 2005	63	13	4.85
	May 2005	27	6	4.5
	April 2005	81	17	4.76
	March 2005	51	12	4.25
	February 2005	45	9	5
	January 2005	66	17	3.88
	December 2004	40	8	5
	November 2004	91	20	4.55
	OP-4E Installation Interval Unbundled Loop DS1 Capable Parity	October 2005	91	19
September 2005		59	12	4.92
August 2005		27	6	4.5
July 2005		30	6	5
June 2005		16	3	5.33
May 2005		78	16	4.88
April 2005		50	11	4.55
March 2005		87	22	3.95
February 2005		68	14	4.86
January 2005		30	6	5
December 2004		39	7	5.57
November 2004		71	15	4.73
OP-4E Installation Interval Unbundled Loop DS3 Capable Parity		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	3	1	3
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	7	1	7
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4E Installation Interval Unbundled Loop Conditioned Benchmark	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	8	1	8
	May 2005	16	2	8
	April 2005	24	2	12
	March 2005	15	1	15
	February 2005	10	1	10
	January 2005	48	3	16
	December 2004	14	1	14
OP-4E Installation Interval Unbundled Loop ISDN Capable Parity	November 2004	96	10	9.6
	October 2005	77	14	5.5
	September 2005	65	13	5
	August 2005	43	10	4.3
	July 2005	66	15	4.4
	June 2005	81	18	4.5
	May 2005	84	17	4.94
	April 2005	13	3	4.33
	March 2005	34	7	4.86
	February 2005	30	7	4.29
	January 2005	48	11	4.36
OP-5A New Service Installation Quality Reported to Repair Business Parity	December 2004	48	11	4.36
	November 2004	64	13	4.92
	October 2005	0	0	0.00%
	September 2005	12	14	85.71%
	August 2005	3	4	75.00%
	July 2005	13	16	81.25%
	June 2005	12	12	100.00%
	May 2005	14	15	93.33%
	April 2005	14	14	100.00%
	March 2005	12	12	100.00%
	February 2005	14	18	77.78%
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - Loop Diagnostic	January 2005	11	11	100.00%
	December 2004	25	28	89.29%
	November 2004	19	20	95.00%
	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
OP-5A New Service Installation Quality Reported to Repair DS0 Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	9	9	100.00%
	OP-5A New Service Installation Quality Reported to Repair DS1 Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		1	1	100.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		1	1	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		1	1	100.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		1	1	100.00%
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS0 Capable Diagnostic		October 2005	0	0
	September 2005	2	2	100.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	5	5	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS1 Capable Parity	October 2005	0	0
September 2005		204	211	96.68%
August 2005		494	509	97.05%
July 2005		132	138	95.65%
June 2005		104	110	94.55%
May 2005		112	118	94.92%
April 2005		87	93	93.55%
March 2005		107	116	92.24%
February 2005		100	110	90.91%
January 2005		97	103	94.17%
December 2004	109	114	95.61%	
November 2004	85	87	97.70%	

OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS3 Capable Diagnostic	October 2005	0	0	0.00%
	September 2005	1	1	100.00%
	August 2005	4	4	100.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
OP-5A New Service Installation Quality Reported to Repair ISDN Primary Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	0	1	0.00%
	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Line Sharing Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	2	2	100.00%
	July 2005	1	1	100.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	6	7	85.71%
	February 2005	13	13	100.00%
	January 2005	12	13	92.31%
	December 2004	11	13	84.62%
	November 2004	13	13	100.00%
OP-5A New Service Installation Quality Reported to Repair Line Splitting Parity	October 2005	0	0	0.00%
	September 2005	18	19	94.74%
	August 2005	25	26	96.15%
	July 2005	32	35	91.43%
	June 2005	32	33	96.97%
	May 2005	47	49	95.92%
	April 2005	47	54	87.04%
	March 2005	63	69	91.30%
	February 2005	52	55	94.55%
	January 2005	48	51	94.12%
	December 2004	48	51	94.12%
	November 2004	59	65	90.77%
OP-5A New Service Installation Quality Reported to Repair LIS Trunk Parity	October 2005	0	0	0.00%
	September 2005	36	39	92.31%
	August 2005	21	21	100.00%
	July 2005	16	16	100.00%

	June 2005	43	44	97.73%
	May 2005	35	35	100.00%
	April 2005	18	19	94.74%
	March 2005	43	43	100.00%
	February 2005	54	54	100.00%
	January 2005	19	19	100.00%
	December 2004	39	39	100.00%
	November 2004	29	30	96.67%
OP-5A New Service Installation Quality Reported to Repair PBX Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
OP-5A New Service Installation Quality Reported to Repair Qwest DSL Parity	October 2005	0	0	0.00%
	September 2005	88	95	92.63%
	August 2005	92	95	96.84%
	July 2005	86	98	87.76%
	June 2005	89	94	94.68%
	May 2005	90	100	90.00%
	April 2005	85	92	92.39%
	March 2005	92	100	92.00%
	February 2005	51	58	87.93%
	January 2005	67	74	90.54%
	December 2004	58	65	89.23%
	November 2004	51	55	92.73%
OP-5A New Service Installation Quality Reported to Repair Residence Parity	October 2005	0	0	0.00%
	September 2005	2261	2365	95.60%
	August 2005	2117	2239	94.55%
	July 2005	1822	1917	95.04%
	June 2005	2066	2159	95.69%
	May 2005	2038	2116	96.31%
	April 2005	1475	1565	94.25%
	March 2005	1885	1978	95.30%
	February 2005	1217	1290	94.34%
	January 2005	1325	1390	95.32%
	December 2004	1373	1439	95.41%
	November 2004	1716	1797	95.49%
OP-5A New Service Installation Quality Reported to Repair UDIT Above DS1 Level Parity	October 2005	0	0	0.00%
	September 2005	1	1	100.00%
	August 2005	28	29	96.55%
	July 2005	4	4	100.00%
	June 2005	3	3	100.00%
	May 2005	3	3	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	2	3	66.67%
	January 2005	1	1	100.00%
	December 2004	4	4	100.00%
	November 2004	1	2	50.00%
OP-5A New Service Installation Quality Reported to Repair UDIT DS1 Parity	October 2005	0	0	0.00%
	September 2005	5	5	100.00%
	August 2005	2	2	100.00%
	July 2005	7	7	100.00%
	June 2005	9	9	100.00%
	May 2005	0	0	0.00%
	April 2005	3	3	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	1	1	100.00%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 2 Wire Non-Loaded Parity	October 2005	0	0	0.00%
	September 2005	355	368	96.47%
	August 2005	321	337	95.25%
	July 2005	358	365	98.08%
	June 2005	356	364	97.80%
	May 2005	363	368	98.64%
	April 2005	339	348	97.41%
	March 2005	364	374	97.33%
	February 2005	311	318	97.80%
	January 2005	305	315	96.83%
	December 2004	337	347	97.12%
	November 2004	430	441	97.51%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - ADSL Qualified Parity	October 2005	0	0	0.00%
	September 2005	38	42	90.48%
	August 2005	23	26	88.46%
	July 2005	22	25	88.00%
	June 2005	30	30	100.00%
	May 2005	19	20	95.00%
	April 2005	21	23	91.30%
	March 2005	19	19	100.00%
	February 2005	15	16	93.75%
	January 2005	45	47	95.74%
	December 2004	31	31	100.00%
	November 2004	40	41	97.56%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS1 Capable Parity	October 2005	0	0	0.00%
	September 2005	124	132	93.94%
	August 2005	119	127	93.70%
	July 2005	112	114	98.25%
	June 2005	127	134	94.78%
	May 2005	125	132	94.70%
	April 2005	127	137	92.70%
	March 2005	142	152	93.42%
	February 2005	118	125	94.40%
	January 2005	94	97	96.91%
	December 2004	115	120	95.83%
	November 2004	146	154	94.81%

OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS3 Capable Parity	October 2005	0	0	0.00%
	September 2005	3	3	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	2	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - XDSL Parity	October 2005	0	0	0.00%
	September 2005	4	4	100.00%
	August 2005	11	12	91.67%
	July 2005	5	5	100.00%
	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop Analog Parity	October 2005	0	0	0.00%
	September 2005	1848	1886	97.99%
	August 2005	3707	3766	98.43%
	July 2005	7317	7449	98.23%
	June 2005	3788	3836	98.75%
	May 2005	1403	1431	98.04%
	April 2005	1211	1232	98.30%
	March 2005	1398	1412	99.01%
	February 2005	1348	1368	98.54%
	January 2005	1170	1184	98.82%
	December 2004	1285	1312	97.94%
	November 2004	1298	1330	97.59%
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop ISDN Capable Parity	October 2005	0	0	0.00%
	September 2005	42	42	100.00%
	August 2005	32	35	91.43%
	July 2005	50	55	90.91%
	June 2005	44	48	91.67%
	May 2005	44	50	88.00%
	April 2005	31	31	100.00%
	March 2005	45	49	91.84%
	February 2005	33	34	97.06%
	January 2005	50	50	100.00%
	December 2004	38	40	95.00%
	November 2004	56	59	94.92%
OP-5A New Service Installation Quality Reported to Repair UNE - P (POTS) Parity	October 2005	0	0	0.00%
	September 2005	8	8	100.00%
	August 2005	5	5	100.00%
	July 2005	4	4	100.00%

	June 2005	14	15	93.33%
	May 2005	9	9	100.00%
	April 2005	15	15	100.00%
	March 2005	15	17	88.24%
	February 2005	46	46	100.00%
	January 2005	139	149	93.29%
	December 2004	4045	4186	96.63%
	November 2004	5663	5848	96.84%
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex 21) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
November 2004	1	1	100.00%	
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex) Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	3	3	100.00%
November 2004	6	6	100.00%	
OP-5B New Service Provisioning Quality Business Benchmark	October 2005	0	0	0.00%
	September 2005	14	14	100.00%
	August 2005	4	4	100.00%
	July 2005	15	16	93.75%
	June 2005	12	12	100.00%
	May 2005	15	15	100.00%
	April 2005	14	14	100.00%
	March 2005	12	12	100.00%
	February 2005	18	18	100.00%
	January 2005	11	11	100.00%
	December 2004	27	28	96.43%
November 2004	20	20	100.00%	
OP-5B New Service Provisioning Quality Dark Fiber - Loop Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
March 2005	0	0	0.00%	

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
DS0 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	9	9	100.00%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
DS1 Benchmark	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
Enhanced Extended Loops - DS0 Capable	September 2005	2	2	100.00%
Benchmark	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	5	5	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
ISDN Primary Benchmark	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	1	1	100.00%
	March 2005	6	6	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

OP-5B New Service Provisioning Quality Line Splitting Benchmark	October 2005	0	0	0.00%
	September 2005	19	19	100.00%
	August 2005	26	26	100.00%
	July 2005	35	35	100.00%
	June 2005	33	33	100.00%
	May 2005	49	49	100.00%
	April 2005	54	54	100.00%
	March 2005	69	69	100.00%
	February 2005	55	55	100.00%
	January 2005	51	51	100.00%
	December 2004	51	51	100.00%
	November 2004	65	65	100.00%
OP-5B New Service Provisioning Quality Qwest DSL Benchmark	October 2005	0	0	0.00%
	September 2005	93	95	97.89%
	August 2005	95	95	100.00%
	July 2005	96	98	97.96%
	June 2005	94	94	100.00%
	May 2005	100	100	100.00%
	April 2005	89	92	96.74%
	March 2005	98	100	98.00%
	February 2005	55	58	94.83%
	January 2005	71	74	95.95%
	December 2004	62	65	95.38%
	November 2004	53	55	96.36%
OP-5B New Service Provisioning Quality Residence Benchmark	October 2005	0	0	0.00%
	September 2005	2361	2365	99.83%
	August 2005	2234	2239	99.78%
	July 2005	1909	1917	99.58%
	June 2005	2154	2159	99.77%
	May 2005	2114	2116	99.91%
	April 2005	1560	1565	99.68%
	March 2005	1976	1978	99.90%
	February 2005	1290	1290	100.00%
	January 2005	1388	1390	99.86%
	December 2004	1435	1439	99.72%
	November 2004	1795	1797	99.89%
OP-5B New Service Provisioning Quality Unbundled Loop - DS3 Capable Benchmark	October 2005	0	0	0.00%
	September 2005	3	3	100.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	2	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
OP-5B New Service Provisioning Quality UNE - P (POTS) Benchmark	October 2005	0	0	0.00%
	September 2005	8	8	100.00%
	August 2005	5	5	100.00%
	July 2005	4	4	100.00%

	June 2005	15	15	100.00%
	May 2005	9	9	100.00%
	April 2005	15	15	100.00%
	March 2005	17	17	100.00%
	February 2005	46	46	100.00%
	January 2005	147	149	98.66%
	December 2004	4172	4186	99.67%
	November 2004	5839	5848	99.85%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
UNE P (Centrex 21) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
UNE P (Centrex) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0.00%
Rate Enhanced Extended Loops - DS1	September 2005	0	7	0.00%
Capable Diagnostic	August 2005	5	20	25.00%
	July 2005	1	7	14.29%
	June 2005	0	6	0.00%
	May 2005	0	6	0.00%
	April 2005	1	7	14.29%
	March 2005	1	11	9.09%
	February 2005	1	10	10.00%
	January 2005	1	8	12.50%
	December 2004	0	5	0.00%
	November 2004	0	2	0.00%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0.00%
Rate ISDN Primary Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate Line Sharing Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	1	0.00%
	February 2005	0	0	0.00%
	January 2005	2	3	66.67%
	December 2004	0	2	0.00%
	November 2004	0	0	0.00%
	OP-5R New Service Quality Multiple Report Rate Line Splitting Diagnostic	October 2005	0	0
September 2005		1	2	50.00%
August 2005		0	0	0.00%
July 2005		0	1	0.00%
June 2005		0	1	0.00%
May 2005		0	1	0.00%
April 2005		0	6	0.00%
March 2005		1	7	14.29%
February 2005		0	2	0.00%
January 2005		2	5	40.00%
December 2004		0	3	0.00%
November 2004		0	6	0.00%
OP-5R New Service Quality Multiple Report Rate LIS Trunk Diagnostic		October 2005	0	0
	September 2005	0	3	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	0	0.00%
	April 2005	0	1	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
	OP-5R New Service Quality Multiple Report Rate Qwest DSL Diagnostic	October 2005	0	0
September 2005		0	9	0.00%
August 2005		0	4	0.00%
July 2005		2	16	12.50%
June 2005		0	7	0.00%
May 2005		1	12	8.33%
April 2005		2	11	18.18%
March 2005		1	11	9.09%
February 2005		3	13	23.08%
January 2005		2	11	18.18%
December 2004		3	13	23.08%
November 2004		0	6	0.00%

OP-5R New Service Quality Multiple Report Rate Residence Diagnostic	October 2005	0	0	0.00%
	September 2005	3	88	3.41%
	August 2005	6	104	5.77%
	July 2005	11	88	12.50%
	June 2005	4	78	5.13%
	May 2005	3	67	4.48%
	April 2005	3	78	3.85%
	March 2005	3	76	3.95%
	February 2005	3	62	4.84%
	January 2005	4	54	7.41%
	December 2004	0	61	0.00%
	November 2004	5	62	8.06%
OP-5R New Service Quality Multiple Report Rate UDIT Above DS1 Level Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - 2 Wire Non-Loaded Diagnostic	October 2005	0	0	0.00%
	September 2005	0	13	0.00%
	August 2005	3	19	15.79%
	July 2005	1	8	12.50%
	June 2005	1	9	11.11%
	May 2005	0	5	0.00%
	April 2005	0	9	0.00%
	March 2005	0	10	0.00%
	February 2005	0	7	0.00%
	January 2005	0	10	0.00%
	December 2004	0	11	0.00%
	November 2004	0	11	0.00%
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - ADSL Qualified Diagnostic	October 2005	0	0	0.00%
	September 2005	1	5	20.00%
	August 2005	0	4	0.00%
	July 2005	1	4	25.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	2	0.00%
	March 2005	0	0	0.00%
	February 2005	1	2	50.00%
	January 2005	0	2	0.00%
	December 2004	0	0	0.00%
	November 2004	0	1	0.00%
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - DS1 Capable Diagnostic	October 2005	0	0	0.00%
	September 2005	2	10	20.00%
	August 2005	1	9	11.11%
	July 2005	0	2	0.00%

	June 2005	1	8	12.50%
	May 2005	0	7	0.00%
	April 2005	4	14	28.57%
	March 2005	2	12	16.67%
	February 2005	1	8	12.50%
	January 2005	0	3	0.00%
	December 2004	1	6	16.67%
	November 2004	1	10	10.00%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0.00%
Rate Unbundled Loop - XDSLi Diagnostic	September 2005	0	0	0.00%
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0%
Rate Unbundled Loop Analog Diagnostic	September 2005	2	40	5%
	August 2005	5	64	8%
	July 2005	9	141	6%
	June 2005	4	52	8%
	May 2005	0	29	0%
	April 2005	1	22	5%
	March 2005	0	14	0%
	February 2005	2	24	8%
	January 2005	1	17	6%
	December 2004	2	29	7%
	November 2004	3	36	8%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0%
Rate Unbundled Loop ISDN Capable	September 2005	0	0	0%
Diagnostic	August 2005	0	3	0%
	July 2005	0	5	0%
	June 2005	0	4	0%
	May 2005	0	6	0%
	April 2005	0	0	0%
	March 2005	0	4	0%
	February 2005	1	2	50%
	January 2005	0	0	0%
	December 2004	0	2	0%
	November 2004	0	4	0%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0%
Rate UNE - P (POTS) Diagnostic	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	1	2	50%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	2	0%

	February 2005	0	0	0%
	January 2005	4	15	27%
	December 2004	26	176	15%
	November 2004	13	206	6%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0%
Rate UNE P (Centrex) Diagnostic	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	1	0%
	December 2004	0	1	0%
	November 2004	0	0	0%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Business Diagnostic	September 2005	12	14	86%
	August 2005	3	4	75%
	July 2005	12	16	75%
	June 2005	12	12	100%
	May 2005	14	15	93%
	April 2005	14	14	100%
	March 2005	12	12	100%
	February 2005	14	18	78%
	January 2005	11	11	100%
	December 2004	24	28	86%
	November 2004	19	20	95%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Dark Fiber - Loop Diagnostic	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	2	2	100%
	June 2005	0	0	0%
	May 2005	0	1	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	3	3	100%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total DS0 Parity	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	9	9	100%

OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Enhanced Extended Loops - DS0 Capable Diagnostic	September 2005	2	2	100%
	August 2005	1	1	100%
	July 2005	1	1	100%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	5	5	100%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Enhanced Extended Loops - DS1 Capable Diagnostic	September 2005	204	211	97%
	August 2005	494	509	97%
	July 2005	132	138	96%
	June 2005	104	110	95%
	May 2005	112	118	95%
	April 2005	87	93	94%
	March 2005	106	116	91%
	February 2005	100	110	91%
	January 2005	96	103	93%
	December 2004	109	114	96%
	November 2004	85	87	98%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Enhanced Extended Loops - DS3 Capable Diagnostic	September 2005	1	1	100%
	August 2005	3	4	75%
	July 2005	0	0	0%
	June 2005	1	1	100%
	May 2005	0	0	0%
	April 2005	1	1	100%
	March 2005	1	1	100%
	February 2005	2	2	100%
	January 2005	1	1	100%
	December 2004	1	1	100%
	November 2004	2	2	100%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total ISDN Primary Diagnostic	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	4	4	100%
	April 2005	0	1	0%
	March 2005	6	6	100%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	0	0	0%
	November 2004	0	0	0%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Line Sharing Diagnostic	September 2005	0	0	0%
	August 2005	2	2	100%
	July 2005	1	1	100%

	June 2005	4	4	100%
	May 2005	1	1	100%
	April 2005	3	3	100%
	March 2005	6	7	86%
	February 2005	13	13	100%
	January 2005	12	13	92%
	December 2004	11	13	85%
	November 2004	13	13	100%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Line Splitting Diagnostic	September 2005	18	19	95%
	August 2005	25	26	96%
	July 2005	32	35	91%
	June 2005	32	33	97%
	May 2005	47	49	96%
	April 2005	47	54	87%
	March 2005	63	69	91%
	February 2005	52	55	95%
	January 2005	48	51	94%
	December 2004	48	51	94%
	November 2004	59	65	91%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Qwest DSL Diagnostic	September 2005	86	95	91%
	August 2005	92	95	97%
	July 2005	85	98	87%
	June 2005	89	94	95%
	May 2005	90	100	90%
	April 2005	83	92	90%
	March 2005	90	100	90%
	February 2005	48	58	83%
	January 2005	65	74	88%
	December 2004	55	65	85%
	November 2004	49	55	89%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Residence Diagnostic	September 2005	2259	2365	96%
	August 2005	2114	2239	94%
	July 2005	1817	1917	95%
	June 2005	2062	2159	96%
	May 2005	2037	2116	96%
	April 2005	1471	1565	94%
	March 2005	1883	1978	95%
	February 2005	1217	1290	94%
	January 2005	1324	1390	95%
	December 2004	1369	1439	95%
	November 2004	1716	1797	95%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Unbundled Loop - 2 Wire Non-Loaded Diagnostic	September 2005	355	368	96%
	August 2005	321	337	95%
	July 2005	358	365	98%
	June 2005	356	364	98%
	May 2005	363	368	99%
	April 2005	339	348	97%
	March 2005	364	374	97%

	February 2005	311	318	98%
	January 2005	305	315	97%
	December 2004	336	347	97%
	November 2004	430	441	98%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Unbundled Loop - ADSL Qualified Diagnostic	September 2005	38	42	90%
	August 2005	22	26	85%
	July 2005	22	25	88%
	June 2005	30	30	100%
	May 2005	19	20	95%
	April 2005	21	23	91%
	March 2005	19	19	100%
	February 2005	15	16	94%
	January 2005	45	47	96%
	December 2004	31	31	100%
	November 2004	40	41	98%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Unbundled Loop - DS1 Capable Diagnostic	September 2005	124	132	94%
	August 2005	119	127	94%
	July 2005	112	114	98%
	June 2005	127	134	95%
	May 2005	125	132	95%
	April 2005	127	137	93%
	March 2005	142	152	93%
	February 2005	118	125	94%
	January 2005	94	97	97%
	December 2004	115	120	96%
	November 2004	146	154	95%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Unbundled Loop - XDSLi Diagnostic	September 2005	4	4	100%
	August 2005	11	12	92%
	July 2005	5	5	100%
	June 2005	10	10	100%
	May 2005	3	3	100%
	April 2005	5	5	100%
	March 2005	8	8	100%
	February 2005	8	8	100%
	January 2005	10	10	100%
	December 2004	5	5	100%
	November 2004	4	4	100%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Unbundled Loop Analog Diagnostic	September 2005	1848	1886	98%
	August 2005	3701	3766	98%
	July 2005	7314	7449	98%
	June 2005	3788	3836	99%
	May 2005	1393	1431	97%
	April 2005	1211	1232	98%
	March 2005	1398	1412	99%
	February 2005	1345	1368	98%
	January 2005	1164	1184	98%
	December 2004	1285	1312	98%
	November 2004	1296	1330	97%

OP-5T New Service Installation Quality	October 2005	0	0	0%
Total Unbundled Loop ISDN Capable	September 2005	42	42	100%
Diagnostic	August 2005	32	35	91%
	July 2005	50	55	91%
	June 2005	44	48	92%
	May 2005	44	50	88%
	April 2005	31	31	100%
	March 2005	45	49	92%
	February 2005	33	34	97%
	January 2005	50	50	100%
	December 2004	38	40	95%
	November 2004	56	59	95%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total UNE - P (POTS) Diagnostic	September 2005	8	8	100%
	August 2005	5	5	100%
	July 2005	4	4	100%
	June 2005	14	15	93%
	May 2005	9	9	100%
	April 2005	15	15	100%
	March 2005	15	17	88%
	February 2005	46	46	100%
	January 2005	138	149	93%
	December 2004	4032	4186	96%
	November 2004	5655	5848	97%
OP-5T New Service Installation Quality	October 2005	0	0	0%
Total UNE P (Centrex 21) Diagnostic	September 2005	0	0	0%
	August 2005	0	0	0%
	July 2005	0	0	0%
	June 2005	0	0	0%
	May 2005	0	0	0%
	April 2005	0	0	0%
	March 2005	0	0	0%
	February 2005	0	0	0%
	January 2005	0	0	0%
	December 2004	1	1	100%
	November 2004	1	1	100%
OP-5T New Service Installation Quality	October 2005	0	0	0.00%
Total UNE P (Centrex) Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	2	50.00%
	December 2004	3	3	100.00%
	November 2004	6	6	100.00%
OP-6A-1 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Line Splitting Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	1	1	1
	February 2005	1	1	1
	January 2005	0	0	0
	December 2004	2	1	2
	November 2004	0	0	0
OP-6A-1 Delayed Days for Non-Facility Reasons Qwest DSL Parity	October 2005	1	1	1
	September 2005	3	2	1.5
	August 2005	0	0	0
	July 2005	1	1	1
	June 2005	9	2	4.5
	May 2005	0	0	0
	April 2005	2	2	1
	March 2005	1	1	1
	February 2005	1	1	1
	January 2005	0	0	0
	December 2004	4	1	4
	November 2004	1	1	1
OP-6A-1 Delayed Days for Non-Facility Reasons Residence Parity	October 2005	3	2	1.5
	September 2005	9	8	1.13
	August 2005	31	17	1.82
	July 2005	12	3	4
	June 2005	11	6	1.83
	May 2005	3	3	1
	April 2005	5	3	1.67
	March 2005	15	3	5
	February 2005	6	2	3
	January 2005	3	3	1
	December 2004	5	2	2.5
	November 2004	25	9	2.78
OP-6A-1 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	1	1	1
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	4	2	2
	December 2004	48	10	4.8
	November 2004	15	9	1.67
OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex) Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
March 2005	0	0	0	

	February 2005	0	0	0	
	January 2005	0	0	0	
	December 2004	0	0	0	
	November 2004	2	1	2	
OP-6A-2 Delayed Days for Non-Facility Reasons Residence Parity	October 2005	1	1	1	
	September 2005	0	0	0	
	August 2005	1	1	1	
	July 2005	0	0	0	
	June 2005	0	0	0	
	May 2005	0	0	0	
	April 2005	0	0	0	
	March 2005	10	2	5	
	February 2005	0	0	0	
	January 2005	0	0	0	
	December 2004	4	1	4	
	November 2004	0	0	0	
	OP-6A-2 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	October 2005	0	0	0
		September 2005	0	0	0
August 2005		0	0	0	
July 2005		0	0	0	
June 2005		0	0	0	
May 2005		0	0	0	
April 2005		0	0	0	
March 2005		0	0	0	
February 2005		0	0	0	
January 2005		1	1	1	
December 2004		0	0	0	
November 2004		9	2	4.5	
OP-6A-3 Delayed Days for Non-Facility Reasons Qwest DSL Parity		October 2005	4	1	4
		September 2005	0	0	0
	August 2005	0	0	0	
	July 2005	0	0	0	
	June 2005	0	0	0	
	May 2005	0	0	0	
	April 2005	1	1	1	
	March 2005	0	0	0	
	February 2005	0	0	0	
	January 2005	0	0	0	
	December 2004	0	0	0	
	November 2004	0	0	0	
	OP-6A-3 Delayed Days for Non-Facility Reasons Residence Parity	October 2005	10	3	3.33
		September 2005	4	3	1.33
August 2005		3	2	1.5	
July 2005		0	0	0	
June 2005		1	1	1	
May 2005		0	0	0	
April 2005		2	1	2	
March 2005		7	1	7	
February 2005		12	3	4	
January 2005		1	1	1	
December 2004		0	0	0	
November 2004		4	1	4	

OP-6A-3 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	24	8	3
	November 2004	17	3	5.67
	OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS0 Capable Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		12	4	3
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity		October 2005	1	1
	September 2005	2	2	1
	August 2005	8	5	1.6
	July 2005	4	2	2
	June 2005	14	6	2.33
	May 2005	2	1	2
	April 2005	17	6	2.83
	March 2005	7	3	2.33
	February 2005	2	1	2
	January 2005	9	2	4.5
	December 2004	2	1	2
	November 2004	4	1	4
	OP-6A-4 Delayed Days for Non-Facility Reasons LIS Trunk Parity	October 2005	5	1
September 2005		3	1	3
August 2005		0	0	0
July 2005		0	0	0
June 2005		6	2	3
May 2005		24	4	6
April 2005		0	0	0
March 2005		67	8	8.38
February 2005		0	0	0
January 2005		0	0	0
December 2004		67	4	16.75
November 2004		79	7	11.29
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity		October 2005	41	2
	September 2005	49	8	6.13
	August 2005	9	4	2.25
	July 2005	10	2	5

	June 2005	21	6	3.5
	May 2005	15	5	3
	April 2005	4	1	4
	March 2005	17	3	5.67
	February 2005	7	2	3.5
	January 2005	24	4	6
	December 2004	26	4	6.5
	November 2004	20	5	4
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
November 2004	2	1	2	
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity	October 2005	31	5	6.2
	September 2005	15	7	2.14
	August 2005	39	6	6.5
	July 2005	8	1	8
	June 2005	35	5	7
	May 2005	7	2	3.5
	April 2005	5	2	2.5
	March 2005	42	5	8.4
	February 2005	18	5	3.6
	January 2005	4	1	4
	December 2004	5	3	1.67
November 2004	10	2	5	
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity	October 2005	55	20	2.75
	September 2005	62	16	3.88
	August 2005	78	15	5.2
	July 2005	187	38	4.92
	June 2005	81	17	4.76
	May 2005	83	18	4.61
	April 2005	233	30	7.77
	March 2005	60	10	6
	February 2005	168	24	7
	January 2005	91	21	4.33
	December 2004	277	39	7.1
November 2004	188	39	4.82	
OP-6A-5 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	4	1	4
	July 2005	1	1	1
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
March 2005	0	0	0	

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	9	2	4.5
	November 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons ISDN Primary Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	44	4	11
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons LIS Trunk Parity	October 2005	0	0
September 2005		14	3	4.67
August 2005		11	1	11
July 2005		0	0	0
June 2005		10	2	5
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		51	3	17
November 2004		2	1	2
OP-6A-5 Delayed Days for Non-Facility Reasons PBX Parity		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	1	1	1
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity	October 2005	7	3
September 2005		1	1	1
August 2005		0	0	0
July 2005		0	0	0
June 2005		1	1	1
May 2005		0	0	0
April 2005		1	1	1
March 2005		0	0	0
February 2005		0	0	0
January 2005		1	1	1
December 2004		7	1	7
November 2004		0	0	0

OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity	October 2005	1	1	1
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	13	2	6.5
	June 2005	8	4	2
	May 2005	2	2	1
	April 2005	28	4	7
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity	October 2005	19	2
September 2005		0	0	0
August 2005		1	1	1
July 2005		0	0	0
June 2005		0	0	0
May 2005		11	1	11
April 2005		4	1	4
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-6B-1 Delayed Days for Facility Reasons Business Parity		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	16	1	16
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-6B-1 Delayed Days for Facility Reasons Residence Parity	October 2005	15	3
September 2005		6	2	3
August 2005		14	2	7
July 2005		4	1	4
June 2005		14	2	7
May 2005		3	1	3
April 2005		0	0	0
March 2005		9	2	4.5
February 2005		10	3	3.33
January 2005		1	1	1
December 2004		16	4	4
November 2004		15	3	5
OP-6B-1 Delayed Days for Facility Reasons UNE - P (POTS) Parity		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	22	3	7.33
	November 2004	45	9	5
OP-6B-2 Delayed Days for Facility Reasons	October 2005	1	1	1
Residence Parity	September 2005	5	2	2.5
	August 2005	10	1	10
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	2	1	2
OP-6B-2 Delayed Days for Facility Reasons	October 2005	0	0	0
UNE - P (POTS) Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	10	2	5
	November 2004	2	1	2
OP-6B-4 Delayed Days for Facility Reasons	October 2005	17	3	5.67
Unbundled Loop - 2 Wire Non-Loaded Parity	September 2005	5	2	2.5
	August 2005	37	4	9.25
	July 2005	11	3	3.67
	June 2005	20	2	10
	May 2005	9	1	9
	April 2005	5	2	2.5
	March 2005	18	2	9
	February 2005	3	1	3
	January 2005	14	3	4.67
	December 2004	11	2	5.5
	November 2004	18	3	6
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
Unbundled Loop - ADSL Qualified Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	2	1	2

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	October 2005	28	3	9.33
Unbundled Loop - DS1 Capable Parity	September 2005	28	7	4
	August 2005	126	1	126
	July 2005	34	6	5.67
	June 2005	1	1	1
	May 2005	13	5	2.6
	April 2005	7	4	1.75
	March 2005	8	5	1.6
	February 2005	20	4	5
	January 2005	1	1	1
	December 2004	18	4	4.5
	November 2004	8	2	4
OP-6B-4 Delayed Days for Facility Reasons	October 2005	42	11	3.82
Unbundled Loop Analog Parity	September 2005	114	8	14.25
	August 2005	55	18	3.06
	July 2005	111	12	9.25
	June 2005	16	2	8
	May 2005	0	0	0
	April 2005	6	2	3
	March 2005	0	0	0
	February 2005	117	13	9
	January 2005	16	5	3.2
	December 2004	77	6	12.83
	November 2004	91	21	4.33
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
DS1 Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	4	1	4
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
ISDN Primary Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	1	1	1
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0

OP-6B-5	Delayed Days for Facility Reasons	October 2005	0	0	0
Unbundled Loop - 2 Wire Non-Loaded Parity		September 2005	0	0	0
		August 2005	0	0	0
		July 2005	0	0	0
		June 2005	0	0	0
		May 2005	6	1	6
		April 2005	0	0	0
		March 2005	10	1	10
		February 2005	0	0	0
		January 2005	0	0	0
		December 2004	0	0	0
		November 2004	0	0	0
	OP-6B-5	Delayed Days for Facility Reasons	October 2005	2	1
Unbundled Loop - DS1 Capable Parity		September 2005	0	0	0
		August 2005	5	1	5
		July 2005	0	0	0
		June 2005	1	1	1
		May 2005	5	4	1.25
		April 2005	0	0	0
		March 2005	1	1	1
		February 2005	0	0	0
		January 2005	0	0	0
		December 2004	0	0	0
		November 2004	1	1	1
	OP-6B-5	Delayed Days for Facility Reasons	October 2005	0	0
Unbundled Loop Analog Parity		September 2005	0	0	0
		August 2005	0	0	0
		July 2005	20	3	6.67
		June 2005	57	3	19
		May 2005	6	2	3
		April 2005	7	1	7
		March 2005	36	2	18
		February 2005	3	1	3
		January 2005	4	1	4
		December 2004	0	0	0
		November 2004	0	0	0
	OP-6B-5	Delayed Days for Facility Reasons	October 2005	0	0
Unbundled Loop ISDN Capable Parity		September 2005	6	2	3
		August 2005	0	0	0
		July 2005	0	0	0
		June 2005	3	1	3
		May 2005	0	0	0
		April 2005	0	0	0
		March 2005	0	0	0
		February 2005	0	0	0
		January 2005	0	0	0
		December 2004	0	0	0
		November 2004	0	0	0
	OP-7	OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops"	October 2005	1.27013889	645
Diagnostic		September 2005	1.225	598	03:00
		August 2005	1.7	663	04:00
		July 2005	1.62291667	663	04:00

	June 2005	1.67291667	805	03:00
	May 2005	1.59236111	755	03:00
	April 2005	1.19861111	532	03:00
	March 2005	1.10694444	564	03:00
	February 2005	1.0375	475	03:00
	January 2005	1.12638889	494	03:00
	December 2004	1.01805556	535	03:00
	November 2004	1.22847222	629	03:00
OP-7 OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops" Unbundled Loop Other Diagnostic	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	1.59236111	755	03:00
	April 2005	0.00763889	5	02:00
	March 2005	0.02152778	7	04:00
	February 2005	0.03333333	12	04:00
	January 2005	0.03958333	7	08:00
	December 2004	0.01736111	8	03:00
	November 2004	0.00763889	5	02:00
OP-8B Number Portability Timeliness LNP Benchmark	October 2005	564	564	100.00%
	September 2005	456	461	98.92%
	August 2005	551	551	100.00%
	July 2005	602	602	100.00%
	June 2005	692	693	99.86%
	May 2005	691	692	99.86%
	April 2005	473	474	99.79%
	March 2005	382	382	100.00%
	February 2005	352	352	100.00%
	January 2005	343	343	100.00%
	December 2004	107	109	98.17%
	November 2004	493	496	99.40%
OP-8C Percentage of LNP Triggers Set Prior to the Frame Due Time LNP Benchmark	October 2005	4290	4295	99.88%
	September 2005	4151	4152	99.98%
	August 2005	5392	5443	99.06%
	July 2005	9449	9468	99.80%
	June 2005	5177	5180	99.94%
	May 2005	2090	2105	99.29%
	April 2005	3243	3247	99.88%
	March 2005	5691	5695	99.93%
	February 2005	2277	2287	99.56%
	January 2005	1681	1686	99.70%
	December 2004	1112	1117	99.55%
	November 2004	2910	2915	99.83%
OS-1 Speed of Answer - Operator Services Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
PO-20 Manual Service Order Accuracy Resale & UNE-P (POTS) Benchmark	October 2005	0	0	0.00%
	September 2005	2367	2369	99.92%
	August 2005	2203	2207	99.82%
	July 2005	1869	1872	99.84%
	June 2005	2084	2086	99.90%
	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1228	1235	99.43%
	January 2005	1303	1304	99.92%
	December 2004	2195	2206	99.50%
	November 2004	2666	2678	99.55%
PO-20 Manual Service Order Accuracy Unbundled Loops Benchmark	October 2005	0	0	0.00%
	September 2005	766	766	100.00%
	August 2005	1020	1022	99.80%
	July 2005	956	956	100.00%
	June 2005	1079	1080	99.91%
	May 2005	966	969	99.69%
	April 2005	731	733	99.73%
	March 2005	868	868	100.00%
	February 2005	784	785	99.87%
	January 2005	946	951	99.47%
	December 2004	1170	1170	100.00%
	November 2004	1050	1053	99.72%
PO-20P2 Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) Benchmark	October 2005	0	0	0.00%
	September 2005	2367	2369	99.92%
	August 2005	2203	2207	99.82%
	July 2005	1869	1872	99.84%
	June 2005	2084	2086	99.90%
	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1228	1235	99.43%
	January 2005	1303	1304	99.92%
	December 2004	2194	2206	99.46%
	November 2004	2665	2678	99.51%
PO-20P2 Manual Service Order Accuracy (Phase 2) Unbundled Loops Benchmark	October 2005	0	0	0.00%
	September 2005	766	766	100.00%
	August 2005	1020	1022	99.80%
	July 2005	956	956	100.00%
	June 2005	1079	1080	99.91%
	May 2005	966	969	99.69%
	April 2005	731	733	99.73%
	March 2005	868	868	100.00%
	February 2005	784	785	99.87%
	January 2005	946	951	99.47%
	December 2004	1170	1170	100.00%
	November 2004	1050	1053	99.72%

PO-20P3 Manual Service Order Accuracy (Phase 3) Resale & UNE-P (POTS) Benchmark	October 2005	0	0	0.00%
	September 2005	2367	2369	99.92%
	August 2005	2203	2207	99.82%
	July 2005	1869	1872	99.84%
	June 2005	2084	2086	99.90%
	May 2005	2052	2056	99.81%
	April 2005	1517	1520	99.80%
	March 2005	1928	1929	99.95%
	February 2005	1227	1235	99.35%
	January 2005	1303	1304	99.92%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	PO-20P3 Manual Service Order Accuracy (Phase 3) Unbundled Loops Benchmark	October 2005	0	0
September 2005		766	766	100.00%
August 2005		1020	1022	99.80%
July 2005		956	956	100.00%
June 2005		1079	1080	99.91%
May 2005		966	969	99.69%
April 2005		731	733	99.73%
March 2005		868	868	100.00%
February 2005		784	785	99.87%
January 2005		946	951	99.47%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
PO-2A-1 Electronic Flow-through for LSRs Received via IMA LNP Diagnostic		October 2005	642	867
	September 2005	612	886	69.07%
	August 2005	632	910	69.45%
	July 2005	592	810	73.09%
	June 2005	681	941	72.37%
	May 2005	766	957	80.04%
	April 2005	657	883	74.41%
	March 2005	644	859	74.97%
	February 2005	465	639	72.77%
	January 2005	397	563	70.52%
	December 2004	330	551	59.89%
	November 2004	314	529	59.36%
	PO-2A-1 Electronic Flow-through for LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Diagnostic	October 2005	379	2857
September 2005		408	3076	13.26%
August 2005		392	3354	11.69%
July 2005		349	2565	13.61%
June 2005		456	3076	14.82%
May 2005		537	2981	18.01%
April 2005		478	2390	20.00%
March 2005		455	2840	16.02%
February 2005		434	1912	22.70%
January 2005		338	2086	16.20%
December 2004		418	2105	19.86%
November 2004		370	2242	16.50%
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Unbundled Loop Aggregate Diagnostic		October 2005	667	1206
	September 2005	575	1037	55.45%
	August 2005	680	1269	53.59%
	July 2005	598	1143	52.32%

	June 2005	767	1347	56.94%
	May 2005	727	1175	61.87%
	April 2005	733	1112	65.92%
	March 2005	618	1091	56.65%
	February 2005	455	909	50.06%
	January 2005	590	1220	48.36%
	December 2004	431	1099	39.22%
	November 2004	393	1154	34.06%
PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE - P (POTS) Diagnostic	October 2005	0	0	0.00%
	September 2005	438	471	92.99%
	August 2005	99	103	96.12%
	July 2005	13	16	81.25%
	June 2005	21	28	75.00%
	May 2005	8	15	53.33%
	April 2005	8	11	72.73%
	March 2005	68	81	83.95%
	February 2005	34	49	69.39%
	January 2005	137	229	59.83%
	December 2004	4020	4915	81.79%
	November 2004	6191	7084	87.39%
	PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE P (POTS AGG) Diagnostic	October 2005	173	191
September 2005		438	471	92.99%
August 2005		99	103	96.12%
July 2005		13	16	81.25%
June 2005		21	28	75.00%
May 2005		8	15	53.33%
April 2005		8	11	72.73%
March 2005		68	81	83.95%
February 2005		34	49	69.39%
January 2005		137	229	59.83%
December 2004		4024	4920	81.79%
November 2004		6198	7091	87.41%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Line Sharing Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	4	4	100.00%
	July 2005	3	6	50.00%
	June 2005	4	4	100.00%
	May 2005	6	6	100.00%
	April 2005	7	9	77.78%
	March 2005	10	14	71.43%
	February 2005	18	20	90.00%
	January 2005	21	24	87.50%
	December 2004	13	20	65.00%
	November 2004	14	21	66.67%
	PO-2A-2 Electronic Flow-through for LSRs Received via EDI LNP Diagnostic	October 2005	2402	2786
September 2005		938	1232	76.14%
August 2005		928	1209	76.76%
July 2005		871	1124	77.49%
June 2005		726	991	73.26%
May 2005		678	904	75.00%
April 2005		771	1005	76.72%
March 2005	783	1047	74.79%	

	February 2005	603	770	78.31%
	January 2005	700	889	78.74%
	December 2004	526	690	76.23%
	November 2004	505	657	76.86%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Diagnostic	October 2005	10	11	90.91%
	September 2005	10	11	90.91%
	August 2005	18	20	90.00%
	July 2005	19	22	86.36%
	June 2005	17	21	80.95%
	May 2005	19	20	95.00%
	April 2005	16	18	88.89%
	March 2005	16	21	76.19%
	February 2005	5	11	45.45%
	January 2005	18	20	90.00%
	December 2004	16	20	80.00%
	November 2004	18	20	90.00%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Unbundled Loop Aggregate Diagnostic	October 2005	1837	2755	66.68%
	September 2005	1546	2147	72.01%
	August 2005	1554	2162	71.88%
	July 2005	8124	9154	88.75%
	June 2005	3325	3932	84.56%
	May 2005	1154	1611	71.63%
	April 2005	897	1347	66.59%
	March 2005	1026	1593	64.41%
	February 2005	873	1385	63.03%
	January 2005	813	1455	55.88%
	December 2004	677	1264	53.56%
	November 2004	827	1406	58.82%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE - P (POTS) Diagnostic	October 2005	0	0	0.00%
	September 2005	75	75	100.00%
	August 2005	142	149	95.30%
	July 2005	129	135	95.56%
	June 2005	201	215	93.49%
	May 2005	172	191	90.05%
	April 2005	175	187	93.58%
	March 2005	173	212	81.60%
	February 2005	231	264	87.50%
	January 2005	368	414	88.89%
	December 2004	4369	5049	86.53%
	November 2004	5227	5891	88.73%
PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE P (POTS AGG) Diagnostic	October 2005	33	36	91.67%
	September 2005	75	75	100.00%
	August 2005	142	149	95.30%
	July 2005	129	135	95.56%
	June 2005	201	215	93.49%
	May 2005	172	191	90.05%
	April 2005	175	187	93.58%
	March 2005	173	212	81.60%
	February 2005	231	264	87.50%
	January 2005	368	414	88.89%
	December 2004	4369	5049	86.53%
	November 2004	5227	5891	88.73%

PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA LNP Benchmark	October 2005	642	655	98.02%
	September 2005	612	636	96.23%
	August 2005	632	652	96.93%
	July 2005	592	608	97.37%
	June 2005	681	713	95.51%
	May 2005	766	789	97.08%
	April 2005	657	688	95.49%
	March 2005	644	669	96.26%
	February 2005	465	480	96.88%
	January 2005	397	412	96.36%
	December 2004	330	344	95.93%
	November 2004	314	324	96.91%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Benchmark	October 2005	379	385	98.44%
	September 2005	408	423	96.45%
	August 2005	392	403	97.27%
	July 2005	349	360	96.94%
	June 2005	456	469	97.23%
	May 2005	537	555	96.76%
	April 2005	478	504	94.84%
	March 2005	455	489	93.05%
	February 2005	434	459	94.55%
	January 2005	338	357	94.68%
	December 2004	418	468	89.32%
	November 2004	370	394	93.91%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Unbundled Loop Aggregate Benchmark	October 2005	667	707	94.34%
	September 2005	575	610	94.26%
	August 2005	680	726	93.66%
	July 2005	598	637	93.88%
	June 2005	767	814	94.23%
	May 2005	727	759	95.78%
	April 2005	733	770	95.19%
	March 2005	618	645	95.81%
	February 2005	455	477	95.39%
	January 2005	590	632	93.35%
	December 2004	431	469	91.90%
	November 2004	393	415	94.70%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE - P (POTS) Benchmark	October 2005	0	0	0.00%
	September 2005	438	455	96.26%
	August 2005	99	100	99.00%
	July 2005	13	13	100.00%
	June 2005	21	21	100.00%
	May 2005	8	9	88.89%
	April 2005	8	10	80.00%
	March 2005	68	75	90.67%
	February 2005	34	37	91.89%
	January 2005	137	146	93.84%
	December 2004	4020	4197	95.78%
	November 2004	6191	6336	97.71%
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE P (POTS AGG) Benchmark	October 2005	173	176	98.30%
	September 2005	438	455	96.26%
	August 2005	99	100	99.00%
	July 2005	13	13	100.00%

	June 2005	21	21	100.00%
	May 2005	8	9	88.89%
	April 2005	8	10	80.00%
	March 2005	68	75	90.67%
	February 2005	34	37	91.89%
	January 2005	137	146	93.84%
	December 2004	4024	4202	95.76%
	November 2004	6198	6343	97.71%
PO-2B-2 Electronic Flow-through for All	October 2005	0	0	0.00%
Eligible LSRs Received via EDI Line Sharing	September 2005	0	0	0.00%
Diagnostic	August 2005	4	4	100.00%
	July 2005	3	4	75.00%
	June 2005	4	4	100.00%
	May 2005	6	6	100.00%
	April 2005	7	8	87.50%
	March 2005	10	11	90.91%
	February 2005	18	19	94.74%
	January 2005	21	24	87.50%
	December 2004	13	18	72.22%
	November 2004	14	14	100.00%
PO-2B-2 Electronic Flow-through for All	October 2005	2402	2434	98.69%
Eligible LSRs Received via EDI LNP	September 2005	938	957	98.01%
Benchmark	August 2005	928	968	95.87%
	July 2005	871	891	97.76%
	June 2005	726	750	96.80%
	May 2005	678	703	96.44%
	April 2005	771	790	97.59%
	March 2005	783	823	95.14%
	February 2005	603	628	96.02%
	January 2005	700	725	96.55%
	December 2004	526	557	94.43%
	November 2004	505	523	96.56%
PO-2B-2 Electronic Flow-through for All	October 2005	10	10	100.00%
Eligible LSRs Received via EDI Resale	September 2005	10	10	100.00%
Aggregate W/O UNE-P-POTS Benchmark	August 2005	18	18	100.00%
	July 2005	19	19	100.00%
	June 2005	17	17	100.00%
	May 2005	19	19	100.00%
	April 2005	16	16	100.00%
	March 2005	16	17	94.12%
	February 2005	5	6	83.33%
	January 2005	18	18	100.00%
	December 2004	16	16	100.00%
	November 2004	18	18	100.00%
PO-2B-2 Electronic Flow-through for All	October 2005	1837	1857	98.92%
Eligible LSRs Received via EDI Unbundled	September 2005	1546	1579	97.91%
Loop Aggregate Benchmark	August 2005	1554	1585	98.04%
	July 2005	8124	8154	99.63%
	June 2005	3325	3368	98.72%
	May 2005	1154	1181	97.71%
	April 2005	897	928	96.66%
	March 2005	1026	1056	97.16%

	February 2005	875	912	95.94%
	January 2005	813	890	91.35%
	December 2004	677	759	89.20%
	November 2004	827	852	97.07%
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE - P (POTS) Benchmark	October 2005	0	0	0.00%
	September 2005	75	75	100.00%
	August 2005	142	146	97.26%
	July 2005	129	131	98.47%
	June 2005	201	204	98.53%
	May 2005	172	183	93.99%
	April 2005	175	180	97.22%
	March 2005	173	203	85.22%
	February 2005	231	258	89.53%
	January 2005	368	404	91.09%
	December 2004	4369	4545	96.13%
November 2004	5227	5351	97.68%	
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE P (POTS AGG) Benchmark	October 2005	33	34	97.06%
	September 2005	75	75	100.00%
	August 2005	142	146	97.26%
	July 2005	129	131	98.47%
	June 2005	201	204	98.53%
	May 2005	172	183	93.99%
	April 2005	175	180	97.22%
	March 2005	173	203	85.22%
	February 2005	231	258	89.53%
	January 2005	368	404	91.09%
	December 2004	4369	4545	96.13%
November 2004	5227	5351	97.68%	
PO-3A-1 LSR Rejection Notice Interval for IMA - Rejected Manually Product Aggregate Benchmark	October 2005	22.9243056	188	56:00
	September 2005	39.5486111	222	17:00
	August 2005	56.2590278	267	03:00
	July 2005	44.7284722	243	25:00
	June 2005	34.3173611	216	49:00
	May 2005	32.9416667	207	49:00
	April 2005	28.5229167	188	38:00
	March 2005	31.1104167	208	35:00
	February 2005	18.4083333	116	49:00
	January 2005	28.8340278	119	49:00
	December 2004	60.1284722	182	56:00
November 2004	64.2368056	224	53:00	
PO-3A-2 LSR Rejection Notice Interval for IMA - Auto-Rejected Product Aggregate Benchmark	October 2005	138.771528	30273	07:00
	September 2005	132.475	29428	06:00
	August 2005	146.154861	30340	07:00
	July 2005	129.577083	28103	07:00
	June 2005	137.304861	29146	07:00
	May 2005	130.118056	27205	07:00
	April 2005	127.692361	28630	06:00
	March 2005	153.705556	30652	07:00
	February 2005	126.618056	26199	07:00
	January 2005	118.690972	26888	06:00
	December 2004	127.504167	26855	07:00
November 2004	114.728472	24341	07:00	

PO-3B-1 LSR Rejection Notice Interval for EDI - Rejected Manually Product Aggregate Benchmark	October 2005	12.4923611	153	58:00
	September 2005	17.4326389	136	05:00
	August 2005	41.9416667	154	32:00
	July 2005	25.4048611	161	47:00
	June 2005	28.0256944	224	00:00
	May 2005	25.7145833	164	46:00
	April 2005	30.9451389	193	51:00
	March 2005	37.9659722	234	54:00
	February 2005	21.6784722	175	58:00
	January 2005	16.6423611	176	16:00
	December 2004	50.5638889	224	25:00
	November 2004	24.0520833	249	19:00
PO-3B-2 LSR Rejection Notice Interval for EDI - Auto-Rejected Product Aggregate Benchmark	October 2005	99.0194444	30699	05:00
	September 2005	104.727083	34218	04:00
	August 2005	132.85625	43402	04:00
	July 2005	135.501389	28367	07:00
	June 2005	274.109028	50733	08:00
	May 2005	170.9625	30033	08:00
	April 2005	143.799306	30970	07:00
	March 2005	353.136111	42085	12:00
	February 2005	186.691667	28016	10:00
	January 2005	117.523611	25795	07:00
	December 2004	206.889583	30816	10:00
	November 2004	0	51824	22:00
PO-3C LSR Rejection Notice Interval for Manual and IIS Product Aggregate Benchmark	October 2005	3.93194444	9	29:00
	September 2005	5.97916667	32	29:00
	August 2005	2.16111111	3	17:00
	July 2005	2.70486111	6	49:00
	June 2005	7.45	13	45:00
	May 2005	1.30625	4	50:00
	April 2005	8.10833333	11	41:00
	March 2005	4.77152778	10	27:00
	February 2005	3.30069444	15	17:00
	January 2005	7.675	14	09:00
	December 2004	16.2888889	27	29:00
	November 2004	21.7138889	48	51:00
PO-4A-1 LSRs Rejected for IMA - Rejected Manually Product Aggregate Diagnostic	October 2005	1337	77212	1.73%
	September 2005	1509	77578	1.95%
	August 2005	1749	82171	2.13%
	July 2005	1493	70658	2.11%
	June 2005	1579	77293	2.04%
	May 2005	1626	71541	2.27%
	April 2005	1632	72125	2.26%
	March 2005	1536	78680	1.95%
	February 2005	1006	64848	1.55%
	January 2005	808	72321	1.12%
	December 2004	1251	98819	1.27%
	November 2004	1223	94947	1.29%
PO-4A-2 LSRs Rejected for IMA - Auto-Rejected Product Aggregate Diagnostic	October 2005	30273	77212	39.21%
	September 2005	29428	77578	37.93%
	August 2005	30340	82171	36.92%
	July 2005	28103	70658	39.77%

	June 2005	29146	77293	37.71%
	May 2005	27205	71541	38.03%
	April 2005	28630	72125	39.69%
	March 2005	30652	78680	38.96%
	February 2005	26199	64848	40.40%
	January 2005	26888	72321	37.18%
	December 2004	26855	98819	27.18%
	November 2004	24341	94947	25.64%
PO-4B-1 LSRs Rejected for EDI - Rejected Manually Product Aggregate Diagnostic	October 2005	719	59615	1.21%
	September 2005	824	61063	1.35%
	August 2005	986	75055	1.31%
	July 2005	956	69230	1.38%
	June 2005	1266	113225	1.12%
	May 2005	1077	71032	1.52%
	April 2005	1130	55967	2.02%
	March 2005	1368	68028	2.01%
	February 2005	1004	50317	2.00%
	January 2005	989	48047	2.06%
	December 2004	1367	84804	1.61%
	November 2004	1471	109923	1.34%
PO-4B-2 LSRs Rejected for EDI - Auto-Rejected Product Aggregate Diagnostic	October 2005	30699	59615	51.50%
	September 2005	34218	61063	56.04%
	August 2005	43402	75055	57.83%
	July 2005	28367	69230	40.98%
	June 2005	50733	113225	44.81%
	May 2005	30033	71032	42.28%
	April 2005	30970	55967	55.34%
	March 2005	42085	68028	61.86%
	February 2005	28016	50317	55.68%
	January 2005	25795	48047	53.69%
	December 2004	30816	84804	36.34%
	November 2004	51824	109923	47.15%
PO-4C LSRs Received via Facsimile Product Aggregate Diagnostic	October 2005	9	15	60.00%
	September 2005	32	67	47.76%
	August 2005	3	16	18.75%
	July 2005	6	16	37.50%
	June 2005	13	26	50.00%
	May 2005	4	23	17.39%
	April 2005	11	33	33.33%
	March 2005	10	38	26.32%
	February 2005	15	46	32.61%
	January 2005	14	45	31.11%
	December 2004	27	51	52.94%
	November 2004	48	128	37.50%
PO-5A-1(a) FOCs On Time for Fully Electronic LSRs Received Via IMA Resale Aggregate Benchmark	October 2005	512	512	100.00%
	September 2005	803	803	100.00%
	August 2005	450	453	99.34%
	July 2005	337	337	100.00%
	June 2005	446	446	100.00%
	May 2005	516	516	100.00%
	April 2005	467	467	100.00%
	March 2005	466	466	100.00%

	February 2005	433	436	99.31%
	January 2005	439	444	98.87%
	December 2004	4187	4243	98.68%
	November 2004	6351	6352	99.98%
PO-5A-1(b) FOCs On Time for Fully Electronic LSRs Received Via IMA Unbundled Loop Aggregate Benchmark	October 2005	496	496	100.00%
	September 2005	423	423	100.00%
	August 2005	457	458	99.78%
	July 2005	412	412	100.00%
	June 2005	559	559	100.00%
	May 2005	542	542	100.00%
	April 2005	551	551	100.00%
	March 2005	442	442	100.00%
	February 2005	327	327	100.00%
	January 2005	510	512	99.61%
	December 2004	383	387	98.97%
	November 2004	352	352	100.00%
	PO-5A-1(c) FOCs On Time for Fully Electronic LSRs Received Via IMA LNP Benchmark	October 2005	614	614
September 2005		595	595	100.00%
August 2005		607	607	100.00%
July 2005		579	579	100.00%
June 2005		666	666	100.00%
May 2005		752	752	100.00%
April 2005		641	641	100.00%
March 2005		609	609	100.00%
February 2005		455	455	100.00%
January 2005		378	384	98.44%
December 2004		317	317	100.00%
November 2004		301	301	100.00%
PO-5A-2(a) FOCs On Time for Fully Electronic LSRs Received Via EDI Resale Aggregate Benchmark		October 2005	43	43
	September 2005	85	85	100.00%
	August 2005	159	159	100.00%
	July 2005	148	148	100.00%
	June 2005	216	216	100.00%
	May 2005	190	190	100.00%
	April 2005	191	191	100.00%
	March 2005	189	189	100.00%
	February 2005	234	235	99.57%
	January 2005	376	383	98.17%
	December 2004	4297	4330	99.24%
	November 2004	5175	5175	100.00%
	PO-5A-2(b) FOCs On Time for Fully Electronic LSRs Received Via EDI Unbundled Loop Aggregate Benchmark	October 2005	1503	1508
September 2005		1179	1179	100.00%
August 2005		1273	1274	99.92%
July 2005		7750	7750	100.00%
June 2005		2918	2942	99.18%
May 2005		800	800	100.00%
April 2005		532	532	100.00%
March 2005		689	689	100.00%
February 2005		618	618	100.00%
January 2005		612	616	99.35%
December 2004		500	513	97.47%
November 2004		564	564	100.00%

PO-5A-2(c) FOCs On Time for Fully Electronic LSRs Received Via EDI LNP Benchmark	October 2005	2244	2246	99.91%
	September 2005	891	891	100.00%
	August 2005	876	876	100.00%
	July 2005	821	821	100.00%
	June 2005	656	656	100.00%
	May 2005	620	620	100.00%
	April 2005	711	711	100.00%
	March 2005	722	722	100.00%
	February 2005	553	554	99.82%
	January 2005	647	647	100.00%
	December 2004	466	472	98.73%
	November 2004	467	467	100.00%
	PO-5B-1(a) FOCs On Time For Electronic/Manual LSRs Received Via IMA Resale Aggregate Benchmark	October 2005	2250	2253
September 2005		2476	2476	100.00%
August 2005		2770	2771	99.96%
July 2005		2036	2040	99.80%
June 2005		2505	2508	99.88%
May 2005		2227	2231	99.82%
April 2005		1740	1740	100.00%
March 2005		2239	2239	100.00%
February 2005		1324	1325	99.92%
January 2005		1723	1725	99.88%
December 2004		2404	2409	99.79%
November 2004		2693	2696	99.89%
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop AGG-EELs Benchmark		October 2005	667	670
	September 2005	702	714	98.32%
	August 2005	1056	1082	97.60%
	July 2005	774	792	97.73%
	June 2005	748	758	98.68%
	May 2005	638	650	98.15%
	April 2005	549	554	99.10%
	March 2005	676	687	98.40%
	February 2005	573	580	98.79%
	January 2005	707	719	98.33%
	December 2004	710	727	97.66%
	November 2004	780	786	99.24%
	PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop Aggregate Benchmark	October 2005	608	611
September 2005		553	565	97.88%
August 2005		682	705	96.74%
July 2005		628	646	97.21%
June 2005		685	695	98.56%
May 2005		545	557	97.85%
April 2005		481	486	98.97%
March 2005		577	588	98.13%
February 2005		495	502	98.61%
January 2005		611	623	98.07%
December 2004		618	635	97.32%
November 2004		696	702	99.15%
PO-5B-1(c) FOCs On Time For Electronic/Manual LSRs Received Via IMA LNP Benchmark		October 2005	204	204
	September 2005	241	241	100.00%
	August 2005	243	244	99.59%
	July 2005	208	208	100.00%

	June 2005	232	232	100.00%
	May 2005	174	174	100.00%
	April 2005	205	205	100.00%
	March 2005	189	189	100.00%
	February 2005	154	154	100.00%
	January 2005	152	152	100.00%
	December 2004	195	195	100.00%
	November 2004	194	194	100.00%
PO-5B-2(a) FOCs On Time For Electronic/Manual LSRs Received Via EDI Resale Aggregate Benchmark	October 2005	3	3	100.00%
	September 2005	1	1	100.00%
	August 2005	8	8	100.00%
	July 2005	8	8	100.00%
	June 2005	17	17	100.00%
	May 2005	20	20	100.00%
	April 2005	13	13	100.00%
	March 2005	44	44	100.00%
	February 2005	38	38	100.00%
	January 2005	48	48	100.00%
	December 2004	585	586	99.83%
	November 2004	629	629	100.00%
PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop AGG-EELs Benchmark	October 2005	1157	1162	99.57%
	September 2005	855	861	99.30%
	August 2005	814	821	99.15%
	July 2005	1264	1269	99.61%
	June 2005	892	898	99.33%
	May 2005	721	724	99.59%
	April 2005	730	733	99.59%
	March 2005	796	807	98.64%
	February 2005	699	705	99.15%
	January 2005	758	761	99.61%
	December 2004	677	680	99.56%
	November 2004	736	743	99.06%
MR-10 Customer and Non-Qwest Related Trouble Reports DS3 Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	1	2	0.5
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
MR-11B LNP Trouble Reports Cleared within 48 Hours - All Volumes LNP Parity	October 2005	3	3	100.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	2	2	100.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	3	4	75.00%
	December 2004	0	0	0.00%
	November 2004	2	2	100.00%
MR-3C Out of Service Cleared within 24 Hours Centrex 21 Parity	October 2005	1	1	100.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Centrex 21 Parity	October 2005	0	0	0.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	1	1	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Centrex 21 Parity	October 2005	1	1	100.00%
	September 2005	2	2	100.00%
	August 2005	1	1	100.00%
	July 2005	1	1	100.00%
	June 2005	2	2	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
MR-5A All Troubles Cleared within 4 Hours DS3 Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS3 Capable Parity	October 2005		1	1	100.00%
	September 2005		0	0	0.00%
	August 2005		0	0	0.00%
	July 2005		0	0	0.00%
	June 2005		0	0	0.00%
	May 2005		0	0	0.00%
	April 2005		0	0	0.00%
	March 2005		0	0	0.00%
	February 2005		1	1	100.00%
	January 2005		0	0	0.00%
	December 2004		1	1	100.00%
	November 2004		0	0	0.00%
	MR-5B All Troubles Cleared within 4 Hours ISDN Primary Parity	October 2005		0	0
September 2005			0	0	0.00%
August 2005			0	0	0.00%
July 2005			0	0	0.00%
June 2005			0	0	0.00%
May 2005			0	0	0.00%
April 2005			2	2	100.00%
March 2005			0	0	0.00%
February 2005			0	0	0.00%
January 2005			0	0	0.00%
December 2004			0	0	0.00%
November 2004			0	0	0.00%
MR-6D Mean Time to Restore Dark Fiber - IOF Parity		October 2005		0	0
	September 2005		0	0	0.00%
	August 2005	0.11666667	1	1	11.67%
	July 2005	0	0	0	0.00%
	June 2005	0.10347222	1	1	10.35%
	May 2005	0	0	0	0.00%
	April 2005	0	0	0	0.00%
	March 2005	0	0	0	0.00%
	February 2005	0	0	0	0.00%
	January 2005	0	0	0	0.00%
	December 2004	0	0	0	0.00%
	November 2004	0	0	0	0.00%
	MR-6D Mean Time to Restore DS3 Parity	October 2005		0	0
September 2005			0	0	0.00%
August 2005			0	0	0.00%
July 2005			0	0	0.00%
June 2005		0.0125	1	1	1.25%
May 2005		0	0	0	0.00%
April 2005		0	0	0	0.00%
March 2005		0	0	0	0.00%
February 2005		0	0	0	0.00%
January 2005		0	0	0	0.00%
December 2004		0	0	0	0.00%
November 2004		0	0	0	0.00%
MR-6D Mean Time to Restore Enhanced Extended Loops - DS3 Capable Parity		October 2005	0.15625	1	1
	September 2005	0	0	0	0.00%
	August 2005	0	0	0	0.00%
	July 2005	0	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0.05625	1	5.63%
	January 2005	0	0	0.00%
	December 2004	0.07847222	1	7.85%
	November 2004	0	0	0.00%
MR-6E Mean Time to Restore UDIT Above DS1 Level Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0.17361111	1	17.36%
	March 2005	0	0	0.00%
	February 2005	0.05347222	1	5.35%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0.01666667	1	1.67%
MR-7B Repair Repeat Report Rate PBX Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	2	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	1	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Dark Fiber - Loop Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate E911 Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7D Repair Repeat Report Rate Unbundled Loop - DS3 Capable Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-7D Repair Repeat Report Rate Unbundled Loop - XDSLi Parity	October 2005	0	0
September 2005		1	3	33.33%
August 2005		2	8	25.00%
July 2005		0	0	0.00%
June 2005		2	26	7.69%
May 2005		0	4	0.00%
April 2005		0	0	0.00%
March 2005		0	2	0.00%
February 2005		1	3	33.33%
January 2005		3	7	42.86%
December 2004		0	4	0.00%
November 2004		0	1	0.00%
MR-7E Repair Repeat Report Rate E911 Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	1	0.00%
	November 2004	0	0	0.00%
	MR-8 Trouble Rate Dark Fiber - IOF Diagnostic	October 2005	0	36
September 2005		0	36	0.00%
August 2005		1	36	2.78%
July 2005		0	36	0.00%
June 2005		1	36	2.78%
May 2005		0	36	0.00%
April 2005		0	32	0.00%
March 2005		0	32	0.00%
February 2005		0	32	0.00%
January 2005		0	32	0.00%
December 2004		0	29	0.00%
November 2004		0	29	0.00%

MR-8 Trouble Rate Dark Fiber - Loop Diagnostic	October 2005	0	35	0.00%
	September 2005	0	33	0.00%
	August 2005	0	33	0.00%
	July 2005	0	33	0.00%
	June 2005	0	31	0.00%
	May 2005	1	32	3.13%
	April 2005	0	32	0.00%
	March 2005	0	32	0.00%
	February 2005	0	32	0.00%
	January 2005	1	32	3.13%
	December 2004	0	32	0.00%
	November 2004	0	33	0.00%
	MR-8 Trouble Rate Enhanced Extended Loops - DS3 Capable Diagnostic	October 2005	1	57
September 2005		0	55	0.00%
August 2005		0	55	0.00%
July 2005		0	52	0.00%
June 2005		0	52	0.00%
May 2005		0	52	0.00%
April 2005		0	52	0.00%
March 2005		0	50	0.00%
February 2005		1	50	2.00%
January 2005		0	48	0.00%
December 2004		1	48	2.08%
November 2004		0	46	0.00%
MR-8 Trouble Rate Sub-Loop Unbundling Diagnostic		October 2005	0	15
	September 2005	0	15	0.00%
	August 2005	0	15	0.00%
	July 2005	0	16	0.00%
	June 2005	0	17	0.00%
	May 2005	0	17	0.00%
	April 2005	0	17	0.00%
	March 2005	0	21	0.00%
	February 2005	0	21	0.00%
	January 2005	0	21	0.00%
	December 2004	0	21	0.00%
	November 2004	0	22	0.00%
	OP-3C Installation Commitments Met UNE P (Centrex 21) Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		1	1	100.00%
November 2004		0	0	0.00%
OP-3D Installation Commitments Met Dark Fiber - IOF Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	0	0	0.00%
OP-3D Installation Commitments Met Dark Fiber - Loop Diagnostic	October 2005	2	2	100.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-4D Installation Interval Dark Fiber - IOF Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	71	4	17.75
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	31	2	15.5
	December 2004	18	1	18
	November 2004	0	0	0
OP-4D Installation Interval Dark Fiber - Loop Diagnostic	October 2005	40	2	20
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	40	2	20
	June 2005	0	0	0
	May 2005	19	1	19
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	20	1	20
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - IOF Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	4	4	100.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	2	2	100.00%
	December 2004	2	2	100.00%
	November 2004	0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair E911 Parity	October 2005	0	0	0.00%
	September 2005	21	21	100.00%
	August 2005	26	26	100.00%
	July 2005	20	20	100.00%
	June 2005	32	32	100.00%
	May 2005	10	10	100.00%
	April 2005	0	0	0.00%
	March 2005	2	2	100.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	3	3	100.00%
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS1 Capable Benchmark	October 2005	0	0	0.00%
	September 2005	211	211	100.00%
	August 2005	509	509	100.00%
	July 2005	138	138	100.00%
	June 2005	110	110	100.00%
	May 2005	118	118	100.00%
	April 2005	93	93	100.00%
	March 2005	115	116	99.14%
	February 2005	110	110	100.00%
	January 2005	102	103	99.03%
	December 2004	114	114	100.00%
	November 2004	87	87	100.00%
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS3 Capable Benchmark	October 2005	0	0	0.00%
	September 2005	1	1	100.00%
	August 2005	3	4	75.00%
	July 2005	0	0	0.00%
	June 2005	1	1	100.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	2	2	100.00%
	January 2005	1	1	100.00%
	December 2004	1	1	100.00%
	November 2004	2	2	100.00%
OP-5B New Service Provisioning Quality Line Sharing Benchmark	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	2	2	100.00%
	July 2005	1	1	100.00%
	June 2005	4	4	100.00%
	May 2005	1	1	100.00%
	April 2005	3	3	100.00%
	March 2005	7	7	100.00%
	February 2005	13	13	100.00%
	January 2005	13	13	100.00%
	December 2004	13	13	100.00%
	November 2004	13	13	100.00%

OP-5B New Service Provisioning Quality PBX Benchmark	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
	OP-5B New Service Provisioning Quality Unbundled Loop - 2 Wire Non-Loaded Benchmark	October 2005	0	0
September 2005		368	368	100.00%
August 2005		337	337	100.00%
July 2005		365	365	100.00%
June 2005		364	364	100.00%
May 2005		368	368	100.00%
April 2005		348	348	100.00%
March 2005		374	374	100.00%
February 2005		318	318	100.00%
January 2005		315	315	100.00%
December 2004		346	347	99.71%
November 2004		441	441	100.00%
OP-5B New Service Provisioning Quality Unbundled Loop - ADSL Qualified Benchmark		October 2005	0	0
	September 2005	42	42	100.00%
	August 2005	25	26	96.15%
	July 2005	25	25	100.00%
	June 2005	30	30	100.00%
	May 2005	20	20	100.00%
	April 2005	23	23	100.00%
	March 2005	19	19	100.00%
	February 2005	16	16	100.00%
	January 2005	47	47	100.00%
	December 2004	31	31	100.00%
	November 2004	41	41	100.00%
	OP-5B New Service Provisioning Quality Unbundled Loop - DS1 Capable Benchmark	October 2005	0	0
September 2005		132	132	100.00%
August 2005		127	127	100.00%
July 2005		114	114	100.00%
June 2005		134	134	100.00%
May 2005		132	132	100.00%
April 2005		137	137	100.00%
March 2005		152	152	100.00%
February 2005		125	125	100.00%
January 2005		97	97	100.00%
December 2004		120	120	100.00%
November 2004		154	154	100.00%
OP-5B New Service Provisioning Quality Unbundled Loop - XDSLi Benchmark		October 2005	0	0
	September 2005	4	4	100.00%
	August 2005	12	12	100.00%
	July 2005	5	5	100.00%

	June 2005	10	10	100.00%
	May 2005	3	3	100.00%
	April 2005	5	5	100.00%
	March 2005	8	8	100.00%
	February 2005	8	8	100.00%
	January 2005	10	10	100.00%
	December 2004	5	5	100.00%
	November 2004	4	4	100.00%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
Unbundled Loop Analog Benchmark	September 2005	1886	1886	100.00%
	August 2005	3760	3766	99.84%
	July 2005	7446	7449	99.96%
	June 2005	3836	3836	100.00%
	May 2005	1421	1431	99.30%
	April 2005	1232	1232	100.00%
	March 2005	1412	1412	100.00%
	February 2005	1365	1368	99.78%
	January 2005	1178	1184	99.49%
	December 2004	1312	1312	100.00%
	November 2004	1328	1330	99.85%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
Unbundled Loop ISDN Capable Benchmark	September 2005	42	42	100.00%
	August 2005	35	35	100.00%
	July 2005	55	55	100.00%
	June 2005	48	48	100.00%
	May 2005	50	50	100.00%
	April 2005	31	31	100.00%
	March 2005	49	49	100.00%
	February 2005	34	34	100.00%
	January 2005	50	50	100.00%
	December 2004	40	40	100.00%
	November 2004	59	59	100.00%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0.00%
Rate Business Diagnostic	September 2005	0	2	0.00%
	August 2005	0	1	0.00%
	July 2005	0	4	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	6	33.33%
	January 2005	0	0	0.00%
	December 2004	2	6	33.33%
	November 2004	0	2	0.00%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0.00%
Rate Dark Fiber - Loop Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	1	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5T New Service Installation Quality	October 2005	0	0	0.00%
Total DS1 Diagnostic	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	1	1	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
OP-5T New Service Installation Quality	October 2005	0	0	0.00%
Total PBX Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	2	2	100.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	1	1	100.00%
OP-5T New Service Installation Quality	October 2005	0	0	0.00%
Total Unbundled Loop - DS3 Capable	September 2005	3	3	100.00%
Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	2	2	100.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	2	2	100.00%
	January 2005	0	0	0.00%
	December 2004	1	1	100.00%
	November 2004	1	1	100.00%
OP-6A-4 Delayed Days for Non-Facility	October 2005	11	2	5.5
Reasons Unbundled Loop ISDN Capable	September 2005	0	0	0
Parity	August 2005	8	1	8
	July 2005	3	1	3
	June 2005	1	1	1
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	6	1	6
	January 2005	1	1	1
	December 2004	0	0	0
	November 2004	0	0	0

OP-6B-3 Delayed Days for Facility Reasons Residence Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	2	1	2
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity	October 2005	0	0
September 2005		24	1	24
August 2005		38	4	9.5
July 2005		19	3	6.33
June 2005		3	2	1.5
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		1	1	1
December 2004		0	0	0
November 2004		0	0	0
PO-15 Number of Due Date Changes per Order All Diagnostic		October 2005	645	4828
	September 2005	595	5424	0.11
	August 2005	713	7270	0.1
	July 2005	614	10229	0.06
	June 2005	717	7040	0.1
	May 2005	622	4633	0.13
	April 2005	539	3693	0.15
	March 2005	718	4509	0.16
	February 2005	600	3629	0.17
	January 2005	537	3655	0.15
	December 2004	619	7842	0.08
	November 2004	751	10118	0.07
	PO-19 Stand-Alone Test Environment (SATE) Accuracy Diagnostic	October 2005	0	0
September 2005		895	902	99.22%
August 2005		611	613	99.67%
July 2005		611	613	99.67%
June 2005		611	613	99.67%
May 2005		604	613	98.53%
April 2005		611	613	99.67%
March 2005		872	883	98.75%
February 2005		600	602	99.67%
January 2005		601	602	99.83%
December 2004		600	600	100.00%
November 2004		861	863	99.77%
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 16.0 Diagnostic		October 2005	0	0
	September 2005	281	282	99.65%
	August 2005	278	279	99.64%
	July 2005	278	279	99.64%

	June 2005	278	279	99.64%
	May 2005	278	279	99.64%
	April 2005	278	279	99.64%
	March 2005	278	279	99.64%
	February 2005	277	278	99.64%
	January 2005	278	278	100.00%
	December 2004	276	276	100.00%
	November 2004	275	276	99.64%
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 17.0 Diagnostic	October 2005	0	0	0.00%
	September 2005	281	282	99.65%
	August 2005	278	279	99.64%
	July 2005	278	279	99.64%
	June 2005	278	279	99.64%
	May 2005	271	279	97.13%
	April 2005	278	279	99.64%
	March 2005	278	279	99.64%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI Diagnostic	October 2005	0	0
September 2005		55	55	100.00%
August 2005		55	55	100.00%
July 2005		55	55	100.00%
June 2005		55	55	100.00%
May 2005		55	55	100.00%
April 2005		55	55	100.00%
March 2005		55	55	100.00%
February 2005		55	55	100.00%
January 2005		54	55	98.18%
December 2004		55	55	100.00%
November 2004		55	55	100.00%
PO-19A Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 Benchmark		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	261	270	96.67%
	February 2005	268	269	99.63%
	January 2005	269	269	100.00%
	December 2004	269	269	100.00%
	November 2004	269	269	100.00%
	PO-19B Stand-Alone Test Environment (SATE) Accuracy Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		182	186	97.85%
March 2005	0	0	0.00%	

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-10 Customer and Non-Qwest Related Trouble Reports Basic Rate ISDN Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-10 Customer and Non-Qwest Related Trouble Reports Frame Relay Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
MR-3A Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-3B Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

MR-3B Out of Service Cleared within 24 Hours Centrex Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Centrex 21 Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Line Splitting Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3C Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Qwest DSL Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4A All Troubles Cleared within 48 Hours PBX Parity	October 2005	1	1	100.00%
	September 2005	0	1	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Centrex Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Line Splitting Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

MR-4C All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		1	1	100.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
MR-5A All Troubles Cleared within 4 Hours Frame Relay Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-5A All Troubles Cleared within 4 Hours ISDN Primary Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours DS3 Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	October 2005	0	0	0.00%
Frame Relay Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	October 2005	0	0	0.00%
Unbundled Loop - 4 Wire Non-Loaded	September 2005	0	0	0.00%
Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours	October 2005	0	0	0.00%
Unbundled Loop - DS3 Capable Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-6A Mean Time to Restore Basic Rate	October 2005	0	0	00:00
ISDN Diagnostic	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00

	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-6B Mean Time to Restore Basic Rate ISDN Diagnostic	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
	MR-6B Mean Time to Restore Centrex Diagnostic	October 2005	0	0
September 2005		0	0	00:00
August 2005		0	0	00:00
July 2005		0	0	00:00
June 2005		0	0	00:00
May 2005		0	0	00:00
April 2005		0	0	00:00
March 2005		0	0	00:00
February 2005		0	0	00:00
January 2005		0	0	00:00
December 2004		0	0	00:00
November 2004		0	0	00:00
MR-6B Mean Time to Restore Line Splitting Diagnostic		October 2005	0	0
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
	MR-6B Mean Time to Restore UNE P (Centrex 21) Diagnostic	October 2005	0	0
September 2005		0	0	00:00
August 2005		0	0	00:00
July 2005		0	0	00:00
June 2005		0	0	00:00
May 2005		0	0	00:00
April 2005		0	0	00:00
March 2005		0	0	00:00
February 2005		0	0	00:00
January 2005		0	0	00:00
December 2004	0	0	00:00	
November 2004	0	0	00:00	

MR-6C Mean Time to Restore Basic Rate ISDN Diagnostic	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-6D Mean Time to Restore Frame Relay Diagnostic	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-6D Mean Time to Restore ISDN Primary Diagnostic	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-6E Mean Time to Restore DS3 Diagnostic	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-6E Mean Time to Restore Frame Relay Diagnostic	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00

	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-6E Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Diagnostic	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-6E Mean Time to Restore Unbundled Loop - DS3 Capable Diagnostic	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-6E Mean Time to Restore Unbundled Loop - XDSLi Parity	October 2005	0	0	00:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0.16319444	1	55:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-7A Repair Repeat Report Rate Basic Rate ISDN Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7B Repair Repeat Report Rate Basic Rate ISDN Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-7B Repair Repeat Report Rate Centrex Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
MR-7B Repair Repeat Report Rate Line Sharing Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-7B Repair Repeat Report Rate Line Splitting Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004	0	0	0.00%	
November 2004	0	0	0.00%	

MR-7B Repair Repeat Report Rate UNE P (Centrex 21) Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-7C Repair Repeat Report Rate Basic Rate ISDN Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
MR-7D Repair Repeat Report Rate Dark Fiber - IOF Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	1	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	MR-7D Repair Repeat Report Rate DS3 Parity	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	1	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
MR-7D Repair Repeat Report Rate Frame Relay Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate DS3 Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate Frame Relay Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate Unbundled Loop - DS3 Capable Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7E Repair Repeat Report Rate	October 2005	0	0	0.00%
Unbundled Loop - XDSLi Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-9B Repair Appointments Met Centrex Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-9C Repair Appointments Met PBX Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
NP-1A NXX Code Activation All Parity	October 2005	1	1	100.00%
	September 2005	1	1	100.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	1	1	100.00%
	March 2005	0	0	0.00%
	February 2005	1	1	100.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

OP-15A Interval for Pending Orders Delayed Past Due Date Basic Rate ISDN Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-15A Interval for Pending Orders Delayed Past Due Date Centrex Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex 21 Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-15A Interval for Pending Orders Delayed Past Due Date DS0 Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-15A Interval for Pending Orders Delayed Past Due Date DS1 Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date DS3 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date Frame Relay	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date Line Splitting	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	7	1	7
Delayed Past Due Date LIS Trunk Parity	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	12	1	12
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	2	2	1
	March 2005	0	0	0

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date PBX Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date UDIT DS1	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date Unbundled Loop - 4	September 2005	0	0	0
Wire Non-Loaded Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15A Interval for Pending Orders	October 2005	0	0	0
Delayed Past Due Date Unbundled Loop -	September 2005	0	0	0
DS3 Capable Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0

OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex 21) Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex) Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Basic Rate ISDN Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex 21 Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS0 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
November 2004	0	0	0	
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS1 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
November 2004	0	0	0	
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS3 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
November 2004	0	0	0	
OP-15B Count of Pending Orders Delayed for Facilities Reasons Frame Relay Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
April 2005	0	0	0	
March 2005	0	0	0	

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Splitting Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons PBX Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT DS1 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0

OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS3 Capable Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex 21) Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex) Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-3A Installation Commitments Met Basic Rate ISDN Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
OP-3A Installation Commitments Met Centrex Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3A Installation Commitments Met	October 2005	0	0	0.00%
Centrex 21 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3A Installation Commitments Met DS0	October 2005	0	0	0.00%
Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3A Installation Commitments Met PBX	October 2005	0	0	0.00%
Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3B Installation Commitments Met	October 2005	0	0	0.00%
Centrex Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3B Installation Commitments Met	October 2005	0	0	0.00%
Centrex 21 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3B Installation Commitments Met Line	October 2005	0	0	0.00%
Sharing Benchmark	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3B Installation Commitments Met Line	October 2005	0	0	0.00%
Splitting Benchmark	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3B Installation Commitments Met PBX	October 2005	0	0	0.00%
Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

OP-3B Installation Commitments Met UNE P (Centrex 21) Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-3C Installation Commitments Met Basic Rate ISDN Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
OP-3C Installation Commitments Met Centrex Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-3C Installation Commitments Met Centrex 21 Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
OP-3C Installation Commitments Met PBX Parity		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3D Installation Commitments Met Basic Rate ISDN Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
OP-3D Installation Commitments Met DS0 Diagnostic	November 2004	0	0	0.00%
	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
OP-3D Installation Commitments Met DS3 Diagnostic	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
OP-3D Installation Commitments Met Frame Relay Diagnostic	January 2005	0	0	0.00%
	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3D Installation Commitments Met ISDN Primary Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-3D Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
OP-3E Installation Commitments Met Basic Rate ISDN Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-3E Installation Commitments Met DS3 Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

OP-3E Installation Commitments Met Frame Relay Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-3E Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
OP-3E Installation Commitments Met Unbundled Loop - XDSLi Benchmark		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-4A Installation Interval Centrex Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-4A Installation Interval Centrex 21 Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4A Installation Interval DS0 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4A Installation Interval PBX Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4A Installation Interval UNE P (Centrex 21) Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4B Installation Interval Centrex Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4B Installation Interval Centrex 21 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4B Installation Interval Line Sharing Benchmark	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4B Installation Interval Line Splitting Benchmark	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4B Installation Interval PBX Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0

OP-4B Installation Interval UNE P (Centrex 21) Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-4B Installation Interval UNE P (Centrex) Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-4C Installation Interval Centrex 21 Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-4C Installation Interval PBX Parity	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		5	1	5
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-4D Installation Interval Basic Rate ISDN Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4D Installation Interval DS0 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4D Installation Interval DS3 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4D Installation Interval ISDN Primary Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4D Installation Interval Unbundled Loop 4 Wire Non-Loaded Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
March 2005	0	0	0	

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-4E Installation Interval Basic Rate ISDN Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-4E Installation Interval DS3 Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-4E Installation Interval Unbundled Loop 4 Wire Non-Loaded Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-4E Installation Interval Unbundled Loop XDSL Benchmark	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		5	1	5
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0

OP-5A New Service Installation Quality Reported to Repair Basic Rate ISDN Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-5A New Service Installation Quality Reported to Repair Centrex Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Centrex 21 Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-5A New Service Installation Quality Reported to Repair DS3 Diagnostic	October 2005	0	0
September 2005		0	0	0.00%
August 2005		0	0	0.00%
July 2005		0	0	0.00%
June 2005		0	0	0.00%
May 2005		0	0	0.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		0	0	0.00%
OP-5A New Service Installation Quality Reported to Repair Frame Relay Diagnostic		October 2005	0	0
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
<hr/>				
OP-5A New Service Installation Quality	October 2005	0	0	0.00%
Reported to Repair Unbundled Loop - 4 Wire	September 2005	0	0	0.00%
Non-Loaded Diagnostic	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
<hr/>				
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
<hr/>				
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
Centrex Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
<hr/>				
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
Centrex 21 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
DS3 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5B New Service Provisioning Quality	October 2005	0	0	0.00%
Frame Relay Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0.00%
Rate Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report	October 2005	0	0	0.00%
Rate Centrex Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

OP-5R New Service Quality Multiple Report Rate Centrex 21 Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate DS0 Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate DS1 Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate DS3 Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5R New Service Quality Multiple Report Rate PBX Diagnostic	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%

	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5T New Service Installation Quality	October 2005	0	0	0.00%
Total Basic Rate ISDN Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5T New Service Installation Quality	October 2005	0	0	0.00%
Total Centrex Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5T New Service Installation Quality	October 2005	0	0	0.00%
Total Centrex 21 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5T New Service Installation Quality	October 2005	0	0	0.00%
Total DS3 Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-5T New Service Installation Quality	October 2005	0	0	0.00%
Total Frame Relay Diagnostic	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-6A-1 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Basic Rate ISDN Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-1 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Business Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-1 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Centrex Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0

OP-6A-1 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-6A-1 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-6A-2 Delayed Days for Non-Facility Reasons Business Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-6A-2 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6A-2 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Line Sharing Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6A-2 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Line Splitting Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6A-2 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Qwest DSL Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6A-2 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons UNE P (Centrex 21) Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-3 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Business Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-3 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Line Sharing Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-3 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Line Splitting Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Basic Rate ISDN Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0

OP-6A-4 Delayed Days for Non-Facility Reasons DS0 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons DS1 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons DS3 Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons UDIT Above DS1 Level Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons UDIT DS1 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Unbundled Loop - 4 Wire Non-	September 2005	0	0	0
Loaded Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6A-4 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Unbundled Loop - DS3 Capable	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Basic Rate ISDN Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons DS0 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons DS1 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-5 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Frame Relay Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0

OP-6A-5 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Parity	October 2005	0	0	0
	September 2005	0	0	0
	August 2005	2	1	2
	July 2005	1	1	1
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	5	1	5
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic	October 2005	0	0
September 2005		0	0	0
August 2005		0	0	0
July 2005		0	0	0
June 2005		0	0	0
May 2005		0	0	0
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		0	0	0
OP-6B-1 Delayed Days for Facility Reasons Centrex Diagnostic		October 2005	0	0
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-1 Delayed Days for Facility Reasons	October 2005	0	0	0
Line Sharing Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-1 Delayed Days for Facility Reasons	October 2005	0	0	0
Line Splitting Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-1 Delayed Days for Facility Reasons	October 2005	0	0	0
UNE P (Centrex) Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-2 Delayed Days for Facility Reasons	October 2005	0	0	0
Business Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-2 Delayed Days for Facility Reasons	October 2005	0	0	0
Line Sharing Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-2 Delayed Days for Facility Reasons	October 2005	0	0	0
Line Splitting Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-2 Delayed Days for Facility Reasons	October 2005	0	0	0
Qwest DSL Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-3 Delayed Days for Facility Reasons	October 2005	0	0	0
Line Sharing Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0

OP-6B-3 Delayed Days for Facility Reasons	October 2005	0	0	0
Line Splitting Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-3 Delayed Days for Facility Reasons	October 2005	0	0	0
Qwest DSL Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-3 Delayed Days for Facility Reasons	October 2005	0	0	0
UNE - P (POTS) Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
Basic Rate ISDN Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
DS0 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
DS1 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
DS3 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
PBX Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
UDIT Above DS1 Level Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0

	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
UDIT DS1 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
Unbundled Loop - 4 Wire Non-Loaded	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons	October 2005	0	0	0
Unbundled Loop - DS3 Capable Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
Basic Rate ISDN Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0

OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
DS0 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
DS3 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
Frame Relay Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
UDIT Above DS1 Level Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
UDIT DS1 Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
Unbundled Loop - 4 Wire Non-Loaded	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
Unbundled Loop - ADSL Qualified	September 2005	0	0	0
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
Unbundled Loop - DS3 Capable Diagnostic	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
<hr/>				
PO-19 Stand-Alone Test Environment	October 2005	0	0	0.00%
(SATE) Accuracy Rel. 14.0 Benchmark	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	262	263	99.62%
MR-11A LNP Trouble Reports Cleared within 4 Hours LNP Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	1	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4C All Troubles Cleared within 48 Hours Centrex Parity	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-7A Repair Repeat Report Rate PBX Parity	October 2005	0	0	0.00%
	September 2005	0	1	0.00%
	August 2005	0	0	0.00%
	July 2005	0	1	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-3E Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	1	1	100.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%

OP-4E Installation Interval Enhanced	October 2005	0	0	0
Extended Loops - DS0 Capable Diagnostic	September 2005	0	0	0
	August 2005	4	1	4
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
MR-9A Repair Appointments Met PBX	October 2005	1	1	100.00%
Parity	September 2005	0	1	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
OP-15B Count of Pending Orders Delayed	October 2005	0	0	0
for Facilities Reasons Business Diagnostic	September 2005	0	1	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	2	2	1
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-3D Installation Commitments Met	October 2005	336	341	98.53%
Unbundled Loop - 2 Wire Non-Loaded	September 2005	338	346	97.69%
Benchmark	August 2005	298	305	97.70%
	July 2005	332	336	98.81%
	June 2005	329	335	98.21%
	May 2005	329	335	98.21%
	April 2005	330	332	99.40%
	March 2005	340	344	98.84%
	February 2005	294	296	99.32%
	January 2005	290	297	97.64%
	December 2004	314	318	98.74%
	November 2004	410	417	98.32%
OP-3D Installation Commitments Met	October 2005	1559	1590	98.05%
Unbundled Loop Analog Benchmark	September 2005	1646	1676	98.21%
	August 2005	3117	3150	98.95%
	July 2005	6749	6798	99.28%

	June 2005	3131	3150	99.40%
	May 2005	1371	1389	98.70%
	April 2005	1139	1171	97.27%
	March 2005	1355	1364	99.34%
	February 2005	1230	1266	97.16%
	January 2005	1060	1085	97.70%
	December 2004	1183	1228	96.34%
	November 2004	1141	1199	95.16%
<hr/>				
OP-3E Installation Commitments Met	October 2005	16	16	100.00%
Unbundled Loop - 2 Wire Non-Loaded	September 2005	14	14	100.00%
Benchmark	August 2005	24	24	100.00%
	July 2005	20	21	95.24%
	June 2005	21	21	100.00%
	May 2005	26	26	100.00%
	April 2005	12	12	100.00%
	March 2005	26	26	100.00%
	February 2005	17	17	100.00%
	January 2005	13	13	100.00%
	December 2004	16	16	100.00%
	November 2004	21	21	100.00%
<hr/>				
OP-3E Installation Commitments Met	October 2005	172	173	99.42%
Unbundled Loop Analog Benchmark	September 2005	210	210	100.00%
	August 2005	616	616	100.00%
	July 2005	641	646	99.23%
	June 2005	674	681	98.97%
	May 2005	38	42	90.48%
	April 2005	56	61	91.80%
	March 2005	45	47	95.74%
	February 2005	99	100	99.00%
	January 2005	97	98	98.98%
	December 2004	84	84	100.00%
	November 2004	127	127	100.00%
<hr/>				
OP-4D Installation Interval Unbundled Loop	October 2005	1360	331	4.11
2 Wire Non-Loaded Benchmark	September 2005	1346	320	4.21
	August 2005	1246	285	4.37
	July 2005	1260	313	4.03
	June 2005	1326	320	4.14
	May 2005	1247	315	3.96
	April 2005	1150	309	3.72
	March 2005	1212	317	3.82
	February 2005	1083	279	3.88
	January 2005	1033	263	3.93
	December 2004	1082	279	3.88
	November 2004	1440	371	3.88
<hr/>				
OP-4D Installation Interval Unbundled Loop	October 2005	4719	953	4.95
Analog Benchmark	September 2005	4078	797	5.12
	August 2005	3956	787	5.03
	July 2005	4153	832	4.99
	June 2005	4640	927	5.01
	May 2005	4090	819	4.99
	April 2005	3716	732	5.08
	March 2005	4474	892	5.02

	February 2005	4614	916	5.04
	January 2005	2989	591	5.06
	December 2004	3438	669	5.14
	November 2004	3460	671	5.16
<hr/>				
OP-4E Installation Interval Unbundled Loop	October 2005	64	15	4.27
2 Wire Non-Loaded Benchmark	September 2005	53	12	4.42
	August 2005	92	20	4.6
	July 2005	112	20	5.6
	June 2005	84	21	4
	May 2005	99	23	4.3
	April 2005	40	10	4
	March 2005	104	25	4.16
	February 2005	71	17	4.18
	January 2005	53	13	4.08
	December 2004	59	14	4.21
	November 2004	79	20	3.95
<hr/>				
OP-4E Installation Interval Unbundled Loop	October 2005	480	99	4.85
Analog Benchmark	September 2005	392	83	4.72
	August 2005	348	73	4.77
	July 2005	253	48	5.27
	June 2005	522	98	5.33
	May 2005	124	27	4.59
	April 2005	210	42	5
	March 2005	257	47	5.47
	February 2005	387	78	4.96
	January 2005	309	64	4.83
	December 2004	204	42	4.86
	November 2004	468	92	5.09
<hr/>				
OP-5R New Service Quality Multiple Report	October 2005	0	0	0.00%
Rate Enhanced Extended Loops - DS3	September 2005	0	0	0.00%
Capable Diagnostic	August 2005	0	1	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
<hr/>				
OP-6A-5 Delayed Days for Non-Facility	October 2005	0	0	0
Reasons Unbundled Loop - ADSL Qualified	September 2005	5	1	5
Parity	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	5	1	5

OP-6B-1 Delayed Days for Facility Reasons	October 2005	37	2	18.5
Qwest DSL Parity	September 2005	2	1	2
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-5 Delayed Days for Facility Reasons	October 2005	0	0	0
Enhanced Extended Loops - DS1 Capable	September 2005	25	1	25
Diagnostic	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
PO-19 Stand-Alone Test Environment	October 2005	0	0	0.00%
(SATE) Accuracy Rel. 18.0 Diagnostic	September 2005	278	283	98.23%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
PO-1A-2(a) Pre-Order Response Times	October 2005	492.48	4820	0.1
(Service Availability) IMA Request	September 2005	526.08	5156	0.1
Diagnostic	August 2005	545.28	5351	0.1
	July 2005	496.86	4915	0.1
	June 2005	506.94	4968	0.1
	May 2005	496.78	4868	0.1
	April 2005	425.44	4168	0.1
	March 2005	503.04	4933	0.1
	February 2005	448.3	4367	0.1
	January 2005	495.34	4869	0.1
	December 2004	444.8	4368	0.1
	November 2004	527.74	5090	0.1
PO-1A-2(b) Pre-Order Response Times	October 2005	15695.43	4820	3.26
(Service Availability) IMA Response	September 2005	16810.15	5156	3.26
Diagnostic	August 2005	18220.74	5351	3.41
	July 2005	16258.22	4915	3.31

	June 2005	15836.12	4968	3.19
	May 2005	18729.81	4868	3.85
	April 2005	15435.7	4168	3.7
	March 2005	18787.22	4933	3.81
	February 2005	16785.9	4367	3.84
	January 2005	18813.83	4869	3.86
	December 2004	16701.07	4368	3.82
	November 2004	18330.21	5090	3.6
<hr/>				
PO-1A-3(a) Pre-Order Response Times (Facility Check) IMA Request Diagnostic	October 2005	104.7	1047	0.1
	September 2005	106.9	1069	0.1
	August 2005	121	1210	0.1
	July 2005	106.4	1064	0.1
	June 2005	117.2	1172	0.1
	May 2005	106.9	1069	0.1
	April 2005	90.9	909	0.1
	March 2005	106.9	1069	0.1
	February 2005	92.1	921	0.1
	January 2005	107.7	1077	0.1
	December 2004	100.3	1003	0.1
	November 2004	113.1	1131	0.1
<hr/>				
PO-1A-3(b) Pre-Order Response Times (Facility Check) IMA Response Diagnostic	October 2005	5329.23	1047	5.09
	September 2005	5676.39	1069	5.31
	August 2005	6606.6	1210	5.46
	July 2005	5490.24	1064	5.16
	June 2005	6035.8	1172	5.15
	May 2005	5462.59	1069	5.11
	April 2005	4617.72	909	5.08
	March 2005	5601.56	1069	5.24
	February 2005	4872.09	921	5.29
	January 2005	5977.35	1077	5.55
	December 2004	5546.59	1003	5.53
	November 2004	6344.91	1131	5.61
<hr/>				
PO-1A-4(a) Pre-Order Response Times (Address Validation) IMA Request Diagnostic	October 2005	2027.57	6883	0.29
	September 2005	2431.7	8249	0.29
	August 2005	2528.84	8533	0.3
	July 2005	2280.21	7867	0.29
	June 2005	2361.94	7729	0.31
	May 2005	2319.45	7631	0.3
	April 2005	2086.31	6835	0.31
	March 2005	2544.4	8478	0.3
	February 2005	2269.19	7496	0.3
	January 2005	2616.85	8620	0.3
	December 2004	2347.38	7731	0.3
	November 2004	2611.23	8960	0.29
<hr/>				
PO-1A-4(b) Pre-Order Response Times (Address Validation) IMA Response Diagnostic	October 2005	22716.93	6883	3.3
	September 2005	26437.77	8249	3.2
	August 2005	27947.15	8533	3.28
	July 2005	24897.83	7867	3.16
	June 2005	25005.46	7729	3.24
	May 2005	25355.52	7631	3.32
	April 2005	22673.03	6835	3.32
	March 2005	28138.01	8478	3.32

	February 2005	24561.8	7496	3.28
	January 2005	28011.49	8620	3.25
	December 2004	25357.53	7731	3.28
	November 2004	29657.66	8960	3.31
<hr/>				
PO-20P4 Manual Service Order Accuracy	October 2005	0	0	0.00%
(Phase 4) Resale & UNE-P (POTS)	September 2005	2365	2369	99.83%
Benchmark	August 2005	2201	2207	99.73%
	July 2005	1868	1872	99.79%
	June 2005	2080	2086	99.71%
	May 2005	1999	2056	97.23%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
<hr/>				
PO-20P4 Manual Service Order Accuracy	October 2005	0	0	0.00%
(Phase 4) Unbundled Loops Benchmark	September 2005	765	766	99.87%
	August 2005	1018	1022	99.61%
	July 2005	956	956	100.00%
	June 2005	1070	1080	99.07%
	May 2005	814	969	84.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
<hr/>				
BI-2 Invoices Delivered within 10 Days All	October 2005	893	893	100.00%
Parity by Design	September 2005	860	860	100.00%
	August 2005	937	937	100.00%
	July 2005	930	935	99.47%
	June 2005	917	918	99.89%
	May 2005	791	792	99.87%
	April 2005	854	855	99.88%
	March 2005	910	913	99.67%
	February 2005	770	771	99.87%
	January 2005	771	773	99.74%
	December 2004	843	844	99.88%
	November 2004	662	663	99.85%
<hr/>				
BI-3B Billing Accuracy - Adjustments for	October 2005	64401	64401	100.00%
Errors Reciprocal Compensation Benchmark	September 2005	64738	64738	100.00%
	August 2005	65586	65586	100.00%
	July 2005	62400	62400	100.00%
	June 2005	64649	64649	100.00%
	May 2005	75286	75286	100.00%
	April 2005	78206	78206	100.00%
	March 2005	51265	59136	86.69%
	February 2005	62373	63578	98.11%
	January 2005	60081	60081	100.00%
	December 2004	58247	58247	100.00%
	November 2004	64631	64631	100.00%

BI-4B Billing Completeness Reciprocal Compensation Benchmark	October 2005	64401	64401	100.00%
	September 2005	64738	64738	100.00%
	August 2005	65586	65586	100.00%
	July 2005	62400	62400	100.00%
	June 2005	64649	64649	100.00%
	May 2005	75286	75286	100.00%
	April 2005	78206	78206	100.00%
	March 2005	59136	59136	100.00%
	February 2005	63578	63578	100.00%
	January 2005	60081	60081	100.00%
	December 2004	58247	58247	100.00%
	November 2004	64631	64631	100.00%
GA-1 Gateway Availability - IMA-GUI All Benchmark	October 2005	28897	28920	99.92%
	September 2005	29252	29280	99.90%
	August 2005	30341	30360	99.94%
	July 2005	28931	28980	99.83%
	June 2005	28770	28800	99.90%
	May 2005	29096	29160	99.78%
	April 2005	28066	28140	99.74%
	March 2005	29834	29880	99.85%
	February 2005	26588	26640	99.80%
	January 2005	28955	28980	99.91%
	December 2004	29744	29880	99.54%
	November 2004	28800	28800	100.00%
GA-1 Gateway Availability - IMA-GUI SIA Benchmark	October 2005	29580	29580	100.00%
	September 2005	29280	29280	100.00%
	August 2005	29880	29880	100.00%
	July 2005	28980	28980	100.00%
	June 2005	28800	28800	100.00%
	May 2005	29160	29160	100.00%
	April 2005	28620	28620	100.00%
	March 2005	29880	29880	100.00%
	February 2005	26640	26640	100.00%
	January 2005	28980	28980	100.00%
	December 2004	29880	29880	100.00%
	November 2004	28800	28800	100.00%
GA-2 Gateway Availability - IMA-EDI Benchmark	October 2005	28897	28920	99.92%
	September 2005	29252	29280	99.90%
	August 2005	30360	30360	100.00%
	July 2005	28802	28980	99.39%
	June 2005	28770	28800	99.90%
	May 2005	29160	29160	100.00%
	April 2005	28140	28140	100.00%
	March 2005	29834	29880	99.85%
	February 2005	26640	26640	100.00%
	January 2005	28971	28980	99.97%
	December 2004	29744	29880	99.54%
	November 2004	28800	28800	100.00%
GA-3 Gateway Availability - EB-TA Benchmark	October 2005	42210	42210	100.00%
	September 2005	41760	41760	100.00%
	August 2005	43200	43200	100.00%
	July 2005	41824	41850	99.94%

	June 2005	41340	41340	100.00%
	May 2005	42900	42900	100.00%
	April 2005	41700	41700	100.00%
	March 2005	43200	43200	100.00%
	February 2005	38880	38880	100.00%
	January 2005	42840	42840	100.00%
	December 2004	42660	42660	100.00%
	November 2004	41501	41760	99.38%
GA-4 System Availability - EXACT Benchmark	October 2005	21600	21600	100.00%
	September 2005	21960	21960	100.00%
	August 2005	22860	22860	100.00%
	July 2005	21600	21600	100.00%
	June 2005	21960	21960	100.00%
	May 2005	21960	21960	100.00%
	April 2005	21600	21600	100.00%
	March 2005	22860	22860	100.00%
	February 2005	20160	20160	100.00%
	January 2005	21600	21600	100.00%
	December 2004	22860	22860	100.00%
	November 2004	21960	21960	100.00%
GA-6 Gateway Availability - GUI - Repair Benchmark	October 2005	38220	38220	100.00%
	September 2005	37761	37770	99.98%
	August 2005	38870	39075	99.48%
	July 2005	37714	37740	99.93%
	June 2005	37410	37410	100.00%
	May 2005	38850	38850	100.00%
	April 2005	37650	37650	100.00%
	March 2005	38647	38655	99.98%
	February 2005	35108	35160	99.85%
	January 2005	38730	38730	100.00%
	December 2004	38542	38595	99.86%
	November 2004	37723	37770	99.88%
GA-7 Timely Outage Resolution following Software Releases Benchmark	October 2005	0	0	0.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-3B Out of Service Cleared within 24 Hours Line Sharing Parity	October 2005	1	1	100.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%

	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-4B All Troubles Cleared within 48 Hours Line Sharing Parity	October 2005	1	1	100.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-5B All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS0 Capable Diagnostic	October 2005	1	1	100.00%
	September 2005	0	0	0.00%
	August 2005	0	0	0.00%
	July 2005	0	0	0.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
MR-6B Mean Time to Restore Line Sharing Parity	October 2005	0.85416667	1	30:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00
MR-6E Mean Time to Restore Enhanced Extended Loops - DS0 Capable Diagnostic	October 2005	0.04444444	1	04:00
	September 2005	0	0	00:00
	August 2005	0	0	00:00
	July 2005	0	0	00:00
	June 2005	0	0	00:00
	May 2005	0	0	00:00
	April 2005	0	0	00:00
	March 2005	0	0	00:00
	February 2005	0	0	00:00
	January 2005	0	0	00:00
	December 2004	0	0	00:00
	November 2004	0	0	00:00

OP-3D Installation Commitments Met E911 Parity	October 2005	2	3	66.67%
	September 2005	0	0	0.00%
	August 2005	0	1	0.00%
	July 2005	1	1	100.00%
	June 2005	0	0	0.00%
	May 2005	0	0	0.00%
	April 2005	0	0	0.00%
	March 2005	0	0	0.00%
	February 2005	0	0	0.00%
	January 2005	0	0	0.00%
	December 2004	0	0	0.00%
	November 2004	0	0	0.00%
	OP-3E Installation Commitments Met E911 Parity	October 2005	1	1
September 2005		0	0	0.00%
August 2005		2	2	100.00%
July 2005		1	1	100.00%
June 2005		0	0	0.00%
May 2005		6	6	100.00%
April 2005		0	0	0.00%
March 2005		0	0	0.00%
February 2005		0	0	0.00%
January 2005		0	0	0.00%
December 2004		0	0	0.00%
November 2004		1	1	100.00%
OP-4D Installation Interval E911 Parity		October 2005	992	19
	September 2005	421	11	38.27
	August 2005	117	6	19.5
	July 2005	370	17	21.76
	June 2005	206	13	15.85
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	24	2	12
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
	OP-4E Installation Interval E911 Parity	October 2005	770	15
September 2005		120	10	12
August 2005		356	20	17.8
July 2005		43	3	14.33
June 2005		201	19	10.58
May 2005		148	10	14.8
April 2005		0	0	0
March 2005		0	0	0
February 2005		0	0	0
January 2005		0	0	0
December 2004		0	0	0
November 2004		36	3	12
OP-6A-4 Delayed Days for Non-Facility Reasons E911 Parity		October 2005	0	0
	September 2005	0	0	0
	August 2005	19	1	19
	July 2005	0	0	0

	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6A-4 Delayed Days for Non-Facility Reasons PBX Parity	October 2005	1	1	1
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
OP-6B-4 Delayed Days for Facility Reasons E911 Parity	October 2005	18	1	18
	September 2005	0	0	0
	August 2005	0	0	0
	July 2005	0	0	0
	June 2005	0	0	0
	May 2005	0	0	0
	April 2005	0	0	0
	March 2005	0	0	0
	February 2005	0	0	0
	January 2005	0	0	0
	December 2004	0	0	0
	November 2004	0	0	0
PO-16 Timely Release Notifications Benchmark	October 2005	1	1	100.00%
	September 2005	4	4	100.00%
	August 2005	5	5	100.00%
	July 2005	6	6	100.00%
	June 2005	4	4	100.00%
	May 2005	3	3	100.00%
	April 2005	1	1	100.00%
	March 2005	1	1	100.00%
	February 2005	1	2	50.00%
	January 2005	3	3	100.00%
	December 2004	1	1	100.00%
	November 2004	3	3	100.00%
PO-1A-1 Total Pre-Order Response Times (Appt. Scheduler) IMA Aggregate Benchmark	October 2005	4962.72	2532	1.96
	September 2005	5248.88	2678	1.96
	August 2005	5318.1	2799	1.9
	July 2005	4964.46	2559	1.94
	June 2005	6000.93	2691	2.23
	May 2005	4756.35	2571	1.85
	April 2005	4270.08	2224	1.92
	March 2005	4774.14	2526	1.89

	February 2005	4450.58	2306	1.93
	January 2005	5057.58	2607	1.94
	December 2004	4419.36	2376	1.86
	November 2004	4920.16	2674	1.84
PO-1A-1(a) Pre-Order Response Times (Appt. Scheduler) IMA Request Diagnostic	October 2005	253.2	2532	0.1
	September 2005	267.8	2678	0.1
	August 2005	279.9	2799	0.1
	July 2005	255.9	2559	0.1
	June 2005	269.1	2691	0.1
	May 2005	257.1	2571	0.1
	April 2005	222.4	2224	0.1
	March 2005	252.6	2526	0.1
	February 2005	230.6	2306	0.1
	January 2005	260.7	2607	0.1
	December 2004	237.6	2376	0.1
	November 2004	267.4	2674	0.1
PO-1A-1(b,c) Pre-Order Response Times (Appt. Scheduler) IMA Response/Accept Diagnostic	October 2005	4709.52	2532	1.86
	September 2005	4981.08	2678	1.86
	August 2005	5038.2	2799	1.8
	July 2005	4708.56	2559	1.84
	June 2005	5731.83	2691	2.13
	May 2005	4499.25	2571	1.75
	April 2005	4047.68	2224	1.82
	March 2005	4521.54	2526	1.79
	February 2005	4219.98	2306	1.83
	January 2005	4796.88	2607	1.84
	December 2004	4181.76	2376	1.76
	November 2004	4652.76	2674	1.74
PO-1A-10 Total Pre-Order Response Times (Meet Point Inquiry) IMA Aggregate Benchmark	October 2005	1883.74	574	3.28
	September 2005	1925.4	589	3.27
	August 2005	2009.25	612	3.28
	July 2005	2453.51	587	4.18
	June 2005	2433.5	577	4.22
	May 2005	2305.15	553	4.17
	April 2005	1954.55	462	4.23
	March 2005	2460.91	579	4.25
	February 2005	2210.82	522	4.24
	January 2005	2394.06	552	4.34
	December 2004	2181.51	512	4.26
	November 2004	2590.06	616	4.2
PO-1A-10(a) Pre-Order Response Times (Meet Point Inquiry) IMA Request Diagnostic	October 2005	58.78	574	0.1
	September 2005	60.24	589	0.1
	August 2005	62.54	612	0.1
	July 2005	59.83	587	0.1
	June 2005	59.04	577	0.1
	May 2005	56.54	553	0.1
	April 2005	47.02	462	0.1
	March 2005	59.52	579	0.1
	February 2005	53.56	522	0.1
	January 2005	56.42	552	0.1
	December 2004	52.77	512	0.1
	November 2004	63.37	616	0.1

PO-1A-10(b) Pre-Order Response Times (Meet Point Inquiry) IMA Response Diagnostic	October 2005	1824.96	574	3.18
	September 2005	1865.16	589	3.17
	August 2005	1946.71	612	3.18
	July 2005	2393.68	587	4.08
	June 2005	2374.46	577	4.12
	May 2005	2248.61	553	4.07
	April 2005	1907.53	462	4.13
	March 2005	2401.39	579	4.15
	February 2005	2157.26	522	4.13
	January 2005	2337.64	552	4.23
	December 2004	2128.74	513	4.15
November 2004	2526.69	616	4.1	
PO-1A-2 Total Pre-Order Response Times (Service Availability) IMA Aggregate Benchmark	October 2005	16187.91	4820	3.36
	September 2005	17336.23	5156	3.36
	August 2005	18766.02	5351	3.51
	July 2005	16755.08	4915	3.41
	June 2005	16343.06	4968	3.29
	May 2005	19226.59	4868	3.95
	April 2005	15861.14	4168	3.81
	March 2005	19290.26	4933	3.91
	February 2005	17234.2	4367	3.95
	January 2005	19309.17	4869	3.97
	December 2004	17145.87	4368	3.93
November 2004	18857.95	5090	3.7	
PO-1A-3 Total Pre-Order Response Times (Facility Check) IMA Aggregate Benchmark	October 2005	5433.93	1047	5.19
	September 2005	5783.29	1069	5.41
	August 2005	6727.6	1210	5.56
	July 2005	5596.64	1064	5.26
	June 2005	6153	1172	5.25
	May 2005	5569.49	1069	5.21
	April 2005	4708.62	909	5.18
	March 2005	5708.46	1069	5.34
	February 2005	4964.19	921	5.39
	January 2005	6085.05	1077	5.65
	December 2004	5646.89	1003	5.63
November 2004	6458.01	1131	5.71	
PO-1A-4 Total Pre-Order Response Times (Address Validation) IMA Aggregate Benchmark	October 2005	24744.5	6883	3.6
	September 2005	28869.47	8249	3.5
	August 2005	30475.99	8533	3.57
	July 2005	27178.04	7867	3.45
	June 2005	27367.4	7729	3.54
	May 2005	27674.97	7631	3.63
	April 2005	24759.34	6835	3.62
	March 2005	30682.41	8478	3.62
	February 2005	26830.99	7496	3.58
	January 2005	30628.34	8620	3.55
	December 2004	27704.91	7731	3.58
November 2004	32268.89	8960	3.6	
PO-1A-5 Total Pre-Order Response Times (Get CSR) IMA Aggregate Benchmark	October 2005	3461.57	1042	3.32
	September 2005	3678.04	1059	3.47
	August 2005	4307.51	1197	3.6
	July 2005	3605.04	1059	3.4

	June 2005	3858.45	1161	3.32
	May 2005	3524.34	1082	3.26
	April 2005	2943.6	917	3.21
	March 2005	3508.41	1083	3.24
	February 2005	3026.58	922	3.28
	January 2005	3633.59	1105	3.29
	December 2004	3484.66	996	3.5
	November 2004	4034.59	1129	3.57
<hr/>				
PO-1A-5(a) Pre-Order Response Times (Get CSR) IMA Request Diagnostic	October 2005	107.55	1042	0.1
	September 2005	108.37	1059	0.1
	August 2005	121.9	1197	0.1
	July 2005	101.73	1059	0.1
	June 2005	118.74	1161	0.1
	May 2005	109.76	1082	0.1
	April 2005	93.33	917	0.1
	March 2005	110.44	1083	0.1
	February 2005	94.04	922	0.1
	January 2005	112.83	1105	0.1
	December 2004	101.53	996	0.1
	November 2004	115.37	1129	0.1
<hr/>				
PO-1A-5(b) Pre-Order Response Times (Get CSR) IMA Response Diagnostic	October 2005	3354.02	1042	3.22
	September 2005	3569.67	1059	3.37
	August 2005	4185.61	1197	3.5
	July 2005	3503.31	1059	3.31
	June 2005	3739.71	1161	3.22
	May 2005	3414.58	1082	3.16
	April 2005	2850.27	917	3.11
	March 2005	3397.97	1083	3.14
	February 2005	2932.54	922	3.18
	January 2005	3520.76	1105	3.19
	December 2004	3383.13	996	3.4
	November 2004	3919.22	1129	3.47
<hr/>				
PO-1A-6 Total Pre-Order Response Times (TN Reservation) IMA Aggregate Benchmark	October 2005	5571.92	1631	3.42
	September 2005	5799.37	1706	3.4
	August 2005	6316.08	1887	3.35
	July 2005	5612.51	1647	3.41
	June 2005	8748.59	1762	4.97
	May 2005	6330.81	1661	3.81
	April 2005	5537.5	1454	3.81
	March 2005	6974.84	1692	4.12
	February 2005	5846.11	1472	3.97
	January 2005	6652.96	1709	3.89
	December 2004	5939.38	1553	3.82
	November 2004	6958.72	1767	3.94
<hr/>				
PO-1A-6(a) Pre-Order Response Times (TN Reservation) IMA Request Diagnostic	October 2005	159.67	1631	0.1
	September 2005	169.99	1706	0.1
	August 2005	188.65	1887	0.1
	July 2005	164	1647	0.1
	June 2005	195.76	1762	0.11
	May 2005	182.61	1661	0.11
	April 2005	162.7	1454	0.11
	March 2005	187.73	1692	0.11

	February 2005	164.04	1472	0.11
	January 2005	190.37	1709	0.11
	December 2004	172.48	1553	0.11
	November 2004	197.09	1767	0.11
PO-1A-6(b) Pre-Order Response Times (TN Reservation) IMA Response Diagnostic	October 2005	4408.95	1631	2.7
	September 2005	4620.48	1706	2.71
	August 2005	5029.95	1887	2.67
	July 2005	4462.41	1647	2.71
	June 2005	7282.71	1762	4.13
	May 2005	5059.9	1661	3.05
	April 2005	4422.26	1454	3.04
	March 2005	5624.29	1692	3.32
	February 2005	4674.36	1472	3.18
	January 2005	5301.31	1709	3.1
	December 2004	4725.63	1553	3.04
	November 2004	5569.48	1767	3.15
PO-1A-6(c) Pre-Order Response Times (TN Reservation) IMA Accept Diagnostic	October 2005	1003.3	1631	0.62
	September 2005	1008.9	1706	0.59
	August 2005	1097.48	1887	0.58
	July 2005	986.1	1647	0.6
	June 2005	1270.12	1762	0.72
	May 2005	1088.3	1661	0.66
	April 2005	952.54	1454	0.66
	March 2005	1162.82	1692	0.69
	February 2005	1007.71	1472	0.68
	January 2005	1161.28	1709	0.68
	December 2004	1041.27	1553	0.67
	November 2004	1192.15	1767	0.67
PO-1A-7 Total Pre-Order Response Times (Loop Qualification Tools) IMA Aggregate Benchmark	October 2005	38980.3	6400	6.09
	September 2005	51693.89	6806	7.6
	August 2005	44586.26	7148	6.24
	July 2005	39656.02	6506	6.1
	June 2005	42108.39	6458	6.52
	May 2005	40693.68	6324	6.43
	April 2005	39988.81	5700	7.02
	March 2005	42733.64	6812	6.27
	February 2005	46567.26	5940	7.84
	January 2005	52845.38	6650	7.95
	December 2004	45550.48	5931	7.68
	November 2004	55205.73	7108	7.77
PO-1A-7(a) Pre-Order Response Times (Loop Qualification Tools) IMA Request Diagnostic	October 2005	1279.4	6400	0.2
	September 2005	1355.94	6806	0.2
	August 2005	1420.79	7148	0.2
	July 2005	1290.27	6506	0.2
	June 2005	1163.7	6458	0.18
	May 2005	1135.77	6324	0.18
	April 2005	1026.06	5700	0.18
	March 2005	1221.55	6812	0.18
	February 2005	1066.99	5940	0.18
	January 2005	1231.27	6650	0.19
	December 2004	1096.31	5931	0.18
	November 2004	1315.45	7108	0.19

PO-1A-7(b) Pre-Order Response Times (Loop Qualification Tools) IMA Response Diagnostic	October 2005	37700.9	6400	5.89
	September 2005	50337.95	6806	7.4
	August 2005	43165.47	7148	6.04
	July 2005	38365.75	6506	5.9
	June 2005	40944.69	6458	6.34
	May 2005	39557.91	6324	6.26
	April 2005	38962.75	5700	6.84
	March 2005	41512.09	6812	6.09
	February 2005	45500.27	5940	7.66
	January 2005	51614.11	6650	7.76
	December 2004	44454.17	5931	7.5
November 2004	53890.28	7108	7.58	
PO-1A-8 Total Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Aggregate Benchmark	October 2005	3414.78	549	6.22
	September 2005	3771.48	593	6.36
	August 2005	4089.3	634	6.45
	July 2005	3326.05	559	5.95
	June 2005	2818.61	541	5.21
	May 2005	2890.83	557	5.19
	April 2005	2817.85	485	5.81
	March 2005	5324.49	603	8.83
	February 2005	3815.28	504	7.57
	January 2005	6164.41	581	10.61
	December 2004	4147.92	504	8.23
November 2004	4944	600	8.24	
PO-1A-8(a) Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Request Diagnostic	October 2005	60.39	549	0.11
	September 2005	65.23	593	0.11
	August 2005	69.74	634	0.11
	July 2005	61.49	559	0.11
	June 2005	59.51	541	0.11
	May 2005	61.27	557	0.11
	April 2005	53.35	485	0.11
	March 2005	66.33	603	0.11
	February 2005	55.44	504	0.11
	January 2005	63.91	581	0.11
	December 2004	55.44	504	0.11
November 2004	66	600	0.11	
PO-1A-8(b) Pre-Order Response Times (Resale of Qwest DSL Qualification) IMA Response Diagnostic	October 2005	3354.39	549	6.11
	September 2005	3706.25	593	6.25
	August 2005	4019.56	634	6.34
	July 2005	3264.56	559	5.84
	June 2005	2759.1	541	5.1
	May 2005	2829.56	557	5.08
	April 2005	2764.5	485	5.7
	March 2005	5258.16	603	8.72
	February 2005	3759.84	504	7.46
	January 2005	6100.5	581	10.5
	December 2004	4092.48	504	8.12
November 2004	4878	600	8.13	
PO-1A-9 Total Pre-Order Response Times (Connecting Facility Assignment) IMA Aggregate Benchmark	October 2005	4442.65	744	5.97
	September 2005	5101.07	847	6.02
	August 2005	5053.17	779	6.49
	July 2005	4858.85	778	6.25

	June 2005	5175.83	786	6.59
	May 2005	5704.3	772	7.39
	April 2005	4420.12	643	6.87
	March 2005	5459.33	772	7.07
	February 2005	5308.04	711	7.47
	January 2005	5955.02	760	7.84
	December 2004	5095.19	711	7.17
	November 2004	5658.56	774	7.31
PO-1A-9(a) Pre-Order Response Times (Connecting Facility Assignment) IMA Request Diagnostic	October 2005	74.97	744	0.1
	September 2005	85.73	847	0.1
	August 2005	79.09	779	0.1
	July 2005	78.7	778	0.1
	June 2005	79.63	786	0.1
	May 2005	78.47	772	0.1
	April 2005	65.36	643	0.1
	March 2005	78.99	772	0.1
	February 2005	72.26	711	0.1
	January 2005	77.11	760	0.1
	December 2004	72.24	711	0.1
	November 2004	78.51	774	0.1
	PO-1A-9(b) Pre-Order Response Times (Connecting Facility Assignment) IMA Response Diagnostic	October 2005	4367.68	744
September 2005		5015.34	847	5.92
August 2005		4974.08	779	6.39
July 2005		4780.15	778	6.14
June 2005		5096.2	786	6.48
May 2005		5625.83	772	7.29
April 2005		4354.76	643	6.77
March 2005		5380.34	772	6.97
February 2005		5235.78	711	7.36
January 2005		5877.91	760	7.73
December 2004		5022.95	711	7.06
November 2004		5580.05	774	7.21
PO-1B-1 Pre-Order Response Times (Appt. Scheduler) EDI Request/Response Benchmark		October 2005	17155.46	3962
	September 2005	16847.43	3769	4.47
	August 2005	15813.06	3774	4.19
	July 2005	15776	3712	4.25
	June 2005	20820.66	3899	5.34
	May 2005	17922.34	4247	4.22
	April 2005	18258.38	4207	4.34
	March 2005	17004.12	3918	4.34
	February 2005	15016.5	3550	4.23
	January 2005	14963.57	3827	3.91
	December 2004	16470.89	3931	4.19
	November 2004	16111.13	3901	4.13
	PO-1B-10 Pre-Order Response Times (Meet Point Inquiry) EDI Request/Response Benchmark	October 2005	4769.6	1209
September 2005		3433.76	871	3.94
August 2005		2768.26	713	3.88
July 2005		3706.04	755	4.91
June 2005		4269.97	816	5.23
May 2005		3604.72	778	4.63
April 2005		2905.81	548	5.3
March 2005	2417.68	494	4.89	

	February 2005	2130.54	442	4.82
	January 2005	2164.94	474	4.57
	December 2004	2306.8	495	4.66
	November 2004	2244.71	479	4.69
PO-1B-2 Pre-Order Response Times (Service Availability) EDI Request/Response Benchmark	October 2005	25955.97	5653	4.59
	September 2005	24191.81	5156	4.69
	August 2005	24546.12	5007	4.9
	July 2005	24183.52	4961	4.87
	June 2005	25899.35	5214	4.97
	May 2005	26742.95	5268	5.08
	April 2005	22168.43	4351	5.1
	March 2005	22006.26	4376	5.03
	February 2005	19862.58	3951	5.03
	January 2005	21604.04	4268	5.06
	December 2004	21619.99	4286	5.04
	November 2004	21417.76	4230	5.06
PO-1B-3 Pre-Order Response Times (Facility Check) EDI Request/Response Benchmark	October 2005	4455.24	822	5.42
	September 2005	3917.06	686	5.71
	August 2005	3162.74	574	5.51
	July 2005	3602.2	581	6.2
	June 2005	3432	600	5.72
	May 2005	2907.59	569	5.11
	April 2005	1659	316	5.25
	March 2005	1235.22	238	5.19
	February 2005	1178.31	217	5.43
	January 2005	1233.18	234	5.27
	December 2004	1343.1	242	5.55
	November 2004	1332.8	238	5.6
PO-1B-4 Pre-Order Response Times (Address Validation) EDI Request/Response Benchmark	October 2005	21942.1	7171	3.06
	September 2005	18744.04	6265	2.99
	August 2005	17697.06	6017	2.94
	July 2005	18809.77	6125	3.07
	June 2005	20823.37	6385	3.26
	May 2005	19331.23	6551	2.95
	April 2005	17616.42	5738	3.07
	March 2005	18297.07	6120	2.99
	February 2005	16749.93	5491	3.05
	January 2005	17520.63	5806	3.02
	December 2004	20399.14	5987	3.41
	November 2004	18722.33	5808	3.22
PO-1B-5 Pre-Order Response Times (Get CSR) EDI Request/Response Benchmark	October 2005	8170.18	2101	3.89
	September 2005	6010.78	1539	3.91
	August 2005	4962.96	1180	4.21
	July 2005	5170.94	1248	4.14
	June 2005	5154.6	1306	3.95
	May 2005	4614.67	1276	3.62
	April 2005	3417.65	976	3.5
	March 2005	3426.4	988	3.47
	February 2005	3225.57	881	3.66
	January 2005	3361.74	951	3.53
	December 2004	3560.24	981	3.63
	November 2004	3456.41	956	3.62

PO-1B-6 Pre-Order Response Times (TN Reservation) EDI Request/Response Benchmark	October 2005	6018.06	1998	3.01
	September 2005	5722.23	1888	3.03
	August 2005	5981.04	1962	3.05
	July 2005	5877.81	1887	3.11
	June 2005	9008.88	1971	4.57
	May 2005	7429.7	2143	3.47
	April 2005	7622.34	2150	3.55
	March 2005	6828.9	1916	3.56
	February 2005	5874.86	1745	3.37
	January 2005	6341.9	1930	3.29
	December 2004	6917.93	1944	3.56
November 2004	6594.61	1934	3.41	
PO-1B-7 Pre-Order Response Times (Loop Qualification Tools) EDI Request/Response Benchmark	October 2005	27009.87	3959	6.82
	September 2005	34994.48	4779	7.32
	August 2005	42421.97	6130	6.92
	July 2005	18612.79	2646	7.03
	June 2005	23075.72	2738	8.43
	May 2005	21036.09	2689	7.82
	April 2005	24245.39	3138	7.73
	March 2005	54932.83	7335	7.49
	February 2005	58590.94	6482	9.04
	January 2005	60665.05	6820	8.9
	December 2004	66033.29	7317	9.02
November 2004	63942.81	7071	9.04	
PO-1B-8 Pre-Order Response Times (Resale of Qwest DSL Qualification) EDI Request/Response Benchmark	October 2005	11472.9	1374	8.35
	September 2005	7707.18	1066	7.23
	August 2005	6307.85	905	6.97
	July 2005	6390.34	937	6.82
	June 2005	6850.83	969	7.07
	May 2005	5586	950	5.88
	April 2005	4281.98	617	6.94
	March 2005	4619.41	493	9.37
	February 2005	3991.56	444	8.99
	January 2005	4869.48	476	10.23
	December 2004	4393.56	492	8.93
November 2004	4464.52	478	9.34	
PO-1B-9 Pre-Order Response Times (Connecting Facility Assignment) EDI Request/Response Benchmark	October 2005	9950.1	1355	7.34
	September 2005	8150.2	1092	7.46
	August 2005	6166.87	785	7.86
	July 2005	6989.82	927	7.54
	June 2005	8270.76	984	8.41
	May 2005	8442.43	1011	8.35
	April 2005	6926.73	760	9.11
	March 2005	3976.19	491	8.1
	February 2005	3740.17	437	8.56
	January 2005	3775.29	471	8.02
	December 2004	4514.51	489	9.23
November 2004	4083.63	476	8.58	
PO-1C-1 Pre-Order Response Times (Timeout) IMA Total Benchmark	October 2005	64	26286	0.0024
	September 2005	45	28797	0.0016
	August 2005	50	30200	0.0017
	July 2005	131	27672	0.0047

	June 2005	76	27921	0.0027
	May 2005	35	27123	0.0013
	April 2005	17	23814	0.0007
	March 2005	21	28568	0.0007
	February 2005	17	25178	0.0007
	January 2005	31	28561	0.0011
	December 2004	107	25792	0.0042
	November 2004	6	29855	0.0002
PO-1C-2 Pre-Order Response Times	October 2005	37	29641	0.0013
(Timeout) EDI Total Benchmark	September 2005	4	27115	0.0002
	August 2005	2	27049	0.0001
	July 2005	15	23794	0.0006
	June 2005	40	24922	0.0016
	May 2005	5	25487	0.0002
	April 2005	9	22810	0.0004
	March 2005	9	26378	0.0003
	February 2005	12	23652	0.0005
	January 2005	18	25275	0.0007
	December 2004	107	26271	0.0041
	November 2004	66	25637	0.0026
PO-1D-1 Pre-Order Response Times	October 2005	2223.5	4447	0.5
(Rejected Query) IMA Total Diagnostic	September 2005	4512	9024	0.5
	August 2005	4341	8682	0.5
	July 2005	4293.5	8587	0.5
	June 2005	3784.5	7569	0.5
	May 2005	3823.96	7804	0.49
	April 2005	3415.47	6697	0.51
	March 2005	3855.5	7711	0.5
	February 2005	3255.56	6644	0.49
	January 2005	4117	8234	0.5
	December 2004	3956.5	7913	0.5
	November 2004	5064.64	9044	0.56
PO-1D-2 Pre-Order Response Times	October 2005	16182.14	7423	2.18
(Rejected Query) EDI Total Diagnostic	September 2005	13912.8	6324	2.2
	August 2005	13977.12	6296	2.22
	July 2005	15086.79	7083	2.13
	June 2005	18007.22	7441	2.42
	May 2005	15460.48	7616	2.03
	April 2005	14914.35	7205	2.07
	March 2005	18591.04	8528	2.18
	February 2005	16602.88	7616	2.18
	January 2005	17161.2	8172	2.1
	December 2004	20071.8	8505	2.36
	November 2004	18154.4	8252	2.2
	October 2005			
	September 2005			
	August 2005			
	July 2005			
	June 2005			
	May 2005			
	April 2005			
	March 2005			

February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005

June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005

February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005

June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005

February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005

June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005

February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005

June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005

February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

October 2005
September 2005
August 2005
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004

Standard Deviation	Qwest Numerator	Qwest Denominator	Q Result	Modified Z	Parity
0.79	13193415	4755279	18:28	-736.85	-448.98
0.8	15707932	5359442	22:19	-819.09	-498.97
0.77	16574871	6096135	17:16	-839.38	-511.30
0.76	16046575	7746236	19:40	-826.53	-503.50
1.02	18036172	5692031	19:26	-871.95	-531.11
0.64	15473140	6427183	17:31	-866.48	-527.78
0.82	21266998	5665941	7:12	-868.37	-528.93
0.84	25606179	6441867	11:16	-978.07	-595.62
0.8	19818671	7388506	5:02	-777.88	-473.92
41.46	23774729	6176426	11:45	6610.12	4017.67
1.01	26400929	6808773	9:50	-967.11	-588.96
0.92	23808403	7082972	8:38	-841.06	-512.33
0.0057	0	0	0:00	0.00	-0.16
0.0035	0	0	0:00	0.00	-0.16
0.0005	0	0	0:00	0.00	-0.16
0.0008	0	0	0:00	0.00	-0.16
0.0012	0	0	0:00	0.00	-0.16
0.0027	0	0	0:00	0.00	-0.16
0.0011	0	0	0:00	0.00	-0.16
0.0025	0	0	0:00	0.00	-0.16
0	0	0	0:00	0.00	-0.16
0	0	0	0:00	0.00	-0.16
0.0027	0	0	0:00	0.00	-0.16
0	0	0	0:00	0.00	-0.16
0.71	13193415	4755279	18:28	-213.10	-130.56
0.79	15707932	5359442	22:19	-242.37	-148.35
0.71	16574871	6096135	17:16	-244.65	-149.74
0.78	16046575	7746236	19:40	-243.76	-149.19
0.79	18036172	5692031	19:26	-255.84	-156.54
0.72	15473140	6427183	17:31	-267.97	-163.92
0.81	21266998	5665941	7:12	-737.46	-449.34
0.82	25606179	6441867	11:16	-837.78	-510.34
0.79	19818671	7388506	5:02	-654.58	-398.95
53.93	23774729	6176426	11:45	12517.13	7608.87
0.92	26400929	6808773	9:50	-830.95	-506.18
0.78	23808403	7082972	8:38	-734.86	-447.76
0.79	13193415	4755279	18:28	-740.91	-451.44
0.8	15707932	5359442	22:19	-823.68	-501.76
0.77	16574871	6096135	17:16	-844.37	-514.34
0.75	16046575	7746236	19:40	-831.97	-506.80
1.02	18036172	5692031	19:26	-876.91	-534.12
0.63	15473140	6427183	17:31	-872.56	-531.48
0.79	21266998	5665941	7:12	-906.44	-552.08
0.83	25606179	6441867	11:16	-1009.69	-614.84

0.77	19818671	7388506	5:02	-815.49	-496.79
1.1	23774729	6176426	11:45	-941.26	-573.24
1.08	26400929	6808773	9:50	-989.91	-602.82
1.03	23808403	7082972	8:38	-851.22	-518.51
0.0046	74681845	75085672	99.46%	-171.01	-104.97
0.0674	75657840	76328219	99.12%	-106.42	-65.70
0.0404	76153208	76717272	99.26%	-161.94	-99.45
0.0134	77125030	79403348	99.31%	-191.11	-117.19
0.0486	80816186	77661037	99.12%	-175.27	-107.56
0.013	79610225	81532574	99.34%	-204.44	-125.29
0.4114	79484901	80136688	99.46%	7026.49	4270.81
0.4176	79018695	79913969	98.83%	4585.74	2786.93
0.0353	78803570	79952333	98.77%	-234.40	-143.51
0.1226	78671496	79784446	98.89%	100.01	59.80
0.4157	78882398	79556521	99.34%	7455.05	4531.35
0.0927	80189840	81007257	98.99%	-32.94	-21.03
0.0191	170237	171310	99.37%	-11.95	-8.26
0.0374	157027	158078	99.34%	-10.56	-7.42
0.0258	172247	173518	99.27%	-15.16	-10.22
0.0693	172381	168369	99.40%	-2.58	-2.57
0.0576	165315	173421	99.48%	-4.13	-3.51
0	167952	166174	99.41%	-6.01	-4.65
0.056	174786	168942	99.47%	-4.89	-3.98
0.0454	165516	175721	99.21%	-10.73	-7.52
0.0313	170002	166836	99.30%	-11.79	-8.17
0.0706	172856	171202	99.09%	-6.51	-4.96
0.0673	167321	174446	99.38%	-3.46	-3.10
0.0362	181393	182220	99.55%	-8.29	-6.04
0.1278	0	0	0.00%	0.00	-0.11
0.1321	0	0	0.00%	0.00	-0.10
0.078	0	0	0.00%	0.00	-0.14
0.0718	0	0	0.00%	0.00	-0.14
0.2705	0	0	0.00%	0.00	0.09
0.1576	0	0	0.00%	0.00	-0.08
0.2108	0	0	0.00%	0.00	-0.01
0.1173	0	0	0.00%	0.00	-0.11
0.2822	0	0	0.00%	0.00	0.12
0	0	0	0.00%	0.00	-0.16
0.0971	0	0	0.00%	0.00	-0.13
0	0	0	0.00%	0.00	-0.16
0.2473	0	0	0.00%	0.00	0.05
0.1313	0	0	0.00%	0.00	-0.10
0.3158	0	0	0.00%	0.00	0.20
0.2043	0	0	0.00%	0.00	-0.02
0.1702	0	0	0.00%	0.00	-0.06
0.2869	0	0	0.00%	0.00	0.13
0.1704	0	0	0.00%	0.00	-0.06
0	0	0	0.00%	0.00	-0.16
0.1461	0	0	0.00%	0.00	-0.09
0.0727	0	0	0.00%	0.00	-0.14
0.2907	0	0	0.00%	0.00	0.14
0.0724	0	0	0.00%	0.00	-0.14

0	0	0	0	0.00	0.00
0	0	0	0	0.00	-0.33
0	0	0	0	0.00	-0.33
0	0	0	0	0.00	-0.33
0	0	0	0	0.00	-0.33
0	0	0	0	0.00	-0.33
0	0	0	0	0.00	-0.33
0	0	0	0	0.00	-0.33
0.71	0	0	0	0.00	-0.10
1.53	0	0	0	0.00	-0.50
0.48	0	0	0	0.00	-0.51
1.36	0	0	0	0.00	-0.34
0.71	0	0	0	0.00	-0.15
0.87	0	0	0	0.00	-0.17
1.28	0	0	0	0.00	-0.55
0	0	0	0	0.00	0.00
0.38	0	0	0	0.00	-0.26
0.82	0	0	0	0.00	-0.14
1.5	0	0	0	0.00	-0.68
2.24	0	0	0	0.00	-0.30
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	8	1	7.98	0.00	0.00
0	8	1	7.82	0.00	0.00
0	8	1	7.7	0.00	0.00
0	8	1	8.1	0.00	0.00
0	8	1	8.2	0.00	0.00
0	7	1	7.1	0.00	0.00
0	8	1	7.51	0.00	0.00
0	8	1	7.7	0.00	0.00
0	7	1	7.12	0.00	0.00
0	8	1	7.81	0.00	0.00
0	7	1	6.98	0.00	0.00
0	7	1	7.12	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.038194444	0	0	0:00	0.00	0.00
0.036111111	0	0	0:00	0.00	0.00

0.010416667	0	0	0:00	0.00	0.00
0.080555556	0	0	0:00	0.00	0.00
0.011805556	0	0	0:00	0.00	0.00
0.009722222	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.17	0	0	0:00	0.00	0.00
0.22	0	0	0:00	0.00	0.00
0.29	0	0	0:00	0.00	0.00
0.29	0	0	0:00	0.00	0.00
0.28	0	0	0:00	0.00	0.00
0.27	0	0	0:00	0.00	0.00
0.44	0	0	0:00	0.00	0.00
0.44	0	0	0:00	0.00	0.00
0.43	0	0	0:00	0.00	0.00
0.42	0	0	0:00	0.00	0.00
0.42	0	0	0:00	0.00	0.00
0.42	0	0	0:00	0.00	0.00
0.41	0	0	0:00	0.00	0.00
0.45	0	0	0:00	0.00	0.00
0.47	0	0	0:00	0.00	0.00
0.4	0	0	0:00	0.00	0.00
0.39	0	0	0:00	0.00	0.00
0.39	0	0	0:00	0.00	0.00
0.1271	0	0	0%	0.00	0.00
0.1261	0	0	0%	0.00	0.00
0.1393	0	0	0%	0.00	0.00
0.1114	0	0	0%	0.00	0.00
0.1276	0	0	0%	0.00	0.00
0.1347	0	0	0%	0.00	0.00
0.1346	0	0	0%	0.00	0.00
0.1301	0	0	0%	0.00	0.00
0.1267	0	0	0%	0.00	0.00
0.1254	0	0	0%	0.00	0.00
0.119	0	0	0%	0.00	0.00
0.119	0	0	0%	0.00	0.00
0.4	1320	3441	38.36%	-1.19	-1.72
0.433	1222	3082	39.65%	2.04	0.17
0.4969	1363	3516	38.77%	0.35	-0.79
0.4899	1177	3228	36.15%	0.25	-0.84
0.4899	1334	3256	39.19%	0.06	-0.95
0.3499	1322	3404	39.16%	-1.90	-2.16
0.4989	1188	3376	39.04%	0.60	-0.64
0.467	1203	3043	38.24%	-0.66	-1.40
0.493	1084	3146	40.64%	0.10	-0.93
0.4714	1335	2667	38.63%	-0.53	-1.32
0.4684	1248	3456	38.66%	-0.80	-1.48
0.4714	1293	3201	40.39%	-0.78	-1.48

0.5	32	136	23.53%	0.88	-0.57
0	48	143	33.57%	1.40	-0.41
0	48	153	31.37%	-1.16	-1.71
0	0	0	0.00%	0.00	0.00
0	58	0	33.72%	-0.71	-1.43
0	43	172	28.86%	-0.63	-1.39
0	54	149	34.18%	1.38	-0.42
0	51	158	32.90%	-0.98	-1.60
0	0	155	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	44	150	29.33%	0.00	0.00
0.433	84	227	37.00%	1.56	-0.14
0.4518	88	239	36.82%	-0.45	-1.27
0.4714	77	252	30.56%	0.15	-0.90
0.4518	89	240	35.46%	-0.38	-1.23
0.4899	112	251	42.26%	-0.10	-1.06
0.433	96	265	38.25%	-0.54	-1.33
0	86	251	32.82%	-0.98	-1.60
0.4969	106	262	36.68%	0.48	-0.72
0.4714	76	289	33.48%	-0.01	-1.00
0.4841	83	227	29.86%	1.99	0.11
0.5	93	278	38.75%	0.56	-0.68
0.4714	112	322	34.78%	-0.05	-1.03
0	0	0	0.00%	0.00	0.00
0	205	453	45.25%	-0.91	-1.55
0	0	0	0.00%	0.00	0.00
0	0	439	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	188	0	33.75%	-0.71	-1.43
0.5	244	557	42.66%	0.21	-0.90
0	214	572	39.56%	1.23	-0.48
0	212	541	48.18%	1.04	-0.57
0	0	440	0.00%	0.00	0.00
0	180	0	41.00%	-1.44	-1.87
0	175	410	42.68%	1.63	-0.18
0.4714	93	342	27.19%	0.24	-0.86
0	100	348	28.74%	-1.10	-1.67
0	91	365	24.93%	-0.58	-1.35
0	85	336	24.57%	-0.57	-1.35
0	100	346	29.85%	-0.92	-1.56
0	0	335	0.00%	0.00	0.00
0.3143	93	0	28.62%	-1.15	-1.70
0	82	325	23.70%	-0.56	-1.34
0	73	346	24.01%	-0.56	-1.34
0	0	304	0.00%	0.00	0.00
0.5	71	0	21.13%	1.00	-0.52
0	46	329	13.98%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	1	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0.4714	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1	0	100.00%	0.00	0.00
0	1	5	20.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	42	0	56.76%	-1.60	-1.97
0	0	74	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	26	56	46.43%	0.00	0.00
0.5	36	67	53.73%	-0.35	-1.21
0.4937	8	13	61.54%	-1.11	-1.67
0.4658	11	27	40.74%	-0.63	-1.38
0.4997	7	9	70.00%	-1.29	-1.78
0.4852	16	10	50.00%	0.94	-0.44
0.4856	0	32	0.00%	0.00	1.41
0.4985	5	15	50.00%	0.18	-0.93
0.4957	8	10	47.06%	0.59	-0.67
0.4191	1	17	10.00%	5.88	1.18
0.481	7	10	53.85%	-1.00	-1.61
0.4714	2	13	22.22%	0.61	-0.73
0.4989	9	13	69.23%	-1.29	-1.78
0.4714	34	102	33.33%	0.00	-1.00
0	43	94	45.74%	-1.28	-1.78
0.5	37	113	32.74%	0.52	-0.75
0.5	34	93	40.96%	0.43	-0.76
0.4714	50	83	38.46%	0.99	-0.47
0.433	37	130	44.05%	-0.75	-1.46
0	35	84	40.23%	1.70	-0.13
0	42	87	43.30%	-0.87	-1.53
0	32	97	35.96%	-0.75	-1.45
0.4714	33	89	32.67%	1.24	-0.35
0	37	101	39.78%	-0.81	-1.49
0	43	123	34.96%	1.36	-0.43
0.4714	15294	21133	72.37%	-4.00	-3.43
0.4635	14218	19175	74.15%	-0.49	-1.30
0.4213	14789	20575	71.88%	0.40	-0.79
0.4997	12784	15964	72.91%	-2.46	-2.50
0.3884	12863	17534	72.74%	1.02	-0.39
0.4747	13093	17684	71.77%	-0.80	-1.48
0.467	12837	18242	72.15%	-0.51	-1.31
0.4899	14342	17793	78.61%	-2.27	-2.38

0.4792	14073	18245	87.48%	-2.62	-2.59
0.5	14150	16088	85.38%	-4.70	-3.85
0.4949	13312	16572	83.39%	-2.88	-2.75
0.4969	11967	14224	84.13%	-3.32	-3.02
0.4889	9885	26357	37.50%	0.52	-0.68
0.492	7759	22303	34.79%	1.59	-0.04
0.48	8818	25927	34.01%	0.51	-0.69
0.4998	8662	26915	33.24%	3.55	1.10
0.499	8570	26062	34.52%	3.12	0.86
0.5	9075	24823	36.58%	3.05	0.82
0.4911	8067	24811	37.07%	0.73	-0.55
0.4922	8548	21759	35.44%	1.38	-0.17
0.4963	7614	24121	38.67%	1.03	-0.37
0.4999	11191	19688	40.33%	2.06	0.24
0.4975	10423	27749	38.73%	1.36	-0.18
0.4895	9855	25188	39.13%	0.15	-0.91
0.4157	2	3	66.67%	0.35	-0.86
0	2	5	40.00%	-0.75	-1.45
0	3	11	27.27%	-0.59	-1.36
0	0	9	0.00%	0.00	0.00
0.5	1	0	14.29%	1.97	-0.19
0.4714	4	7	44.44%	0.67	-0.71
0.4899	3	9	27.27%	0.53	-0.75
0.5	3	11	37.50%	0.52	-0.85
0	5	8	55.56%	-1.43	-1.87
0	3	9	37.50%	1.22	-0.53
0.5	5	8	55.56%	-0.14	-1.09
0.4	2	12	16.67%	0.17	-0.95
0	93	342	27.19%	2.31	0.10
0	0	0	0.00%	0.00	0.00
0	91	365	24.93%	-1.28	-1.78
0	85	336	24.57%	-0.57	-1.35
0	0	346	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	82	0	23.70%	1.79	-0.28
0	0	346	0.00%	0.00	0.00
0	89	0	24.18%	1.77	-0.29
0	71	368	21.13%	-0.52	-1.31
0	46	329	13.98%	0.00	0.00
0.4777	42	93	45.16%	-1.34	-1.82
0.4783	31	105	29.52%	0.74	-0.56
0.4798	43	135	31.85%	0.58	-0.66
0.4841	40	130	40.82%	-0.25	-1.15
0.4714	30	98	30.30%	0.24	-0.86
0.4885	36	99	36.36%	0.38	-0.78
0.4785	62	99	43.66%	-1.08	-1.66
0.4831	32	142	31.68%	0.72	-0.57
0.4821	39	101	32.23%	0.57	-0.66
0.4648	43	121	41.75%	-1.25	-1.76
0.4653	32	103	24.62%	1.17	-0.32
0.4967	33	106	31.13%	1.76	0.02

0	93	342	27.19%	1.63	-0.33
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	85	336	24.57%	-0.57	-1.35
0	0	346	0.00%	0.00	0.00
0	99	0	27.20%	-0.61	-1.37
0	0	364	0.00%	0.00	0.00
0	82	0	23.70%	-0.79	-1.48
0	73	346	24.01%	-0.56	-1.34
0	0	304	0.00%	0.00	0.00
0	71	0	21.13%	-0.52	-1.31
0	46	329	13.98%	0.00	0.00
0.4899	15294	21133	72.37%	-0.62	-1.38
0	14218	19175	74.15%	-1.69	-2.03
0.5	14789	20575	71.88%	-0.69	-1.42
0	0	15965	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	13093	0	71.77%	0.63	-0.78
0	12837	18242	72.15%	-2.28	-2.38
0	14342	17793	78.61%	-3.83	-3.33
0	14073	18245	87.48%	0.38	-0.91
0.5	14151	16088	85.38%	-1.42	-1.86
0	13313	16574	83.39%	-2.24	-2.36
0	11972	14231	84.13%	0.61	-0.77
0.3559	93	342	27.19%	-2.94	-2.79
0.3874	100	348	28.74%	-1.91	-2.16
0.422	91	365	24.93%	-0.42	-1.25
0.3714	85	336	24.57%	-1.74	-2.06
0.3549	100	346	29.85%	-3.05	-2.85
0.4022	99	335	27.20%	-1.55	-1.94
0.3898	93	364	28.62%	-1.97	-2.20
0.4096	82	325	23.70%	-0.55	-1.34
0.4542	73	346	24.01%	1.15	-0.32
0.3895	89	304	24.18%	-1.22	-1.74
0.3608	71	368	21.13%	-1.25	-1.76
0.3646	46	329	13.98%	0.48	-0.71
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	4	0	44.44%	-0.85	-1.52
0	0	9	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	12	16.67%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0.433	3	5	60.00%	-1.07	-1.65
0.3143	0	3	0.00%	0.00	-0.88
0.4919	1	5	33.33%	0.91	-0.55

0	0	0	0.00%	0.00	0.00
0	83	0	29.86%	-0.92	-1.56
0.4841	93	278	38.75%	-0.10	-1.06
0	112	322	34.78%	-1.77	-2.08
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	209	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4917	66	0	31.58%	0.90	-0.47
0.4994	60	209	28.71%	2.41	0.38
0.4878	44	150	29.33%	1.21	-0.29
0.2739	356513	433660	82.21%	-26.88	0.00
0.3519	361765	437850	82.62%	-8.67	0.00
0.3415	452379	559751	80.82%	-17.83	0.00
0.3674	364192	418959	81.99%	-5.80	0.00
0.3449	374120	444187	81.83%	-13.43	0.00
0.301	336733	457190	82.45%	-21.41	0.00
0.3092	317198	408419	82.11%	-20.32	0.00
0.2892	315383	386322	81.68%	-25.36	0.00
0.2738	302532	386135	81.34%	-27.61	0.00
0.2721	359961	371933	83.18%	-24.54	0.00
0.3161	360438	432733	86.03%	-8.24	0.00
0.3708	361912	448953	80.61%	-10.61	0.00
0	937	1105	84.80%	-0.73	-1.45
0	0	0	0.00%	0.00	0.00
0	847	1039	81.52%	-0.82	-1.50
0	881	978	85.37%	-0.58	-1.36
0	859	1032	86.94%	-0.77	-1.47
0.4518	888	988	84.41%	0.94	-0.47
0	848	1052	89.17%	-0.70	-1.42
0.4157	895	951	91.70%	1.51	-0.22
0.3499	683	976	92.05%	0.62	-0.64
0.3727	917	742	84.83%	0.10	-0.90
0.3608	839	1081	85.79%	0.12	-0.89
0.3	785	896	87.61%	-0.23	-1.14
0	56	60	93.33%	-0.27	-1.16
0	0	0	0.00%	0.00	0.00
0.5	39	41	95.12%	2.89	-0.07
0	0	0	0.00%	0.00	0.00
0	47	0	85.45%	-0.41	-1.25
0	43	55	86.00%	2.45	-0.12
0	0	50	0.00%	0.00	0.00
0.5	45	0	97.83%	4.54	0.10
0	0	46	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	57	59	96.61%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	64	72	88.89%	-0.35	-1.21
0.4714	62	80	77.50%	0.44	-0.76
0	78	73	84.78%	-0.59	-1.36
0	0	92	0.00%	0.00	0.00
0	68	0	76.40%	-0.95	-1.58
0	75	89	82.42%	-0.65	-1.39
0	90	91	93.75%	-0.51	-1.31
0	68	96	87.18%	-0.38	-1.23
0.5	72	78	84.71%	1.35	-0.39
0	68	85	93.15%	-0.38	-1.23
0	90	104	86.54%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.433	7027	8650	81.24%	0.32	-0.79
0	0	0	0.00%	0.00	0.00
0	0	9400	0.00%	0.00	0.00
0.4899	7414	0	82.98%	1.37	-0.28
0.433	7269	8935	78.69%	0.18	-0.86
0.433	6737	9238	85.79%	0.62	-0.65
0	7906	7853	89.50%	-0.48	-1.29
0.433	6071	8834	88.43%	0.84	-0.55
0.4969	7568	6865	78.37%	1.66	-0.09
0.4841	7316	9657	77.83%	1.04	-0.41
0.4899	7059	8553	82.53%	1.88	0.01
0	8	16	50.00%	-2.31	-2.40
0.4714	4	9	44.44%	-0.67	-1.41
0	19	29	65.52%	-1.50	-1.91
0	13	68	68.42%	-1.09	-1.66
0	17	19	50.00%	-1.89	-2.15
0	0	34	0.00%	0.00	0.00
0.4714	10	0	76.92%	1.62	-0.24
0.4615	19	13	67.86%	-0.09	-1.05
0	1	28	50.00%	-1.15	-1.70
0	13	2	54.17%	1.48	-0.24
0.433	39	24	57.35%	-0.69	-1.42
0	30	47	63.83%	-1.45	-1.88
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	8	0	100.00%	0.00	0.00
0	0	8	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	23	25	92.00%	0.00	0.00
0.3479	6644	8501	78.16%	-1.58	-1.96
0.3474	6280	7745	81.08%	-0.94	-1.57
0.4157	7200	9013	79.88%	0.42	-0.73
0.45	8195	8422	83.65%	2.00	0.14

0.3967	6555	9797	82.48%	0.36	-0.76
0.3534	6381	7947	77.95%	-1.14	-1.69
0.3646	5889	8186	85.32%	0.19	-0.86
0.2311	7011	6902	89.22%	-1.20	-1.73
0.2291	5388	7858	88.00%	-1.19	-1.72
0.3465	6651	6123	77.55%	-1.33	-1.81
0.4714	6477	8576	76.91%	1.57	-0.08
0.4485	6274	7657	81.94%	1.67	-0.03
0.433	7581	9606	78.92%	0.27	-0.81
0	7027	8650	81.24%	-1.07	-1.65
0.2291	8047	10052	80.05%	-1.53	-1.93
0	9076	9400	83.81%	-1.64	-2.00
0	7414	10829	82.98%	-1.50	-1.91
0	7269	8935	78.69%	-1.73	-2.05
0.2764	6737	9238	85.79%	-0.58	-1.35
0	7906	7853	89.50%	-1.53	-1.93
0.2935	6071	8834	88.43%	-0.29	-1.18
0	7568	6865	78.37%	-2.92	-2.78
0.3053	7316	9657	77.83%	-5.51	-4.35
0.2688	7059	8553	82.53%	-4.69	-3.85
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	73	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	72	0	84.71%	-0.42	-1.26
0.4	68	85	93.15%	1.13	-0.47
0	90	104	86.54%	-0.77	-1.47
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	86	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	65	0	84.42%	-1.01	-1.62
0	62	77	72.09%	-2.22	-2.35
0.2875	57	59	96.61%	0.96	-0.57
0	199	244	81.56%	-0.47	-1.29
0	149	177	84.18%	-0.43	-1.26
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	200	0	86.58%	-0.55	-1.34
0	169	231	95.48%	-0.22	-1.13
0	0	177	0.00%	0.00	0.00

0	127	0	86.39%	-0.40	-1.24
0.5	186	147	87.74%	1.62	-0.30
0	0	212	0.00%	0.00	0.00
0	201	218	92.20%	-0.50	-1.30
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	6	6	100.00%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	3	0	100.00%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	5	0	100.00%	0.00	0.00
0	0	5	0.00%	0.00	0.00
0	3	0	100.00%	0.00	0.00
0	4	4	100.00%	0.00	0.00
0.4259	1740	2390	72.80%	-0.35	-1.21
0	1572	1884	83.44%	-1.60	-1.97
0.4518	1822	2319	78.57%	0.65	-0.60
0.4714	1456	1893	76.27%	0.55	-0.67
0.4615	2049	1909	84.15%	1.47	-0.18
0.4714	1593	2435	78.59%	0.71	-0.59
0.2875	1471	2027	86.12%	-0.46	-1.28
0.4714	1778	1708	88.11%	1.62	-0.18
0.3	1108	2018	82.20%	-0.64	-1.39
0	1470	1348	76.40%	-1.66	-2.01
0	1576	1924	83.25%	-1.18	-1.72
0	1436	1789	80.27%	-1.21	-1.74
0	1939	2634	73.61%	-1.04	-1.63
0.4714	1721	2061	83.50%	0.79	-0.58
0	2036	2565	79.38%	-0.72	-1.44
0	0	2075	0.00%	0.00	0.00
0	2263	0	84.63%	-1.47	-1.90
0.4714	1793	2674	79.41%	0.55	-0.69
0	1640	2258	87.00%	-0.86	-1.52
0	1957	1885	88.55%	-0.51	-1.31
0	1235	2210	82.61%	-1.02	-1.62
0.3499	1656	1495	77.53%	-0.73	-1.44
0.1972	1742	2136	83.95%	-2.76	-2.68
0.3389	1637	2007	81.56%	-1.09	-1.66
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	0	66.67%	-0.61	-1.37
0	0	3	0.00%	0.00	0.00
0	8	9	88.89%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	194	0.00%	0.00	0.00
0	176	0	97.78%	-0.21	-1.13
0	0	180	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	169	0	98.83%	-0.11	-1.07
0	148	171	99.33%	-0.14	-1.09
0	192	149	98.97%	-0.18	-1.11
0	190	194	97.94%	-0.20	-1.12
0	190	194	97.94%	-0.25	-1.15
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	17	17	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1161	1184	98.06%	-0.14	-1.09
0	0	0	0.00%	0.00	0.00
0.5	1394	1548	96.87%	3.81	0.14
0	0	1439	0.00%	0.00	0.00
0	1166	0	97.33%	-0.23	-1.14
0	1070	1198	98.89%	-0.26	-1.16
0	1450	1082	98.77%	-0.16	-1.10
0	1120	1468	98.77%	-0.16	-1.10
0	1232	1134	98.01%	-0.14	-1.09
0	1486	1257	95.99%	-0.29	-1.18
0	1515	1559	97.18%	0.00	0.00
0	36	42	85.71%	-0.40	-1.25
0	36	37	97.30%	-0.16	-1.10
0	0	0	0.00%	0.00	0.00
0	47	207	97.92%	-0.14	-1.09
0	0	48	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	70	0	98.59%	-0.23	-1.14
0	100	71	96.15%	-0.20	-1.12
0	105	104	86.78%	-0.39	-1.24
0	247	121	98.41%	-0.13	-1.08
0	200	251	96.62%	-0.19	-1.11
0	194	196	98.98%	-0.17	-1.11
0	37	38	97.37%	-0.16	-1.10
0	20	21	95.24%	-0.22	-1.13
0	0	0	0.00%	0.00	0.00
0	30	0	100.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	38	0	100.00%	0.00	0.00
0	29	38	100.00%	0.00	0.00
0	17	17	100.00%	0.00	0.00
0.433	41	55	74.55%	2.20	0.14
0	40	46	86.96%	-0.54	-1.33
0	0	0	0.00%	0.00	0.00
0	59	0	89.39%	4.04	0.53
0	0	66	0.00%	0.00	0.00
0	71	0	86.59%	-0.39	-1.24
0	76	82	95.00%	-0.23	-1.14
0	0	80	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	238	0	94.07%	3.98	0.15
0	0	253	0.00%	0.00	0.00
0	209	227	92.07%	0.00	0.00
0	42	42	100.00%	0.00	0.00
0	63	65	96.92%	-0.67	-1.41
0	87	87	100.00%	0.00	0.00
0	48	89	97.96%	-0.31	-1.19
0	58	49	98.31%	-0.31	-1.19
0	59	59	98.33%	-0.50	-1.31
0	70	60	98.59%	-0.51	-1.31
0	60	71	98.36%	-0.59	-1.36
0	75	61	100.00%	0.00	0.00
0	53	75	98.15%	-0.58	-1.35
0.1666	89	54	100.00%	0.00	-0.33
0	62	62	100.00%	0.00	0.00
0	41	55	74.55%	-0.58	-1.35
0	40	46	86.96%	-0.38	-1.23
0	68	89	76.40%	-0.55	-1.34
0	0	248	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	76	0	95.00%	-0.23	-1.14
0	0	80	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	213	0	85.89%	-0.40	-1.25
0	209	228	91.67%	0.00	0.00
0	1	2	50.00%	-0.82	-1.50
0	1	1	100.00%	0.00	0.00
0	3	3	100.00%	0.00	0.00
0	0	4	0.00%	0.00	0.00
0	1	0	100.00%	0.00	0.00
0	4	1	100.00%	0.00	0.00
0	0	4	0.00%	0.00	0.00
0	2	0	100.00%	0.00	0.00
0	1	2	100.00%	0.00	0.00
0	3	1	100.00%	0.00	0.00
0	4	3	100.00%	0.00	0.00
0	3	3	100.00%	0.00	0.00

0.2455	8621	10677	80.74%	-5.22	-4.17
0.2721	8020	9663	83.00%	-2.89	-2.75
0.2544	9124	11172	81.67%	-4.41	-3.68
0.246	10303	10691	85.18%	-3.31	-3.01
0.2875	8618	12096	84.78%	-2.10	-2.28
0.3229	8295	10165	80.59%	-2.59	-2.58
0.1714	7664	10293	87.19%	-3.34	-3.03
0.1849	9156	8790	90.67%	-2.34	-2.43
0.1622	7058	10098	89.77%	-2.60	-2.58
0.201	8657	7862	80.41%	-4.95	-4.01
0.1979	8549	10766	79.96%	-4.80	-3.92
0	8308	9842	84.41%	-5.52	-4.36
0	42	42	100.00%	0.00	0.00
0	63	65	96.92%	-0.35	-1.21
0	87	87	100.00%	0.00	0.00
0	48	89	97.96%	-0.46	-1.28
0	58	49	98.31%	-0.52	-1.31
0	59	59	98.33%	-0.48	-1.29
0	70	60	98.59%	-0.37	-1.22
0	60	71	98.36%	-0.46	-1.28
0	75	61	100.00%	0.00	0.00
0.2575	53	75	98.15%	1.31	-0.51
0.2575	89	54	100.00%	0.00	-0.05
0.3	62	62	100.00%	0.00	-0.05
0	9	9	100.00%	0.00	0.00
0	9	9	100.00%	0.00	0.00
0	5	5	100.00%	0.00	0.00
0	8	9	88.89%	-0.53	-1.32
0	10	9	100.00%	0.00	0.00
0	3	10	100.00%	0.00	0.00
0	8	3	88.89%	-0.70	-1.43
0	8	9	100.00%	0.00	0.00
0	7	8	100.00%	0.00	0.00
0	6	7	100.00%	0.00	0.00
0	9	6	100.00%	0.00	0.00
0	11	11	100.00%	0.00	0.00
0	4	4	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	7	0	87.50%	-0.56	-1.34
0	0	8	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	17	19	89.47%	0.00	0.00
0.1795	2091	2799	74.71%	-2.75	-2.67
0.3105	1889	2232	84.63%	-0.76	-1.46
0	2249	2788	80.67%	-2.71	-2.65
0.2106	1820	2332	78.28%	-2.69	-2.64

0	2462	2325	85.66%	-1.87	-2.14
0	1933	2874	80.51%	-1.90	-2.15
0.2039	1783	2401	87.83%	-1.14	-1.69
0	2157	2030	89.35%	-1.46	-1.89
0	1368	2414	83.82%	-1.45	-1.88
0.2764	1799	1632	78.77%	-1.09	-1.66
0	1995	2284	85.55%	-1.48	-1.90
0.2039	1903	2277	83.57%	-1.56	-1.95
0	9	9	100.00%	0.00	0.00
0	9	9	100.00%	0.00	0.00
0	5	5	100.00%	0.00	0.00
0	8	9	88.89%	-0.75	-1.46
0	10	9	100.00%	0.00	0.00
0	3	10	100.00%	0.00	0.00
0	8	3	88.89%	-0.53	-1.32
0	8	9	100.00%	0.00	0.00
0	7	8	100.00%	0.00	0.00
0.433	6	7	100.00%	0.00	-0.49
0.3499	9	6	100.00%	0.00	-0.54
0	11	11	100.00%	0.00	0.00
0	1244	1279	97.26%	-0.44	-1.27
0	0	0	0.00%	0.00	0.00
0	1180	1225	96.33%	-0.39	-1.24
0	1203	1201	97.88%	-0.29	-1.18
0	1173	1229	97.02%	-0.35	-1.21
0	1187	1209	95.80%	-0.59	-1.36
0	1147	1239	98.45%	-0.31	-1.19
0	1159	1165	97.97%	-0.48	-1.29
0	900	1183	97.51%	-0.50	-1.31
0	1254	923	96.39%	-0.47	-1.29
0	1155	1301	96.17%	-0.91	-1.55
0	1060	1084	97.79%	-0.52	-1.32
0	66	67	98.51%	-0.12	-1.07
0	0	0	0.00%	0.00	0.00
0	44	45	97.78%	-0.21	-1.13
0	0	0	0.00%	0.00	0.00
0	66	0	97.06%	-0.17	-1.11
0	58	68	96.67%	-0.18	-1.11
0	0	60	0.00%	0.00	0.00
0	54	0	98.18%	-0.19	-1.11
0	0	55	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	66	67	98.51%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	87	90	96.67%	-0.18	-1.11
0	99	103	96.12%	-0.34	-1.21
0	96	91	96.00%	-0.29	-1.17
0	0	100	0.00%	0.00	0.00
0	97	0	93.27%	-0.46	-1.28
0	115	104	96.64%	-0.26	-1.16
0	112	119	100.00%	0.00	0.00

0	98	112	98.00%	-0.28	-1.17
0	114	100	96.61%	-0.26	-1.16
0	91	118	100.00%	0.00	0.00
0	128	131	97.71%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	10439	10767	96.95%	-0.35	-1.22
0	0	0	0.00%	0.00	0.00
0	0	12138	0.00%	0.00	0.00
0	11022	0	96.48%	-0.43	-1.26
0	10944	11424	94.25%	-0.49	-1.30
0	9813	11612	97.46%	-0.32	-1.20
0	11076	10069	98.17%	-0.19	-1.12
0	8544	11283	97.22%	-0.34	-1.21
0.4157	11987	8788	95.25%	2.46	0.10
0.3307	11505	12585	94.78%	0.93	-0.50
0.3	10548	10884	96.91%	1.26	-0.38
0	776	905	85.75%	-1.22	-1.74
0	686	801	85.64%	-0.82	-1.50
0	891	982	90.73%	-0.71	-1.43
0	757	813	91.10%	-0.54	-1.33
0	804	831	89.14%	-0.85	-1.52
0	721	902	86.87%	-0.55	-1.33
0	555	830	88.66%	-0.62	-1.38
0.2665	737	626	90.10%	-0.26	-1.16
0	481	818	83.80%	-1.07	-1.65
0	518	574	89.62%	-0.48	-1.29
0.4	651	578	80.07%	0.00	-0.96
0	447	515	86.80%	-0.78	-1.47
0.1178	10174	10702	95.07%	-1.37	-1.83
0	9381	9681	96.90%	-1.38	-1.84
0.2684	10640	11176	95.20%	1.13	-0.34
0	11589	10937	96.22%	-1.25	-1.76
0.1414	9849	12044	96.42%	-0.58	-1.35
0	9757	10215	94.06%	-1.63	-1.99
0	8666	10373	97.33%	-1.05	-1.64
0	9917	8904	98.19%	-1.00	-1.61
0	7644	10100	97.19%	-1.02	-1.62
0.1414	10733	7865	95.12%	-0.92	-1.56
0.1474	10350	11284	94.63%	-0.93	-1.57
0	9488	9800	96.82%	-1.21	-1.74
0	11418	11981	95.30%	-0.74	-1.45
0	10439	10767	96.95%	-0.43	-1.26
0.2179	11820	12401	95.31%	0.07	-0.90
0	12792	12138	96.38%	-0.78	-1.47
0	11022	13273	96.48%	-0.66	-1.40
0.2575	10944	11424	94.25%	0.22	-0.81
0	9813	11612	97.46%	-0.60	-1.37
0	11076	10069	98.17%	-0.65	-1.40
0	8544	11283	97.22%	-0.86	-1.52
0	11987	8788	95.25%	-1.45	-1.88
0.0872	11505	12585	94.78%	-4.48	-3.72
0.0803	10548	10884	96.91%	-2.97	-2.80

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	91	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	114	0	96.61%	-0.19	-1.11
0	91	118	100.00%	0.00	0.00
0	128	131	97.71%	-0.30	-1.18
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	94	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	79	0	95.18%	-0.53	-1.32
0	90	83	95.74%	-0.76	-1.46
0	66	67	98.51%	-0.43	-1.26
0	260	277	93.86%	-0.26	-1.16
0	200	207	96.62%	-0.19	-1.11
0	0	0	0.00%	0.00	0.00
0	0	225	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	287	0	96.96%	-0.25	-1.15
0	209	296	98.12%	-0.14	-1.08
0	240	213	98.77%	-0.11	-1.07
0	187	243	96.39%	-0.19	-1.12
0	261	194	95.60%	-0.48	-1.29
0	221	273	98.22%	-0.13	-1.08
0	267	272	98.16%	-0.24	-1.14
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	6	6	100.00%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	4	0	100.00%	0.00	0.00
0	0	4	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	5	0	100.00%	0.00	0.00
0	0	5	0.00%	0.00	0.00
0	3	0	100.00%	0.00	0.00
0	5	5	100.00%	0.00	0.00
0.2935	2862	3136	91.26%	0.13	-0.88
0	2309	2414	95.65%	-0.82	-1.50
0.2421	2844	3010	94.49%	0.13	-0.87
0	2371	2597	93.60%	-0.64	-1.39

0.2665	3000	2533	95.97%	0.67	-0.60
0	2552	3126	94.00%	-0.62	-1.38
0	2184	2715	96.51%	-0.63	-1.38
0	2549	2263	97.18%	-0.45	-1.27
0	1787	2623	95.92%	-0.68	-1.41
0	2467	1863	93.87%	-0.85	-1.51
0.3	2489	2628	95.84%	0.92	-0.50
0	2321	2418	95.99%	-0.54	-1.33
0	3122	3413	91.47%	-0.61	-1.37
0	2509	2621	95.73%	-0.37	-1.22
0	3127	3309	94.50%	-0.34	-1.21
0	2666	2822	93.77%	-0.36	-1.22
0	3294	2843	96.18%	-0.72	-1.44
0	2839	3425	94.29%	-0.49	-1.30
0	2393	3011	96.65%	-0.49	-1.30
0	2789	2476	97.31%	-0.37	-1.23
0	1974	2866	95.96%	-0.58	-1.35
0.2494	2728	2057	94.04%	0.11	-0.88
0.0985	2710	2901	96.03%	-1.52	-1.92
0.0953	2588	2690	96.21%	-1.54	-1.94
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	0	66.67%	-0.61	-1.37
0	0	3	0.00%	0.00	0.00
0	11	11	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	423	426	99.30%	-0.08	-1.05
0	419	473	100.00%	0.00	0.00
0	486	419	99.59%	-0.14	-1.09
0	422	488	99.29%	-0.12	-1.07
0	420	425	100.00%	0.00	0.00
0	458	420	100.00%	0.00	0.00
0	381	458	100.00%	0.00	0.00
0	458	381	100.00%	0.00	0.00
0	473	458	100.00%	0.00	0.00
0	466	466	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2378	2387	99.62%	-0.06	-1.04
0	0	0	0.00%	0.00	0.00
0	2772	2945	99.93%	-0.05	-1.03
0	0	2774	0.00%	0.00	0.00
0	2650	0	99.51%	-0.12	-1.07
0	2537	2663	99.96%	-0.05	-1.03
0	2917	2538	99.93%	-0.04	-1.02

0	2375	2919	99.87%	-0.05	-1.03
0	2633	2378	99.89%	-0.05	-1.03
0	2943	2636	99.93%	-0.04	-1.02
0	3139	3144	99.84%	0.00	0.00
0	4376	4510	97.03%	-0.30	-1.18
0	3462	3773	91.76%	-0.30	-1.18
0	0	0	0.00%	0.00	0.00
0	3532	1517	97.98%	-0.14	-1.09
0	0	3605	0.00%	0.00	0.00
0	3892	0	98.28%	-0.26	-1.16
0	4007	3960	98.28%	-0.26	-1.16
0	2676	4077	96.43%	-0.19	-1.12
0	1125	2775	95.02%	-0.32	-1.20
0	1374	1184	87.35%	-0.54	-1.33
0	1457	1573	96.04%	-0.35	-1.21
0	1437	1536	93.55%	-0.52	-1.32
0	42	42	100.00%	0.00	0.00
0	25	26	96.15%	-0.20	-1.12
0	0	0	0.00%	0.00	0.00
0	34	0	100.00%	0.00	0.00
0	55	34	100.00%	0.00	0.00
0	25	55	100.00%	0.00	0.00
0	0	25	0.00%	0.00	0.00
0	27	0	100.00%	0.00	0.00
0	0	27	0.00%	0.00	0.00
0	29	0	96.67%	-0.18	-1.11
0	0	30	0.00%	0.00	0.00
0	44	44	100.00%	0.00	0.00
0	2127	2130	99.86%	-0.07	-1.04
0	1981	1988	99.65%	-0.17	-1.10
0	2388	2393	99.79%	-0.15	-1.09
0	2353	2472	99.92%	-0.10	-1.06
0	2448	2355	99.84%	-0.14	-1.08
0	2228	2452	99.55%	-0.21	-1.13
0	2117	2238	99.95%	-0.05	-1.03
0	2459	2118	99.92%	-0.09	-1.06
0	1994	2461	99.85%	-0.08	-1.05
0	2175	1997	99.86%	-0.08	-1.05
0	2470	2178	99.92%	-0.06	-1.04
0	2673	2678	99.81%	-0.14	-1.08
0	2480	2484	99.84%	-0.07	-1.04
0	2378	2387	99.62%	-0.11	-1.06
0	2811	2819	99.72%	-0.11	-1.06
0	2772	2945	99.93%	-0.07	-1.04
0	2934	2774	99.80%	-0.11	-1.07
0	2650	2940	99.51%	-0.12	-1.07
0	2537	2663	99.96%	-0.04	-1.03
0	2917	2538	99.93%	-0.05	-1.03
0	2375	2919	99.87%	-0.09	-1.06
0	2633	2378	99.89%	-0.14	-1.09
0	2943	2636	99.93%	-0.29	-1.17
0	3139	3144	99.84%	-0.44	-1.27

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	38	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	38	0	100.00%	0.00	0.00
0	59	59	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	45	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	53	0	100.00%	0.00	0.00
0	45	53	100.00%	0.00	0.00
0	25	25	100.00%	0.00	0.00
0.2575	4007	4201	95.38%	0.45	-0.70
0	2732	2969	92.02%	-0.66	-1.40
0	3804	4059	93.72%	-0.37	-1.22
0	3066	1882	95.90%	-0.58	-1.35
0	3450	3197	96.94%	-0.40	-1.24
0	3589	3559	96.32%	-0.65	-1.39
0	3483	3726	96.46%	-0.57	-1.35
0	2617	3611	94.37%	-0.77	-1.47
0	1301	2773	90.47%	-0.72	-1.44
0	1480	1438	91.58%	-0.86	-1.52
0	1677	1616	89.11%	-0.70	-1.42
0.3499	1439	1572	91.54%	0.55	-0.67
0	42	42	100.00%	0.00	0.00
0	64	65	98.46%	-0.57	-1.34
0	87	87	100.00%	0.00	0.00
0	48	89	97.96%	-0.36	-1.22
0	59	49	100.00%	0.00	0.00
0	60	59	100.00%	0.00	0.00
0	71	60	100.00%	0.00	0.00
0	61	71	100.00%	0.00	0.00
0	75	61	100.00%	0.00	0.00
0	53	75	98.15%	-0.63	-1.38
0	89	54	100.00%	0.00	0.00
0	62	62	100.00%	0.00	0.00
0	4007	4201	95.38%	-0.22	-1.13
0	2732	2969	92.02%	-0.29	-1.18
0	3804	4059	93.72%	-0.26	-1.16
0	0	1882	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	3483	0	96.46%	-0.27	-1.16
0	0	3611	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1677	0	89.11%	-0.35	-1.21
0	1441	1574	91.55%	0.00	0.00
0	2	2	100.00%	0.00	0.00
0	1	1	100.00%	0.00	0.00
0	3	3	100.00%	0.00	0.00
0	0	4	0.00%	0.00	0.00
0	1	0	100.00%	0.00	0.00
0	4	1	100.00%	0.00	0.00
0	0	4	0.00%	0.00	0.00
0	2	0	100.00%	0.00	0.00
0	1	2	100.00%	0.00	0.00
0	3	1	100.00%	0.00	0.00
0	4	3	100.00%	0.00	0.00
0	3	3	100.00%	0.00	0.00
0.077	13543	14109	95.99%	-3.15	-2.91
0.127	12477	12810	97.40%	-0.81	-1.49
0	14187	14774	96.03%	-3.45	-3.10
0.0638	15185	14655	96.92%	-2.40	-2.46
0	13518	15668	97.08%	-2.40	-2.46
0.2571	13249	13925	95.13%	1.65	-0.04
0	12008	13927	97.90%	-1.96	-2.19
0	13572	12265	98.49%	-1.75	-2.06
0	10607	13780	97.74%	-1.99	-2.21
0.0949	14267	10852	95.96%	-2.34	-2.42
0	14020	14868	95.67%	-3.02	-2.84
0	13201	13541	97.49%	-2.30	-2.40
0	42	42	100.00%	0.00	0.00
0	64	65	98.46%	-0.29	-1.18
0	87	87	100.00%	0.00	0.00
0	48	89	97.96%	-0.49	-1.30
0	59	49	100.00%	0.00	0.00
0	60	59	100.00%	0.00	0.00
0	71	60	100.00%	0.00	0.00
0	61	71	100.00%	0.00	0.00
0	75	61	100.00%	0.00	0.00
0	53	75	98.15%	-0.52	-1.32
0	89	54	100.00%	0.00	0.00
0	62	62	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1593	1726	92.29%	-0.29	-1.18
0.4	1484	0	95.56%	1.69	-0.26
0	0	1553	0.00%	0.00	0.00
0	1327	0	93.32%	-0.27	-1.16
0	0	1422	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	639	0	79.68%	-0.87	-1.53
0	0	802	0.00%	0.00	0.00
0	606	683	88.73%	-0.36	-1.22
0	9	9	100.00%	0.00	0.00
0	9	9	100.00%	0.00	0.00
0	5	5	100.00%	0.00	0.00
0	9	9	100.00%	0.00	0.00
0	10	9	100.00%	0.00	0.00
0	3	10	100.00%	0.00	0.00
0	9	3	100.00%	0.00	0.00
0	8	9	100.00%	0.00	0.00
0	7	8	100.00%	0.00	0.00
0	6	7	100.00%	0.00	0.00
0	9	6	100.00%	0.00	0.00
0	11	11	100.00%	0.00	0.00
0	1499	1632	91.85%	-0.30	-1.18
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1061	0	94.06%	-0.50	-1.31
0	0	1128	0.00%	0.00	0.00
0	639	0	79.68%	-0.50	-1.31
0	0	802	0.00%	0.00	0.00
0	606	683	88.73%	0.00	0.00
0	3477	3769	92.25%	-1.61	-1.98
0	2849	2965	96.09%	-1.22	-1.74
0	3571	3755	95.10%	-1.28	-1.78
0	3045	3250	94.51%	-1.57	-1.95
0	3732	3222	96.58%	-0.92	-1.56
0	3184	3864	94.79%	-1.12	-1.68
0	2735	3359	97.05%	-0.95	-1.58
0	3210	2818	97.63%	-0.81	-1.49
0	2286	3288	96.42%	-0.74	-1.45
0	3081	2371	94.68%	-0.95	-1.57
0	3138	3254	96.55%	-0.78	-1.47
0	3074	3177	96.76%	-0.93	-1.57
0	9	9	100.00%	0.00	0.00
0	9	9	100.00%	0.00	0.00
0	5	5	100.00%	0.00	0.00
0	9	9	100.00%	0.00	0.00
0	10	9	100.00%	0.00	0.00
0	3	10	100.00%	0.00	0.00
0	9	3	100.00%	0.00	0.00
0	8	9	100.00%	0.00	0.00
0	7	8	100.00%	0.00	0.00
0	6	7	100.00%	0.00	0.00
0.3	9	6	100.00%	0.00	-0.61
0	11	11	100.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	119	153	77.78%	-0.53	-1.32
0	0	0	0.00%	0.00	0.00
0	0	161	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	138	0	85.71%	-0.70	-1.43
0	116	130	89.23%	0.00	0.00
0	82	114	71.93%	-0.62	-1.38
0.5	92	124	74.19%	0.78	-0.62
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	75	0	76.53%	-0.55	-1.33
0	111	98	83.46%	2.24	-0.16
0	97	133	82.20%	2.14	-0.18
0	0	118	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	125	144	86.81%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	2	100.00%	0.00	0.00
0.433	82	114	71.93%	-0.41	-1.25
0.4955	92	124	74.19%	2.55	0.43
0.4789	97	138	70.29%	0.89	-0.47
0.4172	107	137	74.31%	-0.45	-1.27
0.4139	99	144	78.57%	0.07	-0.95
0.4673	115	126	78.23%	1.64	-0.06
0.4234	75	147	76.53%	-0.01	-1.01
0.4103	111	98	83.46%	0.74	-0.56
0.4465	97	133	82.20%	1.39	-0.22
0.4503	111	118	76.55%	0.67	-0.60
0.4172	107	145	78.10%	0.08	-0.95
0.4573	125	144	86.81%	2.92	0.50
0	19	19	100.00%	0.00	0.00
0	3	3	100.00%	0.00	0.00
0.3143	10	10	100.00%	0.00	-0.59
0	3	2	100.00%	0.00	0.00

0.3143	11	3	100.00%	0.00	-0.56
0	10	11	100.00%	0.00	0.00
0	3	10	100.00%	0.00	0.00
0.4	7	3	100.00%	0.00	-0.52
0	8	7	100.00%	0.00	0.00
0	3	8	100.00%	0.00	0.00
0.433	2	3	100.00%	0.00	-0.79
0.4714	3	4	75.00%	0.25	-0.97
0	1	1	100.00%	0.00	-0.37
0	1	1	100.00%	0.00	0.00
0	6	6	100.00%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0.433	2	0	100.00%	0.00	-0.79
0	2	2	100.00%	0.00	0.00
0	7	2	100.00%	0.00	0.00
0.433	4	7	100.00%	0.00	-0.63
0	1	4	100.00%	0.00	0.00
0	0	1	0.00%	0.00	0.00
0	3	0	100.00%	0.00	0.00
0.4714	5	8	62.50%	-0.13	-1.08
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.433	97	138	70.29%	1.95	0.04
0	107	0	74.31%	-0.59	-1.36
0	0	144	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	125	144	86.81%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	107	137	74.31%	-0.59	-1.36
0	0	144	0.00%	0.00	0.00
0	115	0	78.23%	-0.53	-1.32
0	0	147	0.00%	0.00	0.00
0	111	0	83.46%	-0.62	-1.38
0	97	133	82.20%	2.14	-0.18
0	0	118	0.00%	0.00	0.00
0	107	0	78.10%	-0.53	-1.32
0	125	144	86.81%	0.00	0.00
0.4993	82	114	71.93%	3.33	0.87
0.4677	92	124	74.19%	0.97	-0.43
0.4985	97	138	70.29%	2.77	0.59
0.4606	107	137	74.31%	0.77	-0.57
0.47	99	144	78.57%	2.00	0.12
0.474	115	126	78.23%	2.22	0.24
0.499	75	147	76.53%	3.65	0.97
0.4676	111	98	83.46%	3.17	0.67

0.4632	97	133	82.20%	2.39	0.29
0.4615	111	118	76.55%	1.29	-0.25
0.429	107	145	78.10%	0.41	-0.76
0.467	125	144	86.81%	4.08	1.03
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	0	100.00%	0.00	0.00
0	0	2	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	5	8	62.50%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	138	0	85.19%	-0.42	-1.25
0	110	162	85.94%	-0.40	-1.24
0	0	128	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	83	105	79.05%	0.00	0.00
0	101	135	74.81%	-0.58	-1.35
0	97	124	78.23%	-0.53	-1.32
0	104	136	76.47%	-0.55	-1.34
0	77	128	65.81%	-0.72	-1.44
0	79	117	72.48%	-0.86	-1.53
0	0	109	0.00%	0.00	0.00
0.3499	107	0	79.85%	-0.38	-1.23
0	0	134	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	101	0	78.91%	-0.52	-1.31
0	117	139	84.17%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	2	100.00%	0.00	0.00

0.4865	79	117	72.48%	0.83	-0.51
0.4979	88	109	74.58%	2.88	0.59
0.4841	107	118	79.85%	1.19	-0.34
0.2875	115	134	87.79%	-0.30	-1.18
0.4714	98	131	86.73%	6.20	1.79
0.4	102	113	76.12%	-0.20	-1.12
0.4949	101	134	78.91%	1.90	0.04
0.5	117	139	84.17%	3.11	0.57
0.655555556	0	1279	15:07	-0.06	-1.03
0	0	0	0:00	0.00	0.00
0.347222222	0	1225	17:26	-0.63	-1.38
0.563888889	0	1201	16:14	-0.41	-1.25
0.379166667	0	1229	15:25	-0.47	-1.29
0.636805556	0	1209	15:51	-0.09	-1.05
0.303472222	0	1239	13:03	-0.73	-1.44
0.594444444	0	1165	12:21	0.64	-0.57
0.568055556	0	1183	12:37	0.27	-0.71
0.390972222	0	923	15:31	-0.42	-1.25
0.429861111	0	1301	16:07	-0.28	-1.17
0.542361111	0	1084	13:42	-0.48	-1.29
0	35	67	12:37	-0.61	-1.37
0	0	0	0:00	0.00	0.00
0.570833333	22	45	11:59	2.11	0.05
0	0	0	0:00	0.00	0.00
0	36	0	12:38	0.48	-0.34
0	37	68	14:58	1.16	0.17
0	0	60	0:00	0.00	0.00
0.654166667	22	0	9:29	0.48	-0.49
0	0	55	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	31	67	11:15	0.00	0.00
0	0	0	0:00	0.00	0.00
0	58	90	15:23	-0.86	-1.52
0.636111111	71	103	16:30	-0.02	-1.01
0.334027778	69	91	16:27	-0.83	-1.51
0	0	100	0:00	0.00	0.00
0.353472222	81	0	18:44	-0.73	-1.44
0.01875	75	104	15:07	0.51	-0.59
0.311805556	51	119	10:53	-0.72	-1.44
0.124305556	53	112	12:47	-1.22	-1.74
0.849305556	73	100	14:56	1.97	-0.09
0.490277778	49	118	12:53	-0.94	-1.57
0	76	131	13:54	0.00	0.00
0	0	0	0:00	0.00	0.00
0.434722222	0	10767	18:21	-0.57	-1.35
0	0	0	0:00	0.00	0.00
0	0	12138	0:00	0.00	0.00
0.425694444	0	0	18:39	0.38	-0.60
0.571527778	0	11424	19:42	0.42	-0.60
0.395833333	0	11612	16:57	-0.05	-1.03
0.584027778	0	10069	15:19	-0.19	-1.11

0.125694444	0	11283	16:08	0.63	-0.38
0.754861111	0	8788	20:07	1.54	-0.12
0.619444444	0	12585	19:33	0.77	-0.51
0.793055556	0	10884	17:55	1.66	-0.09
0.344444444	0	905	11:17	-0.64	-1.39
0.451388889	0	801	20:28	-0.30	-1.18
0.331944444	0	982	10:41	-0.39	-1.24
0.144444444	0	813	7:54	-0.26	-1.16
0.310416667	0	831	5:31	-0.95	-1.58
0.488888889	0	902	7:31	-0.70	-1.43
0.631944444	0	830	7:40	-0.53	-1.32
0.684027778	0	626	8:28	-0.53	-1.32
0.450694444	0	818	13:31	-0.71	-1.43
0.094444444	0	574	4:14	-0.04	-1.03
0.797916667	0	578	14:27	-0.87	-1.53
0.397916667	0	515	10:09	-0.80	-1.49
0	6	16	9:24	-0.18	-1.11
0	5	18	6:14	18.96	1.26
0	0	0	0:00	0.00	0.00
0	1	0	2:00	-0.93	-1.57
0	0	8	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	17	29	13:54	0.00	0.00
0.491666667	0	10702	19:48	-2.30	-2.40
0.379861111	0	9681	18:40	-1.26	-1.77
0.934722222	0	11176	20:07	1.09	-0.31
0.371527778	0	10937	19:00	0.07	-0.92
0.482638889	0	12044	19:02	-1.18	-1.72
0.470833333	0	10215	20:10	-2.68	-2.63
0.401388889	0	10373	17:28	-0.67	-1.41
0.375694444	0	8904	15:40	-2.65	-2.61
0.414583333	0	10100	16:33	-0.10	-1.06
0.493055556	0	7865	20:39	-1.57	-1.95
0.676388889	0	11284	19:55	-0.02	-1.01
0.35625	0	9800	18:23	0.27	-0.74
0.394444444	0	11981	19:18	-1.13	-1.69
0.277083333	0	10767	18:21	-1.52	-1.92
0.670833333	0	12401	19:51	-0.62	-1.37
0.279861111	0	12138	18:45	-2.34	-2.42
0.305555556	0	13273	18:39	-1.29	-1.79
0.697916667	0	11424	19:42	-0.58	-1.36
0.297222222	0	11612	16:57	-0.75	-1.46
0.334027778	0	10069	15:19	-1.04	-1.63
0.45625	0	11283	16:08	-1.15	-1.70
0.346527778	0	8788	20:07	-3.58	-3.18
0.465972222	0	12585	19:33	-7.37	-5.48
0.457638889	0	10884	17:55	-6.70	-5.08

0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	91	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	73	0	14:56	-0.70	-1.43
0.608333333	49	118	12:53	0.92	-0.52
0.277083333	76	131	13:54	-0.47	-1.29
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	94	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.045833333	46	0	13:24	-1.82	-2.11
0.106944444	60	83	15:23	-2.71	-2.65
0.350694444	31	67	11:15	-1.16	-1.71
0	185	277	16:04	-0.68	-1.41
0	123	207	14:14	0.11	-0.85
0	0	0	0:00	0.00	0.00
0	0	225	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.022916667	148	0	12:01	-0.89	-1.54
0	91	296	10:13	-0.63	-1.38
0	106	213	10:26	0.91	-0.47
0	108	243	13:18	-0.76	-1.46
0.395833333	157	194	13:49	-0.92	-1.56
0	110	273	11:45	-0.86	-1.52
0.114583333	117	272	10:18	-0.74	-1.45
0	0	0	0:00	0.00	0.00
0	3	6	10:30	0.80	-0.87
0	0	0	0:00	0.00	0.00
0	5	0	11:14	0.62	-0.57
0	0	10	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	8	0	8:39	-0.93	-1.57
0	0	23	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	4	11	8:15	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	1	6	5:42	-0.24	-1.15
0	0	3	0:00	0.00	0.00

0.063194444	42	458	2:40	-0.49	-1.30
0.044444444	45	381	2:20	-0.42	-1.25
0.088888889	55	458	2:49	-0.30	-1.18
0.315972222	71	466	3:40	0.25	-0.78
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	5	35	3:14	-0.61	-1.37
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	3	25	2:49	0.00	0.00
0	2	31	1:27	0.20	-0.45
0.058333333	3	33	1:55	-0.45	-1.27
0	4	39	2:23	-0.32	-1.19
0	7	0	4:21	-0.26	-1.16
0.507638889	5	41	2:25	2.43	0.03
0	0	48	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	7	0	3:26	-0.24	-1.15
0	0	51	0:00	0.00	0.00
0	7	59	2:54	-0.57	-1.35
0	0	0	0:00	0.00	0.00
0	408	2387	4:06	0.85	-0.34
0	0	0	0:00	0.00	0.00
0.709722222	0	2945	4:30	1.77	-0.05
0	0	2774	0:00	0.00	0.00
0.108333333	0	0	6:05	-0.09	-1.06
0.205555556	368	2663	3:29	0.07	-0.85
0.066666667	0	2538	3:52	-0.36	-1.22
0.024305556	355	2919	3:35	-0.53	-1.32
0.018055556	394	2378	3:35	-0.62	-1.38
0.361805556	0	2636	4:23	0.42	-0.63
0	0	3144	4:40	0.00	0.00
0.18125	0	4510	6:03	-0.10	-1.06
0	0	3773	11:28	-0.28	-1.17
0	0	0	0:00	0.00	0.00
0	0	1517	4:57	-0.25	-1.15
0	0	3605	0:00	0.00	0.00
0.000694444	0	0	3:34	-0.59	-1.36
0.086111111	0	3960	3:19	0.02	-0.61
0	0	4077	6:55	-0.04	-1.03
0.000694444	0	2775	12:43	-0.08	-1.05
0.097916667	0	1184	21:14	-0.56	-1.34
0.032638889	0	1573	12:38	-0.39	-1.23
0.099305556	0	1536	18:03	-0.46	-1.28

0	4	42	2:33	-0.02	-1.01
0	4	26	3:40	-0.19	-1.11
0	0	0	0:00	0.00	0.00
0.019444444	3	0	2:02	-0.35	-1.21
0	3	34	1:17	-0.21	-1.13
0	1	55	0:49	0.04	-0.71
0	0	25	0:00	0.00	0.00
0	1	0	0:51	-0.70	-1.43
0	0	27	0:00	0.00	0.00
0	5	0	3:41	-0.24	-1.14
0	0	30	0:00	0.00	0.00
0	3	44	1:37	0.00	0.00
0.523611111	0	2130	4:56	0.53	-0.58
0.306944444	360	1988	4:21	1.14	-0.25
0.155555556	0	2393	4:46	-1.26	-1.77
0.222222222	0	2472	4:47	-1.32	-1.80
0.072222222	0	2355	4:46	-1.28	-1.78
0.215277778	0	2452	5:07	-0.20	-1.12
0.125	328	2238	3:43	-0.23	-1.14
0.077777778	0	2118	4:07	-1.49	-1.91
0.304861111	313	2461	3:46	0.60	-0.56
0.125	350	1997	3:51	-0.45	-1.27
0.411111111	0	2178	4:41	1.42	-0.19
0.409027778	0	2678	4:50	1.07	-0.32
0.065277778	0	2484	4:42	-0.65	-1.40
0.108333333	408	2387	4:06	-0.43	-1.26
0.370138889	0	2819	4:33	0.08	-0.82
0.170138889	0	2945	4:30	-0.61	-1.37
0.011111111	0	2774	4:26	-1.37	-1.83
0.01875	0	2940	6:05	-0.12	-1.07
0.054861111	368	2663	3:29	-0.82	-1.50
0.083333333	0	2538	3:52	-0.82	-1.50
0.060416667	355	2919	3:35	-0.93	-1.56
0.123611111	394	2378	3:35	-1.10	-1.67
0.256944444	0	2636	4:23	-0.82	-1.50
0.256944444	0	3144	4:40	-1.15	-1.70
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	38	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.077777778	6	0	3:42	-0.61	-1.37
0.003472222	7	59	2:54	-0.80	-1.48
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	45	0:00	0.00	0.00

0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	2	1:04	0.00	0.00
0.200694444	18	114	3:50	-0.14	-1.08
0.222916667	17	124	3:23	1.14	-0.57
0.265277778	22	138	3:46	2.02	0.06
0.098611111	16	137	2:41	0.87	-0.51
0.089583333	14	144	2:40	0.35	-0.79
0.232638889	25	126	4:02	0.57	-0.70
0.165972222	12	147	2:52	1.31	-0.31
0.14375	12	98	2:14	2.07	0.09
0.138888889	13	133	2:43	1.01	-0.40
0.140972222	18	118	2:59	0.58	-0.66
0.534027778	15	145	2:40	4.44	-0.07
0.108333333	15	144	2:28	0.52	-0.69
0.025	1	19	0:49	-1.63	-1.99
0.024305556	0	3	0:46	0.12	-1.00
0.059027778	0	10	0:47	0.98	-0.63
0.03125	0	2	1:58	-0.75	-1.45
0.08125	0	3	1:04	1.51	-0.78
0.022916667	0	11	1:11	-0.94	-1.57
0.01875	0	10	0:46	1.54	-0.95
0.068055556	0	3	0:54	2.63	0.14
0.0375	0	7	0:30	0.72	-0.60
0.047222222	0	8	0:59	0.71	-0.93
0.078472222	0	3	1:05	2.19	-0.64
0.120833333	1	4	3:40	-0.10	-1.06
0.679861111	0	4201	10:41	0.34	-0.33
0.391666667	0	2969	18:33	-0.05	-1.03
0.265972222	0	4059	14:39	0.21	-0.40
0.685416667	0	1882	12:01	0.30	-0.41
0.425	0	3197	9:23	-0.47	-1.28
0.565277778	0	3559	9:10	-0.22	-1.13
0.455555556	0	3726	8:19	-0.12	-1.07
0.391666667	0	3611	14:48	-0.67	-1.40
0.081944444	0	2773	7:54	-0.68	-1.42
0.708333333	0	1438	18:54	-0.75	-1.46
0.020138889	0	1616	20:57	-0.68	-1.41
3.120833333	0	1572	22:48	0.24	-0.46
0.411805556	0	1	0:47	0.00	0.00
0	0	1	0:01	0.00	0.00
0	0	6	1:30	1.25	-0.17
0	0	3	0:00	0.00	0.00
0.265972222	0	0	0:05	256.81	1.26
0	0	2	1:33	-0.05	-1.03
0.030555556	0	2	1:10	0.72	-0.49
0.053472222	0	7	0:58	3.26	1.26
0	0	4	1:30	0.00	0.00
0	0	1	0:00	0.00	0.00
0	0	0	1:28	0.40	-1.01
0.200694444	1	8	2:29	0.89	-0.33

0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.085416667	22	138	3:46	0.35	-0.73
0	16	0	2:41	-0.10	-1.06
0	0	144	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	15	144	2:28	0.00	0.00
0.133333333	5	42	2:44	0.56	-0.73
0.172916667	13	65	4:49	-0.36	-1.22
0.134027778	13	87	3:30	-0.11	-1.07
0.127777778	7	89	3:37	-0.06	-1.04
0.063194444	8	49	3:13	-0.69	-1.42
0.127083333	9	59	3:42	0.25	-0.86
0.156944444	9	60	2:56	1.11	-0.50
0.064583333	6	71	2:29	0.20	-0.89
0.229166667	5	61	1:45	4.15	0.44
0.145138889	6	75	2:45	0.77	-0.82
0.251388889	10	54	2:47	1.70	-0.22
0.170138889	8	62	2:58	0.32	-0.87
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	16	137	2:41	0.22	-0.64
0	0	144	0:00	0.00	0.00
0	25	0	4:02	-0.20	-1.12
0	0	147	0:00	0.00	0.00
0.003472222	12	0	2:14	-0.26	-1.16
0	13	133	2:43	0.42	-0.47
0	0	118	0:00	0.00	0.00
0	15	0	2:40	-0.18	-1.11
0	15	144	2:28	0.00	0.00
0	0	4201	10:41	-0.15	-1.09
0	0	2969	18:33	-0.20	-1.12
0	0	4059	14:39	-0.19	-1.11
0	0	1882	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.086111111	0	0	8:19	-0.35	-1.21
0	0	3611	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	20:57	-0.33	-1.20
0	0	1574	22:48	0.00	0.00
0.369444444	18	114	3:50	4.09	1.48
0.145138889	17	124	3:23	0.35	-0.77
0.30625	22	138	3:46	3.90	1.37
0.138888889	16	137	2:41	2.77	0.49

0.138194444	14	144	2:40	3.15	0.41
0.446527778	25	126	4:02	2.77	0.26
0.314583333	12	147	2:52	5.57	0.75
0.163194444	12	98	2:14	5.00	1.26
0.116666667	13	133	2:43	1.76	-0.13
0.225694444	18	118	2:59	3.50	0.49
0.122222222	15	145	2:40	1.84	0.04
0.159722222	15	144	2:28	2.07	-0.14
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	1:33	-0.98	-1.60
0	0	2	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	1	8	2:29	0.00	0.00
0	1	2	13:52	-0.08	-1.05
0.093055556	0	1	2:09	0.00	0.00
0.049305556	0	3	0:41	3.16	-0.46
0.098611111	0	4	0:00	0.00	0.00
0.115277778	0	0	3:10	0.00	0.00
0.158333333	0	1	1:13	7.23	-0.21
0	0	4	0:00	0.00	0.00
0.027777778	1	0	17:52	-2.28	-2.39
0.109027778	0	2	0:18	0.00	0.00
0.102083333	0	1	1:29	0.84	-0.71
0.0625	0	3	1:40	0.02	-0.77
0	0	3	0:58	0.37	-0.45
0.407638889	0	14109	17:05	-4.88	-3.97
0.483333333	0	12810	16:05	-2.63	-2.60
0.40625	0	14774	17:24	-5.61	-4.41
0.390277778	0	14655	16:35	-5.18	-4.15
0.371527778	0	15668	16:05	-4.57	-3.78
0.689583333	0	13925	17:13	-2.09	-2.27
0.355555556	0	13927	14:33	-2.99	-2.82
0.344444444	0	12265	13:16	-5.74	-4.49
0.3125	0	13780	13:45	-5.32	-4.23
0.415972222	0	10852	17:35	-5.80	-4.53
0.348611111	0	14868	16:55	-7.78	-5.73
0.300694444	0	13541	15:19	-7.53	-5.58
0.229166667	5	42	2:44	2.25	-0.02
0.270833333	13	65	4:49	0.55	-0.44
0.177083333	13	87	3:30	1.63	-0.15
0.222222222	7	89	3:37	0.61	-0.65
0.1875	8	49	3:13	0.54	-0.68
0.104166667	9	59	3:42	0.03	-0.93
0.203472222	9	60	2:56	0.92	-0.47
0.156944444	6	71	2:29	0.88	-0.54

0.327083333	5	61	1:45	3.37	-0.02
0.3	6	75	2:45	1.72	-0.45
0.265277778	10	54	2:47	2.14	-0.02
0.320138889	8	62	2:58	3.09	0.25
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	20	0	3:01	-0.03	-1.02
0	12	162	2:11	-0.71	-1.43
0	0	128	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	19	105	4:21	0.00	0.00
0	20	135	3:35	-0.55	-1.34
0	13	124	2:35	-0.36	-1.22
0	20	136	3:31	0.01	-0.68
0	18	128	3:46	-0.30	-1.19
0.015972222	14	117	3:02	-0.83	-1.50
0	0	109	0:00	0.00	0.00
0.093055556	16	0	2:51	-0.52	-1.32
0	0	134	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	14	0	2:40	-0.13	-1.08
0	14	139	2:24	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	2	1:58	0.00	0.00
0.077083333	20	135	3:35	-1.10	-1.67
0.030555556	13	124	2:35	-1.05	-1.64
0.158333333	20	136	3:31	-0.10	-1.06
0.051388889	18	128	3:46	1.10	-0.24
0.151388889	14	117	3:02	-0.27	-1.17
0.134027778	17	109	3:24	-0.24	-1.14
0.102083333	16	118	2:51	3.08	0.44
0.13125	12	134	2:16	1.10	-0.41
0.163888889	10	131	2:09	2.50	0.26
0.147916667	17	113	3:02	1.02	-0.45
0.011111111	14	134	2:40	-0.95	-1.58
0.078472222	14	139	2:24	0.08	-0.71

0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.028472222	0	0	0:46	1.82	-0.30
0	0	15	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	1	10	1:37	0.00	0.00
0.023611111	0	12	0:39	0.99	-0.30
0.039583333	0	2	0:21	2.68	-0.64
0.020833333	1	6	2:49	-0.73	-1.45
0.025	0	5	0:00	0.00	0.00
0.064583333	0	0	1:10	0.82	-0.34
0.002777778	0	5	0:19	0.77	-0.64
0.178472222	0	5	0:08	20.80	-0.18
0.046527778	0	2	0:43	2.26	-0.53
0	0	2	0:18	0.00	0.00
0.006944444	0	1	0:30	-0.29	-1.17
0.195138889	1	3	4:02	0.47	-0.49
0.057638889	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	1726	16:54	-0.30	-1.18
1.390277778	0	0	12:55	0.34	-0.32
0	0	1553	0:00	0.00	0.00
0	0	0	13:37	0.73	-0.11
0	0	1422	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.089583333	0	0	12:31	-1.01	-1.61
0	0	802	0:00	0.00	0.00
0	0	683	4:54	-0.37	-1.22
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	20	136	3:31	0.02	-0.63
0	0	128	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	14	0	2:40	-0.58	-1.35
0	14	139	2:24	0.00	0.00
0.042361111	1	9	3:06	0.12	-0.76
0	1	9	2:35	-0.15	-1.09
0.09375	1	5	3:12	-0.71	-1.43
0.074305556	3	9	7:38	-0.79	-1.48

0.083333333	2	9	3:43	-0.59	-1.36
0	1	10	4:01	0.92	-0.42
0.070138889	2	3	4:16	-0.18	-1.11
0.044444444	0	9	0:53	1.93	-0.13
0.114583333	1	8	1:51	0.79	-0.65
0.149305556	0	7	0:51	6.37	0.75
0.13125	1	6	3:39	-0.32	-1.19
0.363194444	1	11	2:08	3.09	-0.49
0	0	1632	20:11	-0.21	-1.13
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0	0	0	0:00	0.00	0.00
0.038888889	0	0	16:49	-0.52	-1.32
0	0	1128	0:00	0.00	0.00
0	0	0	12:31	-0.59	-1.36
0	0	802	0:00	0.00	0.00
0	0	683	4:54	0.00	0.00
0.335416667	20	135	3:35	1.33	-0.26
0.182638889	13	124	2:35	1.09	-0.40
0.096527778	20	136	3:31	-0.57	-1.35
0.105555556	18	128	3:46	-0.62	-1.37
0.090972222	14	117	3:02	0.51	-0.52
0.221527778	17	109	3:24	1.95	-0.02
0.090972222	16	118	2:51	0.92	-0.43
0.145138889	12	134	2:16	0.50	-0.61
0.329861111	10	131	2:09	8.59	1.26
0.05	17	113	3:02	-0.39	-1.24
0.131944444	14	134	2:40	2.02	-0.02
0.217361111	14	139	2:24	2.02	-0.08
0.326388889	0	3769	19:49	-2.57	-2.56
0.452777778	0	2965	15:42	-0.57	-1.35
0.355555556	0	3755	17:44	-2.45	-2.49
0.352083333	0	3250	17:58	-3.01	-2.83
0.246527778	0	3222	15:14	-2.91	-2.77
0.308333333	0	3864	18:02	-0.67	-1.41
0.26875	0	3359	13:49	-2.36	-2.43
0.3	0	2818	12:52	-2.04	-2.24
0.279861111	0	3288	15:25	-1.69	-2.03
0.383333333	0	2371	17:38	-0.64	-1.39
0.266666667	0	3254	15:18	-2.92	-2.77
0.275694444	0	3177	15:02	-3.35	-3.03
0.150694444	1	9	3:06	0.57	-0.74
0	1	9	2:35	-0.27	-1.16
0.1625	1	5	3:12	0.70	-0.74
0.096527778	3	9	7:38	-0.82	-1.50
0.153472222	2	9	3:43	0.40	-0.80
0.350694444	1	10	4:01	0.49	-1.05
0.068055556	2	3	4:16	-0.07	-1.04
0.161805556	0	9	0:53	7.43	0.13

0.15625	1	8	1:51	7.53	0.67
0.468055556	0	7	0:51	18.99	1.26
1.956944444	1	6	3:39	8.41	-0.78
0.185416667	1	11	2:08	1.66	-0.48
0	0	0	0:00	0.00	0.00
0	128	1212	2:32	-0.34	-1.21
0	139	1377	2:25	-0.67	-1.41
0	113	1267	2:04	-0.61	-1.37
0.433	129	1309	2:26	0.98	-0.49
0	127	1272	2:18	-0.92	-1.56
0	111	1317	2:12	-0.78	-1.47
0.3857	98	1211	1:54	1.25	-0.32
0	96	1233	2:19	-1.03	-1.63
0.3727	139	988	2:25	0.53	-0.68
0.213	113	1375	2:08	-0.66	-1.40
0.2764	90	1146	1:53	0.06	-0.91
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	5	57	8.77%	-0.43	-1.26
0	0	0	0.00%	0.00	0.00
0	8	0	10.96%	-0.35	-1.21
0	8	73	12.70%	-0.38	-1.23
0	0	63	0.00%	0.00	0.00
0	8	0	13.33%	-0.55	-1.33
0	0	60	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	70	2.86%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	18	109	16.51%	-0.44	-1.27
0	12	121	9.92%	-0.57	-1.35
0	9	96	8.18%	-0.51	-1.31
0	10	110	10.87%	-0.35	-1.21
0.4714	16	92	14.68%	0.90	-0.55
0	9	109	7.44%	-0.40	-1.24
0	5	121	4.24%	-0.41	-1.25
0.5	11	118	10.48%	2.53	0.12
0	12	105	9.60%	-0.46	-1.28
0.4714	7	125	7.29%	1.71	-0.28
0	10	140	7.14%	-0.28	-1.17
0	0	0	0.00%	0.00	0.00
0	130	796	16.33%	-0.88	-1.54
0	0	0	0.00%	0.00	0.00
0	0	813	0.00%	0.00	0.00
0	163	0	18.05%	-1.05	-1.64
0.4899	160	903	19.28%	1.17	-0.37
0.4	97	830	15.65%	0.27	-0.82
0	112	620	13.69%	-0.56	-1.34
0.433	61	818	10.63%	0.93	-0.52
0.4157	74	574	12.80%	0.84	-0.51
0.4157	78	578	9.59%	1.28	-0.31
0.3	56	515	10.87%	-0.09	-1.05

0	0	0	0.00%	0.00	0.00
0	130	796	16.33%	-0.88	-1.54
0.4	144	981	14.68%	0.34	-0.78
0	170	813	20.43%	-0.88	-1.53
0	163	832	18.05%	-1.15	-1.70
0	160	903	19.28%	-0.69	-1.42
0	97	830	15.65%	-0.74	-1.45
0.2665	112	620	13.69%	-0.62	-1.38
0	61	818	10.63%	-0.84	-1.51
0.5	74	574	12.80%	1.57	-0.31
0	78	578	9.59%	-0.73	-1.44
0	56	515	10.87%	-0.70	-1.42
0	0	0	0.00%	0.00	0.00
0.2146	999	10060	9.93%	-1.34	-1.81
0.169	1081	11599	9.32%	-1.80	-2.10
0.2575	1091	11330	8.79%	-0.38	-1.23
0.1373	920	12414	8.70%	-1.73	-2.05
0.2083	998	10580	9.33%	-1.09	-1.66
0.149	815	10702	8.81%	-1.53	-1.93
0.2215	894	9246	8.58%	-0.92	-1.56
0	693	10416	8.49%	-1.82	-2.11
0.2375	1031	8161	8.82%	-0.70	-1.43
0.2039	1045	11686	9.22%	-1.14	-1.69
0.1443	884	10167	8.69%	-1.59	-1.97
0	0	0	0.00%	0.00	0.00
0	1127	11272	10.00%	-0.94	-1.57
0.2179	1220	12976	9.40%	-0.67	-1.41
0	1204	12597	8.77%	-1.24	-1.75
0.3727	1049	13723	8.85%	0.95	-0.46
0.3499	1125	11852	9.36%	0.63	-0.61
0.3499	926	12019	8.86%	0.71	-0.57
0.2039	992	10457	8.52%	-0.72	-1.43
0.3552	789	11649	8.62%	1.14	-0.34
0.2875	1170	9149	8.96%	0.03	-0.94
0.2903	1158	13061	9.19%	0.08	-0.95
0.2705	974	11313	8.61%	-0.50	-1.31
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	96	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.5	12	0	9.60%	1.92	-0.22
0.3499	7	125	7.29%	0.69	-0.64
0	10	140	7.14%	-0.55	-1.33
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	98	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	3	0	3.49%	-0.48	-1.29
0	7	86	7.14%	-1.03	-1.63
0.3307	2	70	2.86%	2.09	-0.16
0	0	0	0.00%	0.00	0.00
0	23	241	9.54%	-0.32	-1.20
0	0	0	0.00%	0.00	0.00
0	0	236	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	31	0	10.03%	-0.47	-1.29
0	21	309	9.42%	-0.32	-1.20
0	18	223	7.20%	-0.28	-1.17
0	11	250	5.19%	-0.23	-1.14
0.4	26	212	9.12%	0.84	-0.55
0	12	285	5.08%	-0.23	-1.14
0	23	288	7.99%	-0.59	-1.36
0	0	0	0.00%	0.00	0.00
0	0	8	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1	0	9.09%	-0.30	-1.18
0	0	11	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	0	8.33%	-0.30	-1.18
0	0	24	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	11	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.2421	252	2486	10.14%	-0.51	-1.31
0.3222	387	3110	12.44%	-0.08	-1.05
0	257	2684	9.80%	-0.87	-1.53
0.2665	308	2622	9.58%	-0.23	-1.14
0.4714	263	3214	9.42%	2.00	-0.04
0.2875	225	2793	9.68%	-0.07	-1.04
0	252	2325	9.37%	-0.91	-1.55
0.2875	163	2690	8.53%	0.07	-0.91
0.2875	293	1911	10.90%	-0.19	-1.12
0	260	2687	9.69%	-1.03	-1.63
0.3307	245	2480	9.88%	0.25	-0.81
0	0	0	0.00%	0.00	0.00
0	275	2727	10.08%	-0.58	-1.35
0	418	3455	12.10%	-0.52	-1.32
0.5	305	2920	10.29%	1.85	-0.23
0.3608	333	2965	9.45%	0.73	-0.56
0.433	294	3523	9.48%	1.06	-0.46
0	246	3102	9.65%	-0.86	-1.53
0	270	2548	9.18%	-0.71	-1.43

0	174	2940	8.20%	-0.89	-1.54
0	319	2123	10.73%	-1.34	-1.81
0.2653	272	2972	9.32%	-0.59	-1.36
0.2863	268	2768	9.68%	-0.24	-1.14
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	4	0.00%	0.00	0.00
0	3	11	27.27%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	41	431	9.51%	-0.32	-1.20
0	43	477	10.07%	-0.47	-1.29
0	52	427	10.63%	-0.77	-1.47
0	50	489	11.68%	-0.51	-1.31
0	39	428	9.26%	-0.32	-1.19
0.3499	43	421	9.35%	0.45	-0.72
0	43	460	11.23%	-0.61	-1.37
0.4	55	383	11.93%	0.55	-0.68
0	52	461	10.90%	-0.78	-1.47
0.5	62	474	13.08%	2.18	0.03
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	36	5.56%	4.07	0.10
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	5	25	20.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1	34	2.94%	7.90	0.81
0	7	39	17.95%	-0.46	-1.28
0	5	0	12.20%	-0.37	-1.22
0	3	41	6.25%	-0.36	-1.22
0	0	48	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	3	0	5.88%	-0.25	-1.15
0	0	51	0.00%	0.00	0.00
0	13	59	22.03%	-0.53	-1.32

0	0	0	0.00%	0.00	0.00
0	509	3773	13.49%	-0.56	-1.34
0	0	0	0.00%	0.00	0.00
0.5	400	1517	11.10%	2.48	0.12
0	0	3605	0.00%	0.00	0.00
0	425	0	10.73%	-0.60	-1.36
0.4714	439	3960	10.77%	1.78	-0.12
0.5	269	4076	9.69%	1.93	-0.21
0.5	138	2775	11.66%	1.69	-0.27
0	205	1184	13.03%	-0.55	-1.33
0	181	1573	11.93%	-0.52	-1.32
0	168	1536	10.94%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.5	509	3773	13.49%	1.51	-0.33
0	0	0	0.00%	0.00	0.00
0	400	1517	11.10%	-0.35	-1.21
0	0	3605	0.00%	0.00	0.00
0	425	0	10.73%	-0.69	-1.42
0	439	3960	10.77%	-0.69	-1.42
0	269	4076	9.69%	3.05	0.01
0	138	2775	11.66%	-0.51	-1.31
0.5	205	1184	13.03%	1.55	-0.32
0	181	1573	11.93%	-0.64	-1.39
0	168	1536	10.94%	-0.70	-1.43
0	0	0	0.00%	0.00	0.00
0	1	26	3.85%	-0.20	-1.12
0	0	0	0.00%	0.00	0.00
0	2	0	5.88%	-0.34	-1.21
0	2	34	3.64%	-0.19	-1.12
0	1	55	4.00%	-0.20	-1.12
0	0	25	0.00%	0.00	0.00
0	1	0	3.70%	-0.19	-1.12
0	0	27	0.00%	0.00	0.00
0	3	0	10.00%	-0.33	-1.20
0	0	30	0.00%	0.00	0.00
0	4	44	9.09%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	272	1998	13.61%	-1.12	-1.68
0.3857	333	2400	13.88%	0.41	-0.73
0.4454	365	2478	15.44%	1.08	-0.38
0.3727	344	2364	13.99%	0.27	-0.81
0	327	2459	14.59%	-1.30	-1.79
0	302	2241	14.24%	-0.91	-1.55
0.4454	324	2121	13.13%	1.39	-0.24
0.433	265	2467	13.24%	0.69	-0.61
0.4	265	2002	12.13%	0.54	-0.68
0	305	2185	12.31%	-0.84	-1.51
0.4	318	2686	11.84%	0.80	-0.53
0	0	0	0.00%	0.00	0.00
0	310	2404	12.90%	-0.67	-1.40
0	374	2831	13.21%	-0.78	-1.47
0	408	2955	14.62%	-1.01	-1.62

0.3727	396	2791	13.43%	0.23	-0.83
0	377	2948	14.13%	-0.70	-1.43
0.4	341	2669	13.41%	0.43	-0.73
0.433	367	2542	12.54%	0.75	-0.59
0.3499	308	2927	12.91%	0.11	-0.89
0.2291	320	2385	12.09%	-0.85	-1.52
0.3227	357	2646	12.08%	-0.09	-1.06
0.3053	380	3160	12.03%	-0.55	-1.33
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	38	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4714	2	0	5.26%	2.10	-0.23
0.5	13	59	22.03%	0.94	-0.55
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	46	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4	7	0	13.21%	0.43	-0.77
0.4899	4	53	8.70%	2.36	0.02
0	5	25	20.00%	-1.29	-1.78
0	0	0	0.00%	0.00	0.00
0	26	154	16.88%	-0.45	-1.27
0	0	0	0.00%	0.00	0.00
0	0	161	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	16	0	9.94%	-0.57	-1.35
0	18	130	13.85%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	13	124	10.48%	4.10	0.55
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	17	0	12.78%	-0.38	-1.23

0	0	0	0.00%	0.00	0.00
0	403	2964	13.60%	-1.25	-1.76
0	561	4057	13.83%	-0.80	-1.49
0.3307	444	1882	13.88%	-0.11	-1.07
0.4	441	3198	12.38%	0.52	-0.69
0	473	3561	12.69%	-1.26	-1.77
0.3	427	3726	11.87%	-0.18	-1.11
0.3	305	3596	11.00%	-0.10	-1.06
0.4	151	2773	10.50%	0.69	-0.61
0.3307	182	1438	11.26%	0.11	-0.89
0.433	191	1616	10.15%	0.98	-0.49
0.3499	175	1572	11.13%	0.26	-0.81
0	0	0	0.00%	0.00	0.00
0	0	1	0.00%	0.00	0.00
0	0	6	0.00%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	2	0.00%	0.00	-0.24
0	0	3	0.00%	0.00	0.00
0	0	5	0.00%	0.00	0.00
0	0	4	0.00%	0.00	0.00
0	0	1	0.00%	0.00	0.00
0	1	0	33.33%	-0.61	-1.37
0	0	8	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	22	138	15.94%	-0.86	-1.52
0	22	0	15.28%	-0.42	-1.26
0	0	144	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	21	144	14.58%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.3399	4	65	6.15%	1.35	-0.33
0.3499	15	87	17.24%	-0.39	-1.24
0	5	89	10.20%	-1.31	-1.80
0	6	49	10.17%	-0.89	-1.54
0	4	59	6.67%	-1.27	-1.77
0.2386	10	60	14.29%	-1.11	-1.68
0.1666	6	70	9.84%	-1.11	-1.67
0.1889	11	61	14.67%	-1.38	-1.84
0.3182	7	75	12.96%	-0.21	-1.13
0.3168	18	54	20.22%	-1.28	-1.78
0.1856	6	62	9.68%	-0.91	-1.55
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	22	137	15.28%	-0.42	-1.26

0	0	144	0.00%	0.00	0.00
0	21	0	14.29%	-0.41	-1.25
0	0	147	0.00%	0.00	0.00
0	17	0	12.78%	-0.54	-1.33
0	8	133	6.78%	-0.27	-1.16
0	0	118	0.00%	0.00	0.00
0	18	0	13.14%	-0.39	-1.24
0	21	144	14.58%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	403	2964	13.60%	-0.40	-1.24
0	561	4057	13.83%	-0.40	-1.24
0	0	1882	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	427	0	11.87%	-0.52	-1.32
0	0	3596	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	191	0	10.15%	-0.34	-1.20
0	175	1574	11.12%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.1727	13	124	10.48%	-1.58	-1.96
0.2506	22	138	15.94%	-1.94	-2.18
0.433	22	137	15.28%	1.87	0.00
0.292	17	144	13.39%	-0.83	-1.51
0.376	21	127	14.29%	0.59	-0.66
0.38	10	147	10.42%	1.53	-0.19
0.3529	17	96	12.78%	0.40	-0.77
0.3213	8	133	6.78%	1.33	-0.30
0.3383	21	118	14.48%	-0.28	-1.17
0.3686	18	145	13.14%	0.63	-0.63
0.3499	21	144	14.58%	-0.06	-1.04
0	0	0	0.00%	0.00	0.00
0.2658	1391	13329	10.44%	-1.22	-1.74
0.2794	1503	15359	9.79%	-0.72	-1.43
0.2609	1550	15124	9.61%	-1.19	-1.72
0.2103	1375	16133	9.57%	-2.32	-2.41
0.2504	1449	14361	10.11%	-1.77	-2.08
0.2665	1207	14339	9.54%	-0.84	-1.51
0.2454	1296	12657	9.16%	-1.33	-1.81
0.289	1054	14153	9.39%	-0.09	-1.05
0.2441	1432	11220	9.33%	-1.50	-1.91
0.2443	1474	15353	9.75%	-1.61	-1.98
0.3069	1287	13983	9.20%	0.66	-0.59
0	0	0	0.00%	0.00	0.00
0	4	65	6.15%	-0.60	-1.36
0	15	87	17.24%	-1.24	-1.75
0.2494	5	89	10.20%	-0.40	-1.24
0.3941	6	49	10.17%	1.27	-0.33
0.325	4	59	6.67%	0.90	-0.53
0.3399	10	60	14.29%	-0.10	-1.06
0	6	70	9.84%	-1.37	-1.83

0.3927	11	61	14.67%	0.50	-0.71
0.3	7	75	12.96%	-0.34	-1.20
0.2764	18	54	20.22%	-1.29	-1.78
0.3499	6	62	9.68%	0.53	-0.70
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	18	0	11.11%	-0.35	-1.21
0	22	162	18.33%	-0.47	-1.29
0	0	120	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	13	105	12.38%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	12	124	9.68%	-0.33	-1.20
0	18	136	13.24%	2.55	-0.08
0	16	128	13.68%	2.50	-0.10
0	15	117	13.89%	-0.56	-1.34
0	0	108	0.00%	0.00	0.00
0.3307	17	0	14.41%	-0.15	-1.09
0	0	118	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	16	0	12.50%	-0.38	-1.23
0	21	139	15.11%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	12	124	9.68%	-0.64	-1.39
0.3307	18	136	13.24%	-0.08	-1.05
0	16	128	13.68%	-0.87	-1.53
0.4714	15	117	13.89%	1.85	-0.04
0.3069	21	108	17.80%	-0.77	-1.47
0.3499	17	118	14.41%	-0.01	-1.01
0.4583	11	118	8.40%	3.24	0.51
0.4714	11	131	9.73%	2.90	0.37
0.2494	15	113	11.19%	-0.53	-1.32
0	16	134	12.50%	-0.53	-1.32
0	21	139	15.11%	-1.09	-1.66
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1	0	7.14%	-0.37	-1.22
0	0	14	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1	10	10.00%	0.00	0.00

0	2	9	20.00%	-0.65	-1.39
0	0	10	0.00%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0	3	9	37.50%	-1.26	-1.77
0	0	8	0.00%	0.00	0.00
0	1	7	16.67%	-0.69	-1.42
0	0	6	0.00%	0.00	0.00
0	2	11	18.18%	-0.93	-1.56
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.5	117	0	10.37%	2.59	0.15
0	0	1128	0.00%	0.00	0.00
0	139	0	17.33%	-0.46	-1.28
0	0	802	0.00%	0.00	0.00
0	76	683	11.13%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	12	124	9.68%	-0.78	-1.48
0.3727	18	136	13.24%	0.34	-0.78
0.1998	16	128	13.68%	-1.24	-1.75
0	15	117	13.89%	-1.37	-1.83
0.3857	21	108	17.80%	0.04	-0.96
0.3307	17	118	14.41%	-0.15	-1.09
0	11	118	8.40%	-0.96	-1.59
0.4479	11	131	9.73%	2.40	0.18
0.4	15	113	11.19%	0.61	-0.66
0.2575	16	134	12.50%	-0.58	-1.35
0	21	139	15.11%	-1.40	-1.85
0	0	0	0.00%	0.00	0.00
0.273	321	3074	10.44%	-0.46	-1.28
0.2421	509	3903	13.04%	-1.14	-1.69
0.2106	367	3348	10.97%	-1.32	-1.80
0	403	3346	10.17%	-1.64	-2.00
0.2039	347	3962	10.06%	-0.91	-1.55
0	306	3451	10.59%	-1.88	-2.14
0	333	2890	9.90%	-1.72	-2.04
0.2494	217	3363	8.90%	-0.30	-1.18
0.3903	377	2437	11.33%	0.93	-0.45
0.2353	313	3326	9.35%	-0.49	-1.30
0	335	3258	10.28%	-1.72	-2.05
0	0	0	0.00%	0.00	0.00
0	1	9	11.11%	-0.34	-1.20
0.4157	0	5	0.00%	0.00	-0.45
0	1	9	11.11%	-0.75	-1.46
0	2	9	20.00%	-1.09	-1.66
0	0	10	0.00%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0.3307	3	9	37.50%	-1.03	-1.63

0.3499	0	8	0.00%	0.00	-0.63
0.5	1	7	16.67%	1.39	-0.43
0.3	0	6	0.00%	0.00	-0.61
0.4	2	11	18.18%	0.09	-1.00
0	51	7763	0.66%	-0.27	-1.16
0	74	7811	0.95%	-0.32	-1.20
0	92	7859	1.17%	-0.36	-1.22
0	59	8804	0.74%	-0.29	-1.17
0	69	7934	0.86%	-0.31	-1.19
0	63	8019	0.78%	-0.29	-1.18
0	80	8119	0.96%	-0.34	-1.21
0	69	8362	0.81%	-0.31	-1.19
0	82	8472	0.95%	-0.34	-1.21
0	60	8623	0.69%	-0.29	-1.18
0	98	8658	1.11%	-0.37	-1.22
0	73	8912	0.82%	-0.31	-1.19
0.0607	2121	326836	0.65%	-1.61	-1.98
0.03	1860	326705	0.57%	-2.99	-2.82
0.047	2153	326287	0.66%	-2.57	-2.56
0.05	2079	321192	0.64%	-2.38	-2.45
0.0611	2070	324549	0.64%	-1.62	-1.98
0.0709	2054	323380	0.64%	-0.81	-1.49
0.058	1855	322130	0.58%	-1.53	-1.93
0.0859	1943	321692	0.61%	0.90	-0.45
0.0663	1583	321023	0.49%	-0.43	-1.26
0.0693	2121	320073	0.66%	-1.27	-1.77
0.0792	1980	320371	0.62%	0.12	-0.92
0.0689	1908	321417	0.59%	-0.98	-1.59
0.0499	104	69401	0.15%	0.51	-0.67
0	95	69495	0.14%	-0.77	-1.47
0.0828	105	70685	0.15%	2.92	0.31
0	118	74529	0.17%	-0.85	-1.52
0.0478	114	71260	0.16%	0.36	-0.74
0.0474	106	71433	0.15%	0.42	-0.71
0	104	71610	0.14%	-0.80	-1.49
0.0665	104	71751	0.14%	1.70	-0.15
0	132	73135	0.18%	-0.90	-1.55
0	143	73983	0.19%	-0.94	-1.57
0	149	74096	0.20%	-0.96	-1.58
0	106	74926	0.14%	-1.09	-1.66
0.0342	143	46080	0.31%	-1.01	-1.61
0.0768	151	46758	0.32%	1.37	-0.17
0.069	175	47230	0.37%	0.51	-0.69
0.0767	162	52175	0.33%	1.29	-0.21
0.0635	153	48651	0.31%	0.47	-0.71
0.0671	155	49594	0.31%	0.67	-0.59
0.0556	176	50445	0.35%	-0.16	-1.10
0.0874	183	50735	0.36%	1.75	0.07
0.0782	151	51204	0.29%	1.51	-0.08
0.0708	195	51431	0.38%	0.50	-0.69
0.0782	147	51791	0.28%	1.38	-0.24
0.066	210	52821	0.40%	0.14	-0.87

0	277	135340	0.20%	-1.12	-1.68
0.0385	248	135150	0.18%	-0.21	-1.13
0	314	130815	0.24%	-1.29	-1.78
0	348	109398	0.26%	-1.35	-1.82
0	332	133060	0.25%	-1.39	-1.85
0.0344	369	131359	0.28%	-0.90	-1.55
0.0344	328	129584	0.25%	-0.78	-1.47
0	327	129513	0.25%	-1.46	-1.89
0	228	128350	0.18%	-1.22	-1.74
0	273	128965	0.25%	-1.12	-1.68
0.0765	259	109555	0.24%	1.63	-0.01
0	235	107647	0.22%	-1.06	-1.64
0.1979	249	14573	1.71%	1.28	-0.31
0.2114	248	14579	1.70%	1.84	-0.05
0.0822	274	14887	1.84%	-1.04	-1.63
0.1132	261	15877	1.76%	-0.31	-1.19
0.1571	235	14814	1.58%	0.67	-0.58
0	265	14845	1.80%	-1.20	-1.73
0.3051	232	14749	1.49%	6.44	1.59
0.1098	264	15589	1.67%	-0.32	-1.19
0.1104	231	15838	1.45%	-0.16	-1.10
0	279	15917	1.76%	-1.22	-1.74
0.1091	265	15866	1.67%	-0.33	-1.20
0	283	15863	1.78%	-1.25	-1.76
0	1	1349	0.07%	-0.07	-1.04
0	3	1354	0.22%	-0.12	-1.07
0	8	1370	0.58%	-0.20	-1.12
0	5	0	0.37%	-0.17	-1.10
0.3307	6	1360	0.44%	5.15	0.27
0	0	1369	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	5	0	0.41%	-0.06	-1.04
0	0	1208	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	10	1209	0.83%	0.00	0.00
0	1	2846	0.04%	-0.46	-1.28
0	0	2780	0.00%	0.00	0.00
0	2	2765	0.07%	-0.65	-1.40
0	0	2031	0.00%	0.00	0.00
0	2	2744	0.08%	-0.64	-1.39
0.0559	0	2646	0.00%	0.00	0.00
0	1	2750	0.04%	-0.44	-1.27
0	1	2608	0.05%	-0.49	-1.30
0	0	1978	0.00%	0.00	0.00
0	0	1966	0.00%	0.00	0.00
0.0397	0	1968	0.00%	0.00	0.00
0	4	2031	0.20%	-0.98	-1.59
0.1889	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.1367	249	14573	1.71%	0.78	-0.52
0.1398	248	14579	1.70%	1.17	-0.29
0.1704	274	14887	1.84%	4.27	1.60
0.1439	261	15877	1.76%	1.25	-0.24
0.1457	235	14814	1.58%	2.15	0.31
0.1786	265	14845	1.80%	5.10	2.10
0.1498	232	14749	1.49%	2.97	0.80
0.1661	264	15589	1.67%	4.01	1.44
0.1591	231	15838	1.45%	4.15	1.52
0.1712	279	15917	1.76%	4.07	1.47
0.1601	265	15866	1.67%	3.13	0.90
0.1682	283	15863	1.78%	3.48	1.11
0	45	6416	0.70%	-0.27	-1.16
0	48	6543	0.73%	-0.27	-1.17
0	70	6560	1.07%	-0.27	-1.17
0	55	7634	0.82%	-0.24	-1.15
0	41	6713	0.60%	-0.21	-1.12
0	45	6841	0.65%	-0.21	-1.13
0	50	6942	0.70%	-0.30	-1.18
0	55	7164	0.75%	-0.31	-1.19
0	41	7300	0.55%	-0.29	-1.18
0	54	7434	0.71%	-0.31	-1.19
0	49	7561	0.64%	-0.30	-1.18
0	74	7689	0.96%	-0.36	-1.22
0	36	61235	0.06%	-0.22	-1.14
0	43	61518	0.07%	-0.32	-1.19
0	32	60837	0.05%	-0.27	-1.17
0	27	55929	0.05%	-0.27	-1.17
0	29	59998	0.05%	-0.29	-1.17
0	24	59403	0.04%	-0.26	-1.16
0.1085	32	58085	0.05%	6.32	0.76
0	27	59115	0.05%	-0.28	-1.17
0	27	58851	0.05%	-0.21	-1.13
0	26	57929	0.05%	-0.21	-1.13
0	21	56894	0.04%	-0.21	-1.13
0	30	55571	0.05%	-0.25	-1.15
0.0128	18593	1734689	1.07%	-7.97	-5.85
0.0309	16404	1738762	0.94%	-6.95	-5.22
0	19262	1740794	1.11%	-8.56	-6.20
0.0242	19479	1779098	1.12%	-8.29	-6.04
0.0265	18323	1744411	1.05%	-8.06	-5.90
0.033	17790	1751970	1.01%	-7.72	-5.69
0.0379	15547	1756510	0.88%	-6.88	-5.18
0.0224	17516	1762850	0.99%	-8.45	-6.14

0.027	13657	1767448	0.77%	-7.22	-5.39
0.0359	18679	1770661	1.05%	-8.33	-6.06
0.0349	18472	1775455	1.04%	-8.56	-6.20
0.0324	17241	1783492	0.97%	-8.56	-6.20
0.1407	5833	208432	2.80%	-1.19	-1.72
0.0953	4956	201225	2.46%	-2.55	-2.55
0.0848	5785	194762	2.97%	-3.47	-3.11
0.0742	4750	171424	2.49%	-3.33	-3.03
0.0897	4820	190801	2.57%	-3.01	-2.83
0.09	5148	187761	2.78%	-3.23	-2.97
0.0972	4956	185112	2.71%	-2.93	-2.78
0.1385	3901	182607	2.15%	-0.35	-1.21
0.1064	2015	181791	1.12%	0.05	-0.97
0.0758	2419	179164	1.38%	-1.80	-2.09
0.1085	2651	175633	1.55%	-0.74	-1.45
0.1085	2257	168218	1.34%	-0.34	-1.21
0.0098	31	122821	0.03%	-2.63	-2.60
0.0082	5	122277	0.00%	1.07	-0.35
0.0095	16	123081	0.01%	-0.92	-1.56
0.0091	3	122344	0.00%	3.20	0.94
0.008	16	124089	0.01%	-1.49	-1.90
0.0068	15	126558	0.01%	-1.79	-2.09
0.0058	5	127566	0.00%	-0.22	-1.13
0.0074	9	128369	0.01%	-0.53	-1.32
0.0051	9	127701	0.01%	-1.46	-1.89
0.0086	6	125925	0.00%	1.02	-0.38
0.0065	7	124233	0.01%	-0.53	-1.32
0.0065	4	123982	0.00%	0.49	-0.70
0.0553	68	59867	0.11%	1.46	-0.11
0.0525	51	60557	0.08%	1.77	0.08
0.0356	76	61261	0.12%	0.03	-0.98
0.0618	49	65521	0.08%	3.01	0.83
0.0359	80	61990	0.13%	0.00	-1.00
0.0623	47	62401	0.07%	3.17	0.93
0	52	62697	0.08%	-0.79	-1.48
0.036	55	63513	0.09%	0.41	-0.75
0.0351	57	63877	0.09%	0.34	-0.79
0.0347	68	64646	0.10%	0.14	-0.91
0.0348	56	64976	0.09%	0.35	-0.79
0	80	65671	0.12%	-1.00	-1.61
0.095	5833	208432	2.80%	-4.47	-3.72
0.0575	4956	201225	2.46%	-5.32	-4.24
0.0455	5785	194762	2.97%	-6.17	-4.75
0.0955	4750	171424	2.49%	-3.77	-3.29
0.0605	4820	190801	2.57%	-5.11	-4.11
0.0959	5148	187761	2.78%	-4.04	-3.45
0.0852	4956	185112	2.71%	-4.27	-3.60
0.0915	3901	182607	2.15%	-3.08	-2.87
0.0657	2015	181791	1.12%	-2.22	-2.35
0.0986	2418	179164	1.38%	-1.13	-1.69
0.0609	2651	175633	1.55%	-3.11	-2.89
0.0873	2255	168218	1.34%	-1.60	-1.97

0.1839	16472	1407853	1.17%	11.47	5.97
0.1703	14544	1412057	1.03%	10.40	5.32
0.1807	17109	1414507	1.21%	10.56	5.42
0.1404	17400	1457906	1.23%	3.90	1.37
0.1547	16253	1419862	1.14%	6.94	3.22
0.1362	15736	1428590	1.10%	4.29	1.61
0.1423	13692	1434380	0.95%	6.20	2.77
0.1542	15573	1441158	1.08%	7.41	3.50
0.1309	12074	1446425	0.83%	5.42	2.29
0.1496	16558	1450588	1.14%	5.82	2.54
0.1385	16492	1455084	1.13%	4.35	1.65
0.141	15333	1462075	1.05%	5.45	2.31
0.1031	1	1349	0.07%	4.70	0.28
0.0729	3	1354	0.22%	0.85	-0.58
0.0727	8	1370	0.58%	-0.09	-1.05
0	5	1206	0.37%	-0.73	-1.44
0.1581	6	1360	0.44%	3.81	0.49
0.0798	5	1369	0.37%	0.54	-0.70
0.1386	8	1368	0.67%	1.83	-0.11
0.1581	5	1186	0.41%	3.94	0.50
0.1114	4	1208	0.33%	1.90	-0.15
0	5	1203	0.42%	-0.76	-1.46
0.0791	4	1193	0.33%	0.61	-0.67
0.1543	10	1204	0.83%	2.13	0.03
0	249	14573	1.71%	-1.75	-2.07
0	248	14579	1.70%	-1.73	-2.05
0.1626	274	14887	1.84%	0.88	-0.46
0.0739	261	15877	1.76%	-1.24	-1.75
0	235	14814	1.58%	-1.67	-2.01
0	265	14845	1.80%	-1.73	-2.05
0	232	14749	1.49%	-1.59	-1.97
0	264	15589	1.67%	-1.67	-2.02
0	231	15838	1.45%	-1.57	-1.95
0	279	15917	1.76%	-1.72	-2.05
0.0767	265	15866	1.67%	-1.09	-1.66
0	283	15863	1.78%	-1.77	-2.07
0.0787	51	7727	0.66%	-0.30	-1.18
0.0594	74	7775	0.95%	-3.95	-3.40
0.1201	92	7824	1.18%	1.21	-0.27
0.0592	58	8804	0.73%	-2.05	-2.25
0.0589	69	7898	0.86%	-2.57	-2.56
0.0666	63	7983	0.78%	-2.43	-2.48
0.07	80	8083	0.96%	-3.08	-2.87
0.0698	69	8326	0.82%	-2.33	-2.42
0.0629	82	8433	0.96%	-3.67	-3.23
0.071	60	8584	0.69%	-1.43	-1.87
0.0855	98	8658	1.11%	-2.29	-2.39
0.0671	73	8912	0.82%	-2.60	-2.58
0	249	14573	1.71%	-1.79	-2.09
0	248	14579	1.70%	-1.79	-2.09
0	274	14887	1.84%	-1.87	-2.13
0.0727	261	15877	1.76%	-1.27	-1.77

0	235	14814	1.58%	-1.73	-2.05
0.0724	265	14845	1.80%	-1.31	-1.80
0	232	14749	1.49%	-1.69	-2.03
0.1018	264	15589	1.67%	-0.67	-1.40
0.072	231	15838	1.45%	-1.07	-1.65
0	279	15917	1.76%	-1.84	-2.12
0.0716	265	15866	1.67%	-1.25	-1.76
0	283	15863	1.78%	-1.88	-2.14
0.0877	5833	208432	2.80%	-1.97	-2.20
0.0611	4956	201225	2.46%	-2.20	-2.34
0.0607	5785	194762	2.97%	-2.51	-2.53
0	4750	171424	2.49%	-2.64	-2.61
0	4820	190801	2.57%	-2.70	-2.64
0	5148	187761	2.78%	-2.87	-2.75
0.0823	4956	185112	2.71%	-2.14	-2.30
0.1151	3901	182607	2.15%	-0.96	-1.58
0	2015	181791	1.12%	-1.86	-2.13
0.0563	2419	179164	1.38%	-1.61	-1.98
0.0553	2651	175633	1.55%	-1.81	-2.10
0	2257	168218	1.34%	-2.14	-2.30
0.1511	249	14573	1.71%	3.19	0.94
0.1075	248	14579	1.70%	-2.69	-2.64
0.1372	274	14887	1.84%	0.38	-0.77
0.125	261	15877	1.76%	-0.87	-1.53
0.1268	235	14814	1.58%	0.27	-0.83
0.1348	265	14845	1.80%	0.27	-0.84
0.1207	232	14749	1.49%	-0.05	-1.03
0.1344	264	15589	1.67%	0.88	-0.46
0.1274	231	15838	1.45%	1.08	-0.34
0.1283	279	15917	1.76%	-0.42	-1.25
0.1231	265	15866	1.67%	-0.66	-1.40
0.1291	283	15863	1.78%	-0.43	-1.26
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.3307	5	0	0.37%	5.67	0.31
0	0	1368	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	10	1204	0.83%	0.00	0.00
0.0765	3	57	5.26%	-1.37	-1.83
0.1305	2	63	3.17%	-0.56	-1.34
0.0364	3	64	4.69%	-1.71	-2.04
0.0521	2	85	2.99%	-1.30	-1.79
0.0675	2	67	2.74%	-1.19	-1.72
0.152	4	73	5.41%	-0.96	-1.59
0	3	74	4.00%	-1.47	-1.89
0.1069	2	75	2.60%	-0.66	-1.40

0.1298	2	77	2.47%	-0.36	-1.22
0.197	3	81	3.66%	0.15	-0.97
0.1538	5	82	5.88%	-1.10	-1.67
0.0776	4	86	4.65%	-1.44	-1.88
0.0731	18593	1734689	1.07%	-13.29	-9.08
0.0567	16404	1738762	0.94%	-16.43	-10.99
0.0691	19262	1740794	1.11%	-15.32	-10.31
0.0662	19479	1779098	1.12%	-16.17	-10.83
0.0605	18323	1744411	1.05%	-15.98	-10.72
0.0697	17790	1751970	1.01%	-12.25	-8.45
0.0611	15547	1756510	0.88%	-12.69	-8.71
0.0635	17516	1762850	0.99%	-13.87	-9.43
0.0577	13657	1767448	0.77%	-11.68	-8.10
0.0645	18679	1770661	1.05%	-14.52	-9.83
0.0625	18472	1775455	1.04%	-14.90	-10.06
0.0645	17241	1783492	0.97%	-13.12	-8.98
0.1328	51	7727	0.66%	5.89	2.58
0.055	74	7775	0.95%	-2.81	-2.71
0.0852	92	7824	1.18%	-1.74	-2.06
0.1004	58	8763	0.73%	1.42	-0.14
0.1204	69	7898	0.86%	2.80	0.70
0.1109	63	7983	0.78%	2.29	0.39
0.0884	80	8083	0.96%	-0.76	-1.46
0.1133	69	8326	0.82%	2.34	0.42
0.1051	82	8433	0.96%	0.73	-0.55
0.0971	60	8584	0.70%	1.36	-0.18
0.1148	98	8619	1.12%	0.92	-0.44
0.0854	73	8850	0.82%	-0.44	-1.27
0.0677	18593	1734689	1.07%	-3.81	-3.32
0.057	16404	1738762	0.94%	-4.18	-3.54
0.0757	19262	1740794	1.11%	-3.40	-3.07
0.0716	19479	1779098	1.12%	-3.90	-3.37
0.0796	18323	1744411	1.05%	-2.80	-2.70
0.0643	17790	1751970	1.01%	-4.24	-3.58
0.0696	15547	1756510	0.88%	-3.08	-2.87
0.0751	17516	1762850	0.99%	-3.21	-2.95
0.0848	13657	1767448	0.77%	-0.42	-1.25
0.0811	18679	1770661	1.05%	-4.10	-3.49
0.09	18472	1775455	1.04%	-6.54	-4.98
0.0863	17241	1783492	0.97%	-6.65	-5.04
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	52175	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.1166	195	0	0.38%	1.97	-0.05
0.0905	147	51791	0.28%	3.53	1.15
0.0696	210	52821	0.40%	0.49	-0.70

0	104	69401	0.15%	-0.04	-1.02
0	95	69495	0.14%	-0.04	-1.02
0	105	70685	0.15%	-0.04	-1.02
0	118	74529	0.17%	-0.04	-1.02
0	114	71260	0.16%	-0.04	-1.02
0	106	71433	0.15%	-0.04	-1.02
0	104	71610	0.14%	-0.04	-1.02
0	104	71751	0.14%	-0.04	-1.02
0	132	73135	0.18%	-0.07	-1.04
0.0757	143	73983	0.19%	4.09	1.49
0.0595	149	74096	0.20%	2.57	0.56
0.064	106	74926	0.14%	5.39	2.27
0.3499	1318	1426	92.43%	0.67	-0.61
0	1108	1212	91.42%	-0.31	-1.19
0.433	1248	1377	90.63%	1.07	-0.46
0	1222	1267	93.35%	-0.53	-1.32
0	1172	1309	92.14%	-0.58	-1.35
0.3307	1177	1272	89.37%	0.17	-0.86
0.3727	1115	1317	92.07%	0.79	-0.56
0.481	1135	1211	92.05%	3.47	0.59
0.4	915	1233	92.61%	1.52	-0.21
0	1219	988	88.65%	-0.87	-1.53
0.3927	1118	1375	88.24%	1.03	-0.40
0.3727	1047	1146	91.36%	0.98	-0.44
0	71	79	89.87%	-0.33	-1.20
0	0	0	0.00%	0.00	0.00
0	51	56	91.07%	-0.44	-1.26
0	0	0	0.00%	0.00	0.00
0	54	0	81.82%	2.11	-0.19
0	44	66	72.13%	1.60	-0.34
0	0	61	0.00%	0.00	0.00
0	45	0	81.82%	-0.65	-1.40
0	0	55	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	48	62	77.42%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	93	109	85.32%	-0.41	-1.25
0.4714	110	121	90.91%	1.44	-0.35
0	96	96	87.27%	-0.65	-1.40
0	84	110	91.30%	-0.31	-1.19
0.4714	88	92	80.73%	0.61	-0.68
0	106	109	87.60%	-0.53	-1.32
0.433	108	121	91.53%	1.17	-0.44
0	100	118	95.24%	-0.44	-1.27
0.5	109	105	87.20%	1.56	-0.32
0	83	125	86.46%	-0.68	-1.41
0	125	140	89.29%	-0.35	-1.21
0.1155	10305	11115	92.71%	-1.96	-2.19
0.1767	9431	10060	93.75%	-0.98	-1.60
0.2353	10801	11599	93.12%	-0.32	-1.20
0	11640	11330	93.77%	-1.67	-2.01

0.1373	9965	12414	94.19%	-1.20	-1.73
0	9799	10580	91.56%	-2.01	-2.22
0.149	8725	10702	94.37%	-0.96	-1.59
0	9947	9246	95.50%	-1.65	-2.00
0.1643	7751	10416	94.98%	-0.62	-1.37
0.196	10798	8161	92.40%	-0.96	-1.58
0.1458	10496	11686	92.64%	-1.34	-1.82
0.1443	9611	10167	94.53%	-1.01	-1.61
0.433	11623	12541	92.68%	2.35	0.14
0.433	10539	11272	93.50%	2.12	0.00
0.3571	12049	12976	92.86%	1.36	-0.25
0.2421	12862	12597	93.73%	0.00	-1.00
0.2764	11137	13723	93.97%	0.33	-0.76
0.4792	10976	11852	91.32%	3.59	0.69
0.4792	9840	12019	94.10%	4.73	1.01
0.4125	11082	10457	95.13%	3.76	0.72
0.3143	8666	11649	94.72%	1.35	-0.25
0.3432	12017	9149	92.01%	1.38	-0.21
0.4138	11614	13061	92.20%	11.97	6.27
0.4082	10658	11313	94.21%	14.07	3.83
0	282	326	86.50%	-0.39	-1.24
0	224	241	92.95%	-0.27	-1.17
0	0	0	0.00%	0.00	0.00
0	0	236	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	274	0	88.67%	-0.50	-1.31
0	203	309	91.03%	-0.31	-1.19
0	229	223	91.60%	-0.30	-1.18
0	191	250	90.09%	-0.33	-1.20
0	246	212	86.32%	-0.88	-1.54
0	212	285	89.83%	-0.34	-1.20
0	265	288	92.01%	-0.59	-1.36
0	0	0	0.00%	0.00	0.00
0.5	7	8	87.50%	1.43	-0.49
0	0	0	0.00%	0.00	0.00
0	8	0	72.73%	-0.59	-1.36
0	0	11	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	22	0	91.67%	-0.30	-1.18
0	0	24	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	8	11	72.73%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	1	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	4	0	100.00%	0.00	0.00
0	0	4	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0	3	0	75.00%	-0.52	-1.31
0	0	4	0.00%	0.00	0.00
0	1	0	100.00%	0.00	0.00
0	3	3	100.00%	0.00	0.00
0	2953	3216	91.82%	-1.36	-1.83
0	2368	2486	95.25%	-0.89	-1.54
0.3812	2896	3110	93.12%	1.75	-0.08
0	2419	2684	92.26%	-0.77	-1.47
0.2665	3041	2622	94.62%	0.37	-0.74
0	2638	3214	94.45%	-0.59	-1.36
0	2239	2793	96.30%	-0.65	-1.39
0	2589	2325	96.25%	-0.56	-1.34
0	1817	2690	95.08%	-0.75	-1.46
0.2875	2558	1911	95.20%	0.66	-0.61
0	2561	2687	95.42%	-0.69	-1.42
0.3307	2377	2480	95.85%	1.18	-0.41
0.433	3235	3542	91.33%	1.16	-0.43
0.4714	2592	2727	95.05%	4.93	0.64
0.5	3203	3455	92.71%	2.32	-0.11
0	2710	2920	91.40%	-0.43	-1.26
0.4213	3316	2965	94.12%	2.63	0.24
0.433	2912	3523	93.87%	1.57	-0.29
0.4518	2442	3102	95.84%	3.23	0.30
0.4899	2818	2548	95.85%	4.02	0.47
0.4714	2008	2940	94.58%	3.69	0.55
0.4714	2804	2123	94.35%	4.63	0.99
0.4199	2773	2972	94.97%	8.21	2.66
0.4745	2642	2768	95.45%	14.71	3.83
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	424	431	98.38%	-0.13	-1.08
0	423	477	99.06%	-0.14	-1.08
0	482	427	98.57%	-0.27	-1.16
0	422	489	98.60%	-0.17	-1.10
0	418	428	99.29%	-0.08	-1.05
0	455	421	98.91%	-0.28	-1.17
0	377	460	98.43%	-0.22	-1.13
0	459	383	99.57%	-0.15	-1.09
0	472	461	98.95%	-0.23	-1.14
0	469	474	98.95%	-0.21	-1.13
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	22	22	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	20	20	100.00%	0.00	0.00

0	32	32	100.00%	0.00	0.00
0	34	34	100.00%	0.00	0.00
0	38	39	97.44%	-0.16	-1.10
0	39	0	95.12%	-0.22	-1.14
0	46	41	95.83%	-0.29	-1.18
0	0	48	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	50	0	98.04%	-0.14	-1.09
0	0	51	0.00%	0.00	0.00
0	59	59	100.00%	0.00	0.00
0	2110	2141	98.55%	-0.21	-1.13
0	1963	1998	98.25%	-0.38	-1.23
0	2368	2400	98.67%	-0.38	-1.23
0	2343	2478	99.11%	-0.31	-1.19
0	2439	2364	99.19%	-0.31	-1.19
0	2223	2459	99.20%	-0.28	-1.17
0	2118	2241	99.86%	-0.08	-1.05
0	2456	2121	99.55%	-0.22	-1.13
0	1984	2467	99.10%	-0.19	-1.12
0	2171	2002	99.36%	-0.18	-1.11
0	2465	2185	99.48%	-0.16	-1.10
0	2668	2686	99.33%	-0.26	-1.16
0	2472	2510	98.49%	-0.21	-1.13
0	2364	2405	98.30%	-0.23	-1.14
0	2792	2831	98.62%	-0.24	-1.14
0	2766	2955	99.10%	-0.23	-1.14
0	2921	2791	99.08%	-0.24	-1.14
0	2645	2948	99.10%	-0.16	-1.10
0	2536	2669	99.76%	-0.11	-1.07
0	2911	2542	99.45%	-0.15	-1.09
0	2361	2927	98.99%	-0.27	-1.16
0	2630	2385	99.40%	-0.33	-1.20
0.1245	2937	2646	99.39%	1.37	-0.28
0.153	3137	3160	99.27%	2.16	0.06
0.0008	4	32108	0.01%	-5.14	-4.13
0.0006	17	32108	0.05%	-12.99	-8.90
0.0008	0	32420	0.00%	0.00	-2.98
0.0006	4	33241	0.01%	-3.72	-3.26
0.0006	31	31008	0.10%	-20.94	-13.73
0	0	31008	0.00%	0.00	-2.98
0.0008	7	30384	0.02%	-10.89	-2.97
0.0007	7	30360	0.02%	-10.03	-2.98
0.0004	1	30360	0.00%	0.54	-2.99
0.0016	14	30576	0.04%	-6.54	-2.92
0.0007	0	32400	0.00%	0.00	-2.98
0.0005	2	32617	0.01%	-1.94	-2.18
0.0657	0	48141	0.00%	17385.57	10568.68
0.065	2	48909	0.00%	917.39	556.73
0.0586	0	53489	0.00%	39280.39	23879.78
0.0002	0	59124	0.00%	103.81	62.11

0.0006	3	53969	0.00%	0.25	-0.85
0	0	53969	0.00%	249.46	150.66
0.0007	0	53969	0.00%	207.30	-2.98
0.0007	0	53969	0.00%	1151.42	-2.97
0.0008	0	54041	0.00%	272.25	-2.97
0.0008	32	55841	0.05%	-8.34	-2.96
0.0003	0	58764	0.00%	136.26	-2.99
0.0007	177	58476	0.30%	-13.23	-9.04
0.0037	0	0	0.00%	0.00	0.00
0.0257	0	0	0.00%	0.00	0.00
0.0093	0	0	0.00%	0.00	0.00
0.0349	0	33241	0.00%	0.00	0.00
0.0017	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.0019	7	0	0.02%	-2.85	-2.73
0.0061	7	30360	0.02%	6.78	3.12
0.0009	1	30360	0.00%	23.34	13.19
0.008	14	30576	0.04%	26.38	15.04
0.0033	0	32400	0.00%	0.00	0.00
0.0026	2	32617	0.01%	24.19	13.71
0.0657	0	0	0.00%	0.00	0.00
0.0652	0	0	0.00%	0.00	0.00
0.0588	0	0	0.00%	0.00	0.00
0.0034	0	59124	0.00%	0.00	0.00
0.0108	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.011	0	0	0.00%	2481.98	1507.94
0.0126	0	53969	0.00%	7116.71	4325.66
0.0166	0	54041	0.00%	9040.09	5494.99
0.055	32	55841	0.05%	200.97	121.18
0.0484	0	58764	0.00%	36457.94	22163.85
0.0348	177	58476	0.30%	6.98	3.24
0.1087	0	0	0.00%	0.00	-0.12
0	0	0	0.00%	0.00	-0.16
0.0889	0	0	0.00%	0.00	-0.13
0.0626	0	0	0.00%	0.00	-0.15
0.0856	0	0	0.00%	0.00	-0.13
0.0928	0	0	0.00%	0.00	-0.13
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.0729	0	0	0.00%	0.00	-0.14
0	0	0	0.00%	0.00	-0.16
0.0898	0	0	0.00%	0.00	-0.13
0.2764	0	0	0.00%	0.00	0.11
0	0	0	0.00%	0.00	-0.16
0.3143	0	0	0.00%	0.00	0.19
0.3222	0	0	0.00%	0.00	0.21
0.3499	0	0	0.00%	0.00	0.29
0.2764	0	0	0.00%	0.00	0.11
0.3571	0	0	0.00%	0.00	0.32
0	0	0	0.00%	0.00	-0.16

268.14	0	0	0	0.00	0.00
297.76	0	0	0	0.00	0.00
282.33	0	0	0	0.00	0.00
277.59	0	0	0	0.00	0.00
225.57	0	0	0	0.00	0.00
251.81	0	0	0	0.00	0.00
148.8	0	0	0	0.00	0.00
193.77	0	0	0	0.00	0.00
179.29	0	0	0	0.00	0.00
148.8	0	0	0	0.00	0.00
182.14	0	0	0	0.00	0.00
130.54	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	205	0	17.08	-0.67	-1.41
0	0	12	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	2102	31	67.81	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	35	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1782	0	42.43	1.68	-0.11
0	2051	42	50.02	1.31	-0.24
0	1666	41	64.08	0.81	-0.38
0	1532	26	45.06	0.97	-0.34
0	1432	34	40.91	0.84	-0.23
56.57	2203	50	44.06	-0.07	-1.04
83.44	6209	219	28.35	0.90	-0.15
53.74	4416	171	25.82	0.89	-0.16
53.74	30469	197	154.66	-0.83	-1.50
0	10327	0	100.26	-0.27	-1.17
26.87	4021	103	57.44	-0.49	-1.30
0	1994	70	24.32	-0.13	-1.08
0	0	82	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1532	0	45.06	-0.55	-1.34
0	0	34	0	0.00	0.00
0	2203	50	44.06	0.00	0.00
2	6842	208	32.89	-1.60	-1.97
2.12	5879	196	29.99	-1.35	-1.82
5.03	9633	217	44.39	-1.03	-1.63
4.95	6226	178	30.08	-0.94	-1.57

0	6483	207	30.01	-0.76	-1.46
12.73	6271	216	27.87	-0.58	-1.35
8.19	7123	225	38.5	-1.22	-1.74
0	7357	185	38.72	1.40	-0.20
70.97	5367	190	35.54	1.35	-0.28
67.63	3846	151	25.64	1.92	0.10
46.92	4740	150	26.63	0.64	-0.64
34.34	8926	282	31.65	-0.48	-1.29
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	35	0	11.67	4.61	1.26
0	0	3	0	0.00	0.00
0	110	6	18.33	0.00	0.00
177.99	1775	12	147.92	0.48	-0.83
172.27	1596	13	122.77	1.43	-0.40
164.39	35392	73	484.82	-9.72	-6.91
154.97	8970	12	299	-1.66	-2.01
145.68	2594	30	152.59	0.50	-0.77
138.96	875	17	97.22	1.42	-0.42
138.07	2062	9	147.29	0.10	-0.96
133.48	1830	14	130.71	0.32	-0.78
129.21	1938	14	129.2	-0.24	-1.15
125.47	1675	15	152.27	-0.70	-1.42
128.04	1882	11	156.83	-0.73	-1.44
160.66	1702	13	130.92	0.04	-0.93
3.16	1667	26	64.12	-2.17	-2.32
6.98	1458	32	45.56	-1.31	-1.79
42.46	1935	31	62.42	-0.73	-1.44
124.33	1047	8	26.18	4.28	0.53
108.45	1394	40	23.63	4.37	0.37
108.91	983	59	24.58	3.82	0.17
107.48	741	40	49.4	2.05	-0.04
83.12	690	15	46	1.27	-0.33
80.7	609	15	40.6	1.70	-0.19
73.77	498	15	35.57	0.62	-0.51
65.94	304	14	38	0.02	-0.98
70	1318	49	26.9	1.54	-0.29
102.48	6037	207	29.16	4.47	0.88
111.14	5609	212	26.46	6.65	1.26
92.54	8248	219	37.66	1.19	-0.33
83.63	5443	174	26.95	2.79	0.20
59.01	5444	202	24.75	0.67	-0.58
73	5444	220	22.78	3.84	0.75
63.93	6089	239	32.22	0.50	-0.72
41.11	6646	189	36.72	-2.80	-2.70

50.21	4719	181	32.1	0.79	-0.51
34.99	3576	147	24.16	0.12	-0.88
32.39	4564	148	26.23	0.19	-0.83
33.12	7622	259	29.43	-0.46	-1.28
21.94	1775	12	147.92	-1.20	-1.73
5	1596	13	122.77	-1.10	-1.67
10.12	35392	73	484.82	-5.40	-4.29
2.83	8970	10	299	-1.67	-2.02
0	2594	30	152.59	-0.74	-1.45
0	875	17	97.22	-0.62	-1.37
0	0	9	0	0.00	0.00
0.71	1830	0	130.71	-1.06	-1.65
0	0	14	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1801	0	180.1	-1.39	-1.84
0	1637	11	148.82	-1.10	-1.67
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	240	0	0.00	0.00
0	0	0	0	0.00	0.00
0	8099	0	25.79	2.83	0.30
39.72	8464	314	34.55	4.84	0.88
39.72	9202	245	37.26	3.28	0.53
39.72	6549	247	34.47	2.59	0.26
39.72	4964	190	24.94	2.46	0.18
36.99	6881	199	28.67	3.94	1.26
32.74	10928	355	30.78	0.18	-0.83
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0.433	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0.4714	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0.4949	0	0	0	0.00	0.00
0.4	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0.4	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	3	0	0	-1.00	-1.61
0	0	12	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	3	31	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	35	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	22	0	1	0.94	-0.63
0	18	42	0	1.12	-0.54
0	10	41	0	1.24	-0.49
0	14	26	0	1.18	-0.51
0	9	34	0	1.68	-0.32
0	23	50	0	1.50	-0.23
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	9	0	0.00	0.00
0.5	168	219	1	-0.89	-1.54
0.5	130	171	1	-0.86	-1.52
0.5	92	197	0	0.09	-0.97
0	43	0	0	-0.84	-1.51
0.5	36	103	1	-0.04	-1.02
0	38	70	0	-0.92	-1.56
0	0	82	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	14	0	0	-0.82	-1.50
0	0	34	0	0.00	0.00
0	23	50	0	0.00	0.00
0.4714	0	0	0	0.00	0.00
0.5	0	0	0	0.00	0.00
0.4714	0	0	0	0.00	0.00
0.5	0	178	0	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0.4714	50	0	0	0.24	-0.86
0	55	185	0	-0.64	-1.39
0	52	190	0	-1.43	-1.87
0.4714	60	151	0	-0.23	-1.14
0	48	150	0	-1.34	-1.81
0	63	282	0	-1.30	-1.79
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	3	0	0.00	0.00
0	2	6	0	0.00	0.00
0.2457	0	0	0	0.00	0.00
0.2665	0	0	0	0.00	0.00
0.3777	0	0	0	0.00	0.00
0.2818	0	12	0	0.00	0.00
0.2818	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0.3368	3	0	0	4.71	1.42
0.213	3	14	0	5.21	1.74
0.379	1	14	0	9.17	1.90
0.213	0	15	0	0.00	2.37
0.4583	0	11	0	0.00	1.45
0.3368	1	13	0	8.57	1.90
0.4841	0	0	0	0.00	0.00
0.433	0	0	0	0.00	0.00
0.4714	0	0	0	0.00	0.00
0.433	0	8	0	0.00	0.00
0.4899	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	5	0	0	1.88	-0.07
0.433	5	15	0	1.57	-0.17
0	11	15	1	0.95	-0.50
0.433	8	15	1	0.64	-0.69
0.433	3	14	0	1.26	-0.39
0.5	13	49	0	0.74	-0.65
0.4899	0	0	0	0.00	0.00
0.4865	0	0	0	0.00	0.00
0.4556	0	0	0	0.00	0.00
0.433	0	174	0	0.00	0.00
0.4051	0	0	0	0.00	0.00
1	0	0	0	0.00	0.00
0.5	71	0	0	1.09	-0.35
0.4	69	189	0	-2.14	-2.30

0.2874	1538080	2146408	72%	-50.91	0.00
0.2565	1475451	2145010	69%	-64.81	0.00
0.26	1690662	2417677	70%	-66.33	0.00
0.2947	1456845	2317687	69%	-58.34	0.00
0.2406	1747155	2108334	79%	-48.64	0.00
0	1567353	2223194	76%	0.00	0.00
0.1882	1657570	1051961	81%	-49.22	0.00
0.1615	1871791	2042248	82%	-51.93	0.00
0.1603	1628462	2277286	79%	-55.62	0.00
0.1089	1954501	2064597	84%	-52.18	0.00
0.1847	1998521	2333287	86%	-40.45	0.00
0.1747	1744701	2420635	72%	-78.25	0.00
0	2004	2088	96%	-0.35	-1.22
0	1928	2006	96%	-0.57	-1.35
0	2024	2127	95%	-0.23	-1.14
0	1784	1820	96%	-0.39	-1.24
0	2111	1851	96%	-0.53	-1.32
0	1994	2210	96%	-0.38	-1.23
0	1989	2067	95%	-0.58	-1.35
0.5	2135	2100	97%	3.96	0.16
0	1881	2199	97%	-0.48	-1.29
0	1852	1943	97%	-0.25	-1.15
0	1761	1910	97%	-0.48	-1.29
0	2029	2112	96%	-0.64	-1.39
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0	0	0	0%	0.00	-0.16
0.3143	0	0	0%	0.00	0.19
0.4	0	0	0%	0.00	0.47
0	0	0	0%	0.00	-0.16
0.4	0	0	0%	0.00	0.47
0	9314	9639	97%	-0.26	-1.16
0.2039	6087	6233	98%	0.90	-0.47
0.2291	6693	6843	98%	1.37	-0.27
0	6249	6414	97%	-1.09	-1.66
0.1666	4688	3058	98%	0.41	-0.72

0	0	0	0%	0.00	0.00
0	292	0	98%	-0.18	-1.11
0	188	297	94%	-0.37	-1.22
0.3727	425	465	91%	0.70	-0.61
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	277	292	95%	-0.23	-1.14
0	242	243	95%	-0.24	-1.15
0	301	256	97%	-0.16	-1.10
0	268	309	95%	-0.23	-1.14
0	0	282	0%	0.00	0.00
0	291	0	98%	-0.15	-1.09
0	248	298	97%	-0.17	-1.10
0	242	255	98%	-0.16	-1.10
0	238	248	98%	-0.14	-1.09
0	256	277	92%	0.00	0.00
0	0	0	0%	0.00	0.00
0	898	918	98%	-0.21	-1.13
0	750	784	96%	-0.21	-1.13
0	587	380	97%	-0.43	-1.26
0	497	603	99%	-0.20	-1.12
0	0	504	0%	0.00	0.00
0	363	0	98%	-0.21	-1.13
0	361	371	99%	-0.18	-1.11
0	327	365	98%	-0.29	-1.18
0	0	334	0%	0.00	0.00
0	376	0	99%	-0.15	-1.09
0	373	380	98%	-0.19	-1.12
0.1714	1124	1217	92.36%	-1.37	-1.83
0.1591	1214	1294	93.82%	-1.27	-1.77
0.1727	1119	1175	95.23%	-0.62	-1.38
0	1149	1223	93.34%	-1.90	-2.16
0	1329	1231	94.73%	-1.56	-1.95
0	1091	1403	93.73%	-1.87	-2.14
0	1188	1164	96.51%	-1.38	-1.84
0.174	1250	1231	96.75%	-0.06	-1.03
0	1031	1292	96.81%	-0.76	-1.46
0	1015	1065	96.12%	-1.25	-1.76
0	1176	1056	96.16%	-1.21	-1.74
0.1622	1243	1298	95.76%	-0.46	-1.28
0	1362	1463	93.10%	-0.47	-1.29
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	1466	0.00%	0.00	0.00
0	1630	0	95.21%	-0.32	-1.19
0	0	1712	0.00%	0.00	0.00
0	1436	0	96.64%	-0.19	-1.11
0	0	1486	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.2764	1257	0	96.40%	0.87	-0.52
0.1753	1414	1304	96.45%	-0.16	-1.10
0.1533	1499	1575	95.17%	-1.00	-1.61

0	7715	7967	99.78%	-0.35	-1.21
0	7410	7732	99.82%	-0.32	-1.20
0	7131	7423	99.89%	3.62	0.11
0	7946	7139	99.91%	-0.23	-1.14
0	7355	7953	99.93%	-0.14	-1.09
0	8931	7360	99.90%	-0.21	-1.13
0	10735	8940	99.92%	-0.14	-1.09
0	8966	8974	99.91%	-0.14	-1.08
0	20021	20060	99.81%	0.05	-0.97
0	21842	21886	99.80%	-0.28	-1.17
0	21815	21845	99.86%	-0.13	-1.08
0	20425	19920	99.79%	-1.65	-2.00
0	22091	20469	99.83%	-0.36	-1.22
0	19607	22129	99.76%	-1.86	-2.13
0	20358	19655	99.83%	-0.50	-1.30
0	20740	20392	99.83%	-0.81	-1.49
0	18082	20776	99.80%	-0.70	-1.43
0	18306	18119	99.79%	-1.32	-1.80
0	19871	18344	99.75%	-1.54	-1.93
0	21414	21474	99.72%	-1.27	-1.77
0	0	0	0.00%	0.00	0.00
0	22513	22565	99.77%	-0.12	-1.07
0	22510	22550	99.82%	-0.04	-1.03
0	21122	20655	99.74%	-0.09	-1.05
0	22890	21178	99.82%	-0.10	-1.06
0	20374	22931	99.75%	-0.09	-1.05
0	21256	20425	99.81%	-0.14	-1.08
0	21565	21296	99.81%	-0.15	-1.09
0	18736	21605	99.78%	-0.30	-1.18
0	18922	18778	99.75%	-0.52	-1.31
0	20595	18969	99.71%	-0.73	-1.44
0	22068	22130	99.72%	-2.93	-2.78
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	13	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	12	0	92.31%	-0.28	-1.17
0	8	8	100.00%	0.00	0.00
0	86	99	86.87%	-0.66	-1.40
0	0	0	0.00%	0.00	0.00
0	27	39	69.23%	-0.66	-1.40
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	89	101	88.12%	-0.37	-1.22
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	2.33
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	86	99	86.87%	-2.16	-2.32
0	47	55	85.45%	-2.11	-2.28
0	27	39	69.23%	-3.71	-3.25
0	57	135	91.94%	-1.31	-1.79
0	74	62	89.16%	-0.67	-1.41
0	53	83	88.33%	-1.41	-1.86
0	59	60	96.72%	3.71	0.36
0	54	61	90.00%	-0.39	-0.06
0	44	60	93.62%	0.05	-1.01
0	37	47	90.24%	-1.30	-1.79
0	123	41	91.11%	-1.45	-1.88
0	89	101	88.12%	-1.28	-1.78
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	14	14	100.00%	0.00	-0.72
0	12	12	100.00%	0.00	-0.45
0	24	24	100.00%	0.00	0.00
0	12	4	100.00%	0.00	0.00
0	6	12	75.00%	-1.14	-1.69
0	3	8	100.00%	0.00	-0.65
0	19	3	100.00%	0.00	0.00
0	17	19	100.00%	0.00	-0.60
0	6	17	100.00%	0.00	0.00
0	6	6	85.71%	-0.90	-1.55
0	4	7	100.00%	0.00	-0.60
0	12	12	100.00%	0.00	0.28

0	15	22	68.18%	0.05	-1.01
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	14	17	82.35%	-0.45	-1.27
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	12	0	92.31%	-0.28	-1.17
0	0	13	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	2	100.00%	0.00	0.00
0	13	14	92.86%	-0.27	-1.16
0	0	0	0.00%	0.00	0.00
0	16	24	66.67%	-1.31	-1.80
0	0	0	0.00%	0.00	0.00
0	43	0	82.69%	-0.45	-1.28
0	8	52	80.00%	-0.48	-1.29
0	0	10	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	14	0	60.87%	-1.31	-1.79
0	0	23	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	8	17	47.06%	0.00	0.00
0	86	99	86.87%	-0.76	-1.46
0	47	55	85.45%	-0.70	-1.42
0	27	39	69.23%	-0.92	-1.56
0	0	135	0.00%	0.00	0.00
0	74	0	89.16%	-0.35	-1.21
0	0	83	0.00%	0.00	0.00
0	59	0	96.72%	-0.31	-1.19
0	0	61	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	37	0	90.24%	-0.32	-1.20
0	123	41	91.11%	-0.44	-1.27
0	89	101	88.12%	-0.37	-1.22
0	6088	6234	98%	-0.51	-1.31
0	6693	6843	98%	-0.54	-1.33
0	6250	6415	97%	-0.67	-1.41
0	4688	3058	98%	-0.52	-1.32

0	4247	4779	98%	1.45	-0.32
0	3782	4335	98%	-0.47	-1.29
0	3503	3843	98%	-0.32	-0.33
0	3415	3562	99%	-0.21	-0.33
0	3238	3453	98%	-0.32	-0.33
0	3673	3294	99%	-0.20	-0.33
0	2991	3703	98%	-0.63	-0.33
0	2834	2879	98%	2.01	-0.17
0	86	99	87%	-1.47	-1.89
0	47	55	85%	-0.56	-1.34
0	27	39	69%	-2.91	-2.77
0	57	135	92%	-0.29	-1.18
0	74	62	89%	-1.42	-1.86
0	53	83	88%	-1.03	-1.63
0	59	60	97%	0.57	-0.76
0	54	61	90%	-0.47	-1.28
0	44	60	94%	0.42	-0.81
0	37	47	90%	-1.30	-1.79
0	123	41	91%	-0.73	-1.44
0	89	101	88%	-2.01	-2.22
0	0	0	0%	0.00	0.00
0	9	10	90%	-0.43	-1.26
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	8	0	80%	-0.48	-1.29
0	0	10	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	14	0	61%	-0.78	-1.48
0	0	23	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	8	17	47%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.06
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.33
0	2834	2879	98%	-0.25	-1.15
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.41
0	0	0	0%	0.00	0.41
0	0	0	0%	0.00	0.18
0	0	0	0%	0.00	0.14
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.33
0	0	0	0%	0.00	1.00

0	0	0	0%	0.00	0.78
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.22
0	0	0	0%	0.00	0.78
0	55	59	93%	0.06	-0.96
0	59	61	97%	0.04	-0.99
0	48	57	84%	0.18	-0.90
0	27	41	84%	-0.92	-1.56
0	42	32	86%	-0.38	-1.23
0	56	49	92%	-1.37	-1.83
0	48	61	91%	-1.35	-1.82
0	59	53	94%	-1.29	-1.78
0	53	63	96%	0.05	-0.99
0	39	55	89%	-0.69	-1.42
0	34	44	83%	-1.87	-2.14
0	43	51	84%	-1.97	-2.19
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	53	69	77%	-1.55	-1.94
0	26	39	67%	-1.72	-2.05
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	46	0	82%	2.13	-0.19
0	0	56	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	117	143	82%	0.00	0.00
0	26	39	67%	-1.82	-2.11
0	23	36	64%	-2.14	-2.30
0	33	56	59%	-1.54	-1.93
0	38	73	78%	-0.63	-1.38
0	35	49	74%	-0.21	-1.13
0	25	47	68%	-2.15	-2.31
0	23	37	74%	-1.32	-1.80
0	22	31	88%	-0.99	-0.33
0	46	25	82%	-1.01	-1.61
0	27	56	66%	-1.92	-2.17
0	54	41	74%	-1.12	-1.68
0	117	143	82%	-1.88	-2.15

0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	20	0	63%	2.43	0.40
0	28	32	76%	1.74	-0.30
0	45	37	83%	-1.04	-1.63
0	0	54	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	21	30	70%	0.00	0.00
0	11	12	92%	-0.74	-1.45
0	10	11	91%	0.03	-1.10
0	9	10	90%	0.08	-1.01
0	22	10	92%	-0.66	-1.40
0	7	24	100%	0.00	-0.28
0	8	7	80%	-1.19	-1.72
0	20	10	95%	-0.54	-1.33
0	34	21	89%	-1.10	-1.67
0	24	38	86%	-1.41	-1.86
0	16	28	76%	-0.91	-1.55
0	5	21	50%	-1.28	-1.78
0	13	13	100%	0.00	-0.38
0	8	9	89%	-0.63	-1.39
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	8	0	62%	-0.76	-1.46
0	0	13	0%	0.00	0.00
1	6	0	75%	0.73	-0.72
0	0	8	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	10	11	91%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	4	4	100%	0.00	-0.15
0	1	0	33%	0.61	-0.90
0	0	3	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	11	12	92%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	38	0	78%	-0.53	-1.32

0	35	49	74%	-0.58	-1.35
0	0	47	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	27	0	66%	-0.71	-1.43
0	0	41	0%	0.00	0.00
0	117	143	82%	0.00	0.00
0	1065	1121	95%	-0.88	-1.54
0	898	918	98%	0.46	-0.71
0	750	784	96%	-0.60	-1.36
0	587	380	97%	-0.54	-1.33
0	497	603	99%	-0.47	-1.28
0	459	504	98%	-0.38	-1.23
0	363	470	98%	-0.60	-0.33
0	361	371	99%	-0.39	-0.33
0	327	365	98%	-0.43	-0.33
0	400	334	99%	-0.76	-0.33
0	376	406	99%	-0.37	-0.33
0	373	380	98%	0.66	-0.64
0	26	39	67%	-1.12	-1.68
0	23	36	64%	-1.99	-2.21
0	33	56	59%	-1.54	-1.93
0	38	73	78%	-1.61	-1.98
1	35	49	74%	1.08	-0.43
0	25	47	68%	-1.05	-1.64
0	23	37	74%	-1.32	-1.81
0	22	31	88%	-0.82	-1.50
0	46	25	82%	-1.60	-1.97
0	27	56	66%	-1.66	-2.01
0	54	41	74%	-0.83	-1.50
0	117	143	82%	-1.79	-2.09
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	7	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	2	0	40%	-1.12	-1.68
0	0	5	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	6	0	75%	-0.54	-1.33
0	0	8	0%	0.00	0.00
0	3	0	43%	-1.08	-1.66
0	11	12	92%	-0.29	-1.18
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	0.00
1	0	0	0%	0.00	1.33
1	0	0	0%	0.00	1.33
1	0	0	0%	0.00	1.33
0	0	0	0%	0.00	3.00

0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0	0	0	0%	0.00	-0.33
0.3399	9	10	90.00%	0.27	-0.96
0.3608	8	11	72.73%	-0.65	-1.40
0.3	11	12	91.67%	0.14	-0.97
0	10	18	76.92%	-1.45	-1.88
0	13	13	76.47%	-1.66	-2.01
0.2353	15	17	75.00%	-1.34	-1.81
0	10	20	83.33%	-0.69	-1.42
0	14	12	77.78%	-1.26	-1.76
0	17	18	85.00%	-0.96	-1.58
0	17	20	89.47%	-0.91	-1.55
0	16	19	88.89%	-0.92	-1.56
0	10	14	71.43%	-1.67	-2.02
0	6240	1529	4.08	-0.43	-1.26
0.71	5856	1486	3.94	-0.55	-1.33
0	6348	1599	3.97	-0.23	-1.14
1.53	5079	1268	3.86	0.23	-0.48
0	6101	1315	3.79	-0.44	-1.27
0	5333	1610	3.55	-0.35	-1.21
0	5457	1504	3.69	-0.38	-1.23
0	5583	1480	3.45	5.03	0.57
0.82	4919	1616	3.49	-0.53	-1.32
8.49	4653	1410	3.51	2.49	0.10
0.45	4379	1327	3.45	-0.15	-1.09
0.38	5353	1454	3.68	-0.34	-1.21
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	25245	6972	3.62	-0.31	-1.19
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0.33	0	0	0	0.00	-0.37
0.35	0	0	0	0.00	-0.16
0.5	0	0	0	0.00	-0.05
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	25245	6972	3.62	-0.31	-1.19

5.88	25751	5436	4.74	0.79	-0.42
2.44	28127	5979	4.7	-0.02	-1.02
1.43	26070	5455	4.78	-1.08	-1.66
1.14	18585	1762	4.93	-0.78	-1.47
3.03	16362	3766	5.46	1.31	-0.22
2.16	14868	2994	5.43	-1.00	-1.61
6.08	12807	2737	5.48	1.43	0.12
1.96	11966	2339	5.29	-0.18	-1.11
0.38	13058	2261	5.42	-0.79	-1.48
1.65	12396	2409	5.14	-1.14	-1.69
2.95	9126	2411	5.18	1.51	-0.12
4.09	8153	1698	4.8	2.39	0.37
1.48	22307	5410	4.12	1.28	-0.22
1.21	24853	5765	4.31	0.86	-0.48
1.61	23112	5785	4	0.58	-0.65
1.27	19522	5497	3.72	2.74	0.67
0.97	19975	5251	3.48	0.65	-0.60
1.53	17952	5734	3.4	-0.44	-1.27
1.17	16806	5273	3.34	0.34	-0.79
0.92	19530	5031	3.33	1.35	-0.18
0.36	16196	5871	3.28	-1.22	-1.74
1.11	16962	4933	3.35	2.57	0.56
1.22	18605	5057	3.38	1.41	-0.14
1.52	19892	5518	3.6	3.59	1.18
0.58	28547	6939	4.11	-0.28	-1.17
0.71	30709	7251	4.24	0.66	-0.33
0	29460	7384	3.99	0.01	-0.89
0	24601	6765	3.75	-0.28	-1.17
0.84	26076	6566	3.55	-0.29	-1.18
0.89	23285	7344	3.44	-0.45	-1.27
0.5	22263	6777	3.42	-0.13	-1.08
0	25113	6511	3.35	-0.33	-1.20
0.71	21115	7487	3.33	0.08	-0.59
0.96	21615	6343	3.39	0.25	-0.59
2.73	22984	6384	3.4	2.07	0.26
1.84	25245	6972	3.62	1.81	0.10
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	133	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	915	0	4.36	-0.34	-1.21
0	495	210	3.72	-0.55	-1.33
1.5	1639	321	5.11	-0.88	-1.54
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	988	225	4.39	-0.21	-1.13
0	796	192	4.06	-0.17	-1.11

0	751	196	3.38	-0.26	-1.16
0	797	222	3.8	-0.23	-1.14
0	0	210	0	0.00	0.00
0	730	0	3.38	-0.12	-1.07
0	639	216	3.33	-0.15	-1.09
0	613	192	3.21	-0.11	-1.07
0	642	191	3.34	0.23	-0.26
0	704	180	3.91	0.00	0.00
0	0	0	0	0.00	0.00
0	3762	835	4.51	-0.65	-1.40
0	0	0	0	0.00	0.00
0	2378	254	4.66	0.65	-0.36
0	0	510	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1267	0	4.99	1.29	0.09
0	1497	284	5.27	-0.14	-1.09
1.92	3987	964	4.14	-0.54	-1.33
2.4	4394	1042	4.22	0.27	-0.69
2.1	3641	934	3.9	-0.63	-1.38
0.75	3659	975	3.8	-0.77	-1.47
0.82	3910	964	3.64	-1.09	-1.67
0.39	3236	1073	3.69	-1.30	-1.79
0.73	3250	877	3.43	-0.65	-1.39
1.01	3388	947	3.28	-0.07	-1.04
0.26	2812	1033	3.25	-0.55	-1.34
2.44	2746	865	3.17	1.28	-0.21
0.82	3220	865	3.3	0.19	-0.60
0.56	3524	982	3.59	-0.65	-1.40
2.31	4754	1150	4.13	0.11	-0.70
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	1167	0	0.00	0.00
0	4661	0	3.6	-0.37	-1.22
0	0	1295	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
5.06	3359	0	3.18	3.31	0.20
1.12	3862	1056	3.31	0.12	-0.70
2.44	4228	1162	3.64	0.13	-0.69
0	0	0	0	0.00	0.00
0	1371	537	2.55	0.66	-0.78
0	1405	474	2.96	-0.34	-1.21
1.17	1274	429	2.98	-1.18	-1.72
0.58	1578	427	2.88	-0.22	-1.13
0.45	1445	547	3.06	-0.42	-1.26
0	1514	472	3.07	-0.12	-1.07
1.11	1958	493	3.38	-1.10	-1.67

0.76	1290	580	3.12	-1.09	-1.66
1.73	1230	413	3.13	-1.00	-1.61
0.69	1300	393	3.03	-0.81	-1.49
0	1235	389	3.17	-0.13	-1.08
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	0.00
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	53425	16405	3.26	-0.48	-1.29
0.21	0	0	0	0.00	-0.31
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0	0	0	0	0.00	-0.27
0.62	0	0	0	0.00	-0.46
0.16	0	0	0	0.00	-0.29
0.16	0	0	0	0.00	-0.29
0.13	0	0	0	0.00	-0.29
0.15	0	0	0	0.00	-0.29
0.84	0	0	0	0.00	-0.23
0.15	0	0	0	0.00	-0.29
0	53425	16405	3.26	-1.57	-1.96
1.16	13268	4487	2.96	1.87	0.13
0.44	15474	5232	2.96	-1.81	-2.10
0.27	14075	5014	2.81	1.14	0.10
1.7	22054	8000	3.96	0.47	-0.59
0.69	31926	5573	4.91	-0.42	-1.25
0.38	30951	6499	4.9	-0.15	-1.09
1.25	28780	6311	4.88	-2.79	-2.70
0.91	32677	5893	4.89	-2.58	-2.57
1.21	29829	6679	4.89	-3.49	-3.12
0.81	36732	6105	4.91	-2.01	-2.22
0.51	39207	7474	4.9	-0.36	-1.22
1.4	36519	7469	4.89	-2.76	-2.68
0.59	35382	13323	2.66	3.31	1.01
0.37	51495	16077	3.2	-6.24	-4.79
0.43	51626	15764	3.27	-8.61	-6.24
0.43	47996	15161	3.22	-6.15	-4.74
0.34	53679	14898	3.27	-6.56	-4.99
0.34	46624	16402	3.26	-6.69	-5.07
0.34	46501	14312	3.16	-3.84	-3.34
0.38	50045	14715	3.15	-3.76	-3.28
0.5	44480	15875	3.16	-2.03	-2.23
0.4	45734	14058	3.16	-3.57	-3.17
0.41	46484	14456	3.07	-2.12	-2.29
0.31	52190	16016	3.26	-5.99	-4.64

0	0	0	0	0.00	0.00
0	52866	16614	3.18	-0.27	-1.16
0	0	0	0	0.00	0.00
0.71	49270	15590	3.22	-0.94	-1.57
0	55257	15325	3.26	-0.43	-1.26
0	48069	16949	3.25	-0.21	-1.13
0	48015	14784	3.16	-0.31	-1.19
0	52003	15208	3.16	-0.27	-1.16
0	45770	16455	3.16	-0.64	-1.39
0.37	46964	14471	3.16	-1.29	-1.79
0.4	47784	14849	3.07	-2.78	-2.69
0.32	53425	16405	3.26	-9.42	-6.73
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	20	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	59	0	2.95	0.05	-1.51
0	51	18	2.83	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	7	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	17	0	2.43	-1.10	-1.67
0	0	0	0	0.00	0.00
0.58	1054	106	9.94	-2.10	-2.28
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	548	0	10.34	-0.04	-1.03
0	0	53	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	775	81	9.57	0.08	-0.65
0	0	0	0	0.00	0.00
0.71	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	319	18	18	-0.39	-1.24
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	53	0	4	0.25	-0.54
0	0	13	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	3	1	3	0.00	0.00
0	167	15	11	-0.42	-1.26
0	114	10	11	-0.99	-1.60
0.64	347	26	13	-2.29	-2.39
0	0	0	0	0.00	0.00
0	635	0	16	-1.81	-2.10
0	101	40	10	-0.41	-1.25
0	0	10	0	0.00	0.00
0	0	0	0	0.00	0.00
1.41	487	0	21	-1.24	-1.75
0	0	23	0	0.00	0.00
0	0	0	0	0.00	0.00
1.41	431	17	25	-1.64	-2.00
0.89	1054	106	10	-2.25	-2.37
0	970	73	13	-1.21	-1.73
0.71	1891	70	27	-1.38	-1.84
0	792	0	11	-0.66	-1.40
0	886	74	9	-0.88	-1.54
0	0	94	0	0.00	0.00
0	526	0	9	-1.11	-1.68
0	0	56	0	0.00	0.00
0	0	0	0	0.00	0.00
0	643	0	13	-1.09	-1.67
0	0	49	0	0.00	0.00
0	775	81	10	0.00	0.00
0.84	25755	5437	5	-0.40	-1.24
0.44	28127	5979	5	0.08	-0.82
0.54	26074	5456	5	0.05	-0.87
0.28	18585	1762	5	-0.01	-1.01
0.85	16362	3766	5	-1.22	-1.74
0.85	14873	2994	5	-1.51	-1.92
0.98	12807	2738	5	-1.05	-0.92
1	11975	2339	5	-0.87	-1.00
1.21	13058	2263	5	-1.42	-0.83
0	12406	2409	5	-0.16	-0.50
0.62	9126	2412	5	-0.96	-0.67
0.79	8156	1699	5	-0.53	-1.32

2.73	1054	106	10	-6.62	-5.03
1.98	970	73	13	-3.63	-3.21
2.34	1891	70	27	-5.83	-4.55
2.2	792	150	11	-4.17	-3.53
2.67	886	74	9	-4.66	-3.83
1.21	548	94	10	-4.21	-3.56
0.98	526	53	9	-7.33	-5.46
2.58	890	56	10	-6.34	-0.25
1.43	785	86	12	-5.42	-4.30
1.47	643	65	13	-5.56	-4.38
1.96	1415	49	9	-3.41	-3.07
1.39	775	81	10	-6.31	-4.84
0	0	0	0	0.00	0.00
0	114	10	11	-0.99	-1.60
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	101	0	10	-0.67	-1.41
0	0	10	0	0.00	0.00
0	0	0	0	0.00	0.00
0	487	0	21	-0.83	-1.51
0	0	23	0	0.00	0.00
0	0	0	0	0.00	0.00
0	431	17	25	0.00	0.00
0	0	0	0	0.00	-0.50
0	0	0	0	0.00	-0.50
1.12	0	0	0	0.00	-0.82
1	0	0	0	0.00	-0.75
1.05	0	0	0	0.00	-0.56
1.41	0	0	0	0.00	-1.00
0	0	0	0	0.00	-0.50
1.1	0	0	0	0.00	-1.10
0.84	0	0	0	0.00	-0.90
1.36	0	0	0	0.00	-1.06
0.82	0	0	0	0.00	-1.00
1.15	8156	1699	5	-0.86	-1.52
4.37	0	0	0	0.00	-1.14
2.95	0	0	0	0.00	-0.36
9.08	0	0	0	0.00	0.22
4.52	0	0	0	0.00	-1.17
6.54	0	0	0	0.00	-0.26
5.38	0	0	0	0.00	-1.37
4.76	0	0	0	0.00	-1.40
8.32	0	0	0	0.00	-0.44
1.95	0	0	0	0.00	-1.72
5.76	0	0	0	0.00	-1.03
4.62	0	0	0	0.00	-0.72
4.2	0	0	0	0.00	-1.40
2.38	311	48	6	-2.10	-2.28
4.68	346	53	7	-1.24	-1.75
2.76	286	49	6	-0.32	-1.20
2.31	287	42	8	-2.42	-2.47

0	985	0	13	-0.51	-1.31
0	0	78	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1096	96	11	0.00	0.00
0.99	644	51	13	-3.07	-2.87
10.3	746	52	14	-1.14	-1.69
2.73	1175	65	18	-1.53	-1.93
1.14	662	80	11	-1.73	-2.05
1.17	1223	58	18	-1.43	-1.87
1.51	639	68	15	-1.31	-1.79
0	463	43	11	-2.15	-2.31
0.5	833	43	21	-0.85	-0.63
3.4	985	39	13	-2.47	-2.50
4.2	853	78	19	-2.23	-2.36
2.81	1041	46	13	-0.83	-1.50
3.06	1096	96	11	-2.27	-2.38
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	856	0	19	-0.62	-1.38
0	448	44	12	-0.96	-1.58
0	775	37	13	-0.82	-1.50
0	0	60	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	296	24	12	0.00	0.00
7.4	264	12	22	-4.49	-3.73
8.05	288	12	24	-1.26	-1.77
5.8	290	13	22	-1.32	-1.80
8.87	458	11	19	-1.41	-1.86
8.32	143	24	18	0.04	-0.93
8.46	301	8	27	-2.23	-2.36
5.99	412	11	19	-3.16	-2.92
5.82	849	22	22	-0.62	-1.38
2.89	619	39	21	-0.45	-1.27
10.69	707	30	35	-0.75	-1.45
4.15	983	20	89	-1.98	-2.20
10.14	243	11	22	-2.69	-2.64
0.84	170	12	14.17	-0.96	-1.59
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	334	0	20.88	-0.56	-1.34
0	0	16	0	0.00	0.00
1.41	79	0	9.88	-0.85	-1.52
0	0	8	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	148	13	11.38	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
1	97	4	24.25	-1.30	-1.79
2.83	79	6	26.33	-0.94	-1.57
0	0	3	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	157	0	26.17	-0.90	-1.55
0	218	9	24.22	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	662	0	11.41	-1.05	-1.64
0	0	58	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	853	0	18.54	-0.82	-1.50
0	0	46	0	0.00	0.00
0	1096	96	11.42	0.00	0.00
0	4897	1035	4.73	0.28	-0.69
1.72	3762	835	4.51	0.04	-0.93
0.41	3333	712	4.68	0.11	-0.72
0.35	2378	254	4.66	0.29	-0.73
0.55	2121	510	5.41	-1.20	-1.73
0.55	1914	392	5.36	-1.23	-1.75
0.44	1559	357	5.57	-1.28	-0.62
1.06	1500	280	5.26	-2.13	-0.88
0	1471	285	5.33	-0.63	-0.50
1.45	1508	276	5.15	-3.08	-1.06
0	1267	293	4.99	0.04	-0.50
0.94	1497	284	5.27	-1.16	-1.70
1.69	644	51	12.63	-3.89	-3.37
0.51	746	52	14.35	-2.70	-2.64
0.84	1175	65	18.08	-1.49	-1.91
0	662	80	11.41	-1.77	-2.07
0.58	1223	58	17.99	-1.07	-1.65
0.96	639	68	14.86	-1.54	-1.94
0.93	463	43	10.77	-3.25	-2.98
1.05	833	43	21.36	-1.75	-0.84
0.36	985	39	12.63	-3.77	-3.29
0.63	853	78	18.54	-1.78	-2.08
3.05	1041	46	13.01	-1.31	-1.79
0.7	1096	96	11.42	-2.84	-2.72
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	89	92	96.74%	-0.53	-1.32
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	134	142	94.37%	-0.24	-1.15
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	110	0	94.02%	-0.25	-1.15
0	0	117	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	128	0	95.52%	-0.22	-1.13
0	0	134	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	246	268	91.79%	-0.30	-1.18
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.1791	121	133	90.98%	-1.80	-2.09
0.1691	134	142	94.37%	-1.23	-1.75
0.2039	133	234	92.36%	-1.04	-1.63
0.2271	156	144	90.17%	-1.20	-1.73
0.2197	110	173	94.02%	-0.29	-1.18
0.2457	110	117	94.02%	0.14	-0.93
0.2675	119	117	94.44%	0.75	-0.59
0.2875	128	126	95.52%	1.73	-0.14
0.2342	96	134	94.12%	-0.02	-1.01
0.2048	223	102	95.30%	-0.13	-1.08
0.1499	246	268	91.79%	-1.74	-2.06

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	83	0	93.26%	-0.53	-1.32
0	73	89	96.05%	4.90	0.22
0	146	76	96.05%	-0.49	-1.30
0	0	152	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	107	111	96.40%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	31578	33903	93.14%	-0.38	-1.23
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.3499	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.2665	0	0	0.00%	0.00	0.00
0.3608	0	0	0.00%	0.00	0.00
0	31153	33423	93.21%	-0.97	-1.59
0	0	0	0.00%	0.00	0.00
0.2233	15089	16568	91.07%	-0.56	-1.34
0.1923	14295	15757	90.72%	-0.95	-1.58
0.2799	12093	14196	90.49%	-0.19	-1.11
0.1714	11471	13364	91.10%	-1.18	-1.72
0.1979	10596	12592	90.14%	-1.35	-1.82
0.3359	10127	11755	91.22%	1.08	-0.36
0.2818	10903	11102	92.45%	0.36	-0.75
0.2271	10317	11793	93.38%	-0.35	-1.21
0.2353	12389	11048	94.85%	0.24	-0.82
0.2353	13437	13061	94.65%	0.17	-0.85
0.2895	11527	12237	94.20%	1.18	-0.31
0	0	0	0.00%	0.00	0.00
0.2665	24	25	96.00%	0.74	-0.71
0	38	39	97.44%	-0.60	-1.36
0	37	15	100.00%	0.00	0.00

0.149	16	37	100.00%	0.00	-0.85
0	14	16	100.00%	0.00	0.00
0.2233	43	14	100.00%	0.00	-0.37
0	60	43	100.00%	0.00	0.00
0	36	60	100.00%	0.00	0.00
0	28	36	100.00%	0.00	0.00
0	15	28	100.00%	0.00	0.00
0.1795	26	26	100.00%	0.00	-0.62
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	33	0	94.29%	-0.34	-1.21
0	0	35	0.00%	0.00	0.00
0	35	0	92.11%	-0.40	-1.25
0	0	38	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	39	40	97.50%	-0.16	-1.10
0	0	0	0.00%	0.00	0.00
0.2613	15089	16568	91.07%	-0.53	-1.32
0.1749	14295	15757	90.72%	-2.05	-2.25
0.3278	12093	14196	90.49%	0.92	-0.44
0.2244	11471	13364	91.10%	-1.22	-1.74
0.3	10596	12592	90.14%	0.05	-0.95
0.2651	10127	11755	91.22%	-0.40	-1.24
0.2713	10903	11102	92.45%	0.17	-0.87
0.3258	10317	11793	93.38%	1.67	-0.06
0.2927	12389	11048	94.85%	1.68	-0.06
0.31	13437	13061	94.65%	1.94	0.07
0.2597	11527	12237	94.20%	0.47	-0.69
0	0	0	0.00%	0.00	0.00
0.205	28368	30644	92.57%	-5.41	-4.29
0.227	28659	30763	93.16%	-2.52	-2.53
0.217	26695	28548	92.56%	-4.02	-3.44
0.203	29200	28842	92.85%	-4.96	-4.01
0.1884	26156	31448	93.31%	-5.33	-4.24
0.2328	26958	28030	93.31%	-1.45	-1.88
0.2117	27953	28892	93.32%	-3.42	-3.08
0.2311	23991	29955	92.96%	-1.89	-2.15
0.2111	24223	25807	93.43%	-2.77	-2.69
0.2092	26602	25926	93.18%	-3.28	-2.99
0.2075	28280	30364	93.14%	-3.84	-3.33
0	0	0	0.00%	0.00	0.00
0	14	14	100.00%	0.00	0.00
0.1825	30	30	100.00%	0.00	-0.61
0	36	50	100.00%	0.00	0.00
0	59	36	100.00%	0.00	0.00
0	18	59	94.74%	-0.38	-1.23
0	0	19	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0.4714	33	0	97.06%	2.99	-0.12
0	12	34	100.00%	0.00	0.00
0	49	12	98.00%	-0.27	-1.17
0.5	28	30	93.33%	2.38	-0.17
0	0	0	0.00%	0.00	0.00
0	121	133	90.98%	-0.69	-1.42
0	134	142	94.37%	-0.34	-1.21
0	133	234	92.36%	-0.74	-1.45
0	156	144	90.17%	-0.97	-1.59
0	0	173	0.00%	0.00	0.00
0	110	0	94.02%	-0.43	-1.26
0	0	117	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	96	0	94.12%	-0.35	-1.21
0	223	102	95.30%	-0.31	-1.19
0	246	268	91.79%	-0.30	-1.18
0	0	0	0.00%	0.00	0.00
0.1846	73	75	97.33%	0.42	-0.83
0.2127	67	70	95.71%	0.17	-0.95
0.1372	42	61	89.36%	-1.83	-2.11
0.1466	64	47	95.52%	-0.83	-1.50
0.1158	83	67	96.51%	-0.97	-1.59
0.1587	58	86	85.29%	-2.58	-2.57
0.1613	82	68	96.47%	-0.39	-1.23
0.1467	69	85	90.79%	-1.90	-2.15
0.1753	56	76	87.50%	-2.06	-2.25
0.1673	56	64	91.80%	-1.40	-1.85
0.156	73	75	97.33%	-0.09	-1.05
0	0	0	0.00%	0.00	0.00
0.2935	7069	7781	90.85%	0.08	-0.91
0.3195	6541	7215	90.66%	0.38	-0.74
0.325	4856	3443	90.03%	0.34	-0.76
0	4387	5394	90.42%	-1.78	-2.08
0.2179	3877	4852	89.64%	-0.78	-1.48
0.2818	3585	4325	90.90%	-0.07	-1.04
0	3511	3944	91.77%	-1.30	-1.79
0.2421	3367	3826	92.68%	-0.16	-1.10
0.2018	3867	3633	94.00%	-0.50	-1.31
0	3199	4114	92.91%	-1.53	-1.93
0.1543	3009	3262	92.24%	-1.26	-1.77
0	0	0	0.00%	0.00	0.00
0.2386	121	133	90.98%	-0.84	-1.51
0.2429	134	142	94.37%	0.24	-0.87
0.1313	133	234	92.36%	-1.77	-2.07
0.2225	156	144	90.17%	-1.34	-1.82
0.2241	110	173	94.02%	-0.23	-1.14
0.2601	110	117	94.02%	0.44	-0.77
0.2479	119	117	94.44%	0.37	-0.80
0.2299	128	126	95.52%	0.44	-0.76
0.1731	96	134	94.12%	-0.84	-1.51
0.1998	223	102	95.30%	-0.22	-1.14
0.2219	246	268	91.79%	-1.09	-1.66

0	0	0	0.00%	0.00	0.00
0	14	14	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	50	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	18	0	94.74%	-0.32	-1.19
0	0	19	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	33	0	97.06%	-0.24	-1.15
0	0	34	0.00%	0.00	0.00
0	49	0	98.00%	-0.14	-1.09
0	28	30	93.33%	-0.26	-1.16
0	0	0	0.00%	0.00	0.00
0	15089	16568	91.07%	-0.63	-1.38
0.2764	14295	15757	90.72%	-0.11	-1.07
0	12093	14196	90.49%	-0.72	-1.44
0	11471	13364	91.10%	-0.99	-1.60
0	10596	12592	90.14%	-0.57	-1.35
0	10127	11755	91.22%	-0.69	-1.42
0	10903	11102	92.45%	-0.81	-1.49
0	10317	11793	93.38%	-0.75	-1.46
0	12389	11048	94.85%	-0.74	-1.45
0	13437	13061	94.65%	-0.53	-1.32
0	11527	12237	94.20%	-0.50	-1.30
0	0	0	0.00%	0.00	0.00
0.1405	10309	10982	93.87%	-6.88	-5.18
0.1242	10616	11332	93.68%	-10.38	-7.31
0.1319	9751	10667	93.06%	-13.42	-9.16
0.1112	11056	10478	93.36%	-11.65	-8.08
0.1385	10088	11842	94.02%	-6.03	-4.67
0.1294	10176	10730	93.80%	-6.20	-4.77
0.0991	10971	10849	94.19%	-7.31	-5.45
0.12	9316	11648	94.18%	-6.46	-4.92
0.1081	9137	9892	93.76%	-6.79	-5.13
0.142	10000	9745	93.75%	-5.92	-4.60
0.1532	10547	11271	93.58%	-5.65	-4.44
0	0	0	0.00%	0.00	0.00
0	73	75	97.33%	-0.86	-1.52
0.2799	67	70	95.71%	1.02	-0.53
0.2875	42	61	89.36%	-0.25	-1.15
0.2764	64	47	95.52%	0.99	-0.51
0.325	83	67	96.51%	2.61	0.10
0	58	86	85.29%	-1.92	-2.16
0.2738	82	68	96.47%	1.40	-0.33
0.169	69	85	90.79%	-1.05	-1.64
0	56	76	87.50%	-2.00	-2.22
0.2179	56	64	91.80%	-0.57	-1.35
0.2197	71	73	97.26%	0.82	-0.60
0	0	0	0.00%	0.00	0.00
0	31108	33563	92.69%	-0.79	-1.48
0	31578	33903	93.14%	-0.61	-1.37
0	29339	31355	92.64%	-0.56	-1.34

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	92	92	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	268	268	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	111	111	100.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.1436	0	0	0.00%	0.00	-0.04
0	0	0	0.00%	0.00	-0.11
0.1414	0	0	0.00%	0.00	-0.05
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0.1776	0	0	0.00%	0.00	-0.01
0.14	0	0	0.00%	0.00	-0.05
0.2215	0	0	0.00%	0.00	0.05
0.1972	0	0	0.00%	0.00	0.00
0.2098	0	0	0.00%	0.00	0.00
0.1872	12237	12237	100.00%	0.00	1.67
0	0	0	0.00%	0.00	0.00
0.0411	0	0	0.00%	0.00	-0.10
0.0472	0	0	0.00%	0.00	-0.10
0.0645	0	0	0.00%	0.00	-0.10
0.0481	0	0	0.00%	0.00	-0.10
0.0307	0	0	0.00%	0.00	-0.11
0.0564	0	0	0.00%	0.00	-0.10
0.0318	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0.0379	0	0	0.00%	0.00	0.00
0.0526	0	0	0.00%	0.00	0.00
0.0333	30364	30364	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1	6	16.67%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4714	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.5	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.3499	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4899	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.3307	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.2764	0	0	0.00%	0.00	0.00
0.3857	0	0	0.00%	0.00	0.00
0.2875	0	0	0.00%	0.00	0.00
0.4213	0	0	0.00%	0.00	0.00
0.3857	0	0	0.00%	0.00	0.00
0.4213	0	0	0.00%	0.00	0.00
0	116	831	13.96%	-0.98	-1.60

0	0	0	0.00%	0.00	0.00
0.1815	0	0	0.00%	0.00	0.00
0.2332	0	0	0.00%	0.00	0.00
0.3307	0	0	0.00%	0.00	0.00
0.2206	0	0	0.00%	0.00	0.00
0.2068	0	0	0.00%	0.00	0.00
0.1923	0	0	0.00%	0.00	0.00
0.1947	0	0	0.00%	0.00	0.00
0.2146	0	0	0.00%	0.00	0.00
0.2619	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.2723	187	2260	8.27%	-0.06	-1.04
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.3646	0	0	0.00%	0.00	0.00
0.3307	0	0	0.00%	0.00	0.00
0.3143	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.433	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.5	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4	0	0	0.00%	0.00	0.00
0.3143	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0.3307	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4518	0	0	0.00%	0.00	0.00
0.3727	0	0	0.00%	0.00	0.00
0.3307	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.3727	0	0	0.00%	0.00	0.00
0.3	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.2179	0	0	0%	0.00	0.00
0.2684	0	0	0%	0.00	0.00
0.2444	0	0	0%	0.00	0.00
0.2665	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2083	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2764	0	0	0%	0.00	0.00
0.2353	0	0	0%	0.00	0.00
0.2534	0	0	0%	0.00	0.00
0.2764	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.5	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.5	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00

0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.3499	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2665	0	0	0%	0.00	0.00
0.3608	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2233	0	0	0%	0.00	0.00
0.1923	0	0	0%	0.00	0.00
0.2799	0	0	0%	0.00	0.00
0.1714	0	0	0%	0.00	0.00
0.1979	0	0	0%	0.00	0.00
0.3359	0	0	0%	0.00	0.00
0.2818	0	0	0%	0.00	0.00
0.2271	0	0	0%	0.00	0.00
0.2353	0	0	0%	0.00	0.00
0.2353	0	0	0%	0.00	0.00
0.2895	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2929	0	0	0%	0.00	0.00
0.1749	0	0	0%	0.00	0.00
0.3392	0	0	0%	0.00	0.00
0.2244	0	0	0%	0.00	0.00
0.3	0	0	0%	0.00	0.00
0.2971	0	0	0%	0.00	0.00
0.3	0	0	0%	0.00	0.00
0.3777	0	0	0%	0.00	0.00
0.3268	0	0	0%	0.00	0.00
0.3608	0	0	0%	0.00	0.00
0.3118	11527	12237	94%	1.62	-0.09
0	0	0	0%	0.00	0.00
0.2069	0	0	0%	0.00	0.00
0.2296	0	0	0%	0.00	0.00
0.2224	0	0	0%	0.00	0.00
0.2071	0	0	0%	0.00	0.00
0.1896	0	0	0%	0.00	0.00
0.2376	0	0	0%	0.00	0.00
0.2138	0	0	0%	0.00	0.00
0.2311	0	0	0%	0.00	0.00
0.2127	0	0	0%	0.00	0.00
0.2151	0	0	0%	0.00	0.00
0.2075	28280	30364	93%	-3.84	-3.33
0	0	0	0%	0.00	0.00
0.1846	0	0	0%	0.00	0.00
0.2127	0	0	0%	0.00	0.00
0.1372	0	0	0%	0.00	0.00
0.1466	0	0	0%	0.00	0.00
0.1158	0	0	0%	0.00	0.00
0.1587	0	0	0%	0.00	0.00
0.1613	0	0	0%	0.00	0.00

0.1467	0	0	0%	0.00	0.00
0.1753	0	0	0%	0.00	0.00
0.1752	0	0	0%	0.00	0.00
0.156	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2935	0	0	0%	0.00	0.00
0.3608	0	0	0%	0.00	0.00
0.325	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2179	0	0	0%	0.00	0.00
0.2818	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2421	0	0	0%	0.00	0.00
0.2018	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.1543	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2386	0	0	0%	0.00	0.00
0.2429	0	0	0%	0.00	0.00
0.1313	0	0	0%	0.00	0.00
0.2225	0	0	0%	0.00	0.00
0.2241	0	0	0%	0.00	0.00
0.2601	0	0	0%	0.00	0.00
0.2479	0	0	0%	0.00	0.00
0.2299	0	0	0%	0.00	0.00
0.1731	0	0	0%	0.00	0.00
0.1998	0	0	0%	0.00	0.00
0.2219	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2764	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.1405	0	0	0%	0.00	0.00
0.1302	0	0	0%	0.00	0.00
0.1334	0	0	0%	0.00	0.00
0.1112	0	0	0%	0.00	0.00
0.1608	0	0	0%	0.00	0.00
0.1294	0	0	0%	0.00	0.00
0.0991	0	0	0%	0.00	0.00
0.1286	0	0	0%	0.00	0.00
0.1289	0	0	0%	0.00	0.00
0.142	0	0	0%	0.00	0.00
0.1578	0	0	0%	0.00	0.00

0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2799	0	0	0%	0.00	0.00
0.2875	0	0	0%	0.00	0.00
0.2764	0	0	0%	0.00	0.00
0.325	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2738	0	0	0%	0.00	0.00
0.169	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2179	0	0	0%	0.00	0.00
0.2197	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2494	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.3222	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.2615	0	0	0%	0.00	0.00
0.1882	0	0	0%	0.00	0.00
0.1786	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0	0	0	0%	0.00	0.00
0.5	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	39	0	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	67	16	4.19	-0.39	-1.24
0	165	62	2.66	-0.48	-1.29
0	0	0	0	0.00	0.00
0	152	37	4.11	-0.41	-1.25
0	0	30	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
1.41	88	0	5.5	-0.09	-1.06
0	0	16	0	0.00	0.00
0	0	0	0	0.00	0.00
0	64	0	2.13	0.95	-0.56
0	108	26	4.15	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	32	0	1.68	-0.53	-1.32
0	0	19	0	0.00	0.00
4.95	191	41	4.66	-0.02	-1.01
0	59	13	4.54	-0.10	-1.06
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	8	0	2.67	-0.69	-1.42
0	0	3	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	133	7	19	0.00	0.00
1.53	220	38	5.79	-0.38	-1.23
0.58	203	41	4.95	-0.59	-1.36
0.71	60	24	2.5	-0.48	-1.29
0	0	0	0	0.00	0.00
0	150	0	4.41	-0.36	-1.22
0	0	34	0	0.00	0.00
0	123	0	3.62	-0.34	-1.21
0	140	34	4	0.64	-0.39
5.2	96	35	2.74	1.01	-0.47
0	196	35	5.76	-0.50	-1.30
0	0	34	0	0.00	0.00
0	277	56	4.95	-0.14	-1.09

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	55	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
2	219	0	3.98	-0.53	-1.32
5.51	294	59	4.98	0.18	-0.66
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	47	6	7.83	-1.73	-2.05
0	357	14	25.5	-1.55	-1.95
0.55	1075	22	48.86	-6.79	-5.13
1.41	121	13	20.17	-1.25	-1.76
2.07	22	6	11	-0.75	-1.46
0	98	2	12.25	-0.74	-1.45
2.23	37	8	9.25	-2.29	-2.39
0.58	96	4	8.73	-1.14	-1.69
0	119	11	11.9	-0.53	-1.33
0.71	80	10	13.33	-1.19	-1.72
0	257	6	19.77	-0.72	-1.44
0	45	3	15	-1.57	-1.95
0	1	1	1	0.00	0.00
0	2	1	2	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	20	0	10	-0.82	-1.50
0	0	2	0	0.00	0.00
0	0	0	0	0.00	0.00
1.6	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
1.26	0	0	0	0.00	0.00
6.34	0	0	0	0.00	0.00
27.58	14	2	7	2.39	-0.51
3.8	2	1	2	0.00	0.00
1.5	18	5	3.6	-0.38	-1.23
4.24	34	6	11.33	-1.67	-2.01

3.21	16	3	2.67	0.78	-0.36
2.74	25	6	8.33	-0.67	-1.40
0	6	3	3	0.00	0.00
3.79	37	2	12.33	-0.48	-1.29
0.71	0	3	0	0.00	0.00
4.55	21	0	5.25	0.12	-1.13
2.89	34	4	5.67	0.40	-0.83
3.08	4	3	1.33	6.32	-0.35
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	160	0	2.46	-0.44	-1.26
0	0	65	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	56	30	1.87	0.07	-0.79
6.26	47	6	7.83	-0.74	-1.45
1.68	357	14	25.5	-2.42	-2.47
6.25	1075	22	48.86	-6.54	-4.98
0	121	13	20.17	-0.63	-1.39
10.12	22	6	11	-0.34	-1.21
3.54	98	2	12.25	-0.85	-1.52
0.71	37	8	9.25	-1.79	-2.09
7.06	96	4	8.73	-0.07	-1.04
2.97	119	11	11.9	-0.86	-1.52
0	80	10	13.33	-0.95	-1.58
0.58	257	6	19.77	-1.19	-1.72
1.41	45	3	15	-1.80	-2.09
2.97	824	191	4.31	-0.88	-1.54
1.89	636	168	3.79	0.05	-0.89
4.21	798	333	2.4	2.63	0.27
3.31	697	198	3.33	0.96	-0.52
3.67	755	209	3.54	0.77	-0.56
2.85	533	213	3.68	0.74	-0.60
1.01	445	145	2.99	5.18	1.26
2.54	558	149	4.57	0.58	-0.54
7.42	570	122	4.79	0.86	-0.57
1.06	506	119	3.29	0.88	-0.51
10.83	895	154	4.52	1.49	-0.22
2.51	875	192	4.56	0.16	-0.84
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	579	21	27.57	-0.80	-1.49
0	116	15	9.67	-1.00	-1.61
0	414	12	27.6	-0.94	-1.57
0	0	15	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
4.95	296	0	19.73	-0.94	-1.57
0	641	18	35.61	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	272	0	18.13	-0.74	-1.45
0	0	15	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	78	6	13	0.00	0.00
0	0	0	0	0.00	0.00
4.73	4	1	4	0.00	0.00
0	9	2	4.5	2.50	-1.02
0	0	6	0	0.00	0.00
1.41	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	768	0	128	-3.46	-3.11
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	8	0	8	0.00	0.00
0	0	1	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	2	1	2	0.00	0.00
2.31	111	11	10.09	-1.63	-1.99
0	138	12	11.5	-0.59	-1.36
0	0	0	0	0.00	0.00
0	0	15	0	0.00	0.00
0	414	0	27.6	-0.94	-1.57
0	0	15	0	0.00	0.00
0	65	0	9.29	-0.88	-1.53
0	0	7	0	0.00	0.00
0	0	0	0	0.00	0.00
0	115	0	14.38	-1.39	-1.85
0	296	8	19.73	-0.57	-1.35
0	641	18	35.61	0.00	0.00

0	171	66	2.59	-0.47	-1.28
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
2.12	235	0	4.52	0.24	-0.39
0	191	52	4.24	-0.51	-1.31
0	173	45	3.84	-0.45	-1.27
0	164	45	5.86	0.20	-0.65
0	0	28	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	191	41	4.66	0.00	0.00
12.02	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1	1	1	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	20	0	10	0.06	-1.40
0	0	2	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	21	1	21	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	277	0	9.23	0.88	-0.42
0	0	30	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	258	38	6.79	0.00	0.00
3.61	454	105	4.32	0.16	-0.55
2.83	431	93	4.63	-0.40	-1.24
5.66	640	111	5.77	0.27	-0.67
0	435	114	4.1	-0.02	-1.01
1.41	607	106	5.02	0.54	-0.65
0	483	121	4.78	-0.34	-1.21
0	0	101	0	0.00	0.00
3.54	454	0	4.93	-0.08	-1.05
2.52	434	92	4.17	-0.31	-1.19
0	490	104	5.05	-0.63	-1.39
4.08	601	97	5.27	-0.22	-1.13
2.65	557	122	4.57	0.16	-0.78
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	142	0	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
4.16	797	0	5.61	0.28	-0.45
2.78	815	160	5.09	-0.05	-1.03
0	286	39	7.33	-0.86	-1.52
2.12	302	43	7.02	-0.54	-1.33
0	141	25	5.64	0.99	-0.61
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	291	34	8.56	-0.47	-1.28
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	26	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
4.24	199	0	7.65	-0.24	-1.15
0	355	42	8.45	-0.49	-1.30
5.69	42	2	21	-1.08	-1.66
0.71	1	1	1	0.00	0.00
12.61	41	4	10.25	-0.31	-1.19
2.08	40	2	13.33	-1.84	-2.12
4.24	3	3	3	0.00	0.00
0	32	1	16	-0.29	-1.18
0.71	31	2	7.75	-1.21	-1.74
9.9	4	4	4	0.00	0.00
0	6	1	3	0.00	-1.00
3.51	6	2	6	0.00	0.00
6.36	58	1	29	-4.15	-3.53
2.65	50	6	8.33	-0.44	-1.27
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	123	0	12.3	-0.80	-1.49

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	39	0	13	-0.76	-1.46
0	0	3	0	0.00	0.00
0	11	0	2.75	3.80	-0.33
0	0	4	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	51	4	12.75	0.00	0.00
0	46	3	15.33	-1.73	-2.05
0	0	0	0	0.00	0.00
0	57	6	9.5	-0.52	-1.31
0	0	0	0	0.00	0.00
0	203	0	33.83	-1.30	-1.79
0.5	31	6	10.33	-1.56	-1.95
0	0	3	0	0.00	0.00
0	173	0	57.67	-0.85	-1.51
0	0	3	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	65	9	7.22	-0.74	-1.45
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
1.15	502	0	10.04	-0.29	-1.17
5.2	183	50	4.26	6.69	1.26
0	281	43	6.11	-0.76	-1.46
0	142	46	4.73	0.40	-0.46
0	196	30	6.32	2.21	-0.03
0	83	31	3.32	-0.11	-1.07
0	186	25	5.81	-0.24	-1.14
0	0	32	0	0.00	0.00
0	355	42	8.45	0.00	0.00
0	0	0	0	0.00	0.00
1.41	44	2	22	-1.34	-1.82
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	38	0	9.5	-0.75	-1.46
0	0	4	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	51	4	12.75	0.00	0.00
0.002083333	0	0	00:00	0.00	0.00
0.002083333	0	0	00:00	0.00	0.00
0.015972222	0	0	00:00	0.00	0.00
0.008333333	0	0	00:00	0.00	0.00

0.002777778	0	0	00:00	0.00	0.00
0.002777778	0	0	00:00	0.00	0.00
0.004166667	0	0	00:00	0.00	0.00
0.002083333	0	0	00:00	0.00	0.00
0.002777778	0	0	00:00	0.00	0.00
0.002083333	0	0	00:00	0.00	0.00
0.001388889	0	0	00:00	0.00	0.00
0.001388889	0	0	00:00	0.00	0.00
0	0	0	00:00	0.00	0.00
0	0	0	00:00	0.00	0.00
0	0	0	00:00	0.00	0.00
0	0	0	00:00	0.00	0.00
0	0	0	00:00	0.00	0.00
0.002777778	0	0	00:00	0.00	0.00
0.001388889	0	0	00:00	0.00	0.00
0.004166667	0	0	00:00	0.00	0.00
0.001388889	0	0	00:00	0.00	0.00
0.009722222	0	0	00:00	0.00	0.00
0.001388889	0	0	00:00	0.00	0.00
0.001388889	0	0	00:00	0.00	0.00
0	0	0	0.00%	0.00	-0.16
0.1036	0	0	0.00%	0.00	-0.12
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.038	0	0	0.00%	0.00	-0.15
0.038	0	0	0.00%	0.00	-0.15
0.0459	0	0	0.00%	0.00	-0.15
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.1342	0	0	0.00%	0.00	-0.10
0.0775	0	0	0.00%	0.00	-0.14
0.0341	0	0	0.00%	0.00	-0.15
0.0155	0	0	0.00%	0.00	-0.16
0.0963	0	0	0.00%	0.00	-0.13
0.0448	0	0	0.00%	0.00	-0.15
0.0241	0	0	0.00%	0.00	-0.16
0.0841	0	0	0.00%	0.00	-0.14
0.0351	0	0	0.00%	0.00	-0.15
0.0265	0	0	0.00%	0.00	-0.16
0.066	0	0	0.00%	0.00	-0.14
0.0544	0	0	0.00%	0.00	-0.15
0.0668	0	0	0.00%	0.00	-0.14
0.0414	0	0	0.00%	0.00	-0.15
0	8	1	7.68	0.00	0.00
0	8	1	7.78	0.00	0.00
0	8	1	8.11	0.00	0.00
0	8	1	7.78	0.00	0.00
0	8	1	8.21	0.00	0.00
0	8	1	7.86	0.00	0.00
0	7	1	7.35	0.00	0.00
0	8	1	7.65	0.00	0.00

0	8	1	7.56	0.00	0.00
0	7	1	7.09	0.00	0.00
0	8	1	7.59	0.00	0.00
0	7	1	7.17	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.029	0	0	0.00%	0.00	-0.09
0.0425	0	0	0.00%	0.00	-0.09
0.04	0	0	0.00%	0.00	-0.09
0.0309	0	0	0.00%	0.00	-0.09
0.0441	0	0	0.00%	0.00	-0.09
0.0444	0	0	0.00%	0.00	-0.09
0.0228	0	0	0.00%	0.00	-0.09
0.0751	0	0	0.00%	0.00	-0.08
0.0277	0	0	0.00%	0.00	-0.09
0.0704	0	0	0.00%	0.00	-0.08
0.0668	0	0	0.00%	0.00	-0.08
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.09
0.0442	0	0	0.00%	0.00	-0.09
0	0	0	0.00%	0.00	-0.09
0.0304	0	0	0.00%	0.00	-0.09
0.0556	0	0	0.00%	0.00	-0.08
0.0522	0	0	0.00%	0.00	-0.08
0	0	0	0.00%	0.00	-0.09
0.0357	0	0	0.00%	0.00	-0.09
0.0723	0	0	0.00%	0.00	-0.08
0	0	0	0.00%	0.00	-0.09
0.0533	0	0	0.00%	0.00	-0.08
0	0	0	0.00%	0.00	0.00
0.029	0	0	0.00%	0.00	-0.12
0.0425	0	0	0.00%	0.00	-0.12
0.04	0	0	0.00%	0.00	-0.12
0.0309	0	0	0.00%	0.00	-0.12
0.0441	0	0	0.00%	0.00	-0.12
0.0444	0	0	0.00%	0.00	-0.12
0.0228	0	0	0.00%	0.00	-0.12
0.0751	0	0	0.00%	0.00	-0.11
0.0277	0	0	0.00%	0.00	-0.12
0.0736	0	0	0.00%	0.00	-0.11
0.0695	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.13
0.0442	0	0	0.00%	0.00	-0.12
0	0	0	0.00%	0.00	-0.13
0.0304	0	0	0.00%	0.00	-0.12
0.0556	0	0	0.00%	0.00	-0.12
0.0522	0	0	0.00%	0.00	-0.12
0	0	0	0.00%	0.00	-0.13
0.0357	0	0	0.00%	0.00	-0.12
0.0723	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.13
0.0533	0	0	0.00%	0.00	-0.12

0	0	0	0.00%	0.00	0.00
0.029	0	0	0.00%	0.00	-0.16
0.0425	0	0	0.00%	0.00	-0.15
0.04	0	0	0.00%	0.00	-0.15
0.0309	0	0	0.00%	0.00	-0.15
0.0441	0	0	0.00%	0.00	-0.15
0.0444	0	0	0.00%	0.00	-0.15
0.0228	0	0	0.00%	0.00	-0.16
0.0802	0	0	0.00%	0.00	-0.14
0.0277	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.16
0.0442	0	0	0.00%	0.00	-0.15
0	0	0	0.00%	0.00	-0.16
0.0304	0	0	0.00%	0.00	-0.15
0.0556	0	0	0.00%	0.00	-0.15
0.0522	0	0	0.00%	0.00	-0.15
0	0	0	0.00%	0.00	-0.16
0.0357	0	0	0.00%	0.00	-0.15
0.0723	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4384	0	0	0.00%	0.00	0.00
0.4622	0	0	0.00%	0.00	0.00
0.4606	0	0	0.00%	0.00	0.00
0.4435	0	0	0.00%	0.00	0.00
0.4472	0	0	0.00%	0.00	0.00
0.3997	0	0	0.00%	0.00	0.00
0.4364	0	0	0.00%	0.00	0.00
0.4332	0	0	0.00%	0.00	0.00
0.4451	0	0	0.00%	0.00	0.00
0.456	0	0	0.00%	0.00	0.00
0.4901	0	0	0.00%	0.00	0.00
0.4912	0	0	0.00%	0.00	0.00
0.3392	0	0	0.00%	0.00	0.00
0.3392	0	0	0.00%	0.00	0.00
0.3213	0	0	0.00%	0.00	0.00
0.3429	0	0	0.00%	0.00	0.00
0.3553	0	0	0.00%	0.00	0.00
0.3843	0	0	0.00%	0.00	0.00
0.4	0	0	0.00%	0.00	0.00
0.3668	0	0	0.00%	0.00	0.00
0.4189	0	0	0.00%	0.00	0.00
0.3685	0	0	0.00%	0.00	0.00
0.3989	0	0	0.00%	0.00	0.00
0.3712	0	0	0.00%	0.00	0.00
0.4972	0	0	0.00%	0.00	0.00
0.497	0	0	0.00%	0.00	0.00
0.4987	0	0	0.00%	0.00	0.00
0.4995	0	0	0.00%	0.00	0.00

0.4952	0	0	0.00%	0.00	0.00
0.4857	0	0	0.00%	0.00	0.00
0.474	0	0	0.00%	0.00	0.00
0.4956	0	0	0.00%	0.00	0.00
0.5	0	0	0.00%	0.00	0.00
0.4997	0	0	0.00%	0.00	0.00
0.4882	0	0	0.00%	0.00	0.00
0.4739	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.2553	0	0	0.00%	0.00	0.00
0.1932	0	0	0.00%	0.00	0.00
0.3903	0	0	0.00%	0.00	0.00
0.433	0	0	0.00%	0.00	0.00
0.4989	0	0	0.00%	0.00	0.00
0.4454	0	0	0.00%	0.00	0.00
0.3671	0	0	0.00%	0.00	0.00
0.4609	0	0	0.00%	0.00	0.00
0.4903	0	0	0.00%	0.00	0.00
0.3859	0	0	0.00%	0.00	0.00
0.3319	0	0	0.00%	0.00	0.00
0.2922	0	0	0.00%	0.00	0.00
0.2553	0	0	0.00%	0.00	0.00
0.1932	0	0	0.00%	0.00	0.00
0.3903	0	0	0.00%	0.00	0.00
0.433	0	0	0.00%	0.00	0.00
0.4989	0	0	0.00%	0.00	0.00
0.4454	0	0	0.00%	0.00	0.00
0.3671	0	0	0.00%	0.00	0.00
0.4609	0	0	0.00%	0.00	0.00
0.4903	0	0	0.00%	0.00	0.00
0.3859	0	0	0.00%	0.00	0.00
0.3318	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.5	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.4157	0	0	0.00%	0.00	0.00
0.4518	0	0	0.00%	0.00	0.00
0.3	0	0	0.00%	0.00	0.00
0.3307	0	0	0.00%	0.00	0.00
0.477	0	0	0.00%	0.00	0.00
0.4714	0	0	0.00%	0.00	0.00
0.3447	0	0	0.00%	0.00	0.00
0.4262	0	0	0.00%	0.00	0.00
0.4224	0	0	0.00%	0.00	0.00
0.4176	0	0	0.00%	0.00	0.00
0.4426	0	0	0.00%	0.00	0.00
0.433	0	0	0.00%	0.00	0.00
0.4226	0	0	0.00%	0.00	0.00
0.4342	0	0	0.00%	0.00	0.00

0.4121	0	0	0.00%	0.00	0.00
0.4091	0	0	0.00%	0.00	0.00
0.4257	0	0	0.00%	0.00	0.00
0.4217	0	0	0.00%	0.00	0.00
0.2875	0	0	0.00%	0.00	0.00
0.2875	0	0	0.00%	0.00	0.00
0.3	0	0	0.00%	0.00	0.00
0.3432	0	0	0.00%	0.00	0.00
0.3927	0	0	0.00%	0.00	0.00
0.2179	0	0	0.00%	0.00	0.00
0.3143	0	0	0.00%	0.00	0.00
0.4259	0	0	0.00%	0.00	0.00
0.4979	0	0	0.00%	0.00	0.00
0.3	0	0	0.00%	0.00	0.00
0.4	0	0	0.00%	0.00	0.00
0.3	0	0	0.00%	0.00	0.00
0.4714	0	0	0.00%	0.00	0.00
0.449	0	0	0.00%	0.00	0.00
0.4496	0	0	0.00%	0.00	0.00
0.316	0	0	0.00%	0.00	0.00
0.3613	0	0	0.00%	0.00	0.00
0.4508	0	0	0.00%	0.00	0.00
0.4717	0	0	0.00%	0.00	0.00
0.4788	0	0	0.00%	0.00	0.00
0.4827	0	0	0.00%	0.00	0.00
0.4965	0	0	0.00%	0.00	0.00
0.4987	0	0	0.00%	0.00	0.00
0.4922	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.2116	0	0	0.00%	0.00	0.00
0.2061	0	0	0.00%	0.00	0.00
0.2467	0	0	0.00%	0.00	0.00
0.2993	0	0	0.00%	0.00	0.00
0.2451	0	0	0.00%	0.00	0.00
0.3875	0	0	0.00%	0.00	0.00
0.3307	0	0	0.00%	0.00	0.00
0.3143	0	0	0.00%	0.00	0.00
0.3414	0	0	0.00%	0.00	0.00
0.3162	0	0	0.00%	0.00	0.00
0.2764	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.2116	0	0	0.00%	0.00	0.00
0.2061	0	0	0.00%	0.00	0.00
0.2467	0	0	0.00%	0.00	0.00
0.2993	0	0	0.00%	0.00	0.00
0.2451	0	0	0.00%	0.00	0.00
0.3875	0	0	0.00%	0.00	0.00
0.3307	0	0	0.00%	0.00	0.00
0.3143	0	0	0.00%	0.00	0.00
0.3414	0	0	0.00%	0.00	0.00
0.3162	0	0	0.00%	0.00	0.00

0.1395	0	0	0.00%	0.00	-0.10
0.1906	0	0	0.00%	0.00	-0.04
0.1724	0	0	0.00%	0.00	-0.06
0.1601	0	0	0.00%	0.00	-0.07
0.207	0	0	0.00%	0.00	-0.02
0.1682	0	0	0.00%	0.00	-0.07
0.2074	0	0	0.00%	0.00	-0.02
0.1897	0	0	0.00%	0.00	-0.04
0.174	0	0	0.00%	0.00	-0.06
0.1873	0	0	0.00%	0.00	-0.04
0.1976	0	0	0.00%	0.00	-0.03
0.1729	0	0	0.00%	0.00	-0.06
0.1239	0	0	0.00%	0.00	-0.11
0.1849	0	0	0.00%	0.00	-0.05
0.1629	0	0	0.00%	0.00	-0.07
0.1721	0	0	0.00%	0.00	-0.06
0.1642	0	0	0.00%	0.00	-0.07
0.1771	0	0	0.00%	0.00	-0.06
0.2212	0	0	0.00%	0.00	0.01
0.2544	0	0	0.00%	0.00	0.06
0.2269	0	0	0.00%	0.00	0.01
0.2245	0	0	0.00%	0.00	0.01
0.3089	0	0	0.00%	0.00	0.18
0.2392	0	0	0.00%	0.00	0.03
0.231	0	0	0.00%	0.00	-0.33
0.2326	0	0	0.00%	0.00	-0.33
0.2436	0	0	0.00%	0.00	-0.31
0.2397	0	0	0.00%	0.00	-0.31
0.2333	0	0	0.00%	0.00	-0.33
0.201	0	0	0.00%	0.00	-0.38
0.2139	0	0	0.00%	0.00	-0.36
0.2003	0	0	0.00%	0.00	-0.38
0.2097	0	0	0.00%	0.00	-0.37
0.2491	0	0	0.00%	0.00	-0.29
0.2729	0	0	0.00%	0.00	-0.24
0.2241	0	0	0.00%	0.00	-0.34
0	0	0	0.00%	0.00	0.00
0.1896	0	0	0.00%	0.00	-0.04
0.0995	0	0	0.00%	0.00	-0.13
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.3143	0	0	0.00%	0.00	0.19
0.4	0	0	0.00%	0.00	0.47
0.2909	0	0	0.00%	0.00	0.14
0.273	0	0	0.00%	0.00	0.10
0.2405	0	0	0.00%	0.00	0.04
0.201	0	0	0.00%	0.00	-0.02
0.1495	0	0	0.00%	0.00	-0.09
0.1294	0	0	0.00%	0.00	-0.10
0.1896	0	0	0.00%	0.00	-0.04
0.0995	0	0	0.00%	0.00	-0.13
0	0	0	0.00%	0.00	-0.16

0	0	0	0.00%	0.00	-0.16
0.3143	0	0	0.00%	0.00	0.19
0.4	0	0	0.00%	0.00	0.47
0.2909	0	0	0.00%	0.00	0.14
0.273	0	0	0.00%	0.00	0.10
0.2405	0	0	0.00%	0.00	0.04
0.2014	0	0	0.00%	0.00	-0.02
0.1495	0	0	0.00%	0.00	-0.09
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.433	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.3307	0	0	0.00%	0.00	0.00
0.2875	0	0	0.00%	0.00	0.00
0.2233	0	0	0.00%	0.00	0.00
0.3307	0	0	0.00%	0.00	0.00
0.4479	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.1139	0	0	0.00%	0.00	-0.12
0.1395	0	0	0.00%	0.00	-0.10
0.199	0	0	0.00%	0.00	-0.03
0.1481	0	0	0.00%	0.00	-0.09
0.176	0	0	0.00%	0.00	-0.06
0.1852	0	0	0.00%	0.00	-0.05
0.1532	0	0	0.00%	0.00	-0.08
0.215	0	0	0.00%	0.00	0.00
0.1955	0	0	0.00%	0.00	-0.03
0.1825	0	0	0.00%	0.00	-0.05
0.2293	0	0	0.00%	0.00	0.02
0.1823	0	0	0.00%	0.00	-0.05
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.2353	0	0	0.00%	0.00	0.03
0.3727	0	0	0.00%	0.00	0.37
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.1032	0	0	0.00%	0.00	-0.49
0.143	0	0	0.00%	0.00	-0.46
0.1385	0	0	0.00%	0.00	-0.46
0.0605	0	0	0.00%	0.00	-0.52
0.1123	0	0	0.00%	0.00	-0.48
0.1495	0	0	0.00%	0.00	-0.45
0.1797	0	0	0.00%	0.00	-0.41
0.1661	0	0	0.00%	0.00	-0.43

0.1973	0	0	0.00%	0.00	-0.39
0.2811	0	0	0.00%	0.00	-0.22
0.3104	0	0	0.00%	0.00	-0.15
0.1688	0	0	0.00%	0.00	-0.43
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.16
0.1632	0	0	0.00%	0.00	-0.07
0.1226	0	0	0.00%	0.00	-0.11
0.1204	0	0	0.00%	0.00	-0.11
0.2377	0	0	0.00%	0.00	0.03
0.1643	0	0	0.00%	0.00	-0.07
0.3549	0	0	0.00%	0.00	0.31
0.3061	0	0	0.00%	0.00	0.17
0.2849	0	0	0.00%	0.00	0.12
0.1929	0	0	0.00%	0.00	-0.04
0.1505	0	0	0.00%	0.00	-0.08
0.169	0	0	0.00%	0.00	-0.07
0	0	0	0.00%	0.00	-0.16
0.1632	0	0	0.00%	0.00	-0.07
0.1226	0	0	0.00%	0.00	-0.11
0.1204	0	0	0.00%	0.00	-0.11
0.2377	0	0	0.00%	0.00	0.03
0.1643	0	0	0.00%	0.00	-0.07
0.3549	0	0	0.00%	0.00	0.31
0.3061	0	0	0.00%	0.00	0.17
0.2849	0	0	0.00%	0.00	0.12
0.1929	0	0	0.00%	0.00	-0.04
0.1505	0	0	0.00%	0.00	-0.08
0.158333333	0	0	00:00	0.00	-2.27
0.175	0	0	00:00	0.00	-1.93
0.190972222	0	0	00:00	0.00	-1.74
0.140277778	0	0	00:00	0.00	-1.90
0.115972222	0	0	00:00	0.00	-2.05
0.134027778	0	0	00:00	0.00	-2.05
0.106944444	0	0	00:00	0.00	-2.09
0.129166667	0	0	00:00	0.00	-2.10
0.128472222	0	0	00:00	0.00	-2.05
1.663194444	0	0	00:00	0.00	-1.55
1.870138889	0	0	00:00	0.00	-1.02
1.952777778	0	0	00:00	0.00	-1.28
0.010416667	0	0	00:00	0.00	-1.90
0.00625	0	0	00:00	0.00	-1.92
0.006944444	0	0	00:00	0.00	-1.84
0.007638889	0	0	00:00	0.00	-1.89
0.007638889	0	0	00:00	0.00	-1.87
0.009722222	0	0	00:00	0.00	-1.85
0.009722222	0	0	00:00	0.00	-1.93
0.009027778	0	0	00:00	0.00	-1.80
0.006944444	0	0	00:00	0.00	-1.84
0.007638889	0	0	00:00	0.00	-1.94
0.016666667	0	0	00:00	0.00	-1.86
0.009722222	0	0	00:00	0.00	-1.87

0.109027778	0	0	00:00	0.00	-2.51
0.1625	0	0	00:00	0.00	-2.23
1.202083333	0	0	00:00	0.00	-1.37
0.131944444	0	0	00:00	0.00	-2.05
0.110416667	0	0	00:00	0.00	-2.25
0.1625	0	0	00:00	0.00	-2.06
0.166666667	0	0	00:00	0.00	-2.04
0.522222222	0	0	00:00	0.00	-2.03
0.2	0	0	00:00	0.00	-2.26
0.107638889	0	0	00:00	0.00	-2.43
1.389583333	0	0	00:00	0.00	-1.65
0.103472222	0	0	00:00	0.00	-2.42
0.00625	0	0	00:00	0.00	-2.23
0.004166667	0	0	00:00	0.00	-2.27
0.005555556	0	0	00:00	0.00	-2.27
0.00625	0	0	00:00	0.00	-1.85
0.00625	0	0	00:00	0.00	-1.70
0.00625	0	0	00:00	0.00	-1.63
0.004861111	0	0	00:00	0.00	-1.89
0.009027778	0	0	00:00	0.00	-0.99
0.00625	0	0	00:00	0.00	-1.40
0.005555556	0	0	00:00	0.00	-1.91
0.009027778	0	0	00:00	0.00	-1.39
0.013888889	0	0	00:00	0.00	0.69
0.358333333	0	0	00:00	0.00	-1.69
0.277083333	0	0	00:00	0.00	-2.44
0.542361111	0	0	00:00	0.00	-0.84
0.472916667	0	0	00:00	0.00	-1.65
0.625694444	0	0	00:00	0.00	-1.28
0.447916667	0	0	00:00	0.00	-2.02
0.688888889	0	0	00:00	0.00	-0.79
0.429861111	0	0	00:00	0.00	-1.57
0.330555556	0	0	00:00	0.00	-2.34
0.565277778	0	0	00:00	0.00	-1.36
0.747916667	0	0	00:00	0.00	-1.19
0.440277778	0	0	00:00	0.00	-1.64
0.1304	0	0	0.00%	0.00	0.00
0.1381	0	0	0.00%	0.00	0.00
0.1443	0	0	0.00%	0.00	0.00
0.1438	0	0	0.00%	0.00	0.00
0.1415	0	0	0.00%	0.00	0.00
0.149	0	0	0.00%	0.00	0.00
0.1487	0	0	0.00%	0.00	0.00
0.1384	0	0	0.00%	0.00	0.00
0.1236	0	0	0.00%	0.00	0.00
0.1051	0	0	0.00%	0.00	0.00
0.1118	0	0	0.00%	0.00	0.00
0.1128	0	0	0.00%	0.00	0.00
0.4882	0	0	0.00%	0.00	0.00
0.4852	0	0	0.00%	0.00	0.00
0.4826	0	0	0.00%	0.00	0.00
0.4894	0	0	0.00%	0.00	0.00

0.4847	0	0	0.00%	0.00	0.00
0.4855	0	0	0.00%	0.00	0.00
0.4893	0	0	0.00%	0.00	0.00
0.4877	0	0	0.00%	0.00	0.00
0.4907	0	0	0.00%	0.00	0.00
0.4833	0	0	0.00%	0.00	0.00
0.4449	0	0	0.00%	0.00	0.00
0.4366	0	0	0.00%	0.00	0.00
0.1092	0	0	0.00%	0.00	0.00
0.1154	0	0	0.00%	0.00	0.00
0.1139	0	0	0.00%	0.00	0.00
0.1167	0	0	0.00%	0.00	0.00
0.1051	0	0	0.00%	0.00	0.00
0.1222	0	0	0.00%	0.00	0.00
0.1407	0	0	0.00%	0.00	0.00
0.1404	0	0	0.00%	0.00	0.00
0.1398	0	0	0.00%	0.00	0.00
0.142	0	0	0.00%	0.00	0.00
0.1259	0	0	0.00%	0.00	0.00
0.1149	0	0	0.00%	0.00	0.00
0.4998	0	0	0.00%	0.00	0.00
0.4963	0	0	0.00%	0.00	0.00
0.4938	0	0	0.00%	0.00	0.00
0.4918	0	0	0.00%	0.00	0.00
0.4973	0	0	0.00%	0.00	0.00
0.494	0	0	0.00%	0.00	0.00
0.4971	0	0	0.00%	0.00	0.00
0.4857	0	0	0.00%	0.00	0.00
0.4968	0	0	0.00%	0.00	0.00
0.4986	0	0	0.00%	0.00	0.00
0.481	0	0	0.00%	0.00	0.00
0.4992	0	0	0.00%	0.00	0.00
0.4899	0	0	0.00%	0.00	0.00
0.4995	0	0	0.00%	0.00	0.00
0.3903	0	0	0.00%	0.00	0.00
0.4841	0	0	0.00%	0.00	0.00
0.5	0	0	0.00%	0.00	0.00
0.379	0	0	0.00%	0.00	0.00
0.4714	0	0	0.00%	0.00	0.00
0.4403	0	0	0.00%	0.00	0.00
0.4688	0	0	0.00%	0.00	0.00
0.4629	0	0	0.00%	0.00	0.00
0.4991	0	0	0.00%	0.00	0.00
0.4841	0	0	0.00%	0.00	0.00
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.08	0	0	0.00%	0.00	-0.14
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16

0.08	0	0	0.00%	0.00	-0.14
0.11	0	0	0.00%	0.00	-0.12
0.11	0	0	0.00%	0.00	-0.12
0.01	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.05	0	0	0.00%	0.00	-0.15
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.00	0	0	0.00%	0.00	-0.16
0.06	0	0	0.00%	0.00	-0.15
0.10	0	0	0.00%	0.00	-0.13
0.00	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.124	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.0651	0	0	0.00%	0.00	-0.14
0.134	0	0	0.00%	0.00	-0.10
0.087	0	0	0.00%	0.00	-0.13
0	0	0	0.00%	0.00	-0.16
0.0575	0	0	0.00%	0.00	-0.15
0	0	0	0.00%	0.00	-0.16
0.028	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.09	0	0	0.00%	0.00	-0.13
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.0803	0	0	0.00%	0.00	-0.14
0.1572	0	0	0.00%	0.00	-0.08
0	0	0	0.00%	0.00	-0.16

0.0298	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.16
0.0424	0	0	0.00%	0.00	-0.15
0	0	0	0.00%	0.00	-0.16
0.112	0	0	0.00%	0.00	-0.12
0	0	0	0.00%	0.00	-0.16
0.0365	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0.019	0	0	0.00%	0.00	-0.33
0.0442	0	0	0.00%	0.00	-0.33
0.0346	0	0	0.00%	0.00	-0.33
0.0423	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0.0275	0	0	0.00%	0.00	-0.33
0.034	0	0	0.00%	0.00	-0.33
0.0455	0	0	0.00%	0.00	-0.33
0.0333	0	0	0.00%	0.00	-0.33
0.0668	0	0	0.00%	0.00	-0.32
0.1285	0	0	0.00%	0.00	-0.28
0.1531	0	0	0.00%	0.00	-0.25
0.149	0	0	0.00%	0.00	-0.26
0.1141	0	0	0.00%	0.00	-0.29
0.1346	0	0	0.00%	0.00	-0.27
0.0946	0	0	0.00%	0.00	-0.30
0.1255	0	0	0.00%	0.00	-0.28
0.1092	0	0	0.00%	0.00	-0.29
0.1281	0	0	0.00%	0.00	-0.28
0.1511	0	0	0.00%	0.00	-0.26
0.087	0	0	0.00%	0.00	-0.31
0.0699	0	0	0.00%	0.00	-0.32
0.1442	0	0	0.00%	0.00	-0.26
0.1777	0	0	0.00%	0.00	-0.22
0.1646	0	0	0.00%	0.00	-0.24
0.1191	0	0	0.00%	0.00	-0.29
0.1452	0	0	0.00%	0.00	-0.26
0.1009	0	0	0.00%	0.00	-0.30
0.1355	0	0	0.00%	0.00	-0.27
0.1173	0	0	0.00%	0.00	-0.29
0.1374	0	0	0.00%	0.00	-0.27
0.1614	0	0	0.00%	0.00	-0.24
0.0921	0	0	0.00%	0.00	-0.30
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0.0639	0	0	0.00%	0.00	-0.32
0	0	0	0.00%	0.00	-0.33

0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0.0413	0	0	0.00%	0.00	-0.33
0	0	0	0.00%	0.00	-0.33
0.0655	0	0	0.00%	0.00	-0.32
0.0832	0	0	0.00%	0.00	-0.31
0.0919	0	0	0.00%	0.00	-0.30
0.0626	0	0	0.00%	0.00	-0.32
0.0815	0	0	0.00%	0.00	-0.31
0.0642	0	0	0.00%	0.00	-0.32
0.0638	0	0	0.00%	0.00	-0.32
0.116	0	0	0.00%	0.00	-0.29
0.0919	0	0	0.00%	0.00	-0.30
0.0627	0	0	0.00%	0.00	-0.32
0.0663	0	0	0.00%	0.00	-0.32
0.0966	0	0	0.00%	0.00	-0.30
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0.5	1	0	0.1429	1.27	-0.55
0	0	7	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	2	12	0.1667	0.00	0.00
0	2480	2484	99.84%	-0.07	-1.04
0	0	0	0.00%	0.00	0.00
0	2811	2819	99.72%	-0.05	-1.03
0	2772	0	99.93%	-0.03	-1.02
0	0	2774	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2537	0	99.96%	-0.03	-0.16
0	0	2538	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0.433	2633	0	99.89%	14.75	0.63
0	0	2636	0.00%	0.00	0.00
0	3139	3144	99.84%	-0.06	-1.03
0	9	9	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	14	14	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	17	0	100.00%	0.00	0.00
0	0	17	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	29	29	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	6	6	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	10	0	100.00%	0.00	0.00
0	0	10	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	23	0	100.00%	0.00	0.00
0	0	23	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	11	11	100.00%	0.00	0.00
0	31	31	100.00%	0.00	0.00
0	33	33	100.00%	0.00	0.00
0	39	39	100.00%	0.00	0.00
0	41	0	100.00%	0.00	0.00
0	48	41	100.00%	0.00	0.00
0	0	48	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	51	0	100.00%	0.00	0.00
0	0	51	0.00%	0.00	0.00
0	59	59	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	0	100.00%	0.00	0.00
0	0	2	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	5	8	62.50%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	15	0	100.00%	0.00	0.00
0	0	15	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	9	10	90.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.35%	7.51	-1.00
0	0	2	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1	8	10.35%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.174	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.174	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.1313	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.14	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0.1428	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	29	0	100.00%	0.00	0.00
0	25	25	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	69	69	100.00%	0.00	0.00
0	63	63	100.00%	0.00	0.00
0	84	0	100.00%	0.00	0.00
0	41	84	100.00%	0.00	0.00
0	72	41	100.00%	0.00	0.00
0	0	72	0.00%	0.00	0.00
0	3	0	100.00%	0.00	0.00
0	0	3	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	3	3	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0.0924	0	0	0.00%	0.00	-0.08
0	0	0	0.00%	0.00	-0.11
0.0981	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0.433	0	0	0.00%	0.00	0.67
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	-0.11
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

	0	0	0	0.00%	0.00	0.00
	0	0	0	0.00%	0.00	0.00
	0	0	0	0.00%	0.00	0.00
	0	0	0	0.00%	0.00	-0.11
	0	0	0	0.00%	0.00	0.00
	0	0	0	0.00%	0.00	-0.11
	0	0	0	0.00%	0.00	0.00
	0	0	0	0.00%	0.00	0.00
	0	0	0	0.00%	0.00	0.00
	0	0	0	0.00%	0.00	0.00
	0	0	0	0.00%	0.00	0.00
	0	40	40	100.00%	0.00	0.00
	0	0	0	0.00%	0.00	0.00
	0	0	0	0.00%	0.00	-0.11
	0	0	0	0.00%	0.00	-0.11
	0	0	0	0.00%	0.00	-0.11
	0	0	0	0.00%	0.00	-0.11
	0	0	0	0.00%	0.00	-0.11
	0	0	0	0.00%	0.00	-0.11
	0	0	0	0.00%	0.00	-0.11
	0	0	0	0.00%	0.00	-0.11
0.0536	0	0	0	0.00%	0.00	0.00
0	0	0	0	0.00%	0.00	0.00
0	0	0	0	0.00%	0.00	0.00
0	0	0	0	0.00%	0.00	-0.11
0.1923	0	0	0	0.00%	0.00	0.01
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	0.00
0	0	0	0	0.00%	0.00	0.00
0	0	0	0	0.00%	0.00	0.00
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11
0	0	0	0	0.00%	0.00	-0.11

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	246	268	91.79%	-0.30	-1.18
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	39	40	97.50%	-0.16	-1.10
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
4.95	14	2	7	-0.27	-1.16
0	0	0	0	0.00	0.00
0	18	5	3.6	0.76	-0.83
0	34	0	11.33	-1.73	-2.05
0	16	3	2.67	-0.83	-1.50
0	0	6	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	21	0	5.25	-0.45	-1.27
0	0	4	0	0.00	0.00
0	3	2	1.5	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	25	0	6.25	-0.66	-1.40
0	0	4	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	35	7	5	0.00	0.00
0	0	0	0	0.00	0.00
0	1	1	1	0.00	0.00
8.39	41	4	10.25	-0.23	-1.14
2.52	40	0	13.33	-1.33	-1.81
0.71	3	3	3	0.00	0.00
0	0	1	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	6	0	6	0.00	0.00
0	0	1	0	0.00	0.00
0	50	6	8.33	0.00	0.00
0.36	0	0	0	0.00	0.00
0.33	0	0	0	0.00	0.00
0.31	0	0	0	0.00	0.00
0.25	0	50146	0	0.00	0.00
0.34	0	0	0	0.00	0.00
0.35	980	0	0.02	46.32	27.16
0.36	805	47752	0.02	52.55	30.95
0.41	838	47955	0.02	63.30	37.49
0.4	803	50015	0.02	55.57	32.78
0.38	775	44029	0.02	49.50	29.09
0.29	980	46011	0.02	29.91	17.18
0.29	1208	51352	0.02	23.80	13.47
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	-0.12
0	0	0	0.00%	0.00	-0.15
0	0	0	0.00%	0.00	-0.15
0	0	0	0.00%	0.00	-0.16
0	0	0	0.00%	0.00	-0.15
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	33	106	31.13%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	16	90	17.78%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	34	34	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	3	3	100.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	36	36	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	17	19	89.47%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	0	100.00%	0.00	0.00
0	0	2	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1	1	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	34	34	100.00%	0.00	0.00
0	16	16	100.00%	0.00	0.00
0	18	18	100.00%	0.00	0.25
0	0	0	0.00%	0.00	0.00
0	8	0	100.00%	0.00	0.00
0	0	8	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	27	29	93.10%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	3	3	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	11	11	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	163	206	79.13%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	11	11	100.00%	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	36	36	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	2	0	100.00%	0.00	0.00
0	0	2	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	1	1	100.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	34	42	80.95%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	18	20	90.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	688	9	76.44	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	14	4	3.5	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1318	49	26.9	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1318	49	26.9	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	110	6	18.33	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	3	1	3	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	45	11	4.09	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	4228	1162	3.64	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	4228	1162	3.64	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	3	1	3	0.00	0.00

0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	775	81	9.57	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	201	16	12.56	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	218	9	24.22	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1096	96	11.42	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	-0.50
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	0	0	0	0.00	0.00
0	1497	284	5.27	0.00	0.00

0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	73	75	97.33%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	468	478	97.91%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	106	118	89.83%	0.00	0.00
0	0	0	0.00%	0.00	0.00
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	28	30	93.33%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	153	8	19.13	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	21	1	21	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	137	14	9.79	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	641	18	35.61	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	17	5	3.4	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	29	0	14.5	-1.417132479	-1.861555372
0	0	2	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	641	18	35.61	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	3	0	3	0	0
0	0	1	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	21	1	21	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	641	18	35.61	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0

0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	10	11	90.91%	-0.302765035	-1.184068072	
0	10	10	100.00%	0	0.1011751	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	0	0	0.00%	0	0	
0	18	21	85.71%	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	0	0	0	0	0	
0	21	0	0.5385	1.276974	-0.346725	
0	0	39	0	0	0	
0	0	0	0	0	0	
0	23	73	0.3151	0	0	
0.1202	0	0	0.00%	0	-0.284457478	
0.1503	0	0	0.00%	0	-0.256262042	
0.1497	48	57	84.21%	-2.564598343	-2.559165084	
0.1085	27	41	84.38%	-2.148850856	-2.306408559	
0.1326	42	32	85.71%	-2.334543763	-2.41930183	
0.1326	56	49	91.80%	-1.677473	-2.019831	
0.0774	48	61	90.57%	-2.042603	-2.241814	
0.1072	59	53	93.65%	-1.552044	-1.943576	
0.0819	53	63	96.36%	-1.07715	-0.310811	
0.1517	39	55	88.64%	-1.756831	-2.068078	
0.1114	34	44	82.93%	-2.532977	-2.539941	
0.1285	44	53	83.02%	-2.794776	-2.699103	
0.1383	0	0	0.00%	0	-0.268343816	
0.1326	0	0	0.00%	0	-0.273667462	
0.1018	9345	9810	95.26%	-8.485039211	-6.158537557	
0.0846	8612	9151	96.32%	-9.766932877	-6.937873569	

0.0774	9698	8941	96.32%	-8.012273708	-5.87111654
0.1131	8971	10069	97.03%	-3.433304	-3.087301
0.163	8993	9246	96.53%	-1.294802	-0.242243
0.081	9793	9316	97.72%	-3.753717	-0.311339
0.1662	8296	10021	97.28%	0.251344	-0.238547
0.15	8145	8528	96.92%	-1.394956	-0.256528
0.1879	8836	8404	96.56%	0.401125	-0.211183
0.2146	9314	9639	96.63%	2.651564	0.612036
0	0	0	0.00%	0	-0.333333333
0	0	0	0.00%	0	-0.333333333
0	11	12	91.67%	-0.852802865	-1.518467328
0.213	10	18	76.92%	-1.231776593	-1.748866995
0	13	13	76.47%	-1.700202417	-2.033649675
0	15	17	75.00%	-1.941164	-2.180144
0	10	20	83.33%	-1.095445	-0.333333
0	14	12	77.78%	-1.743262	-0.333333
0	17	18	85.00%	-1.273429	-0.333333
0	17	20	89.47%	-0.952937	-0.333333
0	16	19	88.89%	-1.028992	-1.625582
0	10	14	71.43%	-1.83303	-2.114403
0.0758	0	0	0.00%	0	-0.314065511
0	0	0	0.00%	0	-0.333333333
0	1396	1467	95.16%	-4.697288593	-3.855748691
0.0876	1391	1466	93.54%	-4.906661572	-3.983038424
0.1009	1630	1487	95.21%	-3.88825796	-3.363892991
0.2935	1359	1712	93.98%	0.942255	-0.438913
0.2743	1436	1446	96.64%	2.051215	-0.060109
0.2018	1541	1486	96.92%	0.458802	-0.191489
0.0995	1279	1590	96.89%	-1.17047	-0.3
0.1005	1257	1320	96.40%	-1.323464	-0.29932
0	1414	1304	96.45%	-1.709298	-0.333333
0	1499	1575	95.17%	-2.441003	-2.484025
2.6	0	0	0	0	-0.945619335
1.68	0	0	0	0	-0.896875
1.18	286	49	5.84	-2.458080583	-2.494406884
1.14	287	42	8.2	-3.330373901	-3.024723566
1.41	281	35	6.11	-3.297982076	-3.005030735
1.33	353	46	6.19	-2.798468	-2.701348
1.31	459	57	8.35	-3.898586	-3.370172
1.37	444	55	7.53	-3.25556	-2.97924
1.18	340	59	6.8	-4.227625	-1.05914
1.45	259	50	6.32	-2.404565	-2.461872
1.4	361	41	8.6	-3.333972	-1.060932
1.49	374	55	6.8	-2.84255	-2.728148
0.97	0	0	0	0	-0.524134313
1.83	0	0	0	0	-0.441656211
1.72	29460	7384	3.99	9.927255346	5.03534271
1.19	24601	6765	3.75	12.85210649	6.813525942
1.14	26076	6566	3.55	15.53982232	8.447541145
0.82	23285	7344	3.44	17.597494	9.698517
1.11	22263	6777	3.42	16.617159	-0.461749
1.31	25113	6511	3.35	19.357461	-0.492152

13.44	735	76	9.67	1.5450001	-0.14984738
0	523	67	7.81	-0.801014581	-1.486982287
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	165	16	10.31	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0.01	0	0	0	0	0
0	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0.01	0	0	0	0	0
0	0	0	0	0	0
4.08	0	0	0	0	0
3.99	0	0	0	0	0
4.46	0	0	0	0	0
4.22	0	0	0	0	0

4.13	0	0	0	0	0
5.52	0	0	0	0	0
5.12	0	0	0	0	0
5.42	0	0	0	0	0
5.41	0	0	0	0	0
4.65	0	0	0	0	0
4.36	0	0	0	0	0
4.36	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
1.74	0	0	0	0	0
2.53	0	0	0	0	0
2.1	0	0	0	0	0
2.04	0	0	0	0	0
1.88	0	0	0	0	0
1.95	0	0	0	0	0
2.27	0	0	0	0	0
2.43	0	0	0	0	0
2.31	0	0	0	0	0
2.42	0	0	0	0	0
2.82	0	0	0	0	0
2.69	0	0	0	0	0
0.21	0	0	0	0	0
0.3	0	0	0	0	0
0.31	0	0	0	0	0
0.32	0	0	0	0	0
0.31	0	0	0	0	0
0.33	0	0	0	0	0
0.34	0	0	0	0	0
0.35	0	0	0	0	0
0.35	0	0	0	0	0
0.36	0	0	0	0	0
0.36	0	0	0	0	0
0.33	0	0	0	0	0
0.87	0	0	0	0	0
1.11	0	0	0	0	0
1.16	0	0	0	0	0
1.16	0	0	0	0	0
1.3	0	0	0	0	0
1.34	0	0	0	0	0
1.47	0	0	0	0	0
1.65	0	0	0	0	0

1.29	0	0	0	0	0
1.43	0	0	0	0	0
1.32	0	0	0	0	0
1.41	0	0	0	0	0
0	0	0	0.00%	0	0
0.0411	0	0	0.00%	0	-0.152562707
0.0521	0	0	0.00%	0	-0.149309613
0.0462	0	0	0.00%	0	0
0.0536	0	0	0.00%	0	0
0.1642	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0.0361	0	0	0.00%	0	-0.153772159
0.0624	0	0	0.00%	0	-0.145535071
0	0	0	0.00%	0	0
0.0958	0	0	0.00%	0	0
0.3666	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0.0729	0	0	0.00%	0	0
0.033	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0.0342	0	0	0.00%	0	0
0.0572	0	0	0.00%	0	0
0.036	0	0	0.00%	0	0
0.0508	0	0	0.00%	0	0
0.0344	0	0	0.00%	0	0
0.0388	0	0	0.00%	0	0
0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0.3397	0	0	0.00%	0	0.262433
0.1363	0	0	0.00%	0	-0.098063
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895

0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157894737
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	-0.157895
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	-0.014721
0	0	0	0.00%	0	-0.018017
0	0	0	0.00%	0	-0.01677
0	0	0	0.00%	0	-0.020062
0	0	0	0.00%	0	-0.008912
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	-0.018017
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	-0.021731
0	0	0	0.00%	0	-0.008912
0	0	0	0.00%	0	-0.02267
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0

0.4714	4	4	100.00%	0	-0.530650899
0	0	0	0.00%	0	0
0	2	7	28.57%	0.591607978	-0.871482141
0	3	0	100.00%	0	0
0	0	3	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	2	2	100.00%	0	0
0	0	0	0.00%	0	0
0	9	14	64.29%	-0.986013297	-1.59945352
0	4	0	66.67%	-0.654653671	-1.398001172
0	0	6	0.00%	0	0
0	61	0	100.00%	0	0
0	0	61	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	0	0	0.00%	0	0
0	2	2	100.00%	0	0
11.35	725	26	27.88	4.702303627	1.26100148
14.48	455	16	28.44	3.697183851	0.878727843
8.24	879	20	43.95	-9.97412734	-7.063838858
5.29	105	0	35	0	0
0.38	152	3	19	-4.152231405	-3.52437745
0	0	8	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	11	1	11	0	0
3.52	1875	58	32.33	3.905827546	1.26100148
0	1526	54	28.26	-2.615889116	-2.59034766
14.75	1204	43	28	-3.453971627	-3.099865648
2.89	1010	0	12.47	0.107219797	-1.094866735
1.17	515	81	15.61	-3.24525396	-2.972974316
0.42	2868	33	44.81	-8.539788	-6.191823
0	0	64	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	35	3	11.67	0.707107	-3.261001
0	0	0	0	0	0
0	0	0	0	0	0
0	130	5	26	-0.464811126	-1.2825851
0	0	0	0	0	0

0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	84	3	28	-0.572355984	-1.347967731	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	136	3	45.33	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0.00%	0	0
0	0	0	0	0.00%	0	0
0	0	0	0	0.00%	0	0
0	0	0	0	0.00%	0	0
0	0	0	0	0.00%	0	0
0	0	0	0	0.00%	0	0
0	0	0	0	0.00%	0	0
0	0	0	0	0.00%	0	-0.243243
0	0	0	0	0.00%	0	-0.243243
0	0	0	0	0.00%	0	0
0	0	0	0	0.00%	0	0
0	0	0	0	0.00%	0	-0.243243
0	0	0	0	0.00%	0	-0.243243
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	-2.424
0	0	0	0	0	0	-2.433

0	0	0	0	0	-2.421
0	0	0	0	0	-2.418
0	0	0	0	0	-2.442
0	0	0	0	0	-2.448
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.42	0	0	0	0	0
0.37	0	0	0	0	0
0.32	0	0	0	0	0
0.35	0	0	0	0	0
3.97	0	0	0	0	0
0.34	0	0	0	0	0
0.65	0	0	0	0	0
0.42	0	0	0	0	0
0.53	0	0	0	0	0
1.08	0	0	0	0	0
0.5	0	0	0	0	0
0.38	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	-2.57694
0	0	0	0	0	-2.57497
0	0	0	0	0	-2.57647
0	0	0	0	0	-2.56629
0	0	0	0	0	-2.57392
0	0	0	0	0	-2.57954
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0.01	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0.01	0	0	0	0	0
0	0	0	0	0	0

0.36	0	0	0	0	0
0.37	0	0	0	0	0
0.35	0	0	0	0	0
0.44	0	0	0	0	0
0.4	0	0	0	0	0
0.41	0	0	0	0	0
0.48	0	0	0	0	0
0.43	0	0	0	0	0
0.43	0	0	0	0	0
1.39	0	0	0	0	0
0.61	0	0	0	0	0
0.6	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	-2.54334
0	0	0	0	0	-2.53074
0	0	0	0	0	-2.52642
0	0	0	0	0	-2.524116
0	0	0	0	0	-2.528964
0	0	0	0	0	-2.555412
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	-2.3784
0	0	0	0	0	-2.3592
0	0	0	0	0	-2.3532
0	0	0	0	0	-2.322
0	0	0	0	0	-2.3244
0	0	0	0	0	-2.3148
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	-1.91328
0	0	0	0	0	-1.91427
0	0	0	0	0	-1.92618
0	0	0	0	0	-1.93404
0	0	0	0	0	-1.92492
0	0	0	0	0	-1.91958
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0

6.12	0	0	0	0	0
12.24	0	0	0	0	0
6.28	0	0	0	0	0
7.21	0	0	0	0	0
7.07	0	0	0	0	0
6.24	0	0	0	0	0
7.08	0	0	0	0	-1.974
6.5	0	0	0	0	-2.0865
7.04	0	0	0	0	-1.851
7.22	0	0	0	0	-1.836
7.79	0	0	0	0	-1.875
7.35	0	0	0	0	-1.863
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
0.01	0	0	0	0	0
1.43	0	0	0	0	0
1.48	0	0	0	0	0
1.51	0	0	0	0	0
1.95	0	0	0	0	0
1.32	0	0	0	0	0
1.55	0	0	0	0	0
7.3	0	0	0	0	-2.145
13.2	0	0	0	0	-1.692
7.73	0	0	0	0	-1.881
14.45	0	0	0	0	-1.425
8.39	0	0	0	0	-1.782
10.88	0	0	0	0	-1.7805
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0

0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	-2.175096
0	0	0	0	0	-2.151396
0	0	0	0	0	-2.104128
0	0	0	0	0	-2.059728
0	0	0	0	0	-2.140056
0	0	0	0	0	-2.122704
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0.01	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
5.2	0	0	0	0	0
4.49	0	0	0	0	0
7.32	0	0	0	0	0
4.69	0	0	0	0	0
3.5	0	0	0	0	0
6.53	0	0	0	0	0
4.21	0	0	0	0	0
4.64	0	0	0	0	0
5.57	0	0	0	0	0
7.43	0	0	0	0	0
4.45	0	0	0	0	0
5.61	0	0	0	0	0
1.75	0	0	0	0	0
2.03	0	0	0	0	0
1.72	0	0	0	0	0
1.45	0	0	0	0	0
5.93	0	0	0	0	0
2.25	0	0	0	0	0
1.74	0	0	0	0	-1.698
2.98	0	0	0	0	-1.698
1.76	0	0	0	0	-1.731
1.62	0	0	0	0	-1.827
4.39	0	0	0	0	-1.743
2.9	0	0	0	0	-1.761
1.29	0	0	0	0	0
1.46	0	0	0	0	0
2.04	0	0	0	0	0
2.27	0	0	0	0	0
2.85	0	0	0	0	0
0.62	0	0	0	0	0
4.75	0	0	0	0	-2.47
3.61	0	0	0	0	-2.511

2.24	0	0	0	0	-2.518
0.84	0	0	0	0	-2.543
2.02	0	0	0	0	-2.534
0.95	0	0	0	0	-2.531
5.58	0	0	0	0	0
5.39	0	0	0	0	0
6.06	0	0	0	0	0
5.73	0	0	0	0	0
5.89	0	0	0	0	0
7.27	0	0	0	0	0
7.11	0	0	0	0	-2.388
6.26	0	0	0	0	-2.3964
5.89	0	0	0	0	-2.3964
5.13	0	0	0	0	-2.3928
6.07	0	0	0	0	-2.3952
5.69	0	0	0	0	-2.3928
2.25	0	0	0	0	0
3.69	0	0	0	0	0
2.52	0	0	0	0	0
4.11	0	0	0	0	0
1.82	0	0	0	0	0
1.3	0	0	0	0	0
2.99	0	0	0	0	-2.37
1.19	0	0	0	0	-2.3772
2.5	0	0	0	0	-2.3484
1.17	0	0	0	0	-2.3676
2.52	0	0	0	0	-2.334
1.46	0	0	0	0	-2.328
1.62	0	0	0	0	0
1.91	0	0	0	0	0
1.87	0	0	0	0	0
2.52	0	0	0	0	0
2.02	0	0	0	0	0
1.77	0	0	0	0	0
1.88	0	0	0	0	-2.079
2.51	0	0	0	0	-2.103
2.02	0	0	0	0	-2.085
1.16	0	0	0	0	-2.094
4.13	0	0	0	0	-1.977
2.69	0	0	0	0	-2.034
6.09	0	0	0	0	0
5.43	0	0	0	0	0
4.84	0	0	0	0	0
5.65	0	0	0	0	0
2.07	0	0	0	0	0
2.31	0	0	0	0	0
2.24	0	0	0	0	-2.16
3.6	0	0	0	0	-2.1672
2.28	0	0	0	0	-2.1216
2.49	0	0	0	0	-2.1528
2.8	0	0	0	0	-2.1288
1.73	0	0	0	0	-2.1312

0.67	0	0	0	0	0
0.87	0	0	0	0	0
1.04	0	0	0	0	0
1.11	0	0	0	0	0
5.82	0	0	0	0	0
2.18	0	0	0	0	0
2.13	0	0	0	0	-1.935
3.48	0	0	0	0	-1.932
1.68	0	0	0	0	-1.989
1.96	0	0	0	0	-2.013
3.68	0	0	0	0	-1.932
2.41	0	0	0	0	-1.977
10.63	0	0	0	0	0
9.55	0	0	0	0	0
7.93	0	0	0	0	0
10.39	0	0	0	0	0
10.86	0	0	0	0	0
10.41	0	0	0	0	0
9.32	0	0	0	0	-1.8405
7.28	0	0	0	0	-1.8765
8.16	0	0	0	0	-1.644
8.56	0	0	0	0	-1.665
9.22	0	0	0	0	-1.647
8.53	0	0	0	0	-1.644
10.66	0	0	0	0	0
2.9	0	0	0	0	0
2.98	0	0	0	0	0
4.01	0	0	0	0	0
7.12	0	0	0	0	0
3.02	0	0	0	0	0
7.19	0	0	0	0	-1.959
15.24	0	0	0	0	-1.5945
9.74	0	0	0	0	-1.6515
13.3	0	0	0	0	-1.4655
10.07	0	0	0	0	-1.6605
9.99	0	0	0	0	-1.599
6.04	0	0	0	0	0
6.97	0	0	0	0	0
7.49	0	0	0	0	0
4.53	0	0	0	0	0
5.58	0	0	0	0	0
6.01	0	0	0	0	0
7.16	0	0	0	0	-1.9068
5.32	0	0	0	0	-2.028
6.74	0	0	0	0	-1.9728
4.34	0	0	0	0	-2.0376
8.19	0	0	0	0	-1.8924
5.14	0	0	0	0	-1.9704
0.0493	0	0	0	0	0
0.0395	0	0	0	0	0
0.0407	0	0	0	0	0
0.0686	0	0	0	0	0

0.0521	0	0	0	0	0
0.0359	0	0	0	0	0
0.0267	0	0	0	0	-2.574
0.0271	0	0	0	0	-2.556
0.026	0	0	0	0	-2.592
0.0329	0	0	0	0	-2.346
0.0643	0	0	0	0	-0.51
0.0142	0	0	0	0	-2.88
0.0353	0	0	0	0	0
0.0121	0	0	0	0	0
0.0086	0	0	0	0	0
0.0251	0	0	0	0	0
0.04	0	0	0	0	0
0.014	0	0	0	0	0
0.0199	0	0	0	0	-2.766
0.0185	0	0	0	0	-2.796
0.0225	0	0	0	0	-2.694
0.0267	0	0	0	0	-2.574
0.0637	0	0	0	0	-0.558
0.0507	0	0	0	0	-1.458
0.29	0	0	0	0	0
0.29	0	0	0	0	0
0.29	0	0	0	0	0
0.29	0	0	0	0	0
0.29	0	0	0	0	0
0.29	0	0	0	0	0
0.28	0	0	0	0	0
0.29	0	0	0	0	0
0.29	0	0	0	0	0
0.29	0	0	0	0	0
0.29	0	0	0	0	0
0.29	0	0	0	0	0
0.47	0	0	0	0	0
3.4	0	0	0	0	0
2.99	0	0	0	0	0
3.32	0	0	0	0	0
2.61	0	0	0	0	0
2.99	0	0	0	0	0
2.14	0	0	0	0	0
2.2	0	0	0	0	0
4.05	0	0	0	0	0
3.7	0	0	0	0	0
3.27	0	0	0	0	0
4.46	0	0	0	0	0
3.15	0	0	0	0	0

PID	Description	Product_Description	Standard
BI-1A	Time to Provide Usage Records	UNEs and Resale Aggregate	Parity
BI-1B	Time to Provide Usage Records	Jointly-provided Switched Access	Benchmark
BI-1C-1	Time to Provide Usage Records	[CAT11] UNEs and Resale Aggregate	Parity
BI-1C-2	Time to Provide Usage Records	[CAT10] UNEs and Resale Aggregate	Parity
BI-2	Invoices Delivered within 10 Days	All	Diagnostic
BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Parity
BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic
BI-4A	Billing Completeness	UNEs and Resale Aggregate	Parity
BI-4B	Billing Completeness	Reciprocal Compensation	Diagnostic
BI-5A	Billing Accuracy & Claims Processing - Acknowledgment	All	Benchmark
BI-5B	Billing Accuracy & Claims Processing - Resolution	All	Benchmark
CP-1A	Scheduled Interval	90 Calendar Days or Less	All Benchmark
CP-1B	Scheduled Interval	91 to 120 Calendar Days	All Benchmark
CP-1C	Scheduled Interval	121 to 150 Calendar Days	All Benchmark
CP-2B	Non-Forecasted & Late Forecasted Collocations	All	Benchmark
CP-2C	Collocations with Intervals Longer than 120 Days	All	Benchmark
CP-3	Collocation Feasibility Study Interval	All	Benchmark
CP-4	Collocation Feasibility Study Commitments Met	All	Benchmark
DA-1	Speed of Answer - Directory Assistance		Diagnostic
DB-1A	Time to Update Databases	E911	Diagnostic
DB-1B	Time to Update Databases	LIDB	Diagnostic
DB-1C-1	Time to Update Databases	Directory Listing	Diagnostic
DB-2C-1	Accurate Database Updates	Directory Listing	Diagnostic
GA-1	Gateway Availability - IMA-GUI	All	Diagnostic
GA-1	Gateway Availability - IMA-GUI	SIA	Diagnostic
GA-2	Gateway Availability - IMA-EDI		Diagnostic
GA-3	Gateway Availability - EB-TA		Diagnostic
GA-4	System Availability - EXACT		Diagnostic
GA-6	Gateway Availability - GUI - Repair		Diagnostic
GA-7	Timely Outage Resolution following Software Releases		Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	Basic Rate ISDN	Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	Business	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Centrex	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Centrex 21	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS0	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS1	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	DS3	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	E911	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Frame Relay	Diagnostic
MR-10	Customer and Non-Qwest Related Trouble Reports	ISDN Primary	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	LIS Trunk	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	PBX	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Qwest DSL	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Residence	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	UDIT Above DS1 Level	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	UDIT DS1	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - 2 Wire Non-Loaded	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - 4 Wire Non-Loaded	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - ADSL Qualified	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - DS1 Capable	Parity
MR-10	Customer and Non-Qwest Related Trouble Reports	Unbundled Loop - DS3 Capable	Parity

MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop - XDSLi Parity
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop Analog Parity
MR-10 Customer and Non-Qwest Related Trouble Reports Unbundled Loop ISDN Capable Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE - P (POTS) Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex 21) Parity
MR-10 Customer and Non-Qwest Related Trouble Reports UNE P (Centrex) Parity
MR-11A LNP Trouble Reports Cleared within 4 Hours LNP Parity
MR-11B LNP Trouble Reports Cleared within 48 Hours - All Volumes LNP Parity
MR-2 Calls Answered within 20 seconds - Interconnect Repair Center All Diagnostic
MR-3A Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3A Out of Service Cleared within 24 Hours Business Parity
MR-3A Out of Service Cleared within 24 Hours Centrex Parity
MR-3A Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3A Out of Service Cleared within 24 Hours Line Sharing Parity
MR-3A Out of Service Cleared within 24 Hours Line Splitting Parity
MR-3A Out of Service Cleared within 24 Hours PBX Parity
MR-3A Out of Service Cleared within 24 Hours Residence Parity
MR-3A Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex 21) Parity
MR-3A Out of Service Cleared within 24 Hours UNE P (Centrex) Parity
MR-3B Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3B Out of Service Cleared within 24 Hours Business Parity
MR-3B Out of Service Cleared within 24 Hours Centrex Diagnostic
MR-3B Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3B Out of Service Cleared within 24 Hours Line Sharing Diagnostic
MR-3B Out of Service Cleared within 24 Hours Line Splitting Diagnostic
MR-3B Out of Service Cleared within 24 Hours PBX Parity
MR-3B Out of Service Cleared within 24 Hours Residence Parity
MR-3B Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic
MR-3B Out of Service Cleared within 24 Hours UNE P (Centrex) Parity
MR-3C Out of Service Cleared within 24 Hours Basic Rate ISDN Diagnostic
MR-3C Out of Service Cleared within 24 Hours Business Parity
MR-3C Out of Service Cleared within 24 Hours Centrex Diagnostic
MR-3C Out of Service Cleared within 24 Hours Centrex 21 Parity
MR-3C Out of Service Cleared within 24 Hours Line Sharing Parity
MR-3C Out of Service Cleared within 24 Hours Line Splitting Parity
MR-3C Out of Service Cleared within 24 Hours PBX Parity
MR-3C Out of Service Cleared within 24 Hours Residence Parity
MR-3C Out of Service Cleared within 24 Hours UNE - P (POTS) Parity
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex 21) Diagnostic
MR-3C Out of Service Cleared within 24 Hours UNE P (Centrex) Diagnostic
MR-3D Out of Service Cleared within 24 Hours Qwest DSL Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity
MR-3D Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity
MR-3E Out of Service Cleared within 24 Hours Qwest DSL Diagnostic
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - ADSL Qualified Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop - XDSLi Parity

MR-3E Out of Service Cleared within 24 Hours Unbundled Loop Analog Parity
MR-3E Out of Service Cleared within 24 Hours Unbundled Loop ISDN Capable Parity
MR-4A All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4A All Troubles Cleared within 48 Hours Business Parity
MR-4A All Troubles Cleared within 48 Hours Centrex Parity
MR-4A All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4A All Troubles Cleared within 48 Hours Line Sharing Parity
MR-4A All Troubles Cleared within 48 Hours Line Splitting Parity
MR-4A All Troubles Cleared within 48 Hours PBX Parity
MR-4A All Troubles Cleared within 48 Hours Residence Parity
MR-4A All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex 21) Parity
MR-4A All Troubles Cleared within 48 Hours UNE P (Centrex) Parity
MR-4B All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4B All Troubles Cleared within 48 Hours Business Parity
MR-4B All Troubles Cleared within 48 Hours Centrex Diagnostic
MR-4B All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4B All Troubles Cleared within 48 Hours Line Sharing Diagnostic
MR-4B All Troubles Cleared within 48 Hours Line Splitting Diagnostic
MR-4B All Troubles Cleared within 48 Hours PBX Parity
MR-4B All Troubles Cleared within 48 Hours Residence Parity
MR-4B All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic
MR-4B All Troubles Cleared within 48 Hours UNE P (Centrex) Parity
MR-4C All Troubles Cleared within 48 Hours Basic Rate ISDN Diagnostic
MR-4C All Troubles Cleared within 48 Hours Business Parity
MR-4C All Troubles Cleared within 48 Hours Centrex Parity
MR-4C All Troubles Cleared within 48 Hours Centrex 21 Parity
MR-4C All Troubles Cleared within 48 Hours Line Sharing Parity
MR-4C All Troubles Cleared within 48 Hours Line Splitting Parity
MR-4C All Troubles Cleared within 48 Hours PBX Parity
MR-4C All Troubles Cleared within 48 Hours Residence Parity
MR-4C All Troubles Cleared within 48 Hours UNE - P (POTS) Parity
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex 21) Diagnostic
MR-4C All Troubles Cleared within 48 Hours UNE P (Centrex) Diagnostic
MR-4D All Troubles Cleared within 48 Hours Qwest DSL Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity
MR-4D All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity
MR-4E All Troubles Cleared within 48 Hours Qwest DSL Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - 2 Wire Non-Loaded Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - ADSL Qualified Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop - XDSLi Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop Analog Parity
MR-4E All Troubles Cleared within 48 Hours Unbundled Loop ISDN Capable Parity
MR-5A All Troubles Cleared within 4 Hours DS0 Parity
MR-5A All Troubles Cleared within 4 Hours DS1 Parity
MR-5A All Troubles Cleared within 4 Hours DS3 Parity
MR-5A All Troubles Cleared within 4 Hours E911 Parity
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS0 Capable Diagnostic

MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS3 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Frame Relay Diagnostic
MR-5A All Troubles Cleared within 4 Hours ISDN Primary Diagnostic
MR-5A All Troubles Cleared within 4 Hours LIS Trunk Parity
MR-5A All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity
MR-5A All Troubles Cleared within 4 Hours UDIT DS1 Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - 4 Wire Non-Loaded Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity
MR-5A All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Parity
MR-5B All Troubles Cleared within 4 Hours DS0 Parity
MR-5B All Troubles Cleared within 4 Hours DS1 Parity
MR-5B All Troubles Cleared within 4 Hours DS3 Diagnostic
MR-5B All Troubles Cleared within 4 Hours E911 Parity
MR-5B All Troubles Cleared within 4 Hours Enhanced Extended Loops - DS1 Capable Parity
MR-5B All Troubles Cleared within 4 Hours Frame Relay Diagnostic
MR-5B All Troubles Cleared within 4 Hours ISDN Primary Parity
MR-5B All Troubles Cleared within 4 Hours LIS Trunk Parity
MR-5B All Troubles Cleared within 4 Hours UDIT Above DS1 Level Parity
MR-5B All Troubles Cleared within 4 Hours UDIT DS1 Parity
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS1 Capable Parity
MR-5B All Troubles Cleared within 4 Hours Unbundled Loop - DS3 Capable Diagnostic
MR-6A Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6A Mean Time to Restore Business Parity
MR-6A Mean Time to Restore Centrex Parity
MR-6A Mean Time to Restore Centrex 21 Parity
MR-6A Mean Time to Restore Line Sharing Parity
MR-6A Mean Time to Restore Line Splitting Parity
MR-6A Mean Time to Restore PBX Parity
MR-6A Mean Time to Restore Residence Parity
MR-6A Mean Time to Restore UNE - P (POTS) Parity
MR-6A Mean Time to Restore UNE P (Centrex 21) Parity
MR-6A Mean Time to Restore UNE P (Centrex) Parity
MR-6B Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6B Mean Time to Restore Business Parity
MR-6B Mean Time to Restore Centrex Diagnostic
MR-6B Mean Time to Restore Centrex 21 Parity
MR-6B Mean Time to Restore Line Sharing Diagnostic
MR-6B Mean Time to Restore Line Splitting Diagnostic
MR-6B Mean Time to Restore PBX Parity
MR-6B Mean Time to Restore Residence Parity
MR-6B Mean Time to Restore UNE - P (POTS) Parity
MR-6B Mean Time to Restore UNE P (Centrex 21) Diagnostic
MR-6B Mean Time to Restore UNE P (Centrex) Parity
MR-6C Mean Time to Restore Basic Rate ISDN Diagnostic
MR-6C Mean Time to Restore Business Parity
MR-6C Mean Time to Restore Centrex Parity
MR-6C Mean Time to Restore Centrex 21 Parity
MR-6C Mean Time to Restore Line Sharing Parity
MR-6C Mean Time to Restore Line Splitting Parity
MR-6C Mean Time to Restore PBX Parity

MR-6C Mean Time to Restore Residence Parity
MR-6C Mean Time to Restore UNE - P (POTS) Parity
MR-6C Mean Time to Restore UNE P (Centrex 21) Parity
MR-6C Mean Time to Restore UNE P (Centrex) Parity
MR-6D Mean Time to Restore Dark Fiber - IOF Parity
MR-6D Mean Time to Restore Dark Fiber - Loop Parity
MR-6D Mean Time to Restore DS0 Parity
MR-6D Mean Time to Restore DS1 Parity
MR-6D Mean Time to Restore DS3 Parity
MR-6D Mean Time to Restore E911 Parity
MR-6D Mean Time to Restore Enhanced Extended Loops - DS0 Capable Diagnostic
MR-6D Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity
MR-6D Mean Time to Restore Enhanced Extended Loops - DS3 Capable Parity
MR-6D Mean Time to Restore Frame Relay Diagnostic
MR-6D Mean Time to Restore ISDN Primary Diagnostic
MR-6D Mean Time to Restore LIS Trunk Parity
MR-6D Mean Time to Restore Qwest DSL Parity
MR-6D Mean Time to Restore UDIT Above DS1 Level Parity
MR-6D Mean Time to Restore UDIT DS1 Parity
MR-6D Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity
MR-6D Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Parity
MR-6D Mean Time to Restore Unbundled Loop - ADSL Qualified Parity
MR-6D Mean Time to Restore Unbundled Loop - DS1 Capable Parity
MR-6D Mean Time to Restore Unbundled Loop - DS3 Capable Parity
MR-6D Mean Time to Restore Unbundled Loop - XDSLi Parity
MR-6D Mean Time to Restore Unbundled Loop Analog Parity
MR-6D Mean Time to Restore Unbundled Loop ISDN Capable Parity
MR-6E Mean Time to Restore DS0 Parity
MR-6E Mean Time to Restore DS1 Parity
MR-6E Mean Time to Restore DS3 Diagnostic
MR-6E Mean Time to Restore E911 Parity
MR-6E Mean Time to Restore Enhanced Extended Loops - DS1 Capable Parity
MR-6E Mean Time to Restore Frame Relay Diagnostic
MR-6E Mean Time to Restore ISDN Primary Parity
MR-6E Mean Time to Restore LIS Trunk Parity
MR-6E Mean Time to Restore Qwest DSL Parity
MR-6E Mean Time to Restore UDIT Above DS1 Level Parity
MR-6E Mean Time to Restore UDIT DS1 Parity
MR-6E Mean Time to Restore Unbundled Loop - 2 Wire Non-Loaded Parity
MR-6E Mean Time to Restore Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-6E Mean Time to Restore Unbundled Loop - ADSL Qualified Parity
MR-6E Mean Time to Restore Unbundled Loop - DS1 Capable Parity
MR-6E Mean Time to Restore Unbundled Loop - DS3 Capable Diagnostic
MR-6E Mean Time to Restore Unbundled Loop - XDSLi Parity
MR-6E Mean Time to Restore Unbundled Loop Analog Parity
MR-6E Mean Time to Restore Unbundled Loop ISDN Capable Parity
MR-7A Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7A Repair Repeat Report Rate Business Parity
MR-7A Repair Repeat Report Rate Centrex Parity
MR-7A Repair Repeat Report Rate Centrex 21 Parity
MR-7A Repair Repeat Report Rate Line Sharing Parity
MR-7A Repair Repeat Report Rate Line Splitting Parity

MR-7A Repair Repeat Report Rate PBX Parity
MR-7A Repair Repeat Report Rate Residence Parity
MR-7A Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7A Repair Repeat Report Rate UNE P (Centrex 21) Parity
MR-7A Repair Repeat Report Rate UNE P (Centrex) Parity
MR-7B Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7B Repair Repeat Report Rate Business Parity
MR-7B Repair Repeat Report Rate Centrex Diagnostic
MR-7B Repair Repeat Report Rate Centrex 21 Parity
MR-7B Repair Repeat Report Rate Line Sharing Diagnostic
MR-7B Repair Repeat Report Rate Line Splitting Diagnostic
MR-7B Repair Repeat Report Rate PBX Parity
MR-7B Repair Repeat Report Rate Residence Parity
MR-7B Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7B Repair Repeat Report Rate UNE P (Centrex 21) Diagnostic
MR-7B Repair Repeat Report Rate UNE P (Centrex) Diagnostic
MR-7C Repair Repeat Report Rate Basic Rate ISDN Diagnostic
MR-7C Repair Repeat Report Rate Business Parity
MR-7C Repair Repeat Report Rate Centrex Parity
MR-7C Repair Repeat Report Rate Centrex 21 Parity
MR-7C Repair Repeat Report Rate Line Sharing Parity
MR-7C Repair Repeat Report Rate Line Splitting Parity
MR-7C Repair Repeat Report Rate PBX Parity
MR-7C Repair Repeat Report Rate Residence Parity
MR-7C Repair Repeat Report Rate UNE - P (POTS) Parity
MR-7C Repair Repeat Report Rate UNE P (Centrex 21) Parity
MR-7C Repair Repeat Report Rate UNE P (Centrex) Parity
MR-7D Repair Repeat Report Rate Dark Fiber - IOF Parity
MR-7D Repair Repeat Report Rate Dark Fiber - Loop Parity
MR-7D Repair Repeat Report Rate DS0 Parity
MR-7D Repair Repeat Report Rate DS1 Parity
MR-7D Repair Repeat Report Rate DS3 Parity
MR-7D Repair Repeat Report Rate E911 Parity
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity
MR-7D Repair Repeat Report Rate Enhanced Extended Loops - DS3 Capable Diagnostic
MR-7D Repair Repeat Report Rate Frame Relay Diagnostic
MR-7D Repair Repeat Report Rate ISDN Primary Diagnostic
MR-7D Repair Repeat Report Rate LIS Trunk Parity
MR-7D Repair Repeat Report Rate Qwest DSL Parity
MR-7D Repair Repeat Report Rate UDIT Above DS1 Level Parity
MR-7D Repair Repeat Report Rate UDIT DS1 Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - DS1 Capable Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - DS3 Capable Parity
MR-7D Repair Repeat Report Rate Unbundled Loop - XDSLi Parity
MR-7D Repair Repeat Report Rate Unbundled Loop Analog Parity
MR-7D Repair Repeat Report Rate Unbundled Loop ISDN Capable Parity
MR-7E Repair Repeat Report Rate DS0 Parity
MR-7E Repair Repeat Report Rate DS1 Parity

MR-7E Repair Repeat Report Rate DS3 Diagnostic
MR-7E Repair Repeat Report Rate E911 Parity
MR-7E Repair Repeat Report Rate Enhanced Extended Loops - DS1 Capable Parity
MR-7E Repair Repeat Report Rate Frame Relay Diagnostic
MR-7E Repair Repeat Report Rate ISDN Primary Parity
MR-7E Repair Repeat Report Rate LIS Trunk Parity
MR-7E Repair Repeat Report Rate Qwest DSL Parity
MR-7E Repair Repeat Report Rate UDIT Above DS1 Level Parity
MR-7E Repair Repeat Report Rate UDIT DS1 Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - 4 Wire Non-Loaded Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop - ADSL Qualified Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - DS1 Capable Parity
MR-7E Repair Repeat Report Rate Unbundled Loop - DS3 Capable Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop - XDSLi Diagnostic
MR-7E Repair Repeat Report Rate Unbundled Loop Analog Parity
MR-7E Repair Repeat Report Rate Unbundled Loop ISDN Capable Parity
MR-8 Trouble Rate Basic Rate ISDN Parity
MR-8 Trouble Rate Business Parity
MR-8 Trouble Rate Centrex Parity
MR-8 Trouble Rate Centrex 21 Parity
MR-8 Trouble Rate Dark Fiber - IOF Diagnostic
MR-8 Trouble Rate Dark Fiber - Loop Diagnostic
MR-8 Trouble Rate DS0 Parity
MR-8 Trouble Rate DS1 Parity
MR-8 Trouble Rate DS3 Parity
MR-8 Trouble Rate E911 Parity
MR-8 Trouble Rate Enhanced Extended Loops - DS0 Capable Diagnostic
MR-8 Trouble Rate Enhanced Extended Loops - DS1 Capable Parity
MR-8 Trouble Rate Enhanced Extended Loops - DS3 Capable Diagnostic
MR-8 Trouble Rate Frame Relay Parity
MR-8 Trouble Rate ISDN Primary Parity
MR-8 Trouble Rate Line Sharing Parity
MR-8 Trouble Rate Line Splitting Parity
MR-8 Trouble Rate LIS Trunk Parity
MR-8 Trouble Rate PBX Parity
MR-8 Trouble Rate Qwest DSL Parity
MR-8 Trouble Rate Residence Parity
MR-8 Trouble Rate Sub-Loop Unbundling Diagnostic
MR-8 Trouble Rate UDIT Above DS1 Level Parity
MR-8 Trouble Rate UDIT DS1 Parity
MR-8 Trouble Rate Unbundled Loop - 2 Wire Non-Loaded Parity
MR-8 Trouble Rate Unbundled Loop - 4 Wire Non-Loaded Parity
MR-8 Trouble Rate Unbundled Loop - ADSL Qualified Parity
MR-8 Trouble Rate Unbundled Loop - DS1 Capable Parity
MR-8 Trouble Rate Unbundled Loop - DS3 Capable Parity
MR-8 Trouble Rate Unbundled Loop - XDSLi Parity
MR-8 Trouble Rate Unbundled Loop Analog Parity
MR-8 Trouble Rate Unbundled Loop ISDN Capable Parity
MR-8 Trouble Rate UNE - P (POTS) Parity
MR-8 Trouble Rate UNE P (Centrex 21) Parity
MR-8 Trouble Rate UNE P (Centrex) Parity

MR-9A Repair Appointments Met Business Parity
MR-9A Repair Appointments Met Centrex Parity
MR-9A Repair Appointments Met Centrex 21 Parity
MR-9A Repair Appointments Met PBX Parity
MR-9A Repair Appointments Met Residence Parity
MR-9A Repair Appointments Met UNE - P (POTS) Parity
MR-9B Repair Appointments Met Business Parity
MR-9B Repair Appointments Met Centrex Diagnostic
MR-9B Repair Appointments Met Centrex 21 Parity
MR-9B Repair Appointments Met PBX Parity
MR-9B Repair Appointments Met Residence Parity
MR-9B Repair Appointments Met UNE - P (POTS) Parity
MR-9C Repair Appointments Met Business Parity
MR-9C Repair Appointments Met Centrex Parity
MR-9C Repair Appointments Met Centrex 21 Parity
MR-9C Repair Appointments Met PBX Diagnostic
MR-9C Repair Appointments Met Residence Parity
MR-9C Repair Appointments Met UNE - P (POTS) Parity
NI-1A Trunk Blockage to Qwest Tandem Offices LIS Trunk Parity
NI-1B Trunk Blockage to Qwest End Offices LIS Trunk Parity
NI-1C Trunk Blockage to Qwest Tandem Offices LIS Trunk Diagnostic
NI-1D Trunk Blockage to Qwest End Offices LIS Trunk Diagnostic
NP-1A NXX Code Activation All Parity
OP-13A Coordinated Cuts Completed on Time Unbundled Loop - Analog Benchmark
OP-13A Coordinated Cuts Completed on Time Unbundled Loop Other Benchmark
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop - Analog Diagnostic
OP-13B Coordinated Cuts Started Without CLEC Approval Unbundled Loop Other Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Basic Rate ISDN Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Business Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Centrex 21 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Dark Fiber - Loop Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS0 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS1 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date DS3 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Enhanced Extended Loops (EELs) Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Frame Relay Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date ISDN Primary Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Line Sharing Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Line Splitting Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date LIS Trunk Parity
OP-15A Interval for Pending Orders Delayed Past Due Date PBX Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Qwest DSL Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Residence Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UDIT Above DS1 Level Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UDIT DS1 Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 2 Wire Non-Loaded Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS1 Capable Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop - DS3 Capable Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop Analog Parity
OP-15A Interval for Pending Orders Delayed Past Due Date Unbundled Loop ISDN Capable Parity

OP-15A Interval for Pending Orders Delayed Past Due Date UNE - P (POTS) Parity
OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex 21) Diagnostic
OP-15A Interval for Pending Orders Delayed Past Due Date UNE P (Centrex) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Basic Rate ISDN Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Business Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Centrex 21 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Dark Fiber - Loop Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS0 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS1 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons DS3 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Enhanced Extended Loops (EELs) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Frame Relay Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons ISDN Primary Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Sharing Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Line Splitting Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons LIS Trunk Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons PBX Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Qwest DSL Parity
OP-15B Count of Pending Orders Delayed for Facilities Reasons Residence Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT Above DS1 Level Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UDIT DS1 Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 2 Wire Non-Loaded Diagnos
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnos
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS1 Capable Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop Analog Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons Unbundled Loop ISDN Capable Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE - P (POTS) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex 21) Diagnostic
OP-15B Count of Pending Orders Delayed for Facilities Reasons UNE P (Centrex) Diagnostic
OP-17A Timeliness of Disconnects associated with LNP Orders LNP Benchmark
OP-17B Timeliness of Disconnects associated with LNP Orders LNP Diagnostic
OP-2 Calls Answered within Twenty Seconds - Interconnect Provisioning Center Diagnostic
OP-3A Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3A Installation Commitments Met Business Parity
OP-3A Installation Commitments Met Centrex Diagnostic
OP-3A Installation Commitments Met Centrex 21 Diagnostic
OP-3A Installation Commitments Met DS0 Diagnostic
OP-3A Installation Commitments Met Line Sharing Benchmark
OP-3A Installation Commitments Met Line Splitting Benchmark
OP-3A Installation Commitments Met PBX Diagnostic
OP-3A Installation Commitments Met Qwest DSL Parity
OP-3A Installation Commitments Met Residence Parity
OP-3A Installation Commitments Met UNE - P (POTS) Parity
OP-3A Installation Commitments Met UNE P (Centrex 21) Parity
OP-3A Installation Commitments Met UNE P (Centrex) Parity
OP-3B Installation Commitments Met Business Parity
OP-3B Installation Commitments Met Centrex Diagnostic
OP-3B Installation Commitments Met Centrex 21 Diagnostic
OP-3B Installation Commitments Met Line Sharing Benchmark
OP-3B Installation Commitments Met Line Splitting Benchmark

OP-3B Installation Commitments Met PBX Diagnostic
OP-3B Installation Commitments Met Qwest DSL Parity
OP-3B Installation Commitments Met Residence Parity
OP-3B Installation Commitments Met UNE - P (POTS) Parity
OP-3B Installation Commitments Met UNE P (Centrex 21) Diagnostic
OP-3B Installation Commitments Met UNE P (Centrex) Diagnostic
OP-3C Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3C Installation Commitments Met Business Parity
OP-3C Installation Commitments Met Centrex Diagnostic
OP-3C Installation Commitments Met Centrex 21 Diagnostic
OP-3C Installation Commitments Met ISDN Primary Diagnostic
OP-3C Installation Commitments Met Line Sharing Benchmark
OP-3C Installation Commitments Met Line Splitting Benchmark
OP-3C Installation Commitments Met PBX Parity
OP-3C Installation Commitments Met Qwest DSL Parity
OP-3C Installation Commitments Met Residence Parity
OP-3C Installation Commitments Met UNE - P (POTS) Parity
OP-3C Installation Commitments Met UNE P (Centrex 21) Parity
OP-3C Installation Commitments Met UNE P (Centrex) Parity
OP-3D Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3D Installation Commitments Met Dark Fiber - IOF Diagnostic
OP-3D Installation Commitments Met Dark Fiber - Loop Diagnostic
OP-3D Installation Commitments Met DS0 Diagnostic
OP-3D Installation Commitments Met DS1 Parity
OP-3D Installation Commitments Met DS3 Diagnostic
OP-3D Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark
OP-3D Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity
OP-3D Installation Commitments Met Enhanced Extended Loops - DS3 Capable Benchmark
OP-3D Installation Commitments Met Frame Relay Diagnostic
OP-3D Installation Commitments Met ISDN Primary Diagnostic
OP-3D Installation Commitments Met LIS Trunk Parity
OP-3D Installation Commitments Met PBX Parity
OP-3D Installation Commitments Met Qwest DSL Parity
OP-3D Installation Commitments Met UDIT Above DS1 Level Parity
OP-3D Installation Commitments Met UDIT DS1 Parity
OP-3D Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-3D Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-3D Installation Commitments Met Unbundled Loop - ADSL Qualified Parity
OP-3D Installation Commitments Met Unbundled Loop - DS1 Capable Parity
OP-3D Installation Commitments Met Unbundled Loop - DS3 Capable Parity
OP-3D Installation Commitments Met Unbundled Loop - XDSLi Benchmark
OP-3D Installation Commitments Met Unbundled Loop Analog Benchmark
OP-3D Installation Commitments Met Unbundled Loop Conditioned Benchmark
OP-3D Installation Commitments Met Unbundled Loop ISDN Capable Parity
OP-3E Installation Commitments Met Basic Rate ISDN Diagnostic
OP-3E Installation Commitments Met DS0 Parity
OP-3E Installation Commitments Met DS1 Parity
OP-3E Installation Commitments Met DS3 Diagnostic
OP-3E Installation Commitments Met Enhanced Extended Loops - DS0 Capable Benchmark
OP-3E Installation Commitments Met Enhanced Extended Loops - DS1 Capable Parity
OP-3E Installation Commitments Met Frame Relay Diagnostic
OP-3E Installation Commitments Met ISDN Primary Parity

OP-3E Installation Commitments Met LIS Trunk Parity
OP-3E Installation Commitments Met PBX Parity
OP-3E Installation Commitments Met UDIT Above DS1 Level Parity
OP-3E Installation Commitments Met UDIT DS1 Parity
OP-3E Installation Commitments Met Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-3E Installation Commitments Met Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-3E Installation Commitments Met Unbundled Loop - ADSL Qualified Parity
OP-3E Installation Commitments Met Unbundled Loop - DS1 Capable Parity
OP-3E Installation Commitments Met Unbundled Loop - DS3 Capable Parity
OP-3E Installation Commitments Met Unbundled Loop - XDSLi Benchmark
OP-3E Installation Commitments Met Unbundled Loop Analog Benchmark
OP-3E Installation Commitments Met Unbundled Loop Conditioned Benchmark
OP-3E Installation Commitments Met Unbundled Loop ISDN Capable Parity
OP-4A Installation Interval Business Parity
OP-4A Installation Interval Centrex Diagnostic
OP-4A Installation Interval Centrex 21 Diagnostic
OP-4A Installation Interval DS0 Diagnostic
OP-4A Installation Interval Line Sharing Benchmark
OP-4A Installation Interval Line Splitting Benchmark
OP-4A Installation Interval PBX Diagnostic
OP-4A Installation Interval Qwest DSL Parity
OP-4A Installation Interval Residence Parity
OP-4A Installation Interval UNE - P (POTS) Parity
OP-4A Installation Interval UNE P (Centrex 21) Diagnostic
OP-4A Installation Interval UNE P (Centrex) Parity
OP-4B Installation Interval Business Parity
OP-4B Installation Interval Centrex Diagnostic
OP-4B Installation Interval Centrex 21 Diagnostic
OP-4B Installation Interval Line Sharing Benchmark
OP-4B Installation Interval Line Splitting Benchmark
OP-4B Installation Interval PBX Diagnostic
OP-4B Installation Interval Qwest DSL Parity
OP-4B Installation Interval Residence Parity
OP-4B Installation Interval UNE - P (POTS) Parity
OP-4B Installation Interval UNE P (Centrex 21) Diagnostic
OP-4B Installation Interval UNE P (Centrex) Diagnostic
OP-4C Installation Interval Business Parity
OP-4C Installation Interval Centrex Diagnostic
OP-4C Installation Interval Centrex 21 Diagnostic
OP-4C Installation Interval Line Sharing Benchmark
OP-4C Installation Interval Line Splitting Benchmark
OP-4C Installation Interval PBX Parity
OP-4C Installation Interval Qwest DSL Parity
OP-4C Installation Interval Residence Parity
OP-4C Installation Interval UNE - P (POTS) Parity
OP-4C Installation Interval UNE P (Centrex 21) Parity
OP-4C Installation Interval UNE P (Centrex) Parity
OP-4D Installation Interval Basic Rate ISDN Diagnostic
OP-4D Installation Interval Dark Fiber - IOF Diagnostic
OP-4D Installation Interval Dark Fiber - Loop Diagnostic
OP-4D Installation Interval DS0 Diagnostic
OP-4D Installation Interval DS1 Parity

OP-4D Installation Interval DS3 Diagnostic
OP-4D Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic
OP-4D Installation Interval Enhanced Extended Loops - DS1 Capable Parity
OP-4D Installation Interval Enhanced Extended Loops - DS3 Capable Diagnostic
OP-4D Installation Interval Frame Relay Diagnostic
OP-4D Installation Interval ISDN Primary Diagnostic
OP-4D Installation Interval LIS Trunk Parity
OP-4D Installation Interval PBX Parity
OP-4D Installation Interval Qwest DSL Parity
OP-4D Installation Interval UDIT Above DS1 Level Parity
OP-4D Installation Interval UDIT DS1 Parity
OP-4D Installation Interval Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-4D Installation Interval Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-4D Installation Interval Unbundled Loop - ADSL Qualified Parity
OP-4D Installation Interval Unbundled Loop - DS1 Capable Parity
OP-4D Installation Interval Unbundled Loop - DS3 Capable Parity
OP-4D Installation Interval Unbundled Loop - XDSLi Benchmark
OP-4D Installation Interval Unbundled Loop Analog Benchmark
OP-4D Installation Interval Unbundled Loop Conditioned Benchmark
OP-4D Installation Interval Unbundled Loop ISDN Capable Parity
OP-4E Installation Interval Basic Rate ISDN Diagnostic
OP-4E Installation Interval Dark Fiber - IOF Diagnostic
OP-4E Installation Interval Dark Fiber - Loop Diagnostic
OP-4E Installation Interval DS0 Parity
OP-4E Installation Interval DS1 Parity
OP-4E Installation Interval DS3 Diagnostic
OP-4E Installation Interval Enhanced Extended Loops - DS0 Capable Diagnostic
OP-4E Installation Interval Enhanced Extended Loops - DS1 Capable Parity
OP-4E Installation Interval Frame Relay Diagnostic
OP-4E Installation Interval ISDN Primary Parity
OP-4E Installation Interval LIS Trunk Parity
OP-4E Installation Interval PBX Parity
OP-4E Installation Interval UDIT Above DS1 Level Parity
OP-4E Installation Interval UDIT DS1 Parity
OP-4E Installation Interval Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-4E Installation Interval Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-4E Installation Interval Unbundled Loop - ADSL Qualified Parity
OP-4E Installation Interval Unbundled Loop - DS1 Capable Parity
OP-4E Installation Interval Unbundled Loop - DS3 Capable Parity
OP-4E Installation Interval Unbundled Loop - XDSLi Benchmark
OP-4E Installation Interval Unbundled Loop Analog Benchmark
OP-4E Installation Interval Unbundled Loop Conditioned Benchmark
OP-4E Installation Interval Unbundled Loop ISDN Capable Parity
OP-5A New Service Installation Quality Reported to Repair Basic Rate ISDN Diagnostic
OP-5A New Service Installation Quality Reported to Repair Business Parity
OP-5A New Service Installation Quality Reported to Repair Centrex Diagnostic
OP-5A New Service Installation Quality Reported to Repair Centrex 21 Diagnostic
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - IOF Diagnostic
OP-5A New Service Installation Quality Reported to Repair Dark Fiber - Loop Diagnostic
OP-5A New Service Installation Quality Reported to Repair DS0 Parity
OP-5A New Service Installation Quality Reported to Repair DS1 Parity
OP-5A New Service Installation Quality Reported to Repair DS3 Diagnostic

OP-5A New Service Installation Quality Reported to Repair E911 Parity
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS1 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Enhanced Extended Loops - DS3 Capable Diagnostic
OP-5A New Service Installation Quality Reported to Repair Frame Relay Diagnostic
OP-5A New Service Installation Quality Reported to Repair ISDN Primary Parity
OP-5A New Service Installation Quality Reported to Repair Line Sharing Parity
OP-5A New Service Installation Quality Reported to Repair Line Splitting Parity
OP-5A New Service Installation Quality Reported to Repair LIS Trunk Parity
OP-5A New Service Installation Quality Reported to Repair PBX Parity
OP-5A New Service Installation Quality Reported to Repair Qwest DSL Parity
OP-5A New Service Installation Quality Reported to Repair Residence Parity
OP-5A New Service Installation Quality Reported to Repair UDIT Above DS1 Level Parity
OP-5A New Service Installation Quality Reported to Repair UDIT DS1 Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 2 Wire Non-Loaded Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - ADSL Qualified Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS1 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - DS3 Capable Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop - XDSLi Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop Analog Parity
OP-5A New Service Installation Quality Reported to Repair Unbundled Loop ISDN Capable Parity
OP-5A New Service Installation Quality Reported to Repair UNE - P (POTS) Parity
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex 21) Parity
OP-5A New Service Installation Quality Reported to Repair UNE P (Centrex) Parity
OP-5B New Service Provisioning Quality Basic Rate ISDN Diagnostic
OP-5B New Service Provisioning Quality Business Benchmark
OP-5B New Service Provisioning Quality Centrex Diagnostic
OP-5B New Service Provisioning Quality Centrex 21 Diagnostic
OP-5B New Service Provisioning Quality Dark Fiber - Loop Diagnostic
OP-5B New Service Provisioning Quality DS0 Diagnostic
OP-5B New Service Provisioning Quality DS1 Benchmark
OP-5B New Service Provisioning Quality DS3 Diagnostic
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS0 Capable Benchmark
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS1 Capable Benchmark
OP-5B New Service Provisioning Quality Enhanced Extended Loops - DS3 Capable Benchmark
OP-5B New Service Provisioning Quality Frame Relay Diagnostic
OP-5B New Service Provisioning Quality ISDN Primary Benchmark
OP-5B New Service Provisioning Quality Line Sharing Benchmark
OP-5B New Service Provisioning Quality Line Splitting Benchmark
OP-5B New Service Provisioning Quality PBX Benchmark
OP-5B New Service Provisioning Quality Qwest DSL Benchmark
OP-5B New Service Provisioning Quality Residence Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - 2 Wire Non-Loaded Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - ADSL Qualified Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - DS1 Capable Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - DS3 Capable Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop - XDSLi Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop Analog Benchmark
OP-5B New Service Provisioning Quality Unbundled Loop ISDN Capable Benchmark
OP-5B New Service Provisioning Quality UNE - P (POTS) Benchmark
OP-5B New Service Provisioning Quality UNE P (Centrex 21) Diagnostic

OP-5B New Service Provisioning Quality UNE P (Centrex) Diagnostic
OP-5R New Service Quality Multiple Report Rate Basic Rate ISDN Diagnostic
OP-5R New Service Quality Multiple Report Rate Business Diagnostic
OP-5R New Service Quality Multiple Report Rate Centrex Diagnostic
OP-5R New Service Quality Multiple Report Rate Centrex 21 Diagnostic
OP-5R New Service Quality Multiple Report Rate Dark Fiber - Loop Diagnostic
OP-5R New Service Quality Multiple Report Rate DS0 Diagnostic
OP-5R New Service Quality Multiple Report Rate DS1 Diagnostic
OP-5R New Service Quality Multiple Report Rate DS3 Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS1 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Enhanced Extended Loops - DS3 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Frame Relay Diagnostic
OP-5R New Service Quality Multiple Report Rate ISDN Primary Diagnostic
OP-5R New Service Quality Multiple Report Rate Line Sharing Diagnostic
OP-5R New Service Quality Multiple Report Rate Line Splitting Diagnostic
OP-5R New Service Quality Multiple Report Rate LIS Trunk Diagnostic
OP-5R New Service Quality Multiple Report Rate PBX Diagnostic
OP-5R New Service Quality Multiple Report Rate Qwest DSL Diagnostic
OP-5R New Service Quality Multiple Report Rate Residence Diagnostic
OP-5R New Service Quality Multiple Report Rate UDIT Above DS1 Level Diagnostic
OP-5R New Service Quality Multiple Report Rate UDIT DS1 Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - 2 Wire Non-Loaded Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - ADSL Qualified Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - DS1 Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop - XDSL_i Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop Analog Diagnostic
OP-5R New Service Quality Multiple Report Rate Unbundled Loop ISDN Capable Diagnostic
OP-5R New Service Quality Multiple Report Rate UNE - P (POTS) Diagnostic
OP-5R New Service Quality Multiple Report Rate UNE P (Centrex) Diagnostic
OP-5T New Service Installation Quality Total Basic Rate ISDN Diagnostic
OP-5T New Service Installation Quality Total Business Diagnostic
OP-5T New Service Installation Quality Total Centrex Diagnostic
OP-5T New Service Installation Quality Total Centrex 21 Diagnostic
OP-5T New Service Installation Quality Total Dark Fiber - Loop Diagnostic
OP-5T New Service Installation Quality Total DS0 Parity
OP-5T New Service Installation Quality Total DS1 Diagnostic
OP-5T New Service Installation Quality Total DS3 Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS0 Capable Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS1 Capable Diagnostic
OP-5T New Service Installation Quality Total Enhanced Extended Loops - DS3 Capable Diagnostic
OP-5T New Service Installation Quality Total Frame Relay Diagnostic
OP-5T New Service Installation Quality Total ISDN Primary Diagnostic
OP-5T New Service Installation Quality Total Line Sharing Diagnostic
OP-5T New Service Installation Quality Total Line Splitting Diagnostic
OP-5T New Service Installation Quality Total PBX Diagnostic
OP-5T New Service Installation Quality Total Qwest DSL Diagnostic
OP-5T New Service Installation Quality Total Residence Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - 2 Wire Non-Loaded Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - ADSL Qualified Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - DS1 Capable Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop - DS3 Capable Diagnostic

OP-5T New Service Installation Quality Total Unbundled Loop - XDSLi Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop Analog Diagnostic
OP-5T New Service Installation Quality Total Unbundled Loop ISDN Capable Diagnostic
OP-5T New Service Installation Quality Total UNE - P (POTS) Diagnostic
OP-5T New Service Installation Quality Total UNE P (Centrex 21) Diagnostic
OP-5T New Service Installation Quality Total UNE P (Centrex) Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Business Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Centrex Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons Line Splitting Parity
OP-6A-1 Delayed Days for Non-Facility Reasons Qwest DSL Parity
OP-6A-1 Delayed Days for Non-Facility Reasons Residence Parity
OP-6A-1 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6A-1 Delayed Days for Non-Facility Reasons UNE P (Centrex) Parity
OP-6A-2 Delayed Days for Non-Facility Reasons Business Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Qwest DSL Diagnostic
OP-6A-2 Delayed Days for Non-Facility Reasons Residence Parity
OP-6A-2 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
OP-6A-2 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Business Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Centrex Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Centrex 21 Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Line Sharing Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Line Splitting Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons Qwest DSL Parity
OP-6A-3 Delayed Days for Non-Facility Reasons Residence Parity
OP-6A-3 Delayed Days for Non-Facility Reasons UNE - P (POTS) Parity
OP-6A-3 Delayed Days for Non-Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6A-3 Delayed Days for Non-Facility Reasons UNE P (Centrex) Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS1 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons DS3 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS0 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS3 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons ISDN Primary Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons LIS Trunk Parity
OP-6A-4 Delayed Days for Non-Facility Reasons PBX Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic

OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity
OP-6A-4 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Basic Rate ISDN Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS0 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS1 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons DS3 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Enhanced Extended Loops - DS1 Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Frame Relay Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons ISDN Primary Parity
OP-6A-5 Delayed Days for Non-Facility Reasons LIS Trunk Parity
OP-6A-5 Delayed Days for Non-Facility Reasons PBX Parity
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT Above DS1 Level Parity
OP-6A-5 Delayed Days for Non-Facility Reasons UDIT DS1 Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop Analog Parity
OP-6A-5 Delayed Days for Non-Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6B-1 Delayed Days for Facility Reasons Business Parity
OP-6B-1 Delayed Days for Facility Reasons Centrex Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Centrex 21 Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-1 Delayed Days for Facility Reasons Qwest DSL Parity
OP-6B-1 Delayed Days for Facility Reasons Residence Parity
OP-6B-1 Delayed Days for Facility Reasons UNE - P (POTS) Parity
OP-6B-1 Delayed Days for Facility Reasons UNE P (Centrex 21) Diagnostic
OP-6B-1 Delayed Days for Facility Reasons UNE P (Centrex) Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Business Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-2 Delayed Days for Facility Reasons Residence Parity
OP-6B-2 Delayed Days for Facility Reasons UNE - P (POTS) Parity
OP-6B-3 Delayed Days for Facility Reasons Line Sharing Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Line Splitting Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Qwest DSL Diagnostic
OP-6B-3 Delayed Days for Facility Reasons Residence Parity
OP-6B-3 Delayed Days for Facility Reasons UNE - P (POTS) Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Basic Rate ISDN Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS0 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS1 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons DS3 Diagnostic
OP-6B-4 Delayed Days for Facility Reasons ISDN Primary Diagnostic
OP-6B-4 Delayed Days for Facility Reasons PBX Diagnostic
OP-6B-4 Delayed Days for Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6B-4 Delayed Days for Facility Reasons UDIT DS1 Diagnostic

OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - ADSL Qualified Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop Analog Parity
OP-6B-4 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity
OP-6B-5 Delayed Days for Facility Reasons Basic Rate ISDN Diagnostic
OP-6B-5 Delayed Days for Facility Reasons DS0 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons DS1 Parity
OP-6B-5 Delayed Days for Facility Reasons DS3 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Enhanced Extended Loops - DS1 Capable Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Frame Relay Diagnostic
OP-6B-5 Delayed Days for Facility Reasons ISDN Primary Parity
OP-6B-5 Delayed Days for Facility Reasons PBX Diagnostic
OP-6B-5 Delayed Days for Facility Reasons UDIT Above DS1 Level Diagnostic
OP-6B-5 Delayed Days for Facility Reasons UDIT DS1 Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - 2 Wire Non-Loaded Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - 4 Wire Non-Loaded Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - ADSL Qualified Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - DS1 Capable Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop - DS3 Capable Diagnostic
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop Analog Parity
OP-6B-5 Delayed Days for Facility Reasons Unbundled Loop ISDN Capable Parity
OP-7 OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops" Unbundled Loop - Analog Diagnostic
OP-7 OP-7 - Coordinated Hot Cut" Interval - Unbundled Loops" Unbundled Loop Other Diagnostic
OP-8B Number Portability Timeliness LNP Benchmark
OP-8C Percentage of LNP Triggers Set Prior to the Frame Due Time LNP Benchmark
OS-1 Speed of Answer - Operator Services Diagnostic
PO-15 Number of Due Date Changes per Order All Diagnostic
PO-16 Timely Release Notifications Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 14.0 Benchmark
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 16.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 17.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. 18.0 Diagnostic
PO-19 Stand-Alone Test Environment (SATE) Accuracy Rel. VICKI Diagnostic
PO-19A Stand-Alone Test Environment (SATE) Accuracy Rel. 15.0 Benchmark
PO-19B Stand-Alone Test Environment (SATE) Accuracy Diagnostic
PO-1A-1 Total Pre-Order Response Times (Appt. Scheduler) IMA Aggregate Diagnostic
PO-1A-2 Total Pre-Order Response Times (Service Availability) IMA Aggregate Diagnostic
PO-1A-2(a) Pre-Order Response Times (Service Availability) IMA Request Diagnostic
PO-1A-2(b) Pre-Order Response Times (Service Availability) IMA Response Diagnostic
PO-1A-3 Total Pre-Order Response Times (Facility Check) IMA Aggregate Diagnostic
PO-1A-3(a) Pre-Order Response Times (Facility Check) IMA Request Diagnostic
PO-1A-3(b) Pre-Order Response Times (Facility Check) IMA Response Diagnostic
PO-1A-4 Total Pre-Order Response Times (Address Validation) IMA Aggregate Diagnostic
PO-1A-4(a) Pre-Order Response Times (Address Validation) IMA Request Diagnostic
PO-1A-4(b) Pre-Order Response Times (Address Validation) IMA Response Diagnostic
PO-20 Manual Service Order Accuracy Resale & UNE-P (POTS) Benchmark
PO-20 Manual Service Order Accuracy Unbundled Loops Benchmark
PO-20P2 Manual Service Order Accuracy (Phase 2) Resale & UNE-P (POTS) Benchmark

PO-20P2 Manual Service Order Accuracy (Phase 2) Unbundled Loops Benchmark
PO-20P3 Manual Service Order Accuracy (Phase 3) Resale & UNE-P (POTS) Benchmark
PO-20P3 Manual Service Order Accuracy (Phase 3) Unbundled Loops Benchmark
PO-20P4 Manual Service Order Accuracy (Phase 4) Resale & UNE-P (POTS) Benchmark
PO-20P4 Manual Service Order Accuracy (Phase 4) Unbundled Loops Benchmark
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Line Sharing Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA LNP Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA Unbundled Loop Aggregate Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE - P (POTS) Diagnostic
PO-2A-1 Electronic Flow-through for LSRs Received via IMA UNE P (POTS AGG) Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Line Sharing Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI LNP Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI Unbundled Loop Aggregate Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE - P (POTS) Diagnostic
PO-2A-2 Electronic Flow-through for LSRs Received via EDI UNE P (POTS AGG) Diagnostic
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Line Sharing Diagnostic
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA LNP Benchmark
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Resale Aggregate W/O UNE-P-POTS E
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA Unbundled Loop Aggregate Benchmark
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE - P (POTS) Benchmark
PO-2B-1 Electronic Flow-through for All Eligible LSRs Received via IMA UNE P (POTS AGG) Benchmark
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Line Sharing Diagnostic
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI LNP Benchmark
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Resale Aggregate W/O UNE-P-POTS B
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI Unbundled Loop Aggregate Benchmark
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE - P (POTS) Benchmark
PO-2B-2 Electronic Flow-through for All Eligible LSRs Received via EDI UNE P (POTS AGG) Benchmark
PO-3A-1 LSR Rejection Notice Interval for IMA - Rejected Manually Product Aggregate Benchmark
PO-3A-2 LSR Rejection Notice Interval for IMA - Auto-Rejected Product Aggregate Benchmark
PO-3B-1 LSR Rejection Notice Interval for EDI - Rejected Manually Product Aggregate Benchmark
PO-3B-2 LSR Rejection Notice Interval for EDI - Auto-Rejected Product Aggregate Benchmark
PO-3C LSR Rejection Notice Interval for Manual and IIS Product Aggregate Benchmark
PO-4A-1 LSRs Rejected for IMA - Rejected Manually Product Aggregate Diagnostic
PO-4A-2 LSRs Rejected for IMA - Auto-Rejected Product Aggregate Diagnostic
PO-4B-1 LSRs Rejected for EDI - Rejected Manually Product Aggregate Diagnostic
PO-4B-2 LSRs Rejected for EDI - Auto-Rejected Product Aggregate Diagnostic
PO-4C LSRs Received via Facsimile Product Aggregate Diagnostic
PO-5A-1(a) FOCs On Time for Fully Electronic LSRs Received Via IMA Resale Aggregate Benchmark
PO-5A-1(b) FOCs On Time for Fully Electronic LSRs Received Via IMA Unbundled Loop Aggregate Benchmark
PO-5A-1(c) FOCs On Time for Fully Electronic LSRs Received Via IMA LNP Benchmark
PO-5A-2(a) FOCs On Time for Fully Electronic LSRs Received Via EDI Resale Aggregate Benchmark
PO-5A-2(b) FOCs On Time for Fully Electronic LSRs Received Via EDI Unbundled Loop Aggregate Benchmark
PO-5A-2(c) FOCs On Time for Fully Electronic LSRs Received Via EDI LNP Benchmark
PO-5B-1(a) FOCs On Time For Electronic/Manual LSRs Received Via IMA Resale Aggregate Benchmark
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop AGG-EELs Benchm
PO-5B-1(b) FOCs On Time For Electronic/Manual LSRs Received Via IMA Unbundled Loop Aggregate Benchm
PO-5B-1(c) FOCs On Time For Electronic/Manual LSRs Received Via IMA LNP Benchmark
PO-5B-2(a) FOCs On Time For Electronic/Manual LSRs Received Via EDI Resale Aggregate Benchmark
PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop AGG-EELs Benchm
PO-5B-2(b) FOCs On Time For Electronic/Manual LSRs Received Via EDI Unbundled Loop Aggregate Benchm

PO-5B-2(c) FOCs On Time For Electronic/Manual LSRs Received Via EDI LNP Benchmark
PO-5C-(a) FOCs on Time for Manual Resale Aggregate Benchmark
PO-5C-(b) FOCs on Time for Manual Unbundled Loop AGG-EELs Benchmark
PO-5C-(b) FOCs on Time for Manual Unbundled Loop Aggregate Benchmark
PO-5C-(c) FOCs on Time for Manual LNP Benchmark
PO-5D Firm Order Confirmations (FOCs) On Time LIS Trunk Benchmark
PO-6A Notices Made Available via IMA - GUI All Benchmark
PO-6B Notices Transmitted via IMA - EDI All Benchmark
PO-7A,C Notices Made Available via IMA - GUI / Billing System Posting Completions All Parity
PO-7B,C Notices Transmitted via IMA - EDI / Billing System Posting Completions All Parity
PO-8A Jeopardy Notice Interval Non-Designed Services Parity
PO-8B Jeopardy Notice Interval Unbundled Loops and Number Portability Parity
PO-8D Jeopardy Notice Interval UNE - P (POTS) Parity
PO-9A Timely Jeopardy Notices Non-Designed Services Parity
PO-9B Timely Jeopardy Notices Unbundled Loops and Number Portability Parity
PO-9C Timely Jeopardy Notices LIS Trunk Parity
PO-9D Timely Jeopardy Notices UNE - P (POTS) Parity

Parity
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity

Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity 1.00%
Parity 1.00%
Diagnostic
Diagnostic
Parity
Benchmark 95.00%
Benchmark 95.00%
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Parity
Diagnostic
Parity
Parity

Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.9825
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Parity	
Parity	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95

Diagnostic	
Parity	
Parity	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Parity	
Parity	
Parity	
Parity	
Parity	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Benchmark	0.9
Parity	0.9
Benchmark	0.9
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Parity	
Benchmark	0.9
Diagnostic	
Parity	0.9
Parity	
Parity	
Benchmark	90.00%
Benchmark	0.9
Benchmark	90.00%
Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Benchmark	0.9
Parity	0.9
Diagnostic	
Parity	

Parity
Parity
Parity
Parity
Benchmark 0.9
Diagnostic
Parity 0.9
Parity
Parity
Benchmark 0.9
Benchmark 90.00%
Benchmark 0.9
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Benchmark 330.00%
Benchmark 3.3
Diagnostic
Parity
Parity
Parity
Diagnostic
Parity
Parity
Diagnostic
Diagnostic
Benchmark 3.3
Benchmark 3.3
Diagnostic
Parity
Parity
Parity
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Benchmark 3.3
Benchmark 3.3
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity

Diagnostic	
Diagnostic	
Parity	6
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Benchmark	6
Diagnostic	
Parity	6
Parity	5.5
Parity	
Benchmark	6
Benchmark	6
Benchmark	15
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Diagnostic	
Diagnostic	
Parity	6
Diagnostic	
Parity	
Parity	
Parity	
Parity	
Benchmark	6
Diagnostic	
Parity	6
Parity	5.5
Parity	
Benchmark	6
Benchmark	6
Benchmark	15
Parity	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Diagnostic	
Parity	
Parity	
Diagnostic	

Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Parity
Diagnostic
Benchmark 0.965
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Benchmark 0.965
Diagnostic
Benchmark 0.965
Benchmark 0.965
Benchmark 0.965
Diagnostic
Benchmark 0.965
Benchmark 96.50%
Benchmark 0.965
Benchmark 0.965
Benchmark 0.965
Benchmark 0.965
Benchmark 0.965
Benchmark 96.50%
Benchmark 0.965
Benchmark 96.50%
Benchmark 96.50%
Benchmark 96.50%
Benchmark 0.965
Benchmark 96.50%
Benchmark 96.50%
Diagnostic

Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Parity
Parity
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Parity
Parity
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic
Diagnostic
Diagnostic
Parity
Diagnostic

Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Diagnostic	
Parity	
Diagnostic	
Parity	
Parity	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Diagnostic	
Diagnostic	
Diagnostic	0.925
Diagnostic	0.95
Benchmark	0.95
Diagnostic	0.95
Diagnostic	0.95
Diagnostic	
Diagnostic	0.95
Benchmark	0.95
Diagnostic	0.95
Diagnostic	10
Diagnostic	25
Diagnostic	
Diagnostic	
Diagnostic	25
Diagnostic	
Diagnostic	
Diagnostic	10
Diagnostic	
Benchmark	0.97
Benchmark	0.97
Benchmark	96.00%

Benchmark	96.00%
Benchmark	95.00%
Benchmark	95.00%
Benchmark	95.00%
Benchmark	95.00%
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Benchmark	0.85
Benchmark	0.95
Benchmark	0.95
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Benchmark	0.85
Benchmark	0.95
Benchmark	0.95
Benchmark	0.5
Benchmark	0.0125
Benchmark	0.5
Benchmark	0.0125
Benchmark	1
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Diagnostic	
Benchmark	0.95
Benchmark	0.95
Benchmark	0.95
Benchmark	0.95
Benchmark	0.95
Benchmark	0.95
Benchmark	0.9
Benchmark	0.9
Benchmark	0.9
Benchmark	90.00%
Benchmark	90.00%
Benchmark	0.9
Benchmark	0.9

