



## ***Qwest Corporation (Qwest or CTL-Q) Performance Results***

### **Washington January 2019 - January 2020**

***Statistical parameters used to calculate whether PAP standards have been met or missed, and any applicable PAP payments, are sometimes required to be different than those used to calculate performance in this report. See the Reading Reports link on CenturyLink's Wholesale Website for details.***

February 12, 2020

CenturyLink QC Performance Results – Current 271 PID

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2020	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,652	1,652	100.00%							
January 2020	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	728,786	728,808	100.00%							
January 2020	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	1,913	1,913	100.00%							
January 2020	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,638	1,644	99.64%	6.03%	28,138	28,485	98.78%	10.97%	-3.066432	-2.864258
January 2020	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	1,913	1,913	99.99%							
January 2020	Collocation	CP-2B	Non-Forecasted and Late Forecasted Collocations	All	Diagnostic	N/A	1	1	100.00%							
January 2020	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,064,339	2,048,284	1.01							
January 2020	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	1619,233	15,151	0.11							
January 2020	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
January 2020	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
January 2020	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
January 2020	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
January 2020	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	42,180	42,180	100.00%							
January 2020	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
January 2020	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
January 2020	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	8	37.50%	48.41%	1	6	16.67%	37.27%	-1.035098	-1.629295
January 2020	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	1	1	100.00%	0.00%	0	-1
January 2020	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	2	50.00%							
January 2020	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	4	13	30.77%							
January 2020	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	12	31	38.71%	48.71%	1	5	20.00%	40.00%	-0.970557	-1.590057
January 2020	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	4	50.00%	50.00%	2	7	28.57%	45.18%	-0.756787	-1.460094
January 2020	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	1	6	16.67%	37.27%	-2.070197	-2.25859
January 2020	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	4	11	36.36%	48.10%	296	667	44.38%	49.68%	0.211717	-0.871285
January 2020	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	73.30	9.11	12.58	51.01	6	8.30	5.35			
January 2020	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	141:18	1	141:18	0.00	3:08	1	3:08	0.00		
January 2020	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	12:12	2	6.06	3.53						
January 2020	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	72:53	13	5.36	4.02						
January 2020	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	257:01	31	8:17	7:37	39:14	5	7:51	5:59	0.025069	-0.984759
January 2020	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	371:41	48	7:45	5:35	165344:55	2,806	58:56	54:28	-6.455404	-4.924607
January 2020	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	15:30	4	3.52	1.08	85:15	7	12:11	11:49	-1.120753	-1.68137
January 2020	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3:16	1	3:16	0.00	82:45	6	13:47	12:05	-0.806957	-1.490595
January 2020	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	36:21	8	4:33	3:36	40589:50	705	57:34	53:01	-2.813399	-2.710419
January 2020	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	12	617	1.94%	13.81%	13	1,651	0.79%	8.84%	2.775437	0.687346
January 2020	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	58,212	0.00%	0.41%	1	54,016	0.00%	0.43%	-0.051914	-1.031561
January 2020	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	47	0.00%		3,906	220,808	1.77%	13.18%	-0.919892	-1.552555
January 2020	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	206	0.00%		16	1,905	0.84%	9.13%	-1.254819	-1.762876
January 2020	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	926	0.22%	4.64%	0	808	0.00%			
January 2020	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	13	8,844	0.15%	3.83%	0	808	0.00%			
January 2020	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	32	2,678	1.19%	10.87%	11	1,687	0.65%	8.05%	2.169969	0.319247
January 2020	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	4	0.00%		16	1,895	0.84%	9.15%	-0.184361	-1.112083
January 2020	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	56	15,723	0.36%	5.96%	4,709	339,170	1.39%	11.70%	-10.813883	-7.574374
January 2020	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	10	28,896	0.04%	0.24%						
January 2020	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	12,799	0.01%	0.08%						
January 2020	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	28	29,352	0.10%							
January 2020	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Diagnostic	N/A	1	12,799	0.01%							
January 2020	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	27	1	27.00	0.00	61	1	61.00	0.00		
January 2020	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
January 2020	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	2	2	100.00%							
January 2020	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	1	1	100.00%	0.00%	829	832	99.64%	5.99%	-0.06012	-1.036551
January 2020	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	3	66.67%	47.14%	3	4	75.00%	43.30%	-0.565949	-1.344072
January 2020	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	33	35	94.29%							
January 2020	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	16	16	100.00%	0.00%						
January 2020	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	102	102	100.00%							
January 2020	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
January 2020	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	8	8	100.00%							
January 2020	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	4	2	2.00							
January 2020	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	73	21	3.48							
January 2020	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	20	4	5.00							
January 2020	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	29	7	4.14							
January 2020	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
January 2020	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	11	5	2.20							
January 2020	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	10,311	10,325	99.86%							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	167.38	609	0.27							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	145.29	216	0.69							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	312.67	609	0.51							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	267.00	556	0.48							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	4939.50	556	8.88							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	144.00	1,200	0.12							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	4776.00	1,200	3.98							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	4920.00	1,200	4.10							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	417.48	3,479	0.78							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	32076.38	3,479	3.38							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	32493.86	3,479	9.34							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	676.80	967	0.70							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	7162.80	967	7.41							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	1578.61	1,397	1.13							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	6705.60	1,397	4.80							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	8284.21	1,397	5.93							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	30.47	66	0.46							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	24.44	128	0.21							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	54.91	66	0.83							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	1535.16	4,264	0.36							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	279.12	481	0.58							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	8536.42	4,104	2.08							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	10350.70	481	21.51							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	39.58	72	0.55							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	610.66	72	8.48							
January 2020	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	650.24	72	9.03							
January 2020	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10828.18	6,523	1.66							
January 2020	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
January 2020	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	761,445	8.82							
January 2020	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
January 2020	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
January 2020	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
January 2020	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
January 2020	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
January 2020	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5958.12	1,722	3.46							
January 2020	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,237	1,618	76.45%							
January 2020	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	32	110	29.09%							
January 2020	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	212	307	69.06%							
January 2020	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,237	1,309	94.50%							
January 2020	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	32	36	88.89%							
January 2020	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	212	213	99.53%							
January 2020	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	560.05	202	2.46							
January 2020	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	30	30	100.00%							
January 2020	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	214	215	99.53%							
January 2020	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,140	1,140	100.00%							
January 2020	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	13	13	100.00%							
January 2020	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	66	101	65.35%							
January 2020	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	318	319	99.69%							
January 2020	Pre-Ordering	PO-5C-(a)	FOCs on Time for manual LSRs via Facsimile	Resale Aggregate	Benchmark	90.00%	0	1	0.00%							
January 2020	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
January 2020	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	3	3	100.00%							
January 2020	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	0	3	0.00%	0.00%	4	39	10.26%	30.34%	-0.627527	-1.38151
December 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,464	1,464	100.00%							
December 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	730,343	730,359	100.00%							
December 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,038	2,038	100.00%							
December 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,583	1,589	99.62%	6.13%	28,519	28,913	98.64%	11.59%	-3.297678	-3.004846
December 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,038	2,038	99.98%							
December 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,352,570	2,336,962	1.01							
December 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	1513.04	13,435	0.11							
December 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,060	30,060	100.00%							
December 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,060	30,060	100.00%							
December 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,060	30,060	100.00%							
December 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,900	42,900	100.00%							
December 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,820	41,820	100.00%							
December 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,880	26,880	100.00%							
December 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
December 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	8	37.50%	48.41%	4	12	33.33%	47.14%	-0.193649	-1.11773
December 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	2	100.00%							
December 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	0	7	0.00%							
December 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	19	41	46.34%	49.87%	4	11	36.36%	48.10%	-0.610852	-1.371372
December 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	2	50.00%	50.00%	3	5	60.00%	48.99%	-0.565949	-1.344072
December 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
December 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	1	100.00%							
December 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	3	5	60.00%	48.99%	0.565949	-0.655928
December 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	3	7	42.86%	49.49%	245	467	52.46%	49.94%	0.128134	-0.9221
December 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	2	50.00%	50.00%	1,275	3,198	39.87%	48.96%	-0.292536	-1.177849
December 2019	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	46.22	2	23.11	3.29	114544.48	2,502	45.47	42.46	-0.746912	-1.45409
December 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	76.51	8	9.36	8.05	71.06	12	5.56	7.00	1.04505	-0.364655
December 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	1,23	0.24							
December 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	67.50	7	9.41	3.38						
December 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	382.11	41	9.19	10.39	54.41	11	4.58	4.12	1.174987	-0.285659
December 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	254.06	38	6.41	5.16	118603.51	2,611	45.25	43.15	-5.481486	-4.332507
December 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4.47	2	2.23	3.20	34.34	5	6.55	7.10	-0.753602	-1.458157
December 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	478.35	1	478.35	0.00						
December 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	1.22	1	1.22	0.00						
December 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	14.04	2	7.02	0.08	34.34	5	6.55	7.10	0.135774	-0.917455
December 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	106.23	8	13.18	12.20	25691.53	554	46.23	46.58	-1.977819	-2.202428
December 2019	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	2	0.00%	0.00%						
December 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	8	25.00%	43.30%	2	14	14.29%	34.99%	0.087664	-0.946704
December 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	2	0.00%	0.00%						
December 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	7	0.00%	0.00%						
December 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	12	41	29.27%	45.50%	2	14	14.29%	34.99%	0.739314	-0.550529
December 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	3	39	7.69%	26.65%	440	3,103	14.18%	34.88%	-1.154167	-1.701684
December 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	0	5	0.00%	0.00%		
December 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
December 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	1	0.00%	0.00%						
December 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	0	5	0.00%	0.00%		
December 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	8	0.00%	0.00%	86	672	12.80%	33.41%	-1.077149	-1.65486
December 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	10	641	1.56%	12.39%	17	1,658	1.03%	10.07%	1.141281	-0.30615
December 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	58,164	0.00%	0.41%	0	53,008	0.00%			
December 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	44	0.00%		3,206	222,518	1.44%	11.92%	-0.801925	-1.487536

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
December 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	2	205	0.98%	9.83%	19	1,912	0.99%	9.92%	-0.02489	-1.015107
December 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	946	0.21%	4.59%	0	810	0.00%			
December 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	8	8,946	0.09%	2.99%	0	810	0.00%			
December 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	43	2,733	1.57%	12.44%	16	1,692	0.95%	9.68%	2.096736	0.274225
December 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	4	0.00%	0.01%	19	1,902	1.00%	9.94%	-0.20069	-1.122011
December 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	46	15,927	0.29%	5.37%	3,775	341,756	1.07%	10.45%	-9.628441	-6.853676
December 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	29,280	0.00%	0.01%						
December 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	12,751	0.01%	0.14%						-2.9955
December 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	2	29,376	0.01%							-2.96725
December 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	3	12,799	0.02%							
December 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	5	1	5.00	0.00	39	1	39.00	0.00		
December 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
December 2019	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Residence	Parity	N/A	1	1	100.00%	0.00%	601	628	95.70%	20.28%	-0.211787	-1.128757
December 2019	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
December 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	4	4	100.00%	0.00%		
December 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	34	37	91.89%							
December 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	9	9	100.00%	0.00%						
December 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	3	3	100.00%							
December 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
December 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	9	11	81.82%							
December 2019	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Residence	Parity	N/A	2	1	2.00	0.00	1,717	498	3.45	6.02	-0.240405	-1.146156
December 2019	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	1	1	1.00							
December 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	14	2	7.00	0.00						
December 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	56	23	2.43							
December 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	24	5	4.80							
December 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	27	7	3.86							
December 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	6	6	100.00%	0.00%	5	5	100.00%	0.00%		
December 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	1	1	100.00%	0.00%	1,411	1,528	92.34%	26.59%	-0.287864	-1.175009
December 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%						
December 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	61	62	98.39%	12.60%	1	1	100.00%	0.00%	-2.147594	-2.305644
December 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	9	9	100.00%	0.00%						
December 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	5	7	71.43%	45.18%	974	1,045	93.21%	25.16%	1.408682	-0.143582
December 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	1,925	1,946	98.92%							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	167.38	609	0.27							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	145.29	216	0.67							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	312.67	609	0.51							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	267.00	2,225	0.12							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	493.50	2,225	2.22							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	144.00	1,200	0.12							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	477.00	1,200	3.98							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	492.00	1,200	4.10							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	417.48	3,479	0.12							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	32076.38	3,479	9.22							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	32493.86	3,479	9.34							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	676.80	5,640	0.12							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	7162.80	5,640	1.27							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	1578.61	1,397	1.13							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	6705.60	1,397	4.80							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	8284.21	1,397	5.93							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	30.47	64	0.48							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	24.44	128	0.19							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	54.91	64	0.86							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	1535.16	2,326	0.66							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	279.12	2,326	0.12							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	8536.42	2,326	3.67							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	10350.70	2,326	4.45							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	39.58	72	0.55							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	610.66	72	8.48							
December 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	650.24	72	9.03							
December 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10828.18	6,523	1.66							
December 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
December 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	761,445	9.82							
December 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
December 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
December 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
December 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
December 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
December 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5958.12	1,722	3.46							
December 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,201	1,504	79.85%							
December 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	22	57	38.60%							
December 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	150	249	60.24%							
December 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,201	1,280	93.83%							
December 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	22	24	91.67%							
December 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	150	158	94.94%							
December 2019	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	66.57	1	66.57							
December 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	218.07	233	0.56							
December 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	22	22	100.00%							
December 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	142	142	100.00%							
December 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,098	1,098	100.00%							
December 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	4	4	10							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
December 2019	Pre-Ordering	PO-5B (-c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	273	273	100.00%							
December 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	3	3	100.00%							
December 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	5	11	45.45%	49.79%	9	32	28.13%	44.96%	-1.102781	-1.670443
November 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,476	1,477	99.93%							
November 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	766,794	767,965	99.85%							
November 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,250	2,250	100.00%							
November 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,180	2,181	99.95%	2.14%	32,707	33,036	99.00%	9.93%	-4.32766	-3.63103
November 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,249	2,250	99.99%							
November 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,246,869	2,232,067	1.01							
November 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	2043.82	15,464	0.13							
November 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,340	29,340	100.00%							
November 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,340	29,340	100.00%							
November 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,340	29,340	100.00%							
November 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,700	41,700	100.00%							
November 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,485	40,485	100.00%							
November 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,580	26,580	100.00%							
November 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
November 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	2	50.00%	50.00%	1	4	25.00%	43.30%	-0.66667	-1.405305
November 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	3	66.67%							
November 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	3	5	60.00%							
November 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	12	20	60.00%	48.99%	1	6	16.67%	37.27%	-2.497999	-2.518678
November 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	0	3	0.00%	0.00%		
November 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	0	3	0.00%	0.00%		
November 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	1	4	25.00%	43.30%	257	436	58.94%	49.19%	0.86245	-0.475668
November 2019	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	Residence	Parity	N/A	22.46	1	22.46	0.00	58158.53	1,647	35.19	37.10	-0.337431	-1.205143
November 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	15.11	2	7.36	6.45	65.51	4	16.28	25.50	-0.396504	-1.241057
November 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	10.18	3	3.26	2.11						
November 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	18.13	5	3.39	3.28						
November 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	102.33	20	5.08	4.53	99.04	6	16.31	21.08	-1.157403	-1.703651
November 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	267.27	47	5.41	3.57	72226.53	2,123	34.01	35.56	-5.346029	-4.250155
November 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	48.24	3	16.08	11.55	42.09	3	14.03	12.16	0.434397	-0.739505
November 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1.06	1	1.06	0.00	42.09	3	14.03	12.16	-0.914873	-1.556203
November 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	31.16	4	7.49	4.13	23594.50	559	42.13	37.10	-1.844325	-2.12127
November 2019	Maintenance and Repair	MR-7A	Repair Repeat Rpt Rate-Disp w/ MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	292	1,972	14.81%	35.52%	-0.416799	-1.253396
November 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	2	50.00%	50.00%	1	7	14.29%	34.99%	0.210428	-0.872069
November 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	3	0.00%	0.00%						
November 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	5	0.00%	0.00%						
November 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	5	20	25.00%	43.30%	1	7	14.29%	34.99%	0.006072	-0.996309
November 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	47	8.51%	27.90%	362	2,539	14.26%	34.96%	-1.116566	-1.67882
November 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	0	3	0.00%	0.00%	0.00	-1
November 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	1	0.00%	0.00%	0	3	0.00%	0.00%		
November 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	4	0.00%	0.00%	80	658	12.16%	32.68%	-0.741814	-1.450991
November 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5	656	0.76%	8.70%	7	1,665	0.42%	6.47%	1.145867	-0.303362
November 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	57,972	0.00%	0.00%	0	52,479	0.00%			
November 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	45	2.22%	14.74%	2,674	224,326	1.19%	10.85%	0.209262	-0.872777
November 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	208	0.00%	0.00%	10	1,925	0.52%	7.19%	-0.990073	-1.601922
November 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	3	959	0.31%	5.58%	0	813	0.00%			
November 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	5	9,030	0.06%	2.35%	0	813	0.00%			
November 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	21	2,802	0.75%	8.62%	9	1,702	0.53%	7.25%	0.990097	-0.398064
November 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	4	0.00%	0.00%	10	1,915	0.52%	7.21%	-0.144754	-1.088004
November 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	51	16,107	0.32%	5.62%	3,197	344,489	0.93%	9.59%	-7.909648	-5.808725
November 2019	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	1	100.00%	0.00%	0.00%	1,649	1,972	83.62%	37.01%	-0.442467	-1.269001
November 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	3	29,112	0.01%	0.07%						
November 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	12,799	0.00%	0.02%						
November 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	9	29,352	0.03%							
November 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	12,799	0.00%							
November 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	3	33.33%							
November 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Benchmark	N/A	2	2	100.00%	0.00%	4	4	100.00%	0.00%		
November 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	34	34	100.00%							
November 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	46	59	77.97%	41.45%						
November 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	121	121	100.00%							
November 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	4	4	100.00%							
November 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
November 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	6	6	100.00%							
November 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	29	4	7.25							
November 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	96	32	3.00							
November 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	50	9	5.56							
November 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	366	74	4.95							
November 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	3	1	3.00							
November 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	3	1	3.00							
November 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%	8	8	100.00%	0.00%		
November 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	47	48	97.92%	14.28%	3	3	100.00%	0.00%	-1.564726	-1.951286
November 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	60	60	100.00%	0.00%	2	2	100.00%	0.00%		
November 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	122	128	95.31%	21.14%	984	1,049	93.80%	24.11%	-0.668467	-1.406399
November 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	2,544	2,611	97.43%							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	22895.30									

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	5936.43	12,820	0.46							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	12593.59	15,327	0.83							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	2347.49	12,062	0.20							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	14941.08	15,327	0.97							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	26815.00	31,880	0.91							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	33301.00	31,880	1.04							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	5674.50	5,822	0.98							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	314.68	3,825	0.09							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	5989.18	5,822	1.03							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	10175.15	24,948	0.42							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	975.64	4,424	0.22							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	11150.79	24,948	0.45							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	194.00	1,815	0.12							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	3590.73	6,993	0.53							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	2317.75	1,815	1.28							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	6102.48	6,993	0.87							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	6513.83	13,540	0.48							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	1302.71	180	7.24							
November 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	7816.54	13,540	0.58							
November 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10828.18	6,523	1.66							
November 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
November 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477302.00	761,445	9.82							
November 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
November 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
November 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3994.25	776	5.16							
November 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
November 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
November 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5960.12	1,724	3.48							
November 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,223	1,586	77.11%							
November 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	26	111	23.42%							
November 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	211	327	64.53%							
November 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,223	1,297	94.29%							
November 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	26	26	100.00%							
November 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	211	211	100.00%							
November 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	316.46	221	1.26							
November 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	26	26	100.00%							
November 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	203	203	100.00%							
November 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,116	1,116	100.00%							
November 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	7	7	100.00%							
November 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	126	145	86.90%							
November 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	312	313	99.68%							
November 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	8	8	100.00%							
November 2019	Pre-Ordering	PO-9B	Unbundled Loops	Parity	2	N/A	35	5	5.71%	23.21%	2	24	8.33%	27.64%	-0.09998	-1.060783
October 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,702	1,703	99.94%							
October 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	767,495	769,644	99.72%							
October 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,292	2,292	100.00%							
October 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,844	1,846	99.89%	3.29%	32,764	33,048	99.14%	9.23%	-3.402111	-3.068337
October 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,291	2,292	99.99%							
October 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,331,946	2,318,074	1.01							
October 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	2389.89	17,486	0.14							
October 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
October 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
October 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,523	30,600	99.75%							
October 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
October 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	42,180	42,180	100.00%							
October 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
October 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
October 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	6	50.00%	50.00%	4	9	44.44%	49.69%	-0.212132	-1.128967
October 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	4	75.00%							
October 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	6	7	85.71%							
October 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	13	26	50.00%	50.00%	3	9	33.33%	47.14%	-0.914174	-1.555778
October 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	1	4	25.00%	43.30%	260	452	57.52%	49.43%	0.801275	-0.512859
October 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	0	2	0.00%	0.00%	1,470	2,921	50.33%	50.00%	0.683913	-0.58421
October 2019	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	66.48	1	66.48	0.00	102744.47	2,197	46.46	215.05	1.226528	-0.254324
October 2019	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	24.56	1	24.56	0.00	24346.15	567	42.56	43.49	-0.410523	-1.24958
October 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	22.02	6	3.40	1.33	215.53	9	23.59	36.59	-1.042274	-1.633657
October 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	13.14	4	3.19	0.51						
October 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	36.37	7	5.14	8.03						
October 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	153.09	26	5.53	6.57	240.58	9	26.46	35.59	-1.500991	-1.912538
October 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	270.48	40	6.46	5.12	108069.24	2,318	46.37	209.44	-1.19148	-1.724368
October 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	79.27	14	5.40	4.06	25386.23	591	42.57	43.41	-3.155421	-2.91836
October 2019	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/ MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	346	2,218	15.60%	36.29%	-0.429821	-1.261312
October 2019	Maintenance and Repair	MR-7A	Repair Repeat Rprt Rate-Disp w/ MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	0	2	0.00%	0.00%		
October 2019	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%						
October 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	6	50.00%	50.00%	2	10	20.00%	40.00%	0.700658	-0.57403
October 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	4	0.00%	0.00%						
October 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	7	0.00%	0.00%						
October 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	3	26	11.54%	31.95%	2	10	20.00%	40.00%	-0.568493	-1.345619
October 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	0	40	0.00%	0.00%	419	2,771	15.12%	35.83%	-2.650368	-2.611309
October 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	1	14	7.14%	25.75%	78	693	11.26%	31.60%	-0.482038	-1.293058
October 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	6	666	0.90%	9.45%	17	1,676	1.01%	10.02%	-0.247111	-1.150233



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	58,140	0.00%		0	51,783	0.00%			
October 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	45	2.22%	14.74%	2,919	226,509	1.29%	11.28%	0.1453	-0.911664
October 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	2	207	0.97%	9.78%	18	1,940	0.93%	9.59%	-0.223899	-1.136121
October 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	982	0.41%	6.37%	0	813	0.00%			
October 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	7	9,159	0.08%	2.76%	0	813	0.00%			
October 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	26	2,827	0.92%	9.55%	16	1,713	0.93%	9.62%	-0.048657	-1.029581
October 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	4	0.00%		18	1,930	0.93%	9.61%	-0.193853	-1.117854
October 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	54	16,323	0.33%	5.74%	3,464	347,845	1.00%	9.93%	-8.362897	-6.08428
October 2019	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	1,852	2,218	83.50%	37.12%	-0.444449	-1.270206
October 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGSR excl	LIS Trunk	Parity	N/A	4	29,256	0.01%	0.10%						-2.955997
October 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGSR excl	LIS Trunk	Parity	N/A	0	12,799	0.00%	0.02%						-2.992012
October 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGSR excl	LIS Trunk	Diagnostic	N/A	8	29,280	0.03%							
October 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/ TGSR excl	LIS Trunk	Diagnostic	N/A	0	12,799	0.00%							
October 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	0	7	0.00	0.00	0	1	0.00	0.00		
October 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	30	1	30.00	0.00	46,008	194	237.15	361.01	-0.57234	-1.347958
October 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	0	7	0.00%	0.00%	1	1	100.00%	0.00%		
October 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	1	1	100.00%	0.00%	108	194	55.67%	49.68%	3.719016	1.261001
October 2019	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	0	1	0.00%							
October 2019	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
October 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	1	1	100.00%	0.00%		
October 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	72	73	98.63%							
October 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	21	29	72.41%	44.69%						
October 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	181	183	98.91%							
October 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
October 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	10	10	100.00%							
October 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%	0.00%		
October 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	2	5	40.00%							
October 2019	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	10	1	10.00							
October 2019	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	2	1	2.00							
October 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	132	44	3.00							
October 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	14	7	2.00							
October 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	425	84	5.06							
October 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	24	8	3.00							
October 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	5	1	5.00							
October 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	42	7	6.00							
October 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	2	2	100.00%	0.00%		
October 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	0	2	0.00%	0.00%	5	5	100.00%	0.00%	1.668391	0.01431
October 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	81	83	97.59%	15.33%						
October 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	39	39	100.00%	0.00%	5	5	100.00%	0.00%		
October 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	185	193	95.85%	19.93%	1,060	1,143	92.74%	25.95%	-1.543199	-1.938198
October 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,618	3,650	99.12%							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	2478.42	8,674	0.29							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	2690.77	4,570	0.59							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	5169.19	8,674	0.60							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	95.94	111	0.86							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	104.34	111	0.94							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	88.52	86	1.03							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	16.44	79	0.21							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	104.96	86	1.22							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	147.27	107	1.38							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	75.78	105	0.72							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	223.05	107	2.08							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	1441.28	1,356	1.06							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	7927.28	1,356	5.85							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	34.36	32	1.07							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	6.76	32	0.21							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	41.12	32	1.29							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	1109.09	2,229	0.50							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	975.64	4,424	0.22							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	2084.73	2,229	0.94							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	5.03	17	0.30							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	38.37	35	1.10							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	21.95	17	1.29							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	65.35	35	1.87							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	612.61	1,114	0.55							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	13979.49	1,114	12.55							
October 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	14592.10	1,114	13.10							
October 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10828.18	6,523	1.66							
October 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
October 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	1,096,392	6.82							
October 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
October 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
October 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
October 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
October 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
October 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5958.12	1,722	3.46							
October 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,440	1,875	76.80%							
October 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	22	54	40.74%							
October 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	245	375	65.33%							
October 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,440	1,523	94.55%							
October 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	22	25	88.00%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
October 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	245	246	99.59%							
October 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	404.34	292	1.23							
October 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	22	22	100.00%							
October 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	253	253	100.00%							
October 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,279	1,279	100.00%							
October 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	6	6	100.00%							
October 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	138	151	91.39%							
October 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	395	395	100.00%							
October 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	9	9	100.00%							
October 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	0	15	0.00%	0.00%	4	43	9.30%	29.05%	0.550827	-0.665121
September 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,430	1,431	99.93%							
September 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	772.743	773.451	99.91%							
September 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,326	2,326	100.00%							
September 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,824	1,824	100.00%	0.00%	35,159	35,438	99.21%	8.84%	-3.710204	-3.255644
September 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,326	2,326	99.99%							
September 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,287,221	2,247,942	1.02							
September 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	1750.53	15,444	0.11							
September 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	28,980	28,980	100.00%							
September 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	28,980	28,980	100.00%							
September 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	28,980	28,980	100.00%							
September 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,460	41,460	100.00%							
September 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	40,380	40,380	100.00%							
September 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	25,800	25,800	100.00%							
September 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
September 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	5	60.00%		11	14	78.57%	41.03%	0.260075	-0.841885
September 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
September 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	0	2	0.00%							
September 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	6	22	27.27%							
September 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	21	45	46.67%	49.89%	1	4	25.00%	43.30%	-0.959024	-1.583045
September 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	100.00%	0.00%	0.00%	2	6	33.33%	47.14%	-2	-2.215914
September 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	7	10	70.00%	45.83%	2	6	33.33%	47.14%	-1.506237	-1.915727
September 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	4	14	28.57%	45.18%	219	430	50.93%	49.99%	1.381065	-0.160372
September 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	30.09	5	6.02	6.46	77.49	14	5.33	5.29	0.431644	-0.737579
September 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	163.37	1	163.37	0.00						
September 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	10.24	2	5.12	1.11						
September 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	322.07	22	14.39	10.21						
September 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	257.04	45	6.07	5.56	35.00	4	8.45	9.18	-0.543263	-1.33028
September 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	275.13	36	7.09	9.51	104047.27	2,234	46.34	64.28	-3.640657	-3.213363
September 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	9.02	3	3.01	1.00	27.36	5	5.31	2.11	-1.57265	-1.956103
September 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	47.58	10	4.48	4.41	27.36	5	5.31	2.11	-0.604542	-1.367535
September 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	42.12	4	10.33	2.30	28793.13	550	52.21	56.19	-1.479188	-1.899283
September 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	5	0.00%	0.00%	1	15	6.67%	24.94%	-0.517549	-1.314648
September 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%						
September 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	2	0.00%	0.00%						
September 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3	22	13.64%	34.22%						
September 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	12	45	26.67%	44.32%	1	15	6.67%	24.94%	1.295213	-0.212566
September 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	3	36	8.33%	27.64%	339	2,658	12.75%	33.36%	-0.789801	-1.480165
September 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%	0	6	0.00%	0.00%		
September 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	10	30.00%	45.83%	0	6	0.00%	0.00%	0.791369	-0.518718
September 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	4	0.00%	0.00%	77	644	11.96%	32.45%	-0.734749	-1.446696
September 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	692	1.16%	10.69%	20	1,689	1.18%	10.82%	-0.057479	-1.034945
September 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	58,428	0.00%	0.41%	2	51,591	0.00%	0.62%	-0.575611	-1.349947
September 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	44	0.00%		2,789	228,738	1.22%	10.97%	-0.736892	-1.447998
September 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	205	0.00%		21	1,954	1.07%	10.31%	-1.419333	-1.863136
September 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	1,009	0.20%	4.45%	0	821	0.00%			
September 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	22	9,273	0.24%	4.87%	0	821	0.00%			
September 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	55	2,858	1.92%	13.74%	10	1,727	0.58%	7.59%	5.81783	2.536989
September 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	4	0.00%		21	1,944	1.08%	10.34%	-0.208787	-1.126934
September 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	40	16,508	0.24%	4.92%	3,302	351,199	0.94%	9.65%	-0.980423	-6.520505
September 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	13	27,864	0.05%	0.25%						
September 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	12,871	0.00%	0.08%						
September 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	13	27,864	0.05%							
September 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Diagnostic	N/A	1	12,871	0.00%							
September 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	406	7	58.00	0.00	28	1	28.00	0.00		
September 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	52	6	8.67	9.83	45,175	205	220.37	351.75	-1.453099	-1.883421
September 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	0	7	0.00%	0.00%	0	1	0.00%	0.00%		
September 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	2	6	33.33%	47.14%	119	205	58.05%	49.35%	-1.209236	-1.735163
September 2019	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Residence	Parity	N/A	0	1	0.00%	0.00%	525	545	96.33%	18.80%	1.768825	0.075369
September 2019	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Residence	Parity	N/A	1	1	100.00%	0.00%	121	125	96.80%	17.60%	-0.181095	-1.110098
September 2019	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
September 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
September 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	47	47	100.00%							
September 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	29	29	100.00%	0.00%	0	1	0.00%	0.00%		
September 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	9	16	56.25%							
September 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	2	2	100.00%							
September 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk												



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
September 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	2	2	100.00%	0.00%	922	1,023	90.13%	29.83%	-0.46712	-1.284288
September 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	5	5	100.00%	0.00%		
September 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	60	63	95.24%	21.30%	2	2	100.00%	0.00%	-1.335445	-1.811893
September 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	29	29	100.00%	0.00%	3	3	100.00%	0.00%		
September 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	17	18	94.44%	22.91%	847	916	92.47%	26.39%	-0.314767	-1.191365
September 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	8,200	8,232	99.61%							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	2953.46	9,466	0.31							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	3002.16	4,956	0.61							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	5955.62	9,466	0.63							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	115.13	142	0.81							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	125.00	142	0.88							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	96.85	86	1.13							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	12.67	82	0.15							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	109.52	86	1.27							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	177.62	146	1.22							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	285.34	142	2.01							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	462.96	146	3.17							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	1643.09	1,501	1.09							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	8129.09	1,501	5.42							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	36.36	32	1.14							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	115.14	32	3.60							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	151.50	32	4.73							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	1179.44	2,374	0.50							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	1129.10	4,746	0.24							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	2308.54	2,374	0.97							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	37.65	20	1.88							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	42.00	45	0.93							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	55.86	20	2.79							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	135.51	45	3.01							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	676.61	1,214	0.56							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	14452.83	1,214	11.91							
September 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	15129.44	1,214	12.46							
September 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10828.18	6,523	1.66							
September 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
September 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	1,096,392	6.82							
September 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
September 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
September 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
September 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
September 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
September 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5958.12	1,722	3.46							
September 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,519	1,997	76.06%							
September 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	27	86	31.40%							
September 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	180	279	64.52%							
September 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,519	1,618	93.88%							
September 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	27	30	90.00%							
September 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	180	181	99.45%							
September 2019	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	68.08	1	68.08							
September 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	583.43	250	2.20							
September 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	27	27	100.00%							
September 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	181	181	100.00%							
September 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,400	1,400	100.00%							
September 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	7	7	100.00%							
September 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	107	119	89.92%							
September 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	389	389	100.00%							
September 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	4	4	100.00%							
September 2019	Pre-Ordering	PO-9A	Non-Designed Services	Non-Designed Services	Parity	N/A	0	1	0.00%	0.00%	2	44	4.55%	20.83%	-1.701288	-2.03431
September 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	0	12	0.00%	0.00%	1	22	4.55%	20.83%	-0.377392	-1.229438
August 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,529	1,530	99.93%							
August 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	813,534	814,501	99.88%							
August 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,588	2,588	100.00%							
August 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,919	1,921	99.90%	3.22%	36,396	36,836	98.81%	10.86%	-4.288629	-3.607302
August 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation (MOU):	Diagnostic	N/A	2,587	2,588	99.99%							
August 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,645,028	2,588,958	1.02							
August 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	2178.95	18,662	0.12							
August 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,420	30,420	100.00%							
August 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,420	30,420	100.00%							
August 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,420	30,420	100.00%							
August 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,140	43,140	100.00%							
August 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,925	41,925	100.00%							
August 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,660	27,660	100.00%							
August 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
August 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	4	75.00%	43.30%	3	5	60.00%	48.99%	-0.456435	-1.277493
August 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%						
August 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	0	2	0.00%							
August 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	4	6	66.67%							
August 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	13	17	76.47%	42.42%	8	10	80.00%	40.00%	-0.286281	-1.174046
August 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	3	100.00%	0.00%	1	4	25.00%	43.30%	-2.267787	-2.378717
August 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	0	1	0.00%							
August 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	7	7	100.00%	0.00%	1	3	33.33%	47.14%	-2.04939	-2.245941
August 2019	Maintenance and															

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
August 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	25.57	4	6.29	7.48	62.17	4	15.34	20.37	-0.62306	-1.378794
August 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	5.14	2	2.37	1.52						
August 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	14.39	2	7.19	2.43						
August 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	20.36	6	3.26	1.44						
August 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	63.00	17	3.42	3.39	67.11	7	9.36	16.22	-0.801229	-1.487113
August 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	247.54	38	6.31	5.25	77839.09	1,818	42.49	173.15	-1.278002	-1.77697
August 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	11.04	3	3.41	0.13	167.08	3	55.43	78.28	-0.81198	-1.493649
August 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4.31	1	4.31	0.00						
August 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	14.52	7	2.07	1.05	21.02	2	10.31	7.41	-1.362294	-1.828216
August 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	16.40	4	4.10	4.21	27210.52	636	42.47	58.58	-1.305578	-1.793735
August 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%	0	11	0.00%	0.00%		
August 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	2	0.00%	0.00%						
August 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	2	0.00%	0.00%						
August 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	6	0.00%	0.00%						
August 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	4	17	23.53%	42.42%	0	11	0.00%	0.00%	1.193998	-0.274101
August 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	2	38	5.26%	22.33%	271	2,227	12.17%	32.69%	-1.291146	-1.784961
August 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	3	0.00%	0.00%	2	4	50.00%	50.00%	-1.309307	-1.796002
August 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	1	0.00%	0.00%						
August 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	7	28.57%	45.18%	2	4	50.00%	50.00%	-0.683763	-1.415699
August 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	4	0.00%	0.00%	101	731	13.82%	34.51%	-0.798611	-1.485521
August 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	717	0.98%	9.83%	9	1,704	0.53%	7.25%	1.388852	-0.155638
August 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	2	59,604	0.00%	0.58%	0	50,415	0.00%			
August 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	43	0.00%		2,437	231,512	1.05%	10.21%	-0.67629	-1.411155
August 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	206	0.00%		15	1,974	0.76%	8.68%	-1.195109	-1.726574
August 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	3	1,017	0.29%	5.42%	0	820	0.00%			
August 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	6	9,414	0.06%	2.52%	0	820	0.00%			
August 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	24	2,911	0.82%	9.04%	13	1,744	0.75%	8.60%	0.303488	-0.815493
August 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	4	0.00%		15	1,964	0.76%	8.71%	-0.175278	-1.106562
August 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	42	16,622	0.25%	5.02%	2,958	355,148	0.83%	9.09%	-0.804486	-5.890944
August 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	5	28,056	0.02%	0.10%						
August 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	2	12,871	0.02%	0.23%						
August 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	9	28,320	0.03%							
August 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	2	12,871	0.02%							
August 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	266	7	38.00	0.00	44	2	22.00	29.70	0.012533	-0.99238
August 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	7	7	100.00%	0.00%	1	2	50.00%	50.00%	3.719016	1.261001
August 2019	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	3	3	100.00%							
August 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%	17	17	100.00%	0.00%		
August 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	1	1	100.00%							
August 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	39	40	97.50%							
August 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	22	29	75.86%	42.79%	0	1	0.00%	0.00%		
August 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	18	19	94.74%							
August 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	3	3	100.00%							
August 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%	5	5	100.00%	0.00%		
August 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	4	4	100.00%							
August 2019	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	6	3	2.00							
August 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	3	1	3.00							
August 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	33	11	3.00							
August 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	5	1	5.00							
August 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	113	25	4.52							
August 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	15	3	5.00							
August 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	14	4	3.50							
August 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	6	6	100.00%	0.00%	23	24	95.83%	19.98%	-0.456832	-1.277734
August 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	3	3	100.00%	0.00%	0	1	0.00%	0.00%		
August 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1	100.00%	0.00%	2	2	100.00%	0.00%		
August 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	40	40	100.00%	0.00%	2	2	100.00%	0.00%		
August 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	29	29	100.00%	0.00%	0	1	0.00%	0.00%		
August 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	29	29	100.00%	0.00%	1,012	1,076	94.05%	23.65%	-1.336361	-1.81245
August 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	5,182	5,235	98.99%							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	3073.11	4,984	0.62							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	3073.11	4,984	0.62							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	192.71	219	0.88							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	207.69	219	0.95							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	5222.23	12,820	0.41							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	714.20	9,197	0.09							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	5936.43	12,820	0.46							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	285.41	214	1.33							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	120.38	210	0.57							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	405.79	214	1.90							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	1773.63	1,572	1.13							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	8259.63	1,572	5.25							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	5674.50	5,822	0.98							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	314.68	3,825	0.09							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	5989.18	5,822	1.03							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	1218.81	2,380	0.51							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	1212.56	4,754	0.26							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	2431.37	2,380	1.02							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	194.00	1,815	0.12							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	3590.73	6,993	0.53							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	2317.75	1,815	1.28							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	6102.48	6,993	0.87							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	657.87	1,178	0.56							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	1302.71	180	7.24							
August 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	1960.58	1,178	1.66							
August 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10828.18	6,523	1.66							
August 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
August 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	761,445	9.82							
August 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
August 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
August 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3994.25	775	5.15							
August 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
August 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
August 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5958.12	1,722	3.46							
August 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,512	1,982	76.29%							
August 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	40	149	26.85%							
August 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	266	366	72.68%							
August 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,512	1,617	93.51%							
August 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	40	42	95.24%							
August 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	266	270	98.52%							
August 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	794.31	248	3.12							
August 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	40	40	100.00%							
August 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	269	269	100.00%							
August 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,370	1,370	100.00%							
August 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	25	25	100.00%							
August 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	128	130	98.46%							
August 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	388	389	99.74%							
August 2019	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	2	2	100.00%							
August 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks	LIS Trunk	Benchmark	85.00%	12	12	100.00%							
August 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	0	9	0.00%	0.00%	3	44	6.82%	25.21%	-0.16456	-1.10045
July 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,623	1,624	99.94%							
July 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	793.381	793,381	100.00%							
July 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,327	2,327	100.00%							
July 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,820	1,820	100.00%	0.00%	35,600	35,892	99.19%	8.98%	-3.769304	-3.291574
July 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,326	2,327	99.98%							
July 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,003,231	1,968,903	1.02							
July 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	2,214.11	18,823	0.12							
July 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
July 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,573	30,600	99.91%							
July 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
July 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							
July 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	42,180	42,180	100.00%							
July 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
July 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
July 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	6	7	85.71%	34.99%	4	7	57.14%	49.49%	-1.080123	-1.656668
July 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	2	100.00%							
July 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	6	8	75.00%							
July 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	12	31	38.71%	48.71%	4	6	66.67%	47.14%	0.815813	-0.504021
July 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	62,500	48.41%	48.41%	6	13	46.15%	49.85%	-0.729695	-1.443623
July 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	LIS Trunk	Parity	N/A	2	3	66.67%	47.14%	1	1	100.00%	0.00%	-0.67449	-1.410061
July 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	6	13	46.15%	49.85%	0.404678	-0.753973
July 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	1	2	50.00%	50.00%	224	477	46.96%	49.91%	-0.085599	-1.052259
July 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	1,118	2,654	42.13%	49.38%	-0.1991	-1.121044
July 2019	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	46.37	1	46.37	0.00	36869.42	651	56.38	54.07	-0.185017	-1.112482
July 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	18.40	7	2.40	1.05	24.05	6	4.01	2.07	-1.147885	-1.697865
July 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	6.45	2	3.22	0.01						
July 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	30.52	8	3.52	2.41						
July 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	168.37	31	5.26	3.17	32.46	5	6.33	7.19	-0.316268	-1.192277
July 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	185.33	31	5.99	4.23	80033.59	1,940	41.15	145.58	-1.334615	-1.811388
July 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	30.41	8	3.50	2.58	212.40	11	19.20	31.14	-1.068106	-1.649362
July 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	LIS Trunk	Parity	N/A	14.58	3	4.59	3.23	2.54	1	2.54	0.00		
July 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	19.11	2	9.35	1.34	212.40	11	19.20	31.14	-0.405988	-1.24673
July 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	17.49	6	2.58	1.59	38043.27	677	56.12	54.08	-2.397996	-2.457879
July 2019	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	1	0.00%	0.00%	1	1	0.00%	0.00%		
July 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	7	14.29%	34.99%	1	8	12.50%	33.07%	-0.622926	-1.378712
July 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	2	0.00%	0.00%						
July 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	8	0.00%	0.00%						
July 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	4	31	12.90%	33.52%	1	8	12.50%	33.07%	-0.619806	-1.376815
July 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	1	31	3.23%	17.67%	244	2,308	10.57%	30.75%	-1.321379	-1.803342
July 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	8	0.00%	0.00%	0	13	0.00%	0.00%		
July 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	LIS Trunk	Parity	N/A	0	3	0.00%	0.00%	0	1	0.00%	0.00%		
July 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	0	13	0.00%	0.00%		
July 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	6	0.00%	0.00%	117	771	15.18%	35.88%	-1.03204	-1.627436
July 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	15	731	2.05%	14.18%	20	1,728	1.16%	10.70%	1.895629	0.152461
July 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	3	59,436	0.01%	0.71%	1	49,359	0.00%	0.45%	1.102325	-0.329834
July 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	43	0.00%	0.00%	2,506	233,863	1.07%	10.30%	-0.682407	-1.414874
July 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	1	203	0.49%	7.00%	21	2,000	1.05%	10.19%	-0.742355	-1.45132
July 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	1,043	0.19%	4.37%	0	823	0.00%	0.00%		
July 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	8	9,624	0.08%	2.88%	0	823	0.00%	0.00%		
July 2019	Maintenance and Repair	MR-8	T													

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
July 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	2	12,943	0.01%							
July 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	189	14	13.50	2.59	29	2	14.50	9.19	-0.14391	-1.087491
July 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	14	14	100.00%	0.00%	2	2	100.00%	0.00%		
July 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
July 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%	0.00%		
July 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	32	32	100.00%							
July 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	12	12	100.00%	0.00%	2	3	66.67%	47.14%	-1.095445	-1.665983
July 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	86	86	100.00%							
July 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	96	32	3.00							
July 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	15	3	5.00							
July 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	76	16	4.75							
July 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	2	2	1.00							
July 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	6	6	100.00%	0.00%		
July 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	57	57	100.00%	0.00%	4	4	100.00%	0.00%		
July 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	9	13	69.23%	46.15%	3	4	75.00%	43.30%	-0.440377	-1.26773
July 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	84	90	93.33%	24.94%	981	1,054	93.07%	25.39%	-0.093009	-1.056545
July 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	3,324	3,347	99.31%							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	22895.30	94,570	0.26							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	48707.63	60,595	0.82							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	71602.93	94,570	0.76							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	7229.55	15,612	0.47							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	7872.03	15,612	0.50							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	5222.23	12,820	0.41							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	714.20	9,197	0.09							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	5936.43	12,820	0.46							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	12593.59	15,327	0.83							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	2347.49	12,062	0.20							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	14941.08	15,327	0.97							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	26815.00	31,880	0.91							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	33301.00	31,880	1.04							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	5674.50	5,822	0.98							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	314.68	3,825	0.09							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	5989.18	5,822	1.03							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	10175.15	24,948	0.42							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	17148.88	45,656	0.39							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	27324.03	24,948	1.10							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	194.00	1,815	0.12							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	3590.73	6,993	0.53							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	2317.75	1,815	1.28							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	6102.48	6,993	0.87							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	6513.83	13,540	0.48							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	1302.71	180	7.24							
July 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	7816.54	13,540	0.58							
July 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10829.18	6,524	1.68							
July 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
July 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477302.00	761,445	9.82							
July 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
July 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
July 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3994.25	776	5.16							
July 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
July 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
July 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5960.12	1,724	3.48							
July 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,386	1,929	71.85%							
July 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	43	108	39.81%							
July 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	267	402	66.42%							
July 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,386	1,507	91.97%							
July 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	43	47	91.49%							
July 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	267	273	97.80%							
July 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	619.45	279	2.13							
July 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	43	43	100.00%							
July 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	264	264	100.00%							
July 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,246	1,246	100.00%							
July 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	14	14	100.00%							
July 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	114	122	93.44%							
July 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	454	454	100.00%							
July 2019	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	1	1	100.00%							
July 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	8	8	100.00%							
July 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	3	3	100.00%	0.00%	3	34	8.82%	28.36%	-5.337273	-4.244832
June 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,634	1,634	100.00%							
June 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	813,345	813,408	99.99%							
June 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,604	2,604	100.00%							
June 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,878	1,887	99.52%	6.89%	36,656	36,976	99.13%	9.26%	-1.771222	-2.080414
June 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,599	2,604	99.81%							
June 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,325,568	2,292,912	1.01							
June 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	1574.42	16,405	0.10							
June 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	28,800	28,800	100.00%							
June 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	28,800	28,800	100.00%							
June 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	28,800	28,800	100.00%							
June 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,400	41,400	100.00%							
June 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,125	40,125	100.00%							
June 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE												

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
June 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
June 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4	5	80.00%	40.00%	3	6	50.00%	50.00%	-0.990867	-1.602405
June 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	3	33.33%							
June 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	0	2	0.00%							
June 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	10	15	66.67%	47.14%	2	5	40.00%	48.99%	-1.054093	-1.640843
June 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	3	66.67%	47.14%	5	9	55.56%	49.69%	-0.33541	-1.203915
June 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	5	9	55.56%	49.69%	-0.848528	-1.515868
June 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	8	16	50.00%	50.00%	252	440	57.27%	49.47%	0.328973	-0.799999
June 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	15.18	5	3.04	1.43	183.21	6	30.33	66.25	-0.683681	-1.415649
June 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	16.06	3	5.22	3.19						
June 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	24.21	2	12.10	2.15						
June 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	72.22	15	4.49	4.56	202.58	5	40.36	71.02	-0.975156	-1.592853
June 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	145.11	29	5.00	3.53	62021.55	1,906	32.32	33.36	-4.379578	-3.662594
June 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	12.25	3	4.08	2.21	90.00	6	15.00	21.35	-0.711819	-1.432755
June 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3.16	1	3.16	0.00	90.00	6	15.00	21.35	-0.503417	-1.306056
June 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	9.12	4	2.18	3.08	21581.20	545	39.36	34.05	-2.180575	-2.325696
June 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	5	20.00%	40.00%	1	7	14.29%	34.99%	-0.472789	-1.287435
June 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	3	0.00%	0.00%						
June 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	2	0.00%	0.00%						
June 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	3	15	20.00%	40.00%	1	7	14.29%	34.99%	-0.310763	-1.18893
June 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	2	29	6.90%	25.34%	268	2,306	11.62%	32.05%	-0.789051	-1.479709
June 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	2	9	22.22%	41.57%	-0.300709	-1.182818
June 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	1	0.00%	0.00%	2	9	22.22%	41.57%	-0.507093	-1.30829
June 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	4	0.00%	0.00%	65	621	10.47%	30.61%	-0.68164	-1.414408
June 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	8	738	1.08%	10.35%	15	1,738	0.86%	9.25%	0.54509	-0.668609
June 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	60,132	0.00%		0	48,855	0.00%			
June 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	44	0.00%		2,402	236,151	1.02%	10.03%	-0.672353	-1.408762
June 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	203	0.00%		15	2,010	0.75%	8.61%	-1.177415	-1.715817
June 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	3	1,064	0.28%	5.30%	0	828	0.00%			
June 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2	9,828	0.02%	1.43%	0	828	0.00%			
June 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	16	2,998	0.53%	7.29%	14	1,777	0.79%	8.84%	-0.960218	-1.583771
June 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	6	0.00%	8.63%	15	2,001	0.75%	8.63%	-0.21256	-1.129227
June 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	33	17,081	0.19%	4.39%	2,927	361,729	0.81%	8.96%	-8.780985	-6.33846
June 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	5	29,760	0.02%	0.23%						
June 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	12,943	0.00%	0.03%						
June 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	16	30,072	0.05%							
June 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	0	12,943	0.00%							
June 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	285	5	57.00%	0.00	3	1	3.00	0.00		
June 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	0	1	0.00	0.00	41,879	179	233.96	344.65	-0.676957	-1.41156
June 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	5	5	100.00%	0.00%	0	1	0.00%	0.00%		
June 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	1	1	100.00%	0.00%	102	179	56.98%	49.51%	3.719016	1.261001
June 2019	Ordering and Provisioning	OP-3B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	90.00%	2	2	100.00%							
June 2019	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	7	7	100.00%	0.00%	401	404	99.26%	8.59%	-0.228886	-1.137937
June 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	1	1	100.00%	0.00%		
June 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	1	1	100.00%							
June 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	18	20	90.00%							
June 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	22	22	100.00%	0.00%	3	3	100.00%	0.00%		
June 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	34	35	97.14%							
June 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	4	4	100.00%							
June 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%						
June 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	8	8	100.00%							
June 2019	Ordering and Provisioning	OP-4B	Dispatches outside MSAs	Sub-Loop Unbundling	Benchmark	6.00	2	2	1.00							
June 2019	Ordering and Provisioning	OP-4C	No dispatches	Residence	Parity	N/A	7	7	1.00	0.00	180	159	1.13	0.98	-0.350729	-1.212328
June 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	8	1	8.00	0.00						
June 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	3	1	3.00							
June 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	14	5	2.80							
June 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	5	1	5.00							
June 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	142	29	4.90							
June 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	12	2	6.00							
June 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	60	12	5.00							
June 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	5	5	100.00%	0.00%	1	1	100.00%	0.00%		
June 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	7	7	100.00%	0.00%	1,030	1,147	89.80%	30.27%	-0.889001	-1.540474
June 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	2	50.00%	50.00%	3	3	100.00%	0.00%	0.253347	-0.845976
June 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1	100.00%	0.00%						
June 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	19	20	95.00%	21.79%						
June 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	22	24	91.67%	27.64%	3	3	100.00%	0.00%	-0.793734	-1.482556
June 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	59	60	98.33%	12.80%	913	974	93.74%	24.23%	-1.426098	-1.867006
June 2019	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%	19	19	100.00%							
June 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	4,328	4,346	99.59%							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	632.30	1,510	0.42							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	1069.02	1,074	1.00							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	1701.32	1,510	1.13							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	200.14	214	0.94							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	216.09	214	1.01							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	196.42	172	1.14							



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	7126.41	467	15.26							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	434.59	448	0.97							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	6.22	64	0.10							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	440.81	448	0.98							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	321.23	451	0.71							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	420.99	900	0.47							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	742.22	451	1.65							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	5.67	32	0.18							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	79.19	70	1.13							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	43.09	32	1.35							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	127.95	70	1.83							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	116.12	196	0.59							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	1302.71	673	1.94							
June 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	1418.83	196	7.24							
June 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10828.18	6,523	1.66							
June 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
June 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	9,008,906	0.83							
June 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
June 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
June 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
June 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
June 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
June 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5958.12	1,722	3.46							
June 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,246	1,667	74.75%							
June 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	136	25.74%							
June 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	268	326	82.21%							
June 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,246	1,364	91.35%							
June 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	35	41	85.37%							
June 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	268	270	99.26%							
June 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	317.41	199	1.36							
June 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	35	35	100.00%							
June 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	255	255	100.00%							
June 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,141	1,143	99.83%							
June 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	14	14	100.00%							
June 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	88	89	98.88%							
June 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	367	368	99.73%							
June 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	10	10	100.00%							
June 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	1	6	16.67%	37.27%	6	37	16.22%	36.86%	-0.027767	-1.016881
May 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,672	1,672	100.00%							
May 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	814,326	814,850	99.94%							
May 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,647	2,647	100.00%							
May 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	2,286	2,290	99.83%	4.18%	33,153	33,376	99.33%	8.15%	-2.804083	-2.704762
May 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,646	2,647	99.98%							
May 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,405,565	2,374,056	1.01							
May 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	1814.38	21,169	0.09							
May 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,520	29,520	100.00%							
May 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,377	29,520	99.52%							
May 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,520	29,520	100.00%							
May 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,760	41,760	100.00%							
May 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	40,740	40,740	100.00%							
May 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,880	26,880	100.00%							
May 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
May 2019	Maintenance and Repair	MR-11B-RD	LNP Trouble Reports Cleared within 48 Hours	LNP	Diagnostic	N/A	1	1	100.00%							
May 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	3	8	37.50%	48.41%	-1.632993	-1.992789
May 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	4	50.00%							
May 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	4	5	80.00%							
May 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	5	15	33.33%		3	9	33.33%	47.14%	0	-1
May 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	4	75.00%	43.30%	2	7	28.57%	45.18%	-1.639706	-1.996871
May 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	2	2	100.00%							
May 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	6	33.33%	47.14%	2	7	28.57%	45.18%	-0.189466	-1.115187
May 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	10	11	90.91%	28.75%	286	447	63.98%	48.01%	-1.837878	-2.117351
May 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	2	50.00%	50.00%	1,435	2,453	58.50%	49.27%	-0.406895	-1.247374
May 2019	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	109,266	2	54.43	49.14	17205.54	524	32.50	30.24	0.954165	-0.419909
May 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	4.38	2	2.19	1.19	45.49	7	6.33	4.31	-1.167246	-1.709635
May 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	16.53	4	4.13	3.54						
May 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	19.55	5	3.59	4.42						
May 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	502.12	15	33.29	87.46	58.33	8	7.19	4.21	0.258527	-0.842827
May 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	209.23	31	6.45	6.07	56320.42	1,878	29.59	69.05	-1.857279	-2.129146
May 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	14.29	4	3.37	1.17	93.22	6	15.34	21.00	-0.880936	-1.535571
May 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	5.29	2	2.44	0.04						
May 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	71.32	6	11.55	17.10	93.22	6	15.34	21.00	-0.30016	-1.182485
May 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	22.27	5	4.29	2.09	18116.35	549	33.00	31.55	-1.98872	-2.209056
May 2019	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	1	2	50.00%	50.00%	1	2	50.00%	50.00%	0	-1
May 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	2	10	20.00%	40.00%	-0.645497	-1.392434
May 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	4	0.00%	0.00%						
May 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	5	0.00%	0.00%						
May 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	6	15	40.00%	48.99%	2	10	20.00%	40.00%	0.601708	-0.634187
May 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	1	31	3.23%	17.67%	267	2,295	11.63%	32.06%	-1.450315	-1.881729
May 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%	1	7	14.29%	34.99%	-0.651339	-1.395986
May 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	2	0.00%	0.00%						
May 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	1	6	16.67%	37.27%	1	7	14.29%	34.99%	-0.615141	-1.373979
May 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	5	0.00%	0.00%	101	655	15.42%	36.11%	-0.951129	-1.578245

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
May 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	6	754	0.80%	8.88%	15	1,769	0.85%	9.17%	-0.130848	-1.07955
May 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	60,372	0.00%		0	49,119	0.00%			
May 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	45	0.00%		2,407	238,509	1.01%	10.00%	-0.677527	-1.411743
May 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	2	209	0.96%	9.74%	17	2,044	0.83%	9.08%	-0.095565	-1.058099
May 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	1,083	0.37%	6.07%	0	858	0.00%			
May 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	7	9,953	0.07%	2.65%	0	858	0.00%			
May 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	21	3,060	0.69%	8.26%	16	1,805	0.89%	9.37%	-0.719499	-1.437424
May 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	6	0.00%		17	2,035	0.84%	9.10%	-0.224452	-1.136481
May 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	36	17,241	0.21%	4.56%	2,950	365,017	0.81%	8.95%	-8.589485	-6.222036
May 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	2	30,528	0.01%	0.13%						
May 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	0	12,943	0.00%	0.01%						
May 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	4	30,600	0.01%							-2.99733
May 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Diagnostic	N/A	0	12,943	0.00%							
May 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	185	5	37.00%	0.00						
May 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	25	1	25.00%	0.00	70	1	70.00%	0.00		
May 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	5	5	100.00%	0.00%						
May 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
May 2019	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	1	1	100.00%							
May 2019	Ordering and Provisioning	OP-3C	No dispatches	Residence	Parity	N/A	9	9	100.00%	0.00%	499	500	99.80%	4.47%	-0.133106	-1.080923
May 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%	2	2	100.00%	0.00%		
May 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	51	60	85.00%							
May 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	17	17	100.00%	0.00%						
May 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	44	47	93.62%							
May 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	6	6	100.00%							
May 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	16	17	94.12%							
May 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	0	7	0.00%							
May 2019	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	2	1	2.00							
May 2019	Ordering and Provisioning	OP-4C	No dispatches	Residence	Parity	N/A	8	8	1.00	0.00	196	179	1.09	0.61	-0.433627	-1.263626
May 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	91	29	3.14							
May 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	67	14	4.79							
May 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	202	45	4.49							
May 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	30	6	5.00							
May 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	29	9	3.22							
May 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	20	4	5.00							
May 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	42	7	6.00							
May 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	3	3	100.00%	0.00%	6	6	100.00%	0.00%		
May 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Residence	Parity	N/A	9	9	100.00%	0.00%	1,163	1,264	92.01%	27.11%	-0.88095	-1.53558
May 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	1	1	100.00%	0.00%	3	3	100.00%	0.00%		
May 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	77	77	100.00%	0.00%	3	3	100.00%	0.00%		
May 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	21	21	100.00%	0.00%	3	3	100.00%	0.00%		
May 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	62	62	100.00%	0.00%	994	1,050	94.67%	22.47%	-1.816097	-2.104108
May 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	9,480	10,215	92.80%							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	22895.30	84,797	0.27							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	48707.63	55,350	0.88							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	71602.93	84,797	0.84							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	7229.55	15,612	0.47							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	7872.03	15,612	0.50							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	5222.23	12,820	0.41							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	714.20	9,197	0.09							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	5936.43	12,820	0.46							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	12593.59	15,173	0.83							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	2347.49	12,062	0.20							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	14941.08	15,173	0.98							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	26815.00	30,129	0.89							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	33301.00	30,129	1.11							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	5674.50	5,822	0.98							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	314.68	3,825	0.09							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	5989.18	5,822	1.03							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	10175.15	24,948	0.40							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	17148.88	45,656	0.37							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	27324.03	24,948	1.10							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	194.00	1,815	0.12							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	3590.73	6,993	0.53							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	2317.75	1,815	1.28							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	6102.48	6,993	0.87							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	6513.83	13,540	0.48							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	1302.71	180	7.24							
May 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	7816.54	13,540	0.58							
May 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10829.18	6,485	1.67							
May 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
May 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	761,445	9.82							
May 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
May 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
May 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3994.25	774	5.16							
May 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
May 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
May 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5960.12	1,724	3.48							
May 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,380	1,819	75.87%							
May 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	46	216	21.3							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
May 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	46	48	95.83%							
May 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	295	298	98.99%							
May 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	327-32	226	1.27							
May 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	46	46	100.00%							
May 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	284	284	100.00%							
May 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,248	1,248	100.00%							
May 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	16	16	100.00%							
May 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	117	117	100.00%							
May 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	339	339	100.00%							
May 2019	Pre-Ordering	PO-5C-(b)	FOCs provided for manual LSRs via Facsimile	Unbundled Loop AGG-EELS	Benchmark	90.00%	1	1	100.00%							
May 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	4	4	100.00%							
May 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	0	20	0.00%	0.00%	8	29	27.59%	44.69%	2.344848	0.425566
April 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,629	1,629	100.00%							
April 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	788,722	788,937	99.97%							
April 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,928	2,928	100.00%							
April 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,956	1,958	99.90%	3.19%	35,668	35,783	99.68%	5.66%	-1.668936	-2.014641
April 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,928	2,928	99.98%							
April 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,146,831	2,115,952	1.01							
April 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	2289,13	26,240	0.09							
April 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	Gateway Availability - LSR	Diagnostic	N/A	29,520	29,520	100.00%							
April 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,520	29,520	100.00%							
April 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,520	29,520	100.00%							
April 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	41,760	41,760	100.00%							
April 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	40,740	40,740	100.00%							
April 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,880	26,880	100.00%							
April 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
April 2019	Maintenance and Repair	MR-11B-RD	LNP Trouble Reports Cleared within 48 Hours	LNP	Diagnostic	N/A	1	1	100.00%							
April 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	2	50.00%	50.00%	2	12	16.67%	37.27%	-1.17108	-1.71966
April 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	0	2	0.00%							
April 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	3	7	42.86%							
April 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	9	15	60.00%	48.99%	0	8	0.00%	0.00%		
April 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	33.33%	47.14%	2	4	50.00%	50.00%	-0.328072	-1.199454	
April 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	4	5	80.00%	40.00%	1	2	50.00%	50.00%	-0.717137	-1.435988
April 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	3	3	100.00%	0.00%	311	440	70.68%	45.52%	-1.117131	-1.675885
April 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	2	50.00%	50.00%	1,591	2,435	65.34%	47.59%	-0.184888	-1.112404
April 2019	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	50.04	2	25.02	3.45	14901.00	520	28.39	27.54	-0.183294	-1.111435
April 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	17.23	2	8.42	7.40	216.50	11	19.43	20.32	-0.69812	-1.424427
April 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	17.05	2	8.32	0.22						
April 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	32.18	7	4.37	3.24						
April 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	63.38	15	4.15	3.16	195-15	8	24.24	22.25	-2.053886	-2.248674
April 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	184.57	36	5.08	4.40	43908-33	1,863	23.34	24.54	-4.399775	-3.674873
April 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	93.36	3	31.12	25.58	51-10	3	17.03	13.11	-1.112321	-0.323757
April 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	19.25	5	3.53	4.23	17-28	1	17.28	0.00		
April 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	14.18	4	3.34	0.36	15552-21	539	28.51	29.23	-1.714534	-2.042363
April 2019	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	0	2	0.00%	0.00%						
April 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	2	0.00%	0.00%	1	12	8.33%	27.64%	-0.394771	-1.240004
April 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	2	0.00%	0.00%						
April 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	7	0.00%	0.00%						
April 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	4	15	26.67%	44.22%						
April 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	4	36	11.11%	31.43%	250	2,269	11.02%	31.31%	-0.183116	-1.113236
April 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	2	4	50.00%	50.00%	-0.436436	-1.265334
April 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	5	0.00%	0.00%	2	4	50.00%	50.00%	-1.490712	-1.906289
April 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	4	0.00%	0.00%	69	639	10.80%	31.04%	-0.693685	-1.42173
April 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	5	769	0.65%	8.04%	16	1,792	0.89%	9.41%	-0.598392	-1.363797
April 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	60,216	0.00%		0	49,719	0.00%			
April 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	43	0.00%		2,372	240,912	0.98%	9.87%	-0.653841	-1.397507
April 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	2	209	0.96%	9.74%	16	2,068	0.77%	8.76%	-0.006119	-1.00372
April 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	2	1,106	0.18%	4.25%	0	861	0.00%			
April 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	7	10,124	0.07%	2.63%	0	861	0.00%			
April 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	20	3,121	0.64%	7.98%	10	1,828	0.55%	7.38%	0.431658	-0.737571
April 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	10	0.00%		16	2,059	0.78%	8.78%	-0.279173	-1.169725
April 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	40	17,451	0.23%	4.78%	2,908	368,471	0.79%	8.85%	-8.16903	-5.966417
April 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGRS excl	LIS Trunk	Parity	N/A	4	30,600	0.01%	0.07%						
April 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGRS excl	LIS Trunk	Parity	N/A	1	12,943	0.01%	0.10%						
April 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGRS excl	LIS Trunk	Diagnostic	N/A	5	30,624	0.02%							
April 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGRS excl	LIS Trunk	Diagnostic	N/A	1	12,943	0.01%							
April 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	120	8	15.00	0.00						
April 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - DS1 Capable	Parity	N/A	3	1	3.00	0.00	53	2	26.50	30.41	-0.631057	-1.383656
April 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop Analog	Parity	N/A	6	2	3.00	0.00	38,470	178	216.12	330.89	-0.905805	-1.55069
April 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	8	8	100.00%	0.00%						
April 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%	1	2	50.00%	50.00%	3.719016	1.261001
April 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop Analog	Parity	N/A	0	2	0.00%	0.00%	102	178	57.30%	49.46%	-1.629229	-1.990501
April 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	1	100.00%							
April 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%						
April 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	48	60	80.00%							
April 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark											

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
April 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	2	1	2.00							
April 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Parity	6.00	109	32	3.41							
April 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	4	1	4.00							
April 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	111	25	4.44							
April 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	40	8	5.00							
April 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	4	1	4.00							
April 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	8	8	100.00%	0.00%	3	3	100.00%	0.00%		
April 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1	100.00%	0.00%	4	4	100.00%	0.00%		
April 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	70	72	97.22%	16.43%	4	4	100.00%	0.00%	-1.263761	-1.768312
April 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	2	2	100.00%	0.00%	1	1	100.00%	0.00%		
April 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	42	42	100.00%	0.00%	914	977	93.55%	24.56%	-1.666027	-2.012872
April 2019	Ordering and Provisioning	OP-8B	Number Portability Timeliness with Loop Coord	LNP	Benchmark	95.00%	4	4	100.00%							
April 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	5,901	5,959	99.03%							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	3286.28	11,838	0.28							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	7545.61	8,278	0.91							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	10831.89	11,838	0.92							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	739.59	1,581	0.47							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	846.46	1,581	0.54							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	491.52	1,204	0.41							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	97.84	1,136	0.09							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	589.36	1,204	0.49							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	1244.14	1,498	0.83							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	231.60	1,469	0.16							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	1475.74	1,498	0.99							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	3143.75	3,560	0.88							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	9629.75	3,560	2.71							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	434.59	448	0.97							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	142.76	448	0.32							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	577.35	448	1.29							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	1358.89	3,452	0.39							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	2272.86	6,866	0.33							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	3631.75	3,452	1.05							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	23.00	225	0.10							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	251.48	490	0.51							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	286.95	225	1.28							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	561.43	490	1.15							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Loop Qual Tools)	REQUEST	Diagnostic	N/A	685.11	1,664	0.41							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Loop Qual Tools)	RESPONSE	Diagnostic	N/A	1302.71	673	1.94							
April 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Loop Qual Tools)	TOTAL	Diagnostic	N/A	1987.82	1,664	1.19							
April 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10828.18	6,523	1.66							
April 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
April 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	7,176	14.45							
April 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
April 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
April 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
April 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
April 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
April 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Connecting Fac Assign XML)	XML Request/Response	Diagnostic	N/A	5958.12	1,722	3.46							
April 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,434	1,937	74.03%							
April 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	26	88	29.55%							
April 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	283	338	83.73%							
April 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,434	1,535	93.42%							
April 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	26	28	92.86%							
April 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	283	285	99.30%							
April 2019	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	4.02	2	2.01							
April 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	379.32	235	1.37							
April 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	26	26	100.00%							
April 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	267	267	100.00%							
April 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,301	1,301	100.00%							
April 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	19	19	100.00%							
April 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	95	95	100.00%							
April 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	416	416	100.00%							
April 2019	Pre-Ordering	PO-5C-(b)	FOCs on Time for manual LSRs via Facsimile	Unbundled Loop AGG-EELS	Benchmark	90.00%	1	1	100.00%							
April 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	4	4	100.00%							
April 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	3	25	12.00%	32.50%	5	18	27.78%	44.79%	0.915012	-0.443712
March 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,861	1,861	100.00%							
March 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	932,426	933,781	99.85%							
March 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	2,771	2,771	100.00%							
March 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,907	1,909	99.90%	3.24%	36,752	36,890	99.63%	6.10%	-1.879496	-2.142652
March 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	2,770	2,771	99.97%							
March 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,169,654	2,139,229	1.01							
March 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	2100.66	26,243	0.08							
March 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	29,880	29,880	100.00%							
March 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	29,880	29,880	100.00%							
March 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	29,880	29,880	100.00%							
March 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	42,840	42,840	100.00%							
March 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	41,565	41,565	100.00%							
March 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	26,580	26,580	100.00%							
March 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
March 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	4	75.00%	43.30%	2	8	25.00%	43.30%	-1.885618	-2.146374
March 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	3	7	42.86%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
March 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	2	3	66.67%							
March 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	14	22	63.64%	48.10%	2	2	100.00%	0.00%	0.164211	-0.900167
March 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	3	33.33%	47.14%	3	10	30.00%	45.83%	-0.110499	-1.067179
March 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	4	75.00%	43.30%	3	10	30.00%	45.83%	-1.65985	-2.009117
March 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	1	1	100.00%	0.00%	380	532	71.43%	45.18%	-0.631862	-1.384145
March 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	SUB-LOOP UNBUNDLING	Parity	N/A	1	2	50.00%	50.00%	1,825	2,657	68.89%	46.38%	-0.071476	-1.043454
March 2019	Maintenance and Repair	MR-6B	Mean Time to Restore disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	64.08	2	32.04	11.57	19079.37	552	34.34	50.33	-0.069757	-1.042409
March 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	14.14	4	3.33	1.01	81.32	7	11.39	9.40	-1.335633	-1.812007
March 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	40.48	7	5.50	3.23						
March 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3	3	1.00%	4.52						
March 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	110.53	22	5.02	5.57	0.31	1	0.31	0.00		
March 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	290.30	47	6.11	6.40	48752.27	2,053	23.45	32.24	-3.675373	-3.234468
March 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	10.05	3	3.22	1.23	177.27	10	17.45	24.46	-0.882272	-1.536383
March 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	25.10	4	6.17	9.50	177.27	10	17.45	24.46	-0.781691	-1.475234
March 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	10.18	5	2.04	2.23	19444.26	568	34.14	50.11	-1.427388	-1.86779
March 2019	Maintenance and Repair	MR-7B	Repair Repeat Report Rate-Disp out MSA	SUB-LOOP UNBUNDLING	Parity	N/A	1	2	50.00%	50.00%	0	1	0.00%	0.00%	-0.430727	-1.261864
March 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%	4	8	50.00%	50.00%	-1.632993	-1.992789
March 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	0	7	0.00%	0.00%						
March 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	3	0.00%	0.00%						
March 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	2	22	9.09%	28.75%	4	8	50.00%	50.00%	-1.981735	-2.204809
March 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	7	48	14.58%	35.29%	307	2,498	12.29%	32.83%	0.307104	-0.813294
March 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	3	3	0.00%	0.00%	1	10	10.00%	30.00%	-0.50637	-1.307851
March 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	4	50.00%	50.00%	1	10	10.00%	30.00%	0.931397	-0.437351
March 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	5	0.00%	0.00%	70	651	10.75%	30.98%	-0.773187	-1.470064
March 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7	772	0.91%	9.48%	18	1,828	0.98%	9.87%	-0.183912	-1.118111
March 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	60,496	0.00%	0.00%	0	50,487	0.00%	0.00%		
March 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	44	0.00%	0.00%	2,520	243,543	1.03%	10.12%	-0.678201	-1.412317
March 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	2	207	0.97%	9.78%	18	2,116	0.85%	9.18%	-0.109864	-1.066793
March 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	7	1,142	0.61%	7.81%	0	864	0.00%	0.00%		
March 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3	10,251	0.03%	1.71%	0	864	0.00%	0.00%		
March 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	26	3,179	0.82%	9.01%	12	1,875	0.64%	7.97%	0.766	-0.534305
March 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	10	0.00%	0.00%	18	2,107	0.85%	9.20%	-0.292846	-1.178038
March 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	52	17,644	0.29%	5.42%	3,149	372,402	0.85%	9.16%	-7.808407	-5.747174
March 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem O/c w/ TGSR excl	LIS Trunk	Parity	N/A	15	30,120	0.05%	0.38%						
March 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End O/c w/ TGSR excl	LIS Trunk	Parity	N/A	1	12,919	0.01%	0.12%						
March 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem O/c w/o TGSR excl	LIS Trunk	Diagnostic	N/A	33	30,576	0.11%							
March 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End O/c w/o TGSR excl	LIS Trunk	Diagnostic	N/A	1	12,919	0.01%							
March 2019	Ordering and Provisioning	OP-15A	Interval for Pending Orders Delayed Past Due Date	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	9	3	3.00	0.00						
March 2019	Ordering and Provisioning	OP-15B-RD	Pending Orders Delayed for Facilities	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	3	3	100.00%	0.00%						
March 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	3	3	100.00%							
March 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	1	1	100.00%	0.00%		
March 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	47	52	90.38%							
March 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	6	6	100.00%	0.00%	0	1	0.00%	0.00%		
March 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	15	16	93.75%							
March 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%	1	1	100.00%	0.00%		
March 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	3	3	100.00%							
March 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	3	2	1.50							
March 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	110	35	3.14							
March 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	35	7	5.00							
March 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	95	21	4.52							
March 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	9	3	3.00							
March 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%	2	2	100.00%	0.00%		
March 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	61	61	100.00%	0.00%	2	2	100.00%	0.00%		
March 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	6	7	85.71%	34.99%	1	1	100.00%	0.00%	-1.150349	-1.699363
March 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	21	22	95.45%	20.83%	856	918	93.25%	25.10%	-0.407895	-1.247982
March 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	4,614	4,626	99.74%							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	22895.30	94,570	0.26							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	48707.63	60,595	0.82							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	71602.93	94,570	0.76							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	7229.55	15,612	0.47							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	7872.03	15,612	0.50							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	5222.23	12,820	0.41							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	714.20	9,197	0.09							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	5936.43	12,820	0.46							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	12593.59	15,327	0.83							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	2347.49	12,062	0.20							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	14941.08	15,327	0.97							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	26815.00	31,880	0.91							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6486.00	5,640	1.15							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	33301.00	31,880	1.04							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	5674.50	5,822	0.98							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	314.68	3,825	0.09							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	5989.18	5,822	1.03							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	10175.15	24,948	0.42							
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	17148.88	45,656	0.39							
March																



Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
March 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	7816.54	13,540	0.58							
March 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10829.18	6,524	1.68							
March 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
March 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	761,445	9.82							
March 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
March 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
March 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3994.25	776	5.16							
March 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
March 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
March 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times/Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5960.12	1,724	3.48							
March 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,441	1,888	76.32%							
March 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	63	110	57.27%							
March 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	246	313	78.59%							
March 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,441	1,528	94.31%							
March 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	63	64	98.44%							
March 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	246	251	98.01%							
March 2019	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	25.01	1	25.01							
March 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	319.50	278	1.09							
March 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	62	62	100.00%							
March 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	237	237	100.00%							
March 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,311	1,311	100.00%							
March 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	10	10	100.00%							
March 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	87	90	96.67%							
March 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	376	376	100.00%							
March 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	10	10	100.00%							
March 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	4	10	40.00%	48.99%	3	19	15.79%	36.46%	-1.699476	-2.033208
February 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,550	1,550	100.00%							
February 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	737,322	738,722	99.81%							
February 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	3,683	3,683	100.00%							
February 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,809	1,813	99.78%	4.69%	37,569	37,712	99.62%	6.15%	-1.072989	-1.652331
February 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	3,682	3,683	99.98%							
February 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,103,242	2,079,671	1.01							
February 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	1478.73	16,823	0.09							
February 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	27,360	27,360	100.00%							
February 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	27,360	27,360	100.00%							
February 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	27,360	27,360	100.00%							
February 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	38,880	38,880	100.00%							
February 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	RepairGUI	Diagnostic	N/A	37,860	37,860	100.00%							
February 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	24,720	24,720	100.00%							
February 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
February 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	4	25.00%	43.30%	6	17	35.29%	47.79%	-0.235224	-1.143006
February 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%	1	1	100.00%	0.00%		
February 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	2	4	50.00%							
February 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Diagnostic	N/A	1	2	50.00%							
February 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/i 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	8	14	57.14%	49.49%	6	10	60.00%	48.99%	-0.282323	-1.17164
February 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	5	50.00%	50.00%	5	8	62.50%	48.41%	-0.430727	-1.261864
February 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/i 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	4	50.00%	50.00%	5	8	62.50%	48.41%	-0.191052	-1.116151
February 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/i 24 hours	Business	Parity	N/A	3	7	42.86%	49.49%	305	493	61.87%	48.57%	0.648998	-0.605437
February 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	16.45	4	4.11	2.05	90.43	16	5.40	4.07	-0.644538	-1.391851
February 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	LIS Trunk	Parity	N/A	1.24	1	1.24	0.00	0:11	1	0:11	0.00		
February 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	22.08	4	5.32	3.04						
February 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	18.10	2	9.05	8.26						
February 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	75.30	14	5.24	4.13	39:23	9	4:23	4.55	0.263714	-0.839673
February 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	315.02	47	6.42	6.06	104933:03	2,588	40:33	335.57	-0.684448	-1.416115
February 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	7.32	2	3.46	1.04	80:45	8	10:06	14.24	-0.555984	-1.338014
February 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	16.03	4	4.01	2.23	80:45	8	10:06	14.24	-0.689883	-1.419419
February 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	19.34	4	4.54	3.09	29592:55	666	44:26	50.41	-1.554799	-1.945664
February 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	4	25.00%	43.30%	8	17	47.06%	49.91%	-0.795261	-1.483485
February 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	LIS Trunk	Parity	N/A	0	1	0.00%	0.00%	0	1	0.00%	0.00%		
February 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	4	25.00%	43.30%						
February 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	0	2	0.00%	0.00%						
February 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	3	14	21.43%	41.03%	8	17	47.06%	49.91%	-1.422798	-1.865
February 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	0	47	0.00%	0.00%	371	3,106	11.94%	32.43%	-2.506086	-2.523592
February 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	2	2	0.00%	0.00%	2	8	25.00%	43.30%	-0.730297	-1.443989
February 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	0	4	0.00%	0.00%	2	8	25.00%	43.30%	-0.942809	-1.573187
February 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	0	4	0.00%	0.00%	95	758	12.53%	33.11%	-0.755079	-1.459055
February 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	6	785	0.76%	8.71%	25	1,851	1.35%	11.54%	-1.192515	-1.724998
February 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	1	61,768	0.00%	0.00%	1	49,983	0.00%	0.45%	-0.141849	-1.086238
February 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	0	44	0.00%		3,248	245,929	1.32%	11.42%	-0.767322	-1.466499
February 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	213	0.00%		25	2,140	1.17%	10.75%	-1.513215	-1.919969
February 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	4	1,161	0.34%	5.86%	0	865	0.00%			
February 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	2	10,439	0.02%	1.38%	0	865	0.00%			
February 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	18	3,243	0.56%	7.43%	18	1,899	0.95%	9.69%	-1.403021	-1.852976
February 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	11	0.00%		25	2,131	1.17%	10.77%	-0.360429	-1.219125
February 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	51	17,861	0.29%	5.34%	3,864	375,769	1.03%	10.09%	-9.61391	-6.848442
February 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	14	30,840	0.05%	0.35%						
February 2019	Network Performance	NI-1B	Trunk													

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
February 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	5	5	100.00%	0.00%						
February 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	10	10	100.00%							
February 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	90.00%	1	8	12.50%							
February 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	1	1	100.00%	0.00%						
February 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	8	8	100.00%							
February 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	1	1	100.00%	0.00%						
February 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	5	1	5.00							
February 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	42	16	2.63							
February 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	18	4	4.50							
February 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	76	16	4.75							
February 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Enhanced Extended Loops - DS1 Capable	Benchmark	6.00	57	10	5.70							
February 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	24	8	3.00							
February 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	5	1	5.00							
February 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	30	6	5.00							
February 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	4	4	100.00%	0.00%	3	3	100.00%	0.00%		
February 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	42	42	100.00%	0.00%	1	1	100.00%	0.00%		
February 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	7	7	100.00%	0.00%	2	2	100.00%	0.00%		
February 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	21	22	95.45%	20.83%	891	946	94.19%	23.40%	-0.251351	-1.15281
February 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	2,360	2,370	99.58%							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	3,286.28	11,838	0.28							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	7,545.61	8,278	0.91							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	10,831.89	11,838	0.92							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	739.59	1,581	0.47							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	846.46	1,581	0.54							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	491.52	1,204	0.41							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	97.84	1,136	0.09							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	589.36	1,204	0.49							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	REQUEST	Diagnostic	N/A	1,244.14	1,498	0.83							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	RESPONSE	Diagnostic	N/A	231.60	1,286	0.18							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Check)	TOTAL	Diagnostic	N/A	1,475.74	1,498	0.99							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	REQUEST	Diagnostic	N/A	3,143.75	3,560	0.88							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	RESPONSE	Diagnostic	N/A	6,486.00	5,640	1.15							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Get CSR)	TOTAL	Diagnostic	N/A	9,629.75	3,560	2.71							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	REQUEST	Diagnostic	N/A	434.59	448	0.97							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	142.76	448	0.32							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	577.35	448	1.29							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	1,358.89	3,452	0.39							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	2,272.86	6,866	0.33							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	3,631.75	3,452	1.05							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	23.00	225	0.10							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	251.48	490	0.51							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	286.95	225	1.28							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	561.43	490	1.15							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	685.11	1,664	0.41							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	1,302.71	673	1.94							
February 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	1,987.82	1,664	1.19							
February 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10,828.18	6,523	1.66							
February 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1,030.17	4,479	0.23							
February 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7,477,302.00	9,008,906	0.83							
February 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25,880.94	7,311	3.54							
February 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40,974.96	4,568	8.97							
February 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3,991.25	775	5.15							
February 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19,800.00	5,280	3.75							
February 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9,368.80	3,346	2.80							
February 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assgn XML)	XML Request/Response	Diagnostic	N/A	5,958.12	1,722	3.46							
February 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,266	1,686	75.09%							
February 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	46	88	52.27%							
February 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	232	268	86.57%							
February 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,266	1,316	96.20%							
February 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	46	49	93.88%							
February 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	232	235	98.72%							
February 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	309.02	221	1.24							
February 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	45	45	100.00%							
February 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	224	224	100.00%							
February 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,149	1,149	100.00%							
February 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	17	17	100.00%							
February 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	76	76	100.00%							
February 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	345	345	100.00%							
February 2019	Pre-Ordering	PO-5C-(a)	FOCs on Time for manual LSRs via Facsimile	Resale Aggregate	Benchmark	90.00%	1	1	100.00%							
February 2019	Pre-Ordering	PO-5C-(c)	FOCs on Time for manual LSRs via Facsimile	LNP	Benchmark	90.00%	2	2	100.00%							
February 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	5	5	100.00%							
January 2019	Billing	BI-2	Invoices Delivered within 10 Days	All	Parity by Design	N/A	1,753	1,753	100.00%							
January 2019	Billing	BI-3A	Billing Accuracy - Adjustments for Errors	UNEs and Resale Aggregate	Diagnostic	N/A	853,308	854,266	99.89%							
January 2019	Billing	BI-3B	Billing Accuracy - Adjustments for Errors	Reciprocal Compensation	Diagnostic	N/A	3,240	3,240	100.00%							
January 2019	Billing	BI-4A	UNEs and Resale Aggregate	UNEs and Resale Aggregate	Parity	N/A	1,550	1,553	99.81%	4.39%	35,474	35,616	99.60%	6.30%	-1.258124	-1.764885
January 2019	Billing	BI-4B	Reciprocal Compensation (MOU):	Reciprocal Compensation	Diagnostic	N/A	3,239	3,240	99.99%							
January 2019	Database Updates	DB-1B	All	LIDB	Diagnostic	N/A	2,800,389	2,767,906	1.01							
January 2019	Database Updates	DB-1C-1	All	Directory Listing	Diagnostic	N/A	1,608.63	19,120	0.08							
January 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	IMAGUI	Diagnostic	N/A	30,600	30,600	100.00%							
January 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	SIA	Diagnostic	N/A	30,600	30,600	100.00%							
January 2019	Electronic Gateway Availability	GA-1	Gateway Availability - LSR	XML	Diagnostic	N/A	30,600	30,600	100.00%							
January 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	EBTA	Diagnostic	N/A	43,200	43,200	100.00%							

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2019	Electronic Gateway Availability	GA-3	Gateway Availability - Repair	Repair/GUI	Diagnostic	N/A	42,180	42,180	100.00%							
January 2019	Electronic Gateway Availability	GA-4	System Availability - ASR	EASE	Diagnostic	N/A	27,960	27,960	100.00%							
January 2019	Electronic Gateway Availability	GA-7	Timely Outage Resolution after Software Releases	ALL	Diagnostic	N/A	0	0								
January 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	7	14.29%	34.99%	3	12	25.00%	43.30%	-0.062772	-1.038162
January 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Diagnostic	N/A	1	3	33.33%							
January 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	8	14	57.14%							
January 2019	Maintenance and Repair	MR-5A	All Troubles Cleared w/ 4 Hours-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	22	33	66.67%	47.14%	3	12	25.00%	43.30%	-2.854496	-2.73541
January 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	1	5	20.00%	40.00%	14	28	50.00%	50.00%	-0.740503	-0.548906
January 2019	Maintenance and Repair	MR-5B	All Troubles Cleared w/ 4 Hours-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	3	7	42.86%	49.49%	14	28	50.00%	50.00%	-0.086289	-1.05246
January 2019	Maintenance and Repair	MR-5X	Out of Service cleared w/ 24 hours	Business	Parity	N/A	3	8	37.50%	48.41%	412	703	58.61%	49.25%	0.8464	-0.485425
January 2019	Maintenance and Repair	MR-6A	Mean Time to Restore-Disp w/ MSA	Residence	Parity	N/A	24.38	1	24.38	0.00	100828.56	2,557	39.26	52.11	-0.283556	-1.17239
January 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	48.53	7	6.59	3.54	75.55	12	6.20	4.40	-0.300232	-0.817472
January 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	23.02	3	7.41	6.55						
January 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	66.49	14	4.46	3.15						
January 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	128.25	33	3.53	2.17	75.55	12	6.20	4.40	-1.549053	-1.941757
January 2019	Maintenance and Repair	MR-6D	Mean Time to Restore Interval Zone 1	Unbundled Loop Analog	Parity	N/A	497.22	70	7.06	4.57	117083.40	3,168	36.57	49.09	-5.026124	-4.055666
January 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	43.51	5	8.46	5.04	173.47	25	6.57	6.48	0.591777	-0.402255
January 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	30.54	7	4.25	2.40	173.47	25	6.57	6.48	-0.873371	-1.530972
January 2019	Maintenance and Repair	MR-6E	Mean Time to Restore Interval Zone 2	Unbundled Loop Analog	Parity	N/A	66.23	13	5.06	5.44	40472.40	810	49.58	47.46	-3.358745	-3.041972
January 2019	Maintenance and Repair	MR-7A	Repair Repeat Rpt Rate-Disp w/ MSA	Residence	Parity	N/A	0	1	0.00%	0.00%	405	3,064	13.22%	33.87%	-0.390209	-1.23723
January 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	7	0.00%	0.00%	2	12	16.67%	37.27%	-0.940325	-1.571677
January 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	3	33.33%	47.14%						
January 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	4	14	28.57%	45.18%						
January 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop - DS1 Capable	Parity	N/A	4	33	12.12%	32.64%	2	12	16.67%	37.27%	-0.361814	-1.219967
January 2019	Maintenance and Repair	MR-7D	Repair Repeat Report Rate-Zone 1	Unbundled Loop Analog	Parity	N/A	3	70	4.29%	20.25%	502	3,819	13.14%	33.79%	-2.173797	-2.321575
January 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Enhanced Extended Loops - DS1 Capable	Parity	N/A	0	5	0.00%	0.00%	7	28	25.00%	43.30%	-1.189177	-1.722968
January 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop - DS1 Capable	Parity	N/A	2	7	28.57%	45.18%	7	28	25.00%	43.30%	-0.237956	-1.144667
January 2019	Maintenance and Repair	MR-7E	Repair Repeat Report Rate-Zone 2	Unbundled Loop Analog	Parity	N/A	2	13	15.38%	36.08%	120	953	12.59%	33.18%	-0.00864	-1.005253
January 2019	Maintenance and Repair	MR-8	Trouble Rate	Enhanced Extended Loops - DS1 Capable	Parity	N/A	12	790	1.52%	12.23%	40	1,875	2.13%	14.45%	-1.002379	-1.609403
January 2019	Maintenance and Repair	MR-8	Trouble Rate	LIS Trunk	Parity	N/A	0	61,672	0.00%	0.00%	0	50,103	0.00%	0.00%	-0.911122	-1.006805
January 2019	Maintenance and Repair	MR-8	Trouble Rate	Residence	Parity	N/A	1	44	2.27%	14.90%	3,933	248,484	1.58%	12.48%	-0.019206	-1.006805
January 2019	Maintenance and Repair	MR-8	Trouble Rate	SUB-LOOP UNBUNDLING	Parity	N/A	0	212	0.00%	0.00%	41	2,166	1.89%	13.63%	-0.111026	-2.173482
January 2019	Maintenance and Repair	MR-8	Trouble Rate	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	3	1,186	0.25%	5.02%	0	877	0.00%	0.00%		
January 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	14	10,587	0.13%	3.63%	0	877	0.00%	0.00%		
January 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - DS1 Capable	Parity	N/A	40	3,311	1.21%	10.92%	40	1,926	2.08%	14.26%	-2.12577	-2.292376
January 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop - XDSL	Parity	N/A	0	11	0.00%	0.00%	40	2,158	1.85%	13.49%	-0.454631	-1.276396
January 2019	Maintenance and Repair	MR-8	Trouble Rate	Unbundled Loop Analog	Parity	N/A	83	18,031	0.46%	6.77%	4,772	379,617	1.26%	11.14%	-9.382498	-6.704154
January 2019	Maintenance and Repair	MR-9A	Repair Appointments Met-Disp w/ MSA	Residence	Parity	N/A	1	1	100.00%	0.00%	2,404	3,064	78.46%	41.11%	-0.523882	-1.318498
January 2019	Network Performance	NI-1A	Trunk Blockage to CTL-Q Tandem Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	5	30,840	0.01%	0.09%						
January 2019	Network Performance	NI-1B	Trunk Blockage to CTL-Q End Ofc w/ TGSR excl	LIS Trunk	Parity	N/A	1	12,919	0.01%	0.09%						
January 2019	Network Performance	NI-1C	Trunk Blockage to CTL-Q Tandem Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	5	30,840	0.01%							
January 2019	Network Performance	NI-1D	Trunk Blockage to CTL-Q End Ofc w/o TGSR excl	LIS Trunk	Diagnostic	N/A	1	12,919	0.01%							
January 2019	Ordering and Provisioning	OP-3A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	90.00%	2	2	100.00%							
January 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	LIS Trunk	Parity	N/A	7	7	100.00%	0.00%	3	3	100.00%	0.00%		
January 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	22	27	81.48%							
January 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	4	4	100.00%	0.00%	9	9	100.00%	0.00%		
January 2019	Ordering and Provisioning	OP-3D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	90.00%	23	27	85.19%							
January 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	LIS Trunk	Parity	N/A	2	2	100.00%	0.00%						
January 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	90.00%	1	1	100.00%							
January 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	90.00%	10	10	100.00%							
January 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Parity	N/A	4	4	100.00%	0.00%						
January 2019	Ordering and Provisioning	OP-3E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	90.00%	1	1	100.00%							
January 2019	Ordering and Provisioning	OP-4A	Dispatches within MSAs	Sub-Loop Unbundling	Benchmark	6.00	2	2	1.00							
January 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	26	21	3.62							
January 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	26	1	26.00							
January 2019	Ordering and Provisioning	OP-4D	Interval Zone 1 Areas	Unbundled Loop Analog	Benchmark	6.00	140	33	4.24							
January 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	UNBUNDLED LOOP - ADSL COMPATIBLE	Benchmark	6.00	2	1	2.00							
January 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - 2 Wire Non-Loaded	Benchmark	6.00	6	2	3.00							
January 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop - DS1 Capable	Benchmark	5.50	20	4	5.00							
January 2019	Ordering and Provisioning	OP-4E	Interval Zone 2 Areas	Unbundled Loop Analog	Benchmark	6.00	0	1	0.00							
January 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	LIS Trunk	Parity	N/A	9	9	100.00%	0.00%	3	3	100.00%	0.00%		
January 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	SUB-LOOP UNBUNDLING	Parity	N/A	2	2	100.00%	0.00%	9	11	81.82%	38.57%	-0.613244	-1.372826
January 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	UNBUNDLED LOOP - ADSL COMPATIBLE	Parity	N/A	1	1	100.00%	0.00%	3	3	100.00%	0.00%		
January 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - 2 Wire Non-Loaded	Parity	N/A	58	58	100.00%	0.00%	3	3	100.00%	0.00%		
January 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop - DS1 Capable	Parity	N/A	9	9	100.00%	0.00%	8	9	88.89%	31.43%	-0.75	-1.455968
January 2019	Ordering and Provisioning	OP-5A	New Service Installation Quality	Unbundled Loop Analog	Parity	N/A	34	34	100.00%	0.00%	1,191	1,263	94.30%	23.19%	-1.414756	-1.860111
January 2019	Ordering and Provisioning	OP-8C	Number Portability Timeliness without Loop Coord	LNP	Benchmark	95.00%	5,458	5,467	99.84%							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	REQUEST	Diagnostic	N/A	22789.30	94,070	0.24							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	RESPONSE	Diagnostic	N/A	48697.53	60,100	0.81							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Address Validation)	TOTAL	Diagnostic	N/A	71486.83	94,070	0.76							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	REQUEST	Diagnostic	N/A	7227.55	15,610	0.46							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Appt. Scheduler)	TOTAL	Diagnostic	N/A	7867.93	15,610	0.50							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	REQUEST	Diagnostic	N/A	5222.23	12,820	0.41							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	RESPONSE	Diagnostic	N/A	709.20	9,195	0.08							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Facility Assignment)	TOTAL	Diagnostic	N/A	5931.43	1								

Month	PID Category	PID	PID Title	Product Category	Standard	Benchmark	CLEC Numerator	CLEC Denominator	CLEC Result	CLEC Standard Deviator	CTL-Q Numerator	CTL-Q Denominator	CTL-Q Result	CTL-Q Standard Deviator	Modified Z Score	Parity Score
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	RESPONSE	Diagnostic	N/A	314.58	3,825	0.08							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Meet Point Inquiry)	TOTAL	Diagnostic	N/A	5984.08	5,820	1.03							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	REQUEST	Diagnostic	N/A	10159.15	23,940	0.42							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	RESPONSE	Diagnostic	N/A	17143.77	45,850	0.37							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (Service Availability)	TOTAL	Diagnostic	N/A	27302.92	23,940	1.14							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	ACCEPT	Diagnostic	N/A	183.75	1,815	0.10							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	REQUEST	Diagnostic	N/A	3571.83	6,990	0.51							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	RESPONSE	Diagnostic	N/A	2317.75	1,815	1.28							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times (TN Reservation)	TOTAL	Diagnostic	N/A	6073.33	6,990	0.87							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	REQUEST	Diagnostic	N/A	6513.83	13,540	0.48							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	RESPONSE	Diagnostic	N/A	1302.71	180	7.24							
January 2019	Pre-Ordering	PO-1-IMA GUI	Pre-Order Response Times(Loop Qual Tools)	TOTAL	Diagnostic	N/A	7816.54	13,540	0.58							
January 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Address Validation XML)	XML Request/Response	Diagnostic	N/A	10828.18	6,523	1.66							
January 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Appt. Scheduler XML)	XML Request/Response	Diagnostic	N/A	1030.17	4,479	0.23							
January 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Facility Check XML)	XML Request/Response	Diagnostic	N/A	7477392.00	7,176	9.68							
January 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Get CSR XML)	XML Request/Response	Diagnostic	N/A	25880.94	7,311	3.54							
January 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Loop Qual Tools XML)	XML Request/Response	Diagnostic	N/A	40974.96	4,568	8.97							
January 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Meet Point Inquiry XML)	XML Request/Response	Diagnostic	N/A	3991.25	775	5.15							
January 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (Service Avail XML)	XML Request/Response	Diagnostic	N/A	19800.00	5,280	3.75							
January 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times (TN Reservation XML)	XML Request/Response	Diagnostic	N/A	9368.80	3,346	2.80							
January 2019	Pre-Ordering	PO-1-XML	Pre-Order Response Times(Connecting Fac Assign XML)	XML Request/Response	Diagnostic	N/A	5958.12	1,722	3.46							
January 2019	Pre-Ordering	PO-2A	All Electronic LSRs	LNP	Diagnostic	N/A	1,807	2,260	79.96%							
January 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	44	116	37.93%							
January 2019	Pre-Ordering	PO-2A	All Electronic LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	306	359	85.24%							
January 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	LNP	Diagnostic	N/A	1,807	1,839	98.26%							
January 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Resale Aggregate W/O UNE-P-POTS	Diagnostic	N/A	44	44	100.00%							
January 2019	Pre-Ordering	PO-2B	All Flow-through Eligible LSRs	Unbundled Loop Aggregate	Diagnostic	N/A	306	308	99.35%							
January 2019	Pre-Ordering	PO-3C	LSRs received via facsimile	Product Aggregate	Diagnostic	N/A	2,42	1	2.42							
January 2019	Pre-Ordering	PO-3X	Electronic LSRs Rejected Manually	Product Aggregate	Diagnostic	N/A	394.41	219	1.48							
January 2019	Pre-Ordering	PO-5A-(a)	FOCs on Time for Fully Electronic LSRs	Resale Aggregate	Benchmark	95.00%	44	44	100.00%							
January 2019	Pre-Ordering	PO-5A-(b)	FOCs on Time for Fully Electronic LSRs	Unbundled Loop AGG-EELS	Benchmark	95.00%	322	322	100.00%							
January 2019	Pre-Ordering	PO-5A-(c)	FOCs on Time for Fully Electronic LSRs	LNP	Benchmark	95.00%	1,635	1,635	100.00%							
January 2019	Pre-Ordering	PO-5B-(a)	FOCs on Time for Electronic/Manual LSRs	Resale Aggregate	Benchmark	90.00%	15	15	100.00%							
January 2019	Pre-Ordering	PO-5B-(b)	FOCs on Time for Electronic/Manual LSRs	Unbundled Loop AGG-EELS	Benchmark	90.00%	84	84	100.00%							
January 2019	Pre-Ordering	PO-5B-(c)	FOCs on Time for Electronic/Manual LSRs	LNP	Benchmark	90.00%	385	387	99.48%							
January 2019	Pre-Ordering	PO-5D	FOCs provided for ASRs requesting LIS Trunks.	LIS Trunk	Benchmark	85.00%	10	10	100.00%							
January 2019	Pre-Ordering	PO-9B	Unbundled Loops	Unbundled Loops and Number Portability	Parity	N/A	0	9	0.00%	0.00%	1	58	1.72%	13.02%	-1.106161	-1.672498