

STATE OF WASHINGTON

UTILITIES AND TRANSPORTATION COMMISSION

621 Woodland Square Loop S.E. • Lacey, Washington 98503 P.O. Box 47250 • Olympia, Washington 98504-7250 (360) 664-1160 • TTY 1-800-833-6384 or 711

March 20, 2024

RE: In the Matter of the Penalty Assessment Against BYK Construction, in the Amount of \$1,000, Docket DG-220817

TO ALL PARTIES:

On November 16, 2022, BYK Construction (BYK or Company) was issued a \$1,000 penalty for a violation of Revised Code of Washington (RCW) 19.122.055(1)(a). BYK was provided the opportunity to have \$800 of the penalty amount suspended and ultimately to have it waived, based on the following conditions: a) BYK employees attend Dig Safe training provided through the National Utility Contractors Association (NUCA) within 90 days of the date of the penalty assessment; b) BYK submit documentation regarding attendance of Dig Safe training within 5 days of attendance; and c) BYK commit no further violations of RCW 19.122 within the 12 months following the penalty assessment.

On December 22, 2022, the Washington Utilities and Trade Commission (Commission) received notification from BYK that the company admitted the violation occurred and accepted the Commission's offer to suspend the \$800 portion of the penalty amount based on the stated conditions. The Commission received the required documentation regarding attendance of training and the \$200 portion of the penalty was paid on January 6, 2023. BYK has had no further violations of RCW 19.122.

On March 13, 2024, Commission staff (Staff) filed a letter in this docket informing the Commission that the Company has complied with all of the conditions established in the Penalty Assessment and recommends that the Commission waive the suspended \$800 portion of the penalty and close the docket.

The Commission agrees that BYK Construction has complied with the conditions set forth in the Penalty Assessment. The penalty is thus waived, and this docket is closed.

JEFF KILLIP Executive Director and Secretary