BEFORE THE WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

WHATCOM COUNTY

DOCKET TR-180466

Petitioner,

v.

BNSF RAILWAY COMPANY

Respondent.

TESTIMONY OF

Betty Young

STAFF OF WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

December 21, 2018

TABLE OF CONTENTS

I.	INTRODUCTION	1
II.	SCOPE AND SUMMARY OF TESTIMONY	2
III.	QUIET ZONES	2
IV.	CROSSING INFORMATION	7
V.	DESCRIPTION OF PROPOSED CROSSING MODIFICATIONS	8

List of Exhibits

Exh. BY-2	RCW 81.53.030 Petition for crossing – Hearing – Order, RCW 81.53.060 Petition for alteration of crossing – Closure of grade crossing without hearing, and WAC 480-62-150 Grade crossing petitions
Exh. BY-3	Title 49 CFR Part 222 – Use of Locomotive Horns at Public Highway-Rail Grade Crossings
Exh. BY-4	FRA Guide to the Quiet Zone Establishment Process (Sept. 2013)
Exh. BY-5	Commission Staff comments to Whatcom County in Docket TR-160319

I. 1 INTRODUCTION 2 3 Q. Please state your name and business address. 4 A. My name is Betty Young. My business address is 1300 S. Evergreen Park Drive 5 S.W., P.O. Box 47250, Olympia, WA, 98504. 6 7 0. By whom are you employed and in what capacity? I work for the Washington Utilities and Transportation Commission (Commission), 8 A. 9 in the Rail Safety section, as a Transportation Planning Specialist. I have worked at 10 the Commission since 1999, and have worked full time in Rail Safety since 2015. 11 12 Q. What are your duties in this position as they apply to railroad safety? 13 My primary duties involve reviewing, evaluating, and making recommendations to A. 14 the Commission regarding petitions submitted to establish, close, or modify railroad 15 crossings. I participate in the U.S. Department of Transportation Federal Railroad 16 Administration (FRA) quiet zone establishment process by attending diagnostic team 17 meetings, evaluating safety issues, and drafting written comments on behalf of 18 Commission Staff (Staff). I evaluate and recommend action on requests for Grade 19 Crossing Protective Fund grants and manage grant awards to project completion. I 20 represent Staff in evaluating projects for funding under the Federal Highway 21 Administration's Section 130 program. I also provide policy analysis and research 22 for the Rail Safety section.

¹ Exh. BY-2.

٠

1		II. SCOPE AND SUMMARY OF TESTIMONY
2		
3	Q.	What is the purpose of your testimony?
4	A.	The purpose of my testimony is to make a recommendation on the petition filed by
5		Whatcom County (County) in this docket.
6		
7	Q.	Would you please summarize your recommendation?
8	A.	I recommend that the Commission grant the County's petition.
9		
10		III. QUIET ZONES
11		
12	Q.	Have you reviewed the County's petition and testimony filed in this case?
13	A.	Yes.
14		
15	Q.	What does the County propose to do?
16	A.	According to the petition and testimony filed in this docket, the County proposes to
17		install traversable median barriers with reflective channelization devices at an at-
18		grade public railroad crossing on Cliffside Drive (USDOT No. 084821L). The
19		County intends to establish a quiet zone at this crossing. Although the County is not
20		required to install median barriers to qualify for quiet zone designation by the FRA,
21		it has petitioned to add them as an additional crossing safety feature.
22		

1	Q.	The County refers to a quiet zone throughout its testimony. What is a quiet
2		zone?

A. Title 49 Code of Federal Regulations (CFR) Part 222 deals with the use of
locomotive horns at railroad crossings. The CFR requires the sounding of locomotive
horns when a train approaches a railroad crossing.² A "quiet zone" is a section of rail
line containing one or more consecutive public railroad crossings at which
locomotive horns are not routinely sounded when trains are approaching.³

8

9

Q. How is a quiet zone established?

10 A. The FRA describes the process in its brochure titled, "Guide to the Quiet Zone 11 Establishment Process." The public authority responsible for traffic control or law 12 enforcement at a crossing is the only entity permitted to create a quiet zone. The 13 public authority files notice of its intent to establish the quiet zone with the FRA and 14 other stakeholders, including the Commission. The FRA may approve the 15 establishment of a quiet zone when it determines that trains may approach the 16 crossing without sounding the locomotive horn without significant risk with respect 17 to loss of life or serious personal injury, or that the significant risk has been 18 compensated for by other means, such as the addition of crossing safety features.⁵

19

² 49 CFR § 222.21(b)(2), (3). A copy of 49 C.F.R. Part 222 is submitted as Exh. BY-3.

³ 49 CFR § 222.9.

⁴ Exh. BY-4.

⁵ 49 CFR Part 222 App. C § 1.

1	Q.	How does the FRA evaluate the risk of silencing locomotive horns at a crossing?
2		The FRA uses several measures to assign risk to a crossing, including the
3		Nationwide Significant Risk Threshold (NSRT), the Crossing Corridor Risk Index
4		(CCRI), and the Quiet Zone Risk Index (QZRI).6
5		The NSRT represents the average severity-weighted collision risk for all public
6		highway-rail grade crossings equipped with lights and gates nationwide where train
7		horns are routinely sounded. ⁷ The FRA developed this index to serve as a threshold
8		of permissible risk for quiet zones. For purposes of the train horn rule, a risk level
9		above the NSRT represents a significant risk with respect to loss of life or serious
10		personal injury. ⁸
11		The CCRI represents the average severity-weighted collision risk for all public
12		crossings along a defined rail corridor. ⁹
13		The QZRI represents the average severity-weighted collision risk for all public
14		highway-rail grade crossings that are part of a quiet zone. 10 It takes into
15		consideration the absence of the train horn and any safety measures that are present
16		or planned to be installed. ¹¹
17		Public authorities use the FRA's Quiet Zone Calculator to determine the QZRI
18		for the proposed quiet zone. 12 The County included its Quiet Zone Calculator
19		information in its testimony at Exhibit CS-2. A public authority may establish a quiet
20		zone without formal application to, or approval by, the FRA if the QZRI is less than

⁶ 49 CFR Part 222 App D. ⁷ 49 CFR § 222.9.

⁸ *Id*.

⁹ *Id*.

¹⁰ *Id*.

 ¹¹ 49 CFR Part 222 App. D.
 ¹² FRA Quiet Zone Calculator, *available at* http://safetydata.fra.dot.gov/quiet/.

or equal to the NSRT, or the proposed quiet zone satisfies two other criteria, and the public authority complies with the information and notification provisions in the regulation.¹³

4

5

6

7

8

9

1

2

3

Q. What happens if the QZRI is above the NSRT for a given crossing?

A If the QZRI is above the NSRT, the public authority can implement additional safety features, referred to as Supplemental Safety Measures (SSMs) and Alternative Safety Measures (ASMs), to receive a "risk reduction credit." If the SSMs or ASMs reduce the QZRI below the NSRT, the FRA deems the crossing(s) as eligible to become a quiet zone.

11

12

13

14

15

16

17

18

19

20

21

A.

10

Q. Can you give us a more detailed explanation of an SSM?

An SSM is defined as "a safety system or procedure...provided by the appropriate traffic control authority or law enforcement authority responsible for safety at the highway-rail grade crossing, that is determined...to be an effective substitute for the locomotive horn in the prevention of highway-rail casualties."¹⁵ Approved SSMs include temporary or permanent closure of a crossing, four-quadrant gate systems, and gates with medians or channelization devices. Median barriers and channelization devices are sometimes referred to interchangeably by parties in the quiet zone process.

As I noted above, approved SSMs provide a quiet zone applicant with a risk reduction credit, and each SSM has been assigned an effectiveness rating. The

¹³ See generally Exh. BY-4.

^{14 49} CFR § 222.9.

¹⁵ *Id*.

1 effectiveness rating is the reduction in likelihood of a collision at the crossing as the 2 result of the SSM installation. The approved SSMs are listed in 49 CFR Part 222 -3 Appendix A, along with the effectiveness rating for each SSM.¹⁶ 5 Q. What is the Commission's role in quiet zone establishment? 6 A. The Commission does not have authority to approve or deny establishment of the 7 quiet zone, so its role is fairly limited. Staff generally participates in on-site 8 diagnostic team meetings at the proposed quiet zone crossings and submit comments 9 to the public authority, the FRA, and stakeholders regarding current safety measures 10 at the crossing or proposed crossing modifications. 11 12 0. Why is this matter before the Commission? 13 A. In many cases, the public authority must make specific safety modifications at 14 crossings by adding SSMs or ASMs before a quiet zone can be established. In 15 Washington, a public authority must obtain approval from the Commission in order to make these safety modifications, by law. 17 Federal regulations related to 16 17 establishing quiet zones do not preempt administrative procedures required under 18 state law regarding the modification or installation of improvements at railroad crossings. 18 The County's petition resulted from that combination of state and 19 20 federal law.

21

¹⁶ 49 CFR Part 222 App. A.

¹⁷ RCW 81.53.060; WAC 480-62-150.

¹⁸ 49 CFR Part 222.7(e).

1		IV. CROSSING INFORMATION
2		
3	Q.	Are you familiar with the characteristics of the Cliffside Drive railroad
4		crossing?
5	A.	Yes. Based on information in the Commission's crossing inventory, the crossing has
6		active warning devices consisting of shoulder-mounted lights and gates. According
7		to the County's petition and testimony, approximately 300 vehicles travel over the
8		crossing daily, including one percent commercial vehicle traffic. The posted speed
9		limit on Cliffside Drive is 25 miles per hour. No school or transit buses use the
10		crossing.
11		The County's petition indicates that an average of 17 freight trains and two
12		passenger trains travel over the crossing daily at 45 miles per hour.
13		
14	Q.	Have you been to the Cliffside Drive railroad crossing?
15	A.	Yes. I attended the March 16, 2018, diagnostic team meeting at the crossing, with
16		staff from the FRA, the County, and BNSF Railway Company (BNSF).
17		
18	Q.	What is a diagnostic team meeting?
19	A.	A diagnostic team involves experienced and knowledgeable individuals from
20		interested organizations meeting at a crossing to evaluate its operational and physical
21		characteristics and to determine whether measures can be taken to maintain or
22		improve safety at the crossing. For quiet zones, the team generally consists of the
23		public authority, the FRA, Staff, and the railroad, though other organizations may

1		also be involved. The team considers a number of factors, including the crossing
2		configuration and physical characteristics, vehicle and train traffic patterns,
3		operations at the crossing, the crossing approach zones, and traffic control devices
4		such as pavement markings and signs or signals.
5		
6	Q.	Have there been any accidents reported at the Cliffside Drive crossing in the
7		last 10 years?
8	A.	No.
9		
10		V. DESCRIPTION OF PROPOSED CROSSING MODIFICATIONS
11		
12	Q.	In its petition, what modifications does the County propose to make at the
13		Cliffside Drive crossing?
14	A.	The County proposes to install 100 feet of traversable median barrier with reflective
15		channelization devices on each approach to the crossing.
16		
17	Q.	What is the purpose of a median barrier or channelization device?
18	A.	Median barriers and channelization devices on the approaches to a crossing provide a
19		visual and physical barrier to deter motorists from driving into the opposing traffic
20		lane to circumvent the lowered gates to cross the tracks.
21		

1	Q.	Does the FRA consider this modification to be an SSM?
2	A.	Yes. The FRA has approved median barriers and channelization devices as SSMs
3		
4	Q.	The County's testimony indicates that BNSF does not support the proposed
5		modifications. Is that your understanding?
6	A.	Yes. It is my understanding that BNSF prefers non-traversable curbs to the
7		traversable medians proposed by the County. The FRA also considers non-
8		traversable curbs to be an SSM.
9		
10	Q.	What effectiveness rating has the FRA assigned to each of these SSMs?
11	A.	The FRA has determined that channelization devices, like the median barriers the
12		County proposes to install, have an effectiveness rating of 0.75. Non-traversable
13		curbs, as BNSF is proposing, have an effectiveness rating of 0.80. As I explained
14		earlier, the effectiveness rating is a reduction in the likelihood of a collision at the
15		crossing as the result of the SSM installation.
16		
17	Q.	Does this mean that the FRA considers non-traversable curbs more effective
18		than the median barriers proposed by the County in its petition?
19	A.	Yes. The FRA indicates that non-traversable curbs reduce the likelihood of a
20		collision at the crossing by five percent over the median barriers proposed by the
21		County.
22		

1	Q.	Has Staff previously worked with the County on a proposed quiet zone and
2		provided comments about the effectiveness of median barriers?
3	A.	Yes. Bob Boston represented Staff related to the proposed quiet zone at Yacht Club
4		Road. Staff submitted comments related to the quiet zone to the County and
5		stakeholders in May 2016 in Commission Docket TR-160319. ¹⁹
6		
7	Q.	What was Staff's position related to traversable medians vs. non-traversable
8		curbs at that time?
9	A.	Staff's stated opinion was that non-traversable medians (curbs) provide a higher
10		disincentive for motorists to drive over them because of the potential damage to
11		vehicles.
12		
13	Q.	Do you agree with those comments?
14	A.	Yes. Based on the FRA's effectiveness rating, non-traversable curbs are five percent
15		more effective than traversable medians; therefore, they do provide a slightly higher
16		disincentive for motorists to drive over them.
17		
18	Q.	Do you believe the County should be required to install non-traversable curbs
19		at the Cliffside Drive crossing?
20	A.	No.
21		

¹⁹ Exh. BY-5.

_

1	Q.	Why not?
2	A.	The County is not required to install any SSMs to qualify for FRA quiet zone
3		designation, as the QZRI for the Cliffside Drive crossing is already below the NSRT.
4		Staff's position is that any SSM the County installs increases the safety at a crossing
5		where, according to the FRA, the crossing is already safe enough to approve
6		silencing of the train horn.
7		
8	Q.	What does Staff recommend in this case?
9	A.	Staff recommends that the Commission approve the County's petition. Staff supports
10		the County's efforts to provide a significantly greater degree of safety at the crossing
11		than what exists today by adding the traversable median barriers.
12		
13	Q.	Does this conclude your testimony?

14

A.

Yes.