

**BEFORE THE WASHINGTON
UTILITIES AND TRANSPORTATION COMMISSION**

**WASHINGTON UTILITIES AND
TRANSPORTATION COMMISSION,**

Complainant,

v.

**WASHINGTON WATER SUPPLY,
INC.,**

Respondent.

**DOCKETS UW-240079 and
UW-230598 (Consolidated)**

In the Matter of the Request of

**WASHINGTON WATER SUPPLY,
INC.,**

**To Approve Tariff Revisions Regarding
a Temporary Surcharge for Recovery of
Purchased Water Expenses**

EXHIBIT TO TESTIMONY OF

MIKE YOUNG

**STAFF OF
WASHINGTON UTILITIES AND
TRANSPORTATION COMMISSION**

Declaration of Mike Young

August 27, 2024

**BEFORE THE WASHINGTON
UTILITIES AND TRANSPORTATION COMMISSION**

WASHINGTON UTILITIES AND
TRANSPORTATION COMMISSION,

Complainant,

WASHINGTON WATER SUPPLY, INC.,

Respondent.

DOCKET UW-230598

DECLARATION OF MIKE YOUNG

I, MIKE YOUNG, under penalty of perjury under the laws of the state of Washington, declare as follows:

- 1 I am over 18 years of age and competent to be a witness.
- 2 I am employed by the Washington Utilities and Transportation Commission (Commission) as a Senior Regulatory Advisor.
- 3 The Echo Glen Water System (Echo Glen) well supply has been gradually decreasing over the last few years, and the well was in need of repair or replacement. Washington Water Supply, Inc. (Company) has been aware of the decline.¹ The Company serves approximately 140 customers on nine water systems located in King, Kitsap, and Clallam counties. The Company's last rate change was effective January 1, 2001.
- 4 Recent issues reached a peak in 2022. Customers experienced outages, complained about lack of meters, and potential leaks on the system. These complaints were filed with the Department of Health (DOH).² According to the Echo Glen customers, a meeting was held in June 2022 with the Company³ where they agreed at that time on a new well and to interim rates to rehabilitate the existing well.
- 5 In April 2023, the Company hired a well driller to rehabilitate the well. Due to an accident where the well driller employee was injured, the well drilling company was not able to complete

¹ Attachment 1, Echo Glen Outage update from Poppe 6-1-2023; Attachment 2, Echo Glen Customer Notice 6-3-2022.

² Attachment 3, Echo Glen Water System DOH History Snapshot thru 8.2023 (entry dated 6/1/2022: Complaint received (10 residents). Lack of meters. Lack of adequate communication. Lack of local contact. Repairs done by unlicensed personnel with unknown qualifications. Unknown status of DOH-specified repairs. Inadequate water shut offs at each house).

³ Attachment 4, Echo Glen customer meeting email 6-8-2022 (meeting scheduled for June 28, 2022).

the work until September 2023.⁴ In May 2023, the Company again had well capacity issues and started to purchase water which was trucked in and put into the water system.⁵ According to a statement from Water Buffalo Inc., the Company began purchasing water on June 2, 2023.⁶ The Company points to the issues of reduced well capacity in combination with higher summer water usage as the causes of several water system outages that have lasted up to 10 hours.⁷

- 6 On July 12, 2023, the Company filed with the Commission a tariff revision in Docket UW-230598 to include a surcharge of \$60 per month for the recovery of purchased water expenses due to well issues and high summer usage on the Echo Glenn Water System. The total customer count for Echo Glenn is 42 connections. In Order 01, the commission granted a \$60 per month surcharge to be collected between August 15, 2023 through November 15, 2023.
- 7 The Company completed well rehabilitation and ceased trucking in water by the end of September 2023. The Company filed a second surcharge request on December 8, 2023, for \$60 per month for six months in Docket UW-230997 to recover the remaining costs of the trucked in water. That docket was suspended by the commission at its January 11, 2024 open meeting.
- 8 On January 22, 2024, the Company filed for a third surcharge in Docket UW-240079 to recover approximately \$24,000 incurred in rehabilitating the well. The commission suspended this docket at its February 22, 2024 open meeting, and consolidated Docket UW-230598 and UW-240079.
- 9 The Department of Health (DOH) provided Commission Staff (Staff) with a copy of a letter dated August 7, 2023, sent to the Company which states that Echo Glen was on a Boil Water Advisory.⁸ Additionally, before lifting the advisory, the Company must demonstrate that the water is safe to drink by receiving bacteriological sample results indicating no coliforms are present.⁹ According to a DOH Health Advisory Summary, the Boil Water Advisory went into effect on July 7, 2023.¹⁰ Through a Request for Public Records filed January 22, 2024 with DOH, Staff was able to obtain the required test results supporting the lifted the boiled water notice.

⁴ Attachment 1, Echo Glen outage update from Poppe 6-1-2023

⁵ Attachment 1, Echo Glen outage update from Poppe 6-1-2023

⁶ *In re Request of Washington Water Supply, Inc.*, Docket UW-230598, Initial Filing, Water Buffalo, Inc. billing statement dated July 6, 2023.

⁷ Attachment 1, Echo Glen outage update from Poppe 6-1-2023

⁸ Attachment 5, Echo Glen DOH notice 8-7-2023

⁹ Attachment 5, Echo Glen DOH notice 8-7-2023

¹⁰ Attachment 3, Echo Glen Water System-History Snapshot thru 8.2023 (entry dated 7/7/2023: Chronic water outages. Boil Water Advisory / Conservation Advisory. Well pumping capacity severely reduced. Purveyor trucking water. Difficult to manage consumer demand – not fully metered. Driller contracted to replace well screens / drill new well.).

- 10 On November 1, 2023, and again on January 2, 2024, DOH emailed the Company to ask for an update on the Company's efforts to lift the Boil Water Advisory.¹¹ On November 2, the Company emailed DOH and Staff and advised that the Boil Water Advisory was withdrawn in October 2023 after samples were tested and came back negative.¹² DOH replied to the Company on November 3 and advised the Company that it needed to coordinate with DOH prior to lifting the Boil Water Advisory and requested copies of all water quality sample results and notifications to consumers regarding drinking water quality.¹³
- 11 The Company replied to DOH and Staff on November 8 and provided a copy of an email it sent to one customer, advising that customer of the water quality testing and the lifting of the Boil Water Advisory and asking the customer to forward to water system users.¹⁴ This email was dated September 30.¹⁵
- 12 The Company has meters installed on half of the 42 customers of the Echo Glen Water System but does not read or bill for water usage. The Company's current tariff has both a flat rate and a metered usage rate, but the Company does not use the metered usage rate. In an answer to Staff's data request, the Company noted it would cost about \$700 per customer to install a meter connection and would take about 4 hours per installation.¹⁶ Staff reviewed the invoices from the water trucking provider and verified the cost incurred for the purchased water. As of July 28, 2023, the Company has invoices showing the cost for purchased water to be \$10,965.
- 13 Customers say they have experienced water outages for several years. About 25-30 customers participated in a June 2022 meeting with the Company owner.¹⁷ According to customers, they agreed at this meeting to a new well, and to interim efforts to rehabilitate the existing well. The Company did not file these rates with the Commission, so they never went into effect. Customers do not believe there has been any effort to replace or fix the well. They believe the current situation was avoidable, and had the Company taken action to replace or fix the well, it would not have been necessary to import water by truck. The customers were willing to pay for a new well; however, they do not feel they should have to pay a surcharge because the Company failed to take appropriate action.¹⁸

¹¹ Attachment 6, Echo Glen DOH notice 1-2-2024 notice; Attachment 7, Echo Glen Company correspondence with email attachment, p. 3-4, 13.

¹² Attachment 7, Echo Glen Company correspondence with email attachment, p. 13.

¹³ Attachment 7, Company correspondence with email attachment, p. 1-2.

¹⁴ Attachment 7, Company correspondence with email attachment, p. 1, 8-27.

¹⁵ Attachment 7, Company correspondence with email attachment, p. 14.

¹⁶ Attachment 8, Echo Glen Company Data Request #1 Reply

¹⁷ See Attachment 4, Echo Glen Customer meeting 6-8-2022 (meeting scheduled for June 28, 2022).

¹⁸ July 27, 2023 open meeting comments

<https://wutc.app.box.com/v/OpenMeetings/file/1288036948043>

- 14 There have been numerous complaints from various Company customers to DOH and the Commission. The complaints cover a range of topics including the numerous outages without notice, the length of time an outage lasts, not getting the problem corrected sooner, lack of communication and accusations from the Company, and what they see as poor management of the Company. The complaints cover a time frame of 2020 through 2023.
- 15 The Company is scheduled to file its general rate case on June 27, 2024, pursuant to the procedural schedule adopted in Dockets UW-230598 and UW-240079.¹⁹ The Company has not filed reports pertaining to quarterly balance information, amounts received and spent, or reconciliation of the bank balance to the ledger as required by the Commission.²⁰

DATED at Lacey, Washington, and effective this 24th day of May 2024.

Respectfully submitted,

/s/ Michael Young

MIKE YOUNG

¹⁹ *WUTC v. Washington Water Supply, Inc.*, Dockets UW-230598 & UW-240079 (consolidated), Order 03/04, Appendix A (May 15, 2024).

²⁰ *In re Request of Washington Water Supply, Inc.*, Docket UW-230598, Order 01, 3 ¶10.

ATTACHMENT 1

From: [John Poppe](#)
To: [Joe Gstettenbauer](#); [Shelly Cline](#); [Pell, Derek \(DOH\)](#); [Carter, Brietta J \(DOH\)](#)
Subject: Re: Well / water questions
Date: Thursday, June 1, 2023 2:12:10 PM

External Email

Good Afternoon,

Thanks for the inquiry,

I'm very saddened the Echo Glen water system is in the stressed condition. There is enough water to supply residential needs, but not enough to meet irrigation needs. Recent water outage events have been controlled by the automatic control system that is in the reservoir and well. In the winter months, we did not have outages because typical residential consumption was 130 gallons per day. When the warmer weather arrived, average residential consumption went up to 200 gallons per day. It's important to note the new lawns on 231st were consuming a lot of water. Requests to stop watering outside worked for most consumers, but there were a few that did not comply with the consumption request.

The research for a new well / well rehab began early in 2022. It was finalized to rehabilitate the existing well through long discussions with Valley Pump and Well (Auburn) late in 2022. Early in 2023 a deposit was given to the Valley Pump and Well company to rehabilitate the existing well. To date they have \$8,000 to get us in the queue for the rehab. They scheduled the rehab before or just after the Memorial Day weekend.. May 30, 2023 I received an email from them stating their "lead well driller had injured himself" and they would not be able to start the well rehabilitation as scheduled on May 31, 2023. Followup emails from them resulted in no commitment of when they would start.

Once I get a firm date from Valley Pump, I will let people know of the pending event.. During the well rehab, two days, I will have 8,000 gallons of water trucked into the reservoir for basic functions. Hopefully, system users will comply with conservation efforts to keep water flowing for basic needs.

The outage this morning (6-1-23) was caused by irrigation outside the home.

Therefore, water will be restored today at 4 pm and shut off at 9 pm for the whole night, and will be restored at 6 am Friday morning. This will give us 9 hours for the reservoir to fill. I will keep you informed of planned actions for water service.

Respectfully,
Washington Water Supply

On Wed, May 31, 2023 at 4:24 PM Joe Gstettenbauer <joegstettenbauer@yahoo.com> wrote:

Hi John -- I know that you are getting a lot of heated inquiries regarding our water situation. Our family is planning a couple of family gatherings at our place on 231st Ave. SE in June, so I have a few questions.

1) You mentioned to me earlier that the well improvements would take place either just before or just after Memorial Day. Since it didn't happen before, do you have a specific date for when the well work will take place?

2) When the well improvement work is going on, is there anything that we as individual households need to be prepared for?

I would appreciate as specific information as possible from you. We would like to have these family gatherings here in June, but if there is no guarantee that we will have an adequate water supply soon, it would not be fair to our family members to have them endure the hassles of this unfortunate water shortage that we are facing.

Thanks,
Joe Gstettenbauer

ATTACHMENT 2



WASHINGTON WATER SUPPLY, INC

"Water Supply and Distribution"

June 3, 2022

Dear Echo Glen Water system customer,

Recent water outages have been due to one of your neighbors leaving an outside faucet open (volume 3600 gallons per day) which drained the reservoir resulting in a system shut down to fill the reservoir for normal consumption. The following information details existing water system operating conditions:

- 1. The well pump is operating 24 hours per day. Water is being pumped out of the ground at 12, 240 gallons per day.**
- 2. The 24 hour gallons being pumped out of the ground averages 291 gallons per day per house (AVERAGE CONSUMPTION HIGH). Normal water consumption per house is 170 gallons per day per house.**
- 3. The limited water production of the existing well reduces the ability to quickly fill the reservoir.**
- 4. In August 2021 Washington Water Supply requested a price from Tacoma Pump and Drilling price for drilling a new well and the price estimate was \$63,000. Quote attached.**
- 5. In May 2022 Washington Water Supply requested a quote from Valley Pump to drill a new well and the price estimate was \$35,000 which is about \$900/house.**
- 6. Based on the \$35,000 price tag (this does not include pump, electrical, controls) , would you be willing to pay an extra \$7/month for 10 years to**

**P.O. BOX 2985 SILVERDALE, WA 98383
(360) 308-8330**

have the second well drilled. Please complete the form attached to this letter.

The plan is to have two wells with the new well being the primary source and the existing well for future backup

Respectfully,

Washington Water Supply, Inc.

Please

return this form

Yes for new well

No for new well


DATE _____

Name _____

Account # _____

Address _____

Contact information _____



from: Eric Hansen

30316 Mountain Hwy
Graham WA 98338

Phone: (253) 847-9352
Fax: (253) 847-9623
www.tacomadrilling.com
WA Lic. #: TACOMAPD203PF

QL

to: John Poppe
Washington Water Supply
PO Box 2985
Silverdale WA 98383
360-340-8372
poppe.john@gmail.com

date:

scope of work: Echo Glen Water Well

location:

Item	Qty	Description	Unit
1	1 ls	Mobilization, Set Up	2,500.00
2	1 ls	N.O.I. Permits & Admin	1,500.00
3	18 ft	12" SurfaceSeal	300.00
4	1 ea	8" Casing Shoe	550.00
5	200 ft	8" Drill and Case	125.00
6	10 ft	Stainless Steel screen	195.00
7	1 ls	Screen Installation	2,500.00
8	4 hr	Development	550.00
9	1 ls	Test Pump Installation	6,500.00
10	24 hr	Test Pump	340.00
11	1 ls	Water Samples	1,500.00
Sub Total			
tax			0.087
Total			

JOTE

8/3/2021

Maple Valley

Extended

2,500.00
1,500.00
5,400.00
550.00
25,000.00
1,950.00
2,500.00
2,200.00
6,500.00
8,160.00
1,500.00

57,760.00

5,025.12

\$ 62,785.12

Valley Pump Inc.
202 8th St SE
Auburn, WA 98002
(253)939-8008
dave@valleypumpnw.com



Estimate 4308

ADDRESS

John Poppe
Washington Water Supply, Inc.
P.O. Box 2985
Silverdale, WA 98383

DATE
05/25/2022

TOTAL
\$34,638.35

LOCATION

22928 SE 206th St. Maple Valley

SALES REP
Dave

DATE	ACTIVITY	DESCRIPTION	QTY	RATE	AMOUNT
		Job Site: 22928 SE 206th St. Maple Valley, WA. 98038 Parcel#			
	8" .25 Well Casing	Well Drilled including 8" Steel Casing (60' Minimum) does not include drilling through boulders or rock shelves requiring specialized tooling, such as under reamers.	146	138.00	20,148.00T
	Mobilization	Mobilization includes driving rigs under their own power, setting jack pads and towering up. Access for drill Rig and support truck and daily driver truck must also be allowed for per provided site plans, During ongoing project.	1	1,275.00	1,275.00T
	8" Aluminum Watertight Well Cap	8" Aluminum Watertight Well Cap	1	190.62	190.62T
	Surface Seal	Surface Seal	1	2,600.00	2,600.00T
	Fuel Surcharge	Fuel Surcharge	1	1,290.00	1,290.00T
	8" HD	8" HD	1	399.00	399.00T
	Notice of Intent Domestic	Notice of Intent: Dept. of Ecology Permit Fee for a Domestic Well	1	300.00	300.00T
	Sterilene	Sterilene Per Dose	3	59.50	178.50T

50% Payment required prior to being scheduled.

Signature _____

Date: _____

Thank you for choosing Valley Pump
Subject to change

DATE	ACTIVITY	DESCRIPTION	QTY	RATE	AMOUNT
	8" x 5' Well Screen .020 Slot	8" x 5' Well Screen .020 Slot	2	1,448.00	2,896.00T
	8" Fig K Packer	8" Fig K Packer	1	388.89	388.89T
	Parts-Drilling-Mob & Labor	Parts-Drilling-Labor- Developing screens	4	550.00	2,200.00T
		If a screen is needed the cost of it is \$1448.00 for a 5' Section.			
		Additional as needed labor is billable at the rate of \$550.00 an hour for Rig time also Screen Fabrication and Installation			
		** This estimate does not include any site preparation for the Drilling Equipment**			
		This estimate is based off a well that was drilled on your neighboring property. If we drill less the cost will be less. Please call to discuss			

Customers are required to pay 50% Down on all estimates to get on schedule.
100% Payment due on Real Estate Transactions prior to service.

SUBTOTAL	31,866.01
TAX (8.7%)	2,772.34

TOTAL	\$34,638.35
-------	--------------------

THANK YOU.

Accepted By

Accepted Date

50% Payment required prior to being scheduled.

Signature _____

Date: _____

Thank you for choosing Valley Pump
Subject to change

ATTACHMENT 3

Echo Glen Water System (#27510) King County – File History (D.Pell)

1/6/1967	DSHS approval letter. Gesell Addition Plat – water supply & distn system. Well 159', 250gpm. Plans not on file.
5/14/1975	Roger Lewis, attorney & counsel for Gesell Enterprises, letter. Robert R. Gesell died, "survivors have little knowledge of assets and obligations." WA State AAG Consumer Protection Division response.
6/4/1975	AAG letter. Complaint received.
6/25/1975	DSHS letter. 1/6/1967 approved plans not followed. Requested as-builts. No additional connections.
7/11/1975	DSHS letter. No as-builts received. Adequacy and safety of this water supply is in question.
7/29/1975	AAG letter. Complaint received.
9/5/1975	DSHS letter. Ordered to submit as-built plans by 10/1/1975.
9/12/1975	Roger Lewis disputes role as agent for Gesell.
9/18/1975	DSHS letter. Gesell Enterprises ordered to submit as-builts. Lewis listed as Registered Agent, Vice President, and Director of the Corp.
11/7/1975	DSHS letter response to 10/8/1975 as-built submittal. Comments.
11/25/1975	DSHS letter acknowledge ok to serve lots identified in original plat of Gesell Addition and not beyond.
1/19/1975	DSHS letter awaiting response to remaining items in 11/7/1975 letter.
4/16/1976	DSHS letter, no objection to continued operation of the Gesell water system provided that no connections to LeGrande development; Gesell Addition only.
7/13/1978	DSHS letter. No objections to service to Martin lot.
10/1/1979	Certification of Installation. 20,000 gallon water storage tank.
5/22/1981	DSHS letter. Bacteria MCL violation.
2/5/1986	DSHS status letter. Not in compliance. Failure to do quarterly bacteria monitoring.
2/14/1986	DSHS status letter. Is generally in compliance. Samples collected.
5/4/1988	DSHS status letter. Plans approved to serve 38 services.
7/8/1987	DSHS letter. Review 2-page engineering report. Existing system has 37 connections. 60gpm well. 27,000 gallon storage. Continuous run booster pumps. No substantial complaints. OK for 38 th connection.
5/15/1989	DSHS status letter. <u>Not</u> submitted quarterly bacteria samples. System designed to serve 38 connections.
6/29/1989	DSHS status letter. Revised status letter. Designed to serve 38 services.
8/21/1990	DOH status letter. IOC sample 10 months late.
7/5/1990	DOH status letter.
1/25/1991	DOH status letter.
10/16/1989	DSHS letter. Water Quality Concern. Backflow concerns from connections with machine shops. Backflow prevention devices required.
2/12/1991	Complaint received. Inadequate or improper management or operations. Change in ownership (Iliad Inc?).
4/10/1991	DOH letter forwarding complaint to Iliad requesting response.
4/19/1991	Iliad letter stating no ownership relationship with Echo Glen.
9/29/1992	Letter from John Poppe, Washington Water Supply, responding to failed bacti test.
1/14/1993	Complaint received. Low pressure, water outage.

4/20/1994	DOH letter responding to request for additional connections. Denied. Complete water system evaluation is needed.
1/3/1995	DOH sanitary survey. Well 6" dia. 10hp pump, 7.5hp backup pump not in use. 57,000gal concrete tank. 3- 88gal pressure tanks, meters being installed. 41 existing connects. 14 findings / recommendations.
3/7/1996	DOH Order Washington Water Supply, Inc to submit water system plan. 4 Group A and 5 Group B water systems.
8/1/1996	Red operating permit. Exceeded approved connections. Obtain water system plan & financial viability approval.
4/16/1997	DOH review letter of water system plan. WSP Highlights. Chapter 11 – Echo Glen Water System: 41 existing connections. Drilled well, reported 250gpm capacity pumps to a ground level 21,402 gallon concrete reservoir, booster pumping system (jockey pump, 7.5hp, 10hp pumps) is used to pump to the distribution system (single pressure zone). 1976 water right 250gpm, 26.7af/y. The Echo Glen Water Company purchased the water system in 1987. Washington Water Supply purchased the water system in 1991. "The only existing water distribution plans was prepared by Hernando Chaves, PE in 1991, 24 years after construction and is only approximate".
8/8/1997	DOH letter. Review engineering information. OK 42 domestic water services. Nangle connection.
5/11/2000	DOH review of corrosion control treatment recommendation report. Adjust pH by adding soda ash or potash. Must submit engineering design documents.
9/30/2005	Notice of Violation. Failure to schedule sanitary survey.
6/9/2006	DOH letter responding to request for additional connection (Hutchins). No approval will be given for an additional connection without first reviewing a capacity analysis that show that the current system is able to serve an additional connection. The analysis should be developed based on the current flow from the existing well, and include the estimated or known demand per connection. If an additional source is needed to serve, then the source must be available.
7/31/2006	Sanitary Survey by Public Health – Seattle & King County. Checklist. Deficiency: reservoir hatch is not locked.
9/22/2006	DOH letter Response to Pressure Loss Events. Customer complaints. Tech assist and expectation to follow standard industry practices.
10/5/2006	DOH letter Notification of Copper Action Level Exceedance / Corrosion Control Treatment Requirement.
2/27/2007	DOH letter Notification of Lead Action Level Exceedance / Corrosion Control Treatment Requirement.
7/18/2008	DOH letter. Lead Public Education – Violation
4/19/2007	DOH letter. John Poppe failed to meet professional growth requirement, certification inactivated.
6/20/2011	DOH letter. Sanitary survey (D.Pell). No significant deficiencies.
7/14/2011	Note to file. The Echo Glen correspondence file from Sept 1997 thru June 2010 is missing. It was reconstructed from King County files and DOH reading files.
10/17/2013	Complaint received. Customer requested repair of gate valve, no response.
11/26/2014	DOH letter. Skip Beahm no longer with water system. Must have certified operator.

12/2/2014	DOH letter. Reporting Violation – 2013 Consumer Confidence Report. Failed to submit report.
05/9/2016	Notice of Violation. Failure to collect lead / copper samples.
11/23/2016	DOH letter. Reporting Violation – 2015 Consumer Confidence Report.
1/27/2017	DOH letter. Sanitary survey (S.Gregg). No significant deficiencies.
5/3/2018	DOH letter. Past Due Operating Permit bill.
7/9/2019	DOH letter. Violation for Failure to Submit 2018 Annual Water Use Efficiency Report.
7/29/2019	DOH letter. Reporting violation – 2018 Consumer Confidence Report.
12/17/2021	DOH letter. Sanitary Survey. (S. Gregg). Significant deficiencies: seal wellhead (done), replace reservoir hatch (on order), fix float cables (done).
6/1/2022	Complaint received (10 residents). Lack of meters. Lack of adequate communication. Lack of local contact. Repairs done by unlicensed personnel with unknown qualifications. Unknown status of DOH-specified repairs. Inadequate water shut offs at each house.
6/21/2023	DOH / UTC / John Poppe Meeting. Discussed complaint. Poppe to file surcharge. Valley Pump & Drilling agreed to re-hab well; driller injured / unable to work. Poppe reference community meeting in Fall 2022 where he indicated he wanted to sell the water system. (D.Pell confirmed with Valley Pump & Drilling that driller unable to work).
7/7/2023	Chronic water outages. Boil Water Advisory / Conservation Advisory. Well pumping capacity severely reduced. Purveyor trucking water. Difficult to manage consumer demand – not fully metered. Driller contracted to replace well screens / drill new well.
7/27/2023	Echo Glen Community Meeting at Maple Valley Sheriff's Office (B. Carter, D.Pell). Discussed concerns and options for water system ownership transfer.
8/7/2023	DOH letter. Chronic Water Outages. Directive to address root cause and mitigate.
8/10/2023	UTC Open Public Meeting – Washington Water Supply, Inc (UW-230598). Tariff Revision to include a surcharge of \$60 per month for the recovery of purchased water expenses due to well issues and high summer usage on the Echo Glenn water system located in Maple Valley. The Echo Glenn water system serves 42 customers. The surcharge would generate an additional \$30,240 (40.9 percent) on an annual basis. Washington Water Supply serves approximately 140 customers on nine water systems located in King, Kitsap, and Clallam counties. The Company's last rate change was effective January 1, 2001. Surcharge conditionally approved by commission.
8/10/2023	D.Pell reached out to DOH approved Ownership SMAs: Washington Water Service and NW Natural Water to discuss John Poppe's desire to transfer ownership of Echo Glen water system. Barbara Summers from NW Natural said she had a previous conversation with John; she will inquire again. Left email message for Matt Brown.
8/11/2023	DOH / Public Health – Seattle & King County discussed Echo Glen situation and receivership process.

ATTACHMENT 4

6/9/22, 7:39 AM

Gmail - Water Drama



John Poppe <poppe.john@gmail.com>

Water Drama

5 messages

Heidi jo Mafi <heidijomafi@gmail.com>
To: John Poppe <poppe.john@gmail.com>

Wed, Jun 8, 2022 at 6:10 PM

Hi John,

Boy, there's a lot of "drama" going on around here.

Couple things I want to share.

1. Shelly's husband has been ill so she may not be 100% on point with all things well. It's not for me to go into detail but I know you use her as a point person for that street.

2. What's your time like to do another meeting? Maybe in person this time? We'd be happy to do it one evening on our property, folks can bring lawn chairs and see you face to face. Come early and I'll make dinner if that's easiest for you. I just think there's so much confusion which creates anger.

Let me know what you think and a couple of dates if that works for you. We could always do a zoom too, but I think with some of the older folks and less tech people a face to face may be a more positive experience.

Let me know your thoughts.

Warm regards

Heidi jo Mafi,

Tenth Muse Studios
inspiring artistic expression

John Poppe <poppe.john@gmail.com>
To: Heidi jo Mafi <heidijomafi@gmail.com>

Wed, Jun 8, 2022 at 7:57 PM

I would love to have a community meeting.

How does an evening during the last week of June?

.....Tuesday evening?

[Quoted text hidden]

Heidi jo Mafi <heidijomafi@gmail.com>
To: John Poppe <poppe.john@gmail.com>

Wed, Jun 8, 2022 at 8:14 PM

Ok. Let's shoot for the 28th, Mafi's place at 6:30? 7:00? What's best for you?

Heidi jo Mafi,

Tenth Muse Studios
inspiring artistic expression
[Quoted text hidden]

John Poppe <poppe.john@gmail.com>
To: Heidi jo Mafi <heidijomafi@gmail.com>

Wed, Jun 8, 2022 at 8:18 PM

Let's start at 630 and I will eat before I come. Thanks for the offer of dinner, raincheck.

<https://mail.google.com/mail/u/0/?ik=afa4bbf2ac&view=pt&search=all&permthid=thread-f%3A1735117543094033496&simpl=msg-f%3A1735117543094033496> 1/2

6/9/22, 7:39 AM

Gmail - Water Drama

[Quoted text hidden]

Heidi jo Mafi <heidijomafi@gmail.com>
To: John Poppe <poppe.john@gmail.com>

Wed, Jun 8, 2022 at 9:30 PM

Ok.
We'll put it in motion.

Heidi jo Mafi,

Tenth Muse Studios
inspiring artistic expression
[Quoted text hidden]

ATTACHMENT 5



STATE OF WASHINGTON
DEPARTMENT OF HEALTH
NORTHWEST DRINKING WATER REGIONAL OPERATIONS
PO BOX 47800 ATTN: MS K17-12 OLYMPIA, WA 98504-7800

August 7, 2023

John Poppe
Washington Water Supply Inc.
poppe.john@gmail.com

Subject: Echo Glen Water System, ID #27510
King County
2023 Correct Chronic Outages

Dear John Poppe:

Our office has received many complaints related to inadequate supply leading to water outages for the Echo Glen Water System.

You are directed to 1) address the root cause of the water outage problem, and 2) mitigate the public health risk associated with the continued threat of outages while the plan is implemented.

While we have discussed both items many times in the past several months, this letter is written to help document your plan to meet these requirements.

Address the root cause of the water outage problem

We advise proceeding with your plans to restore the existing well to its former capacity and we understand that you have an agreement with Valley Pump to do this work as soon as possible. Please keep us informed on your progress. If well restoration does not address the chronic outages, our office will direct you to hire an engineer to evaluate options. A Small Water System Management Program would be part of this evaluation. We would expect your plan to address the root cause with action items and a schedule.

Mitigate the public health risk associated with the continued threat of outages

You are required to maintain system pressure. We advise proceeding with your plans to truck water while your plan to address the root cause is being implemented. We understand that because of recent water outages, customers have been advised to boil their water prior to consumption. Before lifting the boil water advisory, please restore pressure and demonstrate the water is safe to drink by receiving bacteriological sample results indicating no coliforms are present.

Thank you for working with us.

Sincerely,

A handwritten signature in black ink that reads "Brietta Carter". The script is cursive and fluid.

Brietta Carter, PE
Regional Engineer
NW Office of Drinking Water
Brietta.Carter@doh.wa.gov

ecc: Lynn Schneider, Public Health – Seattle & King County
Wesley Loven, Public Health – Seattle & King County
John Cupp, WA Utilities and Transportation Commission
Tiffany Van Meter, WA Utilities and Transportation Commission
Mike Young, WA Utilities and Transportation
Derek Pell, PE, NWRO Manager, DOH
Aniela Sidorska, Compliance Program, DOH

ATTACHMENT 6



STATE OF WASHINGTON
DEPARTMENT OF HEALTH
NORTHWEST DRINKING WATER REGIONAL OPERATIONS
PO Box 47800, Olympia, WA 98504-7800

January 2, 2024

JOHN POPPE
ECHO GLEN WATER SYSTEM
poppe.john@gmail.com

Subject: Echo Glen Water System, ID # 27510D, COMM
King County
Coliform Monitoring Violation for November 2023

Dear John Poppe:

Your water system has a monitoring violation for November 2023 because we either did not receive any routine coliform sample results or we received fewer routine coliform sample results than required. Coliform bacteria sampling is important to ensure the system is free of contamination. Notify all users of this violation by completing and distributing the enclosed notice. Send a copy of the completed notice and certification to me.

Sometimes errors occur and a sample result doesn't get credited to a system. In that case please send me a copy of the lab slip(s) for your sample(s) collected in November. I will credit the sample(s) to your system and delete the violation.

If you have multiple violations within a rolling 12-month period of operations your water system will be subject to further enforcement. Consequences of continued non-compliance may include a requirement to employ a certified operator if you do not already have one and installing continuous chlorination on your sources of supply if not already treated.

If you have any questions or need assistance, you can contact me at (253) 395-6754 or by e-mail at Ingrid.Salmon@doh.wa.gov.

Sincerely,

A handwritten signature in blue ink that reads "Ingrid Salmon".

Ingrid Salmon
Office of Drinking Water
Coliform Program Manager

Enclosure – Notice to Water System Users

cc: Drinking Water Program, Public Health Seattle & King County
Brietta Carter, DOH

NOTICE TO WATER SYSTEM USERS

COLIFORM MONITORING VIOLATION

Echo Glen Water System, ID # 27510D, located in King County is required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring indicate whether your drinking water meets health standards. During November 2023 we did not monitor or test for coliform bacteria or collected fewer samples than we were required to collect. Therefore we cannot be sure of the quality of your drinking water during that time.

At this time:

- ☐ No action is required by the users.
- ☐ We collected the routine coliform sample required for the month of _____ and the lab found no coliform bacteria.
- ☐ We will collect samples in the future as required.
- ☐ Other information for customers:

For more information, contact: _____
Owner or Operator

Phone number

Address

Email

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

This notice is sent to you by _____ Water System on ____ / ____ / ____

Coliform Monitoring Public Notice Certification Form for WS ID **27510D**

By completing the information below, we certify to the state Department of Health that we distributed public notice to our customers.

Please check the appropriate box and fill in the date you distributed the notice:

- ☐ Notice was mailed to all water customers on _____.
- ☐ Notice was hand delivered to all water customers on _____.
- ☐ Notice was posted with Department of Health approval at: _____ on _____.



Sign below and send this completed notification and certification form to us at the address checked below:

Signature of owner or operator

Position

Date

Northwest Region Department of Health PO Box 47800 Olympia, WA 98504-7800 NWRO.coli@doh.wa.gov Fax: 253-395-6760	Southwest Region Department of Health PO Box 47823 Olympia, WA 98504-7823 swro.coli@doh.wa.gov Charese.Gainor@doh.wa.gov Fax: 360-236-3029	Eastern Region Department of Health 16201 E Indiana Ave, Suite 1500 Spokane Valley, WA 99216 joseph.perkins@doh.wa.gov Fax: 509-329-2104
--	---	--

For people with disabilities, this document is available on request in other formats. To submit a request, please call 1-800-525-0127 (TDD/TTY call 711).

ATTACHMENT 7

From: [John Poppe](#)
To: [Pell, Derek \(DOH\)](#)
Cc: [Leggett, Jeanine \(UTC\)](#); [Castaneda-Kerson, Melissa \(UTC\)](#); [Ward, Jim \(UTC\)](#); [Roth, Jing \(UTC\)](#); [Cupp, John \(UTC\)](#); [Carter, Brietta J \(DOH\)](#); [Van Meter, Tiffany \(UTC\)](#); [Sidorska, Aniela \(DOH\)](#); [Christensen, Lisa Kelley \(ATG\)](#); [Onwumere, George \(DOH\)](#)
Subject: Re: Echo Glen Surcharge
Date: Wednesday, November 8, 2023 12:02:16 PM
Attachments: [Scan of PDF](#)

External Email

Good afternoon,

I have scanned and attached the information requested by Dereck Pell for the August 7, 2023 DOH letter.

On Fri, Nov 3, 2023 at 4:15 PM Pell, Derek (DOH) <Derek.Pell@doh.wa.gov> wrote:

Thank you.

Derek

From: John Poppe <poppe.john@gmail.com>
Sent: Friday, November 3, 2023 4:14 PM
To: Pell, Derek (DOH) <Derek.Pell@DOH.WA.GOV>
Cc: Leggett, Jeanine (UTC) <jeanine.leggett@utc.wa.gov>; Castaneda-Kerson, Melissa (UTC) <melissa.castaneda-kerson@utc.wa.gov>; Ward, Jim (UTC) <jim.ward@utc.wa.gov>; Roth, Jing (UTC) <jing.roth@utc.wa.gov>; Cupp, John (UTC) <john.cupp@utc.wa.gov>; Carter, Brietta J (DOH) <brietta.carter@doh.wa.gov>; Van Meter, Tiffany (UTC) <tiffany.vanmeter@utc.wa.gov>; Sidorska, Aniela (DOH) <Aniela.Sidorska@DOH.WA.GOV>; Christensen, Lisa Kelley (ATG) <lisa.kelley@atg.wa.gov>; Onwumere, George (DOH) <George.Onwumere@doh.wa.gov>
Subject: Re: Echo Glen Surcharge

External Email

I do remember seeing the letter. I will get a written response ASAP.

On Fri, Nov 3, 2023, 1:25 PM Pell, Derek (DOH) <Derek.Pell@doh.wa.gov> wrote:

Copy of letter attached.

Please let me know if you have questions.

Derek

From: John Poppe <poppe.john@gmail.com>
Sent: Friday, November 3, 2023 1:22 PM
To: Pell, Derek (DOH) <Derek.Pell@DOH.WA.GOV>
Cc: Leggett, Jeanine (UTC) <jeanine.leggett@utc.wa.gov>; Castaneda-Kerson, Melissa (UTC) <melissa.castaneda-kerson@utc.wa.gov>; Ward, Jim (UTC) <jim.ward@utc.wa.gov>; Roth, Jing (UTC) <jing.roth@utc.wa.gov>; Cupp, John (UTC) <john.cupp@utc.wa.gov>; Carter, Brietta J (DOH) <brietta.carter@doh.wa.gov>; Van Meter, Tiffany (UTC) <tiffany.vanmeter@utc.wa.gov>; Sidorska, Aniela (DOH) <Aniela.Sidorska@DOH.WA.GOV>; Christensen, Lisa Kelley (ATG) <lisa.kelley@atg.wa.gov>; Onwumere, George (DOH) <George.Onwumere@doh.wa.gov>
Subject: Re: Echo Glen Surcharge

External Email

Please email the letter. On the road, so I can look at the file.

Thanks

On Fri, Nov 3, 2023, 10:37 AM Pell, Derek (DOH) <Derek.Pell@doh.wa.gov> wrote:

Hello John.

Please respond to our letter dated August 7, 2023 regarding the well problems. Yes, I received a phone report from Valley Pump explaining the well screen replacement operation. To my knowledge, we have not received anything from you in writing to affirm that the current well production is consistent with the original approved design.

You must coordinate with DOH prior to lifting a Boil Water Advisory per WAC 246-290-71001. Please provide copies of all water quality sample results from September to present day. Please provide a copy of notifications to consumers regarding drinking water quality.

Please provide a complete response by **11/8/2023**.

Thank you.

Derek

Derek Pell, PE

Northwest Regional Office Manager

Office of Drinking Water

Environmental Public Health

Washington State Department of Health

derek.pell@doh.wa.gov

doh.wa.gov | 253-395-6768

The physical location of the NW Regional Office of Drinking Water (NWRO) in Kent is closed. Our NWRO functional group remains intact and we are now working remotely. We are in the process of scanning all of our files. Please note, our response times may be slower than usual. We appreciate your patience. Our new mailing address is: 111 Israel Rd SE, PO Box MS: 47822, Olympia, WA 98504.

From: John Poppe <poppe.john@gmail.com>
Sent: Thursday, November 2, 2023 12:14 PM
To: Pell, Derek (DOH) <Derek.Pell@DOH.WA.GOV>
Cc: Leggett, Jeanine (UTC) <jeanine.leggett@utc.wa.gov>; Castaneda-Kerson, Melissa (UTC) <melissa.castaneda-kerson@utc.wa.gov>; Ward, Jim (UTC) <jim.ward@utc.wa.gov>; Roth, Jing (UTC) <jing.roth@utc.wa.gov>; Cupp, John (UTC) <john.cupp@utc.wa.gov>; Carter, Brietta J (DOH) <brietta.carter@doh.wa.gov>; Van Meter, Tiffany (UTC) <tiffany.vanmeter@utc.wa.gov>
Subject: Re: Echo Glen Surcharge

External Email

Good afternoon all,

The boil water advisory was withdrawn in October, 2023 after Bac-T samples were taken and tested by Spectra Lab. All samples came back negative, so a notice was sent to the Echo Glen water system users notifying them of the lab results and a "no need" to boil water.

Valley Pump and Well stated the well production is 60 gallons per minute. Valley Pump stated the well production to DOH, DOH stated the well production number to an Echo Glen resident who sent an email to all system users.

The final invoice from Valley Pump and Well totaled more than \$36,000. A detailed invoice review was inconclusive, so I sent a letter to Valley Pump asking for support information and they have not yet responded.

I haven't asked for a rate adjustment yet for the drilling because I have no final figure from Valley Pump that can be justified.

Thanks for reaching out!

John Poppe

On Wed, Nov 1, 2023 at 1:10 PM Pell, Derek (DOH) <Derek.Pell@doh.wa.gov> wrote:

Hi John.

I've seen a lot of email activity on updating your surcharge and tariff.

Can you give us an update on whether the well screen replacement returned capacity to the original design capacity and your efforts to lift the Boil Water Advisory.

Thanks.

Derek

Derek Pell, PE

Northwest Regional Office Manager

Office of Drinking Water

Environmental Public Health

Washington State Department of Health

derek.pell@doh.wa.gov

doh.wa.gov | 253-395-6768

The physical location of the NW Regional Office of Drinking Water (NWRO) in Kent is closed. Our NWRO functional group remains intact and we are now working remotely. We are in the process of scanning all of our files. Please note, our response times may be slower than usual. We appreciate your patience. Our new mailing address is: 111 Israel Rd SE, PO Box MS: 47822, Olympia, WA 98504.

From: John Poppe <poppe.john@gmail.com>

Sent: Tuesday, October 17, 2023 8:57 AM

To: Van Meter, Tiffany (UTC) <tiffany.vanmeter@utc.wa.gov>

Cc: Leggett, Jeanine (UTC) <jeanine.leggett@utc.wa.gov>; Castaneda-Kerson, Melissa (UTC) <melissa.castaneda-kerson@utc.wa.gov>; Ward, Jim (UTC) <jim.ward@utc.wa.gov>; Roth, Jing (UTC) <jing.roth@utc.wa.gov>; Cupp, John (UTC) <john.cupp@utc.wa.gov>; Carter, Brietta J (DOH) <brietta.carter@doh.wa.gov>; Pell, Derek (DOH) <Derek.Pell@DOH.WA.GOV>

Subject: Re: Echo Glen Surcharge

External Email

Not yet. I want the document to be accurate so the real filing is clean and trouble free.

I'm asking for a UTC review/comment so I can correct my mistakes.

On Tue, Oct 17, 2023, 8:45 AM Van Meter, Tiffany (UTC)

<tiffany.vanmeter@utc.wa.gov> wrote:

Did you send this through the Efiling portal John as well?

Tiffany Van Meter (she/her)

Section Manager, Water and Transportation Regulation

Washington State Utilities and Transportation Commission

Office 360.664.1246

Cell 360.485.5227

Tiffany.Vanmeter@utc.wa.gov

From: John Poppe <poppe.john@gmail.com>

Sent: Tuesday, October 17, 2023 8:20 AM

To: Young, Mike (UTC) <mike.young@utc.wa.gov>

Cc: Leggett, Jeanine (UTC) <jeanine.leggett@utc.wa.gov>; Castaneda-Kerson, Melissa (UTC) <melissa.castaneda-kerson@utc.wa.gov>; Ward, Jim (UTC)

<jim.ward@utc.wa.gov>; Van Meter, Tiffany (UTC)

<tiffany.vanmeter@utc.wa.gov>; Roth, Jing (UTC) <jing.roth@utc.wa.gov>;

Cupp, John (UTC) <john.cupp@utc.wa.gov>; Carter, Brietta J (DOH)

<brietta.carter@doh.wa.gov>; Pell, Derek (DOH) <Derek.Pell@DOH.WA.GOV>

Subject: Re: Echo Glen Surcharge

External Email

Good Morning,

I have attached TARIFF Draft #1 for the Surcharge extension.

Add

Change

Delete

Thanks

Poppe

On Mon, Oct 16, 2023 at 2:00 PM John Poppe <poppe.john@gmail.com> wrote:

Good afternoon all,

I have attached the DRAFT Echo Glen Water System customer notification

letter for the \$60 SURCHARGE for the 2023 trucking of water.

Add

Change

Delete

Thanks

John

On Mon, Oct 16, 2023 at 11:41 AM John Poppe <poppe.john@gmail.com> wrote:

Thanks for getting back to me. Last SURCHARGE exercise was chaotic due to time constraints and I thank UTC staff!! To make things reasonable, I suggest the effective date December 1, 2023.

October 15, 2023 (SUNDAY) I sent an email to all Echo Glen Water System residents notifying them of intent file with the UTC and provided a copy of the WATER BUFFALO final invoice so they could see the trucking cost.

I will send a draft customer notice for approval late this afternoon for comments.

Respectfully,

John Poppe

Washington Water Supply

On Mon, Oct 16, 2023, 10:54 AM Young, Mike (UTC) <mike.young@utc.wa.gov> wrote:

John, we are already inside the 30 day requirement for the commission, so I think the best bet would be to shoot for a November 1 effective date, which gives you until October 31 to get the filing in.

Please let me know if you have questions. Thanks.

From: John Poppe <poppe.john@gmail.com>
Sent: Friday, October 13, 2023 9:24 AM
To: Young, Mike (UTC) <mike.young@utc.wa.gov>; Leggett, Jeanine (UTC) <jeanine.leggett@utc.wa.gov>; Castaneda-Kerson, Melissa (UTC) <melissa.castaneda-kerson@utc.wa.gov>; Ward, Jim (UTC) <jim.ward@utc.wa.gov>; Van Meter, Tiffany (UTC) <tiffany.vanmeter@utc.wa.gov>; Roth, Jing (UTC) <jing.roth@utc.wa.gov>; Cupp, John (UTC) <john.cupp@utc.wa.gov>; Carter, Brietta J (DOH) <brietta.carter@doh.wa.gov>; Pell, Derek (DOH) <Derek.Pell@DOH.WA.GOV>

Subject: Echo Glen Surcharge

External Email

Good Morning,

Washington Water Supply, Inc. will file for a \$60 Surcharge extension for the Echo Glen Water System.

1. First SURCHARGE was implemented August 15, 2023.
2. First SURCHARGE will expire November 15, 2023.
3. Washington Water Supply, Inc. seeks approval to continue with the \$60 SURCHARGE until the \$21,269.90 has been recovered.
4. Final billing statement has been forwarded to water system customers. UTC, and DOH.

Is there a date/time that works for the UTC for a the Public Hearing?

What is the docket #?

I will forward the Public Hearing and Docket information to customers.

Respectfully,

Washington Water Supply, Inc.



WASHINGTON WATER SUPPLY, INC.

"Water Supply and Distribution"

November 8, 2023

Derek Pell

Brietta Carter

Department of Health

PO Box 47800

Olympia, WA 98504-7800

Good Morning Derek/Brietta,

#1 - Well was rehabilitated by replacing the existing 10' screens with 12 slot screens plus another 10' of screen. This gives us a total of total of 20' of screen.

#2 - Water was trucked in by contracting with Water Buffalo for a total costs \$22,000. It is important to note the source of the trucked water was Cedar River Water District. This water is chlorinated and Water Buffalo / Washington Water Supply added another cup of Chlorox Bleach with each load delivered. Chlorine taste/smell was noticed by several water system users. See item #8 and #9.

#10 BacT testing had been completed on a monthly basis with two September BacT samples collected and tested with all test results sent to DOH.

Valley Pump and well stated they would not provide documentation/final report until their invoice had been paid. I have asked for details about specific items on their final invoice and of today no response. I have paid them \$20,000 to date and will not provide final payment until my questions have been answered. UTC, I will not seek a SURCHARGE for the well rehabilitation until final paperwork has been provided.

To all, hopefully this responds to the August 7, 2023 letter from Brietta.

Respectfully,

John Poppe

Washington Water Supply, Inc.

**P.O. Box 2985 SILVERDALE, WA 98383
(360) 308-8330**



STATE OF WASHINGTON
DEPARTMENT OF HEALTH
NORTHWEST DRINKING WATER REGIONAL OPERATIONS
PO BOX 47800 ATTN: MS K17-12 OLYMPIA, WA 98504-7800

August 7, 2023

John Poppe
Washington Water Supply Inc.
poppe.john@gmail.com

Subject: Echo Glen Water System, ID #27510
King County
2023 Correct Chronic Outages

Dear John Poppe:

Our office has received many complaints related to inadequate supply leading to water outages for the Echo Glen Water System.

You are directed to 1) address the root cause of the water outage problem, and 2) mitigate the public health risk associated with the continued threat of outages while the plan is implemented.

While we have discussed both items many times in the past several months, this letter is written to help document your plan to meet these requirements.

① Address the root cause of the water outage problem

We advise proceeding with your plans to restore the existing well to its former capacity and we understand that you have an agreement with Valley Pump to do this work as soon as possible. Please keep us informed on your progress. If well restoration does not address the chronic outages, our office will direct you to hire an engineer to evaluate options. A Small Water System Management Program would be part of this evaluation. We would expect your plan to address the root cause with action items and a schedule.

② Mitigate the public health risk associated with the continued threat of outages

You are required to maintain system pressure. We advise proceeding with your plans to truck water while your plan to address the root cause is being implemented. We understand that because of recent water outages, customers have been advised to boil their water prior to consumption. Before lifting the boil water advisory, please restore pressure and demonstrate the water is safe to drink by receiving bacteriological sample results indicating no coliforms are present.

Echo Glen Water System (#27510)
August 7, 2023
Page 2

Thank you for working with us.

Sincerely,



Brietta Carter, PE
Regional Engineer
NW Office of Drinking Water
Brietta.Carter@doh.wa.gov

ecc: Lynn Schneider, Public Health – Seattle & King County
Wesley Loven, Public Health – Seattle & King County
John Cupp, WA Utilities and Transportation Commission
Tiffany Van Meter, WA Utilities and Transportation Commission
Mike Young, WA Utilities and Transportation
Derek Pell, PE, NWRO Manager, DOH
Aniela Sidorska, Compliance Program, DOH

11/8/23, 9:13 AM

Gmail - Echo Glen Surcharge



John Poppe <poppe.john@gmail.com>

Echo Glen Surcharge

John Poppe <poppe.john@gmail.com>

Fri, Nov 3, 2023 at 4:13 PM

To: "Pell, Derek (DOH)" <Derek.Pell@doh.wa.gov>

Cc: "Leggett, Jeanine (UTC)" <jeanine.leggett@utc.wa.gov>, "Castaneda-Kerson, Melissa (UTC)" <melissa.castaneda-kerson@utc.wa.gov>, "Ward, Jim (UTC)" <jim.ward@utc.wa.gov>, "Roth, Jing (UTC)" <jing.roth@utc.wa.gov>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>, "Van Meter, Tiffany (UTC)" <tiffany.vanmeter@utc.wa.gov>, "Sidorska, Aniela (DOH)" <Aniela.Sidorska@doh.wa.gov>, "Christensen, Lisa Kelley (ATG)" <lisa.kelley@atg.wa.gov>, "Onwumere, George (DOH)" <George.Onwumere@doh.wa.gov>

I do remember seeing the letter. I will get a written response ASAP.

[Quoted text hidden]

11/8/23, 9:11 AM

Gmail - Echo Glen Surcharge



John Poppe <poppe.john@gmail.com>

Echo Glen Surcharge

John Poppe <poppe.john@gmail.com>

Thu, Nov 2, 2023 at 12:14 PM

To: "Pell, Derek (DOH)" <Derek.Pell@doh.wa.gov>

Cc: "Leggett, Jeanine (UTC)" <jeanine.leggett@utc.wa.gov>, "Castaneda-Kerson, Melissa (UTC)" <melissa.castaneda-kerson@utc.wa.gov>, "Ward, Jim (UTC)" <jim.ward@utc.wa.gov>, "Roth, Jing (UTC)" <jing.roth@utc.wa.gov>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>, "Van Meter, Tiffany (UTC)" <tiffany.vanmeter@utc.wa.gov>

③ Good afternoon all,

The boil water advisory was withdrawn in October, 2023 after Bac-T samples were taken and tested by Spectra Lab. All samples came back negative, so a notice was sent to the Echo Glen water system users notifying them of the lab results and a "no need" to boil water.

Valley Pump and Well stated the well production is 60 gallons per minute. Valley Pump stated the well production to DOH, DOH stated the well production number to an Echo Glen resident who sent an email to all system users.

The final invoice from Valley Pump and Well totaled more than \$36,000. A detailed invoice review was inconclusive, so I sent a letter to Valley Pump asking for support information and they have not yet responded.

I haven't asked for a rate adjustment yet for the drilling because I have no final figure from Valley Pump that can be justified.

Thanks for reaching out!

John Poppe

[Quoted text hidden]

11/8/23, 9:11 AM

Gmail - Echo Glen Surcharge



John Poppe <poppe.john@gmail.com>

Echo Glen Surcharge

Pell, Derek (DOH) <Derek.Pell@doh.wa.gov>

Wed, Nov 1, 2023 at 1:10 PM

To: John Poppe <poppe.john@gmail.com>

Cc: "Leggett, Jeanine (UTC)" <jeanine.leggett@utc.wa.gov>, "Castaneda-Kerson, Melissa (UTC)" <melissa.castaneda-kerson@utc.wa.gov>, "Ward, Jim (UTC)" <jim.ward@utc.wa.gov>, "Roth, Jing (UTC)" <jing.roth@utc.wa.gov>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>, "Van Meter, Tiffany (UTC)" <tiffany.vanmeter@utc.wa.gov>

Hi John.

I've seen a lot of email activity on updating your surcharge and tariff.

4

Can you give us an update on whether the well screen replacement returned capacity to the original design capacity and your efforts to lift the Boil Water Advisory.

Thanks.

Derek

Derek Pell, PE

Northwest Regional Office Manager

Office of Drinking Water

Environmental Public Health

Washington State Department of Health

derek.pell@doh.wa.gov

doh.wa.gov | 253-395-6768



The physical location of the NW Regional Office of Drinking Water (NWRO) in Kent is closed. Our NWRO functional group remains intact and we are now working remotely. We are in the process of scanning all of our files. Please note, our response times may be slower than usual. We appreciate your patience. Our new mailing address is: 111 Israel Rd SE, PO Box MS: 47822, Olympia, WA 98504.

[Quoted text hidden]

11/3/23, 12:11 PM

Gmail - Boil Water Order



John Poppe <poppe.john@gmail.com>

Boil Water Order

2 messages

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Sat, Sep 30, 2023 at 4:05 PM

Good afternoon Shelly,

5 Please forward this to the water system users.

The water quality testing came back negative so the BOIL WATER ADVISORY is now lifted.
No need to boil drinking water.

Respectfully,
Washington Water Supply, Inc.

Shelly Cline <shelly.cline@gmail.com>

Sat, Sep 30, 2023 at 11:20 PM

To: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@gmail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@gmail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, ewingert34@gmail.com, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

[Quoted text hidden]

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update



John Poppe <poppe.john@gmail.com>

Echo Glen Well Rehab Update

21 messages

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Thu, Sep 21, 2023 at 8:31 PM

1. New well screens installed.
2. Further development continues tomorrow. Clean screens set well pump assembly.

Respectfully,
Washington Water Supply

Shelly Cline <shelly.cline@gmail.com>
To: John Poppe <poppe.john@gmail.com>

Thu, Sep 21, 2023 at 8:45 PM

Should I forward this?
Also I assume the water sample container is from you. When do you want a sample?
[Quoted text hidden]

John Poppe <poppe.john@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Fri, Sep 22, 2023 at 4:58 AM

Yes, please!
[Quoted text hidden]

Shelly Cline <shelly.cline@gmail.com>

Fri, Sep 22, 2023 at 5:55 AM

To: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marlene Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, ewingert34@gmail.com, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

This is update from last night, so reference to tomorrow, is today. Sorry for delay.
[Quoted text hidden]

Jon Clements <jonclements11@gmail.com>
To: Shelly Cline <shelly.cline@gmail.com>

Mon, Sep 25, 2023 at 12:13 PM

Cc: Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>,

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, John Poppe <poppe.john@gmail.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Any update on the well John?

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Tue, Sep 26, 2023 at 11:24 AM

To: Jon Clements <jonclements11@gmail.com>

Cc: Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, David Sutfin <davesutfin@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Not at this time.

[Quoted text hidden]

David Sutfin <davesutfin@gmail.com>

Wed, Sep 27, 2023 at 12:41 PM

To: John Poppe <poppe.john@gmail.com>

Cc: Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

<Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytil@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

All:

DOH representatives informed me that they received a call from Joe @ Valley Pump stating that well rehab has brought the well back to design capacity (60gpm).

Mr. Poppe:

What is the current status of the Boil Order? Per DOH online records the last sample was analyzed on 8/30/23. It was my previous understanding that the boil order is in effect until a new sample is submitted. Please advise if I'm mistaken.

Dave

[Quoted text hidden]

John Earl <JEtheDuke@outlook.com>

Wed, Sep 27, 2023 at 1:25 PM

To: David Sutfin <davesutfin@gmail.com>, John Poppe <poppe.john@gmail.com>
Cc: Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, "Phsphsp62@yahoo.com" <Phsphsp62@yahoo.com>, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, "andytil@ymail.com" <andytil@ymail.com>, dan anderson <Danial1229@comcast.net>, "dylanrutledge23@gmail.com" <dylanrutledge23@gmail.com>, Emily Wingert <ewingert34@gmail.com>, "karenstout1@comcast.net" <karenstout1@comcast.net>, "krisgranlund@yahoo.com" <krisgranlund@yahoo.com>, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, "sullys87toyo@gmail.com" <sullys87toyo@gmail.com>, "tychon@me.com" <tychon@me.com>

Dave – Thanks for the update. I wish John Poppe would let us know what's going on.

John Poppe – If we are back to full capacity from well that means we can start using water like normal. Probably know one needs to irrigate but would be nice to pressure wash and wash our cars. At 60 gpm over 24 hours is about 86,000 gallons and divided by 43 households that is 2000 gallons each day. Way above our usage for each household. Please give us an update on the system.

Thank You John Earl

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 2:06 PM

<https://mail.google.com/mail/u/0/?ik=afa4bbf2ac&view=pt&search=all&permthid=thread-a:r7823956201587400669&simpl=msg-a:r-73925128270514...> 3/10

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

To: David Sutfin <davesutfin@gmail.com>
Cc: Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <lois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

7 Boil water advisory is still in effect.

[Quoted text hidden]

Jon Clements <jonclements11@gmail.com>

Wed, Sep 27, 2023 at 2:10 PM

To: John Poppe <poppe.john@gmail.com>
Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <lois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Can you please shed some light as to when that might get lifted? Is David correct in saying that it will require a new sample to be submitted? When would that new sample be able to be submitted? We'd really like to stop boiling water for drinking purposes.

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 2:31 PM

To: Jon Clements <jonclements11@gmail.com>
Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>,

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsph62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimano@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com



Chlorine has been added to the system as a precautionary action. The boil water advisory will be lifted October 1, 2023 by an email when the BacT test is completed.

[Quoted text hidden]

Jon Clements <jonclements11@gmail.com>

Wed, Sep 27, 2023 at 2:32 PM

To: John Poppe <poppe.john@gmail.com>

Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsph62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimano@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Great! Thank you for the information John!

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 2:36 PM

To: Jon Clements <jonclements11@gmail.com>

Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>,

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

To the Echo Glen Water System customers,

The well production rate is not official until the well driller files his report. Once that is done, I will send a project report to all providing details.

[Quoted text hidden]

melbar62@gmail.com <melbar62@gmail.com>

Wed, Sep 27, 2023 at 2:39 PM

To: John Poppe <poppe.john@gmail.com>

Cc: David Sutfin <davesutfin@gmail.com>, Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <maureenjwalsh@yahoo.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <theusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

 I find that rather interesting with the high level of chlorine in the water.

Melinda

On Sep 27, 2023, at 2:06 PM, John Poppe <poppe.john@gmail.com> wrote:

[Quoted text hidden]

John Earl <JEtheDuke@outlook.com>

Wed, Sep 27, 2023 at 2:40 PM

To: John Poppe <poppe.john@gmail.com>

Cc: Jon Clements <jonclements11@gmail.com>, David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <maureenjwalsh@yahoo.com>, Melinda Barrack

<https://mail.google.com/mail/u/0/?ik=a4bbf2ac&view=pt&search=all&permthid=thread-a:7823956201587400669&simpl=msg-a:73925128270514...> 6/10

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

<melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, "Phsphsp62@yahoo.com" <Phsphsp62@yahoo.com>, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, "andytill@ymail.com" <andytill@ymail.com>, dan anderson <Danial1229@comcast.net>, "dylanrutledge23@gmail.com" <dylanrutledge23@gmail.com>, Emily Wingert <ewingert34@gmail.com>, "karenstout1@comcast.net" <karenstout1@comcast.net>, "krisgranlund@yahoo.com" <krisgranlund@yahoo.com>, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, "sullys87toyo@gmail.com" <sullys87toyo@gmail.com>, "tychon@me.com" <tychon@me.com>

John

So we have ended water usage limits ?

Thanks

Sent from my iPhone

On Sep 27, 2023, at 2:36 PM, John Poppe <poppe.john@gmail.com> wrote:

[Quoted text hidden]

Danial1229@comcast.net <Danial1229@comcast.net>

Wed, Sep 27, 2023 at 2:45 PM

To: John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>
Cc: David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Thanks John.

Nobody should be contacting DOH and DOH should not be providing info until your report is published.

[Quoted text hidden]

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 3:12 PM

To: John Earl <JEtheDuke@outlook.com>
Cc: Jon Clements <jonclements11@gmail.com>, David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

<commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <maureenjwalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dan anderson <Danial1229@comcast.net>, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

To all,
The water conservation effort is terminated.

Thanks for everyone's cooperation and patience!!

The final well production capacity has not been finalized.

A BacT sample will be collected Friday to confirm water quality. Results will be forwarded to all system users Saturday.

Well production data will be collected during October, 2023.

Respectfully,
Washington Water Supply
[Quoted text hidden]

David Sutfin <davesutfin@gmail.com>

Wed, Sep 27, 2023 at 3:35 PM

To: Danial1229@comcast.net

Cc: John Poppe <poppe.john@gmail.com>, Jon Clements <joncllements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <msbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phsphsp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

Danial,
DOH is a public entity and based on FOIA laws anyone has the right to request information from them and receive it. This isn't privileged/classified information we are talking about. If Joe at Valley Pump provided DOH with incorrect information and the system has not been brought back up to original system design specifications that's Valley Pump's issue.

Dave
[Quoted text hidden]

11/3/23, 12:17 PM

Gmail - Echo Glen Well Rehab Update

John Poppe <poppe.john@gmail.com>

Wed, Sep 27, 2023 at 3:46 PM

To: "Pell, Derek (DOH)" <derek.pell@doh.wa.gov>, "Carter, Brietta J (DOH)" <brietta.carter@doh.wa.gov>

FYI

[Quoted text hidden]

Danial1229@comcast.net <Danial1229@comcast.net>

Wed, Sep 27, 2023 at 4:03 PM

To: David Sutfin <davesutfin@gmail.com>

Cc: John Poppe <poppe.john@gmail.com>, Jon Clements <jonclements11@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <Ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, John Earl <jetheduke@outlook.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <mmsbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <MaureenJWalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, Phspshp62@yahoo.com, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, andytill@ymail.com, dylanrutledge23@gmail.com, Emily Wingert <ewingert34@gmail.com>, karenstout1@comcast.net, krisgranlund@yahoo.com, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, sullys87toyo@gmail.com, tychon@me.com

It's none of your buisness as it's not final until the report comes out. Just saying.

[Quoted text hidden]

John Earl <JEtheDuke@outlook.com>

Wed, Sep 27, 2023 at 5:08 PM

To: John Poppe <poppe.john@gmail.com>

Cc: Jon Clements <jonclements11@gmail.com>, David Sutfin <davesutfin@gmail.com>, Shelly Cline <shelly.cline@gmail.com>, Amanda Hayes <amandahayes411@gmail.com>, "Cupp, John (UTC)" <john.cupp@utc.wa.gov>, Amber Oosterhof <ambers007@yahoo.com>, Bob Hansen <ta76455@gmail.com>, Carol & Jeff Seppi <seppifamily@outlook.com>, Cindy & John Patterson <c.patter@hotmail.com>, Corey Cline <corey.cline@gmail.com>, Dawn Till <dawntill@ymail.com>, Emily Beaudin-Sutfin <embeaudin@gmail.com>, Girl Scouts Tammy Wood <wood.tammy@hotmail.com>, Guru Laxmi <guruandlaxmi@gmail.com>, Heidi jo Mafi <heidijomafi@gmail.com>, JONATHAN ZABEL <thejoz2@comcast.net>, Janan & Rick Snider <rick.janan@gmail.com>, Jason Wilmoth <jason.wilmoth@gmail.com>, Jeff & Kris Granlund <commish811@yahoo.com>, Jenene Wilmoth <jenene23@gmail.com>, Jennifer Caldwell <caldwell.jennifer@gmail.com>, Joe Gstettenbauer <Joegstettenbauer@yahoo.com>, John & Marianne Earl <marianne_earl@msn.com>, Jordan Jensen <jljensen@gmail.com>, Katie Thornton-Wiatt <katiethorntonwiatt@gmail.com>, Ken Wood <wood_kenny@hotmail.com>, Kristine Rottman <kristinerottman@comcast.net>, Lauren Cusimano <Lauren.cusimano@yahoo.com>, Linda Moore <Gramybear4@gmail.com>, Maggie Jensen <jensenmaggie@gmail.com>, Marline Bago <mmsbago@hotmail.com>, Matthew Ciarvella <matthew.ciarvella@outlook.com>, Maureen Walsh <maureenjwalsh@yahoo.com>, Melinda Barrack <melbar62@gmail.com>, Morgan Manley <morganamanley@yahoo.com>, Nicola Weber <nickyjwths88@yahoo.com>, "Phspshp62@yahoo.com" <Phspshp62@yahoo.com>, Remko Oosterhof <gr8skidoo@yahoo.com>, Richard & Morgan Manly <kilroy_98038@yahoo.com>, Satomi Miyakawa <satomi@japanesehandmade.com>, Steven Galipeau <sgalipeau@outlook.com>, Terry & Marisa Tychon <Marisa.tychon@gmail.com>, Toby Cusimano <Thecusimanos@hotmail.com>, Valerie deMaine <demainevalerie@yahoo.com>, andy <andystelzer@comcast.net>, "andytill@ymail.com" <andytill@ymail.com>, dan anderson <Danial1229@comcast.net>, "dylanrutledge23@gmail.com" <dylanrutledge23@gmail.com>, Emily Wingert <ewingert34@gmail.com>, "karenstout1@comcast.net" <karenstout1@comcast.net>, "krisgranlund@yahoo.com" <krisgranlund@yahoo.com>, lois nangle <luckylois@comcast.net>, richard tout <ruther@email.com>, "sullys87toyo@gmail.com" <sullys87toyo@gmail.com>, "tychon@me.com" <tychon@me.com>

John

Thanks for the update. That is great news and here's to a trouble free water system for years to come.

11/3/23, 12:17 PM

Thanks

John Earl

[Quoted text hidden]

Gmail - Echo Glen Well Rehab Update

26276 Twelve Trees Ln NW Ste C Poulsbo, WA 98370 (360)779-5141		 SPECTRA Laboratories - Kitsap <i>...Where experience matters</i>	
COLIFORM BACTERIA ANALYSIS FORM			
Date Sample Collected 9/12/12		Time Sample Collected 9:30 AM	County KING
Type of Water System (check only one box) ☒ Group A ☐ Group B ☐ Other _____			
Group A and Group B Systems - Provide from Water Facilities Inventory (WFI): ID# 27510D System Name: Echo Glen			
Contact Person: Papa			
Day Phone: 360-908-8320		Cell Phone:	
Email:		Eve. Phone:	
Send results to: (Print full name, address and zip code or email address for electronic copy of results) WASHINGTON Water Supply PO Box Silverdale, WA 98383			
SAMPLE INFORMATION			
Sample collected by (name): Papa			
Specific location where sample collected: 20609 229		Special instructions or comments:	
Type of Sample (check only one box)			
1. ☒ Routine Distribution Sample (A/P) Chlorinated: Yes ☐ No ☒ Chlorine Residual: Total _____ Free _____		2. ☐ Repeat Sample (A/P) (from distribution system after unsat. routine) Unsatisfactory routine lab number: _____ Unsatisfactory routine collect date: _____/_____/_____ Chlorinated: Yes _____ No _____ Chlorine Residual: Total _____ Free _____	
3. Ground Water Rule Source Sample S ☐ Triggered (A/P) ☐ Assessment (A/P)			
4. Surface or GWI Raw Source Water Sample (Enumeration) ☐ E. coli ☐ Fecal Filtered Yes _____ No _____ S			
5. ☐ Sample Collected for Information Only:			
LAB USE ONLY		LAB USE ONLY	
☐ Unsatisfactory Total Coliform Present and ☐ E. coli present ☐ E. coli absent		☒ Satisfactory	
Bacterial Density Results: Total Coliform _____ mpn/100ml. E. coli _____ mpn/100ml. Fecal Coliform _____ cfu/100ml. HPC _____ cfu/1ml.			
Replacement Sample Required: ☐ TNTC ☐ Sample too old ☐ Sample Volume ☐ Damaged Container ☐ _____			
Date/Time Received: 9/19/12 1115		Lab Reference Number: 232592-04	
Receipt Temp C°:		Method Code: SM9223B / QT-COUNT/ SM9222D	
Date In: 9/29/12 Date Out: 9/30/12		This report is issued solely for the use of the person or company to whom it is addressed. Any use, copying or disclosure other than by the intended recipient is unauthorized. If you have received this report in error, please notify the sender immediately at 360-779-5141 and destroy this report promptly.	
DOH Lab - Sample # 010-59204		These results relate only to the items tested and the sample(s) as received by the laboratory. This report shall not be reproduced except in full, without prior express written approval by Spectra Laboratories.	

DOH Form #331-319 (effective 06/17)

26276 Twelve Trees Ln NW Ste. C Poulsbo, WA 98370 (360)779-5141		SPECTRA Laboratories - Kitsap <i>...Where experience matters</i> COLIFORM BACTERIA ANALYSIS FORM	
Date Sample Collected 9/29/23 Month Day Year		Time Sample Collected 9:30 ☒ AM ☐ PM	
County KING			
Type of Water System (check only one box) ☒ Group A ☐ Group B ☐ Other			
Group A and Group B Systems - Provide from Water Facilities Inventory (WFI): ID# 27518D System Name: Echo Glen			
Contact Person: Papa			
Day Phone: 360-368-8330		Cell Phone:	
Email:		Eve. Phone:	
Send results to: (Print full name, address and zip code or email above for electronic copy of results) WASHINGTON Water Supply P.O. Box 2985 Silverdale, WA			
SAMPLE INFORMATION			
Sample collected by (name): Papa			
Specific location where sample collected: MAFI		Special instructions or comments:	
Type of Sample (check only one box)			
1. ☒ Routine Distribution Sample (A/P) Chlorinated: Yes ☐ No ☒ Chlorine Residual: Total _____ Free _____		2. ☐ Repeat Sample (A/P) (from distribution system after unsat. routine) Unsatisfactory routine lab number: _____ Unsatisfactory routine collect date: _____/_____/_____ Chlorinated: Yes _____ No _____ Chlorine Residual: Total _____ Free _____	
3. Ground Water Rule Source Sample S ☐ Triggered (A/P) ☐ Assessment (A/P)			
4. Surface or GWI Raw Source Water Sample (Enumeration)			
☐ E. coli ☐ Fecal Filtered Yes _____ No _____		S	
5. ☐ Sample Collected for Information Only:			
LAB USE ONLY		LAB USE ONLY	
☐ Unsatisfactory Total Coliform Present and ☐ E. coli present ☐ E. coli absent		☒ Satisfactory	
Bacterial Density Results: Total Coliform _____ mpn/100ml. E. coli _____ mpn/100ml. Fecal Coliform _____ cfu/100ml. HPC _____ cfu/1ml.			
Replacement Sample Required: ☐ TNTC ☐ Sample too old ☐ Sample Volume ☐ Damaged Container ☐			
Date/Time Received: 9/29/23 1115		Lab Reference Number: 232592-03	
Receipt Temp C°:		Method Code: SM9223B / QT-COUNT / SM9222D	
Date In: 9/29/23 Date Out: 9/30/23		This report is issued solely for the use of the person or company to whom it is addressed. Any use, copying or disclosure other than by the intended recipient is unauthorized. If you have received this report in error, please notify the sender immediately at 360-775-5141 and destroy this report promptly.	
DOH Lab-Sample # 010-59203		These results relate only to the items tested and the sample(s) as received by the laboratory. This report shall not be reproduced except in full, without prior express written approval by Spectra Laboratories.	

DOH Form #331-319 (effective 06/17)

10

26276 Twelve Trees Ln NW Ste.C Poulsbo, WA 98370 (360)779-5141		 SPECTRA Laboratories - Kitsap <i>...Where experience matters</i>	
COLIFORM BACTERIA ANALYSIS FORM			
Date Sample Collected 10/31/23 Month Day Year		Time Sample Collected 9 ☒ AM ☐ PM	
		County KING	
Type of Water System (check only one box) ☒ Group A ☐ Group B ☐ Other _____			
Group A and Group B Systems - Provide from Water Facilities Inventory (WFI): ID# 27510D System Name: Edgewood Glen			
Contact Person: J. Pardo			
Day Phone: 360 305 830		Cell Phone:	
Email:		Eve. Phone:	
Send results to: (Print full name, address and zip code or email above for electronic copy of results) WASHINGTON WATER Supply PO Box 2985 Silverdale WA 98383			
SAMPLE INFORMATION			
Sample collected by (name): J. Pardo			
Specific location where sample collected: 20807 229th		Special instructions or comments:	
Type of Sample (check only one box)			
1. ☒ Routine Distribution Sample (A/P) Chlorinated: Yes ☐ No ☒ Chlorine Residual: Total _____ Free _____		2. ☐ Repeat Sample (A/P) (from distribution system after unsat. routine) Unsatisfactory routine lab number: _____ Unsatisfactory routine collect date: ____/____/____ Chlorinated: Yes _____ No _____ Chlorine Residual: Total _____ Free _____	
3. Ground Water Rule Source Sample S ☐ Triggered (A/P) ☐ Assessment (A/P)			
4. Surface or GWI Raw Source Water Sample (Enumeration) ☐ E. coli ☐ Fecal Filtered Yes _____ No _____			
5. ☐ Sample Collected for Information Only:			
LAB USE ONLY		DRINKING WATER RESULTS	
☐ Unsatisfactory Total Coliform Present and ☐ E.coli present ☐ E.coli absent		☒ Satisfactory	
Bacterial Density Results: Total Coliform _____ mpn/100ml. E.coli _____ mpn/100ml. Fecal Coliform _____ cfu/100ml. HPC _____ cfu/1ml.			
Replacement Sample Required: ☐ TNTC ☐ Sample too old ☐ Sample Volume ☐ Damaged Container ☐ _____			
Date/Time Received: 10/31/23 1425		Lab Reference Number 233704-03	
Receipt Temp C°:		Method Code: SM9223B / QT-COUNT / SM9222D	
Date In: OCT 31 2023		Date Out: NOV 01 2023	
DOH Lab - Sample # 010-20403		This report is issued solely for the use of the person or company to whom it is addressed. Any use, copying or disclosure other than by the intended recipient is unauthorized. If you have received this report in error, please notify the sender immediately at 360-779-5141 and destroy this report promptly. These results relate only to the items tested and the sample(s) as received by the laboratory. This report shall not be reproduced except in full, without prior express written approval by Spectra Laboratories.	

DOH Form #31-319 (effective 06/17)

ATTACHMENT 8



STATE OF WASHINGTON
UTILITIES AND TRANSPORTATION COMMISSION

621 Woodland Square Loop S.E. • Lacey, Washington 98503

P.O. Box 47250 • Olympia, Washington 98504-7250

(360) 664-1160 • TTY (360) 586-8203

July 27, 2023

Washington Water Supply, Inc.
John Poppe
P.O. Box 2985
Silverdale, WA 98383

Subject: WWS & Echo Glen Water System – UW-230598
Surcharge Case

Via E-mail
Informal Data Request 1

Dear Mr. Poppe:

The Washington Utilities and Transportation Commission (Commission) has received the surcharge rate case filing. To help Staff understand this filing, please provide the items listed below. Additionally, please provide this by electronic format compatible with Word or Excel software.

In review of the documents submitted, staff needs additional information to complete the filing and verify calculations. Please provide the following documents or answers to the following questions.

1. Do all of Echo Glen Water System customers have meters installed?
2. If meters have not been installed for all Echo Glen customers what would the cost, be to install meters? What amount of time would it take to install meters?
3. Please provide usage records from January 2022 – July 2023 for all metered Echo Glen customers.
4. Provide well head meter readings by month for the period of January 2022 – July 2023.
5. Please provide all communications with customers for the last two years dealing with water supply and well issues.
6. How did you choose the water provider (Water Buffalo Inc) and did you receive any quotes from any other providers prior to choosing Water Buffalo Inc?
7. On the invoices you have provided from the provider (Water Buffalo Inc) what does the "Quantity" mean?
8. How many gallons is delivered in each load from Water Buffalo Inc?

Respect. Professionalism. Integrity. Accountability.

UW-230598
Informal Data Request 1
Page 2

Your timely response is appreciated. Please send all responses by close of business August 2, 2023. If the information is not received in a timely manner, this may delay the filing.

Please label your responses with the data request number and item number (e.g., DR1-1, DR1-2, etc.).

If you have any questions or responses to the Informal Data Request, please contact me at jeanine.leggett@utc.wa.gov or 360-664-1230

Sincerely,

Jeanine Leggett
Regulatory Analyst



WASHINGTON WATER SUPPLY, INC.

"Water Supply and Distribution"

July 27, 2023

Ms. Jeanine Leggett,

Response to July 27, 2023 UTC letter " WWS & Echo Glen Water System – UW-230598 Surcharge Case

DR-1 Not all water system customers have meters installed.

DR-2 Meter installation costs \$700/meter. Average installation time is 4 hours/meter

DR-3 The Echo Glen users have meters are not recorded.

DR-4 January, 2023 = 176,400 gallons July, 2023 226,800 gallons (NOTE: 27 day consumption)

DR-5 Information provided June 8, 2023 to Melissa Casttaneda-Kerson and UTC contacts by customers.

DR-6 Water Buffalo was the only contractor available. No quotes from other providers.

DR-7 "Quantity" are the gallons delivered

DR-8 Water Buffalo has used two delivery vehicles to include 2000 gallon and 4000 units.

P.O. Box 2985 SILVERDALE, WA 98383

(360) 308-8330