

Docket UT-181051

CenturyLink Responses to UTC Staff Data Request Nos. 56-60 CONFIDENTIAL –
REDACTED VERSION


August 5, 2022

Page 8

UTC STAFF DATA REQUEST NO. 57:

At page 26 of the Response Testimony of Steven E. Turner, Mr. Turner provides a definition of “Physically diverse” circuits that, in part, includes “more than one physical route between end points with no common points where a single failure at that point would cause both circuits to fail.”

a.



1. For all such physically shared “common points”: (1) identify the owner and operator of the relevant physical equipment and/or network facilities associated with the “common point”; (2) provide the address of the “common point”; and (3) identify the specific wire, equipment or other facility you contend is a “common point within the meaning of the FCC rule referenced by Mr. Turner.

b.



1. For all such physically shared “common points”: (1) identify the owner and operator of the relevant physical equipment and/or network facilities associated with the “common point”; (2) provide the address of the “common point”; and (3) identify the specific wire, equipment or other facility you contend is a “common point” within the meaning of the FCC rule referenced by Mr. Turner.


CLC’S RESPONSE:

CLC objects to the extent that this DR would require CLC to perform a special study. CLC produces the information that it has found after having completed a diligent search for the information.

Without waiving the aforementioned general or specific objections, CLC responds as follows:

REDACTED
CONFIDENTIAL PER PROTECTIVE ORDER

The attached documents show the following:



REDACTED

Pages 1-58