

**Commercial/Industrial**

**Electric**

Schedule E250

CI Retrofit

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
<b>Device Controllers and Sensors</b>				
Commercial	Existing only			
PC Power Manager	Software; networked or local; big fix cost	Custom	8/1/2014	retire non-prescriptive custom measures
PC Power Manager	Software; networked or local; verdiem cost	Custom	8/1/2014	retire non-prescriptive custom measures

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.  
 (2) Revision histories for noted measures are available upon request.  
 (3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.  
 (4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
<b>Device Controllers and Sensors</b>				
<b>Commercial New only</b>				
PC Power Manager	Software; networked or local; big fix cost	Custom	8/1/2014	retire non-prescriptive custom measures
PC Power Manager	Software; networked or local; verdiem cost	Custom	8/1/2014	retire non-prescriptive custom measures

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.  
 (2) Revision histories for noted measures are available upon request.  
 (3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.  
 (4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
<b>Lamps</b>				
<b>Commercial</b>	<b>Existing or New</b>			
CFL	< 26 Watt	PSE Deemed	1/1/2014	Small Business Lighting program ended Jan, 2014
T8 Lamps	2' 1L T12 HO to 2' 1L T8	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
T8 Lamps	2' 1L T12 to 2' 1L T8	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
CFL	26 Watt to 39 Watt CFL	PSE Deemed	1/1/2014	Small Business Lighting program ended Jan, 2014
T8 Lamps	3' 1L T12 to 3' 1L T8	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
T8 Lamps	4' 1L T12 to 4' 1L T8	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
T8 Lamps	4' 2L T12 HO to 4' 2L T8	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
T8 Lamps	4' 2L T12 to 4' 2L T8	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
T8 Lamps	4' 4L T12 HO to 4' 4L T8	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
T8 Lamps	4' 4L T12 to 4' 4L T8	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
T8 Lamps	400W HID to 4' 6L T8 (HBF)	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
T8 Lamps	8' 1L T8 F96 to 4' 2L 28W (retro kit 2L 8')	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
CFL	Equal to or greater than 40 Watt CFL	PSE Deemed	1/1/2014	Small Business Lighting program ended Jan, 2014
T8 Lamps	Lamp-8' 1L T12 HO F96 to 4' 2L 28W (retro kit 2L 8')	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
T8 Lamps	Lamp-8' 2L T8 F96 to 4' 4L 28W (retro kit 4L 8')	PSE Deemed	8/20/2014	Measure incorrectly classified as Sm Bus Lghtg
CFL	Specialty, < 26 Watt	PSE Deemed	1/1/2014	Small Business Lighting program ended Jan, 2014
CFL	Specialty, 26 Watt to 39 Watt CFL	PSE Deemed	1/1/2014	Small Business Lighting program ended Jan, 2014

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.  
 (2) Revision histories for noted measures are available upon request.  
 (3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.  
 (4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
<b>Drives</b>				
<b>Commercial or Industrial</b>	<b>Existing or New</b>			
variable speed	On fan motors	Calculated	4/1/2014	No longer offering this measure
variable speed	On pump motors	Calculated	4/1/2014	No longer offering this measure
<b>Gas Boiler Tune ups &amp; Cleaning</b>				
<b>Commercial or Industrial</b>	<b>Existing or New</b>			
Boiler Tune & Cleaning	Boiler Cleaning and Tune-up: Kettle Boiler	Calculated	8/1/2014	Incorrectly classified as electric fuel type
Boiler Tune & Cleaning	Boiler Cleaning and Tune-up: Tube Boiler	Calculated	8/1/2014	Incorrectly classified as electric fuel type
Boiler Tune & Cleaning	Boiler Cleaning: Kettle Boiler	Calculated	8/1/2014	Incorrectly classified as electric fuel type
Boiler Tune & Cleaning	Boiler Cleaning: Tube Boiler	Calculated	8/1/2014	Incorrectly classified as electric fuel type
Boiler Tune & Cleaning	Boiler Tune-Up: Kettle Boiler	Calculated	8/1/2014	Incorrectly classified as electric fuel type
Boiler Tune & Cleaning	Boiler Tune-Up: Tube Boiler	Calculated	8/1/2014	Incorrectly classified as electric fuel type
<b>Heat Pumps</b>				
<b>Commercial or Industrial</b>	<b>Existing or New</b>			
heat pump,Terminal, Hospitality	High Efficiency, PTAC to PTHP	Calculated	5/7/2014	New measure replaced this record
heat pump,Terminal, Hospitality	High Efficiency, PTHP to PTHP	Calculated	5/7/2014	New measure replaced this record

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

(4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
<b>Lamps</b>				
<b>Commercial or Industrial</b>	<b>Existing or New</b>			
LED Retail	LED-Decorative retail	PSE Deemed	8/1/2014	Business case contained incorrect value--repld by id#4698
Pre CEM re-org LEDs	LED-decorative retail	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-HW recessed retrofit kit-office	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-hw recessed retrofit kit-other	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-HW recessed retrofit kit-retail	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-HW recessed retrofit kit-school (k12)	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-mr16-grocery	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-mr16-hospital	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-mr16-office	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-mr16-other	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-mr16-other health	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-mr16-other retail	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-mr16-university	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-mr16-warehouse	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-omnidirectional-hotel comons	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-omnidirectional-hotel rooms	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-omnidirectional-office	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-omnidirectional-other	PSE Deemed	5/31/2014	created new record due to CEM re-org

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.  
 (2) Revision histories for noted measures are available upon request.  
 (3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.  
 (4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
LED Retail	LED-Omnidirectional-retail	PSE Deemed	8/1/2014	Business case contained incorrect value--repl by #4653
Pre CEM re-org LEDs	LED-omnidirectional-retail (retired)	PSE Deemed	5/31/2014	created new record due to CEM re-org
LED Hotel Common Area	LED-Par 20-hotel commons	PSE Deemed	8/1/2014	Operator entered incorrect savings value
Pre CEM re-org LEDs	LED-par20-grocery	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par20-office	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par20-other	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par20-restaurant	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par20-university	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par30-grocery	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par30-office	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par30-other	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par30-other health	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par30-restaurant	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par30-retail	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par30-university	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par30-warehouse	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par38 & 40-grocery	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par38 & 40-hotel commons	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par38 & 40-office	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par38 & 40-other	PSE Deemed	5/31/2014	created new record due to CEM re-org
Pre CEM re-org LEDs	LED-par38 & 40-restaurant	PSE Deemed	5/31/2014	created new record due to CEM re-org

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.  
 (2) Revision histories for noted measures are available upon request.  
 (3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.  
 (4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
LED Retail	LED-Recessed retail	PSE Deemed	8/1/2014	Business case contained incorrect value--repl by #4697

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.  
(2) Revision histories for noted measures are available upon request.  
(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.  
(4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

## Commercial/Industrial

## Gas

Schedule G262 Commercial Direct Install (Non SBDI)

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
<b>Aerator</b>				
Commercial or Industrial	Existing or New			
Non-Hospitality Aerators	Aerator-split-g	PSE Deemed	8/1/2014	Database manager entered incorrect savings value
<b>Dishwashers</b>				
Commercial or Industrial	Existing or New			
Under Counter, PSE provides electricity	Under Counter High Temp Dishwasher - Gas Water Heater	PSE Deemed	8/1/2014	Database manager entered incorrect name
<b>Kitchen Equipment</b>				
Commercial or Industrial	Existing or New			
Oven, Gas	Existing gas convection oven	PSE Deemed	12/31/2014	New measure replaced this record
Oven, Gas	Existing gas double rack oven	PSE Deemed	12/31/2014	New measure replaced this record
Oven, Gas	Existing gas single rack oven	PSE Deemed	12/31/2014	New measure replaced this record

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.  
(2) Revision histories for noted measures are available upon request.  
(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.  
(4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.



Schedule E214

Single Family Residential Existing

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
<b>Clothes Washers</b>				
<b>Single Family Existing only</b>				
Energy Star® Clothes Washers	2011 Clothes Washer Tier 1 MEF 2.2-2.45 (EWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		1/1/2014	No longer needed for reference
Energy Star® Clothes Washers	2011 Clothes Washer Tier 1 MEF 2.2-2.45 (PropaneWH/EDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		1/1/2014	No longer needed for reference
Energy Star® Clothes Washers	2011 Clothes Washer Tier 1 MEF 2.2-2.45 (PropaneWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		1/1/2014	No longer needed for reference
Energy Star® Clothes Washers	2011 Clothes Washer Tier 2 MEF 2.46 or higher (EWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		1/1/2014	No longer needed for reference
Energy Star® Clothes Washers	2011 Clothes Washer Tier 2 MEF 2.46 or higher (PropaneWH/EDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		1/1/2014	No longer needed for reference
Energy Star® Clothes Washers	2011 Clothes Washer Tier 2 MEF 2.46 or higher (PropaneWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		1/1/2014	No longer needed for reference
Energy Star® Clothes Washers	2011 Clothes Washer Tier 3 MEF 2.7 or higher (EWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		1/1/2014	No longer needed for reference
Energy Star® Clothes Washers	2011 Clothes Washer Tier 3 MEF 2.7 or higher (PropaneWH/EDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		1/1/2014	No longer needed for reference
Energy Star® Clothes Washers	2011 Clothes Washer Tier 3 MEF 2.7 or higher (PropaneWH/PropaneDryer)--placeholder to match Res tracking dbase "Propane" value is the same as "gas" value		1/1/2014	No longer needed for reference

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

(4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

## Residential

## Electric

Schedule E214

Single Family Residential Existing

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
<b>Insulation</b>				
<b>Single Family Existing only</b>				
Attic Insulation	R19-R49 FAF	PSE Deemed	8/1/2014	Database manager entered incorrect #. Rpl by 4696
Attic Insulation	R19-R49 FAF	PSE Deemed	12/31/2014	No longer offering this measure
<b>Lamps</b>				
<b>Single Family Existing only</b>				
CFL Energy Star®	Direct install; HomePrint	RTF Deemed	7/15/2014	No longer offering this measure
LED lamps	HomePrint DI candelabra lamps	PSE Deemed	8/1/2014	Database manager keyed incorrect value
LED lamps	HomePrint DI reflector lamps	PSE Deemed	8/1/2014	Database manager keyed incorrect value
LED lamps	MHDS DI LED Globe	PSE Deemed	8/1/2014	Database manager keyed incorrect value

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.  
(2) Revision histories for noted measures are available upon request.  
(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.  
(4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
<b>Fuel Conversion</b>				
<b>Single Family Existing only</b>				
Space and Water Heating	Electric base board space heat and electric water heat	PSE Deemed	1/1/2014	Updated incentive and measure cost data
Space Heating Only	Electric base board space heat to gas space heat	PSE Deemed	1/1/2014	Updated measure cost and incentive values
Space and Water Heating	Electric forced air space heat and electric water heat	PSE Deemed	1/1/2014	Updated incentive and measure cost data
Space Heating Only	Electric forced air space heat to gas space heat	PSE Deemed	1/1/2014	Updated measure cost and incentive values
Water Heating Only	Electric water heat to gas water heat--tank	PSE Deemed	1/1/2014	Updated measure cost and incentive values
Water Heating Only	Electric water heat to gas water heat--tankless	PSE Deemed	1/1/2014	Updated measure cost and incentive values

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.  
 (2) Revision histories for noted measures are available upon request.  
 (3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.  
 (4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Category	Additional details, comments, equipment applications	Savings Type	Retired Date	Reason Retired
------------------	--	--------------	--------------	----------------

Common Area Measures

Multi Family Existing only

Lighting	Common area - Commercially Calculated	Custom	1/1/2014	retire non-prescriptive custom measures
Ventilation	Garage CO Demand Sensor	Custom	1/1/2014	retire non-prescriptive custom measures

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

(4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

---

**Residential**

Gas
-----

**Schedule** G218**Multifamily New Construction****Measure Category****Additional details, comments, equipment applications****Savings Type****Retired Date****Reason Retired****Windows****Multi Family** New only

U-.30 or better

Window 10% adjustment &lt;&lt;Only when combined with PTHP!&gt;&gt;

PSE Deemed

1/1/2014

*No longer offering this measure*

**NOTES:** (1) To preserve measure history, measures are retired, rather than deleted. Retirement reasons include, but aren't limited to: database entry error, updated RTF values, new evaluation study that indicates an updated value is warranted, PSE no longer offers this measure, etc.

(2) Revision histories for noted measures are available upon request.

(3) Measure savings that were revised due to "savings value correction" were reflected and tracked in the EES Tracking and Forecasting System, using adjustment procedures noted in the "EES Guidelines for Ensuring Accuracy of Electric and Gas Savings" document. Measure savings adjusted as result of "Align with RTF value" occurred at the beginning of the year and required no correction action.

(4) Indicated measures are those that are archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.