

Commercial/Industrial

Electric

Schedule E250

CI Retrofit

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Device Controllers and Sensors

Commercial Existing only

PC Power Manager	Software; networked or local; big fix cost	Custom	0.00	
PC Power Manager	Software; networked or local; verdiem cost	Custom	0.00	

LED Street Lighting

Commercial Existing only

LED Pole-Mounted Street Lighting	LED Street Lighting: LED <= 50W	PSE Deemed	181.00	0.00
LED Pole-Mounted Street Lighting	LED Street Lighting: LED 101W - 150W	PSE Deemed	441.00	0.00
LED Pole-Mounted Street Lighting	LED Street Lighting: LED 151W - 200W	PSE Deemed	416.00	0.00
LED Pole-Mounted Street Lighting	LED Street Lighting: LED 200+ Watt	PSE Deemed	832.00	0.00
LED Pole-Mounted Street Lighting	LED Street Lighting: LED 51W - 75W	PSE Deemed	319.00	0.00
LED Pole-Mounted Street Lighting	LED Street Lighting: LED 76W - 100W	PSE Deemed	382.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

CI New Construction

Commercial New only

New Building Commissioning	Commissioning of energy related systems and verification of compliance. See SoS for savings calculation tool.	Calculated	0.00	0.00
----------------------------	---	------------	------	------

Device Controllers and Sensors

Commercial New only

PC Power Manager	Software; networked or local; big fix cost	Custom	0.00	
PC Power Manager	Software; networked or local; verdiem cost	Custom	0.00	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Lamps

Commercial Existing or New

T8 Lamps	2' 1L T12 HO to 2' 1L T8	PSE Deemed	198.00	0.00
T8 Lamps	2' 1L T12 to 2' 1L T8	PSE Deemed	41.00	0.00
T8 Lamps	3' 1L T12 to 3' 1L T8	PSE Deemed	70.00	0.00
T8 Lamps	4' 1L T12 to 4' 1L T8	PSE Deemed	66.00	0.00
T8 Lamps	4' 2L T12 HO to 4' 2L T8	PSE Deemed	421.00	0.00
T8 Lamps	4' 2L T12 to 4' 2L T8	PSE Deemed	136.00	0.00
T8 Lamps	4' 4L T12 HO to 4' 4L T8	PSE Deemed	843.00	0.00
T8 Lamps	4' 4L T12 to 4' 4L T8	PSE Deemed	273.00	0.00
T8 Lamps	400W HID to 4' 6L T8 (HBF)	PSE Deemed	1,107.00	0.00
T8 Lamps	8' 1L T8 F96 to 4' 2L 28W (retro kit 2L 8')	PSE Deemed	50.00	0.00
T8 Lamps	Lamp-8' 1L T12 HO F96 to 4' 2L 28W (retro kit 2L 8')	PSE Deemed	260.00	0.00
T8 Lamps	Lamp-8' 2L T8 F96 to 4' 4L 28W (retro kit 4L 8')	PSE Deemed	103.00	0.00

Lighting Fixtures

Commercial Existing or New

LED Fixtures	Hard Wired Recessed Can Retrofit Kits	PSE Deemed	122.00	0.00
--------------	---------------------------------------	------------	--------	------

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Traffic Signals

Municipalities Existing only

Arrow	12" green	RTF Deemed	194.00	0.00
Ball	12" green	PSE Deemed	464.00	0.00
Arrow	12" red	RTF Deemed	808.00	0.00
Ball	12" red	RTF Deemed	584.00	0.00
Ball	8" green	RTF Deemed	215.00	0.00
Ball	8" red	RTF Deemed	289.00	0.00
Module	Any yellow	PSE Deemed	30.00	0.00
Pedestrian	Crossing signal, red large	RTF Deemed	851.00	0.00
Pedestrian	Crossing signal, red small	RTF Deemed	498.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Aerator

Commercial or Industrial Existing or New

Aerator Reinstall	"reinstall" signifies that the customer wishes PSE to remove the aerator installed by PSE's contractor		0.00	0.00
Hospitality	0.5 gpm aerators, annual savings	PSE Deemed	124.00	0.00
Aerators	Aerator	PSE Deemed	712.00	0.00
Aerators	Aerator-\$10	PSE Deemed	712.00	0.00
Hospitality	Aerator-hospitality	PSE Deemed	144.00	0.00
Hospitality	Aerator-hospitality-\$10	PSE Deemed	144.00	0.00
Hospitality	Aerator-hospitality-split	PSE Deemed	144.00	0.00
Hospitality	Aerator-hospitality-split-\$10	PSE Deemed	144.00	0.00
Aerators	aerator-split	PSE Deemed	712.00	0.00
Aerators	aerator-split-\$10	PSE Deemed	712.00	0.00
SBDI Aerators	Hospitality Aerator Installation	PSE Deemed	144.00	
Hospitality	Installed in conjunction with a sprayhead	PSE Deemed	144.00	0.00
non-hospitality	Installed in conjunction with a sprayhead	PSE Deemed	712.00	0.00
non-hospitality	Installed without a sprayhead	PSE Deemed	712.00	0.00
Hospitality	Installed without a sprayhead	PSE Deemed	144.00	0.00
SBDI Aerators	Non-hospitality Aerator Installation	PSE Deemed	712.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Clothes Washers

Commercial or Industrial Existing or New

High-Efficiency, high use, MF laundries	CEE Qualified, PSE electric WH/PSE elect dryer	PSE Deemed	2,167.00	0.00
High-Efficiency, high use, MF laundries	CEE Qualified, PSE gas for WH/PSE elect for dryer	PSE Deemed	479.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Device Controllers and Sensors

	Commercial or Industrial Existing or New			
Thermostat, Programmable	Commercial programmable thermostats	PSE Deemed	473.00	0.00
Coolermiser	CoolerMiser Installation	PSE Deemed	515.00	0.00
CoolerMisers	CoolerMiser Installation--calculated	Calculated	0.00	0.00
Ventilation Controls	hvac demand control ventilation	Calculated	0.00	0.00
Lighting Occupancy Sensors	occupancy sensor	Calculated	0.00	0.00
Lighting Occupancy Sensors	Occupancy Sensors Controlling Lighting, <100 W	PSE Deemed	46.00	0.00
Lighting Occupancy Sensors	Occupancy Sensors Controlling Lighting, >=100 W, <150W	PSE Deemed	116.00	0.00
Lighting Occupancy Sensors	Occupancy Sensors Controlling Lighting, >=150 W, <200W	PSE Deemed	162.00	0.00
Lighting Occupancy Sensors	Occupancy Sensors Controlling Lighting, >=200 W, <450W	PSE Deemed	302.00	0.00
Lighting Occupancy Sensors	Occupancy Sensors Controlling Lighting, >=450W	PSE Deemed	464.00	0.00
Ventilation Controls	occupancy-based hvac controls limited service	Calculated	0.00	0.00
Ventilation Controls	occupancy-based thermostat controls - 5 degrees	PSE Deemed	222.00	0.00
Lighting Occupancy Sensors	Photo-Electric Controls	Calculated	0.00	0.00
Thermostat	Seven-Day Programmable Thermostat	Calculated	0.00	0.00
Smart Strips	Smart Strip Plug-in	RTF Deemed	100.00	0.00
PC Power Manager	Software; networked or local; installed on enterprise servers	RTF Deemed	115.00	
Thermostat, Portable Classroom, 365-day Programmable	The addition of lighting controls to 365-day thermostat	Calculated	315.00	
Thermostat, Portable Classroom, 365-day Programmable	The addition of occupancy based damper controls to 365-day thermostat	Calculated	765.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Dishwashers

Commercial or Industrial Existing or New

Door Type, PSE provides electricity	Door Type High Temp Dishwasher - Electric Booster	PSE Deemed	4,407.00	0.00
Door Type, PSE provides electricity	Door type High Temp Dishwasher - Electric Booster/Water Heater	PSE Deemed	11,334.00	0.00
Door Type, PSE provides electricity	Door Type Low Temp Dishwasher - Electric Water Heater	PSE Deemed	15,931.00	0.00
Door Type, PSE provides electricity	High Temperature, elec WH, elec booster	PSE Deemed	13,950.00	0.00
Single Tank Conveyor, PSE provides electricity	High Temperature, elec WH, elec booster	PSE Deemed	18,972.00	0.00
Door Type, PSE provides electricity	High Temperature, elec WH, gas booster	PSE Deemed	8,948.00	0.00
Under Counter, PSE provides electricity	High Temperature, elec WH, gas booster	PSE Deemed	4,689.00	0.00
Under Counter, PSE provides electricity	High Temperature, elect WH, elec booster	PSE Deemed	7,369.00	0.00
Single Tank Conveyor, PSE provides electricity	High Temperature, elect WH, gas booster	PSE Deemed	12,701.00	0.00
Under Counter, PSE provides electricity	High Temperature, gas WH, elec booster	PSE Deemed	2,680.00	0.00
Single Tank Conveyor, PSE provides electricity	High Temperature, gas WH, elec booster	PSE Deemed	7,998.00	0.00
Door Type, PSE provides electricity	High Temperature, gas WH, elec booster	PSE Deemed	5,197.00	0.00
Under Counter, PSE provides electricity	Low Temperature, elec WH	PSE Deemed	1,196.00	0.00
Door Type, PSE provides electricity	Low Temperature, elec WH	PSE Deemed	11,969.00	0.00
Single Tank Conveyor, PSE provides electricity	Low Temperature, elect WH	PSE Deemed	11,228.00	0.00
Multi Tank Conveyor, PSE provides electricity	Multi Tank Conveyor High Temp Dishwasher - Electric Booster	PSE Deemed	10,342.00	0.00
Multi Tank Conveyor, PSE provides electricity	Multi Tank Conveyor High Temp Dishwasher - Electric Booster/Water Heater	PSE Deemed	26,298.00	0.00
Multi Tank Conveyor, PSE provides electricity	Multi Tank Conveyor Low Temp Dishwasher - Electric	PSE Deemed	18,554.00	0.00
Single Tank Conveyor, PSE provides electricity	Single Tank Conveyor High Temp Dishwasher - Electric Booster	PSE Deemed	3,951.00	0.00
Single Tank Conveyor, PSE provides electricity	Single Tank conveyor High Temp Dishwasher - Electric Booster/Water Heater	PSE Deemed	8,157.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Single Tank Conveyor, PSE provides electricity	Single Tank Conveyor Low Temp Dishwasher - Electric Water Heater	PSE Deemed	13,224.00	0.00
Single Tank Conveyor, PSE provides electricity	Single Tank Conveyor Low Temp Dishwasher - Incidental Electric Savings	PSE Deemed	360.00	0.00
Under Counter, PSE provides electricity	Under Counter High Temp Dishwasher - Electric Booster	PSE Deemed	1,499.00	0.00
Under Counter, PSE provides electricity	Under Counter High Temp Dishwasher - Electric Booster/Water Heater	PSE Deemed	2,566.00	0.00
Under Counter, PSE provides electricity	Under Counter Low Temp Dishwasher - Electric Water Heater	PSE Deemed	2,505.00	0.00

Drives

	Commercial or Industrial	Existing or New	Savings Type	kWh Savings	Therm Savings
variable speed	On fan motors		Calculated	0.00	
variable speed	On pump motors		Calculated	0.00	

Gas Boiler Tune ups & Cleaning

	Commercial or Industrial	Existing or New	Savings Type	kWh Savings	Therm Savings
Boiler Tune & Cleaning	Boiler Cleaning and Tune-up: Kettle Boiler		Calculated		24.00
Boiler Tune & Cleaning	Boiler Cleaning and Tune-up: Tube Boiler		Calculated		87.00
Boiler Tune & Cleaning	Boiler Cleaning: Kettle Boiler		Calculated		10.50
Boiler Tune & Cleaning	Boiler Cleaning: Tube Boiler		Calculated		74.10
Boiler Tune & Cleaning	Boiler Tune-Up: Kettle Boiler		Calculated		13.00
Boiler Tune & Cleaning	Boiler Tune-Up: Tube Boiler		Calculated		13.00

Heat Pumps

	Commercial or Industrial	Existing or New	Savings Type	kWh Savings	Therm Savings
heat pump,Terminal, Hospitality	High Efficiency, PTAC to PTHP		Calculated	0.00	
heat pump,Terminal, Hospitality	High Efficiency, PTHP to PTHP		Calculated	0.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

HVAC

Commercial or Industrial Existing or New

Air Conditioner	air conditioner tier 1	Calculated	0.00	0.00
Air Conditioner	air conditioner tier 2	Calculated	0.00	0.00
HVAC Retrofit	Fast Food Restaurant, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Fast Food Restaurant, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Fast Food Restaurants, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	high efficiency hvac retrofit	Calculated	0.00	0.00
Premium HVAC Service	Office, all electric, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, all electric, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Office, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, gas pack, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Office, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, heat pump, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office, heat pump, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Office, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
HVAC Retrofit	Office. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Package Terminal Heat Pump	packaged terminal heat pump-hotel	PSE Deemed	646.00	0.00
High Efficiency Commercial Heat Pump	Per ton	Calculated		
High Efficiency Commercial Air Conditioners	Per ton	Calculated		
Premium HVAC Service	premium hvac	Calculated	0.00	0.00
Package Terminal Heat Pump	ptac to pthp - new construction	Calculated	0.00	0.00
Package Terminal Heat Pump	ptac to pthp - retrofit	PSE Deemed	646.00	0.00
Package Terminal Heat Pump	pthp to pthp - new retrofit	PSE Deemed	646.00	0.00
HVAC Retrofit	Restaurant, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Restaurant, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Restaurant, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, all electric, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, all electric, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Retail, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, gas pack, per ton, >20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Retail, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail, heat pump, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Premium HVAC Service	Retail, heat pump, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Retail, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	School, All Electric. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	School, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	School, Heat Pump. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, all electric, per ton, > 20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, all electric, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, gas pack, per ton, >20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, heat pump, per ton, >20 ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail, heat pump, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00

Insulation

	Commercial or Industrial	Existing or New		
Pipe	DHW Pipe Insulation:	Electric Tank	PSE Deemed	164.00
Water Heater	Water heater Insulation		PSE Deemed	539.00
				0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Kitchen Equipment

Commercial or Industrial Existing or New

Steamer, Connectionless	10 pan	PSE Deemed	70,529.00	0.00
Steamer, Connectionless	3 pan	PSE Deemed	20,866.00	0.00
Steamer, Connectionless	4 pan	PSE Deemed	27,960.00	0.00
Steamer, Connectionless	5 pan	PSE Deemed	35,055.00	0.00
Steamer, Connectionless	6 pan	PSE Deemed	42,150.00	0.00
Oven, Electric	Combination Oven - electric	PSE Deemed	11,497.00	0.00
Oven, Electric	Convection Oven - 1/2 size electric	PSE Deemed	2,518.00	0.00
Oven, Electric	Convection Oven - double electric	PSE Deemed	5,548.00	0.00
Oven, Electric	Convection Oven - full size electric	PSE Deemed	2,774.00	0.00
Ice Makers	Ice Machine >1500 lbs ice per day	PSE Deemed	3,641.00	0.00
Ice Makers	Ice Machine 1001-1500 lbs ice per day	PSE Deemed	2,601.00	0.00
Ice Makers	Ice Machine 101-300 lbs ice per day	PSE Deemed	805.00	0.00
Ice Makers	Ice Machine 301-500 lbs ice per day	PSE Deemed	1,117.00	0.00
Ice Makers	Ice Machine 501-1000 lbs ice per day	PSE Deemed	1,807.00	0.00
Ice Makers	Ice maker up to 550 Lb--calculated	Calculated	0.00	0.00
Fryer, Energy Star	Max Idle Rate 100 watts	RTF Deemed	2,449.00	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lamps

Commercial or Industrial Existing or New

CFL	< 26 Watt	PSE Deemed	139.00	0.00
CFL	< 26 Watt reflector	PSE Deemed	155.00	0.00
CFL	< 26 Watt specialty lamp- globe	PSE Deemed	155.00	0.00
CFL	<26 Watt CFL	PSE Deemed	155.00	0.00
T8 Lamps	120W multi-lamp inc. fixture to 2L F17T8 (NBF)	PSE Deemed	368.00	0.00
T8 Lamps	160W multi-lamp inc. fixture to 2L F25T8 (NBF)	PSE Deemed	479.00	0.00
T8 Lamps	2' 1L T12 HO to 2' 1L T8	PSE Deemed	198.00	0.00
T8 Lamps	2' 1L T12 to 2' 1L T8	PSE Deemed	41.00	0.00
T8 Lamps	240W multi-lamp inc. fixture to 2L F28T8 (NBF)	PSE Deemed	793.00	0.00
CFL	26 Watt to 39 Watt CFL	PSE Deemed	149.00	0.00
T8 Lamps	3' 1L T12 to 3' 1L T8	PSE Deemed	70.00	0.00
HID Retrofit	35w LED wall area fixture with photocell	PSE Deemed	685.00	0.00
T8 Lamps	4' 1L T12 to 4' 1L T8	PSE Deemed	66.00	0.00
T8 Lamps	4' 2L T12 HO to 4' 2L T8	PSE Deemed	421.00	0.00
T8 Lamps	4' 2L T12 to 4' 2L T8	PSE Deemed	136.00	0.00
T8 Lamps	4' 3 lamp T12 HO to 4' 2 lamp T8 (delamp & reflector)	PSE Deemed	719.00	0.00
T8 Lamps	4' 3L T12 to 4' 2L T8 (delamp & reflector)	PSE Deemed	290.00	0.00
T8 Lamps	4' 3L T12 to 4' 3L T8	PSE Deemed	202.00	0.00
T8 Lamps	4' 3L T12HO to 4' 3L T8	PSE Deemed	632.00	0.00
T8 Lamps	4' 4 lamp T12 to 4' 2 lamp T8 (delamp & reflector)	PSE Deemed	446.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
T8 Lamps	4' 4L T12 HO to 4' 2L T8 (delamp & reflector)	PSE Deemed	1,016.00	0.00
T8 Lamps	4' 4L T12 HO to 4' 4L T8	PSE Deemed	843.00	0.00
T8 Lamps	4' 4L T12 to 4' 3L T8 (delamp)	PSE Deemed	359.00	0.00
T8 Lamps	4' 4L T12 to 4' 4L T8	PSE Deemed	273.00	0.00
T8 Lamps	4' f lamp T12 HO to 4' 3 lamp T8 (delamp)	PSE Deemed	930.00	0.00
T8 Lamps	400W HID to 4' 6L T8 (HBF)	PSE Deemed	1,107.00	0.00
HID Retrofit	60w LED wall pack with photocell	PSE Deemed	890.00	0.00
T8 Lamps	8' 1L T8 F96 to 4' 2L 28W (retro kit 2L 8')	PSE Deemed	50.00	0.00
T8 Lamps	8' 2 lamp T12 Delamp to 4' 2 lamp T8 (retro kit delamp)	PSE Deemed	397.00	0.00
T8 Lamps	8' 2L T12 HO F96 to 4' 4L 28W (retro kit 4L 8' NBF)	PSE Deemed	516.00	0.00
T8 Lamps	80W multi-lamp inc. fixture to 2L F17T8 (NBF)	PSE Deemed	202.00	0.00
Ceramic Metal Halide	Ceramic Metal Halide 22-28 watts	PSE Deemed	172.00	0.00
LED Other Health	Decorative	PSE Deemed	101.00	0.00
LED School (k-12)	Decorative	PSE Deemed	59.00	0.00
Integral LED Lamps and Recessed Down Lighting	Decorative	PSE Deemed	155.00	0.00
LED Retail	Decorative	PSE Deemed	84.00	0.00
LED	Decorative	PSE Deemed	96.00	0.00
LED Restaurant	Decorative	PSE Deemed	106.00	0.00
LED Warehouse	Decorative	PSE Deemed	87.00	0.00
LED Other	Decorative	PSE Deemed	96.00	0.00
LED Hotel/Motel Common Area	Decorative	PSE Deemed	183.00	0.00
LED Office	Decorative	PSE Deemed	67.00	0.00
CFL	Equal to or greater than 40 Watt CFL	PSE Deemed	209.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
T8 Lamps	Lamp-8' 1L T12 HO F96 to 4' 2L 28W (retro kit 2L 8')	PSE Deemed	260.00	0.00
T8 Lamps	Lamp-8' 2L T8 F96 to 4' 4L 28W (retro kit 4L 8')	PSE Deemed	103.00	0.00
LED Lamps	LED - decorative	Calculated	0.00	0.00
LED Lamps	LED - Directional (PAR, BR, R) 20	Calculated	0.00	0.00
LED Lamps	LED - Directional (PAR, BR, R) 30	Calculated	0.00	0.00
LED Lamps	LED - Directional (PAR, BR, R) 3840	Calculated	0.00	0.00
LED Lamps	LED - hard-wired	Calculated	0.00	0.00
LED Lamps	LED - MR16	Calculated	0.00	0.00
LED Lamps	LED - new exit sign	Calculated	0.00	0.00
LED Lamps	LED - omni-directional	Calculated	0.00	0.00
LED Hotel Common Area	LED - Omnidirectional hotel commons	PSE Deemed	355.00	
LED Other Health	LED - omnidirectional other health	PSE Deemed	195.00	0.00
LED Grocery	LED-Decorative Grocery	PSE Deemed	154.00	0.00
LED Hospital	LED-Decorative hospital	PSE Deemed	166.00	0.00
LED Hotel Common Area	LED-Decorative hotel commons	PSE Deemed	218.00	0.00
LED Hotel Rooms	LED-Decorative hotel rooms	PSE Deemed	36.00	0.00
LED Office	LED-Decorative office	PSE Deemed	80.00	0.00
LED Other	LED-Decorative other	PSE Deemed	114.00	0.00
LED Other Health	LED-Decorative other health	PSE Deemed	120.00	0.00
LED Restaurant	LED-Decorative restaurant	PSE Deemed	127.00	0.00
LED Retail	LED-Decorative retail	PSE Deemed	90.00	0.00
LED Retail	LED-Decorative retail	PSE Deemed	99.00	0.00
Pre CEM re-org LEDs	LED-decorative retail	PSE Deemed	90.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
LED School, K-12	LED-Decorative school k12	PSE Deemed	71.00	0.00
LED University	LED-Decorative university	PSE Deemed	168.00	0.00
LED Warehouse	LED-Decorative warehouse	PSE Deemed	104.00	0.00
Pre CEM re-org LEDs	LED-HW recessed retrofit kit-office	PSE Deemed	91.00	0.00
Pre CEM re-org LEDs	LED-hw recessed retrofit kit-other	PSE Deemed	130.00	0.00
Pre CEM re-org LEDs	LED-HW recessed retrofit kit-retail	PSE Deemed	113.00	0.00
Pre CEM re-org LEDs	LED-HW recessed retrofit kit-school (k12)	PSE Deemed	80.00	0.00
LED Grocery	LED-MR16-Grocery	PSE Deemed	253.00	0.00
Pre CEM re-org LEDs	LED-mr16-grocery	PSE Deemed	227.00	0.00
Pre CEM re-org LEDs	LED-mr16-hospital	PSE Deemed	273.00	0.00
LED Hospital	LED-MR16-hospital	PSE Deemed	273.00	0.00
LED Hotel Common Area	LED-MR16-hotel commons	PSE Deemed	358.00	0.00
LED Hotel Rooms	LED-MR16-hotel rooms	PSE Deemed	59.00	0.00
Pre CEM re-org LEDs	LED-mr16-office	PSE Deemed	119.00	0.00
LED Office	LED-MR16-office	PSE Deemed	132.00	0.00
LED Other	LED-MR16-other	PSE Deemed	188.00	0.00
Pre CEM re-org LEDs	LED-mr16-other	PSE Deemed	169.00	0.00
LED Other Health	LED-MR16-other health	PSE Deemed	197.00	0.00
Pre CEM re-org LEDs	LED-mr16-other health	PSE Deemed	177.00	0.00
Pre CEM re-org LEDs	LED-mr16-other retail	PSE Deemed	147.00	0.00
LED Restaurant	LED-MR16-restaurant	PSE Deemed	208.00	0.00
LED Retail	LED-MR16-retail	PSE Deemed	163.00	0.00
LED School, K-12	LED-MR16-school k12	PSE Deemed	116.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
LED University	LED-MR16-university	PSE Deemed	275.00	0.00
Pre CEM re-org LEDs	LED-mr16-university	PSE Deemed	248.00	0.00
Pre CEM re-org LEDs	LED-mr16-warehouse	PSE Deemed	153.00	0.00
LED Warehouse	LED-MR16-warehouse	PSE Deemed	170.00	0.00
LED Hospital	LED-Omindirection \$5 hospital	PSE Deemed	271.00	
LED Office	LED-omindirectional office	PSE Deemed	131.00	0.00
LED Hotel Rooms	LED-omnidirectional hotel rooms	PSE Deemed	59.00	0.00
LED Other	led-omnidirectional other	PSE Deemed	187.00	
LED Restaurant	LED-omnidirectional restaurant	PSE Deemed	206.00	
LED Retail	LED-omnidirectional retail	PSE Deemed	162.00	
LED School, K-12	LED-omnidirectional school (k12)	PSE Deemed	115.00	
LED University	LED-omnidirectional university	PSE Deemed	273.00	
LED Warehouse	LED-omnidirectional warehouse	PSE Deemed	169.00	
LED Grocery	LED-Omnidirectional-Grocery	PSE Deemed	251.00	0.00
LED Grocery	LED-Omnidirectional-Grocery	PSE Deemed	251.00	0.00
LED Hospital	LED-Omnidirectional-hospital	PSE Deemed	271.00	0.00
LED Hotel Common Area	LED-Omnidirectional-hotel commons	PSE Deemed	355.00	0.00
Pre CEM re-org LEDs	LED-omnidirectional-hotel comons	PSE Deemed	320.00	0.00
Pre CEM re-org LEDs	LED-omnidirectional-hotel rooms	PSE Deemed	63.00	0.00
LED Hotel Rooms	LED-Omnidirectional-hotel rooms	PSE Deemed	59.00	0.00
Pre CEM re-org LEDs	LED-omnidirectional-office	PSE Deemed	118.00	0.00
LED Office	LED-Omnidirectional-office	PSE Deemed	131.00	0.00
Pre CEM re-org LEDs	LED-omnidirectional-other	PSE Deemed	168.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
LED Other	LED-Omnidirectional-other	PSE Deemed	187.00	0.00
LED Other Health	LED-Omnidirectional-other health	PSE Deemed	195.00	0.00
LED Restaurant	LED-Omnidirectional-restaurant	PSE Deemed	206.00	0.00
LED Retail	LED-Omnidirectional-retail	PSE Deemed	99.00	0.00
Pre CEM re-org LEDs	LED-omnidirectional-retail (retired)	PSE Deemed	146.00	0.00
LED School, K-12	LED-Omnidirectional-school k12	PSE Deemed	115.00	0.00
LED University	LED-Omnidirectional-university	PSE Deemed	273.00	0.00
LED Warehouse	LED-Omnidirectional-warehouse	PSE Deemed	169.00	0.00
LED Grocery	LED-Par 20-Grocery	PSE Deemed	203.00	0.00
LED Hospital	LED-Par 20-hospital	PSE Deemed	220.00	0.00
LED Hotel Common Area	LED-Par 20-hotel commons	PSE Deemed	203.00	0.00
LED Hotel Common Area	LED-Par 20-hotel commons	PSE Deemed	288.00	0.00
LED Hotel Rooms	LED-Par 20-hotel rooms	PSE Deemed	48.00	0.00
LED Office	LED-Par 20-office	PSE Deemed	106.00	0.00
LED Other	LED-Par 20-other	PSE Deemed	151.00	0.00
LED Other Health	LED-Par 20-other health	PSE Deemed	158.00	0.00
LED Restaurant	LED-Par 20-restaurant	PSE Deemed	167.00	0.00
LED Retail	LED-Par 20-retail	PSE Deemed	131.00	0.00
LED School, K-12	LED-Par 20-school k12	PSE Deemed	94.00	0.00
LED University	LED-Par 20-university	PSE Deemed	221.00	0.00
LED Warehouse	LED-Par 20-warehouse	PSE Deemed	137.00	0.00
LED Grocery	LED-Par 30-Grocery	PSE Deemed	179.00	0.00
LED Hospital	LED-Par 30-hospital	PSE Deemed	193.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
LED Hotel Common Area	LED-Par 30-hotel commons	PSE Deemed	254.00	0.00
LED Hotel Rooms	LED-Par 30-hotel rooms	PSE Deemed	42.00	0.00
LED Office	LED-Par 30-office	PSE Deemed	94.00	0.00
LED Other	LED-Par 30-other	PSE Deemed	133.00	0.00
LED Other Health	LED-Par 30-other health	PSE Deemed	140.00	0.00
LED Restaurant	LED-Par 30-restaurant	PSE Deemed	147.00	0.00
LED Retail	LED-Par 30-retail	PSE Deemed	116.00	0.00
LED School, K-12	LED-Par 30-school k12	PSE Deemed	82.00	0.00
LED University	LED-Par 30-university	PSE Deemed	195.00	0.00
LED Warehouse	LED-Par 30-warehouse	PSE Deemed	121.00	0.00
LED Grocery	LED-Par 38 & 40-Grocery	PSE Deemed	194.00	0.00
LED Hospital	LED-Par 38 & 40-hospital	PSE Deemed	209.00	0.00
LED Hotel Common Area	LED-Par 38 & 40-hotel commons	PSE Deemed	275.00	0.00
LED Hotel Rooms	LED-Par 38 & 40-hotel rooms	PSE Deemed	45.00	0.00
LED Office	LED-Par 38 & 40-office	PSE Deemed	101.00	0.00
LED Other	LED-Par 38 & 40-other	PSE Deemed	144.00	0.00
LED Other Health	LED-Par 38 & 40-other health	PSE Deemed	151.00	0.00
LED Restaurant	LED-Par 38 & 40-restaurant	PSE Deemed	160.00	0.00
LED Retail	LED-Par 38 & 40-retail	PSE Deemed	125.00	0.00
LED School, K-12	LED-Par 38 & 40-school k12	PSE Deemed	89.00	0.00
LED University	LED-Par 38 & 40-university	PSE Deemed	211.00	0.00
LED Warehouse	LED-Par 38 & 40-warehouse	PSE Deemed	130.00	0.00
Pre CEM re-org LEDs	LED-par20-grocery	PSE Deemed	183.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Pre CEM re-org LEDs	LED-par20-office	PSE Deemed	96.00	0.00
Pre CEM re-org LEDs	LED-par20-other	PSE Deemed	136.00	0.00
Pre CEM re-org LEDs	LED-par20-restaurant	PSE Deemed	151.00	0.00
Pre CEM re-org LEDs	LED-par20-university	PSE Deemed	199.00	0.00
Pre CEM re-org LEDs	LED-par30-grocery	PSE Deemed	161.00	0.00
Pre CEM re-org LEDs	LED-par30-office	PSE Deemed	84.00	0.00
Pre CEM re-org LEDs	LED-par30-other	PSE Deemed	120.00	0.00
Pre CEM re-org LEDs	LED-par30-other health	PSE Deemed	126.00	0.00
Pre CEM re-org LEDs	LED-par30-restaurant	PSE Deemed	133.00	0.00
Pre CEM re-org LEDs	LED-par30-retail	PSE Deemed	104.00	0.00
Pre CEM re-org LEDs	LED-par30-university	PSE Deemed	176.00	0.00
Pre CEM re-org LEDs	LED-par30-warehouse	PSE Deemed	108.00	0.00
Pre CEM re-org LEDs	LED-par38 & 40-grocery	PSE Deemed	175.00	0.00
Pre CEM re-org LEDs	LED-par38 & 40-hotel commons	PSE Deemed	247.00	0.00
Pre CEM re-org LEDs	LED-par38 & 40-office	PSE Deemed	91.00	0.00
Pre CEM re-org LEDs	LED-par38 & 40-other	PSE Deemed	130.00	0.00
Pre CEM re-org LEDs	LED-par38 & 40-restaurant	PSE Deemed	144.00	0.00
LED Other	LED-Recessed other	PSE Deemed	144.00	0.00
LED Other Health	LED-Recessed other health	PSE Deemed	151.00	0.00
LED Restaurant	LED-Recessed restaurant	PSE Deemed	160.00	0.00
LED Retail	LED-Recessed retail	PSE Deemed	125.00	0.00
LED Retail	LED-Recessed retail	PSE Deemed	162.00	0.00
LED Hotel Rooms	LED-Recessed Retrofit hotel rooms	PSE Deemed	45.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
LED Grocery	LED-Recessed Retrofit Kit-Grocery	PSE Deemed	194.00	0.00
LED Hospital	LED-Recessed Retrofit Kit-hospital	PSE Deemed	209.00	0.00
LED Hotel Common Area	LED-Recessed Retrofit Kit-hotel commons	PSE Deemed	275.00	0.00
LED Office	LED-Recessed Retrofit office	PSE Deemed	101.00	0.00
LED School, K-12	LED-Recessed Retrofit school k12	PSE Deemed	89.00	0.00
LED University	LED-Recessed university	PSE Deemed	211.00	0.00
LED Warehouse	LED-Recessed warehouse	PSE Deemed	130.00	0.00
HID Retrofit	Less than 19 Watt LED wall pack with photocell	PSE Deemed	181.00	0.00
HID Retrofit	Less than 30 watt LED wall pack with photocell	PSE Deemed	601.00	0.00
T8 Lamps	Low wattage, 26 to 28 Watts	PSE Deemed	15.00	0.00
T8 Lamps	Low wattage, Less than or equal to 25 Watts	PSE Deemed	26.00	0.00
LED Other Health	MR 16	PSE Deemed	197.00	0.00
LED Other	MR 16	PSE Deemed	188.00	0.00
LED Restaurant	MR 16	PSE Deemed	208.00	0.00
LED School (k-12)	MR 16	PSE Deemed	116.00	0.00
LED Retail	MR 16	PSE Deemed	163.00	0.00
LED Office	MR 16	PSE Deemed	132.00	0.00
LED Warehouse	MR 16	PSE Deemed	170.00	0.00
LED	MR 16	PSE Deemed	159.00	0.00
Integral LED Lamps and Recessed Down Lighting	MR 16	PSE Deemed	177.00	0.00
LED Hotel/Motel Common Area	MR 16	PSE Deemed	358.00	0.00
LED	Omnidirectional	PSE Deemed	157.00	0.00
Integral LED Lamps and Recessed Down Lighting	Omnidirectional	PSE Deemed	291.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
LED Hotel/Motel Common Area	Omni-directional, A-lamp 11-Watt	PSE Deemed	313.00	0.00
LED Restaurant	Omni-directional, A-lamp 11-Watt	PSE Deemed	182.00	0.00
LED Other Health	Omni-directional, A-lamp 11-Watt	PSE Deemed	172.00	0.00
LED School (k-12)	Omni-directional, A-lamp 11-Watt	PSE Deemed	102.00	0.00
LED Warehouse	Omni-directional, A-lamp 11-Watt	PSE Deemed	149.00	0.00
LED Retail	Omni-directional, A-lamp 11-Watt	PSE Deemed	143.00	0.00
LED Office	Omni-directional, A-lamp 11-Watt	PSE Deemed	115.00	0.00
LED Other	Omni-directional, A-lamp 11-Watt	PSE Deemed	164.00	0.00
LED Retail	Omni-directional, A-lamp 5-Watt Globe	PSE Deemed	192.00	0.00
LED Restaurant	Omni-directional, A-lamp 5-Watt Globe	PSE Deemed	245.00	0.00
LED Office	Omni-directional, A-lamp 5-Watt Globe	PSE Deemed	155.00	0.00
LED Hotel/Motel Common Area	Omni-directional, A-lamp 5-Watt Globe	PSE Deemed	421.00	0.00
LED Other	Omni-directional, A-lamp 5-Watt Globe	PSE Deemed	221.00	0.00
LED Other Health	Omni-directional, A-lamp 5-Watt Globe	PSE Deemed	232.00	0.00
LED Warehouse	Omni-directional, A-lamp 5-Watt Globe	PSE Deemed	200.00	0.00
LED School (k-12)	Omni-directional, A-lamp 5-Watt Globe	PSE Deemed	137.00	0.00
LED Hotel/Motel Common Area	Omni-directional, A-lamp 7-Watt	PSE Deemed	275.00	0.00
LED Warehouse	Omni-directional, A-lamp 7-Watt	PSE Deemed	130.00	0.00
LED Office	Omni-directional, A-lamp 7-Watt	PSE Deemed	101.00	0.00
LED Restaurant	Omni-directional, A-lamp 7-Watt	PSE Deemed	160.00	0.00
LED School (k-12)	Omni-directional, A-lamp 7-Watt	PSE Deemed	89.00	0.00
LED Retail	Omni-directional, A-lamp 7-Watt	PSE Deemed	162.00	0.00
LED Other	Omni-directional, A-lamp 7-Watt	PSE Deemed	144.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
LED Other Health	Omni-directional, A-lamp 7-Watt	PSE Deemed	151.00	0.00
LED Office	Par 20	PSE Deemed	106.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 20	PSE Deemed	175.00	0.00
LED School (k-12)	Par 20	PSE Deemed	94.00	0.00
LED Retail	Par 20	PSE Deemed	131.00	0.00
LED Hotel/Motel Common Area	Par 20	PSE Deemed	288.00	0.00
LED Other	Par 20	PSE Deemed	151.00	0.00
LED Restaurant	Par 20	PSE Deemed	167.00	0.00
LED Warehouse	Par 20	PSE Deemed	137.00	0.00
LED	PAR 20	PSE Deemed	127.00	0.00
LED Other Health	Par 20	PSE Deemed	158.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 30	PSE Deemed	229.00	0.00
LED Other Health	Par 30	PSE Deemed	140.00	0.00
LED Hotel/Motel Common Area	Par 30	PSE Deemed	254.00	0.00
LED School (k-12)	Par 30	PSE Deemed	82.00	0.00
LED Warehouse	Par 30	PSE Deemed	121.00	0.00
LED Other	Par 30	PSE Deemed	133.00	0.00
LED Office	Par 30	PSE Deemed	94.00	0.00
LED Restaurant	Par 30	PSE Deemed	147.00	0.00
LED	PAR 30	PSE Deemed	112.00	0.00
LED Retail	Par 30	PSE Deemed	116.00	0.00
Integral LED Lamps and Recessed Down Lighting	PAR 38 & 40	PSE Deemed	235.00	0.00
LED	PAR 38 & 40 and Screw in Recessed Can Retrofit Kits	PSE Deemed	122.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
LED Retail	Par 38/40	PSE Deemed	125.00	0.00
LED School (k-12)	Par 38/40	PSE Deemed	89.00	0.00
LED Restaurant	Par 38/40	PSE Deemed	160.00	0.00
LED Warehouse	Par 38/40	PSE Deemed	130.00	0.00
LED Hotel/Motel Common Area	Par 38/40	PSE Deemed	275.00	0.00
LED Other	Par 38/40	PSE Deemed	144.00	0.00
LED Other Health	Par 38/40	PSE Deemed	151.00	0.00
LED Office	Par 38/40	PSE Deemed	101.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, grocery	PSE Deemed	50.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, hospital	PSE Deemed	54.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, hotel/motel common area	PSE Deemed	71.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, hotel/motel guestroom	PSE Deemed	12.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, office	PSE Deemed	26.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, other	PSE Deemed	37.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, other health	PSE Deemed	39.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, restaurant	PSE Deemed	41.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, retail	PSE Deemed	32.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, school (k12)	PSE Deemed	23.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, university	PSE Deemed	54.00	0.00
Lighting to Go: TLED (Tubular LEDs)	Retrofit to TLED, warehouse	PSE Deemed	34.00	0.00
CFL	Specialty, < 26 Watt	PSE Deemed	139.00	0.00
CFL	Specialty, 26 Watt to 39 Watt CFL	PSE Deemed	149.00	0.00
T8 Lamps	T12 to T8 with electronic ballast	Calculated	0.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lighting Fixtures

Commercial or Industrial Existing or New

HID Retrofits	1000W HID to 400W e-HID	PSE Deemed	2,670.00	0.00
HID Retrofits	175W HID to 100W Ceramic Metal Halide	PSE Deemed	411.00	0.00
Linear Fluorescent Retrofit Delamp	2 Lamp F96T12 to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	325.00	0.00
T8 Fluorescent	2 lamp Incandescent (80W) to 2' T8 in Restroom	PSE Deemed	209.00	0.00
HID Retrofits	250W HID to 175 W Pulse-Start Metal Halide	PSE Deemed	394.00	0.00
Linear Fluorescent Retrofit Delamp	3 Lamp F40T12 to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	370.00	0.00
Linear Fluorescent Retrofit Delamp	3 Lamp F40T12ES to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	292.00	0.00
T8 Fluorescent	3 lamp Incandescent (120W) to 2' T8 in Restroom	PSE Deemed	370.00	0.00
Linear Fluorescent Retrofit Delamp	4 Lamp F40T12 to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	542.00	0.00
Linear Fluorescent Retrofit Delamp	4 Lamp F40T12 to 3 Lamp F28T8 .78 Ballast Factor	PSE Deemed	452.00	0.00
Linear Fluorescent Retrofit Delamp	4 Lamp F40T12ES to 2 Lamp F28T8 .78 Ballast Factor	PSE Deemed	411.00	0.00
Linear Fluorescent Retrofit Delamp	4 Lamp F40T12ES to 3 Lamp F28T8 .78 Ballast Factor	PSE Deemed	320.00	0.00
T8 Fluorescent	4 lamp Incandescent (160W) to 3' T8 in Restroom	PSE Deemed	477.00	0.00
HID Retrofits	400W HID to 200W e-HID	PSE Deemed	1,015.00	0.00
HID Retrofits	400W HID to 6 Lamp F28T8 High Ballast Factor	PSE Deemed	1,076.00	0.00
T8 Fluorescent	6 lamp Incandescent (240W) to 4' T8 in Restroom	PSE Deemed	805.00	0.00
Bi-level	F32T8 to Bi-Level Lighting	PSE Deemed	277.00	0.00
T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 1 Lamp fixture	PSE Deemed	86.00	0.00
T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 2 Lamp fixture	PSE Deemed	115.00	0.00
T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 3 Lamp fixture	PSE Deemed	201.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
T8 Fluorescent	F34T12 to F28T8 .78 Ballast Factor- 4 Lamp fixture	PSE Deemed	234.00	0.00
Bi-level	F40T12 to Bi-level Lighting	PSE Deemed	557.00	0.00
T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 1 Lamp fixture	PSE Deemed	99.00	0.00
T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 2 Lamp fixture	PSE Deemed	181.00	0.00
T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 3 Lamp fixture	PSE Deemed	279.00	0.00
T8 Fluorescent	F40T12 to F28T8 .78 Ballast Factor- 4 Lamp fixture	PSE Deemed	366.00	0.00
Bi-level	F40T12ES To Bi-level Lighting	PSE Deemed	417.00	0.00
T8 Fluorescent	F96T12 to F28T8 .78 Ballast Factor- 1 Lamp fixture	PSE Deemed	123.00	0.00
T8 Fluorescent	F96T12 to F28T8 .78 Ballast Factor- 4 Lamp fixture	PSE Deemed	148.00	0.00
T8 Fluorescent	F96T12HO to F28T8 .88 Ballast Factor- 1 Lamp fixture	PSE Deemed	304.00	0.00
T8 Fluorescent	F96T12HO to F28T8 .88 Ballast Factor- 4 Lamp fixture	PSE Deemed	444.00	0.00
LED Fixtures	Hard Wired Recessed Can Retrofit Kits	PSE Deemed	122.00	0.00
Refrigerated Vertical Reach-In Case Lighting	LED Refrigerated Case Lighting Retrofit- 5ft T12 to 5ft LED	PSE Deemed	567.00	0.00
Refrigerated Vertical Reach-In Case Lighting	LED Refrigerated Case Lighting Retrofit- 5ft T8 to 5ft LED	PSE Deemed	217.00	0.00
Refrigerated Vertical Reach-In Case Lighting	LED Refrigerated Case Lighting Retrofit- 6ft T12 to 6ft LED	PSE Deemed	680.00	0.00
Refrigerated Vertical Reach-In Case Lighting	LED Refrigerated Case Lighting Retrofit- 6ft T18 to 6ft LED	PSE Deemed	261.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lighting Systems

	Commercial or Industrial	Existing or New		
Stairwell	Bi-level stairwell lighting		PSE Deemed	457.00 0.00
Comprehensive Projects - Tier 2	Comprehensive projects, encompassing indoor and outdoor fixtures and lamps, whole systems		Calculated	0.00 0.00
Refrigerated Display Cases	Refrigerated display case 3-foot T12 to LED		PSE Deemed	204.00 0.00
Refrigerated Display Cases	Refrigerated display case 3-foot T8 to LED		PSE Deemed	158.00 0.00
Refrigerated Display Cases	Refrigerated display case 4-foot T12 to LED		PSE Deemed	272.00 0.00
Refrigerated Display Cases	Refrigerated display case 4-foot T8 to LED		PSE Deemed	210.00 0.00
Refrigerated Display Cases	Refrigerated display case 5-foot T12 to LED		PSE Deemed	340.00 0.00
Refrigerated Display Cases	Refrigerated display case 5-foot T8 to LED		PSE Deemed	263.00 0.00
Refrigerated Display Cases	Refrigerated display case 6-foot T12 to LED		PSE Deemed	408.00 0.00
Refrigerated Display Cases	Refrigerated display case 6-foot T8 to LED		PSE Deemed	315.00 0.00

Motors

	Commercial or Industrial	Existing or New		
Electronically Commutated Motors	EC Motor for Refrigerated Display Case		PSE Deemed	477.00 0.00
Electronically Commutated Motors	EC Motor for Refrigerated Walk-In		PSE Deemed	1,199.00 0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Refrigerators

Commercial or Industrial Existing or New

Electronically Commutated Motors	Evap. Motors: Shaded Pole to ECM in Display Cases	RTF Deemed		0.00
Electronically Commutated Motors	Evap. Motors: Shaded Pole to ECM in Walk-ins	RTF Deemed		0.00
Bare Refrigeration Suction Line Insulation	Low Temperature (Freezer) Suction Line Insulation	PSE Deemed	9.20	0.00
Bare Refrigeration Suction Line Insulation	Medium Temperature (Cooler) Suction Line Insulation	PSE Deemed	4.00	0.00
Door Gasket	Refrigeration Door Gasket- for Reach-in Glass Doors, Low Temperature	RTF Deemed		
Door Gasket	Refrigeration Door Gasket- for Reach-in Glass Doors, Medium Temperature	RTF Deemed		
Door Gasket	Refrigeration Door Gasket- for Walk-in Doors, Low Temperature	RTF Deemed		
Door Gasket	Refrigeration Door Gasket- for Walk-in Doors, Medium Temperature	RTF Deemed		
Strip Curtains	Strip Curtains Walk-in Cooler	RTF Deemed		0.00
Strip Curtains	Strip Curtains Walk-in Freezer	RTF Deemed		0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Showerheads

Commercial or Industrial Existing or New

Reduced- Flow Showerhead Electrically- heated DHW	Showerhead - Any Comm - SBDI - E - 1.5 GPM	PSE Deemed	228.00	0.00
Reduced- Flow Showerhead Electrically- heated DHW	Showerhead - Fitness Ctr - SBDI - E - 1.5 GPM	PSE Deemed	4,288.00	0.00
Reduced- Flow Showerhead Electrically- heated DHW	Showerhead - Super Low Flow - SBDI - E - 1.5 GPM	PSE Deemed	228.00	0.00
Showerhead, Direct Install	Showerhead-any commercial-di split-e-1.5 gpm	PSE Deemed	228.00	0.00
Showerhead, Direct Install	Showerhead-any commercial-di-e-1.5 gpm	PSE Deemed	228.00	0.00
Showerhead, Direct Install	Showerhead-fitness center-di-e split 1.5 gpm	PSE Deemed	4,288.00	0.00
Showerhead, Direct Install	showerhead-fitness center-di-e-1.5 gpm	PSE Deemed	4,288.00	0.00
Showerhead reinstall	Used when a customer requests PSE to re-install their old showerhead after a new SH was installed			0.00

Signs

Commercial or Industrial Existing or New

LED Exit	LED Exit Sign	PSE Deemed	153.30	0.00
LED Open Sign	LED Open Sign	PSE Deemed	158.00	0.00
LED Exit	Retrofit CFL to LED--Retrofit applications only (considered standard for new construction)	Calculated	0.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Spray Valves

Commercial or Industrial Existing or New

Pre-Rinse Electric	Electric head 1.6 previously installed to .65gpm	PSE Deemed	839.00	0.00
Pre-Rinse Electric	Electric head 2.2 previously installed to .65gpm	PSE Deemed	1,322.00	0.00
Pre-Rinse Electric	Electric head 2.6 previously installed to .65gpm	PSE Deemed	2,187.00	0.00
Pre-Rinse Electric	Electric head not previously installed to .65gpm	PSE Deemed	1,208.00	0.00
Pre-Rinse Electric	SBDI Electric sprayhead not previously insatlled to 0.65gpm	PSE Deemed	1,208.00	0.00
Pre-Rinse Electric	SBDI Electric sprayhead 1.6 previously installed to 0.65gpm	PSE Deemed	839.00	0.00
Pre-Rinse Electric	SBDI Electric sprayhead 2.2 previously installed to 0.65 pgm	PSE Deemed	1,322.00	0.00
Pre-Rinse Electric	SBDI Electric sprayhead 2.6 previously installed to 0.65 gpm	PSE Deemed	2,187.00	0.00
Pre-Rinse Electric	Sprayhead-split-1.6 pi to 0.65 gpm	PSE Deemed	839.00	0.00
Pre-Rinse Electric	Sprayhead-split-2.2 pi to 0.65 gpm	PSE Deemed	1,322.00	0.00
Pre-Rinse Electric	Sprayhead-split-2.6 pi to 0.65 gpm	PSE Deemed	2,187.00	0.00
Pre-Rinse Electric	Sprayhead-split-not pi to 0.65 gpm	PSE Deemed	1,208.00	0.00
Sprayhead Reinstall	Used when a customer requests PSE re-install their old sprayhead		0.00	0.00

Strip Curtains

Commercial or Industrial Existing or New

Refrigerator Strip Curtains	Restaurant Cooler - Strip Curtain	PSE Deemed	25.00	0.00
Refrigerator Strip Curtains	Restaurant Freezer - Strip Curtain	PSE Deemed	134.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Aerator

Commercial or Industrial Existing or New

Aerator Reinstall	"reinstall" signifies that the customer wishes PSE to remove the aerator installed by PSE's contractor		0.00	0.00
SBDI Aerators	**Caution--see comment** Hospitality Aerator Installation	PSE Deemed		6.40
Hospitality Aerators	Aerator-hospitality-\$10-g	PSE Deemed		6.40
Hospitality Aerators	Aerator-hospitality-g	PSE Deemed		6.40
Hospitality Aerators	Aerator-hospitality-split-\$10-g	PSE Deemed		6.40
Hospitality Aerators	Aerator-hospitality-split-g	PSE Deemed		6.40
Non-Hospitaliy Aerators	Aerator-split-\$10-g	PSE Deemed		32.00
Non-Hospitaliy Aerators	Aerator-split-g	PSE Deemed		6.40
Non-Hospitaliy Aerators	Aerator-split-g	PSE Deemed		32.00
Hospitality	Installed in conjunction with a sprayhead	PSE Deemed		6.40
non-hospitality	Installed in conjunction with a sprayhead	PSE Deemed		32.00
Hospitality	Installed without a sprayhead	PSE Deemed		6.40
non-hospitality	Installed without a sprayhead	PSE Deemed		32.00
SBDI Aerators	Non-hospitality Aerator Installation	PSE Deemed		32.00

Clothes Washers

Commercial or Industrial Existing or New

High-Efficiency, high use, MF laundries	PSE gas water heat, PSE gas and PSE electric for dryer	PSE Deemed		105.00
High-Efficiency, high use, MF laundries	PSE gas water heat, PSE gas/no PSE electric for dryer	PSE Deemed		105.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Commercial/Industrial

Gas

Schedule G262 Commercial Direct Install (Non SBD)

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Device Controllers and Sensors

	Commercial or Industrial	Existing or New			
Thermostat	Seven-Day Programmable Thermostat		Calculated	0.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Dishwashers

Commercial or Industrial Existing or New

Door Type, PSE provides electricity	Door type High Temp Dishwasher - Gas Water Heater	PSE Deemed		290.00
Door Type, PSE provides electricity	Door Type Low Temp Dishwasher - Gas Water Heater	PSE Deemed		666.00
Single Tank Conveyor, PSE provides gas	High temp, elec WH, gas booster	PSE Deemed		254.00
Single Tank Conveyor, PSE provides gas	High temp, gas WH, elec booster	PSE Deemed		508.00
Door Type, PSE provides gas	High temp, gas WH, elect. Booster	PSE Deemed		405.00
Single Tank Conveyor, PSE provides gas	High temp, gas WH, gas booster	PSE Deemed		762.00
Door Type, PSE provides gas	High temp, gas WH, gas Booster	PSE Deemed		608.00
Multi Tank Conveyor, PSE provides gas	High temperature, elec WH, gas booster	PSE Deemed		496.00
Door Type, PSE provides gas	High temperature, elec WH, gas booster	PSE Deemed		203.00
Under Counter, PSE provides gas	High Temperature, elec WH, gas booster	PSE Deemed		109.00
Under Counter, PSE provides gas	High Temperature, gas building hot water, elec booster	PSE Deemed		217.00
Multi Tank Conveyor, PSE provides gas	High temperature, gas WH, elec booster	PSE Deemed		993.00
Multi Tank Conveyor, PSE provides gas	High temperature, gas WH, gas booster	PSE Deemed		1,489.00
Under Counter, PSE provides gas	High Temperature, gas WH, gas booster	PSE Deemed		326.00
Door Type, PSE provides gas	Low temp, gas WH	PSE Deemed		554.00
Single Tank Conveyor, PSE provides gas	Low temp, gas WH	PSE Deemed		520.00
Under Counter, PSE provides gas	Low Temperature, gas WH	PSE Deemed		55.00
Multi Tank Conveyor, PSE provides gas	Low temperature, gas WH	PSE Deemed		798.00
Multi Tank Conveyor, PSE provides electricity	Multi Tank Conveyor High Temp Dishwasher - Gas Water Heater	PSE Deemed		667.00
Multi Tank Conveyor, PSE provides electricity	Multi Tank Conveyor High Temp Dishwasher - Gas Water Heater	PSE Deemed		176.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Multi Tank Conveyor, PSE provides electricity	Multi Tank Conveyor Low Temp Dishwasher - Gas Water Heater	PSE Deemed		776.00
Multi Tank Conveyor, PSE provides electricity	Single Tank Conveyor High Temp Dishwasher - Gas Water Heater	PSE Deemed		176.00
Single Tank Conveyor, PSE provides electricity	Single Tank Conveyor Low Temp Dishwasher - Gas Water Heater	PSE Deemed		538.00
Under Counter, PSE provides electricity	Under Counter High Temp Dishwasher - Gas Water Heater	PSE Deemed		45.00
Under Counter, PSE provides electricity	Under Counter Low Temp Dishwasher - Gas Water Heat	PSE Deemed		105.00

Gas Boiler Tune ups & Cleaning

	Commercial or Industrial	Existing or New		
Boiler Tune & Cleaning	Boiler Cleaning and Tune-up: Kettle Boiler		Calculated	24.00
Boiler Tune & Cleaning	Boiler Cleaning and Tune-up: Tube Boiler		Calculated	87.00
Boiler Tune & Cleaning	Boiler Cleaning: Kettle Boiler		Calculated	10.50
Boiler Tune & Cleaning	Boiler Cleaning: Tube Boiler		Calculated	74.10
Boiler Tune & Cleaning	Boiler Tune-Up: Kettle Boiler		Calculated	13.00
Boiler Tune & Cleaning	Boiler Tune-Up: Tube Boiler		Calculated	13.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

HVAC

Commercial or Industrial Existing or New

HVAC Retrofit	Fast Food Restaurant, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	high efficiency hvac retrofit-gas	Calculated		0.00
HVAC Demand Control Ventilation	hvac demand control ventilation-gas	Calculated		0.00
HVAC Retrofit	Office, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Office/gas, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	premium hvac service-gas	Calculated		0.00
HVAC Retrofit	Restaurant, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	Retail, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Retail/gas, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
HVAC Retrofit	School, Gas Pack. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Specialty retail/gas, gas pack, per ton. Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00
Premium HVAC Service	Various configurations, savings values & measure costs -- calculated measure	Calculated	0.00	0.00

Insulation

Commercial or Industrial Existing or New

Pipe	DHW Pipe Insulation: Gas-Fired Tank	PSE Deemed		7.00
Water Heater	Water heater Insulation	PSE Deemed		21.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Kitchen Equipment

Commercial or Industrial Existing or New

Steamer, Connectionless	6 pan	PSE Deemed		244.00
Fryer, Energy Star	Any qualified model or configuration	PSE Deemed		630.00
Oven, Gas	Combination Oven - gas	PSE Deemed		798.00
Oven, Gas	Convection Oven - double gas	PSE Deemed		2,100.00
Oven, Gas	Convection Oven - full size gas	PSE Deemed		357.00
Oven, Gas	Convection Oven - half size gas	PSE Deemed		226.00
Oven, Gas	Conveyor Oven - gas	PSE Deemed		884.00
Oven, Gas	Existing gas combination oven	PSE Deemed		1,164.00
Oven, Gas	Existing gas convection oven	PSE Deemed		323.00
Oven, Gas	Existing gas double rack oven	PSE Deemed		2,104.00
Oven, Gas	Existing gas single rack oven	PSE Deemed		1,034.00
Steamer, Connectionless	Steamer 10 pan - gas	PSE Deemed		4,187.00
Steamer, Connectionless	Steamer 3 pan - gas	PSE Deemed		1,256.00
Steamer, Connectionless	Steamer 4 pan - gas	PSE Deemed		1,675.00
Steamer, Connectionless	Steamer 5 pan - gas	PSE Deemed		2,093.00
Steamer, Connectionless	Steamer 6 pan - gas	PSE Deemed		2,512.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Showerheads

	Commercial or Industrial	Existing or New		
Reduced-Flow Showerhead Natural Gas- heated DHW	Showerhead -any commercial-SBDI-1.5 GPM		PSE Deemed	10.00
Reduced-Flow Showerhead Natural Gas- heated DHW	Showerhead -fitness center-SBDI-1.5 GPM		PSE Deemed	190.00
Showerhead, Direct Install	showerhead-any commercial-di split-g-1.5 gpm		PSE Deemed	10.00
Showerhead, Direct Install	showerhead-any commercial-di-g-1.5 gpm		PSE Deemed	10.00
Showerhead, Direct Install	showerhead-fitness center-di split-g-1.5 gpm		PSE Deemed	190.00
Showerhead, Direct Install	showerhead-fitness center-di-g-1.5 gpm		PSE Deemed	190.00
Showerhead reinstall	Used when a customer requests PSE to re-install their old showerhead after a new SH was installed			0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Spray Valves

	Commercial or Industrial	Existing or New		
Pre-Rinse Gas	Gas head 1.6 previously installed to .65gpm		PSE Deemed	37.00
Pre-Rinse Gas	Gas head 2.2 previously installed to .65 gpm		PSE Deemed	58.00
Pre-Rinse Gas	Gas head 2.6 previously installed to .65gpm		PSE Deemed	97.00
Pre-Rinse Gas	Gas head not previously installed to 0.65gpm		PSE Deemed	53.00
Pre-Rinse Gas	SBDI Gas sprayhead 1.6 previously installed to 0.65gpm		PSE Deemed	37.00
Pre-Rinse Gas	SBDI Gas sprayhead 2.2 previously installed to 0.65gpm		PSE Deemed	58.00
Pre-Rinse Gas	SBDI Gas sprayhead 2.6 previously installed to 0.65gpm		PSE Deemed	97.00
Pre-Rinse Gas	SDBI Gas sprayhead not previously installed to .65gpm		PSE Deemed	53.00
Pre-Rinse Spray Valves	sprahead-split-1.6 pi to 0.65 gpm-g		PSE Deemed	37.00
Pre-Rinse Spray Valves	sprahead-split-2.2 pi to 0.65 gpm-g		PSE Deemed	58.00
Pre-Rinse Spray Valves	sprahead-split-2.6 pi to 0.65 gpm-g		PSE Deemed	97.00
Pre-Rinse Spray Valves	sprahead-split-not pi to 0.65 gpm-g		PSE Deemed	53.00
Sprayhead Reinstall	Used when a customer requests PSE re-install their old sprayhead			0.00 0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Water Heat

Commercial or Industrial Existing or New

Boiler--Full svc restaurant, at least 92% efficient	Gas Boiler - Kitchen	Calculated	800.00	
Boiler--Laundry, at least 92% efficient	Gas Boiler - Laundry	Calculated	597.00	
Full svc restaurant water heater, > 75,000 btu/hr and at least 92% efficient	Gas Hot Water Heater - Kitchen	Calculated	613.00	
Laundry water heaters, > 75,000 btu/hr and at least 94% efficient	Gas Water Heater - Laundry	Calculated	597.00	
Kitchen/Laundry water heater	Hot Water Heater - kitchen - gas	PSE Deemed	613.00	
Kitchen/Laundry water heater	Hot Water Heater - laundry - gas	PSE Deemed	597.00	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Common Area Measures

Multi Family Existing or New

Pool Heat	Custom engineering calculation	Custom		0.00
Lighting	Variety of lighting measures--customer engineering calculations	Custom	0.00	0.00

Duct Sealing

Manufactured Home Existing or New

with other measures	Manufactured Home Duct Tightness, PCTS Duct Sealing	RTF Deemed	1,543.00	
---------------------	---	------------	----------	--

Single Family Existing or New

with other measures	Unconditioned spaces; Combination of savings values from FAF-no AC & heat pump	PSE Deemed	1,379.00	
---------------------	--	------------	----------	--

Heat Pumps

Manufactured Home Existing or New

Ductless, Manufactured Homes	7.7 HSPF/13 SEER	PSE Deemed	3,400.00	0.00
------------------------------	------------------	------------	----------	------

Single Family Existing or New

Ductless heat pump	1 ton or greater, inverter driven compressor, at least one indoor unit	RTF Deemed	3,500.00	0.00
--------------------	--	------------	----------	------

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

HVAC

	Manufactured Home Existing or New			
Whole House Ventilation	Energy Star Whole-house ventilation	PSE Deemed	161.00	0.00
	Multi Family Existing or New			
Whole House Ventilation	Energy Star Whole-house ventilation	PSE Deemed	161.00	0.00
	Single Family Existing or New			
Whole House Ventilation	Energy Star Whole-house ventilation	PSE Deemed	161.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Insulation

Manufactured Home Existing or New

Wall Insulation	R-0 to R-11	RTF Deemed	1.79	
Attic Insulation	R-0 to R-19	RTF Deemed	0.50	
Floor Insulation	R-0 to R-22	RTF Deemed	1.16	
Attic Insulation	R-0 to R-30	RTF Deemed	0.84	
Floor Insulation	R-0 to R-30	RTF Deemed	1.47	
Floor Insulation	R-11 to R-22	RTF Deemed	0.59	
Attic Insulation	R-11 to R-33	RTF Deemed	1.01	

Multi Family Existing or New

Wall Insulation	R-0 to R-11	RTF Deemed	1.30	
Duct Insulation	R-0 to R-11	PSE Deemed	4.65	
Floor Insulation	R-0 to R-19	RTF Deemed	1.04	
Attic Insulation	R-0 to R-19	RTF Deemed	1.59	
Floor Insulation	R-0 to R-30	RTF Deemed	1.30	
Attic Insulation	R-0 to R-38	RTF Deemed	2.18	
Attic Insulation	R-0 to R-38	PSE Deemed	2.30	
Floor Insulation	R-11 to R-30	RTF Deemed	0.66	
Attic Insulation	R-11 to R-38	RTF Deemed	1.39	
Attic Insulation	R-19 to R-38	PSE Deemed	0.61	
Attic Insulation	R-19 to R-38	RTF Deemed	0.58	

Single Family Existing or New

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Wall Insulation	R-0 to R-11	PSE Deemed	1.38	
Duct Insulation	R-0 to R-11	PSE Deemed	4.65	
Floor Insulation	R-0 to R-19	PSE Deemed	1.01	
Attic Insulation	R-0 to R-19	PSE Deemed	1.39	
Floor Insulation	R-0 to R-30	PSE Deemed	1.21	
Attic Insulation	R-0 to R-38	PSE Deemed	1.91	
Floor Insulation	R-11 to R-30	PSE Deemed	0.65	
Attic Insulation	R-11 to R-38	PSE Deemed	1.22	
Attic Insulation	R-19 to R-38	PSE Deemed	0.51	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lamps

Manufactured Home Existing or New

LED Lamps	LED "A" Lamp	PSE Deemed	16.70	0.00
LED Lamps	LED Bath vanity 360 watt to 24 watt	PSE Deemed	233.00	0.00
CFL Energy Star®	Weighted avg of all	RTF Deemed	23.00	

Multi Family Existing or New

LED Lamps	LED "A" Lamp	PSE Deemed	16.80	0.00
LED Lamps	LED Bath vanity 360 watt to 24 watt	PSE Deemed	233.00	0.00
LED Lamps	LED Candelabra	PSE Deemed	18.50	0.00
CFL Energy Star®	weighted avg of all	RTF Deemed	23.00	

Single Family Existing or New

LED Lamps	LED "A" Lamp	PSE Deemed	17.60	0.00
LED Lamps	LED Bath vanity 360 watt to 24 watt	PSE Deemed	233.00	0.00
LED Lamps	LED Candelabra	PSE Deemed	15.60	0.00
CFL Energy Star®	Wiegthed average, all	RTF Deemed	23.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Lighting Fixtures

Manufactured Home Existing or New

CFL Energy Star®	Any interior or exterior fixture	RTF Deemed	49.00	
CFL Energy Star®	Any interior or exterior fixtures	RTF Deemed	65.00	0.00
CFL Energy Star®	GU-24 pin-type	PSE Deemed	33.00	0.00
LED Fixtures	LED fixtures replacing incandescent base	RTF Deemed	61.00	0.00
CFL Energy Star®	Socket lock-it	PSE Deemed	37.00	

Multi Family Existing or New

CFL Energy Star®	Any fixture	RTF Deemed	65.00	0.00
CFL Energy Star®	Any fixture, weighted avg	RTF Deemed	49.00	0.00
CFL Energy Star®	GU-24 pin-type	PSE Deemed		0.00
LED Fixtures	LED fixtures replacing incandescent base	RTF Deemed	61.00	0.00
CFL Energy Star®	Socket lock-it	PSE Deemed	37.00	0.00

Single Family Existing or New

CFL Energy Star®	Any fixture	RTF Deemed	65.00	0.00
CFL Energy Star®	Any fixture, weighted avg	RTF Deemed	49.00	
CFL Energy Star®	GU-24 pin-type	PSE Deemed	33.00	0.00
LED Fixtures	LED fixtures replacing incandescent base	RTF Deemed	61.00	0.00
CFL Energy Star®	Socket lock-it	PSE Deemed	37.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Residential

Electric

Schedule E201 Low Income Weatherization

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Pipe Wrap

	Manufactured Home Existing or New			
Water heater	Min 3 feet	RTF Deemed	20.00	
	Multi Family Existing or New			
Water heater	Min 3 feet	RTF Deemed	20.00	
	Single Family Existing or New			
Water heater	Min 3 feet	RTF Deemed	20.00	

Refrigerators

	Manufactured Home Existing or New			
Replacements	Refrigerator Replacement	PSE Deemed	679.00	0.00
	Multi Family Existing or New			
Replacements	Refrigerator Replacement	PSE Deemed	679.00	0.00
	Single Family Existing or New			
Replacements	Refrigerator Replacement	PSE Deemed	679.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Showerheads

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
	Manufactured Home Existing or New			
2.0 gpm or less	any water heat, any shower	RTF Deemed	139.00	
	Multi Family Existing or New			
2.0 gpm or less	any water heat, any shower	RTF Deemed	139.00	
	Single Family Existing or New			
2.0 gpm or less	any water heat, any shower	RTF Deemed	139.00	

Structure Sealing

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
	Manufactured Home Existing or New			
structure	CFM per 50Pa	RTF Deemed	0.84	
	Single Family Existing or New			
structure	CFM per 50Pa	RTF Deemed	1.70	

Water Heat

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
	Manufactured Home Existing or New			
High Efficiency storage	Domestic, with 45-55 gallon rated capacity with EF of 0.95 or better	RTF Deemed	131.00	0.00
	Multi Family Existing or New			
High efficiency storage	Domestic, with 45-55 gallon rated capacity with EF of 0.95 or better	RTF Deemed	131.00	
	Single Family Existing or New			
High Efficiency storage	Domestic, with 45-55 gallon rated capacity with EF of 0.95 or better	RTF Deemed	131.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Windows

Manufactured Home Existing or New

Various configurations	Early double pane to double pane U .30	PSE Deemed	15.79	0.00
Various configurations	Single pane to double pane U.30	RTF Deemed	19.77	0.00

Multi Family Existing or New

Various configurations	Double pane (U .65) to triple pane (U .22	PSE Deemed	10.65	0.00
Various configurations	Early double-pane to double pane U .30	RTF Deemed	11.94	0.00
Various configurations	Single pane (U 1.2) to triple pane (U 0.22)	PSE Deemed	24.00	
Various configurations	Single-pane (U 1.25) to double-pane U-value 0.30	RTF Deemed	21.65	

Single Family Existing or New

Various configurations	Early double pane to double pane U .30	RTF Deemed	11.53	0.00
Various configurations	Single pane to double pane U .30	PSE Deemed	25.09	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Clothes Washers

Single Family Existing only

Energy Star® Clothes Washers	MEF 2.2 - 2.45, WF =< 4.5; Any WH & Any Dryer	RTF Deemed	112.00	0.00
Energy Star® Clothes Washers	MEF 2.4 - 3.19 Any WH/Any Dryer	RTF Deemed	71.00	0.00
Energy Star® Clothes Washers	MEF 2.46 - 2.69, WF =< 4.5; Any WH & Any Dryer	RTF Deemed	167.00	0.00
Energy Star® Clothes Washers	MEF 2.7 or higher, WF =< 4.5; Any WH & Any Dryer	RTF Deemed	183.00	0.00
Energy Star® Clothes Washers	MEF 3.2+ Any WH/Any Dryer	RTF Deemed	122.00	0.00
Energy Star® Clothes Washers	Tier 1 MEF 2.4 - 3.19 gas WH/gas dryer	RTF Deemed	9.00	0.00
Energy Star® Clothes Washers	Tier 1 MEF 2.4 - 3.19, Elec WH/Elec Dryer	PSE Deemed	84.00	0.00
Energy Star® Clothes Washers	Tier 1 MEF 2.4 - 3.19, elec WH/gas dryer	RTF Deemed	33.00	0.00
Energy Star® Clothes Washers	Tier 1 MEF 2.4 3.19, gas WH/elec dryer	RTF Deemed	60.00	0.00
Energy Star® Clothes Washers	Tier 2 MEF 3.2 or higher, elec WH/elec dryer	RTF Deemed	143.00	0.00
Energy Star® Clothes Washers	Tier 2 MEF 3.2 or higher, elec WH/gas dryer	RTF Deemed	54.00	0.00
Energy Star® Clothes Washers	Tier 2 MEF 3.2 or higher, elec WH/gas dryer	RTF Deemed	16.00	0.00
Energy Star® Clothes Washers	Tier 2 MEF 3.2 or higher, gas WH/elec dryer	RTF Deemed	106.00	0.00

Device Controllers and Sensors

Single Family Existing only

Smart Strips	Advanced IR Power Strip	RTF Deemed	300.00	0.00
--------------	-------------------------	------------	--------	------

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Duct Sealing

Single Family Existing only

Duct Sealing	Electric Weatherization---prescriptive: Average	PSE Deemed	1,859.00	0.00
Weatherization--Manufactured Homes	MHDS Level 1, in-park	PSE Deemed	900.00	0.00
Weatherization--Manufactured Homes	MHDS Level 1, out-of-park	PSE Deemed	1,000.00	
Weatherization--Manufactured Homes	MHDS Level 2, in-park	PSE Deemed	900.00	0.00
Weatherization--Manufactured Homes	MHDS Level 2, out-of-park	PSE Deemed	1,000.00	
Weatherization--Manufactured Homes	MHDS Level 3, In-park	PSE Deemed	1,600.00	0.00
Weatherization--Manufactured Homes	MHDS Level 3, out-of-park	PSE Deemed	2,500.00	
Weatherization--Quality Assured--site built homes	PTCS - FAF	RTF Deemed	1,362.00	0.00
Weatherization--Quality Assured--site built homes	PTCS - Heat Pump	RTF Deemed	1,049.00	0.00

Freezer

Single Family Existing only

Energy Star® Freezer	Energy Star freezer, greater than or equal to 7.75 cu ft	RTF Deemed	40.00	
Freezer Decommissioning	Freezer decommissioning, "Retail" Working condition, >= 10 cu ft.	RTF Deemed	478.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Heat Pumps

Single Family Existing only

Forced air furnace to heat pump conversion	Convert electric FAF without central AC to HSPF 8.5/SEER 14 HP or better	PSE Deemed	5,176.00	0.00
Sizing and Lockout Controls	Correct HP sizing and outdoor temperature lockout controls	PSE Deemed	1,447.00	0.00
Ductless heat pump	Ductless Heat Pump using inverter technology	RTF Deemed	3,400.00	0.00
Ductless heat pump	Ductless Heat Pump using inverter technology	RTF Deemed	3,500.00	0.00
heat pump, 9.0 HSPF, 14 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	554.00	
heat pump, 8.5 HSPF, 14 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	408.00	
heat pump, 10.0 HSPF, 16 SEER	Incremental savings from code (7.7 HSPF)	PSE Deemed	939.00	
Geothermal heat pump	Upgrade to Energy Star geothermal heat pump from air source heat pump	PSE Deemed	4,037.00	0.00

Home Energy Report

Single Family Existing only

Monthly usage report	Continued Households	PSE Deemed	276.40	0.00
Monthly usage report	Suspended Households	PSE Deemed	164.30	0.00

HVAC

Single Family Existing only

Whole House Ventilation	Upgrade from no fan or spot fan, Energy Star rated	PSE Deemed	81.00	0.00
-------------------------	--	------------	-------	------

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Insulation

Single Family Existing only

Floor Insulation	Electric WX R-11 to R-30 FAF	PSE Deemed	1.22	0.00
Floor Insulation	Electric WX R-11 to R-30 HP	PSE Deemed	0.56	0.00
Floor Insulation	Electric WX R-11 to R-30 Zonal	PSE Deemed	0.89	0.00
Attic Insulation	Electric WX R11 to R38 FAF	PSE Deemed	1.81	0.00
Attic Insulation	Electric WX R11 to R38 Zonal	PSE Deemed	1.34	0.00
Attic Insulation	Electric WX R11 to R38 HP	PSE Deemed	0.84	0.00
Floor Insulation	Manufactured home floor insulation R-0 to R-30	RTF Deemed	1.47	0.00
Wall Insulation	R0 - R13 FAF	PSE Deemed	1.67	
Wall Insulation	R0 - R13 Heat Pump	PSE Deemed	0.72	
Wall Insulation	R0 - R13 Zonal	PSE Deemed	1.48	
Duct Insulation	R0 to R11 Electric Weatherization	PSE Deemed	790.00	
Floor Insulation	R0-R30 - FAF	PSE Deemed	1.46	
Floor Insulation	R0-R30 - Heat Pump	PSE Deemed	0.57	
Floor Insulation	R0-R30 - Zonal	PSE Deemed	1.38	
Attic Insulation	R0-R49 FAF	PSE Deemed	2.38	
Attic Insulation	R0-R49 Heat Pump	PSE Deemed	1.04	
Attic Insulation	R0-R49 Zonal	PSE Deemed	2.14	
Attic Insulation	R19-R49 FAF	PSE Deemed	0.32	
Attic Insulation	R19-R49 FAF	PSE Deemed	0.75	

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Integrated Measures

Single Family Existing only

Retail Efficiency Kits	4 Different kits sold through retailers in PSE EE packaging	RTF Deemed		0.00
Retail Efficiency Kits	4 Different kits sold through retailers in PSE EE packaging	RTF Deemed		0.00
Insulation + Sealing	Prescriptive duct sealing + insulation - average of heating types	PSE Deemed	1,859.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Lamps

Single Family Existing only

LED lamps	A-lamp induction	PSE Deemed	10.53	
CFL Energy Star®	Direct install; HomePrint	RTF Deemed	23.00	
CFL Energy Star®	Electric manufactured homes direct install	RTF Deemed	23.00	
CFL Energy Star®	Engagement bulbs; events-specific	PSE Deemed	17.00	
LED lamps	HomePrint DI A-lamps	PSE Deemed	18.00	0.00
LED lamps	HomePrint DI candelabra lamps	PSE Deemed	16.00	0.00
LED lamps	HomePrint DI candelabra lamps	PSE Deemed	18.00	0.00
LED lamps	HomePrint DI reflector lamps	PSE Deemed	30.00	0.00
LED lamps	HomePrint DI reflector lamps	PSE Deemed	18.00	0.00
CFL Energy Star®	HomePrint leave-behind CFL	RTF Deemed	15.00	0.00
LED lamps	LED downlight, incandescent base	RTF Deemed	35.00	0.00
LED lamps	MHDS DI LED A-lamp	PSE Deemed	17.00	0.00
LED lamps	MHDS DI LED Globe	PSE Deemed	16.00	0.00
LED lamps	MHDS DI LED Globe	PSE Deemed	17.00	0.00
LED lamps	Retail & engagement, LED candelabra	PSE Deemed	17.76	
LED lamps	Retail & engagement, LED A-lamp	PSE Deemed	13.48	
LED lamps	Retail & engagement, LED A-lamp, bundled with appliance	PSE Deemed	13.48	
LED lamps	Retail & engagement, LED globe	PSE Deemed	15.71	
LED lamps	Retail & engagement, LED MR-16	RTF Deemed	25.42	
LED lamps	Retail & engagement, LED reflector	PSE Deemed	24.45	

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
- (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
CFL Energy Star®	Retail and engagement spiral lamps	PSE Deemed	16.00	
LED lamps	Retail retrofit kit	PSE Deemed	19.99	
CFL Energy Star®	Retail, door to door and direct-mail spiral lamps	PSE Deemed	15.00	
CFL Energy Star®	Retail--specialty	RTF Deemed	19.00	
CFL Energy Star®	Retail--specialty Promotional	RTF Deemed	19.00	
CFL Energy Star®	Retail--Spirals Promotional	RTF Deemed	16.00	
CFL Energy Star®	T2 Spiral bulb	RTF Deemed	23.00	

Lighting Fixtures

		Single Family Existing only		
LED Fixtures	Retail, LED indoor fixture	PSE Deemed	23.99	
LED Fixtures	Retail, LED outdoor fixture	PSE Deemed	58.47	

Performance Assessment

		Single Family Existing only		
HomePrint Reports	HomePrint assessment--no savings	no savings	0.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Refrigerators

Single Family Existing only

Replacement + decommissioning	CEE tier 2 combination of retail refrigerator + std decommissioning of kitchen refrigerator	PSE Deemed	547.00	0.00
Replacement + decommissioning	CEE tier 3 combination of retail refrigerator + std decommissioning of kitchen refrigerator	PSE Deemed	568.00	0.00
Refrigerator Decommissioning	Refrigerator decommissioning, "Retail" Working condition, >= 10 cu ft	RTF Deemed	424.00	
Refrigerator Decommissioning	Refrigerator decommissioning, 20yrs	RTF Deemed	424.00	
Refrigerator Replacement	Refrigerator replacement, years 1 - 14	PSE Deemed	578.00	
Refrigerator Replacement	Refrigerator replacement, years 1 - 20	PSE Deemed	101.00	
Energy Star® Refrigerators	Refrigerator, CEE Tier 1	RTF Deemed	19.00	
Energy Star® Refrigerators	Refrigerator, CEE Tier 2	RTF Deemed	46.00	
Energy Star® Refrigerators	Refrigerator, CEE Tier 3	RTF Deemed	85.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Showerheads

Single Family Existing only

Various efficiencies, installation methods and water heating	Leave-behind showerhead - electric water heat	RTF Deemed	226.00	0.00
Various efficiencies, installation methods and water heating	Manufactured homes, 1.5 or less gpm, leave-behind, maximum 2 per structure	RTF Deemed	260.00	
Various efficiencies, installation methods and water heating	Manufactured homes, 1.50 and less GPM, Any Shower, Electric WH, Direct install	RTF Deemed	307.00	
Various efficiencies, installation methods and water heating	MHDS, DI, 1.50 and less GPM, Any Shower, Electric WH	RTF Deemed	307.00	
Various efficiencies, installation methods and water heating	Retail engagement showerhead, combined terr, elec WH	PSE Deemed	103.00	
Various efficiencies, installation methods and water heating	Retail engagement showerhead, electric terr only, elec WH	PSE Deemed	125.00	
Various efficiencies, installation methods and water heating	Retail showerhead, 1.5 and less gpm, elec WH	PSE Deemed	239.00	
Various efficiencies, installation methods and water heating	Retail showerhead, 1.75 1.51 gpm, elec WH	PSE Deemed	185.00	
Various efficiencies, installation methods and water heating	Retail showerhead, 2.0 to 1.76 gpm, elec WH	PSE Deemed	123.00	
Various efficiencies, installation methods and water heating	Retail_Combined Terr_ showerhead 1.5 gpm and less, elec WH	PSE Deemed	122.00	
Various efficiencies, installation methods and water heating	Retail_Combined Terr_ showerhead 1.51 to 1.75 GPM, elec WH	PSE Deemed	94.00	
Various efficiencies, installation methods and water heating	Retail_Combined Terr_showerhead 1.76 to 2.0 gpm, elec WH	PSE Deemed	63.00	
Various efficiencies, installation methods and water heating	Retail_ElecOnly Terr_ showerhead 1.51 to 1.75 GPM, any WH	PSE Deemed	112.00	
Various efficiencies, installation methods and water heating	Retail_ElecOnly Terr_ showerhead 2.0 to 1.76 gpm, any WH	PSE Deemed	75.00	
Various efficiencies, installation methods and water heating	Retail_ElecOnly Terr_showerhead 1.5 gpm and less, any WH	PSE Deemed	145.00	
Various efficiencies, installation methods and water heating	Showerhead, Retail, 2.0 or less GPM mail by request	PSE Deemed	136.00	
ShowerStart	ShowerStart Adaptor, (Ladybug), elec WH	PSE Deemed	222.00	0.00
ShowerStart	ShowerStart Adaptor, (Roadrunner), elec WH	PSE Deemed	390.00	0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Structure Sealing

Single Family Existing only

Air Sealing	CFM50 - Forced-air Furnace	RTF Deemed	2.04	
Air Sealing	CFM50 - Heat Pump	RTF Deemed	0.96	
Air Sealing	CFM50 - Zonal	RTF Deemed	1.81	

Water Heat

Single Family Existing only

Storage water heater	0.94 EF or greater with 50 gal rated capacity	RTF Deemed	142.00	0.00
Storage water heater	0.94 EF or greater with 50 gal rated capacity	PSE Deemed	125.00	
Heat Pump Water Heater	NEEA Norther Climate Spec Tier 1	RTF Deemed	881.00	0.00
Heat Pump Water Heater	NEEA Norther Climate Spec Tier 2	RTF Deemed	1,786.00	0.00
Storage water heater	Storage water heater with 50 gallon capacity, EF of 0.95	RTF Deemed	149.00	0.00
Heat Recovery	Waste water heat recovery - pre heat domestic hot water tank with gravity film heat recovery device with heat transfer surface area of >= 3.85 sf	RTF Deemed	373.00	0.00

Windows

Single Family Existing only

Various configurations	Double pane to class 30 average, primary or patio	RTF Deemed	11.53	
Various configurations	Single pane to class 30 average, primary or patio	RTF Deemed	20.84	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Fuel Conversion

Single Family Existing only

Space and Water Heating	Electric base board space heat and electric water heat	PSE Deemed	12,000.00	0.00
Space Heating Only	Electric base board space heat to gas space heat	PSE Deemed	8,500.00	0.00
Space and Water Heating	Electric forced air space heat and electric water heat	PSE Deemed	12,000.00	0.00
Space Heating Only	Electric forced air space heat to gas space heat	PSE Deemed	8,500.00	0.00
Water Heating Only	Electric water heat to gas water heat--tank	PSE Deemed	3,500.00	0.00
Water Heating Only	Electric water heat to gas water heat--tankless	PSE Deemed	3,500.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Aerator

Multi Family Existing only

Bathroom Aerators	WaterSense Aerator- EWH, 1.5 gpm direct install	PSE Deemed	66.00	
-------------------	---	------------	-------	--

Clothes Washers

Multi Family Existing only

Energy Star®	CEE Tier 3, electric dryer, electric WH	RTF Deemed	84.00	
Energy Star®	Clothes Washer replacement; old washer 10 yrs or older, MEF 1.04 or lower	PSE Deemed	764.00	

Common Area Measures

Multi Family Existing only

Pool Heat	Pool Heat Pump	Calculated	0.00	0.00
-----------	----------------	------------	------	------

Device Controllers and Sensors

Multi Family Existing only

Smart Strips	Advanced Infrared Smart Power Strips	RTF Deemed	300.00	0.00
--------------	--------------------------------------	------------	--------	------

Drives

Multi Family Existing only

Variable speed drive	Variable speed drive	Calculated	0.00	0.00
----------------------	----------------------	------------	------	------

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Residential

Electric

Schedule E217

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Freezer				
	Multi Family Existing only			
Freezer Decommissioning	Freezer decommissioning	RTF Deemed	478.00	0.00
Fuel Conversion				
	Multi Family Existing only			
Multifamily Fuel Conversion	Natural gas water heating only - tank storage	PSE Deemed	3,500.00	
Multifamily Fuel Conversion	Natural gas water heating only - tankless	PSE Deemed	3,500.00	
Heat Pumps				
	Multi Family Existing only			
Ductless heat pump	Ductless heat pump, calculated	Calculated	0.00	0.00
Heat pump, calculated	Heat pump, calculated	Calculated	0.00	0.00
Heat pump, Tier 2; 9.0 HSPF, 14 SEER	Heat Pump, Tier 2; 9.0 HSPF, 14 SEER	PSE Deemed	554.00	0.00
HVAC				
	Multi Family Existing only			
Whole House Ventilation	Energy Star Whole House Ventilation with DC motor	PSE Deemed	161.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Insulation

Multi Family Existing only

Floor Insulation	R-0 to R-30	RTF Deemed	1.30	0.00
Attic Insulation	R-0 to R-38	RTF Deemed	2.18	0.00
Floor Insulation	R-11 to R-30	RTF Deemed	0.66	0.00
Attic Insulation	R-11 to R-38	RTF Deemed	1.39	0.00
Wall Insulation	Upgrade R0 to R11	RTF Deemed	1.30	

Lamps

Multi Family Existing only

CFL Energy Star®	Direct install, any interior or exterior application	RTF Deemed	23.00	
LED Lamps	Tenant controlled LED lamps; A-Lamp	PSE Deemed	17.00	0.00
LED Lamps	Tenant controlled LED lamps; Candelabra	PSE Deemed	19.00	0.00
LED Lamps	Tenant controlled LED lamps; Globe	PSE Deemed	16.00	0.00
LED Lamps	Tenant controlled LED lamps; MR-16	PSE Deemed	23.00	0.00
LED Lamps	Tenant controlled LED lamps; Reflector	PSE Deemed	25.00	0.00

Lighting Fixtures

Multi Family Existing only

CFL Energy Star®	Any CFL fixture, tenant-controlled, GU-24 CFL base	RTF Deemed	49.00	
CFL Energy Star®	Any interior application	RTF Deemed	61.00	
LED Fixtures	LED Fixtures	RTF Deemed	61.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Lighting Systems

Multi Family Existing only

Custom Tenant-controlled lighting	Custom tenant-controlled lighting	Calculated	0.00	0.00
-----------------------------------	-----------------------------------	------------	------	------

Pipe Wrap

Multi Family Existing only

Water heater	Min 3 feet	RTF Deemed	20.00	
--------------	------------	------------	-------	--

Refrigerators

Multi Family Existing only

Energy Star® or High Efficiency	CEE Tier 3 refrigerator	RTF Deemed	85.00	0.00
Decommissioning	Refrigerator decommissioning	RTF Deemed	424.00	0.00
Replacement	Replacing primary, working unit, pre-1993, years 1-14	PSE Deemed	578.00	0.00
Replacement	Replacing primary, working unit, pre-1993, years 15-20	PSE Deemed	101.00	0.00

Showerheads

Multi Family Existing only

1.5 gpm or less	Cascade Water Alliance (CWA) upgraded from base of 2.5 GPM	RTF Deemed	307.00	0.00
1.5 gpm or less	Direct install, electric water heat, any shower	RTF Deemed	307.00	0.00
ShowerStart	Thermostatic restrictor 1.5 gpm handheld showerhead	PSE Deemed	502.00	0.00
ShowerStart	Thermostatic restrictor 1.5 GPM showerhead	PSE Deemed	502.00	0.00
ShowerStart	Thermostatic restrictor adaptor	PSE Deemed	195.00	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Structure Sealing

Multi Family Existing only

Air Tighting	Air Sealing Training & installation	PSE Deemed	1.63	0.00
Air Tightening + Insulation Measures	Air Sealing w/insulation Training and Installation	PSE Deemed	2.49	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling + Floor + Wall Insulation to R13 - Reduce by 60%	PSE Deemed	1.63	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling Insulation to R38 - by 15%	PSE Deemed	2.13	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling to R38 + Floor to R30 - by 25%	PSE Deemed	2.43	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling to R38 + Floor to R30 + Wall to R13 - by 60%	PSE Deemed	2.49	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling to R38 + Wall to R13 - by 30%	PSE Deemed	2.76	0.00
Air Tightening + Insulation Measures	Air Tightening + Ceiling, Wall insulation to R13 - reduced by 50%	PSE Deemed	2.21	0.00
Air Tightening + Insulation Measures	Air Tightening + Floor Insulation to R30 - by 10%	PSE Deemed	2.98	0.00
Air Tightening + Insulation Measures	Air Tightening + Floor to R30 + Wall to R13 - by 45%	PSE Deemed	3.06	0.00
Air Tightening + Insulation Measures	Air Tightening + Floor, Wall insulation to R13 reduced by 45%	PSE Deemed	2.08	0.00
Air Tightening + Insulation Measures	Air Tightening + Wall Insulation to R13 - by 35%	PSE Deemed	3.43	0.00
Air Tighting	Ceiling - Reduce by 15%	PSE Deemed	0.86	0.00
Air Tighting	Cieling and Floor - Reduce by 25%	PSE Deemed	0.68	0.00
Air Tighting	Floor - Reduce by 10%	PSE Deemed	0.57	0.00

Water Heat

Multi Family Existing only

Storage water heater	0.95 EF or greater with 50 gal rated capacity	RTF Deemed	149.00	
Heat pump water heater	Heat pump water heater Tier 1, 50-75 gal, EF 0.92	RTF Deemed	881.00	
Heat pump water heater	Heat pump water heater Tier 2, 50-75 gal, EF 0.92; >75 gal, EF 0.89	RTF Deemed	1,786.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Windows

Multi Family Existing only

High Efficiency	Double pane metal frame to high efficiency double, U-factor 0.30	PSE Deemed	11.94	0.00
High Efficiency	Double-pane to triple pane U 0.25	PSE Deemed	13.87	0.00
High Efficiency	Single pane to double, U-factor 0.30	PSE Deemed	21.65	0.00
High Efficiency	Single-pane to triple pane U 0.25	PSE Deemed	23.58	0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Clothes Washers

Multi Family New only

Energy Star®	MEF 2.4 or Higher and WF of 4 or below; Any Water Heater & Any Dryer	RTF Deemed	71.00	
--------------	--	------------	-------	--

Lighting Systems

Multi Family New only

Garage	garage lighting reduction. Additional 1% up to 20% allowed.	PSE Deemed	0.02	0.00
Stairwell	Bi-level greater than 3, less than 10 floors	PSE Deemed	203.00	0.00
Stairwell	Bi-level, greater than or equal to 10 floors	PSE Deemed	379.00	0.00
Corridor	Corridor Lighint Power Density	Calculated	0.00	0.00
Garage	Garage Lighting Power Density	Calculated	0.00	0.00

Showerheads

Multi Family New only

1.75 GPM or less (includes 1.5 GPM)	1.50 or below, electric water heat, direct install, any shower	RTF Deemed	307.00	0.00
1.75 GPM or less (includes 1.5 GPM)	1.75 - 1.51 electric water heat, direct install, any shower	RTF Deemed	222.00	0.00

Water Heat

Multi Family New only

Heat recovery	Drain water heat recovery, DWH tank with model G3-60, single unit coil with heat transfer surface area of 3.85 sf or greater	RTF Deemed	373.00	
---------------	--	------------	--------	--

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Home Energy Report

All structure types Existing or New

HER Expansion Pilot	Individual Energy Reports, electric only, year 1	PSE Deemed	415.00	
HER Expansion Pilot	Individual Energy Reports, electric only, year 2	PSE Deemed	45.00	
HER Expansion Pilot	Individual Energy Reports, high relative user/lower frequency, year 1	PSE Deemed	237.00	
HER Expansion Pilot	Individual Energy Reports, high relative user/lower frequency, year 2	PSE Deemed	35.00	
HER Expansion Pilot	Individual Energy Reports, Non-urban customer group, year 1	PSE Deemed	180.00	
HER Expansion Pilot	Individual Energy Reports, Non-urban customer group, year 2	PSE Deemed	35.00	

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Residential

Electric

Schedule E-RES All Residential Electric Schedules

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Lamps

All residential types Existing or New

Project Porchlight P/O Rock the Bulb; leave a light bulb on a customer's porch PSE Deemed 15.00 0.00

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Residential

Gas

Schedule G201 Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
Duct Sealing				
	Manufactured Home Existing or New			
with other measures	Manufactured home duct tightness, PCTS duct sealing	PSE Deemed		62.00
	Single Family Existing or New			
with other measures	Unconditioned spaces	PSE Deemed		37.60
Furnace				
	Manufactured Home Existing or New			
AFUE 0.90	Gas Furnace Replacment >95%	PSE Deemed		110.00
	Multi Family Existing or New			
AFUE 0.90	Gas Furnace Replacment >95%	PSE Deemed		82.50
	Single Family Existing or New			
AFUE 0.90	Gas Furnace Replacment >95%	PSE Deemed		110.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Insulation

Manufactured Home Existing or New

Wall Insulation	R-0 to R-11	PSE Deemed	0.00	0.08
Floor Insulation	R-0 to R-22	PSE Deemed	0.00	0.04
Floor Insulation	R-0 to R-30	PSE Deemed	0.00	0.06
Attic Insulation	R-0 to R-30	PSE Deemed	0.00	0.04

Multi Family Existing or New

Duct Insulation	R-0 to R-11	PSE Deemed	0.00	0.20
Wall Insulation	R-0 to R-11	PSE Deemed	0.00	0.06
Floor Insulation	R-0 to R-30	PSE Deemed	0.00	0.06
Attic Insulation	R-0 to R-38	PSE Deemed	0.00	0.09
Attic Insulation	R-11 to R-38	PSE Deemed	0.00	0.06

Single Family Existing or New

Duct Insulation	R-0 to R-11	PSE Deemed	0.00	0.20
Wall Insulation	R-0 to R-11	PSE Deemed	0.00	0.06
Floor Insulation	R-0 to R-30	PSE Deemed	0.00	0.06
Attic Insulation	R-0 to R-38	PSE Deemed	0.00	0.09
Attic Insulation	R-11 to R-38	PSE Deemed	0.00	0.06

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Residential

Gas

Schedule G201 Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Integrated Measures

	Multi Family Existing or New			
Space + Water Heat Systems	Integrated space and water heat	PSE Deemed		129.50
	Single Family Existing or New			
Space + Water Heat Systems	Integrated space and water heat	PSE Deemed		173.00

Pipe Wrap

	Manufactured Home Existing or New			
Water Heater	Min 3 feet	PSE Deemed		0.90
	Multi Family Existing or New			
Water Heater	Min 3 feet	PSE Deemed		0.90
	Single Family Existing or New			
Water Heater	Min 3 feet	PSE Deemed		0.90

Showerheads

	Manufactured Home Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed		6.00
	Multi Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed		6.00
	Single Family Existing or New			
2.0 gpm or less	any water heat, any shower	PSE Deemed		6.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Residential

Gas

Schedule **G201** Low Income Weatherization--Gas

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Structure Sealing

	Manufactured Home Existing or New			
structure	CFM per 50Pa	PSE Deemed		0.04
	Single Family Existing or New			
structure	CFM per 50Pa	PSE Deemed		0.04

Water Heat

	Multi Family Existing or New			
Boiler--Water heating	Greater than or equal to 89% AFUE	PSE Deemed		1,100.00
Boiler--Space heating	Greater than or equal to 89% AFUE	PSE Deemed		845.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category Additional details, comments, equipment applications Savings Type kWh Savings Therm Savings

Clothes Washers

Single Family Existing only

Energy Star® Clothes Washers	MEF 2.2 to 2.45, WF =< 4.5, Gas WH, electric dryer	RTF Deemed	3.10
Energy Star® Clothes Washers	MEF 2.4 - 3.09, Gas WH, Electric dryer	RTF Deemed	1.00
Energy Star® Clothes Washers	MEF 2.4 - 3.09, Gas WH, gas dryer	RTF Deemed	2.95
Energy Star® Clothes Washers	MEF 2.4 - 3.19 Any HW/Any Dryer	RTF Deemed	0.60
Energy Star® Clothes Washers	MEF 2.46 to 2.69, WF =< 4.0, Gas WH, electric dryer	RTF Deemed	4.00
Energy Star® Clothes Washers	MEF 2.7 or higher, any water heat, any dryer	RTF Deemed	2.40
Energy Star® Clothes Washers	MEF 2.7 or higher, WF =< 4.0, Gas WH, electric dryer	RTF Deemed	4.30
Energy Star® Clothes Washers	MEF 3.1+, Electric WH, gas dryer	RTF Deemed	3.40
Energy Star® Clothes Washers	MEF 3.1+, Gas WH, Electric dryer	RTF Deemed	1.60
Energy Star® Clothes Washers	MEF 3.1+, Gas WH, gas dryer	RTF Deemed	5.00
Energy Star® Clothes Washers	MEF 3.2+ Any HW/Any Dryer	RTF Deemed	0.90
Energy Star® Clothes Washers	Tier 1 MEF 2.4 - 3.19, elec WH/gas dryer	RTF Deemed	2.00
Energy Star® Clothes Washers	Tier 1 MEF 2.4 3.19, gas WH/elec dryer	RTF Deemed	1.10
Energy Star® Clothes Washers	Tier 1 MEF 2.4-3.19, gas WH/gas dryer	RTF Deemed	3.10
Energy Star® Clothes Washers	Tier 2 MEF 3.2 or higher, elec WH/gas dryer	RTF Deemed	3.40
Energy Star® Clothes Washers	Tier 2 MEF 3.2 or higher, gas WH/elec dryer	RTF Deemed	1.70
Energy Star® Clothes Washers	Tier 2 MEF 3.2 or higher, gas WH/gas dryer	RTF Deemed	5.10

Device Controllers and Sensors

Single Family Existing only

Web-enabled Thermostats	Pre-programmed thermostat management system	PSE Deemed	54.00
-------------------------	---	------------	-------

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Residential

Gas

Schedule **G214** Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Duct Sealing

Single Family Existing only

Weatherization--Quality Assured--site built homes	30% of ducts are outside the conditioned space; primary heat source is PSE	PSE Deemed		75.32
HomePrint	Quality Assured	RTF Deemed		59.00

Fireplace

Single Family Existing only

High Efficiency	High efficiency direct-vent	PSE Deemed		72.00
High Efficiency	High efficiency direct-vent	PSE Deemed		72.00

Furnace

Single Family Existing only

Energy Star®	Efficiency greater than or equal to 95 AFUE	PSE Deemed		110.00
--------------	---	------------	--	--------

Home Energy Report

Single Family Existing only

Monthly usage report	Continued Households	PSE Deemed		11.60
Monthly usage report	Suspended Households	PSE Deemed		10.90

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Residential

Gas

Schedule **G214** Single Family Residential Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Insulation

Single Family Existing only

Wall Insulation	R0 - R13	PSE Deemed		0.08
Duct Insulation	R-0 to R-11	PSE Deemed		32.00
Floor Insulation	R-0 to R-30	PSE Deemed	0.00	0.07
Attic Insulation	R-0 to R-49	PSE Deemed	0.00	0.11

Integrated Measures

Single Family Existing only

Space + Water Heat Systems	Energy Star 0.90 EF tankless water heater or Energy Star 95% AFUE boiler for space AND water heat	PSE Deemed		173.00
Insulation + Sealing	Prescriptive Duct Sealing and Insulation, 30% of duct system in exterior of home	PSE Deemed		75.32

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link..." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Showerheads

Single Family Existing only

Various efficiencies, installation methods and water heating	HomePrint showerheads--leave-behind	PSE Deemed		16.00
Various efficiencies, installation methods and water heating	Retail Channel, comb terr, gas WH engagement	PSE Deemed		5.00
Various efficiencies, installation methods and water heating	Retail Channel, Comb Terr, gas WH 1.5 and less gpm	PSE Deemed		5.10
Various efficiencies, installation methods and water heating	Retail Channel, Comb Terr, gas WH 1.75 - 1.51 gpm	PSE Deemed		3.90
Various efficiencies, installation methods and water heating	Retail Channel, Comb Terr, gas WH 2.0 - 1.76 gpm	PSE Deemed		2.60
Various efficiencies, installation methods and water heating	Retail Channel, direct install, 1.5 gpm	PSE Deemed		13.00
Various efficiencies, installation methods and water heating	Retail channel, PSE gas-only territory, any WH, 1.50 gpm or less	PSE Deemed		5.31
Various efficiencies, installation methods and water heating	Retail channel, PSE gas-only territory, any WH, 1.51 to 1.75 gpm or less	PSE Deemed		2.74
Various efficiencies, installation methods and water heating	Retail channel, PSE gas-only territory, any WH, 1.51 to 1.75 gpm or less	PSE Deemed		4.10
Various efficiencies, installation methods and water heating	Retail Channel, retail, gas WH, 1.5 gpm or less	PSE Deemed		10.20
Various efficiencies, installation methods and water heating	Retail Channel, retail, gas WH, 1.51 - 1.75 gpm	PSE Deemed		7.90
Various efficiencies, installation methods and water heating	Retail Channel, retail, gas WH, 1.76 - 2.0 gpm	PSE Deemed		5.30
Various efficiencies, installation methods and water heating	Retail showerheads, 2.0 GPM or less mail by (maximum of two units per structure)	PSE Deemed		6.00
ShowerStart	ShowerStart Adaptor, (Ladybug), gas WH	PSE Deemed		9.90
ShowerStart	ShowerStart Adaptor, (Roadrunner), gas WH	PSE Deemed		16.90

Structure Sealing

Single Family Existing only

Air Sealing	CFM50	PSE Deemed		0.08
-------------	-------	------------	--	------

- NOTES:** (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
- (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
- (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
- (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Water Heat

		Single Family Existing only		
Boiler--Energy Star®	At least 95% AFUE		PSE Deemed	119.00

Windows

		Single Family Existing only		
Single-pane or double pane with metal frames to double pane	Double-pane to class U-0.30 metal frame		PSE Deemed	0.53
Single-pane or double pane with metal frames to double pane	Single-pane to class U-0.30 wood or metal frame		PSE Deemed	0.98

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Residential

Gas

Schedule **G217**

Multifamily Existing

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Aerator

Multi Family Existing only

Bathroom Aerators	WaterSense Aerator - EWH	PSE Deemed		2.94
-------------------	--------------------------	------------	--	------

Common Area Measures

Multi Family Existing only

Pool Heat	Solar Powered--Custom engineering calculation	Custom		800.00
-----------	---	--------	--	--------

Fireplace

Multi Family Existing only

In-unit Furnace	Natural gas in-unit furnace	PSE Deemed		72.00
-----------------	-----------------------------	------------	--	-------

Furnace

Multi Family Existing only

Energy Star®	Natural Gas, 95% AFUE	PSE Deemed		82.40
--------------	-----------------------	------------	--	-------

Insulation

Multi Family Existing only

Attic Insulation	Attic insulation, R-0 to R-38	PSE Deemed		0.09
Attic Insulation	Attic insulation, R-11 to R-38	PSE Deemed		0.06
Floor Insulation	R-0 to R-30	PSE Deemed		0.05
Wall Insulation	Wall insulation to R-11	PSE Deemed		0.05

- NOTES:**
- (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.
 - (2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.
 - (3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.
 - (4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Integrated Measures

Multi Family Existing only

Space + Water Heat Systems	Space and water heating boiler, in-unit	PSE Deemed		129.70
----------------------------	---	------------	--	--------

Showerheads

Multi Family Existing only

1.5 gpm or less	Cascade Water Alliance (CWA) upgraded from base of 2.5 GPM	RTF Deemed		13.00
ShowerStart	Thermostatic restrictor 1.5 gpm handheld showerhead	PSE Deemed		21.70
ShowerStart	Thermostatic Restrictor Adaptor	PSE Deemed		8.70
ShowerStart	Thermostatic Restrictor, 1.5 GPM showerhead	PSE Deemed		21.70
1.5 gpm or less	upgraded from base of 2.5 GPM	RTF Deemed		13.00

Water Heat

Multi Family Existing only

Tankless water heater	0.82 EF or higher	PSE Deemed		74.00
Boiler--Water Heating Replacement	Average of custom engineering water heating	Calculated		1.00
Boiler--Space heating	Space Heating Boiler	PSE Deemed		89.30
Boiler--Space Heat Replacement	Space heating boilers - calculated.	Calculated		0.00

Windows

Multi Family Existing only

High Efficiency Windows	Windows, single-pane to double pane, U-value 1.2 to 0.30	PSE Deemed		0.88
High Efficiency Windows	Windows, single-pane to triple pane, U-value 1.2 to 0.22	PSE Deemed		0.96

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Showerheads

Multi Family New only

1.75 GPM or less (includes 1.5 GPM)	1.50 or less, direct install, gas water heat, any shower	PSE Deemed		13.00
1.75 GPM or less (includes 1.5 GPM)	1.75 - 1.51, direct install, gas water heat, any shower	PSE Deemed		9.00

Water Heat

Multi Family New only

Heat recovery	Common area, high-rise buildings	PSE Deemed		0.06
Heat recovery	Common area, low-rise buildings	PSE Deemed		0.04
High efficient water heater	Fully condensing, efficiency greater than or equal to 93%	PSE Deemed		0.02
Solar Thermal water heater	Service Water Heat	Calculated		0.00
Condensing Water Heater	Service Water Heat	Calculated		0.00
Boiler--Condensing	Service Water Heat	Calculated		0.00
Boiler--Condensing	Space Heat	Calculated		0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.

Measure Heading

Measure Category	Additional details, comments, equipment applications	Savings Type	kWh Savings	Therm Savings
------------------	--	--------------	-------------	---------------

Home Energy Report

All structure types Existing or New

HER Expansion Pilot	Individual Energy Reports, high relative user/lower frequency, year 1	PSE Deemed		11.00
HER Expansion Pilot	Individual Energy Reports, high relative user/lower frequency, year 2	PSE Deemed		0.00
HER Expansion Pilot	Individual Energy Reports, Non-urban customer group, year 1	PSE Deemed		11.00
HER Expansion Pilot	Individual Energy Reports, Non-urban customer group, year 2	PSE Deemed		0.00

NOTES: (1) The indicated measures and savings values represent values that were in effect at some point in time in 2014. Some measures may have been in place at the beginning of the year and later retired. A separate report, indicating measures retired in 2014 is included in this Annual Report as Exhibit 5, Supplement 2.

(2) In the DETAILS field, notes that indicate "Check business calculator tool at indicated link...." refer to hyperlink functions within the Source of Savings database that provide access to the specific savings calculation tool used for that measure.

(3) For measures with a SAVINGS TYPE of "Calculated", a savings value of "0" is entered. This prevents misinterpretation that the field was unintentionally left blank.

(4) Indicated measures are those archived in the Source of Savings database: RTF UES, PSE Deemed, and selected calculated measures, where the savings value is relatively stable--Commercial LEDs, for instance.