

**BEFORE THE WASHINGTON
UTILITIES & TRANSPORTATION COMMISSION**

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION,

Complainant,

v.

AVISTA CORPORATION d/b/a AVISTA UTILITIES,

Respondent.

DOCKET NOS. UE-190334 and UG-190335, UE-190222 (*Consolidated*)

GLENN A. WATKINS

ON BEHALF OF PUBLIC COUNSEL

EXHIBIT GAW-6C

Avista Responses to Public Counsel Data Request Nos. 90C with Confidential

Attachment A

October 3, 2019

REDACTED VERSION

**AVISTA CORP.
RESPONSE TO REQUEST FOR INFORMATION**

JURISDICTION:	WASHINGTON	DATE PREPARED:	07/15/2019
CASE NO:	UE-190334 & UG-190335	WITNESS:	Joseph Miller
REQUESTER:	Public Counsel	RESPONDER:	Joe Miller
TYPE:	Data Request	DEPT:	Regulatory Affairs
REQUEST NO.:	PC-090	TELEPHONE:	(509)495-4546
		EMAIL:	joe.miller@avistacorp.com

REQUEST:

For each Rate Schedule 132, 146, and 148 customer, please provide the size and type of each main the customer is connected to and each customer's service line(s). Please provide in executable electronic (Excel) format.

RESPONSE:

Please see Avista's **CONFIDENTIAL** response to data request no. PC – 090C. Please note that Avista's response to PC – 090C is **Confidential per Protective Order in UTC Dockets UE-190334 and UG-190335**.

See the Company's response to PC-090C.

Avista Response to Public Counsel
Data Request No. 90C,
confidential Attachment A (2 pages)
is redacted in its entirety.