

RECEIVED  
RECORDS MANAGEMENT

04 JAN 20 AM 8:57

STATE OF WASH.  
UTIL. AND TRANSP.  
COMMISSION

1900 S.W. Fourth Avenue  
Portland, Oregon 97201



January 15, 2004

Washington Utilities & Transportation Commission  
1300 S. Evergreen Park Drive SW  
Olympia, WA 98504-7250

Attention: Carole Washburn, Executive Secretary

RE: Report on Net Cost of Removing Customer's facilities  
As Ordered in Docket No. UE-001734

Please find enclosed PacifiCorp's report for the period January 1, 2003 through December 31, 2003, in accordance with the Commission's Order in Docket No. UE-001734. This report details the Company's net cost of removing facilities when a customer requests permanent disconnection of service when the Company's facilities to provide service are not likely to be re-used at that location, and their removal is necessary for safety and operational reasons.

If you have any questions or required further information, please call me at (503) 813-7408.

Sincerely,

A handwritten signature in cursive script that reads "Carole Rockney".

Carole Rockney, Director  
Customer and Regulatory Liaison

Enclosures

WUTC Docket No.  
UE-001734

November 26 - December 31, 2002

WASHINGTON NET REMOVAL COST REPORT  
DOCKET #UE-001734

Date	Customer Name	Type of Service	Nature of Request	Actual Removal Cost	Actual Salvage Value*	Description of Facilities Removed	Accounts Used to Book Transactions
4/11/03	Ron Larson	Irrigation & Residential	Hook up to Columbia REA	\$2,754	\$0	Remove 300' 12.5kv 3/#4 ACSR, Remove 40' pole, 3-37.5 kva xfms, rmv oh svc, abndon 300' #2 al sol 15kv ug pri cable an 1-25kva padmount xfmr.	DWAL/2004/C/DM9/2246040
5/16/03	Trisha Ledington	Residential	Hook up to Columbia REA	\$533	\$0	Remove 30' pole and #2 alx secondary, service and meter	DWAL/2004/C/DM9/2267480

\*Actual Salvage Value: If the items removed can be used again, and meet our current standards, they are to be credited to the job and returned to inventory.