From: Sent: To: Subject: Michael Williams [mgwill1@qwest.com] Wednesday, September 12, 2001 6:19 PM roc-tag@psclist.state.mt.us Diagnostic PIDs Summary



Diagnostic

PIDs-Summary-12Sep0... TAG MEMBERS:

Attached is a one-page document containing a summary list of all PIDs that presently have either a TBD or Diagnostic standard listed. Also included, in the far right column, is Qwest's recommendation as to which PIDs or submeasurements are now candidates for setting specific standards to replace the "diagnostic" standard.

Using this as the basis for discussion, as a first step, the TAG can discuss and finalize which PID standards should be changed, including comments as to what factors should be considered. Qwest is, in parallel, in the process of developing specific proposals for those PIDs designated in the right column as "Candidates."

With the further guidance from the TAG meeting, Qwest proposes to finalize its specific proposals, conduct interim sub-committee discussions among the parties, as appropriate, and present the resulting product in the TAG meeting in two weeks (i.e., in the vicinity of 26 Sep 01).

Regards,
Mike Williams
Qwest
(See attached file: Diagnostic PIDs-Summary-12Sep01.doc)

## Performance Indicators with Diagnostic and "TBD" Standards Qwest Proposal of Candidates for Changed Standards – 12 Sep 01

	Troposaror Candidates for C	Category (as	Current	Candidate
PID Numbers	PID Title	applicable)	Standard	for Change
GA-7	Timely Outage Resolution	N/A	TBD	Candidate
	following Software Releases			
PO-1D	Preorder Response Times –	IMA & EDI	Diagnostic	Permanent
	Rejected Queries			Diagnostic
PO-2A	Electronic Flow-through	All LSRs	Diagnostic	Diagnostic
				in light of
				PO-2B
PO-2B	Electronic Flow-through	Eligible LSRs	Diagnostic	Candidate
PO-4A; -4B;	LSRs Rejected	IMA, EDI, &	Diagnostic	Permanent
and -4C		Fax		Diagnostic
PO-6	Work Completion Notification	IMA & EDI	TBD	Candidate
PO-10	LSR Accountability	N/A	Diagnostic	Permanent
DO 45	D D + 0	N1/A	D: (:	Diagnostic
PO-15	Due Date Changes per Order	N/A	Diagnostic	Permanent
DO 46	Timesha Delegan Natifications	NI/A	TDD	Diagnostic
PO-16 OP-3, -4, -5, &	Timely Release Notifications Commitments Met,	N/A	TBD	Candidate
OP-3, -4, -5, &   -6	Installation Intervals, New	Line Sharing, EELs	Diagnostic	Candidates
-0	Service Installation Quality,	Sub-Loop,	Diagnostic	No change
	and Delayed Days	Dark Fiber	Diagnostic	No change
	and Belayed Bays	(UDIT, Loop)		
OP-7	Coordinated "Hot Cut" Interval	Analog &	Diagnostic	No change
		Other Loops	in light of	in light of
		=	OP-13A	OP-13A
OP-13B	Coordinated Cuts Started	Analog &	Diagnostic	Permanent
	without CLEC Approval	Other Loops		Diagnostic
OP-15	Pending Delayed Days	All	Diagnostic	Permanent
				Diagnostic
MR-3, -4, -5, -	Maintenance and Repair	Line Sharing,	Diagnostic	Candidates
6, -7, -8, & -9	measurements	EELs		
		Sub-Loop,	Diagnostic	No change
		Dark Fiber		
1 to 10		(UDIT, Loop)		
MR-10	Customer-Caused Repair	All	Diagnostic	Permanent
NI 40 0 4D	Misses	LIC Tayandan	Diamartia	Diagnostic
NI-1C & -1D	Trunk Blocking without TGSR-related exclusions	LIS Trunks	Diagnostic	Permanent
NP-1B	NXX Codes Activated late	N/A	Diagnostic	Diagnostic No change
ן ואו: - וט 	due to Qwest-caused	14/7	Diagnostic	in light of
	interconnection facility delays			NP-1A
CP-1C	Collocation Completion	W/121-150	Diagnostic	No change
]	Interval	day intervals	Diagnosiio	in light of
				CP-2C
CP-2C	Collocations Completed	Major	Diagnostic	Candidate
	within Scheduled Intervals	Infrastructure		
		Modifications		