



Customer & Regulatory Liaison
825 NE Multnomah, Suite 800
Portland, Oregon 97232
1-800-532-1626

February 17, 2009

***VIA ELECTRONIC FILING
AND OVERNIGHT DELIVERY***

Washington Utilities & Transportation Commission
1300 S. Evergreen Park Drive SW
Olympia, WA 98504-7250

Attention: David Danner,
Executive Director and Secretary

**RE: Report on Net Cost of Removing Customer's Facilities
As Ordered in Docket No. UE-001734**

Please find enclosed PacifiCorp's d/b/a Pacific Power (the Company) report for the period January 1, 2008 through December 31, 2008, in accordance with the Commission's Order in Docket No. UE-001734. This report details the Company's net cost of removing facilities when a customer requests permanent disconnection of service and the Company's facilities are not likely to be re-used to provide service at that location. The removal of these facilities is necessary for safety and operational reasons.

If you have any questions or require further information, please Jennifer Angell, Customer and Regulatory Liaison, at (503) 331-4414.

Sincerely,

Andrea L. Kelly
Vice President, Regulation

Enclosure

WUTC Docket No. UE-001734
 Net Removal Cost Report
 January 1 - December 31, 2008

Date	Customer Name	Type of Service	Nature of Request	Actual Removal Cost**	Actual Salvage Value*	Description of Facilities Removed	Accounts Used to Book Transactions
9/30/2008	US Fish & Wildlife Acct # 12166561 053, 12166561 042, 12166561 053, 12166561 027	General - 4	Requested facilities to be removed so existing buildings can be served out of new building to be served by Columbia REA	\$832	\$0	3 overhead services removed to date. Removal of pole transformer and primary awaiting payment of removal estimate.	DWAL/2008/C/DN9/5185194
8/22/2008	Alvin Ponti Acct# 43719901 006	Irrigation - 1	Hayden Homes requested facilities to be removed so that they could widen road for new development they were building Columbia REA to serve development. Ponti's pump only meter on line will convert to Columbia REA.	\$7,872	\$1,924	Install down guy/anchor. Remove 685' of v-phase oh primary, remove 3- 45' poles, remove 3 - 35' secondary poles, remove 485' of #2 qx oh secondary, remove open wye-delta xfmr bank remove 88' of #2 qx oh service and remove 3 phase meter.	DWAL/2008/C/DM9/5205175
8/20/2008	College Place School District #250 Acct #: 43616791 001, 43616791 003, 43616791 002	General - 3	School District requested facilities removed so it can be served by Columbia REA	\$18,404	\$0	Remove 690' overhead 3 phase primary wire, 2,342' underground 3 phase primary wire, 4 poles, 225kva transformer, 300kva transformer, 3-5kva transformers, 1150 kcmil 3ph underground wire, 3ph sectionalizer, vaults and assoc. materials. Net Book Value of removed materials \$22,270	DWAL/2008/C/DM9/5191207
8/5/2008	Port of Wallia Wallia Acct# 42539072 027, 42539071 001	Irrigation - 2	Port requested facilities removed so it can be served by Columbia REA	\$2,808	\$2,614	Remove 3 phase 277/480 volt xfmr bank 20' of #4qx service and 2 meters.	DWAL/2008/C/DM9/5206603
6/16/2008	Johathan Wells Acct # 11580880 001, 59142212 001	Residential - 4	Wells requested removal so renters could convert to Columbia REA. Also, poles on road removed for Locati's road improvements for new subdivision.	\$5,772	\$960	Remove 4 - primary poles, 1 - secondary pole, 660' prt + neut wire, 15kva xfmr, 1-3" service riser, service cable + 4 meters.	DWAL/2008/C/DM9/5106234
5/22/2008	Michael Locati Acct # 43984711 001	Residential - 1	Locati requested removal to convert account to Columbia REA. Job also undergrounded existing overhead line to northside of street. Locati building new subdivision to be served by Columbia REA. City requiring him to widen and improve existing road.	\$54,072	\$458	Remove 7 poles, 1275' oh primary +neut wire, primary + secondary risers, 4 xfmrs, service and meter. Install 2 poles, 400' oh primary + neut wire, primary + secondary risers, 700' ug primary, oh xfmr, ug xfmr, ug sectionalizer, 2 ug secondaries with peds, 1 ug service, transfer 6 oh services	DWAL/2007/C/DN1/2882845
5/16/2008	Monte Killough Acct # 43737241 001	Residential - 1	Killough requested removal so he could be served by Columbia REA. Also, to accommodate Locati's request to remove facilities away from road improvements for new subdivision.	\$904	\$0	Remove 75' #2 service and meter	DWAL/2007/C/DM9/5086437

* Actual salvage Value is Salvage less net book value. Items that can be re-used are returned to inventory. Those that can not be reused are sold for scrap.

** Costs before Credits and Salvage