

**BEFORE THE WASHINGTON  
UTILITIES & TRANSPORTATION COMMISSION**

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION,

Complainant,

v.

PUGET SOUND ENERGY,

Respondent.

---

DOCKET UG-230393

**ROBERT L. EARLE  
ON BEHALF OF THE  
WASHINGTON STATE OFFICE OF THE ATTORNEY GENERAL  
PUBLIC COUNSEL UNIT**

---

**EXHIBIT RLE-7**

Vaporization Day Comparison

**September 8, 2023**

Date	Volume (Dth)	Reason	Gas Demand**	Resources Available before Tacoma LNG***	Gas Demand as % of pre-TLNG resources	Predicted Winter Peak 2022-2023****	Gas Demand as % of Predicted Peak	Seasonal Max*****	Gas Demand as % of Actual Peak	Injection as % of Gas Demand	Maximum Injection	Injection as a % of Max Injection
1/27/2023	11,552	Cold Weather Action Plan	383,120	973,129	39%	981,760	39%	823,435	47%	3.02%	66,000	18%
1/28/2023	2,877	Cold Weather Action Plan	485,864	973,129	50%	981,760	49%	823,435	59%	0.59%	66,000	4%
1/29/2023	484	Cold Weather Action Plan	615,119	973,129	63%	981,760	63%	823,435	75%	0.08%	66,000	1%
2/01/2023	37,098	B.C. Pipeline Curtailment	498,119	973,129	51%	981,760	51%	823,435	60%	7.45%	66,000	56%
2/02/2023	155	B.C. Pipeline Curtailment	439,384	973,129	45%	981,760	45%	823,435	53%	0.04%	66,000	0%
2/22/2023	2,714	Cold Weather Action Plan	602,615	973,129	62%	981,760	61%	823,435	73%	0.45%	66,000	4%
2/23/2023	38,140	Cold Weather Action Plan	688,721	973,129	71%	981,760	70%	823,435	84%	5.54%	66,000	58%
2/24/2023	7,159	Cold Weather Action Plan	638,898	973,129	66%	981,760	65%	823,435	78%	1.12%	66,000	11%
			average		56% average		55% average		66%		average	19.0%
			min		39% min		39% min		47%		min	0.2%
			max		71% max		70% max		84%		max	57.8%

\* Exh. RJR-1T at 40:8

\*\* Source: PSE Response to Public Counsel DR No. 23. Attachment C

\*\*\* Source: 220066-67 PC Exh. RLE-7 - PSE Resp PC DR 106 Attach A-07-08-2022

\*\*\*\* Source: 220066-67 PC Exh. RLE-7 - PSE Resp PC DR 106 Attach A-07-08-2022

\*\*\*\*\* Source: PSE Response to Public Counsel DR No. 23. Attachment C