

**EXHIBIT D
SERVICE INTERVAL TABLES***

1.0 Unbundled Loops, Line Sharing and Line Splitting Service Interval Table:

- (a) Established Service Intervals 2/4 Wire Analog (Voice Grade), 2-Wire Analog Distribution Loop:

a)	1-8 lines	5 Business days
b)	9-16 lines	6 Business days
c)	17-24 lines	7 Business days
d)	25 or more	ICB

- (b) Established Service Intervals for 2/4 Wire Non-Loaded Loops, Basic Rate ISDN Capable Loops, DS1 Capable Loops, and ADSL Compatible Loops that do not require conditioning:

a)	1-8 lines	5 Business days
b)	9-16 lines	6 Business days
c)	17-24 lines	7 Business days
d)	25 or more	ICB

- (c) Established Service Intervals for xDSL-I/ BRI ISDN Capable Loops that do not require conditioning:

a)	1-8 lines	5 Business days
b)	9-16 lines	6 Business days
c)	17-24 lines	7 Business days

- (d) Established Service Intervals for existing DS1 Capable Feeder Loop:

a)	1 – 24 lines	9 Business days
b)	25 or More	ICB

- (e) Established Service Intervals for existing DS3 Capable Loops:

a)	1-3 lines	7 Business days
b)	4 or more	ICB

- (f) Established Service Intervals for Line Sharing and Line Splitting that do not require conditioning:

a)	1-24 lines	3 Business days
d)	25 or More	ICB

- (g) Conditioned Loops for 2/4 Wire Non-Loaded Loops, ADSL Compatible, Basic Rate ISDN Capable, xDSL-I Capable Loops, Line Sharing and Line Splitting:

a)	1-8 lines	15 Business days
b)	9 or more	ICB

**EXHIBIT D
SERVICE INTERVAL TABLES***

- (h) Established Repair Intervals for Basic 2-wire Analog Loops, Line Sharing, Line Splitting, and Shared Distribution Loop:

24 Hours OSS
48 Hours AS

- (i) Established Repair Intervals for 4-wire Analog Loops, 2/4 Wire Non-Loaded Loops, Basic Rate ISDN Capable Loops, and ADSL Compatible Loops, xDSL-I Capable Loops, DS1 Capable Loops, DS3 Capable Loops, and Ocn Capable Loops:

4 Hours

- (j) Quick Loop

a)	1 to 8 Lines	Three (3) Business Days
b)	9 to 16 Lines	Three (3) Business Days
c)	17 to 24 Lines	Three (3) Business Days
d)	25 or more Lines	ICB

- (k) OCn Loop

1 or more Lines	ICB
-----------------	-----

- (l) Shared Distribution Loop

1 or more Lines	Five (5) Business Days
-----------------	------------------------

**EXHIBIT D
SERVICE INTERVAL TABLES***

2.0 Unbundled Dedicated Interoffice Transport (UDIT) Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
UDIT, UCCRE			
DS0	1 to 8	High Density: Five (5) Business Days	4 hrs. High Density
		Low Density: Six (6) Business Days	4 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs. High Density
		Low Density: Seven (7) Business Days	4 hrs. Low Density
17 to 24	High Density: Seven (7) Business Days	4 hrs. High Density	
	Low Density: Eight (8) Business Days	4 hrs. Low Density	
	25 or more	ICB	ICB
DS1	1 to 8	High Density: Five (5) Business Days	4 hrs High Density
		Low Density: Eight (8) Business Days	4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
17 to 24	High Density: Seven (7) Business Days	4 hrs High Density	
	Low Density: Ten (10) Business Days	4 hrs Low Density	
	25 or more	ICB	4 hrs
DS3	1 to 3 Circuits	High Density: Seven (7) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
	4 or more Circuits	ICB	4 hrs
OC3 and Higher	1 or more Circuits	ICB	4 hrs
UDIT Facility	Single Band Width	UDIT Interval + 3 days	

**EXHIBIT D
SERVICE INTERVAL TABLES***

3.0 Unbundled Local Switching Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
Unbundled Switching			
Unbundled Switching – Line Side Analog With Line Class Code (LCC) already supported in requested switch.	1 to 8	High Density: Five (5) Business Days Low Density: Six (6) Business Days	24 hrs. High Density 24 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days Low Density: Seven (7) Business Days	24 hrs. High Density 24 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	24 hrs. High Density 24 hrs. Low Density
	25 or more	ICB	24 hrs.
	Unbundled Switching – Line Side Analog – Existing – Vertical Feature(s) (Features change without inward line activity and not impacting the design of the circuit.)	1 to 19	Two (2) Business Days
	20 to 39	Four (4) Business Days	24 hrs. OOS 48 hrs. AS
	40 or more	ICB	24 hrs. OOS 48 hrs. AS
Unbundled Switching – Line Side Analog New Line Class Code (LCC) ordered through customized routing		ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. With a U S WEST standard configuration and Line Class Code (LCC) already supported in the requested switch	1 to 3 Lines	High Density: Seven (7) Business Days Low Density: ICB	24 hrs. High Density 24 hrs. Low Density
	4 or more	ICB	24 hrs.
	Unbundled Switching – BRI-ISDN Line-side Port. With non-standard configuration and Line Class Code (LCC) already supported in the requested switch	1 to 3 Lines	High Density: Seventeen (17) Business Days (includes 10 days for complex translations.) Low Density: ICB
	4 or more	ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. Non supported Line Class Code (LCC) ordered through Customized Routing		ICB	24 hrs.

**EXHIBIT D
SERVICE INTERVAL TABLES***

Unbundled Switching – DS1 Trunk Port	1 to 8 Ports	High Density: Five (5) Business Days Low Density: Six (6) Business Days	24 hrs. High Density 24 hrs. Low Density
	9 to 16 Ports	High Density: Six (6) Business Days Low Density: Seven (7) Business Days	24 hrs. High Density 24 hrs. Low Density
	17 to 24 Ports	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	24 hrs. High Density 24 hrs. Low Density
	25 or more Ports	ICB	24 hrs.
Unbundled Switching – Message Trunk Groups <ul style="list-style-type: none"> • Translation questionnaire required • Routing to trunks is ordered separately as Customized Routing • DS1 trunk port & UDIT in place. 	High Density	Seven (7) Business Days	24 hrs.
	1 to 24		
	25 to 48	Eight (8) Business Days	24 hrs.
	49 to 72	Ten (10) Business Days	24 hrs.
	73 to 96	Twelve (12) Business Days	24 hrs.
	97 to 120	Fourteen (14) Business Days	24 hrs.
	121 to 144	Fifteen (15) Business Days	24 hrs.
	145 to 168	Sixteen (16) Business Days	24 hrs.
	169 to 240	Eighteen (18) Business Days	24 hrs.
	241 or more	ICB	24 hrs.
	Low Density	Eighteen (18) Business Days	24 hrs.
	1 to 24		
	25 to 72	Nineteen (19) Business Days	24 hrs.
	73 to 120	Twenty (20) Business Days	24 hrs.
121 or more	ICB	24 hrs.	
Unbundled Switching – Two Way and DID Equivalent Group (add/change/increase) DS1 trunk port in place	1 to 8 Trunks	High Density: Five (5) Business Days Low Density: Six (6) Business Days	24 hrs. High Density 24 hrs. Low Density
	9 to 16 Trunks	High Density: Six (6) Business Days Low Density: Seven (7) Business Days	24 hrs. High Density 24 hrs. Low Density

**EXHIBIT D
SERVICE INTERVAL TABLES***

	17 to 24 Trunks	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	24 hrs. High Density 24 hrs. Low Density
	25 or more Trunks	ICB	24 hrs.
Unbundled Switching – PRI-ISDN Capable Trunk-Side DS1 Trunk port in place	1 to 8	High Density: Five (5) Business Days Low Density: Six (6) Business Days	4 hrs. High Density 4 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days Low Density: Seven (7) Business Days	4 hrs. High Density 4 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	4 hrs. High Density 4 hrs. Low Density
	25 or more	ICB	4 hrs.
Unbundled Packet Switching	<ul style="list-style-type: none"> • Design changes – 8 Business days • Non-design changes – 5 Business days • Service changes – 5 Business days 	New service request – 10 Business days	24 hrs

**EXHIBIT D
SERVICE INTERVAL TABLES***

4.0 Unbundled Dark Fiber Interval Table:

Product	Activity/ Features	Services Ordered	FOC Guidelines	Installation Guidelines	Repair Guidelines
Dark Fiber					
Initial Records Inquiry (IRI) (simple & complex)			N/A	Ten (10) Business Days	N/A
Field Verification And Quote Preparation (FVOP)			N/A	Twenty (20) Business Days	N/A
Provisioning (non- FVOP requests)			N/A	Twenty (20) Business Days	
OC3 and Higher			N/A	ICB	

**EXHIBIT D
SERVICE INTERVAL TABLES***

5.0 Unbundled Network Elements Platform (UNE-P) Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
UNE-P POTS 'New'-Soft Dial Tone (SDT) [Where available] Facility Check indicates "AVAILABLE (SDT)" and DISPATCH "NO"		Two (2) Business Days (regardless of the time of day the request is received)	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence Flow Through, Fully Electronic (N, T Orders) Facility Check indicates "AVAILABLE" and DISPATCH "NO"	1 to 39 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Business Flow Through, Fully Electronic (N, T Orders) Facility Check indicates "AVAILABLE" and DISPATCH "NO"	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	20-39 Lines	Four (4) Business Days or next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence Simple CO Features, or Number Changes without inward line activity, or Hunting changes without inward line activity	1 to 39 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Business Simple CO Features, or Number Changes without inward line activity, or Hunting changes without inward line activity	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	20-39 Lines	Four (4) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Suspend/Restore	Customers with service placed on "vacation"	Next Business Day	24 hrs OOS 48 hrs AS
	Treatment for Non-payment issues	Same Business Day as payment receipt validated	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence New Installs, Address Changes, Changes with inward line activity Facility Check indicates "AVAILABLE DISP. REQ" and DISPATCH "YES"	1 to 39 Lines	Next available due date as indicated by Appointment Scheduler Note: Appointment Scheduler minimum default interval is 3 (Three) Business Days.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS

**EXHIBIT D
SERVICE INTERVAL TABLES***

UNE-P POTS 'New'-Business New Installs, Address Changes, Changes with inward line activity Facility Check indicates "AVAILABLE DISP. REQ" and DISPATCH "YES"	1 to 19 Lines	Next available due date as indicated by Appointment Scheduler Note: Appointment Scheduler minimum default interval is 3 (Three) Business Days.	24 hrs OOS 48 hrs AS
	20-39 Lines	Four (4) Business Days or next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'- <ul style="list-style-type: none"> ▪ Directory Listings Changes (R Orders) ▪ Voice Mail 	1-10 Listings	Two (2) Business Days	
	11 to 20 Listings	Five (5) Business Days	
	21-50 Listings	Ten (10) Business Days	
	51-100 Listings	Thirty (30) Business Days	
	Over 100 Listings	Sixty (60) Business Days	
	Add Voice Mail to POTS line	Three (3) Business Days	
Conversions to UNE-P POTS- POTS Residence to UNE-P - Conversion as Specified - Simple CO Features	1 to 39 Lines	Three (3) Business days	24 hrs OOS 48 hrs AS
	40 or more lines	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- UNE-P to UNE-P POTS Residence - Conversion as Is	1 to 39 Lines	Same Business Day if received before 12:00 p.m., or, Next Business Day if received later than 12:00 p.m.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- POTS Business to UNE-P - Conversion As Specified - Simple CO Features	1 to 19 Lines	Three (3) Business days	24 hrs OOS 48 hrs AS
	20 to 39 Lines	Four (4) Business Days	24 hrs OOS 48 hrs AS
	40 or more Line	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- UNE-P to UNE-P POTS Business - Conversion As Is	1 to 39 Lines	Same Business Day if received before 12:00 p.m., or, Next Business Day if received later than 12:00 p.m.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Line Splitting – UNE-P POTS to UNE-P POTS with Line Splitting - Conversion As Specified	1 to 8 Lines	High Density: Five (5) Business Days Low Density: Six (6) Business Days	24 hrs OOS 48 hrs AS

**EXHIBIT D
SERVICE INTERVAL TABLES***

	9 to 16 Lines	High Density: Six (6) Business days Low Density: (9) Business Days	24 hrs OOS 48 hrs AS
	17 to 24 Lines	High Density: (7) Business Days	24 hrs OOS 48 hrs AS
	25-39 Lines	ICB	24 hrs OOS 48 hrs AS
	40 or more Lines or if Conditioning is required	ICB High Density: Five (5) Business Days	24 hrs OOS 48 hrs AS
UNE-P Line Splitting – POTS Residence or POTS Business with Line Sharing to UNE-P POTS with Line Splitting - Conversion as Specified	1 to 8 Lines	High Density: Six (5) Business days Low Density: Six (6) Business Days	24 hrs OOS 48 hrs AS
	9 to 16 Lines	High Density: Six (6) Business days Low Density: Nine (9) Business Days	24 hrs OOS 48 hrs AS
	17 to 24 Lines	High Density: Seven (7) Business Days Low Density: Ten (10) Business Days	24 hrs OOS 48 hrs AS
	25-39 Lines	ICB	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P PBX ‘New’-	1 to 8 Trunks	Five (5) Business Days	4 hrs
	9 to 16 Trunks	Six (6) Business Days	4 hrs
	17 to 24 Trunks	Seven (7) Business Days	4 hrs
	25 or more Trunks	ICB	4 hrs
Conversions to UNE-P PBX – Conversion As Specified or Conversion As Is	1 to 8 Trunks	Five (5) Business Days	4 hrs
	9 to 16 Trunks	Six (6) Business Days	4 hrs
	17 to 24 Trunks	Seven (7) Business Days	4 hrs
	25 or more Trunks	ICB	4 hrs
UNE-P DSS ‘New’- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
UNE-P DSS ‘New’- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs

**EXHIBIT D
SERVICE INTERVAL TABLES***

	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
Conversions to UNE-P DSS-T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
Conversions to UNE-P DSS-Trunks	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P ISDN BRI 'New'- New Installs, Address Changes, Change to add Loop (N2Q)	1 to 10 Lines	Thirteen (13) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
UNE-P ISDN BRI 'New'- Add or Change Feature(s), Add Primary Directory Number (PDN) to established Loop (N2Q), Add Call Appearance	1 to 10 Lines	Three (3) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
Conversion to UNE-P ISDN BRI- Conversion As Is	1 to 10 Lines	Three (3) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
Conversion to UNE-P ISDN BRI- Conversion As Specified	1 to 10 Lines	Three (3) Business Days if a Loop is not involved (or) Thirteen (13) Business Days if a Loop is added or changed	24 hrs
	11 or more Lines	ICB	24 hrs
UNE-P ISDN PRI 'New'- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
UNE-P ISDN PRI 'New'- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
Conversion to UNE-P ISDN PRI- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
Conversion to UNE-P ISDN PRI- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs

**EXHIBIT D
SERVICE INTERVAL TABLES***

	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P Centrex 21 - Non Designed- Conversions as Specified	1 to 10 Lines	Five (5) Business Days	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex 21 - Non Designed- New Installations	1 to 10 Lines [Facility check indicates "Available Dispatch Required" and Dispatch "Yes".]	Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Establish Common Block	1 to 10 Lines - No Optional Features	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	1 to 10 Lines - w/ Optional Features (i.e., ARS, DFIs, SMDR, UCD, etc.)	ICB	24 hrs OOS 48 hrs AS
	11-21 Lines – No Optional Features	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	11 to 21 Lines – w/Optional Features (i.e., ARS, DFIs, SMDR, UCD, etc.)	ICB	24 hrs OOS 48 hrs AS
	22 or more Lines with or without Optional Features	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Feature Additions requiring Common Block activity per Common Block	1 to 10 Lines	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Line Class Codes (LCCs)/ CAT/NCOS/DPAT additions/changes requiring Common Block work.	Per Common Block (must be existing Line Class Codes(LCCs)/ CAT/NCOS/DPAT)	Five (5) Business Days	24 hrs OOS 48 hrs AS
	If new LCC/CAT/NCOS or DPAT	Twenty (20) Business Days	24 hrs OOS 48 hrs AS

**EXHIBIT D
SERVICE INTERVAL TABLES***

<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Centrex Management System (CMS)</p>	<p>New Common Blocks & Cust ID's (lines installed at the same time the Common Block is installed)</p>	<p>Twenty (20) Business Days (after the initial Common Block & associated lines are installed)</p>	<p>N/A</p>
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Designed Services subsequent to initial Common Block installation</p>	<p>Tie Lines/DFI/FX</p>	<p>Thirteen (13) Business Days (may be longer due to facility due date requirements)</p>	<p>24 hrs OOS 48 hrs AS</p>
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required - Centrex Management System (CMS) Network Access Registers (NARs)</p>	<p>Additional/New Station Lines to be added to CMS</p>	<p>Five (5) Business Days after line is installed</p>	<p>N/A</p>
	<p>Additions</p>	<p>Five (5) Business Days</p>	<p>N/A</p>
	<p>Change from Non Blocked to Blocked Service</p>	<p>ICB</p>	<p>N/A</p>
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required - Station Lines (subsequent to the establishment of the Common Block) Includes: Conversions New Lines Moves NOTE: On conversions, numbers are "chipped" into the Common Block at the time of installation.</p>	<p>1 to 10 Lines per location</p>	<p>Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.</p>	<p>24 hrs OOS 48 hrs AS</p>
	<p>11 to 20 Lines per location</p>	<p>Ten (10) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.</p>	<p>24 hrs OOS 48 hrs AS</p>
	<p>21 or more Lines per location</p>	<p>ICB</p>	<p>24 hrs OOS 48 hrs AS</p>
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Line Feature changes/additions/Removals</p>	<p>1 to 19 Lines</p>	<p>Three (3) Business Days</p>	<p>24 hrs OOS 48 hrs AS</p>
	<p>20 or more Lines</p>	<p>ICB</p>	<p>24 hrs OOS 48 hrs AS</p>

**EXHIBIT D
SERVICE INTERVAL TABLES***

<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Designed Services subsequent to initial Common Block installation</p>	Tie Lines/DFI/FX	Thirteen (13) Business Days (may be longer due to facility due date requirements)	24 hrs OOS 48 hrs AS
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Automatic Route Selection (ARS)</p>	Subsequent to Common Block Installation	Twenty (20) Business Days (may be longer if the activation of ARS is tied to a Private Line facility installation)	24 hrs OOS 48 hrs AS
	Changes to Patterns: 1 to 25 changes 26 to 50 changes 51 or more changes	Business Days: Five (5) days Ten (10) days Twenty (20) days	24 hrs OOS 48 hrs AS
	Adding new Patterns	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Uniform Call Distribution (UCD)</p>	Per Request	Thirteen (13) Business Days	24 hrs OOS 48 hrs AS
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Additional Numbers subsequent to initial Common Block installation</p> <p>NOTE: Additional numbers are “chipped” into the Common Block at the time of request.</p>	Blocks (No limit on amount of numbers.)	Five (5) Business Days	N/A

**EXHIBIT D
SERVICE INTERVAL TABLES***

6.0 Enhanced Extended Loop Service Interval Table (EEL):

Product	Services Ordered	Installation Commitments	Repair Commitments
Enhanced Extended Loop (EEL)- DS0 or Voice Grade Equivalent	1 to 8	High Density: Five (5) Business Days Low Density: Six (6) Business Days	4 hrs High Density 4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days Low Density: Seven (7) Business Days	4 hrs High Density 4 hrs Low Density
	17 to 24	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	4 hrs High Density 4 hrs Low Density
	25 or more	ICB	4 hrs
Enhanced Extended Loop (EEL) – DS1	1 to 8	High Density: Five (5) Business Days Low Density: Eight (8) Business Days	4 hrs High Density 4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days Low Density: Nine (9) Business Days	4 hrs High Density 4 hrs Low Density
	17 to 24	High Density: Seven (7) Business Days Low Density: Ten (10) Business Days	4 hrs High Density 4 hrs Low Density
	25 or more	ICB	4 hrs
Enhanced Extended Loop (EEL) – DS3	1 to 3 Circuits	High Density: Seven (7) Business Days Low Density: Nine (9) Business Days	4 hrs High Density 4 hrs Low Density
	4 or more Circuits	ICB	4 hrs

**EXHIBIT D
SERVICE INTERVAL TABLES***

Enhanced Extended Loop Conversions (EEL-C) – Private Line (PLTS) - Conversion as is		ICB	24 hrs OOS 48 hrs AS
--	--	-----	-------------------------

* Installation Guidelines apply where facilities/network capacity is in place. Where facilities/network capacity are not in place, intervals are handled on an Individual Case Basis (ICB).