

TR-041372



Snohomish County

Public Works

Aaron Reardon
County Executive

July 29, 2004

2930 Wetmore Avenue
Everett, WA 98201
(425) 388-3488
FAX (425) 388-6494

Ahmer Nizam
Washington Utilities and Transportation Commission
1300 Evergreen Park Dr So
PO BOX 47250
Olympia WA 98504-7250

**RE: Reiter Road Railroad Crossing – WUTC # 2A 1747.72, DOT # 084-534Y,
Snohomish County RC# 1350 petition paperwork.**

Dear Mr. Nizam:

Enclosed are the signed original and a signed copy of the petition for your review. If all is in order, permission to construct is requested.

If you have any questions regarding this information, please contact me at (425)-388-3488 ext. 2330 or Mike Cowles at 206-625-6146.

Thank you for your support.

Sincerely,

Greg Nixon
Greg Nixon
Transportation Technician

cc: Mike Cowles – BNSF
Max Phan - Snohomish County Project Manager

RECEIVED
SNOHOMISH COUNTY
01 AUG -2 AM 11:18
OFFICE OF THE COUNTY EXECUTIVE
1000 EVERETT AVENUE
EVERETT, WA 98201

BEFORE THE WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

The Burlington Northern and Santa Fe Railway Company)
)
Petitioner,)
Vs)
 Snohomish County)
)
Respondent)

Docket No. TR-041372
PETITION
 Road Name Rieter Road
 WUTC Crossing No. 2A 1747.72
 DOT Crossing No. 084-534Y

RECEIVED
 RECORDS SECTION
 01 AUG -2 09:11:18
 WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

Application is hereby made to the Washington Utilities and Transportation Commission for an order (check one or more of the following)

- directing the _____ of a grade crossing;
(construction - reconstruction-relocation)
- directing installation of automatic grade crossing signal or other warning device (other than crossbucks) at a new crossing.
- directing upgrade of warning devices at an existing crossing;
(replacement-change-upgrade)
- allocating funds from the "grade crossing protective fund" for _____ of active warning devices;
(installation and/or maintenance)
- authorizing the construction of the project, funding to be pursuant to the Intermodal Surface Transportation Efficiency Act (ISTEA) in cooperation with the Washington State Department of Transportation Local Programs Division;

at the railroad grade crossing identified above and described in this petition. This application seeks the relief specified above by (check one of the following)

- hearing and order
- order without hearing

Has application for funding, pursuant to Intermodal Surface Transportation Efficiency Act YES NO been made to the Local Programs Division for this project.

If the answer is yes to the question above, has the funding requested under the Intermodal Surface Transportation YES NO Efficiency Act been denied?

I certify under penalty of perjury that the information provided in and with this petition is true and correct.

John M. Cowles
 Petitioner

John M. Cowles Mgr. Public Projects
 Print Name Title

2454 Occidental Avenue South, Suite 1-A
 Street Address

Seattle, Washington 98134
 City - State - Area Code

[4]

- (a) If temporary, state for what purpose crossing is to be used and for how long.

N/A

- (b) If temporary grade crossing, will you remove the crossing at completion of the activity requiring the temporary crossing?

N/A

[5]

- (a) State whether or not a safer location for a grade crossing exists within a reasonable distance in either direction from the proposed point of crossing, and if so, what reason, if any, why this safer location should not be adopted, even though in doing so, it may be necessary to relocate a portion of the highway or railway.

No

- (b) Are there any hillsides, earth, or other embankments, buildings, trees, orchards, side tracks (on which cars might be spotted), loading platforms, etc., in the vicinity not feasible to move, which may obstruct the view and which can be avoided by relocating the proposed crossing. Would it be practical to do so: Please describe.

No

[6]

- (a) Is it feasible to construct and use an over or under crossing at the intersection of said railway and highway? If not, state why?

No. It is economically infeasible and does not warrant a grade separation at this time.

- (b) Does the railway line at any point in the vicinity of the proposed crossing pass over a fill or trestle or through a cut where it is feasible to construct an under or overpass, even though it may be necessary to relocate a portion of the highway to reach that point?

No

- (c) If a suitable place for an under - or over - crossing exists in the vicinity of the proposed crossing, state the distance from the proposed crossing; the approximate cost of construction; and what, if any, reason exists why it should not be constructed.

N/A

[7]

- (a) State approximate distance to nearest public or private crossing in each direction of railroad involved herein.
mile west -
mile east -
- (b) If there is an existing crossing near vicinity, or if more than one crossing is proposed is it feasible to divert highways served and to be served by existing and proposed crossings, thus eliminating the need for more than one crossing?
No.
- (c) If so, state approximate cost of highway relocation to effect such changes.
N/A
- (d) Will the proposed crossing eliminate the need for one or more existing crossings in the vicinity? If so, state direction and approximate distance to the crossing or crossings.
No
- (e) If this crossing is authorized, do you propose to close any existing crossing or crossings?
No

[8]

State the lengths of views which are now available along the line of railway to travelers on the highway when approaching the crossing from either side of the railway and when at points on the highway as follows:

Approaching crossing from(direction) an unobstructed view to

right when on highway 300 feet from crossing of _____ feet
right when on highway 200 feet from crossing of _____ feet
right when on highway 100 feet from crossing of _____ feet
right when on highway 50 feet from crossing of _____ feet
right when on highway 25 feet from crossing of _____ feet
left when on highway 300 feet from crossing of _____ feet
left when on highway 200 feet from crossing of _____ feet
left when on highway 50 feet from crossing of _____ feet
left when on highway 25 feet from crossing of _____ feet

Approaching crossing from(opposite direction) an unobstructed view to

Right when on highway 300 feet from crossing of _____ feet
Right when on highway 200 feet from crossing of _____ feet
Right when on highway 100 feet from crossing of _____ feet
Right when on highway 50 feet from crossing of _____ feet
Right when on highway 25 feet from crossing of _____ feet
Left when on highway 300 feet from crossing of _____ feet
Left when on highway 200 feet from crossing of _____ feet
Left when on highway 100 feet from crossing of _____ feet
Left when on highway 50 feet from crossing of _____ feet
Left when on highway 25 feet from crossing of _____ feet

[9]

Attach one or more prints showing a vicinity map and a layout of railway and highway, as well as profiles of each, also showing percent of grade, 500 feet of highway and railway when approaching crossing from all four directions. On the prints, spot and identify obstructions of view located in all four quadrants. Provide a traffic control layout showing the location of the existing and proposed signing of the intersections.

See Exhibit "A" attached

[10]

(a) Is it feasible to provide a 25 foot level grade crossing on both sides from center line of railway at point of crossing?
Yes

(b) If not, state in feet the length of level grade it is feasible to obtain.
N/A

(c) Is it feasible to obtain an approach grade, prior to the level grade of five percent or less? If not, state why, and state the percent approach grade possible.
Yes

[11]

Do you know of any reason not appearing in any of the answers to these interrogatories why the proposed crossing should not be made at grade or at the point proposed by you? If so, please state same fully.

No

Interrogatories 12 and 13 are to be completed only if this petition involves installation, replacement, or changing of automatic grade crossing signal or other warning device, other than crossbucks.

[12]

(a) State in detail, the number and type of automatic signals or other warning devices (other than crossbucks) proposed to be installed. (This portion should be filled in only after conference between the railroad and the petitioning local government agency.)

Installation of 2 automatic flashing light traffic control devices, shoulder mount type, with gates and CWT.

(b) State an estimate of the cost for installing the signals or other devices proposed, as obtained from the respondent railroad company \$ 138,167

(c) State a cost estimate for maintaining the signals or devices for 12 months, as obtained from the respondent railroad company \$ _____

(d) If this is an existing crossing, what will the proposed warning devices replace in the way of existing devices.
N/A

(e) As the petitioner, are you prepared to pay or will you promise to pay to the respondent railroad company, your share of the cost of installing the warning devices proposed as provided by law?

() Yes () No

(xx) N/A – Railroad is petitioner

[13]

Furnish a brief statement of why the public safety requires the installation of the automatic signals or devices as proposed?
Relocation of the northerly signal will improve the safety of the motoring public.



Installation of active warning devices will improve the safety of the motoring public.

The Burlington Northern & Santa Fe Railway Company

TO SEATTLE ←

TO MEMPHIS →


EASTWARD APPR. 4055' 7 1/2 MPH WESTWARD APPR. 4055' 7 1/2 MPH



RIETER ROAD
DOT • 084 534 Y

INSTALL: GATES & FLASHERS
CONTROL DEVICES: CONSTANT WARNING

ROAD - IN
- OUT
SALVAGE: NONE



- INSTRUMENT HOUSE
- BELL
- METER
- CROSSING CONTROL CONNECTIONS
- BIDIRECTIONAL CROSSING CONTROL
- UNIDIRECTIONAL CROSSING CONTROL
- COUPLER OR TERMINATION
- GUARD RAIL


Warning device placement:

Clearance to C.L. Track = Min. 12', Max. 20'
Edge of Road to C.L. Foundation:
Min. 4'1" with curb,
Min. 8'1" without curb,
Max. 12'
House Clearances:
25' Min. to C.L. of Track
30' Min. to Edge of Road
30-15 Degree Lenses
Back and Side Lights: 70 Degree Lenses
Cantilever Jurg Mast: 20-32 Degree Lenses

BNSF RAILWAY CO.

INDEX, WA.
RIETER ROAD
LS: 0037
M.P. 1747.72
DOT • 084 534 Y
DIVISION NORTHWEST
SUBDIVISION SCENIC
KANSAS CITY
NO SCALE
DATE: 05/04/04
FILE: 0037h47 72.dgn
MJ/SSE

AGENCY Snohomish County
 PROJECT NO. STXP ITEM NO.
 LOCATION PIETER ROAD
 RAILROAD BY THE RAILROAD NORTHERN AND SANTA FE RY.



DIMENSIONS
 A = 2'3"
 B = 0'0"
 C =
 D =

Number of lanes to be protected = 1
 Amount of future widening = 0'

Gate length = 20'
 Number of flashing lights = 2 prs.
ea. way + 1 set of side lights.

SHOULDER SECTION ELEVATION VIEW FOR SUBMITTAL

ELEVATION VIEW

No Scale

DATE 5/17/04 BY JMC

RESPONDENT'S WAIVER OF HEARING

Docket No. _____

Petition of _____

For _____

I have investigated the conditions existing at and in the vicinity of the proposed crossing changes. As a result, [check one or more of the following, as appropriate:]

I am satisfied that conditions are as represented in the petition and the interrogatories and that the petition should be granted.

The cost of installation (estimated at \$ 138,167 is acceptable.

subject to approval and apportionment pursuant to the Intermodal Surface Transportation Act by the Washington State Department of Transportation Local Programs Division.

as apportioned between the parties

to be paid by petitioner.

Other conditions to waiver of hearing:

Per the agreement between the parties hereto.

The undersigned hereby waives hearing and further notice. The Washington Utilities and Transportation Commission may enter a final order without further notice of hearing.

Dated at _____, Washington, on this _____ day of _____, 2004

Respondent Snohomish County Public Works

By Steve Thomson

Print Name: STEVE THOMSON

Title: COUNTY ENGINEER - DEPUTY DIRECTOR

INSTRUCTIONS

General

Petition forms with the interrogatories fully and correctly answered should be filed with the Washington Utilities and Transportation Commission, Chandler Plaza, 1300 S. Evergreen Park Drive SW, Olympia, Washington, 98504. Blank forms may be obtained from the same address. All pleadings herein shall conform with WAC 480-09-420 and 425 of the Commission's Rules and Procedure.

Number of Copies

File the original and one copy if the "Waiver of Hearing by Respondent" is filled out. If petitioner intends that the Commission serve the respondent, the original and two copies should be filed. If the petitioner serves the respondent, a certificate of service in conformity with the requirements of WAC 480-09-120 of the Commission's Rules of Practice and Procedure must be filed.

Parties Who May Petition or Respond

In general, the following persons may file or respond to a petition: highway authorities, (city, county, or state), railroad companies, and state agencies with lawful authority to construct and maintain public highways (RCW 81.53.030 and 060). In situations where there may be more than one party of interest as either a petitioner or a respondent, all parties should be joined.

Waiver of Hearing by Respondent

The proceeding can usual be expedited by submitting the applications to the respondent and securing the execution of the "Waiver of Hearing by Respondent". As an alternative, respondent may file a separate "Answer." If the pleadings show that the respondent has no objection, an order may be entered without hearing at the discretion of the Commission, unless the public interest appears to require hearing and unless hearing is required under the terms of RCW 81.53.030 or 060. In all other cases, the petition shall be set for hearing.

Crossing Construction

Application for crossing state highways should be submitted in duplicate to the District Highway Engineer in the locality for his recommendation to be attached and forwarded to the State Department of Transportation Secretary, Olympia.

A party, after having been granted authority by the Commission to construct a crossing, must acquire right of way or easement because the order of the Commission merely relates to public safety and grants only toe right to cross, subject to acquiring a right of way or easement.

Time for Replying to a Petition

A petition not answered within 20 days of the date of service, shall be deemed denied and may be set for hearing. If a qualified or conditional answer is filed by the respondent, the petitioner may file a "Replay" within 10 days of the date the "Answer" is served.

(PLEASE REMOVE THIS SHEET BEFORE FILING PETITION)