

UT-041497 (NR)
9-8-04

RECEIVED
SECURITY SERVICES

ON AUG 18 PM 12: 23

COMMUNICATIONS
DIVISION
1000 TRAIL BLVD
SEATTLE, WA 98108



Verizon Northwest Inc.

**1800 - 41st Street,
WA0101RA
P. O. Box 1003
Everett, WA 98206-1003
Fax: 425-261-5262**

August 18, 2004

Ms. Carole J. Washburn,
Executive Secretary
Washington Utilities and
Transportation Commission
Chandler Plaza Building
1300 S. Evergreen Park Drive SW
Olympia, Washington 98504

Subject: VERIZON REQUEST FOR ONE (1,000) NUMBER BLOCK

Dear Ms. Washburn:

Verizon Northwest Inc. (Verizon) requests the Washington Utilities and Transportation Commission to direct the Pooling Administrator (PA) to provide Verizon with one, one thousand number block to satisfy the requirement for additional numbers for the Washington State Department of Transportation (WSDOT).

These numbers will be used for a new phone system in the WSDOT's maintenance and engineering office. The customer has a requirement to maintain an existing abbreviated 4-digit dialing plan and the new number block they are requesting will satisfy this requirement. The customer specifically requested the "8" block in the 425 NPA (425-NXX-8). This request is made because the serving central office does not meet the "months to exhaust" requirement of the PA. The central office utilization is at 83.567%, which is acceptable because it's over 75%, but the months to exhaust is 38.97 months. The PA will only accept 6 months or less to exhaust without a waiver request from the Commission.

The Washington Commission has the authority to review the PA's criteria and request a waiver when appropriate, in this case a waiver request for the months to exhaust criteria. Verizon


Ms. Carole J. Washburn
August 18, 2004
Page 2

requests the Commission instruct the PA to release the numbering resources necessary to meet the needs of this Verizon customer.

Verizon requests approval of this request on less than statutory notice with a requested effective date of September 9, 2004. The Commission's waiver request must be submitted with the company's application to PA for the numbering resources needed for deployment of service to this customer. Please find attached a copy of the company's Block Application Form to the PA and a copy of the letter from WSDOT requesting the number block. In order to avoid a delay in obtaining the required numbers from the PA, the company will need to apply as soon as possible.

Please call me if you have any questions.

Very truly yours,



Lin Fogg
Specialist – Public Policy and External Affairs

Attachments

Tracking Number: _____

Attachment 2
March 4, 2002

**Thousands- Block Application Form
Part 1B**

NPAC BLOCK HOLDER DATA
(Submit one form per thousands- block request)

Request ID #: **348648**

Activation Request:	<input checked="" type="checkbox"/>	Intra SP Block Porting Request:	_____
Or			
Modification Request:	_____	For information Only:	_____

Section A:

(If request is for Activation, the thousands-block applicant is to provide all data except Block Range, Block Effective Date and LERG Assignee/donating switch information; the PA will fill in those three fields. For a Modification Request or Intra SP Block Porting Request, the requestor is to provide all information.)

Pooling Administrator

Name: Kevin Gatchell
 Address: 1800 Sutter St. Suite 570
 City, State ZIP: Concord, CA 94520
 Phone: 925-363-8742 Fax: 925-363-7692
 E-Mail: kevin.gatchell@newstar.com

Block Applicant

Company Name: 4324 - VERIZON NORTHWEST INC.-WA
 Contact Name: Robert F. Comer Jr.
 Address: 1 E. Pratt St. 3E11
 City, State, ZIP: Baltimore, MD 21202
 Phone: 410-736-6797 Fax: 410-736-6647
 E-Mail: BF3845Q@bellatlantic.com
 Service Provider NPAC SOA SPID¹: 0772
 LRN²: 425-338-2695

Block (1K) Range ³	_____
Block Effective Date (MMDDYYYY) ⁴	_____
Is Block being allocated back to the LERG Assignee on the donating switch?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
If Yes, do not send Part 1B to the NPAC. If No, forward Part 1B to the NPAC.	

NPAC Activate Block Range⁵ Yes No

Section B:

(Block Applicant to provide this data **ONLY** if NPAC Activate Block Range is marked 'YES') For Intra SP Block Porting the Block Holder should reflect the routing information of the switch the block is being transferred to.)

Class DPC ⁶	<u>240-200-220</u>
Class SSN ⁷	<u>0 0 0</u>
LIDB DPC ⁸	<u>240-200-220</u>
LIDB SSN ⁹	<u>0 0 0</u>
CNAM DPC ¹⁰	<u>240-200-220</u>
CNAM SSN ¹¹	<u>0 0 0</u>
ISVM DPC ¹²	<u>NotSuprtd</u>
ISVM SSN ¹³	<u>NotSuprtd</u>
WSMSC DPC ¹⁴	<u>N/A</u>

Tracking Number: _____

Attachment 2
March 4, 2002

**Thousands-Block Application Form
Part 1B**

WSMSC SSN¹⁵
SOA Origination

N/A
N/A

Section C:
(To be filled out by the SP for Intra SP Block Porting)

To be completed if using 2.0
New SPID: _____
New LRN: _____

To be completed if using 3.0 or higher
New LRN: _____

Do you want the BCD record updated? Y ___ N X

Section D:
(NPAC is to Activate/Modify the Block (1K), as indicated on this form. When the Block (1K) Activation/Modification is complete and the data in this section inserted, NPAC sends a copy of the completed form to the Pool Administrator and Block Holder.)

Block (1K) Request Complete	Yes ___ No ___
Complete Date (MMDDYYYY)	___/___/_____
Complete Time (HHMM)	___/___
NPAC Personnel performing change	_____

Block Holder sent Completed Form: Yes ___ No ___

Mailed Date (MMDDYYYY) ___/___/_____

Mailed Time (HHMM) ___/___

Contact Name _____

Pool Administrator sent Completed Form: Yes ___ No ___

Mailed Date (MMDDYYYY) ___/___/_____

Mailed Time (HHMM) ___/___

Contact Name _____

Remarks: _____

Notes:

- 1) The requesting Block Applicant shall complete this form except for Block Range and Block Effective Date, when submitting PART 1 of the INC Thousands Block Applicant form to the Pool Administrator. A separate Part 1B form is to be completed for each 1K Block Range requested.
- 2) The Pool Administrator will insert Block Range and Block Effective Date information, then submit this form to the regional NPAC at the same time PART 3 of the INC Thousands-Block Applicant form is returned to the requesting Block Applicant.
- 3) Pre-Block Activation:
 - a) If the Block Holder is requesting a modification, the Block Holder needs to complete Sections A and any applicable data in Section B of this form and send it to the Pooling

Tracking Number: _____

Attachment 2
March 4, 2002**Thousands- Block Application Form
Part 1B**

- Administrator (PA). The PA will review the form to insure correctness and forward it to the NPAC for processing.
- b) If the Pooling Administrator (PA) is requesting the modification or intra SP block porting to the Block Range and/or Effective Date, the PA will review the change with the Block Holder. After receiving concurrence from the Block Holder, the PA will update the Block Range and/or Block Effective Date information on Section A and forward it to the NPAC for processing.
- 4) Post- Block Activation: If Block Holder requests NPAC to perform the Block Modification, then Sections A & B of this form should be completed and send to the Pooling Administrator. The Pooling Administrator will send the information on to the NPAC. Upon completion of this request, NPAC sends a copy of the completed form to the Pooling Administrator and Block Holder.

Tracking Number: _____

Attachment 2
March 4, 2002**Thousands-Block Application Form
Part 1B****Foot Notes:**

¹ The Service Provider ID of the block holder. The SPID must be a valid SPID in the NPAC system. If your company does not have a SPID, please call the NPAC at 1-888-NPAC-HEL(P) for assistance.

² A Location Routing Number is a 10-digit number, in the format NPA-NXX-XXXX, that uniquely identifies a switch or point of interconnection (POI). The NPA-NXX portion of the LRN is used to route calls to numbers that have been ported.

³ The Pooling Administrator will insert Block Information. The Block will consist of NPA-NXX and the first digit of the 1K block.

⁴ The Pooling Administrator will insert Block Effective Date. See section 9.2.4 of the Thousands-Block (NXX-X) Number Pooling Administration Guidelines for specifics on effective date. This is the earliest date that the NPAC will broadcast the Block information to all Local SMS's.

⁵ If "YES" is marked the NPAC will activate the block range. If "NO" is marked it will be the responsibility of the SP to activate the block range.

⁶ Customer Local Area Signaling Services Destination Point Code for 10-digit GTT for CLASS features for the 1K block. The CLASS DPC must be three sets of numbers where the value for each set ranges from 0 to 255.

⁷ Customer Local Area Signaling Services Subsystem Number for the 1K block. The CLASS SSN must be a number between 0 and 255.

⁸ Line Information Database Destination Point Code for 10-digit GTT for LIDB features for the 1K block. The LIDB DPC must be three sets of numbers where the value for each set ranges from 0 through 255.

⁹ Line information Database Subsystem Number for the 1K block. The LIDB DPC must be three sets of numbers where the value for each set ranges from 0 through 255.

¹⁰ Calling Name Delivery Destination Point Code for 10-digit GTT for CNAM features for the 1K block.

The CNAM DPC must be three sets of numbers where the value for each set ranges from 0 through 255.

¹¹ Calling Name Delivery Subsystem Number for the 1K block. The CNAM SSN must be a number between 0 and 255.

¹² Inter-Switch Voice Mail Destination Point Code for 10-digit GTT for ISVM features for the 1K Block. The ISVM DPC must be three sets of numbers where the value for each set ranges from 0 through 255.

¹³ Inter-Switch Voice Mail Services Subsystem Number for the 1K block. The ISVM SSN must be a number between 0 and 255.

¹⁴ Wireless Short Message Service Center Destination Point Code for 10-digit GTT for WSMSC features. This field is only required if the service provider supports WSMSC data. The WSMSC must be three sets of numbers where the value for each set ranges from 0 through 255.

¹⁵ Wireless Short Message Service Center Subsystem Number for the 1K block. This field is only required if the service provider supports WSMSC data. The WSMSC must be a number between 0 and 255.

Tracking Number: _____

Attachment 1 – Modified September 24, 2001
Thousand Block Application Form
Part 1A

Type of Application: (Check one) New Change _____ Delete _____

Request ID # 348648

GENERAL APPLICATION INFORMATION

1.1 Contact Information:

Block Applicant:

Company Name: 4324 - VERIZON NORTHWEST INC.-WA
Headquarters Address: 1 E. Pratt St. Baltimore, MD 21202
Contact Name: Robert F. Comer Jr.
Address: 1 E. Pratt St. 3E11
City, State, Zip: Baltimore, MD 21202
Phone: 410-736-6797 Fax: 410-736-6847
E-Mail: BF3845Q@bellatlantic.com

Pool Administrator:

Contact Name: Kevin Gatchell
Address: 1800 Sutter St. Suite 570
City, State, Zip: Concord, CA 94520
Phone: 925-363-8742 Fax: 925-363-7692
E-Mail: kevin.gatchell@neustar.com

1.2 General Information

Check one: No LRN needed LRN needed _____

NPA: 425 LATA: 674 OCN: 4324 AOCN: _____ Parent Company's OCN:
Number of Thousand Blocks Requested: 1

Switch Identification (Switching Entity/POI): SLLKWAXADS1 City or Wire Center Name:
Rate Center: SILVERLAKE Rate Center Sub Zone:

1.3 Dates

Date of Application: 08/16/2004 Requested Block Effective Date: 09/13/2004
Request Expedited Treatment? (See Section 8.6): Yes _____ No _____

1.4 Type of Service Provider Requesting the Thousand Block:

- a) Type of Service Provider: LEC (LEC, IXC, CMRS, Other)
- b) Primary type of service Blocks to be used for: G.O. CODE
- c) Thousand Block(s) (NXX-X) assignment preference (optional)
425-XXX-8
- d) Thousand Block(s) (NXX-X) that are undesirable for this assignment, if any
425-XXX-0, 425-XXX-1, 425-XXX-2, 425-XXX-3, 425-XXX-4, 425-XXX-5, 425-XXX-6, 425-XXX-9
- e) If requesting a code for LRN purposes, indicate which blocks(s) you will be keeping (the remainder of the blocks will be given to the pool) _____

Tracking Number: _____

Attachment 1 – Modified September 24, 2001
Thousand Block Application Form
Part 1A

1.5 Type of Request

Initial block for rate center: Yes _____, If Yes attach evidence of authorization and proof of capability to provide Service within 60 days.

Growth block for rate center: Yes , If Yes, attach months to exhaust worksheet.

Change block: Yes _____, If Yes, indicate NPA-NXX-X, type of and reason for change:

Disconnect block: Yes If Yes, list NPA-NXX-X

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousand Block (NXX-X) Pooling Administration Guidelines INC 99-0127-023

Robert F.**Comer Jr.**

Signature of Block Applicant

Code Administrator

Title

08/16/2004

Date

Appendix 3 - Modified August 6, 2001

MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORKSHEET - TN Level¹
(Thousand-Block Number Pooling Growth Block Request)

Date: 08/16/2004 OCN: 4324 Company Name: VERIZON NORTHWEST INC.-WA

Rate Center: SILVERLAKE

List all codes NPA(s)-NXXs and Block NPA(s)-NXX-X(s): See attached list

Name of Block Applicant: Alice Jackson

Signature: Alice Jackson

Title: Specialist

Telephone No.: 972-318-5334 FAX No.: 972-317-2161

E-Mail: alice.jackson@verizon.com

A. Available Numbers: 3858

B. Assigned Numbers: _____

C. Total Numbering Resources: _____

D. Quantity of numbers activated in the past 90 days and excluded from the Utilization calculation:
List: excluded Code(s) or Block(s): _____

	Month #1	Month #2	Month #3	Month #4	Month #5	Month #6	Month #7	Month #8	Month #9	Month #10	Month #11	Month #12
E. Growth History - Previous 6 month ²	<u>-60</u>	<u>-37</u>	<u>74</u>	<u>49</u>	<u>57</u>	<u>20</u>						
F. Forecast - Next 12 months ³	<u>99</u>	<u>99</u>	<u>99</u>	<u>99</u>	<u>99</u>	<u>99</u>	<u>99</u>	<u>99</u>	<u>99</u>	<u>99</u>	<u>99</u>	<u>99</u>

G. Average Monthly Forecast (Sum of months #1-6 (Part F above) divided by 6): 99

H. Months to Exhaust⁴ $\frac{\text{Number Available for Assignment to Customers (A)}}{\text{Average Monthly Forecast (G)}} = \frac{39}{99} =$ _____ %

I. Utilization⁵ $\frac{\text{Assigned Numbers (B)} - \text{Excluded Numbers (D)}}{\text{Total Numbering Resources}} = \frac{\text{---}}{\text{---}} =$ _____ %

Explanation: Total installed = 55000. Total assigned = 45962

1 A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For audit purposes, the applicant must retain a copy of this document.

2 Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.

3 Forecast of TNs needed in each following month, starting with the most recent month as Month #1.

4 To be assigned an additional thousand-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, § 52.15 (g) (3) (ii)).

5 Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii)).

Appendix 3 – Modified August 6, 2001

NPA(s)-NXX-Xs included in growth calculation:

~~425-316-0,1,2,3,4,5,6,8,9, 425-337-0,1,2,3,4,5,6,7,8,9, 425-338-0,1,2,3,4,5,6,7,8,9, 425-357-0,1,3,4,5,6,8,9, 425-379-0,1,2,3,4,5,6,7,8,9, 425-385-1,2,3,4,5,6,7,8~~

08/18/04 05:58

Aug-18-04 07:07A

4252581717 → 19723172161

P.02

08/11/04 17:57

NO.919 002

AUG-11-04 WED 08:14 PM WSDOT MIS 3rd floor 360 705 6927

FAX NO. 360 705 8927

P. 01



Washington State Department of Transportation Douglas S. Macdonald Secretary of Transportation

Transportation Building 310 Maple Park Avenue S.E. P.O. Box 47300 Olympia, WA 98504-7300 360-705-7000 TTY: 1-800-833-6308 www.wsdot.wa.gov

To Verizon:

The Washington State Department of Transportation (WSDOT) is requesting a block of 100 consecutive numbers from any of the following DID number ranges for our El Capitan, Everett WA location:

- 1. (any prefix - 8300 to 8399) (100 numbers)
- 2. (any prefix - 8400 to 8499) (100 numbers)
- 3. (any prefix - 8500 to 8599) (100 numbers)
- 4. (any prefix - 8600 to 8699) (100 numbers)
- 5. (any prefix - 8700 to 8799) (100 numbers)
- 6. (any prefix - 8900 to 8999) (100 numbers)

WSDOT is installing a new phone system in our El Capitan maintenance and engineers office. These numbers are a strong requirement to how we currently do business maintaining the roadways. Being a "First Responder" agency for the Pacific Northwest, it is critical that we maintain our existing abbreviated 4-digit dialing plan, which is a state wide private network. Our current PBX network cannot accept any other numbers except the ones listed above.

Verizon has been a valued partner for our voice communication needs and it is important that they are enabled to offer these DID numbers to us. In the economy of keeping our operation costs stable, we desire that Verizon remains our single point of contact for our business communication needs for there operating Telco's.

Your Prompt consideration to this request is greatly appreciated.

Thank you

Nels Anderson 8/11/04

Nels Anderson Voice & Video System Design 360-705-7577 / andersn@wsdot.wa.gov