

RECEIVED
RECORDS MANAGEMENT

06 JUN -9 AM 11:55

COMMISSION OF WASH.
UTIL. AND TRANSP.
C/OPT 455514**Verizon Northwest Inc.****1800 – 41st Street
WA0105RA
P. O. Box 1003
Everett, WA 98206-1003
Fax: 425-261-5262**

June 9, 2006

Ms. Carole J. Washburn,
Executive Secretary
Washington Utilities and
Transportation Commission
Chandler Plaza Building
1300 S. Evergreen Park Drive SW
Olympia, Washington 98504

Subject: VERIZON REQUEST FOR A ONE THOUSAND NUMBER BLOCK

Dear Ms. Washburn:

Verizon Northwest Inc. (Verizon) requests the Washington Utilities and Transportation Commission to direct the Pooling Administrator (PA) to provide Verizon with a one thousand number block to satisfy the requirement for additional numbers for Puget Sound Energy in Burlington, WA in the Mount Vernon Rate Center (Mobile CO), OCN 4423. The customer's location is in Burlington, WA and the rate center is Mt. Vernon.

The customer requests a block of 500 sequential Direct Inward Dialing numbers to accommodate a new Puget Sound Energy building that is being constructed at 1660 Park Lane in Burlington, WA. Due to the customer's internal numbering plan, they are limited to the following ranges: 2000-2699, 3000-3990, 5000-5999, 7600-7999.

This request is made because the serving central office does not meet the "months to exhaust" requirement of the PA. The utilization calculates to 66.800%. The FCC requires a utilization of 75.000%. The PA will only accept 6 months or less to exhaust without a waiver request from the Commission.

Ms. Carole J. Washburn
June 9, 2006
Page 2


The Washington Commission has the authority to review the PA's criteria and request a waiver when appropriate, in this case a waiver request for the months to exhaust criteria. Verizon requests the Commission instruct the PA to release the numbering resources necessary to meet the needs of this Verizon customer.

Verizon requests approval of this request with an effective date of July 9, 2006. The Commission's waiver request must be submitted with the company's application to the PA for the numbering resources needed for deployment of service to this customer.

Please find attached a copy of the company's Block Application Form to the PA, Neustar's Months to Exhaust and Utilization Certification Worksheet, the denial from the Pooling Administration System (PAS), a copy of the letter from the customer requesting the number block and information on the rate center.

If there are questions concerning this request, please contact Lin Fogg at 425.261.6380.

Very truly yours,



David S. Valdez
Senior Vice President
Public Affairs, Policy and Communications

Attachments

DSV/LF/lf

March 23,2004
Thousands-Block Application Form
Part 1B

NPAC BLOCK HOLDER DATA

Submit one form per thousands-block request.

Request ID #: WAW0001052

Activation Request:	<u> X </u>	Intra SP Block Porting Request:	<u> </u>
----------------------------	--------------	--	---------------

Or

Modification Request:	<u> </u>	For Information Only:	<u> </u>
------------------------------	---------------	------------------------------	---------------

Section A:

(If request is for Activation, the thousands-block applicant is to provide all data except Block Range, Block Effective Date and LERG Assignee/donating switch information; the PA will fill in those three fields. For a Modification or Intra SP Block Porting Request, the requestor is to provide all information.)

Pooling Administrator

Name Kevin Gatchell
Address 1800 Sutter St. Suite 570
City,State,Zip Concord,CA,94520
Phone 925-363-8742 Fax 925-363-7692
E-Mail kevin.gatchell@neustar.biz

Block Applicant

Company Name VERIZON NORTHWEST INC.-WA (CONTEL)
Contact Name: Donna Dodson
Address: 1 E. Pratt St. 3E
City,State,Zip Baltimore
Phone 410-736-6037 Fax _____
E-Mail donna.m.dodson@core.verizon.com
Service Provider NPAC SOA SPID¹ 0772
LRN² _____

Block (1K) Range ³ Block Effective Date (MM/DD/YYYY) ⁴ Is Block being allocated back to the LERG Assignee on the donating switch? Yes ___ No ___ If Yes, do not send Part 1B to the NPAC. If No, forward Part 1B to the NPAC.
--

NPAC Activate Block Range⁵ Yes X No

Section B:

(Block Applicant to provide this data **ONLY** if NPAC Activate Block Range is marked "YES") For Intra SP Block Porting the Block Holder should reflect the routing information of the switch the block is being transferred to⁶.

Class DPC ⁷	<u>240-200-220</u>
Class SSN ⁸	<u>0 0 0</u>
LIDB DPC ⁹	<u>240-200-220</u>
LIDB SSN ¹⁰	<u>0 0 0</u>
CNAM DPC ¹¹	<u>240-200-220</u>
CNAM SSN ¹²	<u>0 0 0</u>
ISVM DPC ¹³	<u>NotSuprtd</u>
ISVM SSN ¹⁴	<u>NotSuprtd</u>
WSMSC DPC ¹⁵	<u>N/A</u>
WSMSC SSN ¹⁶	<u>N/A</u>

March 23,2004
Thousands-Block Application Form
Part 1B

SOA Origination¹⁷

N/A

Section C:

(To be filled out by the SP for Intra SP Block Porting)

To be completed if using 3.0 or higher

New LRN:

Do you want the BCD record updated? Y _____ N _____

Section D:

(NPAC is to Activate/Modify/Port the Block (1K), as indicated on this form. When the Block (1K) Activation/Modification/Port is complete and the data in this section inserted, NPAC sends a copy of the completed form to the Pooling Administrator and Block Holder.)

Block (1K) Request Complete	Yes _____ No _____
Complete Date (MM/DD/YYYY)	__/__/__
Complete Time (HH/MM)	__/__
NPAC Personnel performing change	_____

Block Holder sent Completed Form: Yes _____ No _____

Mailed Date (MM/DD/YYYY) __/__/__

Mailed Time (HH/MM) __/__

Contact Name _____

Pooling Administrator sent Completed Form: Yes _____ No _____

Mailed Date (MM/DD/YYYY) __/__/__

Mailed Time (HH/MM) __/__

Contact Name _____

Remarks: _____

Notes:

- 1) The requesting Block Applicant shall complete this form except for Block Range and Block Effective Date, when submitting PART 1 of the INC Thousands-Block Applicant form to the Pooling Administrator. A separate Part 1B form is to be completed for each 1K Block Range requested.
- 2) The Pooling Administrator will insert Block Range and Block Effective Date information, then submit this form to the regional NPAC at the same time PART 3 of the INC Thousands-Block Applicant form is returned to the requesting Block Applicant.
- 3) Pre-Block Activation:
 a) If the Block Holder is requesting a modification, the Block Holder needs to complete Sections A and any applicable data in Section B of this form and send it to the Pooling Administrator (PA). The PA will forward the form to the NPAC for processing.

March 23,2004
Thousands-Block Application Form
Part 1B

4) Post- Block Activation: If Block Holder requests NPAC to perform the Block Modification, then Sections A & B of this form should be completed and send to the Pooling Administrator. The Pooling Administrator will send the information on to the NPAC. Upon completion of this request, NPAC sends a copy of the completed form to the Pooling Administrator and Block Holder.

Foot Notes:

¹The Service Provider ID of the block holder. The SPID must be a valid SPID in the NPAC system. If your company does not have a SPID, please call the NPAC at 1-888-NPAC-HEL(P) for assistance.

²A Location Routing Number is a 10-digit number, in the format NPA-NXX-XXXX, that uniquely identifies a switch or point of interconnection (POI). The NPA-NXX portion of the LRN is used to route calls to numbers that have been ported.

³The Pooling Administrator will insert Block information. The Block will consist of NPA-NXX and the first digit of the 1K block.

⁴The Pooling Administrator will insert Block Effective Date. See section 9.2.4 of the Thousands-Block (NXX-X) Number Pooling Administration Guidelines for specifics on effective date. This is the earliest date that the NPAC will broadcast the Block information to all Local SMS's.

⁵If "YES" is marked the NPAC will activate the block range. If "NO" is marked it will be the responsibility of the SP to activate the block range.

⁶**NANC 191**

Whenever a DPC value is specified, an SSN value likewise must be provided (and vice versa).

The three-digit values used for the first three-digit portion of the DPC must be between 001 and 255 and the three-digit values used for the next two three-digit portions of the DPC must be between 000 and 255.

NANC 291

⁷Customer Local Area Signaling Services Destination Point Code for 10-digit GTT for CLASS features for the 1K block.

⁸Customer Local Area Signaling Services Subsystem Number for the 1K block.

⁹Line Information Database Destination Point Code for 10-digit GTT for LIDB features for the 1K block.

¹⁰Line information Database Subsystem Number for the 1K block.

¹¹Calling Name Delivery Destination Point Code for 10-digit GTT for CNAM features for the 1K block.

¹²Calling Name Delivery Subsystem Number for the 1K block.

¹³Inter-Switch Voice Mail Destination Point Code for 10-digit GTT for ISVM features for the 1K Block

¹⁴Inter-Switch Voice Mail Services Subsystem Number for the 1K block.

¹⁵Wireless Short Message Service Center Destination Point Code for 10-digit GTT for WSMSC features. This field is only required if the service provider supports WSMSC data.

¹⁶Wireless Short Message Service Center Subsystem Number for the 1K block. This field is only required if the service provider supports WSMSC data.

¹⁷The SOA Origination Field must be populated with "No" if the NPAC Activate Block Range is marked "Yes" which specifies that the block applicant will not activate their own block range.

**Thousands-Block Application Form
Part1A**

Type of Application(check one):



Request ID #: WAW0001052

GENERAL APPLICATION INFORMATION**1.1 Contact Information:****Block Applicant:**Company Name: VERIZON NORTHWEST INC.-WA (CONTEL)

Headquarters Address:

1 E. PRATT ST. 3E City BALTIMORE State MD Zip 21202Contact Name: Donna Dodson

Contact Address:

1 E. Pratt St. 3E City Baltimore State MD Zip 21202Phone: 410-736-6037 Fax:E-Mail: donna.m.dodson@core.verizon.com**Pooling Administratorⁱⁱ:**Contact Name: Kevin Gatchell

Contact Address:

1800 Sutter St. Suite 570 City Concord State CA Zip 94520Phone: 925-363-8742 Fax: 925-363-7692E-Mail: kevin.gatchell@neustar.biz**1.2 General Information:**Check one: No LRN needed LRN neededⁱⁱⁱ NPA: 360 Lata: 674 OCN^{iv}: 4423 Parent Company's OCN NONENumber of Thousand Blocks Requested: 1Switch Identification (Switching Entity/POI)^v: BURLWAXXRS0 City or Wire Center Name: BURLINGTONRate Center^{vi}: MOUNT VERNON Rate Center Sub Zone:**1.3 Dates**Date of Application^{vii}: 5/23/2006 Requested Block Effective Date: 6/20/2006Request Expedited Treatment? (See Section 8.6) Yes No **1.4 Type of Service Provider Requesting the Thousands-Block:**a) Type of Service Provider: LEC (LEC, IXC, CMRS, Other)b) Primary type of service Blocks to be used for: EOCc) Thousands-Block(s) (NXX-X) assignment preference (optional) NXX-2,3,5, OR 7

d) Thousands-Block(s) (NXX-X) that are undesirable for this assignment, if any

e) If requesting a code for LRN purposes, indicate which block(s) you will be keeping (the remainder of the blocks will be given to the pool)

Thousands-Block Application Form
Part1A

1.5 Type of Request

Initial block for rate center: Yes , If Yes attach evidence of authorization and proof of capability to provide Service within 60 days

Growth block for rate center: Yes , If Yes, attach months to exhaust worksheet

Change block: Yes , If Yes, indicate NPA-NXX-X, type of and reason for change:

Disconnect block: Yes , If Yes, list NPA-NXX-X

I hereby certify that the above information requesting an NXX-X block is true and accurate to the best of my knowledge and that this application has been prepared in accordance with the Thousands-Block (NXX-X) Pooling Administration Guidelines INC 99-0127-023

Donna Dodson

Signature of Block Applicant

Code Administrator

Title

5/23/2006

Date

Thousands-Block Application Form Part1A

Instructions for filling out each Section of the Part 1A form:

Section 1.1 Contact information requires that Service Providers supply under "Block Applicant" the company name, company headquarters address, a contact within the company, an address where the contact person may be reached, in addition to the correct phone, fax, and e-mail address. The Pooling Administrator section also requires the Service Provider to fill in the Pooling Administrator's name, address, phone, fax and e-mail.

Section 1.2 Service Providers who need a thousands-block assignment or for an Location Routing Number (LRN) are required to fill in this section. If needed for an LRN, a CO Code Application needs to also be submitted to the PA. The Service Provider should supply the Numbering Plan Area (NPA); the Local Access Transport Area (LATA), which is a three-digit number that can be found in the Telcordia™ LERG™ Routing Guide. The Operating Company Number (OCN) assigned to the service provider and the OCN its parent company. An OCN is a four-character alphanumeric assigned by Telcordia™ Routing Administration (TRA). In addition, the number of thousands-blocks requested should be supplied. The Switch Identification as well as the city or wire center name, rate center, rate center sub zone, homing tandem and CLLI™ tandem of the facilities based provider. Explanations of these terms may be found in the footnotes.

Section 1.3 The date the Service Provider completes the application should be entered in this section, as well as the Effective Date of the requested thousands-block.

Section 1.4 Service Providers should indicate their type, e.g., local exchange carrier, competitive local exchange carrier, interexchange carrier, CMRS. They also indicate the primary type of business in which the numbering resource is to be used. Service Providers also may indicate their preference for a particular thousands-block, e.g., 321-9XXX, or indicate any thousands-blocks that may be undesirable, e.g., 321-6XXX.

Section 1.5 Service Providers indicate the type of request. Initial requests are for first applications for thousands-blocks in a rate center, growth for additional thousands-blocks in a rate center in which the applicant already has numbering resources, and provide the required evidence as ordered by the FCC.

The thousands-block applicant certifies veracity of this form by signing their name, and providing their title and date.

Thousands-Block Application Form
Part1A

Foot Notes:

-
- ⁱ Identify type of and reason for change(s) in Section 1.6.
 - ⁱⁱ The Pool Administrator is available to assist in completing these forms.
 - ⁱⁱⁱ A CO Code application will also need to be submitted to the PA
 - ^{iv} Operating Company Number (OCN) assignments must uniquely identify the applicant. Relative to CO Code assignments, NECA-assigned Company Codes may be used as OCNs. Companies with no prior CO Code or Company Code assignments should contact NECA (800 524-1020) to be assigned a Company Code(s). Since multiple OCNs and/or Company Codes may be associated with a given company, companies with prior assignments should direct questions regarding appropriate OCN usage to (TRA) (732-699-6700).
 - ^v This is an eleven-character descriptor of the switch provided by the owning entity for the purpose of routing calls. This is the 11 character CLLI™ code of the switch /POI.
 - ^{vi} Rate Center name must be a tariffed Rate Center.
 - ^{vii} Acknowledgment and indication of disposition of this application will be provided to applicant within seven calendar days from the date of receipt of this application. An incomplete form may result in delays in processing this request.
 - ^{viii} Telcordia, LERG Routing Guide, and CLLI are trademarks of Telcordia Technologies, Inc.

MONTHS TO EXHAUST and UTILIZATION CERTIFICATION WORKSHEET - TN Level¹
(Thousand-Block Number Pooling Growth Block Request)

Date: 5/23/2006 OCN: 4423 Company Name: VERIZON NORTHWEST INC.-WA (CONTEL)
 Rate Center: MOUNT VERNON (MOBILE CO)
 List all codes NPA(s)-NXXs and Block NPA(s)-NXX-X(s): See attached list
 Name of Block Applicant: Robert Janke Signature: Robert Janke
 Title: Manager Telephone No: 972-318-5300 FAX No: 972-317-2161
 E-Mail: robert.janke@verizon.com

- A. Available Numbers: 13316
- B. Assigned Numbers:
- C. Total Numbering Resources:

D. Quantity of numbers activated in the past 90 days and excluded from the Utilization calculation:
 List excluded Code(s) or Block(s):

	Month #1	Month #2	Month #3	Month #4	Month #5	Month #6	Month #7	Month #8	Month #9	Month #10	Month #11	Month #12
E. Growth History - Previous 6 month ²	-130	-70	-333	-30	-109	-68						
F. Forecast - Next 12 months ³	<u>76</u>	<u>76</u>	<u>76</u>	<u>76</u>	<u>76</u>	<u>76</u>	<u>76</u>	<u>76</u>	<u>76</u>	<u>76</u>	<u>76</u>	<u>76</u>

G. Average Monthly Forecast (Sum of months #1-6 (Part F above) divided by 6): 76

H. Months to Exhaust⁴ Number Available for Assignment to Customers (A) = 175.2

I. Utilization⁵ Average Monthly Forecast (G)
Assigned Numbers (B) - Excluded Numbers (D) * 100 = Total Numbering Resources

Explanation: **Total installed = 166000. Total assigned = 110888**

¹ A copy of this worksheet is required to be submitted to the Pooling Administrator when requesting additional numbering resources in a rate center. For audit purposes, the applicant must retain a copy of this document.
² Net change in TNs no longer available for assignment in each previous month, starting with the most distant month as Month #1, and Month #6 as the current month.
³ Forecast of TNs needed in each following month, starting with the most recent month as Month #1.
⁴ To be assigned an additional thousands-block (NXX-X) for growth, "Months to Exhaust" must be less than or equal to 6 months. (FCC 00-104, § 52.15 (g) (3) (iii)).
⁵ Newly acquired numbers may be excluded from the Utilization calculation (FCC 00104, section 52.15 (g)(3)(ii))

Appendix 3 Modified August 6,2001

NPA(s)-NXX-Xs included in growth calculation:

360-293-0,1,2,3,4,5,6,7,8,9, 360-299-0,1,2,3,4,8,9, 360-336-0,1,2,3,4,5,6,7,8,9, 360-416-0,1,2,3,4,5,6,7,8,9, 360-419-0,1,2,3,7,8,9, 360-422-5,6,7,8, 360-424-0,1,2,3,4,5,6,7,8,9, 360-428-0,1,2,3,4,5,6,7,8, 360-429-1,2,3,4,5,6,7,8, 360-445-2,3,4,5,6, 360-466-0,1,2,3,4,5,6,7,9, 360-588-0,1,8,9, 360-707-0,2,5,6, 360-724-0,2,3,4,5,6,7, 360-755-0,1,2,4,5,9, 360-757-0,1,2,3,4,5,6,7,8,9, 360-766-1,4,5,6,7,8, 360-826-3,4,5,6, 360-848-0,1,2,3,4,5,6,7,8,9, 360-853-4,7,8,9, 360-854-0,2,7,9, 360-855-0,1,2,3,4,5,6,7,8,9, 360-856-0,1,2,3,4,5,6,7,8,9, 360-873-2,4

Pooling Administration System

 robert.f.comer,jr@verizon.com (SP)

[Sign Out](#)

Months to Exhaust and Utilization Certification Worksheet - TN Level (Continued)

Your utilization calculates to 66.800 percent. The FCC requires a utilization of 75.000 percent.

Select One Option and Submit

- Return to the Months To Exhaust Form
- Discard all the information provided for the request and start with a fresh Part 1A
- State Waiver Option



May 9, 2006

Verizon
Attention: Brian Tew
701 5th Ave.
Suite 500
Seattle, WA 98104

SUBJECT: Request for Block of 500 DID's

Dear Brian:

In response to the unavailability of DID's in the 360 area code of Burlington, we are formally requesting a block of 500 sequential DID's to accommodate a new Puget Sound Energy building that is being constructed at 1660 Park Lane in Burlington, Washington. Due to our internal numbering plan, we are limited to the following ranges:

- 2000 - 2699
- 3000 - 3990
- 5000 - 5999
- 7600 - 7999

Please let us know at the earliest convenience as to when one of the above mentioned series might be available.

Thank you.

Best regards,

A handwritten signature in black ink that reads "Marono A. McMillan".

(Ms.) Marono A. McMillan
Information Technology Analyst
Puget Sound Energy - Telecommunications
13635 NE 80th St.
Redmond, WA 98052



<todd.rodgers@qwest.com>
cc Robert F. Comer Jr/EMPL/MD/Verizon@VZNotes

Subject WA- Rate Center Consolidation

The following was sent out in an EN today, 1/30/06:

Effective 3/1/06, there will be a rate center consolidation as supported in Washington Docket UT-050814, Order No. 07. The following is a breakdown of this approved consolidation:

<u>Locality</u>	<u>Current Rate Center</u>	<u>New Rate Center</u>	<u>V&H</u>
ALGER BAKER LAKE BAY VIEW (SK) BIG LAKE BLANCHARD BOW BURLINGTON CLEAR LAKE CONCRETE CONWAY EDISON HAMILTON LYMAN LYMANHMLTN ROCKPORT SAUK SEDROWOLLY	SEDROWOLLY	MT VERNON	06159/08908
ARLINGTON BRYANT EDGECOMB OSO SN CN US N	ARLINGTON	MARYSVILLE	06237/08880
GRANITEFLS VERLOT	GRANITEFLS	MARYSVILLE	06237/08880
DARRINGTON FORTSON	DARRINGTON	MARYSVILLE	06237/08880

The following Rate Centers have been disconnected effective 3/1/06 in support of this rate center consolidation:

DARRINGTON
GRANITE FALLS
ARLINGTON
SEDRO WOOLLEY