

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

Pend Oreille Valley Railroad) DOCKET NO. TR- 091659) PETITION TO MODIFY HIGHWAY-
Petitioner,) RAIL GRADE CROSSING ACTIVE) WARNING DEVICES AND
vs. UTC) DISBURSEMENT OF FUNDS) FROM THE GRADE CROSSING) PROTECTIVE FUND
Respondent	
••••••) USDOT CROSSING #399656B

The Petitioner asks the Washington Utilities and Transportation Commission to approving the modification of highway-rail grade crossing warning signals and disbursing funds from the Grade Crossing Protective Fund.

Section 1 – Petitioner's Information

Petitioner
Pend Oreille Valley Railroad (POVA)
Street Address
1981 Black Rd
City, State and Zip Code
Usk, WA 99180
Mailing Address, if different than the street address
and the second of the second o
Contact Person Name
Kelly Driver
Contact Phone Number and E-mail Address
509-445-1090 kellyd@povarr.com

Section 2 – Respondent's Information

	APRIL DE S			
Respondent				
UTC				
			·	
Street Address				
1300 S. Evergreen Park Dr. SW				
City, State and Zip Code		•		
Olympia, WA 98504-7250				•
Olympia, WA 76304-7230				
Mailing Address, if different than the street	t address			
Contact Person Name		•		
Kathy Hunter				
			,	
Contact Phone Number and E-mail Addres	S			
360-664-1257, khunter@utc.wa.gov				

1. Existing highway/roadway SR- 31	-
2. Existing railroad POVA	
3. USDOT Crossing No. 399656B UTC Crossing No. 30A 52.00	
4. Located in the1/4 of the1/4 of Sec. 31, Twp. 38, Range 43.EW.M.	
5. GPS location, if known	
6. Railroad mile post (nearest tenth) 52	
7. City near Ione County Pend Oreille	

Section 4 – Current Highway Traffic Information

1. Name of highway SR-31
2. Road authority WSDOT
3. Average annual daily traffic (AADT) 725
4. Number of lanes 2
5. Roadway speed 55
6. Is the crossing part of an established truck route? Yes X No
7. If so, trucks are what percent of total daily traffic?
8. Is the crossing part of an established school bus route? Yes X No
9. If so, how many school buses travel over the crossing each day? <u>36</u>
10. Describe any changes to the information in 1 through 7, above, expected within ten years:
Unknown

Section 5 – Current Crossing Information

1. Railroad company POVA
2. Type of railroad at crossing X Common Carrier □ Logging □ Industrial
□ Passenger x Excursion
3. Type of tracks at crossing x Main Line ☐ Siding or Spur
4. Number of tracks at crossing1
5. Average daily train traffic, freight 2 or less
Authorized freight train speed 20 Operated freight train speed 20
6. Average daily train traffic, passenger <u>0</u> (Excursion trains are operated 6-8 weekends per year).
Authorized passenger train speed 20 Operated passenger train speed 10 -20
7. Describe any changes to the information in 1 through 4, above, expected within ten years:
8. What is the available sight distance from the stop bar (or 25 feet from the tracks if no stop bar) on both approaches to the crossing? NW 300 NE 40 SW 40 SE 350
9. If the sight distance is less than 400 feet, describe the structures, roadway or track curvature, visual obstacles or other characteristics that limit sight distance. Trees & Vegetation

Section 6 – Current Warning Devices

Cantilever mounted fla						C train	detection	ì.	
					- · · · · · · · · · · · · · · · · · · ·				-
	······································	<u> </u>							
			•.	*****					
				<u>.</u>				<u>. </u>	
		•		ţ. ;	are t	1 1	2		
· · · · · · · · · · · · · · · · · · ·	··· ···········					-			
				****					_
			••.						
		,					,		
								 	

Section 7 – Description of Proposed Changes

Upgrade 16 flashing	light heads	to LED ty	pe. Repl	ace syste	m batteries	(11) and c	hargers (2
Replace RR crossbu	icks (2).		-4.				
GCPF			:				
				• • • • • • • • • • • • • • • • • • • •			
							
				, <u>, , , , , , , , , , , , , , , , , , </u>			
		·					
		<u> </u>		<u> </u>			
	· · · · · · · · · · · · · · · · · · ·						
							
	· · · · · · · · · · · · · · · · · · ·						
		·					
				·		 .	
					"		N=-41-3
							
							

Section 8 - Illustration of Proposed Warning Devices

Attach a detailed diagram, drawing, map or other illustration showing the proposed modification.

Section 9 – Project Cost Information

1.	Breakdown of estimated total cost.	
	5 ea – ELM 240/250 AH batteries	\$1,250.00
1	6 ea – ELM 340/363 AH batteries	1,830.00
	2 ea – ERBC 12/20 charger	1,030.00
	10 ea – light head visor	290.00
	10 ea – light head background	470.00
	16 ea – 12 inch LED light assy	3,456.00
	1 ea – RR crossing sign	75.00
	1 ea – power off indicator light	116.40
	1 ea – plug in relay	150.00
	Freight	418.00
	Tax	726.83
	Total	\$9812.23
12	Names of the parties contributing to t	the project and the amount each is contributing.

- 2. Names of the parties contributing to the project and the amount each is contributing. POVA installation cost
- 3. Provide the amount the applicant is requesting from the GCPF grant program. \$9812.23

Section 10 - Project Completion Date

Project completion date: June 30, 2010

Section 11 – Waiver of Hearing by Respondent

Waiver of Hearing	
The undersigned represents t warning signals at the follow	he Respondent in the petition to modify highway-rail grade crossing ing crossing.
USDOT Crossing No	UTC Crossing No
as described by the Petitioner	nditions at the crossing. We are satisfied the conditions are the same r in this docket. We agree the warning signals should be modified the commission without a hearing.
Dated at	, Washington, on the day of
,,2	20
	$(T,Q_{\mu},\tilde{T},\tilde{L}_{\mu})$
	Printed name of Respondent
	Signature of Respondent's Representative
	Title
·	Phone number and e-mail address
	Mailing address