

WASHINGTON UTILITIES AND TRANSPORTATION COMMISSION

	DOCKET NO. TR-/00575
Benton County) PETITION TO CONSTRUCT A HIGHWAY-RAIL GRADE
Petitioner,) CROSSING
vs. UPRR)))
Respondent)))
))

The Petitioner asks the Washington Utilities and Transportation Commission to approve construction of a highway-rail grade crossing.

Section 1 - Petitioner's Information

Benton County Petitioner
610 Market St Street Address
Prosser, WA 99350 City, State and Zip Code
P.O. Box 1001; Prosser, WA 99350
Mailing Address, if different than the street address Malcolm Bowie, PE
Contact Person Name
509-786-5611 malcolm.bowie@co.benton.wa.us Contact Phone Number and E-mail Address

Section 2 – Respondent's Information

Terrel Anhorson
Respondent
GUST Atkison St.
Street Address
Ruseville CA 95747
City, State and Zip Code
Mailing Address, if different than the street address
Contact Person Name
Contact Phone Number and E-mail Address
Section 3 – Proposed Crossing Location
1. Existing highway/roadway
2. Existing railroad UPRR Spur
3. Location of proposed crossing: Located in the <u>NW</u> 1/4 of the <u>NE 1/4 of Sec. 23 , Twp. 08N , Range 30E, W.M.</u>
4. GPS location, if known 46° 09' 58.21" N, 119° 01' 22.42" W
5. Railroad mile post (nearest tenth) Unknown
6. City County Benton

Section 4 – Proposed Crossing Information

1. Railroad company UPRR
2. Type of railroad at crossing ☐ Common Carrier ☐ Logging ☒ Industrial
☐ Passenger ☐ Excursion
3. Type of tracks at crossing ☐ Main Line ☐ Siding or Spur
4. Number of tracks at crossing 1
5. Average daily train traffic, freight 1-2
Authorized freight train speed 10 Operated freight train speed 10
6. Average daily train traffic, passenger0
Authorized passenger train speed Operated passenger train speed
7. Will the proposed crossing eliminate the need for one or more existing crossings? Yes X No
8. If so, state the distance and direction from the proposed crossing.
Agrium US has one existing private crossing located N 24° 40′ 06″ W 513 feet from the proposed crossing and they have agreed to vacate their private crossing if the new public crossing is granted.
Columbia Colstor also has a private crossing located at the sight of the proposed new public crossing and they have agreed to vacate their private crossing if the new public crossing is granted.
9. Does the petitioner propose to close any existing crossings? Yes X No

Section 5 – Temporary Crossing

1. Is the crossing proposed to be temporary? Yes NoX_
2. If so, describe the purpose of the crossing and the estimated time it will be needed
3. Will the petitioner remove the crossing at completion of the activity requiring the temporary crossing? Yes No
Approximate date of removal
Section 6 – Current Highway Traffic Information
1. Name of roadway/highway Piert Road
2. Roadway classification Proposed urban collector
3. Road authority Benton County
4. Average annual daily traffic (AADT)
5. Number of lanes 2
6. Roadway speed35
7. Is the crossing part of an established truck route? Yes No _X
8. If so, trucks are what percent of total daily traffic?
9. Is the crossing part of an established school bus route? Yes No _X
10. If so, how many school buses travel over the crossing each day?
11. Describe any changes to the information in 1 through 7, above, expected within ten years:
The route is expected to be designated a truck route with AADT of 400 and a truck percentage of 75% with 2 bus crossings per day.

Section 7 – Alternatives to the Proposal

1.	Does a safer location for a crossing exist within a reasonable distance of the proposed location? Yes No X
2.	If a safer location exists, explain why the crossing should not be located at that site.
	Are there any hillsides, embankments, buildings, trees, railroad loading platforms or other rriers in the vicinity which may obstruct a motorist's view of the crossing? Yes No _X
4.	If a barrier exists, describe: ◆ Whether petitioner can relocate the crossing to avoid the obstruction and if not, why not. ◆ How the barrier can be removed. ◆ How the petitioner or another party can mitigate the hazard caused by the barrier.
	Is it feasible to construct an over-crossing or under-crossing at the proposed location as an ernative to an at-grade crossing? Yes No _X
6.	If an over-crossing or under-crossing is not feasible, explain why. The cost of an over-crossing or an under-crossing would be excessive for the amount of
	traffic involved. Costs and delays associated with under/over crossings would result in killing
	this project

Does the railway line, at any point in the vicinity of the proposed crossing, pass over a fill area trestle or through a cut where it is feasible to construct an over-crossing or an under-crossing, en though it may be necessary to relocate a portion of the roadway to reach that point? Yes No _X
 If such a location exists, state: ♦ The distance and direction from the proposed crossing. ♦ The approximate cost of construction. ♦ Any reasons that exist to prevent locating the crossing at this site.
<u> </u>
Is there an existing public or private crossing in the vicinity of the proposed crossing? Yes X No
 If a crossing exists, state: ♦ The distance and direction from the proposed crossing. ♦ Whether it is feasible to divert traffic from the proposed to the existing crossing.
Agrium US has one existing private crossing located N 24° 40' 06" W 513 feet from the oposed crossing and they have agreed to vacate their private crossing if the new public crossing granted.
olumbia Colstor also has a private crossing located at the sight of the proposed new public ossing and they have agreed to vacate their private crossing if the new public crossing is granted.

Section 8 – Sight Distance

1. Complete the following table, describing the sight distance for motorists when approaching the tracks from either direction.

a. Approaching the crossing from unobstructed view as follows:

South, the proposed/eurrent approach provides an (North, South, East, West)

Direction of sight (left or right)	Number of feet from proposed crossing	Provides an unobstructed view for how many feet
Right	300	2,397
Right	200	2,397
Right	100	2,397
Right	50	2,397
Right	25	2,397
Left	300	1,720
Left	200	1,720
Left	100	1,720
Left	50	1,720
Left	25	1,720

b. Approaching the crossing from <u>North</u>, the proposed/current approach provides an unobstructed view as follows: (Opposite direction-North, South, East, West)

Direction of sight (left or right)	Number of feet from proposed crossing	Provides an unobstructed view for how many feet
Right	300	372
Right	200	388
Right	100	502
Right	50	1,720
Right	25	1,720
Left	300	2,397
Left	200	2,397
Left	100	2,397
Left	50	2,397
Left	25	2,397

2. Will the new crossing provide a level approach measuring 25 feet from the center of the
railway on both approaches to the crossing?
Yes No <u>X</u>
2. If not state in fact the level of level and found to the first the level of the

3. If not, state in feet the length of level grade from the center of the railway on both approaches to the crossing. Because the proposed alignment was designed with a 200 foot long vertical curve at the crossing, there is no level grade on either side of the crossing.

4. Will the	new cro	ssing pro	vide an approach grade of not a	more than five percent prior to the
level grade				
Yes	X	No	·	

5. If not, state the percentage of grade prior to the leftive percent.	evel grade and explain why the grade exceeds
five percent.	
	·
- · · · · · · · · · · · · · · · · · · ·	
Section 9 – Illustration of Propo	sed Crossing Configuration
Decition of 1 report	
Attach a detailed diagram, drawing, map or other il	lustration showing the following:
♦ The vicinity of the proposed crossing.	
◆ Layout of the railway and highway 500 fe◆ Percent of grade.	et adjacent to the crossing in all directions.
◆ Obstructions of view as described in Secti	on 7 or identified in Section 8.
♦ Traffic control layout showing the location	•
Continu 10 Proposed Warr	sing Cinnals on Desires
Section 10 – Proposed Warn	ung Signals or Devices
1. Explain in detail the number and type of automat	ic signals or other warning devices planned at
the proposed crossing, including a cost estimate for	
The volume of traffic (400 AADT on Piert Road	& 1 shuttle car per day on the rails) the
speed of the traffic(Vehicular traffic limited to 35 M	- · · · · · · · · · · · · · · · · · · ·
the adequate sight distance at the crossing all combi	•
sufficient warning devices. The cost should be less	then \$5,000.
Benton County will also install advance warning	signs and pavement markings on the
roadway surface.	
2. Provide an estimate for maintaining the signals for	or 12 months. \$0

Section 11 - Additional Information


Provide any additional information supporting the proposa	d, including information such as the
public benefits that would be derived from constructing a r	

The proposed alignment was chosen from 15 alternative alignments based on the directness of the route, the compatibility with planned industrial development for the area, the impacts to neighborhoods, the input received at public meetings, the impacts to the environment and the overall cost associated with each alternative.


The proposed roadway will serve as an urban collector to provide direct access for the Finley industrial area to SR-397 and I-82 (via SR-397). Over 300 acres of prime heavy industrial land will be opened up to future development with the extension of Piert Road.

Section 12 - Waiver of Hearing by Respondent

railroad grade crossing	esents the Respondent in the petition to construct or reconstruct a highway- g.
conditions are the sam	the conditions at the proposed or existing crossing site. We are satisfied the as described by the Petitioner in this docket. We agree that a crossing be sted and consent to a decision by the commission without a hearing.
Dated at	, Washington, on the day of
	, 20
	Printed name of Respondent
	Signature of Respondent's Representative
	Title
	Phone number and e-mail address



Not To Scale



FILTERMINATION OF NONSIGNIFICANU

Description of proposal: The project will begin at the intersection of Piert Road and SR 397 and run orthwest approximately 1.6 miles. The proposed work includes designing and reconstructing a portion of Piert and Lechelt Roads, and all new construction and alignment between Lechelt and Bowles Roads. All will be constructed to all-weather standards. The roadway cross section will consist of two 12-foot travel lanes, 6-foot paved shoulders and a walkway on the west wise.

Proponent

Benton County Dept. of Public Works

P O Box 1001

Benton Clean Air Authority*

Corps of Engineers*

Department of Transportation*

Washington State Department of Health*

Department of Ecology - Olympia* Yakima*

Benton-Franklin Dist. Health Department -Kennewick*

Prosser, WA 99350

File No. EA 00-33

Dept. of Reclamation*

Port of Kennewick*

Benton County PUD*

Columbia Irrigation District*

Burlington Northern Sante Fe RR*

Location of proposal: The project site is located in the Northeast Quarter of Section 26, Township 8 North, Range 30 East and the East Half of Section 23, Township 8 North, Range 30 East, W.M.

Lead ager	ncy <u>BENTON COUNTY</u>	
Th	e lead agency for this proposal has determined	that it does not have a probable significant
adverse in	mpact on the environment. An environmental imp	act statement (EIS) is not required under RCW
43.21C.0	30(2)(c). This decision was made after review	of a completed environmental checklist and
other info	ormation on file with the lead agency. This information	ation is available to the public on request.
[] Th	nere is no comment period for this DNS.	
[] Th	nis mitigated determination of nonsignificance is is itigation measurers which will eliminate significant	sued under WAC 197.11.350(3); the specific adverse environmental impacts are:
X] The	nis DNS is issued under 197-11-340(2); the lead a date below. Comments must be submitted by Au	gency will not act on this proposal for 14 days gust 9, 2000.
Responsi	ble Official TERRY A. MARDEN, Director	
•	Benton County Planning & Bu	ilding Dept.
		IE: (509) 786-5612
	Prosser, WA 99350-0910	(509) <i>7</i> 36-3 <i>9</i> 86
Date Jul	ly 26, 2000 Signature // //////	Mulli
	ou may appeal this determination to TERRY A. M	ARDEN, at Post Office Box 910, Prosser, WA by Written notice.
Υ.	ou should be prepared to make specific factual ol	pjections. Contact the planning department to
	sk about the procedures for SEPA appeals.	
	here is no agency appeal.	•
DISTRIB	UTION:	
Applican		Yakima Indian Nation*
	edia (Encl. map or plot plan)	Fire District No. 1*
	County Building Office	Benton County Fire Marshal*
	ent of Natural Resources - Sheryl Beck*	Finley School District*
Departm	ent of Natural Resources - David Dietzman *	Dept. Fish and Wildlife*

Steven W Recken Public Works Manager

Malcolm Bowie, P.E. County Engineer

Benton County Department of Public Works

Prosser 786-5611 Tri-Cities 736-3084 Ext. 5664

Area Code 509

Fax 786-5627

Post Office Box 1001 - Courthouse Prosser, Washington 99350-0954

April 09, 2010

Kathy Hunter **Deputy Assistant Director** Washington State Utility Transportation Commission 1300 S. Evergreen Park Dr. SW P.O. box 47250 Olympia WA 98504-7250

Dear Kathy

Benton County is submitting as part of this package four new public crossing petitions and one public crossing closure petition. We have also provided a map to put the big picture into perspective for the commission and staff.

The Piert Road Extension is a selected project of the STIP with secured funding through the States Transportation Improvement Board. This project will provide direct access to the Finley industrial area. Finley is an unincorporated area southeast of Kennewick . The Benton county Comprehensive Land Use Plan designates over 1000 acres as industrial in this area. The Piert Road project will provide over 300 acres of this undeveloped heavy industrial land with direct road access.

This project will serve local Industries Columbia Colstor Inc. and Agrium Inc. These companies are presently served by the multimodal transportation facilities available in the Finley area moving 5 to 6 million tons of product per day in and out of these facilities.

The Finley area is uniquely served by multimodal forms of transportation, including several existing barge slips. One of the unused barge slips in the area is equipped with three dolphins. This existing barge slip is available for lease from the owner and, contingent upon permitting, is available for barge transport on the Columbia River corridor.

This project is the logical planned extension of SR 397 from I-82 and will provide a direct truck route to I-82 from the industrial area

The reason Benton County is petitioning the Utility Transportation Commission is to get permission to create 4 public at grade crossings for the rail spurs that serve this site, as part of this transportation improvement. Benton County will eliminate 4 private crossing and 1 public crossings as part of this project.

Malcolm, Bowie P.E.

ALL CROSSINGS TO BE CLOSED & NEW CROSSINGS