



SEATTLE OFFICE
 eighteenth floor
 second & seneca building
 1191 second avenue
 seattle, washington 98101-2939
 TEL 206 464 3939 FAX 206 464 0125

OTHER OFFICES
 beijing, china
 new york, new york
 portland, oregon
 washington, d.c.
 GSBLAW.COM

G A R V E Y S C H U B E R T B A R E R

Please reply to STEPHEN B. JOHNSON
 sjohnson@gsblaw.com
 DIRECT 206-816-1309

March 28, 2012

VIA FEDERAL EXPRESS

David W. Danner
 Executive Director and Secretary
 Washington Utilities and Transportation Commission
 1300 S. Evergreen Park Dr. S.W.
 P.O. Box 47250
 Olympia, WA 98504-7250

Re: Stericycle of Washington, Inc. (G-244)
 Revisions to Stericycle of Washington, Inc. Tariff No. 1, Check Sheet, Items 15 and 90

Dear Secretary Danner:

We are attorneys for Stericycle of Washington, Inc. ("Stericycle") and are writing to you in that capacity.

Enclosed for filing are revisions to Stericycle's Tariff No. 1, Check Sheet, Item 15 and Item 90, as shown on the revised tariff pages enclosed with this letter.

Item 90 is being amended to delete the prior rate for the Small Pharmaceutical Waste Box. The Small Pharmaceutical Waste Box is not currently in use by any customers and is being discontinued. The rate stated in the tariff for the Small Pharmaceutical Waste Box is higher than the rate stated for the larger Medium/Large Pharmaceutical Waste Box, so using the Small Box is no longer economical for any generator.

Because these tariff changes proposed do not affect current service to any customer, no notice to customers prior to implementation is planned.

Please do not hesitate to contact me if you need additional information or clarification about the proposed tariff changes.


2012 MAR 29 AM 9:41
 STERICYCLE OF WASHINGTON, INC.
 1300 S. EVERGREEN PARK DR.
 S.W. OLYMPIA, WA 98504

David W. Danner
March 28, 2012
Page 2

Thank you for your assistance.

Very truly yours,

GARVEY SCHUBERT BARER

By 
Stephen B. Johnson

Enclosures

Cc: Mike Philpott, Stericycle
Penny Ingram, Commission Staff

SEA_DOCS:1056595.1