



SEATTLE OFFICE  
eighteenth floor  
second & seneca building  
1191 second avenue  
seattle, washington 98101-2939  
TEL 206 464 3939 FAX 206 464 0125

anchorage, alaska  
beijing, china  
new york, new york  
portland, oregon  
washington, d.c.  
GSBLAW.COM

G A R V E Y S C H U B E R T B A R E R

A PARTNERSHIP OF PROFESSIONAL CORPORATIONS

Please reply to JARED VAN KIRK  
jvankirk@gsblaw.com TEL EXT 1372

July 17, 2013

**VIA FEDERAL EXPRESS**

Secretary  
Washington Utilities and Transportation Commission  
1300 S. Evergreen Park Dr. S.W.  
P.O. Box 47250  
Olympia, WA 98504-7250

Re: Stericycle of Washington, Inc. (G-244)  
Revision to Stericycle of Washington, Inc. Tariff No. 1, Item 30

Dear Secretary:

We are attorneys for Stericycle of Washington, Inc. ("Stericycle") and are writing to you in that capacity.

Enclosed for filing pursuant to WAC 480-70-262 are revisions to Stericycle's Tariff No. 1, Checksheet and Item 30 (Rate Schedule), as shown on the revised tariff pages enclosed with this letter.

Item 30 is being revised to offer two new container options to additional customers. The availability of these container options was previously limited to customers in Benton, Chelan, Douglas, Grant, Island, King, Kitsap, Kittitas, Lincoln, Mason, Okanogan, Pierce, Skagit, Snohomish, Spokane, and Whatcom Counties. The deletion of the restriction previously found in Item 30, Note 3, will make these container options available to all Stericycle customers.

Because these tariff changes involve the addition of new service options, no notice to customers prior to implementation is planned.

Please do not hesitate to contact me if you need additional information or clarification about the proposed tariff change.




GARVEY SCHUBERT BARER

Secretary  
Washington Utilities &  
Transportation Commission  
July 17, 2013  
Page 2

Thank you for your assistance.

Sincerely,

GARVEY SCHUBERT BARER

By   
for Jared Van Kirk

Enclosures

cc: Mike Philpott, Stericycle  
Penny Ingram, Commission Staff

SEA\_DOCS:1109820.1